

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-AUG-2018 To 12-AUG-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-AUG-2018 To 12-AUG-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9915	9916	SN	1	48.696	49.357	0.0	0.003	216.034	2.754	1032.688	1075.16	0.0	-91.618	-89.806	0.0
2	9915	9916	NS	1	48.786	49.411	0.0	0.0	47.826	2.786	1042.28	1075.872	0.0	-91.61	-89.959	0.0
3	9915	9916	SN	2	48.696	49.357	0.0	0.003	216.034	2.754	1032.688	1075.16	0.0	-91.618	-89.806	0.0
4	9915	9916	NS	1	48.786	49.411	0.0	0.0	47.826	2.789	1042.28	1075.872	0.0	-91.61	-89.959	0.0
5	9916	9917	SN	1	48.702	49.298	0.0	0.003	214.633	2.556	1032.088	1075.112	0.0	-91.541	-89.861	0.0
6	9916	9917	SN	1	48.703	49.298	0.0	0.003	214.633	2.397	1032.088	1074.704	0.0	-91.389	-89.861	0.0
7	9916	9917	NS	1	48.838	49.411	0.0	0.003	263.678	2.564	1042.016	1075.928	0.0	-91.41	-89.968	0.0
8	9916	9917	NS	1	48.838	49.411	0.0	0.003	263.678	2.561	1042.384	1075.928	0.0	-91.43	-89.968	0.0
9	9916	9917	SN	2	48.702	49.298	0.0	0.003	214.633	2.399	1032.088	1074.712	0.0	-91.541	-89.861	0.0
10	9917	9918	NS	1	48.839	49.411	0.0	0.003	265.277	2.528	1042.44	1076.64	0.0	-91.674	-89.972	0.0
11	9917	9918	NS	1	48.839	49.411	0.0	0.003	265.277	2.526	1042.44	1076.64	0.0	-91.674	-89.972	0.0
12	9917	9918	SN	1	48.702	49.304	0.0	0.003	6.21	2.52	1032.52	1075.096	0.0	-91.503	-89.861	0.0
13	9917	9918	SN	1	48.702	49.304	0.0	0.003	5.907	2.325	1032.52	1074.624	0.0	-91.637	-89.861	0.0
14	9917	9918	SN	2	48.702	49.304	0.0	0.003	6.21	2.52	1032.52	1075.096	0.0	-91.503	-89.861	0.0
15	9918	9919	NS	1	48.839	49.428	0.0	0.0	266.59	2.765	1042.672	1077.008	0.0	-91.757	-89.969	0.0
16	9918	9919	SN	1	48.748	49.297	0.0	0.003	30.572	2.251	1031.504	1074.288	0.0	-91.729	-89.858	0.0
17	9918	9919	SN	2	48.748	49.297	0.0	0.003	30.572	2.554	1031.504	1075.072	0.0	-91.704	-89.858	0.0
18	9918	9919	SN	1	48.748	49.297	0.0	0.003	30.572	2.554	1031.504	1075.072	0.0	-91.704	-89.858	0.0
19	9918	9919	NS	1	48.813	49.422	0.0	0.0	266.59	2.762	1043.0	1077.008	0.0	-91.757	-89.969	0.0
20	9919	9920	SN	1	48.697	49.366	0.0	0.003	6.215	2.537	1031.608	1076.616	0.0	-92.612	-89.859	0.0
21	9919	9920	NS	1	48.779	49.438	0.0	0.003	13.252	2.594	1042.928	1075.848	0.0	-91.75	-89.942	0.0
22	9919	9920	NS	1	48.783	49.437	0.0	0.003	13.252	2.593	1042.928	1075.84	0.0	-91.75	-89.942	0.0
23	9919	9920	SN	2	48.697	49.366	0.0	0.003	6.215	2.537	1031.608	1076.616	0.0	-92.612	-89.859	0.0
24	9920	9921	SN	1	48.706	49.359	0.0	0.003	6.188	2.56	1032.136	1075.04	0.0	-91.555	-89.86	0.0
25	9920	9921	SN	1	48.75	49.358	0.0	0.003	6.182	2.564	1032.128	1075.04	0.0	-91.575	-89.859	0.0
26	9920	9921	NS	2	48.809	49.41	0.0	0.003	267.444	2.653	1041.92	1076.44	0.0	-91.68	-89.966	0.0
27	9920	9921	NS	1	48.809	49.41	0.0	0.003	267.444	2.653	1041.92	1076.44	0.0	-91.68	-89.966	0.0
28	9921	9922	SN	1	48.728	49.297	0.0	0.003	279.715	2.65	1032.552	1075.152	0.0	-91.886	-89.824	0.0
29	9921	9922	SN	1	48.728	49.297	0.0	0.003	279.715	1.864	1032.552	1073.232	0.0	-91.886	-89.824	0.0
30	9921	9922	NS	1	48.816	49.626	0.0	0.003	267.444	2.635	1042.2	1081.2	0.0	-94.516	-89.965	0.0
31	9921	9922	NS	2	48.816	49.626	0.0	0.003	267.444	2.635	1042.2	1081.2	0.0	-94.516	-89.965	0.0
32	9921	9922	SN	1	48.728	49.297	0.0	0.003	279.715	2.647	1032.552	1075.152	0.0	-91.624	-89.824	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	9922	9923	SN	1	48.702	49.362	0.0	0.003	5.901	1.514	1033.256	1071.928	0.0	-91.562	-89.851	0.0
34	9922	9923	SN	1	48.702	49.362	0.0	0.0	184.532	2.669	1033.256	1075.408	0.0	-91.731	-89.851	0.0
35	9922	9923	NS	1	48.791	49.477	0.0	0.003	264.775	2.629	1042.488	1076.984	0.0	-92.342	-89.961	0.0
36	9922	9923	NS	1	48.8	49.477	0.0	0.003	43.08	2.629	1042.488	1076.008	0.0	-91.749	-89.961	0.0
37	9922	9923	SN	2	48.701	49.364	0.0	0.003	29.569	1.514	1033.24	1071.904	0.0	-91.562	-89.85	0.0
38	9923	9924	NS	1	48.785	49.411	0.0	0.0	226.534	3.041	1041.648	1076.088	0.0	-94.237	-89.948	0.0
39	9923	9924	SN	1	48.714	49.363	0.0	0.0	226.688	3.253	1032.648	1075.528	0.0	-92.661	-89.872	0.0
40	9924	9925	NS	1	48.81	49.431	0.0	0.0	264.836	3.525	1041.888	1076.608	0.0	-92.714	-89.961	0.0
41	9929	9930	SN	1	48.708	49.312	0.0	0.0	17.874	2.678	1033.704	1075.352	0.0	-91.462	-89.859	0.0
42	9929	9930	SN	1	48.708	49.306	0.0	0.003	5.907	1.992	1033.704	1073.776	0.0	-91.47	-89.859	0.0
43	9929	9930	SN	1	48.708	49.306	0.0	0.0	17.874	2.681	1033.704	1075.352	0.0	-91.619	-89.859	0.0
44	9930	9931	NS	1	48.833	49.408	0.0	0.0	210.259	2.683	1041.64	1076.08	0.0	-91.954	-89.943	0.0
45	9930	9931	NS	1	48.833	49.408	0.0	0.0	210.259	2.686	1041.64	1076.08	0.0	-91.67	-89.943	0.0
46	9930	9931	SN	1	48.721	49.307	0.0	0.003	5.896	2.422	1032.624	1074.952	0.0	-91.532	-89.869	0.0
47	9930	9931	SN	1	48.721	49.307	0.0	0.003	6.204	2.62	1032.624	1075.368	0.0	-91.634	-89.869	0.0
48	9930	9931	SN	2	48.721	49.307	0.0	0.003	6.204	2.62	1032.624	1075.368	0.0	-91.634	-89.869	0.0
49	9931	9932	SN	1	48.718	49.304	0.0	0.003	215.62	2.354	1033.472	1074.912	0.0	-91.475	-89.87	0.0
50	9931	9932	NS	1	48.834	49.409	0.0	0.0	210.684	2.65	1041.992	1075.952	0.0	-91.397	-89.96	0.0
51	9931	9932	SN	1	48.718	49.304	0.0	0.003	215.879	2.523	1033.472	1075.288	0.0	-91.475	-89.87	0.0
52	9931	9932	NS	1	48.834	49.409	0.0	0.0	210.684	2.653	1041.992	1075.952	0.0	-91.459	-89.96	0.0
53	9931	9932	SN	1	48.718	49.304	0.0	0.003	215.879	2.366	1033.472	1074.944	0.0	-91.475	-89.87	0.0
54	9932	9933	SN	2	48.73	49.323	0.0	0.003	6.221	2.545	1032.384	1075.288	0.0	-91.719	-89.869	0.0
55	9932	9933	NS	1	48.835	49.408	0.0	0.0	267.461	2.688	1042.056	1075.888	0.0	-91.618	-89.962	0.0
56	9932	9933	SN	1	48.73	49.323	0.0	0.003	6.221	2.545	1032.384	1075.288	0.0	-91.719	-89.869	0.0
57	9932	9933	SN	1	48.73	49.323	0.0	0.003	5.901	2.298	1032.384	1074.728	0.0	-91.64	-89.869	0.0
58	9932	9933	NS	1	48.835	49.408	0.0	0.0	267.461	2.691	1042.056	1075.888	0.0	-91.633	-89.962	0.0
59	9933	9934	SN	1	48.69	49.344	0.0	0.003	29.707	2.151	1033.296	1074.504	0.0	-91.748	-89.869	0.0
60	9933	9934	NS	1	48.788	49.408	0.0	0.003	263.76	2.632	1041.968	1075.888	0.0	-91.679	-89.924	0.0
61	9933	9934	NS	1	48.826	49.408	0.0	0.003	263.76	2.629	1041.968	1075.888	0.0	-91.679	-89.924	0.0
62	9933	9934	SN	1	48.691	49.299	0.0	0.003	31.201	2.519	1033.296	1075.328	0.0	-91.702	-89.869	0.0
63	9934	9935	NS	1	48.774	49.425	0.0	0.003	21.067	2.685	1041.136	1076.568	0.0	-91.689	-89.954	0.0
64	9934	9935	NS	2	48.771	49.413	0.0	0.003	21.062	2.685	1041.128	1076.584	0.0	-91.689	-89.954	0.0
65	9934	9935	SN	1	48.75	49.33	0.0	0.003	281.8	2.469	1033.408	1075.184	0.0	-91.627	-89.87	0.0
66	9934	9935	SN	1	48.75	49.33	0.0	0.003	281.8	2.524	1033.408	1075.368	0.0	-91.627	-89.87	0.0
67	9934	9935	SN	1	48.75	49.343	0.0	0.003	281.8	2.522	1032.776	1075.368	0.0	-91.6	-89.87	0.0
68	9935	9936	SN	1	48.723	49.343	0.0	0.003	5.896	2.195	1033.336	1074.544	0.0	-91.564	-89.859	0.0
69	9935	9936	NS	1	48.798	49.472	0.0	0.0	42.846	2.718	1040.664	1076.52	0.0	-91.862	-89.953	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	9935	9936	NS	2	48.798	49.472	0.0	0.0	42.846	2.718	1040.664	1076.944	0.0	-91.862	-89.953	0.0
71	9935	9936	SN	1	48.723	49.337	0.0	0.003	6.188	2.579	1033.336	1076.192	0.0	-91.611	-89.859	0.0
72	9935	9936	SN	1	48.747	49.336	0.0	0.003	215.934	2.578	1033.224	1076.192	0.0	-91.575	-89.859	0.0
73	9936	9937	SN	1	48.756	49.329	0.0	0.003	282.462	1.554	1033.2	1072.312	0.0	-91.469	-89.859	0.0
74	9936	9937	SN	1	48.756	49.329	0.0	0.003	282.462	2.674	1033.2	1075.432	0.0	-91.469	-89.859	0.0
75	9936	9937	NS	1	48.773	49.474	0.0	0.003	266.038	2.595	1041.424	1076.224	0.0	-92.398	-89.941	0.0
76	9936	9937	SN	1	48.71	49.329	0.0	0.003	282.462	2.672	1033.096	1075.424	0.0	-91.535	-89.859	0.0
77	9937	9938	SN	1	48.712	49.303	0.0	0.003	6.215	2.571	1033.288	1075.648	0.0	-92.276	-89.854	0.0
78	9937	9938	NS	1	48.77	49.455	0.0	0.0	264.841	2.758	1041.424	1075.936	0.0	-91.717	-89.892	0.0
79	9937	9938	NS	1	48.771	49.455	0.0	0.0	264.841	2.76	1041.424	1075.944	0.0	-91.717	-89.892	0.0
80	9937	9938	SN	2	48.712	49.303	0.0	0.003	6.215	2.571	1033.288	1075.648	0.0	-92.276	-89.854	0.0
81	9938	9939	NS	1	48.784	49.409	0.0	0.003	13.33	2.652	1041.384	1076.12	0.0	-91.639	-89.95	0.0
82	9938	9939	NS	1	48.784	49.409	0.0	0.003	13.33	2.655	1041.376	1076.128	0.0	-91.639	-89.95	0.0
83	9938	9939	SN	1	48.757	49.37	0.0	0.003	28.372	2.564	1034.288	1075.816	0.0	-91.744	-89.877	0.0
84	9939	9940	NS	1	48.785	49.407	0.0	0.003	17.973	2.651	1041.184	1076.264	0.0	-91.665	-89.948	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR															Kp													
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9915	9916	SN	1	-34.64	26.182	0.18	-34.308	27.249	0.309	-34.523	34.387	15.872	-23.867	29.729	19.583	0.116	282.144	8.429	0.116	261.382	6.866	0.116	274.581	0.134	0.116	23.696	0.128
2	9915	9916	NS	1	-34.365	27.583	0.025	-34.603	27.518	0.043	-2.763	29.565	17.619	-0.009	33.015	29.993	0.116	264.813	1.674	0.116	279.703	1.686	0.116	0.282	0.0	0.116	0.2	0.0
3	9915	9916	SN	2	-34.64	26.182	0.178	-34.308	27.249	0.309	-34.523	34.387	15.872	-23.867	29.729	19.583	0.116	282.144	8.429	0.116	261.382	6.866	0.116	274.581	0.134	0.116	23.696	0.128
4	9915	9916	NS	1	-34.365	27.582	0.025	-34.603	27.518	0.043	-2.763	29.565	17.632	-0.009	33.015	29.971	0.116	264.813	1.676	0.116	279.703	1.686	0.116	0.282	0.0	0.116	0.2	0.0
5	9916	9917	SN	1	-34.588	26.887	0.044	-34.841	27.125	0.073	-3.689	32.687	11.014	-0.309	30.841	6.76	0.116	278.747	3.923	0.116	295.552	3.329	0.116	0.324	0.0	0.116	0.207	0.0
6	9916	9917	SN	1	-34.541	26.887	0.046	-34.95	27.125	0.074	-3.689	32.687	11.014	-0.309	30.841	6.76	0.116	275.82	4.016	0.116	302.932	3.403	0.116	0.324	0.0	0.116	0.207	0.0
7	9916	9917	NS	1	-34.241	26.157	0.033	-34.609	27.452	0.031	-12.8	33.451	13.98	-5.156	33.666	26.059	0.116	257.417	1.898	0.116	280.106	1.536	0.116	1.937	0.002	0.116	0.413	0.0
8	9916	9917	NS	1	-34.448	26.157	0.033	-34.609	27.45	0.031	-12.8	33.451	13.978	-5.156	33.666	26.059	0.116	269.986	1.896	0.116	280.106	1.532	0.116	1.937	0.002	0.116	0.413	0.0
9	9916	9917	SN	2	-34.588	26.887	0.045	-34.841	27.125	0.074	-3.689	32.687	11.014	-0.309	30.841	6.76	0.116	278.747	4.016	0.116	295.552	3.402	0.116	0.324	0.0	0.116	0.207	0.0
10	9917	9918	NS	1	-34.507	23.83	0.002	-34.891	25.767	0.001	-13.773	29.236	11.056	-5.761	29.78	20.648	0.116	273.593	0.757	0.116	298.88	0.67	0.116	2.4	0.002	0.116	0.46	0.0
11	9917	9918	NS	1	-34.507	23.83	0.002	-34.891	25.767	0.001	-13.773	29.236	11.052	-5.761	29.78	20.676	0.116	273.593	0.756	0.116	298.88	0.67	0.116	2.4	0.002	0.116	0.46	0.0
12	9917	9918	SN	1	-34.813	22.52	0.003	-34.968	23.44	0.021	1.195	29.257	17.292	0.6	29.443	8.468	0.116	293.583	2.84	0.116	304.229	2.66	0.116	0.179	0.0	0.116	0.188	0.0
13	9917	9918	SN	1	-34.813	22.52	0.003	-34.744	23.44	0.021	7.664	29.257	17.294	8.563	29.443	8.487	0.116	293.583	2.898	0.116	288.921	2.705	0.116	0.129	0.0	0.116	0.126	0.0
14	9917	9918	SN	2	-34.813	22.52	0.003	-34.968	23.44	0.021	1.195	29.257	17.292	0.6	29.443	8.468	0.116	293.583	2.84	0.116	304.229	2.66	0.116	0.179	0.0	0.116	0.188	0.0
15	9918	9919	NS	1	-31.378	20.763	0.0	-34.02	23.391	0.002	-6.661	29.447	6.758	-12.038	30.838	13.033	0.116	133.155	0.878	0.116	244.629	0.877	0.116	0.543	0.0	0.116	1.64	0.001
16	9918	9919	SN	1	-34.869	22.252	0.003	-34.96	23.119	0.049	7.086	27.627	15.071	3.102	28.442	8.917	0.116	297.41	3.964	0.116	303.69	3.229	0.116	0.131	0.0	0.116	0.155	0.0
17	9918	9919	SN	2	-34.869	22.26	0.003	-34.96	23.119	0.048	1.212	27.627	15.057	3.167	28.442	8.762	0.116	297.41	3.866	0.116	303.69	3.209	0.116	0.178	0.0	0.116	0.155	0.0
18	9918	9919	SN	1	-34.869	22.26	0.003	-34.96	23.119	0.048	1.212	27.627	15.057	3.167	28.442	8.762	0.116	297.41	3.866	0.116	303.69	3.209	0.116	0.178	0.0	0.116	0.155	0.0
19	9918	9919	NS	1	-30.913	20.763	0.0	-34.648	23.391	0.002	-6.663	29.446	6.745	-12.035	30.838	13.018	0.116	119.66	0.877	0.116	282.666	0.88	0.116	0.543	0.0	0.116	1.639	0.001
20	9919	9920	SN	1	-34.94	23.459	0.003	-34.724	23.165	0.017	-0.739	28.533	16.217	8.54	30.0	17.22	0.116	302.288	6.865	0.116	287.627	6.349	0.116	0.217	0.0	0.116	0.126	0.0
21	9919	9920	NS	1	-34.679	22.255	0.002	-34.702	21.685	0.0	-5.173	28.332	10.292	-4.262	29.545	17.701	0.116	284.641	3.386	0.116	286.149	3.128	0.116	0.414	0.0	0.116	0.355	0.0
22	9919	9920	NS	1	-34.651	22.255	0.002	-34.02	21.685	0.0	-5.176	28.332	10.279	-4.262	29.545	17.679	0.116	282.85	3.384	0.116	244.623	3.121	0.116	0.415	0.0	0.116	0.355	0.0
23	9919	9920	SN	2	-34.94	23.459	0.003	-34.724	23.165	0.017	-0.739	28.533	16.217	8.54	30.0	17.22	0.116	302.288	6.865	0.116	287.627	6.349	0.116	0.217	0.0	0.116	0.126	0.0
24	9920	9921	SN	1	-34.58	22.167	0.001	-34.441	21.954	0.0	1.589	29.792	14.532	2.725	30.269	13.738	0.116	278.205	4.133	0.116	269.446	4.068	0.116	0.173	0.0	0.116	0.159	0.0
25	9920	9921	SN	1	-34.827	22.167	0.001	-34.441	21.954	0.0	1.583	29.794	14.546	2.722	30.269	13.768	0.116	294.618	4.131	0.116	269.446	4.07	0.116	0.173	0.0	0.116	0.159	0.0
26	9920	9921	NS	2	-34.38	24.848	0.438	-34.713	25.134	0.577	-10.312	29.359	8.175	-8.875	30.547	14.366	0.116	265.716	4.525	0.116	286.923	4.115	0.116	1.132	0.002	0.116	0.84	0.0
27	9920	9921	NS	1	-34.38	24.848	0.438	-34.713	25.134	0.577	-10.312	29.359	8.175	-8.875	30.547	14.366	0.116	265.716	4.525	0.116	286.923	4.115	0.116	1.132	0.002	0.116	0.84	0.0
28	9921	9922	SN	1	-33.367	25.13	0.047	-34.734	25.088	0.077	-19.834	30.758	12.293	-27.708	32.995	13.326	0.116	210.476	3.422	0.116	288.346	3.163	0.116	10.483	0.018	0.116	57.249	0.019
29	9921	9922	SN	1	-33.367	25.13	0.05	-34.734	25.088	0.085	-19.834	30.758	12.586	-27.708	32.995	13.338	0.116	210.476	3.258	0.116	288.346	3.247	0.116	10.483	0.019	0.116	57.249	0.019
30	9921	9922	NS	1	-34.588	26.019	0.362	-34.869	27.481	0.547	8.374	28.601	16.297	7.927	29.672	25.534	0.116	278.774	3.798	0.116	297.405	3.099	0.116	0.127	0.0	0.116	0.128	0.0
31	9921	9922	NS	2	-34.588	26.019	0.362	-34.869	27.481	0.547	8.374	28.601	16.297	7.927	29.672	25.534	0.116	278.774	3.798	0.116	297.405	3.099	0.116	0.127	0.0	0.116	0.128	0.0
32	9921	9922	SN	1	-33.502	25.13	0.047	-34.798	25.088	0.077	-21.226	30.758	12.313	-26.868	32.993	13.326	0.116	217.086	3.412	0.116	292.628	3.179	0.116	13.609	0.018	0.116	47.207	0.019
33	9922	9923	SN	1	-34.25	25.998	0.041	-33.913	26.336	0.061	-24.418	31.264	20.29	-8.01	31.358	24.211	0.116	257.944	1.864	0.116	238.701	1.828	0.116	26.886	0.001	0.116	0.706	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	9922	9923	SN	1	-34.25	25.998	0.037	-34.758	26.336	0.052	-24.418	31.264	19.34	-8.01	31.358	24.124	0.116	257.944	2.342	0.116	289.931	2.671	0.116	26.886	0.001	0.116	0.706	0.0
35	9922	9923	NS	1	-34.761	25.213	0.031	-34.885	26.663	0.048	2.782	30.009	15.803	3.995	30.524	27.832	0.116	290.115	5.942	0.116	298.497	5.284	0.116	0.158	0.0	0.116	0.148	0.0
36	9922	9923	NS	1	-34.468	25.212	0.03	-34.611	26.661	0.048	2.782	30.009	15.8	3.996	30.524	27.806	0.116	271.198	5.955	0.116	280.28	5.291	0.116	0.158	0.0	0.116	0.148	0.0
37	9922	9923	SN	2	-34.25	25.998	0.041	-33.983	26.336	0.061	-24.444	31.264	20.285	-8.013	31.358	24.211	0.116	257.944	1.864	0.116	242.494	1.828	0.116	27.045	0.001	0.116	0.706	0.0
38	9923	9924	NS	1	-34.946	26.992	0.015	-34.956	28.796	0.038	-23.457	29.109	20.115	-13.194	30.233	34.317	0.116	302.767	3.631	0.116	303.413	2.497	0.116	21.567	0.03	0.116	2.222	0.013
39	9923	9924	SN	1	-32.88	26.149	0.074	-34.532	26.672	0.081	-7.603	30.158	20.618	-1.759	32.401	20.8	0.116	188.115	1.914	0.116	275.179	2.344	0.116	0.651	0.0	0.116	0.246	0.0
40	9924	9925	NS	1	-33.441	26.042	0.024	-34.29	24.975	0.02	-29.933	33.583	11.005	-28.816	34.689	21.66	0.116	214.111	1.909	0.116	260.37	1.211	0.116	95.486	0.437	0.116	73.867	0.406
41	9929	9930	SN	1	-34.294	26.007	0.573	-34.882	25.612	1.209	-33.02	28.753	13.944	-29.991	30.377	19.109	0.116	260.506	4.003	0.116	298.304	3.129	0.116	194.324	0.198	0.116	96.8	0.163
42	9929	9930	SN	1	-34.38	26.007	0.598	-33.061	25.612	1.274	-33.924	28.753	13.92	-32.904	30.377	19.112	0.116	265.739	4.214	0.116	196.146	3.471	0.116	239.268	0.2	0.116	189.252	0.167
43	9929	9930	SN	1	-34.38	26.007	0.573	-33.478	25.612	1.209	-30.616	28.753	13.975	-32.904	30.377	19.112	0.116	265.739	3.999	0.116	215.917	3.129	0.116	111.76	0.198	0.116	189.252	0.167
44	9930	9931	NS	1	-34.346	27.28	0.027	-33.396	27.402	0.02	-14.144	33.623	16.102	-17.12	36.347	30.578	0.116	263.698	1.068	0.116	211.874	0.937	0.116	2.606	0.002	0.116	5.083	0.003
45	9930	9931	NS	1	-34.346	27.28	0.027	-33.396	27.402	0.02	-14.144	33.623	16.102	-17.12	36.347	30.585	0.116	263.698	1.071	0.116	211.874	0.938	0.116	2.606	0.002	0.116	5.083	0.003
46	9930	9931	SN	1	-34.453	25.462	0.114	-34.683	27.005	0.166	-21.644	34.605	12.745	-26.192	30.173	9.61	0.116	270.245	2.378	0.116	284.985	2.127	0.116	14.236	0.067	0.116	40.412	0.052
47	9930	9931	SN	1	-34.453	25.462	0.11	-34.683	27.005	0.161	-21.644	34.605	12.745	-26.192	30.173	9.61	0.116	270.245	2.305	0.116	284.985	2.066	0.116	14.236	0.067	0.116	40.412	0.052
48	9930	9931	SN	2	-34.453	25.462	0.11	-34.683	27.005	0.161	-21.644	34.605	12.745	-26.192	30.173	9.61	0.116	270.245	2.305	0.116	284.985	2.066	0.116	14.236	0.067	0.116	40.412	0.052
49	9931	9932	SN	1	-34.973	25.066	0.02	-34.693	25.196	0.059	-24.127	28.92	13.685	-28.253	30.114	7.666	0.116	304.614	3.081	0.116	285.616	2.88	0.116	25.151	0.082	0.116	64.899	0.094
50	9931	9932	NS	1	-33.755	25.178	0.013	-30.539	23.264	0.008	-8.2	29.851	12.772	-9.797	30.182	23.234	0.116	230.144	0.634	0.116	109.802	0.565	0.116	0.733	0.0	0.116	1.016	0.002
51	9931	9932	SN	1	-34.973	25.066	0.019	-34.693	25.196	0.059	-24.127	28.92	13.687	-28.253	30.114	7.669	0.116	304.614	3.021	0.116	285.616	2.833	0.116	25.151	0.082	0.116	64.899	0.094
52	9931	9932	NS	1	-33.755	25.178	0.013	-30.539	23.264	0.008	-8.2	29.851	12.768	-9.797	30.182	23.24	0.116	230.144	0.635	0.116	109.802	0.566	0.116	0.733	0.0	0.116	1.016	0.002
53	9931	9932	SN	1	-34.973	25.066	0.02	-34.693	25.196	0.059	-24.119	28.92	13.687	-28.253	30.114	7.669	0.116	304.614	3.077	0.116	285.616	2.877	0.116	25.106	0.082	0.116	64.899	0.094
54	9932	9933	SN	2	-34.99	22.422	0.007	-34.588	23.485	0.056	0.368	27.849	14.809	2.162	29.067	6.452	0.116	305.761	2.067	0.116	278.726	1.666	0.116	0.193	0.0	0.116	0.165	0.0
55	9932	9933	NS	1	-33.265	24.031	0.001	-30.927	25.588	0.007	-8.728	29.392	9.756	-6.104	30.329	18.155	0.116	205.622	0.713	0.116	120.045	0.534	0.116	0.815	0.0	0.116	0.49	0.0
56	9932	9933	SN	1	-34.99	22.422	0.007	-34.588	23.485	0.056	0.368	27.849	14.809	2.162	29.067	6.452	0.116	305.761	2.067	0.116	278.726	1.666	0.116	0.193	0.0	0.116	0.165	0.0
57	9932	9933	SN	1	-34.99	22.126	0.003	-34.588	23.485	0.057	6.894	27.849	14.847	2.225	29.067	6.462	0.116	305.761	2.108	0.116	278.726	1.672	0.116	0.132	0.0	0.116	0.165	0.0
58	9932	9933	NS	1	-34.097	24.034	0.001	-30.862	25.588	0.007	-8.722	29.386	9.78	-6.09	30.329	18.202	0.116	248.955	0.715	0.116	118.29	0.534	0.116	0.814	0.0	0.116	0.488	0.0
59	9933	9934	SN	1	-34.931	23.448	0.018	-34.502	23.847	0.055	6.685	28.688	19.307	1.363	29.067	19.013	0.116	301.626	3.873	0.116	273.354	2.922	0.116	0.132	0.0	0.116	0.176	0.0
60	9933	9934	NS	1	-32.115	21.272	0.0	-34.244	21.768	0.0	-9.026	28.369	7.052	-2.838	29.675	12.734	0.116	157.802	1.577	0.116	257.561	1.745	0.116	0.867	0.0	0.116	0.285	0.0
61	9933	9934	NS	1	-32.109	21.276	0.0	-34.244	21.768	0.0	-9.028	28.368	7.04	-2.842	29.675	12.715	0.116	157.582	1.573	0.116	257.561	1.747	0.116	0.867	0.0	0.116	0.285	0.0
62	9933	9934	SN	1	-34.931	23.458	0.017	-34.502	23.847	0.053	6.685	28.688	19.17	1.365	29.067	18.265	0.116	301.626	3.806	0.116	273.354	2.86	0.116	0.132	0.0	0.116	0.176	0.0
63	9934	9935	NS	1	-34.147	22.484	0.002	-34.298	21.963	0.0	-15.44	28.478	8.431	-19.223	30.261	14.752	0.116	251.816	3.68	0.116	260.825	3.489	0.116	3.481	0.012	0.116	8.191	0.012
64	9934	9935	NS	2	-34.147	22.484	0.002	-34.298	21.963	0.0	-15.443	28.478	8.431	-19.223	30.261	14.751	0.116	251.816	3.679	0.116	260.825	3.489	0.116	3.484	0.012	0.116	8.191	0.012
65	9934	9935	SN	1	-34.994	23.526	0.003	-34.767	23.638	0.004	-1.738	28.185	16.085	8.235	29.33	16.614	0.116	306.082	7.449	0.116	290.554	5.939	0.116	0.245	0.0	0.116	0.127	0.0
66	9934	9935	SN	1	-34.994	23.526	0.003	-34.767	23.638	0.004	-1.738	28.185	16.07	8.235	29.33	16.614	0.116	306.082	7.417	0.116	290.554	5.917	0.116	0.245	0.0	0.116	0.127	0.0
67	9934	9935	SN	1	-34.523	23.526	0.003	-34.85	23.638	0.004	-1.742	28.185	16.07	8.235	29.33	16.614	0.116	274.602	7.402	0.116	296.11	5.914	0.116	0.245	0.0	0.116	0.127	0.0
68	9935	9936	SN	1	-34.702	22.707	0.002	-34.869	24.311	0.034	-0.934	30.523	12.999	0.416	29.208	12.989	0.116	286.151	4.45	0.116	297.442	4.17	0.116	0.222	0.0	0.116	0.192	0.0
69	9935	9936	NS	1	-33.751	26.584	0.348	-34.98	27.342	0.637	-13.118	29.426	12.029	-7.083	30.261	17.588	0.116	229.932	2.712	0.116	305.151	2.552	0.116	2.077	0.004	0.116	0.589	0.0
70	9935	9936	NS	2	-34.742	26.584	0.348	-34.98	27.342	0.637	-13.118	29.426	12.029	-7.083	30.261	17.588	0.116	288.849	2.71	0.116	305.151	2.553	0.116	2.077	0.004	0.116	0.589	0.0
71	9935	9936	SN	1	-34.702	22.707	0.002	-34.869	24.311	0.033	-0.934	30.523	12.89	0.416	29.208	12.98	0.116	286.151	4.317	0.116	297.442	4.06	0.116	0.222	0.0	0.116	0.192	0.0
72	9935	9936	SN	1	-34.959	22.707	0.002	-34.079	24.311	0.033	-0.934	30.521	12.874	0.449	29.208	12.96	0.116	303.606	4.315	0.116	247.897	4.074	0.116	0.222	0.0	0.116	0.191	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	9936	9937	SN	1	-33.166	24.12	0.014	-32.084	24.366	0.034	-17.162	33.493	15.711	-10.094	34.087	17.147	0.116	200.925	1.077	0.116	156.683	0.862	0.116	5.131	0.003	0.116	1.082	0.002
74	9936	9937	SN	1	-33.166	24.12	0.013	-33.194	24.366	0.029	-17.154	33.493	14.768	-10.094	34.087	17.084	0.116	200.925	1.034	0.116	202.27	1.018	0.116	5.122	0.003	0.116	1.082	0.002
75	9936	9937	NS	1	-34.801	26.533	0.085	-34.888	26.889	0.134	7.089	34.87	10.075	8.004	29.672	18.019	0.116	292.754	6.133	0.116	298.712	5.655	0.116	0.131	0.0	0.116	0.128	0.0
76	9936	9937	SN	1	-33.166	24.12	0.013	-32.084	24.366	0.029	-17.148	33.493	14.738	-10.095	34.085	17.061	0.116	200.925	1.034	0.116	156.683	1.019	0.116	5.115	0.003	0.116	1.082	0.002
77	9937	9938	SN	1	-34.789	24.972	0.04	-34.928	26.211	0.034	-6.46	30.34	21.843	-9.857	30.758	24.336	0.116	291.941	3.494	0.116	301.434	3.776	0.116	0.523	0.0	0.116	1.029	0.002
78	9937	9938	NS	1	-34.979	23.77	0.012	-34.744	23.904	0.019	-6.867	28.94	22.155	-8.96	30.47	38.999	0.116	305.02	6.763	0.116	288.953	6.002	0.116	0.565	0.0	0.116	0.855	0.0
79	9937	9938	NS	1	-34.786	23.77	0.012	-34.908	23.904	0.019	-6.868	28.94	22.154	-8.962	30.47	39.0	0.116	291.762	6.774	0.116	300.098	6.01	0.116	0.565	0.0	0.116	0.855	0.0
80	9937	9938	SN	2	-34.789	24.972	0.04	-34.928	26.211	0.034	-6.46	30.34	21.843	-9.857	30.758	24.336	0.116	291.941	3.494	0.116	301.434	3.776	0.116	0.523	0.0	0.116	1.029	0.002
81	9938	9939	NS	1	-34.713	26.468	0.029	-33.82	26.824	0.037	-32.514	30.651	11.35	-29.264	30.796	24.673	0.116	286.884	3.461	0.116	233.635	2.692	0.116	172.985	0.472	0.116	81.9	0.361
82	9938	9939	NS	1	-34.713	26.466	0.029	-33.557	26.824	0.037	-32.312	30.651	11.35	-29.264	30.795	24.678	0.116	286.884	3.464	0.116	219.92	2.695	0.116	165.112	0.472	0.116	81.9	0.361
83	9938	9939	SN	1	-34.046	26.408	0.078	-34.642	28.007	0.074	-8.239	29.848	18.074	-15.378	30.92	16.814	0.116	246.12	1.309	0.116	282.203	1.328	0.116	0.739	0.0	0.116	3.433	0.004
84	9939	9940	NS	1	-34.823	26.388	0.022	-34.246	23.682	0.006	-14.073	28.795	12.73	-5.584	35.536	21.569	0.116	294.208	3.111	0.116	257.678	2.795	0.116	2.566	0.003	0.116	0.446	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9915	9916	SN	1	57.49	58.146	0.0	0.0	292.378	3.935	1209.432	1263.168	0.002	-92.968	-91.857	0.0
2	9915	9916	NS	1	57.609	58.252	0.0	0.0	298.317	3.856	1221.792	1264.352	0.0	-93.745	-92.006	0.0
3	9915	9916	SN	2	57.49	58.146	0.0	0.0	292.378	3.935	1209.432	1263.168	0.002	-92.968	-91.857	0.0
4	9915	9916	NS	1	57.609	58.252	0.0	0.0	298.317	3.849	1221.792	1264.352	0.0	-93.745	-92.006	0.0
5	9916	9917	SN	1	57.493	58.121	0.0	0.0	299.602	3.712	1209.312	1263.096	0.044	-93.104	-91.915	0.0
6	9916	9917	SN	1	57.494	58.118	0.0	0.0	299.658	3.226	1209.32	1262.568	0.038	-93.104	-91.915	0.0
7	9916	9917	NS	1	57.644	58.253	0.0	0.003	298.428	3.465	1222.72	1264.872	0.0	-93.745	-92.023	0.0
8	9916	9917	NS	1	57.644	58.253	0.0	0.003	298.428	3.462	1222.192	1264.872	0.0	-93.745	-92.023	0.0
9	9916	9917	SN	2	57.493	58.118	0.0	0.0	299.597	3.226	1209.312	1262.576	0.044	-93.104	-91.915	0.0
10	9917	9918	NS	1	57.642	58.252	0.0	0.0	299.812	3.465	1222.768	1264.392	0.0	-93.745	-92.025	0.0
11	9917	9918	NS	1	57.642	58.252	0.0	0.0	299.812	3.474	1222.768	1264.392	0.0	-93.745	-92.025	0.0
12	9917	9918	SN	1	57.491	58.466	0.0	0.0	295.61	3.613	1209.848	1271.96	0.165	-95.59	-91.914	0.0
13	9917	9918	SN	1	57.491	58.147	0.0	0.0	295.61	3.123	1209.848	1262.488	0.167	-93.262	-91.914	0.0
14	9917	9918	SN	2	57.491	58.466	0.0	0.0	295.61	3.614	1209.848	1271.96	0.165	-95.589	-91.914	0.0
15	9918	9919	NS	1	57.618	58.256	0.0	0.0	291.55	3.726	1222.4	1264.656	0.0	-93.745	-92.022	0.0
16	9918	9919	SN	1	57.495	58.146	0.0	0.0	292.753	3.09	1209.04	1262.056	0.137	-93.035	-91.911	0.0
17	9918	9919	SN	2	57.495	58.406	0.0	0.0	298.83	3.625	1209.04	1270.36	0.134	-95.572	-91.911	0.0
18	9918	9919	SN	1	57.495	58.406	0.0	0.0	298.83	3.625	1209.04	1270.36	0.134	-95.572	-91.911	0.0
19	9918	9919	NS	1	57.619	58.256	0.0	0.0	291.534	3.723	1222.4	1264.656	0.0	-93.745	-92.022	0.0
20	9919	9920	SN	1	57.485	58.141	0.0	0.0	295.775	3.603	1209.216	1263.136	0.003	-93.06	-91.913	0.0
21	9919	9920	NS	1	57.618	58.263	0.0	0.003	298.797	3.606	1222.744	1264.72	0.0	-93.744	-92.001	0.0
22	9919	9920	NS	1	57.621	58.263	0.0	0.0	298.764	3.603	1222.744	1264.728	0.0	-93.744	-92.001	0.0
23	9919	9920	SN	2	57.485	58.141	0.0	0.0	295.775	3.603	1209.216	1263.136	0.003	-93.06	-91.913	0.0
24	9920	9921	SN	1	57.507	58.182	0.0	0.0	299.04	3.606	1209.528	1262.96	0.001	-93.011	-91.914	0.0
25	9920	9921	SN	1	57.507	58.158	0.0	0.0	299.073	3.611	1209.52	1262.96	0.001	-93.152	-91.914	0.0
26	9920	9921	NS	2	57.638	58.395	0.0	0.0	298.996	3.669	1222.168	1270.208	0.0	-94.702	-92.022	0.0
27	9920	9921	NS	1	57.638	58.395	0.0	0.0	298.996	3.669	1222.168	1270.208	0.0	-94.702	-92.022	0.0
28	9921	9922	SN	1	57.524	58.344	0.0	0.0	298.77	3.738	1209.744	1268.8	0.0	-95.726	-91.877	0.0
29	9921	9922	SN	1	57.524	58.135	0.0	0.003	298.77	2.855	1209.744	1260.848	0.0	-92.859	-91.877	0.0
30	9921	9922	NS	1	57.631	58.269	0.0	0.003	299.702	3.605	1222.152	1265.296	0.0	-93.742	-92.021	0.0
31	9921	9922	NS	2	57.631	58.269	0.0	0.003	299.702	3.605	1222.152	1265.296	0.0	-93.742	-92.021	0.0
32	9921	9922	SN	1	57.524	58.345	0.0	0.0	298.77	3.736	1210.128	1268.808	0.0	-95.726	-91.877	0.0
33	9922	9923	SN	1	57.527	58.143	0.0	0.003	291.97	2.339	1210.808	1259.456	0.0	-92.876	-91.91	0.0
34	9922	9923	SN	1	57.527	58.143	0.0	0.0	291.97	3.774	1210.808	1263.368	0.0	-93.135	-91.91	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9922	9923	NS	1	57.595	58.395	0.0	0.0	298.328	3.612	1222.016	1270.168	0.0	-95.588	-92.001	0.0
36	9922	9923	NS	1	57.616	58.259	0.0	0.0	298.323	3.608	1222.048	1264.736	0.0	-93.746	-92.001	0.0
37	9922	9923	SN	2	57.525	58.142	0.0	0.0	292.058	2.336	1210.776	1259.416	0.0	-92.876	-91.91	0.0
38	9923	9924	NS	1	57.622	58.432	0.0	0.0	297.804	4.191	1221.688	1267.304	0.0	-95.097	-91.977	0.0
39	9923	9924	SN	1	57.396	58.516	0.0	0.0	298.659	3.942	1206.32	1271.456	0.001	-95.839	-91.925	0.0
40	9924	9925	NS	1	57.509	58.366	0.0	0.0	298.306	4.506	1221.696	1264.712	0.0	-95.758	-92.016	0.0
41	9929	9930	SN	1	57.519	58.147	0.0	0.0	293.067	3.841	1211.28	1263.4	0.0	-93.037	-91.908	0.0
42	9929	9930	SN	1	57.511	58.133	0.0	0.0	293.067	3.022	1211.28	1261.544	0.0	-93.037	-91.908	0.0
43	9929	9930	SN	1	57.511	58.147	0.0	0.0	293.067	3.845	1211.28	1263.4	0.0	-93.037	-91.908	0.0
44	9930	9931	NS	1	57.607	58.249	0.0	0.0	298.08	3.636	1220.624	1264.48	0.0	-93.746	-92.001	0.0
45	9930	9931	NS	1	57.607	58.249	0.0	0.0	298.08	3.639	1220.624	1264.48	0.0	-93.746	-92.001	0.0
46	9930	9931	SN	1	57.496	58.123	0.0	0.0	299.1	3.269	1211.088	1262.896	0.0	-92.962	-91.923	0.0
47	9930	9931	SN	1	57.496	58.124	0.0	0.0	299.1	3.764	1211.088	1263.424	0.0	-92.962	-91.923	0.0
48	9930	9931	SN	2	57.496	58.124	0.0	0.0	299.1	3.764	1211.088	1263.424	0.0	-92.962	-91.923	0.0
49	9931	9932	SN	1	57.499	58.123	0.0	0.0	299.117	3.12	1210.568	1262.84	0.0	-93.019	-91.923	0.0
50	9931	9932	NS	1	57.62	58.25	0.0	0.0	299.2	3.529	1220.928	1264.52	0.0	-93.746	-92.015	0.0
51	9931	9932	SN	1	57.499	58.276	0.0	0.0	299.056	3.613	1210.568	1267.176	0.0	-94.856	-91.923	0.0
52	9931	9932	NS	1	57.62	58.25	0.0	0.0	299.2	3.532	1220.928	1264.52	0.0	-93.746	-92.015	0.0
53	9931	9932	SN	1	57.499	58.124	0.0	0.003	299.106	3.126	1210.568	1262.864	0.0	-93.019	-91.923	0.0
54	9932	9933	SN	2	57.528	58.123	0.0	0.003	297.821	3.606	1210.376	1263.328	0.0	-93.064	-91.922	0.0
55	9932	9933	NS	1	57.639	58.258	0.0	0.0	299.542	3.616	1221.656	1264.384	0.0	-93.746	-92.016	0.0
56	9932	9933	SN	1	57.528	58.123	0.0	0.003	297.821	3.606	1210.376	1263.328	0.0	-93.064	-91.922	0.0
57	9932	9933	SN	1	57.528	58.123	0.0	0.003	297.821	3.095	1210.376	1262.624	0.0	-92.952	-91.922	0.0
58	9932	9933	NS	1	57.639	58.258	0.0	0.0	299.542	3.62	1221.656	1264.384	0.0	-93.746	-92.016	0.0
59	9933	9934	SN	1	57.492	58.151	0.0	0.0	293.751	3.044	1210.528	1262.344	0.0	-92.981	-91.922	0.0
60	9933	9934	NS	1	57.625	58.249	0.0	0.003	298.946	3.582	1221.56	1264.896	0.0	-93.062	-91.978	0.0
61	9933	9934	NS	1	57.64	58.249	0.0	0.003	298.946	3.578	1221.56	1264.896	0.0	-93.053	-91.978	0.0
62	9933	9934	SN	1	57.496	58.149	0.0	0.0	299.36	3.596	1210.536	1263.36	0.0	-93.031	-91.922	0.0
63	9934	9935	NS	1	57.617	58.273	0.0	0.0	299.917	3.721	1219.784	1264.376	0.0	-93.742	-92.01	0.0
64	9934	9935	NS	2	57.616	58.274	0.0	0.0	299.928	3.719	1219.792	1264.384	0.0	-93.742	-92.01	0.0
65	9934	9935	SN	1	57.509	58.136	0.0	0.003	298.692	3.311	1210.624	1263.176	0.0	-93.389	-91.924	0.0
66	9934	9935	SN	1	57.509	58.136	0.0	0.003	298.692	3.533	1210.624	1263.416	0.0	-93.389	-91.924	0.0
67	9934	9935	SN	1	57.509	58.134	0.0	0.003	298.692	3.529	1211.128	1263.416	0.0	-92.981	-91.924	0.0
68	9935	9936	SN	1	57.517	58.145	0.0	0.0	298.996	3.114	1210.848	1262.392	0.0	-93.059	-91.897	0.0
69	9935	9936	NS	1	57.609	58.273	0.0	0.0	298.714	3.697	1220.488	1264.544	0.0	-93.197	-92.009	0.0
70	9935	9936	NS	2	57.609	58.273	0.0	0.0	298.714	3.697	1220.488	1264.544	0.0	-93.197	-92.009	0.0
71	9935	9936	SN	1	57.517	58.318	0.0	0.0	298.996	3.692	1210.848	1268.376	0.0	-94.656	-91.897	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9935	9936	SN	1	57.524	58.318	0.0	0.0	298.985	3.691	1210.832	1268.376	0.0	-94.656	-91.897	0.0
73	9936	9937	SN	1	57.5	58.127	0.0	0.0	292.571	2.398	1211.248	1260.176	0.0	-92.836	-91.914	0.0
74	9936	9937	SN	1	57.5	58.135	0.0	0.0	299.895	3.764	1211.248	1263.496	0.0	-93.034	-91.914	0.0
75	9936	9937	NS	1	57.599	58.274	0.0	0.0	298.08	3.568	1220.88	1264.352	0.0	-93.742	-91.996	0.0
76	9936	9937	SN	1	57.5	58.137	0.0	0.0	299.9	3.758	1211.296	1263.488	0.0	-93.065	-91.914	0.0
77	9937	9938	SN	1	57.507	58.135	0.0	0.0	297.959	3.687	1211.504	1263.76	0.0	-93.013	-91.91	0.0
78	9937	9938	NS	1	57.604	58.316	0.0	0.0	297.617	3.806	1220.888	1264.4	0.0	-93.743	-91.944	0.0
79	9937	9938	NS	1	57.602	58.316	0.0	0.0	297.606	3.81	1220.888	1264.408	0.0	-93.743	-91.944	0.0
80	9937	9938	SN	2	57.507	58.135	0.0	0.0	297.959	3.687	1211.504	1263.76	0.0	-93.013	-91.91	0.0
81	9938	9939	NS	1	57.598	58.248	0.0	0.003	297.755	3.711	1220.528	1264.616	0.0	-93.745	-92.006	0.0
82	9938	9939	NS	1	57.597	58.248	0.0	0.003	297.727	3.719	1220.624	1264.632	0.0	-93.745	-92.006	0.0
83	9938	9939	SN	1	57.532	58.159	0.0	0.0	297.849	3.664	1212.04	1263.864	0.0	-93.071	-91.931	0.0
84	9939	9940	NS	1	57.604	58.248	0.0	0.003	299.404	3.509	1220.416	1264.696	0.0	-93.097	-92.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9915	9916	SN	1	-34.686	21.024	0.0	-34.614	22.101	0.002	-22.004	23.594	0.139	-29.077	23.694	0.119	0.086	217.968	7.602	0.086	214.334	6.364	0.086	11.813	0.059	0.086	59.957	0.064
2	9915	9916	NS	1	-34.991	21.106	0.0	-33.859	21.566	0.0	-0.79	24.825	0.136	-2.07	26.324	0.496	0.086	233.812	1.245	0.086	180.177	1.255	0.086	0.163	0.0	0.086	0.192	0.0
3	9915	9916	SN	2	-34.686	21.024	0.0	-34.614	22.101	0.002	-22.004	23.594	0.139	-29.077	23.694	0.119	0.086	217.968	7.602	0.086	214.334	6.364	0.086	11.813	0.059	0.086	59.957	0.064
4	9915	9916	NS	1	-34.991	21.106	0.0	-33.859	21.566	0.0	-0.79	24.825	0.137	-2.07	26.324	0.497	0.086	233.812	1.247	0.086	180.177	1.257	0.086	0.163	0.0	0.086	0.192	0.0
5	9916	9917	SN	1	-34.617	21.006	0.0	-34.886	21.666	0.0	-2.179	23.269	0.131	0.413	24.021	0.18	0.086	214.474	3.988	0.086	228.209	3.059	0.086	0.195	0.0	0.086	0.143	0.0
6	9916	9917	SN	1	-34.656	21.006	0.0	-34.818	21.666	0.0	-2.179	23.269	0.131	0.413	24.021	0.18	0.086	216.417	4.082	0.086	224.62	3.117	0.086	0.195	0.0	0.086	0.143	0.0
7	9916	9917	NS	1	-34.43	20.602	0.0	-33.928	20.927	0.0	-8.513	23.221	0.075	-5.614	23.943	0.28	0.086	205.438	1.524	0.086	183.079	1.411	0.086	0.592	0.0	0.086	0.338	0.0
8	9916	9917	NS	1	-33.613	20.602	0.0	-33.638	20.927	0.0	-8.513	23.221	0.075	-5.614	23.945	0.28	0.086	170.227	1.523	0.086	171.184	1.408	0.086	0.592	0.0	0.086	0.338	0.0
9	9916	9917	SN	2	-34.656	21.006	0.0	-34.886	21.666	0.0	-2.178	23.269	0.131	0.413	24.021	0.18	0.086	216.417	4.081	0.086	228.209	3.116	0.086	0.195	0.0	0.086	0.143	0.0
10	9917	9918	NS	1	-33.584	17.687	0.0	-32.057	15.378	0.0	-6.216	22.566	0.013	-18.339	23.988	0.226	0.086	169.117	0.48	0.087	118.978	0.46	0.086	0.378	0.0	0.086	5.116	0.014
11	9917	9918	NS	1	-33.621	17.684	0.0	-32.057	15.378	0.0	-6.216	22.568	0.013	-18.339	23.988	0.225	0.086	170.554	0.479	0.087	118.978	0.46	0.086	0.378	0.0	0.086	5.116	0.014
12	9917	9918	SN	1	-34.863	17.05	0.0	-34.748	16.847	0.0	1.916	23.276	0.255	2.677	22.961	0.156	0.087	227.006	2.464	0.087	221.125	2.325	0.086	0.125	0.0	0.086	0.118	0.0
13	9917	9918	SN	1	-34.863	17.05	0.0	-34.748	16.847	0.0	1.916	23.276	0.255	2.463	22.961	0.156	0.087	227.006	2.519	0.087	221.125	2.344	0.086	0.125	0.0	0.086	0.12	0.0
14	9917	9918	SN	2	-34.863	17.05	0.0	-34.748	16.847	0.0	1.916	23.276	0.255	2.677	22.961	0.156	0.087	227.006	2.464	0.087	221.125	2.325	0.086	0.125	0.0	0.086	0.118	0.0
15	9918	9919	NS	1	-34.04	17.653	0.0	-33.104	18.583	0.0	-24.438	23.221	0.079	-28.016	23.518	0.168	0.087	187.816	0.544	0.086	151.407	0.537	0.086	20.643	0.014	0.086	46.965	0.068
16	9918	9919	SN	1	-34.968	16.96	0.0	-34.974	17.375	0.0	1.645	23.219	0.59	2.499	23.205	1.138	0.087	232.58	3.411	0.087	232.85	2.849	0.086	0.128	0.0	0.086	0.12	0.0
17	9918	9919	SN	2	-34.968	16.96	0.0	-34.974	17.375	0.0	1.645	23.219	0.589	2.499	23.205	1.096	0.087	232.58	3.331	0.087	232.85	2.886	0.086	0.128	0.0	0.086	0.12	0.0
18	9918	9919	SN	1	-34.968	16.96	0.0	-34.974	17.375	0.0	1.645	23.219	0.589	2.499	23.205	1.096	0.087	232.58	3.331	0.087	232.85	2.886	0.086	0.128	0.0	0.086	0.12	0.0
19	9918	9919	NS	1	-34.04	17.653	0.0	-32.96	18.583	0.0	-24.583	23.222	0.078	-28.18	23.518	0.168	0.087	187.816	0.544	0.086	146.466	0.537	0.086	21.344	0.014	0.086	48.769	0.068
20	9919	9920	SN	1	-34.919	16.655	0.0	-34.943	17.505	0.0	0.973	23.054	0.27	3.428	23.45	1.027	0.087	229.942	6.199	0.087	231.238	5.666	0.086	0.136	0.0	0.086	0.113	0.0
21	9919	9920	NS	1	-34.951	14.844	0.0	-34.934	16.465	0.0	-26.834	22.897	0.059	-21.893	23.768	0.146	0.087	231.652	3.05	0.087	230.77	2.761	0.086	35.788	0.035	0.086	11.514	0.022
22	9919	9920	NS	1	-34.526	14.845	0.0	-34.501	16.465	0.0	-26.969	22.897	0.059	-21.84	23.768	0.146	0.087	210.001	3.045	0.087	208.814	2.768	0.086	36.919	0.035	0.086	11.379	0.022
23	9919	9920	SN	2	-34.919	16.655	0.0	-34.943	17.505	0.0	0.973	23.054	0.27	3.428	23.45	1.027	0.087	229.942	6.199	0.087	231.238	5.666	0.086	0.136	0.0	0.086	0.113	0.0
24	9920	9921	SN	1	-34.835	15.613	0.0	-34.948	15.982	0.0	1.258	23.027	0.151	3.614	22.422	0.054	0.087	225.53	3.718	0.087	231.451	3.832	0.086	0.132	0.0	0.086	0.112	0.0
25	9920	9921	SN	1	-34.835	15.613	0.0	-34.951	15.982	0.0	1.258	23.027	0.152	3.614	22.422	0.055	0.087	225.53	3.7	0.087	231.608	3.826	0.086	0.132	0.0	0.086	0.112	0.0
26	9920	9921	NS	2	-34.979	22.045	0.001	-34.557	22.042	0.001	-21.668	23.083	0.064	-20.244	23.529	0.471	0.086	233.111	3.163	0.086	211.557	3.176	0.086	10.939	0.084	0.086	7.898	0.076
27	9920	9921	NS	1	-34.979	22.045	0.001	-34.557	22.042	0.001	-21.668	23.083	0.064	-20.244	23.529	0.471	0.086	233.111	3.163	0.086	211.557	3.176	0.086	10.939	0.084	0.086	7.898	0.076
28	9921	9922	SN	1	-34.509	18.173	0.0	-34.977	19.137	0.0	-21.65	23.991	0.859	-6.91	24.587	1.344	0.086	209.202	2.623	0.086	233.029	2.896	0.086	10.892	0.008	0.086	0.431	0.0
29	9921	9922	SN	1	-34.509	18.173	0.0	-34.977	19.137	0.0	-21.407	23.991	0.891	-6.91	24.587	1.344	0.086	209.202	2.662	0.086	233.029	2.681	0.086	10.305	0.009	0.086	0.431	0.0
30	9921	9922	NS	1	-34.473	21.411	0.0	-34.337	21.675	0.0	3.13	22.622	0.11	2.816	25.473	1.106	0.086	207.526	3.026	0.086	201.11	2.459	0.086	0.115	0.0	0.086	0.117	0.0
31	9921	9922	NS	2	-34.473	21.411	0.0	-34.337	21.675	0.0	3.13	22.622	0.11	2.816	25.473	1.106	0.086	207.526	3.026	0.086	201.11	2.459	0.086	0.115	0.0	0.086	0.117	0.0
32	9921	9922	SN	1	-34.668	18.173	0.0	-34.253	19.137	0.0	-21.402	23.991	0.859	-6.912	24.587	1.344	0.086	222.527	2.619	0.086	197.3	2.891	0.086	10.294	0.008	0.086	0.431	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	9922	9923	SN	1	-33.819	19.714	0.0	-34.487	18.775	0.0	-24.275	23.705	0.761	-12.071	24.502	1.34	0.086	178.465	1.749	0.086	208.14	1.952	0.086	19.882	0.006	0.086	1.258	0.006
34	9922	9923	SN	1	-33.819	19.714	0.0	-34.487	18.775	0.0	-24.275	23.705	0.714	-12.071	24.502	1.335	0.086	178.465	2.14	0.086	208.14	2.389	0.086	19.882	0.006	0.086	1.258	0.006
35	9922	9923	NS	1	-34.82	21.528	0.0	-34.956	21.836	0.0	0.981	22.948	0.064	1.034	23.925	0.87	0.086	224.731	6.204	0.086	231.881	5.515	0.086	0.135	0.0	0.086	0.135	0.0
36	9922	9923	NS	1	-34.877	21.518	0.0	-34.976	21.838	0.0	0.981	22.948	0.064	1.04	23.918	0.873	0.086	227.741	6.217	0.086	232.996	5.519	0.086	0.136	0.0	0.086	0.135	0.0
37	9922	9923	SN	2	-34.324	19.714	0.0	-34.487	18.775	0.0	-23.155	23.706	0.761	-12.072	24.502	1.34	0.086	205.663	1.749	0.086	208.178	1.954	0.086	15.378	0.006	0.086	1.258	0.006
38	9923	9924	NS	1	-34.908	20.917	0.0	-34.705	20.353	0.0	-19.585	22.435	0.014	-8.572	24.836	2.348	0.086	229.37	3.07	0.086	218.877	2.433	0.086	6.796	0.004	0.086	0.599	0.0
39	9923	9924	SN	1	-34.988	19.539	0.0	-34.86	19.424	0.0	-32.48	23.973	0.779	-6.205	24.237	0.496	0.086	233.613	1.25	0.086	226.802	1.238	0.086	131.192	0.032	0.086	0.377	0.0
40	9924	9925	NS	1	-34.897	21.443	0.0	-34.683	16.846	0.0	-27.932	22.675	0.037	-27.6	25.069	2.495	0.086	228.81	2.071	0.087	217.796	1.611	0.086	46.078	0.178	0.086	42.676	0.151
41	9929	9930	SN	1	-34.857	21.79	0.0	-34.532	22.846	0.003	-31.829	23.123	0.087	-32.2	23.078	0.052	0.086	226.633	3.57	0.086	210.316	2.963	0.086	112.916	0.237	0.086	123.012	0.213
42	9929	9930	SN	1	-34.419	21.79	0.0	-34.773	22.846	0.003	-31.5	23.123	0.088	-32.457	23.078	0.052	0.086	204.945	3.693	0.086	222.373	3.293	0.086	104.67	0.239	0.086	130.484	0.213
43	9929	9930	SN	1	-34.419	21.79	0.0	-34.9	22.846	0.003	-31.5	23.123	0.087	-33.119	23.078	0.052	0.086	204.945	3.561	0.086	228.905	2.963	0.086	104.67	0.237	0.086	151.957	0.213
44	9930	9931	NS	1	-30.906	20.331	0.0	-34.41	21.878	0.0	-4.116	23.103	0.032	-2.364	24.327	0.281	0.086	91.299	0.703	0.086	204.47	0.84	0.086	0.261	0.0	0.086	0.2	0.0
45	9930	9931	NS	1	-30.906	20.331	0.0	-34.41	21.88	0.0	-4.116	23.103	0.032	-2.364	24.327	0.281	0.086	91.299	0.705	0.086	204.47	0.841	0.086	0.261	0.0	0.086	0.2	0.0
46	9930	9931	SN	1	-34.806	21.366	0.0	-34.54	22.19	0.001	-26.319	23.102	0.133	-27.027	23.693	0.145	0.086	224.028	2.291	0.086	210.713	2.072	0.086	31.798	0.242	0.086	37.415	0.329
47	9930	9931	SN	1	-34.806	21.366	0.0	-34.54	22.19	0.001	-26.319	23.102	0.133	-27.027	23.693	0.145	0.086	224.028	2.237	0.086	210.713	2.022	0.086	31.798	0.242	0.086	37.415	0.329
48	9930	9931	SN	2	-34.806	21.366	0.0	-34.54	22.19	0.001	-26.319	23.102	0.133	-27.027	23.693	0.145	0.086	224.028	2.237	0.086	210.713	2.022	0.086	31.798	0.242	0.086	37.415	0.329
49	9931	9932	SN	1	-34.829	20.332	0.0	-34.417	20.523	0.0	-18.483	23.262	0.322	-24.326	23.437	0.4	0.086	225.216	2.861	0.086	204.856	2.649	0.086	5.287	0.012	0.086	20.12	0.019
50	9931	9932	NS	1	-34.379	16.041	0.0	-30.392	15.764	0.0	-9.172	22.686	0.046	-22.225	23.779	0.253	0.087	203.041	0.464	0.087	81.129	0.437	0.086	0.678	0.0	0.086	12.429	0.029
51	9931	9932	SN	1	-34.829	20.332	0.0	-34.417	20.523	0.0	-18.477	23.262	0.322	-24.326	23.437	0.399	0.086	225.216	2.804	0.086	204.856	2.63	0.086	5.279	0.012	0.086	20.12	0.019
52	9931	9932	NS	1	-34.379	16.038	0.0	-30.392	15.763	0.0	-9.172	22.686	0.046	-22.225	23.779	0.253	0.087	203.041	0.465	0.087	81.129	0.438	0.086	0.678	0.0	0.086	12.429	0.03
53	9931	9932	SN	1	-34.829	20.332	0.0	-34.417	20.523	0.0	-18.483	23.262	0.322	-24.326	23.437	0.4	0.086	225.216	2.857	0.086	204.856	2.646	0.086	5.287	0.012	0.086	20.12	0.019
54	9932	9933	SN	2	-34.922	16.665	0.0	-34.959	17.262	0.0	2.055	23.12	0.247	2.483	23.344	0.272	0.087	230.094	1.612	0.087	232.08	1.461	0.086	0.124	0.0	0.086	0.12	0.0
55	9932	9933	NS	1	-30.794	15.586	0.0	-30.876	15.804	0.0	-29.136	23.006	0.058	-22.632	23.315	0.233	0.087	88.997	0.639	0.087	90.686	0.579	0.086	60.767	0.149	0.086	13.644	0.107
56	9932	9933	SN	1	-34.922	16.665	0.0	-34.959	17.262	0.0	2.055	23.12	0.247	2.483	23.344	0.272	0.087	230.094	1.612	0.087	232.08	1.461	0.086	0.124	0.0	0.086	0.12	0.0
57	9932	9933	SN	1	-34.922	16.665	0.0	-34.959	17.262	0.0	2.055	23.12	0.247	2.483	23.344	0.277	0.087	230.094	1.644	0.087	232.08	1.462	0.086	0.124	0.0	0.086	0.12	0.0
58	9932	9933	NS	1	-30.539	15.582	0.0	-31.634	15.808	0.0	-28.834	23.006	0.056	-22.739	23.315	0.236	0.087	83.908	0.641	0.087	107.969	0.58	0.086	56.686	0.147	0.086	13.981	0.108
59	9933	9934	SN	1	-34.456	17.61	0.0	-34.734	17.356	0.0	1.518	23.082	0.646	2.916	23.603	1.704	0.087	206.682	3.347	0.087	220.351	2.715	0.086	0.129	0.0	0.086	0.116	0.0
60	9933	9934	NS	1	-32.723	15.246	0.0	-32.742	15.461	0.0	-18.731	23.646	0.159	-21.864	23.965	0.261	0.087	138.735	1.115	0.087	139.304	1.208	0.086	5.593	0.009	0.086	11.438	0.003
61	9933	9934	NS	1	-32.98	15.246	0.0	-32.742	15.461	0.0	-18.762	23.646	0.158	-21.843	23.963	0.261	0.087	147.184	1.115	0.087	139.304	1.208	0.086	5.633	0.009	0.086	11.385	0.003
62	9933	9934	SN	1	-34.916	17.61	0.0	-34.734	17.356	0.0	1.518	23.082	0.636	2.916	23.603	1.583	0.087	229.77	3.3	0.087	220.351	2.651	0.086	0.129	0.0	0.086	0.116	0.0
63	9934	9935	NS	1	-34.83	16.403	0.0	-34.456	16.221	0.0	-32.078	22.893	0.108	-25.124	23.368	0.296	0.087	225.321	3.276	0.087	213.819	3.635	0.086	119.58	0.024	0.086	24.163	0.04
64	9934	9935	NS	2	-34.83	16.403	0.0	-34.456	16.221	0.0	-32.078	22.893	0.108	-25.124	23.368	0.296	0.087	225.321	3.276	0.087	213.819	3.635	0.086	119.58	0.024	0.086	24.163	0.04
65	9934	9935	SN	1	-34.98	16.72	0.0	-34.892	17.048	0.0	0.893	22.755	0.229	3.19	23.379	0.525	0.087	233.221	6.362	0.087	228.495	5.562	0.086	0.136	0.0	0.086	0.114	0.0
66	9934	9935	SN	1	-34.98	16.72	0.0	-34.892	17.048	0.0	0.893	22.755	0.227	3.19	23.379	0.525	0.087	233.221	6.337	0.087	228.495	5.541	0.086	0.136	0.0	0.086	0.114	0.0
67	9934	9935	SN	1	-34.984	16.72	0.0	-34.526	17.048	0.0	0.893	22.755	0.227	3.19	23.379	0.525	0.087	233.407	6.333	0.087	214.027	5.532	0.086	0.136	0.0	0.086	0.114	0.0
68	9935	9936	SN	1	-34.465	16.734	0.0	-34.604	15.828	0.0	-1.29	23.9	0.605	-0.752	24.33	0.856	0.087	207.164	4.085	0.087	213.888	3.688	0.086	0.173	0.0	0.086	0.162	0.0
69	9935	9936	NS	1	-34.739	21.313	0.0	-34.809	21.405	0.0	-28.336	23.007	0.333	-23.59	23.56	0.867	0.086	220.634	2.908	0.086	224.186	2.683	0.086	50.56	0.11	0.086	16.989	0.057

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	9935	9936	NS	2	-34.739	21.313	0.0	-34.809	21.405	0.0	-28.336	23.007	0.333	-23.59	23.56	0.867	0.086	220.634	2.908	0.086	224.186	2.681	0.086	50.56	0.11	0.086	16.989	0.057
71	9935	9936	SN	1	-34.465	16.734	0.0	-34.604	15.828	0.0	-1.29	23.9	0.594	-0.752	24.33	0.856	0.087	207.164	3.98	0.087	213.888	3.578	0.086	0.173	0.0	0.086	0.162	0.0
72	9935	9936	SN	1	-34.151	16.734	0.0	-34.218	15.828	0.0	-1.279	23.9	0.594	-0.734	24.33	0.855	0.087	192.665	3.989	0.087	195.637	3.579	0.086	0.173	0.0	0.086	0.162	0.0
73	9936	9937	SN	1	-32.561	18.173	0.0	-34.468	18.97	0.0	-15.841	23.98	1.257	-9.956	25.213	1.913	0.086	133.628	0.923	0.086	207.28	0.986	0.086	2.907	0.002	0.086	0.799	0.0
74	9936	9937	SN	1	-32.561	18.173	0.0	-34.468	18.97	0.0	-15.844	23.98	1.172	-9.956	25.213	1.91	0.086	133.628	0.946	0.086	207.28	1.387	0.086	2.909	0.001	0.086	0.799	0.0
75	9936	9937	NS	1	-34.82	21.132	0.0	-34.761	21.615	0.0	2.222	23.063	0.065	2.689	23.858	0.726	0.086	224.705	4.911	0.086	221.705	4.776	0.086	0.122	0.0	0.086	0.118	0.0
76	9936	9937	SN	1	-34.167	18.173	0.0	-34.468	18.97	0.0	-15.771	23.98	1.169	-9.955	25.213	1.908	0.086	193.356	0.948	0.086	207.28	1.393	0.086	2.861	0.001	0.086	0.799	0.0
77	9937	9938	SN	1	-34.329	19.158	0.0	-34.643	19.482	0.0	-23.56	23.948	0.657	-9.645	24.276	0.877	0.086	200.732	2.351	0.086	215.787	2.728	0.086	16.875	0.027	0.086	0.748	0.0
78	9937	9938	NS	1	-34.745	21.236	0.0	-34.844	21.796	0.0	-0.784	23.082	0.037	-7.396	24.13	1.364	0.086	220.912	4.589	0.086	226.055	4.516	0.086	0.163	0.0	0.086	0.474	0.0
79	9937	9938	NS	1	-34.598	21.236	0.0	-34.905	21.796	0.0	-0.784	23.082	0.037	-7.394	24.135	1.364	0.086	213.58	4.595	0.086	229.151	4.523	0.086	0.163	0.0	0.086	0.474	0.0
80	9937	9938	SN	2	-34.329	19.158	0.0	-34.643	19.482	0.0	-23.56	23.948	0.657	-9.645	24.276	0.877	0.086	200.732	2.351	0.086	215.787	2.728	0.086	16.875	0.027	0.086	0.748	0.0
81	9938	9939	NS	1	-34.786	20.275	0.0	-34.923	19.629	0.0	-32.075	21.952	0.0	-33.484	24.497	2.648	0.086	222.966	2.707	0.086	230.162	2.225	0.086	119.479	0.25	0.086	165.274	0.176
82	9938	9939	NS	1	-34.786	20.274	0.0	-34.979	19.629	0.0	-32.075	21.952	0.0	-33.484	24.497	2.654	0.086	222.966	2.709	0.086	233.145	2.229	0.086	119.479	0.25	0.086	165.274	0.176
83	9938	9939	SN	1	-34.882	21.207	0.0	-32.917	21.22	0.0	-31.079	23.586	0.657	-4.882	23.53	0.202	0.086	227.983	0.917	0.086	145.011	1.422	0.086	95.027	0.002	0.086	0.297	0.0
84	9939	9940	NS	1	-34.671	18.671	0.0	-34.236	18.719	0.0	-14.02	22.907	0.091	-9.258	24.922	2.52	0.086	217.168	2.793	0.086	196.493	2.537	0.086	1.934	0.008	0.086	0.69	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors