










SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-AUG-2018 To 15-AUG-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-AUG-2018 To 15-AUG-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9958	9959	SN	2	48.721	49.374	0.0	0.0	278.684	2.758	1035.68	1075.64	0.0	-91.671	-89.882	0.0
2	9958	9959	SN	1	48.721	49.374	0.0	0.003	278.684	2.004	1035.68	1074.352	0.0	-91.682	-89.882	0.0
3	9958	9959	SN	1	48.721	49.374	0.0	0.0	278.684	2.758	1035.68	1075.64	0.0	-91.671	-89.882	0.0
4	9959	9960	NS	1	48.824	49.402	0.0	0.003	41.729	2.604	1039.656	1075.92	0.0	-91.322	-89.918	0.0
5	9959	9960	SN	1	48.7	49.314	0.0	0.003	215.405	2.628	1035.56	1075.648	0.0	-91.636	-89.89	0.0
6	9959	9960	SN	2	48.7	49.314	0.0	0.003	215.405	2.628	1035.56	1075.656	0.0	-91.636	-89.89	0.0
7	9959	9960	SN	1	48.7	49.314	0.0	0.003	215.405	2.432	1035.56	1075.32	0.0	-91.592	-89.89	0.0
8	9959	9960	NS	1	48.824	49.402	0.0	0.003	41.729	2.607	1039.656	1075.92	0.0	-91.298	-89.918	0.0
9	9960	9961	NS	1	48.825	49.402	0.0	0.003	263.86	2.561	1039.408	1075.936	0.0	-91.709	-89.938	0.0
10	9960	9961	NS	1	48.821	49.403	0.0	0.003	263.86	2.554	1039.704	1075.936	0.0	-91.491	-89.937	0.0
11	9960	9961	SN	1	48.719	49.346	0.0	0.003	6.232	2.527	1035.28	1075.568	0.0	-91.508	-89.889	0.0
12	9960	9961	SN	1	48.719	49.346	0.0	0.003	5.912	2.372	1035.28	1075.28	0.0	-91.508	-89.889	0.0
13	9960	9961	SN	1	48.719	49.346	0.0	0.003	5.912	2.361	1035.28	1075.28	0.0	-91.508	-89.889	0.0
14	9961	9962	SN	1	48.715	49.306	0.0	0.003	216.083	2.293	1034.912	1075.096	0.0	-91.489	-89.889	0.0
15	9961	9962	SN	1	48.715	49.614	0.0	0.003	216.083	2.529	1034.912	1081.296	0.0	-93.994	-89.889	0.0
16	9961	9962	SN	1	48.715	49.614	0.0	0.003	216.083	2.535	1034.912	1081.296	0.0	-93.994	-89.889	0.0
17	9961	9962	NS	1	48.825	49.412	0.0	0.0	264.885	2.687	1039.944	1076.736	0.0	-91.683	-89.935	0.0
18	9962	9963	SN	1	48.711	49.315	0.0	0.003	28.863	2.147	1034.944	1074.96	0.0	-91.719	-89.889	0.0
19	9962	9963	NS	1	48.825	49.433	0.0	0.003	18.839	2.682	1039.848	1075.84	0.0	-91.757	-89.9	0.0
20	9962	9963	SN	1	48.712	49.543	0.0	0.003	6.215	2.51	1034.944	1080.08	0.0	-94.024	-89.889	0.0
21	9962	9963	NS	1	48.825	49.401	0.0	0.003	18.839	2.678	1039.848	1075.84	0.0	-91.755	-89.9	0.0
22	9962	9963	SN	1	48.711	49.543	0.0	0.003	28.863	2.506	1034.944	1080.08	0.0	-94.024	-89.889	0.0
23	9963	9964	SN	1	48.756	49.306	0.0	0.003	279.219	2.519	1034.856	1075.616	0.0	-92.473	-89.891	0.0
24	9963	9964	NS	1	48.767	49.593	0.0	0.003	267.533	2.645	1038.624	1080.968	0.0	-93.993	-89.935	0.0
25	9963	9964	NS	2	48.773	49.593	0.0	0.003	267.533	2.646	1038.616	1080.968	0.0	-93.993	-89.935	0.0
26	9963	9964	SN	1	48.762	49.306	0.0	0.003	279.219	1.957	1034.856	1074.608	0.0	-91.661	-89.891	0.0
27	9963	9964	SN	1	48.756	49.331	0.0	0.003	279.219	2.517	1035.544	1075.616	0.0	-92.473	-89.891	0.0
28	9964	9965	SN	1	48.702	49.312	0.0	0.003	27.429	2.581	1035.4	1075.6	0.0	-91.547	-89.878	0.0
29	9964	9965	SN	1	48.702	49.311	0.0	0.003	27.429	1.721	1035.4	1074.136	0.0	-91.547	-89.878	0.0
30	9964	9965	NS	1	48.81	49.458	0.0	0.0	207.105	2.714	1039.0	1076.328	0.0	-92.108	-89.934	0.0
31	9964	9965	SN	1	48.712	49.309	0.0	0.003	283.002	2.579	1035.792	1075.6	0.0	-91.892	-89.878	0.0
32	9964	9965	NS	2	48.81	49.458	0.0	0.0	207.105	2.714	1039.0	1076.336	0.0	-92.108	-89.934	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	9965	9966	NS	1	48.762	49.437	0.0	0.003	267.5	2.561	1039.312	1076.64	0.0	-91.737	-89.923	0.0
34	9965	9966	SN	2	48.741	49.317	0.0	0.003	6.21	2.683	1035.496	1076.056	0.0	-91.75	-89.883	0.0
35	9965	9966	SN	1	48.741	49.308	0.0	0.003	5.896	1.562	1035.496	1073.096	0.0	-91.435	-89.883	0.0
36	9965	9966	SN	1	48.741	49.317	0.0	0.003	6.21	2.683	1035.496	1076.056	0.0	-91.75	-89.883	0.0
37	9965	9966	NS	1	48.762	49.437	0.0	0.003	267.5	2.563	1039.312	1076.64	0.0	-91.737	-89.923	0.0
38	9966	9967	SN	2	48.767	49.342	0.0	0.003	279.12	2.581	1035.816	1075.856	0.0	-91.725	-89.88	0.0
39	9966	9967	NS	1	48.763	49.429	0.0	0.0	210.756	2.771	1039.32	1076.24	0.0	-91.75	-89.872	0.0
40	9966	9967	SN	1	48.766	49.342	0.0	0.003	214.318	2.58	1035.816	1075.872	0.0	-91.737	-89.88	0.0
41	9966	9967	NS	1	48.763	49.429	0.0	0.0	210.756	2.768	1039.32	1076.24	0.0	-91.75	-89.872	0.0
42	9967	9968	NS	1	48.764	49.462	0.0	0.003	265.636	2.739	1039.28	1076.152	0.0	-91.76	-89.929	0.0
43	9967	9968	NS	1	48.764	49.462	0.0	0.003	265.636	2.742	1038.424	1076.152	0.0	-91.76	-89.929	0.0
44	9967	9968	SN	1	48.722	49.347	0.0	0.003	6.238	2.563	1036.304	1075.952	0.0	-91.755	-89.897	0.0
45	9968	9969	NS	1	48.785	49.4	0.0	0.003	264.896	2.704	1038.752	1076.176	0.0	-91.682	-89.928	0.0
46	9973	9974	NS	1	48.766	49.404	0.0	0.0	53.975	2.795	1037.6	1075.936	0.0	-91.563	-89.916	0.0
47	9973	9974	SN	1	48.768	49.373	0.0	0.003	6.221	2.764	1036.672	1075.744	0.0	-91.53	-89.844	0.0
48	9973	9974	SN	1	48.768	49.373	0.0	0.003	5.901	2.448	1036.672	1075.288	0.0	-91.52	-89.844	0.0
49	9974	9975	SN	1	48.72	49.312	0.0	0.003	5.907	2.402	1036.488	1075.456	0.0	-91.689	-89.901	0.0
50	9974	9975	SN	1	48.72	49.312	0.0	0.003	6.232	2.545	1036.488	1075.656	0.0	-91.689	-89.901	0.0
51	9974	9975	NS	1	48.818	49.41	0.0	0.0	264.902	2.661	1037.968	1075.96	0.0	-91.602	-89.924	0.0
52	9975	9976	NS	1	48.819	49.433	0.0	0.003	267.511	2.598	1038.192	1075.896	0.0	-91.58	-89.93	0.0
53	9975	9976	SN	1	48.709	49.312	0.0	0.003	282.291	2.331	1036.4	1075.328	0.0	-91.624	-89.899	0.0
54	9975	9976	NS	1	48.819	49.433	0.0	0.003	267.511	2.585	1038.192	1075.896	0.0	-91.733	-89.93	0.0
55	9975	9976	SN	1	48.709	49.521	0.0	0.003	282.291	2.512	1036.4	1079.696	0.0	-94.077	-89.899	0.0
56	9975	9976	SN	1	48.709	49.521	0.0	0.003	282.291	2.514	1036.4	1079.696	0.0	-94.077	-89.899	0.0
57	9976	9977	NS	1	48.763	49.398	0.0	0.003	42.827	2.696	1038.256	1075.88	0.0	-91.763	-89.921	0.0
58	9976	9977	NS	1	48.82	49.398	0.0	0.003	42.827	2.682	1038.832	1075.88	0.0	-91.763	-89.921	0.0
59	9976	9977	SN	1	48.737	49.347	0.0	0.003	5.901	2.247	1036.232	1075.144	0.0	-91.557	-89.9	0.0
60	9976	9977	SN	1	48.737	49.347	0.0	0.003	6.215	2.524	1036.224	1075.552	0.0	-91.717	-89.9	0.0
61	9976	9977	SN	1	48.737	49.347	0.0	0.003	6.215	2.524	1036.232	1075.552	0.0	-91.628	-89.9	0.0
62	9977	9978	NS	2	48.803	49.398	0.0	0.0	267.544	2.761	1038.72	1075.816	0.0	-91.765	-89.905	0.0
63	9977	9978	SN	1	48.724	49.374	0.0	0.003	181.504	2.046	1035.528	1074.896	0.0	-91.682	-89.9	0.0
64	9977	9978	SN	1	48.724	49.376	0.0	0.003	181.504	2.502	1035.712	1075.616	0.0	-92.318	-89.9	0.0
65	9977	9978	NS	1	48.803	49.398	0.0	0.0	266.876	2.763	1038.72	1075.824	0.0	-91.765	-89.905	0.0
66	9977	9978	SN	1	48.724	49.374	0.0	0.003	181.504	2.504	1035.528	1075.616	0.0	-92.318	-89.9	0.0
67	9978	9979	SN	1	48.716	49.345	0.0	0.003	5.884	2.353	1036.704	1075.352	0.0	-91.659	-89.899	0.0
68	9978	9979	NS	1	48.759	49.554	0.0	0.003	41.591	2.628	1037.704	1080.304	0.0	-94.009	-89.922	0.0
69	9978	9979	SN	1	48.716	49.37	0.0	0.003	6.193	2.545	1036.704	1077.104	0.0	-92.45	-89.899	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	9978	9979	SN	1	48.731	49.37	0.0	0.003	6.193	2.542	1036.48	1077.112	0.0	-92.451	-89.899	0.0
71	9978	9979	NS	2	48.819	49.44	0.0	0.003	41.591	2.627	1037.704	1076.08	0.0	-91.735	-89.922	0.0
72	9979	9980	SN	1	48.754	49.312	0.0	0.003	215.642	2.671	1036.352	1075.616	0.0	-91.613	-89.867	0.0
73	9979	9980	SN	1	48.754	49.312	0.0	0.003	215.642	1.637	1036.352	1073.872	0.0	-91.541	-89.867	0.0
74	9979	9980	SN	2	48.754	49.312	0.0	0.003	215.642	2.671	1036.352	1075.616	0.0	-91.613	-89.867	0.0
75	9979	9980	NS	1	48.764	49.43	0.0	0.003	16.562	2.62	1038.264	1075.872	0.0	-91.766	-89.922	0.0
76	9979	9980	NS	1	48.765	49.423	0.0	0.003	16.562	2.619	1038.32	1075.872	0.0	-91.766	-89.922	0.0
77	9980	9981	SN	1	48.771	49.371	0.0	0.003	5.901	1.515	1036.728	1073.752	0.0	-91.586	-89.883	0.0
78	9980	9981	NS	1	48.78	49.428	0.0	0.0	52.415	2.743	1038.248	1075.848	0.0	-91.776	-89.915	0.0
79	9980	9981	SN	2	48.771	49.371	0.0	0.003	6.221	2.611	1036.728	1075.768	0.0	-91.743	-89.883	0.0
80	9980	9981	NS	1	48.782	49.427	0.0	0.0	265.641	2.742	1038.248	1075.848	0.0	-91.775	-89.915	0.0
81	9980	9981	SN	1	48.771	49.371	0.0	0.003	6.221	2.611	1036.728	1075.768	0.0	-91.743	-89.883	0.0
82	9981	9982	NS	1	48.769	49.427	0.0	0.0	42.551	2.813	1037.744	1076.0	0.0	-91.722	-89.903	0.0
83	9981	9982	SN	1	48.72	49.331	0.0	0.003	6.238	2.551	1036.768	1076.296	0.0	-91.72	-89.907	0.0
84	9981	9982	SN	2	48.72	49.331	0.0	0.003	6.238	2.551	1036.768	1076.296	0.0	-91.72	-89.907	0.0
85	9981	9982	NS	1	48.769	49.427	0.0	0.0	42.551	2.815	1037.496	1076.0	0.0	-91.722	-89.903	0.0
86	9982	9983	NS	1	48.792	49.397	0.0	0.003	263.512	2.69	1037.856	1076.168	0.0	-91.669	-89.916	0.0
87	9982	9983	NS	1	48.792	49.397	0.0	0.003	263.512	2.692	1037.712	1076.168	0.0	-91.669	-89.916	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																	Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9958	9959	SN	2	-34.066	26.219	0.518	-34.567	26.714	1.286	-30.256	28.889	13.969	-30.949	31.881	18.993	0.116	247.185	5.312	0.116	277.425	4.255	0.116	102.867	0.161	0.116	120.634	0.14
2	9958	9959	SN	1	-34.178	26.219	0.546	-34.567	26.714	1.186	-30.256	28.889	13.974	-33.678	31.881	18.987	0.116	253.62	5.6	0.116	277.425	4.746	0.116	102.867	0.163	0.116	226.092	0.14
3	9958	9959	SN	1	-34.066	26.219	0.518	-34.567	26.714	1.286	-30.256	28.889	13.969	-30.949	31.881	18.993	0.116	247.185	5.312	0.116	277.425	4.255	0.116	102.867	0.161	0.116	120.634	0.14
4	9959	9960	NS	1	-31.336	26.244	0.073	-33.313	28.549	0.078	-24.275	33.238	16.226	-25.545	35.278	31.248	0.116	131.884	0.729	0.116	207.839	0.663	0.116	26.021	0.034	0.116	34.831	0.034
5	9959	9960	SN	1	-34.83	26.247	0.104	-34.649	27.176	0.424	-26.413	31.534	12.891	-11.195	30.438	9.81	0.116	294.824	2.873	0.116	282.712	2.316	0.116	42.517	0.025	0.116	1.367	0.002
6	9959	9960	SN	2	-34.83	26.247	0.104	-34.649	27.176	0.424	-26.413	31.534	12.891	-11.195	30.438	9.81	0.116	294.824	2.873	0.116	282.712	2.316	0.116	42.517	0.025	0.116	1.367	0.002
7	9959	9960	SN	1	-34.83	26.247	0.095	-34.649	27.176	0.374	-26.483	31.534	12.891	-11.335	30.438	9.81	0.116	294.824	2.962	0.116	282.712	2.384	0.116	43.195	0.025	0.116	1.408	0.002
8	9959	9960	NS	1	-31.336	26.244	0.073	-33.642	28.547	0.078	-24.275	33.238	16.224	-25.545	35.278	31.246	0.116	131.884	0.732	0.116	224.212	0.664	0.116	26.021	0.034	0.116	34.831	0.034
9	9960	9961	NS	1	-32.816	25.148	0.094	-30.773	24.082	0.065	-2.671	30.105	13.228	-8.163	30.071	23.581	0.116	185.4	0.884	0.116	115.848	0.921	0.116	0.278	0.0	0.116	0.728	0.0
10	9960	9961	NS	1	-32.903	25.148	0.094	-30.143	24.082	0.065	-2.673	30.105	13.233	-8.16	30.072	23.626	0.116	189.136	0.885	0.116	100.239	0.921	0.116	0.278	0.0	0.116	0.727	0.0
11	9960	9961	SN	1	-34.861	25.119	0.054	-34.513	26.115	0.36	-33.178	28.892	13.529	-24.88	30.671	7.655	0.116	296.836	2.87	0.116	273.986	2.349	0.116	201.523	0.066	0.116	29.898	0.083
12	9960	9961	SN	1	-34.861	25.119	0.046	-34.513	26.115	0.325	-33.178	28.892	13.529	-24.88	30.671	7.655	0.116	296.836	2.922	0.116	273.986	2.386	0.116	201.523	0.066	0.116	29.898	0.083
13	9960	9961	SN	1	-34.861	25.119	0.046	-34.513	26.115	0.322	-32.406	28.892	13.542	-24.874	30.671	7.655	0.116	296.836	2.925	0.116	273.986	2.388	0.116	168.71	0.066	0.116	29.852	0.083
14	9961	9962	SN	1	-34.966	23.581	0.105	-33.628	24.216	0.408	6.479	27.754	14.831	1.94	28.652	5.976	0.116	304.185	2.691	0.116	223.513	2.139	0.116	0.133	0.0	0.116	0.168	0.0
15	9961	9962	SN	1	-34.966	23.657	0.132	-33.628	24.211	0.429	1.787	27.754	14.799	1.908	28.652	5.967	0.116	304.185	2.64	0.116	223.513	2.132	0.116	0.17	0.0	0.116	0.168	0.0
16	9961	9962	SN	1	-34.966	23.654	0.132	-33.628	24.211	0.43	1.806	27.754	14.742	1.909	28.652	5.967	0.116	304.185	2.639	0.116	223.513	2.13	0.116	0.17	0.0	0.116	0.168	0.0
17	9961	9962	NS	1	-33.907	24.086	0.066	-34.994	25.243	0.02	-10.006	29.543	9.74	-4.701	30.342	18.32	0.116	238.344	2.625	0.116	306.129	2.483	0.116	1.062	0.002	0.116	0.382	0.0
18	9962	9963	SN	1	-34.888	23.471	0.007	-34.824	23.498	0.137	6.835	28.872	18.935	1.111	29.177	18.625	0.116	298.694	4.28	0.116	294.381	3.693	0.116	0.132	0.0	0.116	0.18	0.0
19	9962	9963	NS	1	-34.488	23.061	0.078	-34.049	22.368	0.007	-6.321	28.92	7.574	-15.878	29.299	13.039	0.116	272.467	2.124	0.116	246.274	1.82	0.116	0.51	0.0	0.116	3.84	0.002
20	9962	9963	SN	1	-34.888	23.471	0.014	-34.824	23.728	0.187	0.342	28.872	18.704	1.114	29.177	17.86	0.116	298.694	4.216	0.116	294.381	3.878	0.116	0.193	0.0	0.116	0.18	0.0
21	9962	9963	NS	1	-33.053	23.061	0.078	-34.905	22.368	0.007	-6.324	28.92	7.573	-15.918	29.299	13.045	0.116	195.775	2.091	0.116	299.863	1.82	0.116	0.51	0.0	0.116	3.875	0.002
22	9962	9963	SN	1	-34.888	23.471	0.014	-34.824	23.728	0.187	0.344	28.872	18.799	1.113	29.177	17.899	0.116	298.694	4.218	0.116	294.381	3.878	0.116	0.193	0.0	0.116	0.18	0.0
23	9963	9964	SN	1	-34.849	24.219	0.069	-34.919	24.929	0.156	-0.58	28.358	16.001	1.255	29.489	16.654	0.116	296.002	5.156	0.116	300.813	5.528	0.116	0.213	0.0	0.116	0.178	0.0
24	9963	9964	NS	1	-34.451	23.64	0.079	-33.71	23.383	0.02	-11.666	28.227	8.799	-6.478	30.207	15.573	0.116	270.101	4.266	0.116	227.82	3.182	0.116	1.513	0.004	0.116	0.525	0.0
25	9963	9964	NS	2	-34.451	23.64	0.079	-34.956	23.383	0.02	-11.666	28.227	8.799	-6.48	30.207	15.572	0.116	270.101	4.266	0.116	303.388	3.183	0.116	1.513	0.004	0.116	0.525	0.0
26	9963	9964	SN	1	-34.849	23.973	0.009	-34.919	24.929	0.017	6.154	28.358	16.77	1.277	29.489	16.983	0.116	296.002	5.279	0.116	300.813	5.154	0.116	0.135	0.0	0.116	0.177	0.0
27	9963	9964	SN	1	-34.861	24.217	0.069	-34.883	24.929	0.156	-0.58	28.358	16.001	1.255	29.489	16.654	0.116	296.897	5.143	0.116	298.36	5.525	0.116	0.213	0.0	0.116	0.178	0.0
28	9964	9965	SN	1	-34.43	23.402	0.069	-34.317	23.694	0.112	2.335	29.444	12.966	4.835	30.08	12.999	0.116	268.802	2.743	0.116	261.887	3.02	0.116	0.163	0.0	0.116	0.142	0.0
29	9964	9965	SN	1	-33.969	22.913	0.001	-34.342	22.472	0.002	2.335	29.444	13.813	4.835	30.08	13.065	0.116	241.733	2.547	0.116	263.448	2.528	0.116	0.163	0.0	0.116	0.142	0.0
30	9964	9965	NS	1	-34.963	26.279	0.364	-34.888	27.065	0.638	-14.902	29.43	12.411	-17.215	29.611	18.108	0.116	303.905	7.699	0.116	298.733	6.484	0.116	3.086	0.004	0.116	5.193	0.003
31	9964	9965	SN	1	-34.665	23.399	0.069	-34.781	23.69	0.111	2.333	29.446	12.96	4.841	30.08	13.002	0.116	283.787	2.733	0.116	291.41	3.028	0.116	0.163	0.0	0.116	0.142	0.0
32	9964	9965	NS	2	-34.67	26.279	0.364	-34.888	27.065	0.638	-15.106	29.43	12.411	-17.215	29.611	18.108	0.116	284.062	7.701	0.116	298.733	6.491	0.116	3.23	0.004	0.116	5.193	0.003
33	9965	9966	NS	1	-34.95	26.341	0.082	-34.181	27.49	0.128	3.264	33.9	10.5	6.024	29.806	18.134	0.116	303.019	4.917	0.116	253.798	3.771	0.116	0.154	0.0	0.116	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	9965	9966	SN	2	-34.151	24.395	0.045	-34.277	24.192	0.075	-11.276	33.012	14.978	-5.903	34.126	17.285	0.116	252.129	2.328	0.116	259.467	2.086	0.116	1.391	0.001	0.116	0.472	0.0
35	9965	9966	SN	1	-34.151	24.395	0.012	-33.737	24.192	0.026	-11.291	33.012	15.963	-5.903	34.126	17.352	0.116	252.129	1.02	0.116	229.16	1.317	0.116	1.396	0.002	0.116	0.472	0.0
36	9965	9966	SN	1	-34.151	24.395	0.045	-34.277	24.192	0.075	-11.276	33.012	14.978	-5.903	34.126	17.285	0.116	252.129	2.328	0.116	259.467	2.086	0.116	1.391	0.001	0.116	0.472	0.0
37	9965	9966	NS	1	-34.95	26.344	0.082	-34.181	27.49	0.128	3.282	33.9	10.523	6.026	29.808	18.14	0.116	303.019	4.921	0.116	253.798	3.769	0.116	0.154	0.0	0.116	0.135	0.0
38	9966	9967	SN	2	-34.472	25.274	0.044	-33.805	26.607	0.048	-12.866	29.297	21.966	-4.172	30.224	23.8	0.116	271.42	2.328	0.116	232.781	2.196	0.116	1.965	0.003	0.116	0.35	0.0
39	9966	9967	NS	1	-34.946	22.729	0.008	-34.636	23.097	0.027	-10.621	29.398	23.248	-3.304	30.515	40.267	0.116	318.414	4.434	0.116	281.835	3.873	0.116	1.209	0.002	0.116	0.306	0.0
40	9966	9967	SN	1	-34.472	25.274	0.044	-33.704	26.607	0.048	-12.866	29.297	21.966	-4.172	30.224	23.801	0.116	271.42	2.328	0.116	227.489	2.196	0.116	1.965	0.003	0.116	0.35	0.0
41	9966	9967	NS	1	-34.946	22.726	0.008	-34.636	23.097	0.027	-10.626	29.398	23.228	-3.304	30.515	40.245	0.116	318.414	4.434	0.116	281.858	3.87	0.116	1.21	0.002	0.116	0.306	0.0
42	9967	9968	NS	1	-34.038	27.102	0.04	-34.83	26.435	0.037	-32.465	31.035	12.111	-29.566	34.19	25.525	0.116	245.655	3.387	0.116	294.792	2.882	0.116	171.009	0.194	0.116	87.773	0.121
43	9967	9968	NS	1	-34.038	27.102	0.04	-34.272	26.435	0.037	-32.465	31.035	12.111	-29.566	34.19	25.525	0.116	245.655	3.394	0.116	259.185	2.878	0.116	171.009	0.194	0.116	87.773	0.121
44	9967	9968	SN	1	-33.43	27.3	0.09	-34.676	27.548	0.088	-5.4	29.61	17.984	-4.619	30.45	16.97	0.116	213.56	2.007	0.116	284.413	1.655	0.116	0.431	0.0	0.116	0.377	0.0
45	9968	9969	NS	1	-34.476	26.994	0.033	-34.939	23.239	0.057	-13.938	28.917	13.755	-26.402	36.383	22.392	0.116	271.733	4.931	0.116	302.225	4.592	0.116	2.49	0.008	0.116	42.41	0.012
46	9973	9974	NS	1	-34.28	27.854	0.531	-32.095	27.04	0.058	-4.921	30.417	19.042	-3.069	34.395	31.31	0.116	259.692	1.982	0.116	157.08	1.471	0.116	0.397	0.0	0.116	0.295	0.0
47	9973	9974	SN	1	-34.222	26.474	0.464	-33.249	27.852	2.119	-24.673	34.873	15.459	-25.281	30.329	19.468	0.116	256.323	2.481	0.116	204.882	1.961	0.116	28.505	0.098	0.116	32.782	0.053
48	9973	9974	SN	1	-34.928	26.474	0.481	-33.249	27.852	1.992	-24.673	34.873	15.459	-25.281	30.329	19.468	0.116	301.468	2.59	0.116	204.882	2.082	0.116	28.505	0.098	0.116	32.782	0.053
49	9974	9975	SN	1	-34.882	26.726	0.111	-34.94	26.805	1.19	-14.954	28.774	10.963	-2.428	29.907	6.531	0.116	298.252	3.569	0.116	302.357	2.68	0.116	3.123	0.004	0.116	0.269	0.0
50	9974	9975	SN	1	-34.882	26.726	0.337	-34.94	26.805	1.298	-14.954	28.774	10.963	-2.428	29.907	6.531	0.116	298.252	3.495	0.116	302.357	2.626	0.116	3.123	0.004	0.116	0.269	0.0
51	9974	9975	NS	1	-31.76	27.194	0.627	-34.926	26.886	0.073	-7.145	31.117	14.227	-1.326	30.199	26.201	0.116	145.407	1.275	0.116	301.4	1.315	0.116	0.596	0.0	0.116	0.233	0.0
52	9975	9976	NS	1	-34.348	25.094	0.474	-33.976	23.738	0.035	-19.364	28.725	11.447	-4.044	30.253	21.289	0.116	263.767	1.749	0.116	242.208	1.779	0.116	8.458	0.002	0.116	0.343	0.0
53	9975	9976	SN	1	-34.962	24.231	0.366	-34.858	25.39	0.893	7.376	29.311	17.213	8.812	29.579	8.957	0.116	303.813	4.521	0.116	296.65	3.706	0.116	0.13	0.0	0.116	0.126	0.0
54	9975	9976	NS	1	-33.704	25.096	0.471	-34.818	23.734	0.035	-19.333	28.725	11.443	-4.044	30.255	21.292	0.116	227.425	1.755	0.116	293.911	1.784	0.116	8.398	0.002	0.116	0.343	0.0
55	9975	9976	SN	1	-34.962	24.328	0.619	-34.858	25.391	1.017	-0.185	29.311	17.114	-0.051	29.579	8.932	0.116	303.813	4.445	0.116	296.65	3.649	0.116	0.204	0.0	0.116	0.201	0.0
56	9975	9976	SN	1	-34.962	24.328	0.621	-34.858	25.39	1.019	-0.184	29.311	17.215	-0.062	29.579	8.937	0.116	303.813	4.446	0.116	296.65	3.652	0.116	0.204	0.0	0.116	0.201	0.0
57	9976	9977	NS	1	-34.912	23.94	0.25	-32.895	22.706	0.026	-12.32	32.647	7.001	-8.576	29.662	13.206	0.116	300.347	2.392	0.116	188.815	3.017	0.116	1.744	0.001	0.116	0.79	0.0
58	9976	9977	NS	1	-33.867	23.94	0.242	-33.073	22.707	0.026	-12.356	32.644	7.005	-8.576	29.662	13.213	0.116	236.141	2.388	0.116	196.692	3.004	0.116	1.757	0.001	0.116	0.79	0.0
59	9976	9977	SN	1	-34.959	22.028	0.001	-34.962	24.284	0.058	6.648	28.581	14.838	2.14	28.389	8.883	0.116	303.594	3.631	0.116	303.853	3.037	0.116	0.132	0.0	0.116	0.166	0.0
60	9976	9977	SN	1	-34.626	23.997	0.038	-34.962	24.284	0.15	-0.06	28.581	14.78	2.154	28.389	8.671	0.116	281.255	3.547	0.116	303.853	3.033	0.116	0.201	0.0	0.116	0.166	0.0
61	9976	9977	SN	1	-34.959	23.997	0.038	-34.962	24.284	0.15	-0.057	28.581	14.825	2.154	28.389	8.726	0.116	303.594	3.549	0.116	303.853	3.034	0.116	0.201	0.0	0.116	0.166	0.0
62	9977	9978	NS	2	-34.98	23.888	0.198	-34.66	22.562	0.017	-19.05	29.446	10.691	-20.897	31.055	17.815	0.116	305.107	3.991	0.116	283.414	3.687	0.116	7.873	0.024	0.116	12.002	0.007
63	9977	9978	SN	1	-34.77	23.973	0.004	-34.872	24.137	0.017	5.167	29.034	16.659	8.756	29.328	17.637	0.116	290.734	6.037	0.116	297.642	5.347	0.116	0.14	0.0	0.116	0.126	0.0
64	9977	9978	SN	1	-34.793	23.973	0.045	-34.99	24.579	0.162	-0.796	29.034	16.23	8.756	29.328	17.144	0.116	292.295	5.903	0.116	305.767	5.354	0.116	0.218	0.0	0.116	0.126	0.0
65	9977	9978	NS	1	-34.796	23.888	0.196	-34.748	22.562	0.017	-19.054	29.446	10.691	-20.897	31.055	17.815	0.116	292.441	3.988	0.116	289.228	3.685	0.116	7.883	0.024	0.116	12.002	0.007
66	9977	9978	SN	1	-34.674	23.973	0.045	-34.872	24.579	0.163	-0.807	29.034	16.23	8.756	29.328	17.144	0.116	284.32	5.909	0.116	297.642	5.366	0.116	0.219	0.0	0.116	0.126	0.0
67	9978	9979	SN	1	-34.012	22.192	0.001	-34.688	25.657	0.159	5.036	29.468	14.626	2.906	30.677	13.549	0.116	244.198	3.678	0.116	285.292	3.206	0.116	0.14	0.0	0.116	0.157	0.0
68	9978	9979	NS	1	-34.111	24.99	0.602	-34.428	25.682	0.62	-8.881	29.154	8.359	-5.411	31.188	15.083	0.116	249.833	3.674	0.116	268.721	3.142	0.116	0.841	0.0	0.116	0.432	0.0
69	9978	9979	SN	1	-34.012	25.431	0.12	-34.861	25.789	0.185	5.03	29.468	14.592	2.912	30.677	13.549	0.116	244.198	3.652	0.116	296.834	3.293	0.116	0.14	0.0	0.116	0.157	0.0
70	9978	9979	SN	1	-34.649	25.43	0.12	-34.592	25.786	0.185	5.03	29.464	14.593	2.91	30.677	13.544	0.116	282.707	3.659	0.116	279.044	3.284	0.116	0.14	0.0	0.116	0.157	0.0
71	9978	9979	NS	2	-34.472	24.99	0.604	-34.428	25.682	0.62	-8.881	29.154	8.359	-5.411	31.188	15.083	0.116	271.368	3.671	0.116	268.721	3.141	0.116	0.841	0.0	0.116	0.432	0.0
72	9979	9980	SN	1	-34.934	24.503	0.06	-32.494	24.143	0.158	2.462	32.026	12.317	3.801	35.707	13.618	0.116	301.845	1.954	0.116	172.16	2.283	0.116	0.162	0.0	0.116	0.149	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	9979	9980	SN	1	-34.578	24.503	0.038	-32.388	24.143	0.035	2.462	32.026	13.006	3.801	35.707	13.651	0.116	278.177	1.545	0.116	167.985	1.631	0.116	0.162	0.0	0.116	0.149	0.0
74	9979	9980	SN	2	-34.934	24.503	0.06	-32.494	24.143	0.158	2.462	32.026	12.317	3.801	35.707	13.618	0.116	301.845	1.954	0.116	172.16	2.283	0.116	0.162	0.0	0.116	0.149	0.0
75	9979	9980	NS	1	-34.584	26.321	0.35	-34.798	27.354	0.558	7.039	28.767	15.939	8.235	29.833	25.443	0.116	292.891	7.527	0.116	292.55	6.603	0.116	0.131	0.0	0.116	0.127	0.0
76	9979	9980	NS	1	-34.561	26.321	0.35	-34.798	27.354	0.558	7.039	28.768	15.917	8.235	29.833	25.444	0.116	277.076	7.55	0.116	292.55	6.598	0.116	0.131	0.0	0.116	0.127	0.0
77	9980	9981	SN	1	-34.919	26.635	0.048	-33.922	25.998	0.059	-15.334	29.628	19.129	-11.878	30.547	22.904	0.116	300.794	1.342	0.116	239.196	1.315	0.116	3.399	0.004	0.116	1.584	0.002
78	9980	9981	NS	1	-34.871	23.55	0.077	-34.994	25.384	0.09	-0.243	30.425	16.142	-0.148	29.922	28.291	0.116	297.558	5.352	0.116	306.166	4.229	0.116	0.205	0.0	0.116	0.203	0.0
79	9980	9981	SN	2	-34.919	26.635	0.043	-33.922	25.998	0.254	-15.334	29.628	18.172	-11.878	30.547	22.805	0.116	300.794	2.154	0.116	239.196	1.762	0.116	3.399	0.004	0.116	1.584	0.002
80	9980	9981	NS	1	-34.92	23.547	0.077	-34.994	25.384	0.09	-0.243	30.425	16.099	-0.148	29.922	28.242	0.116	300.934	5.351	0.116	306.166	4.23	0.116	0.205	0.0	0.116	0.203	0.0
81	9980	9981	SN	1	-34.919	26.635	0.043	-33.922	25.998	0.254	-15.334	29.628	18.172	-11.878	30.547	22.805	0.116	300.794	2.154	0.116	239.196	1.762	0.116	3.399	0.004	0.116	1.584	0.002
82	9981	9982	NS	1	-34.618	28.187	0.06	-34.83	27.634	0.038	-6.407	29.259	21.8	-15.827	30.303	35.765	0.116	280.712	4.226	0.116	294.743	3.481	0.116	0.518	0.0	0.116	3.797	0.008
83	9981	9982	SN	1	-34.998	26.268	0.096	-34.557	27.022	0.272	-25.414	29.133	18.559	-3.018	31.21	20.783	0.116	306.298	3.38	0.116	276.739	2.233	0.116	33.794	0.007	0.116	0.293	0.0
84	9981	9982	SN	2	-34.998	26.268	0.096	-34.557	27.022	0.272	-25.414	29.133	18.559	-3.018	31.21	20.783	0.116	306.298	3.38	0.116	276.739	2.233	0.116	33.794	0.007	0.116	0.293	0.0
85	9981	9982	NS	1	-34.618	28.187	0.061	-34.625	27.634	0.038	-6.407	29.259	21.8	-15.827	30.303	35.768	0.116	280.712	4.217	0.116	281.13	3.485	0.116	0.518	0.0	0.116	3.797	0.008
86	9982	9983	NS	1	-34.784	26.477	0.062	-34.911	25.829	0.019	-23.915	33.903	11.725	-24.761	33.518	22.524	0.116	291.67	4.771	0.116	300.324	4.431	0.116	23.959	0.18	0.116	29.091	0.159
87	9982	9983	NS	1	-34.991	26.477	0.063	-34.682	25.829	0.019	-23.915	33.903	11.725	-24.761	33.518	22.524	0.116	305.946	4.738	0.116	284.839	4.427	0.116	23.959	0.18	0.116	29.091	0.159

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9958	9959	SN	2	57.532	58.269	0.0	0.0	298.72	3.939	1213.688	1266.416	0.0	-95.267	-91.931	0.0
2	9958	9959	SN	1	57.532	58.16	0.0	0.0	298.312	3.044	1213.688	1262.224	0.0	-93.1	-91.931	0.0
3	9958	9959	SN	1	57.532	58.269	0.0	0.0	298.72	3.939	1213.688	1266.416	0.0	-95.267	-91.931	0.0
4	9959	9960	NS	1	57.624	58.241	0.0	0.003	299.001	3.606	1218.136	1264.32	0.0	-93.745	-91.976	0.0
5	9959	9960	SN	1	57.514	58.135	0.0	0.0	297.479	3.76	1212.824	1263.776	0.0	-92.896	-91.944	0.0
6	9959	9960	SN	2	57.514	58.135	0.0	0.0	297.479	3.76	1212.824	1263.784	0.0	-92.896	-91.944	0.0
7	9959	9960	SN	1	57.514	58.135	0.0	0.003	297.424	3.258	1212.824	1263.336	0.0	-93.02	-91.944	0.0
8	9959	9960	NS	1	57.624	58.241	0.0	0.003	299.001	3.609	1218.136	1264.32	0.0	-93.745	-91.976	0.0
9	9960	9961	NS	1	57.618	58.242	0.0	0.0	299.834	3.467	1218.392	1264.344	0.0	-93.745	-91.993	0.0
10	9960	9961	NS	1	57.596	58.243	0.0	0.0	299.851	3.454	1218.736	1264.336	0.0	-93.745	-91.993	0.0
11	9960	9961	SN	1	57.525	58.136	0.0	0.0	298.312	3.625	1213.032	1263.68	0.0	-92.912	-91.942	0.0
12	9960	9961	SN	1	57.525	58.136	0.0	0.0	298.312	3.137	1213.032	1263.296	0.0	-92.912	-91.942	0.0
13	9960	9961	SN	1	57.525	58.136	0.0	0.0	298.312	3.123	1213.032	1263.296	0.0	-92.887	-91.942	0.0
14	9961	9962	SN	1	57.51	58.152	0.0	0.003	299.029	3.089	1213.144	1263.064	0.0	-93.07	-91.941	0.0
15	9961	9962	SN	1	57.51	58.343	0.0	0.0	299.029	3.599	1213.144	1269.208	0.0	-94.657	-91.941	0.0
16	9961	9962	SN	1	57.51	58.343	0.0	0.0	299.029	3.611	1213.144	1269.208	0.0	-94.657	-91.941	0.0
17	9961	9962	NS	1	57.626	58.256	0.0	0.0	295.207	3.701	1218.888	1264.216	0.0	-93.744	-91.991	0.0
18	9962	9963	SN	1	57.504	58.154	0.0	0.0	299.718	3.029	1212.832	1262.912	0.0	-93.099	-91.942	0.0
19	9962	9963	NS	1	57.626	58.241	0.0	0.0	298.213	3.64	1218.96	1264.4	0.0	-93.081	-91.956	0.0
20	9962	9963	SN	1	57.504	58.196	0.0	0.0	299.713	3.59	1212.84	1265.424	0.0	-93.967	-91.942	0.0
21	9962	9963	NS	1	57.598	58.241	0.0	0.0	298.213	3.627	1218.504	1264.272	0.0	-93.095	-91.956	0.0
22	9962	9963	SN	1	57.504	58.196	0.0	0.0	299.718	3.577	1212.832	1265.424	0.0	-93.967	-91.942	0.0
23	9963	9964	SN	1	57.512	58.154	0.0	0.0	291.843	3.552	1212.816	1263.736	0.0	-93.156	-91.944	0.0
24	9963	9964	NS	1	57.617	58.24	0.0	0.0	296.685	3.654	1217.872	1264.488	0.0	-93.745	-91.991	0.0
25	9963	9964	NS	2	57.616	58.241	0.0	0.0	296.668	3.654	1217.856	1264.504	0.0	-93.745	-91.991	0.0
26	9963	9964	SN	1	57.512	58.154	0.0	0.0	291.843	2.868	1212.816	1262.504	0.0	-93.156	-91.944	0.0
27	9963	9964	SN	1	57.542	58.136	0.0	0.0	291.843	3.547	1213.0	1263.736	0.0	-93.156	-91.944	0.0
28	9964	9965	SN	1	57.521	58.163	0.0	0.0	279.726	3.673	1213.584	1263.712	0.0	-93.068	-91.917	0.0
29	9964	9965	SN	1	57.521	58.163	0.0	0.0	279.726	2.688	1213.584	1261.816	0.0	-92.918	-91.917	0.0
30	9964	9965	NS	1	57.596	58.49	0.0	0.0	298.957	3.778	1218.248	1273.136	0.0	-95.615	-91.99	0.0
31	9964	9965	SN	1	57.522	58.166	0.0	0.0	292.819	3.669	1213.384	1263.712	0.0	-92.981	-91.917	0.0
32	9964	9965	NS	2	57.596	58.261	0.0	0.0	298.957	3.778	1218.248	1264.264	0.0	-93.094	-91.99	0.0
33	9965	9966	NS	1	57.594	58.244	0.0	0.0	297.97	3.551	1218.312	1264.336	0.0	-93.745	-91.978	0.0
34	9965	9966	SN	2	57.534	58.142	0.0	0.003	297.992	3.809	1213.6	1263.792	0.0	-93.094	-91.935	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9965	9966	SN	1	57.534	58.15	0.0	0.003	296.299	2.425	1213.6	1261.688	0.0	-92.821	-91.935	0.0
36	9965	9966	SN	1	57.534	58.142	0.0	0.003	297.992	3.809	1213.6	1263.792	0.0	-93.094	-91.935	0.0
37	9965	9966	NS	1	57.594	58.244	0.0	0.0	297.97	3.554	1218.312	1264.336	0.0	-93.745	-91.978	0.0
38	9966	9967	SN	2	57.546	58.156	0.0	0.0	299.652	3.685	1214.48	1264.104	0.0	-93.081	-91.932	0.0
39	9966	9967	NS	1	57.587	58.273	0.0	0.0	299.139	3.761	1218.328	1265.048	0.0	-93.746	-91.924	0.0
40	9966	9967	SN	1	57.546	58.156	0.0	0.0	296.205	3.687	1214.472	1264.112	0.0	-93.075	-91.932	0.0
41	9966	9967	NS	1	57.587	58.273	0.0	0.0	299.139	3.758	1218.328	1265.048	0.0	-93.746	-91.924	0.0
42	9967	9968	NS	1	57.607	58.274	0.0	0.003	298.599	3.726	1217.928	1264.496	0.0	-93.747	-91.985	0.0
43	9967	9968	NS	1	57.607	58.274	0.0	0.003	298.599	3.73	1218.272	1264.496	0.0	-93.747	-91.985	0.0
44	9967	9968	SN	1	57.513	58.167	0.0	0.0	296.448	3.656	1214.48	1264.152	0.0	-93.019	-91.951	0.0
45	9968	9969	NS	1	57.587	58.24	0.0	0.0	295.538	3.655	1218.096	1264.624	0.0	-95.288	-91.984	0.0
46	9973	9974	NS	1	57.597	58.26	0.0	0.0	299.167	3.864	1216.392	1264.224	0.0	-93.746	-91.964	0.0
47	9973	9974	SN	1	57.535	58.173	0.0	0.0	299.994	3.945	1214.44	1263.896	0.0	-93.183	-91.897	0.0
48	9973	9974	SN	1	57.535	58.161	0.0	0.003	299.994	3.385	1214.44	1263.28	0.0	-92.97	-91.897	0.0
49	9974	9975	SN	1	57.522	58.139	0.0	0.0	296.889	3.204	1214.328	1263.504	0.0	-93.31	-91.953	0.0
50	9974	9975	SN	1	57.522	58.139	0.0	0.0	296.889	3.683	1214.328	1263.784	0.0	-93.31	-91.953	0.0
51	9974	9975	NS	1	57.617	58.246	0.0	0.0	299.404	3.609	1217.2	1264.256	0.0	-93.745	-91.98	0.0
52	9975	9976	NS	1	57.614	58.237	0.0	0.0	298.047	3.483	1217.648	1264.176	0.0	-93.745	-91.985	0.0
53	9975	9976	SN	1	57.52	58.149	0.0	0.0	293.376	3.109	1214.688	1263.352	0.0	-93.055	-91.952	0.0
54	9975	9976	NS	1	57.618	58.237	0.0	0.0	298.047	3.475	1217.736	1264.176	0.0	-93.745	-91.985	0.0
55	9975	9976	SN	1	57.52	58.161	0.0	0.0	293.376	3.613	1214.688	1263.752	0.0	-92.991	-91.952	0.0
56	9975	9976	SN	1	57.52	58.163	0.0	0.0	293.376	3.611	1214.688	1263.752	0.0	-93.179	-91.952	0.0
57	9976	9977	NS	1	57.585	58.257	0.0	0.0	297.264	3.671	1217.72	1264.16	0.0	-93.037	-91.977	0.0
58	9976	9977	NS	1	57.581	58.239	0.0	0.0	297.264	3.662	1217.72	1264.16	0.0	-93.059	-91.977	0.0
59	9976	9977	SN	1	57.524	58.138	0.0	0.0	292.019	3.07	1214.704	1263.112	0.0	-92.972	-91.953	0.0
60	9976	9977	SN	1	57.524	58.336	0.0	0.0	291.986	3.567	1214.696	1269.064	0.0	-94.659	-91.953	0.0
61	9976	9977	SN	1	57.524	58.336	0.0	0.0	292.019	3.57	1214.704	1269.064	0.0	-94.659	-91.953	0.0
62	9977	9978	NS	2	57.593	58.342	0.0	0.0	293.674	3.79	1217.6	1269.216	0.0	-94.661	-91.958	0.0
63	9977	9978	SN	1	57.52	58.165	0.0	0.003	292.538	2.942	1214.048	1262.816	0.0	-93.013	-91.953	0.0
64	9977	9978	SN	1	57.52	58.464	0.0	0.0	292.538	3.542	1214.304	1272.44	0.0	-95.588	-91.953	0.0
65	9977	9978	NS	1	57.593	58.342	0.0	0.0	293.845	3.79	1217.6	1269.224	0.0	-94.661	-91.958	0.0
66	9977	9978	SN	1	57.52	58.464	0.0	0.0	292.538	3.546	1214.048	1272.44	0.0	-95.588	-91.953	0.0
67	9978	9979	SN	1	57.512	58.149	0.0	0.0	299.503	3.126	1214.408	1263.368	0.0	-93.019	-91.953	0.0
68	9978	9979	NS	1	57.607	58.415	0.0	0.0	298.13	3.663	1216.64	1271.136	0.0	-95.992	-91.979	0.0
69	9978	9979	SN	1	57.512	58.158	0.0	0.0	299.503	3.608	1214.408	1263.752	0.0	-95.037	-91.953	0.0
70	9978	9979	SN	1	57.518	58.155	0.0	0.0	299.503	3.605	1214.408	1263.76	0.0	-95.037	-91.953	0.0
71	9978	9979	NS	2	57.607	58.242	0.0	0.0	298.13	3.662	1216.64	1264.208	0.0	-93.088	-91.979	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9979	9980	SN	1	57.549	58.162	0.0	0.0	298.554	3.787	1215.112	1263.736	0.0	-93.305	-91.918	0.0
73	9979	9980	SN	1	57.549	58.159	0.0	0.0	293.927	2.593	1215.112	1262.152	0.0	-92.921	-91.918	0.0
74	9979	9980	SN	2	57.549	58.162	0.0	0.0	298.554	3.787	1215.112	1263.736	0.0	-93.305	-91.918	0.0
75	9979	9980	NS	1	57.588	58.266	0.0	0.0	297.578	3.574	1217.144	1264.128	0.0	-93.746	-91.977	0.0
76	9979	9980	NS	1	57.589	58.266	0.0	0.003	297.628	3.571	1217.16	1264.136	0.0	-93.746	-91.977	0.0
77	9980	9981	SN	1	57.552	58.144	0.0	0.003	299.431	2.318	1215.608	1261.384	0.0	-92.903	-91.945	0.0
78	9980	9981	NS	1	57.581	58.242	0.0	0.0	299.442	3.779	1217.024	1264.104	0.0	-93.745	-91.955	0.0
79	9980	9981	SN	2	57.552	58.144	0.0	0.0	299.431	3.72	1215.608	1263.912	0.0	-93.085	-91.945	0.0
80	9980	9981	NS	1	57.582	58.241	0.0	0.0	299.437	3.78	1217.024	1264.104	0.0	-93.745	-91.956	0.0
81	9980	9981	SN	1	57.552	58.144	0.0	0.0	299.431	3.72	1215.608	1263.912	0.0	-93.085	-91.945	0.0
82	9981	9982	NS	1	57.583	58.266	0.0	0.0	298.77	3.904	1216.848	1264.296	0.0	-93.746	-91.933	0.0
83	9981	9982	SN	1	57.539	58.167	0.0	0.0	299.955	3.638	1215.496	1264.128	0.0	-93.092	-91.961	0.0
84	9981	9982	SN	2	57.539	58.167	0.0	0.0	299.955	3.638	1215.496	1264.128	0.0	-93.092	-91.961	0.0
85	9981	9982	NS	1	57.583	58.266	0.0	0.0	298.77	3.908	1216.848	1264.296	0.0	-93.746	-91.933	0.0
86	9982	9983	NS	1	57.593	58.235	0.0	0.0	298.764	3.662	1216.608	1264.488	0.0	-93.748	-91.972	0.0
87	9982	9983	NS	1	57.593	58.235	0.0	0.0	298.764	3.666	1216.368	1264.488	0.0	-93.748	-91.972	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																								
					SNR												Kp												
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore			
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	
1	9958	9959	SN	2	-34.637	21.768	0.0	-34.88	22.426	0.003	-26.314	23.529	0.082	-23.584	25.32	0.051	0.086	215.493	5.264	0.086	227.843	4.468	0.086	31.765	0.055	0.086	16.965	0.047	
2	9958	9959	SN	1	-34.637	21.768	0.0	-34.832	22.426	0.003	-26.314	23.529	0.083	-23.584	25.32	0.051	0.086	215.493	5.362	0.086	225.359	4.994	0.086	31.765	0.056	0.086	16.965	0.047	
3	9958	9959	SN	1	-34.637	21.768	0.0	-34.88	22.426	0.003	-26.314	23.529	0.082	-23.584	25.32	0.051	0.086	215.493	5.263	0.086	227.843	4.467	0.086	31.765	0.055	0.086	16.965	0.047	
4	9959	9960	NS	1	-34.697	20.65	0.0	-33.311	21.756	0.0	-8.999	23.468	0.021	-10.239	24.282	0.282	0.086	218.509	1.226	0.086	158.797	1.173	0.086	0.654	0.0	0.086	0.848	0.0	
5	9959	9960	SN	1	-34.119	21.276	0.0	-34.062	21.415	0.0	-23.053	23.519	0.133	-24.992	23.44	0.145	0.086	191.259	2.533	0.086	188.767	2.151	0.086	15.024	0.074	0.086	23.442	0.095	
6	9959	9960	SN	2	-34.119	21.276	0.0	-34.062	21.415	0.0	-23.053	23.519	0.133	-24.992	23.44	0.145	0.086	191.259	2.533	0.086	188.767	2.151	0.086	15.024	0.074	0.086	23.442	0.095	
7	9959	9960	SN	1	-34.207	21.276	0.0	-34.062	21.415	0.0	-23.053	23.519	0.133	-24.992	23.44	0.145	0.086	195.211	2.614	0.086	188.767	2.21	0.086	15.024	0.074	0.086	23.442	0.095	
8	9959	9960	NS	1	-34.202	20.65	0.0	-34.535	21.756	0.0	-8.999	23.47	0.021	-10.239	24.282	0.282	0.086	194.965	1.228	0.086	210.489	1.178	0.086	0.654	0.0	0.086	0.848	0.0	
9	9960	9961	NS	1	-33.461	16.352	0.0	-34.731	17.251	0.0	-13.502	22.839	0.048	-22.321	23.524	0.302	0.087	164.38	1.278	0.087	220.191	1.337	0.086	1.723	0.002	0.086	12.703	0.023	
10	9960	9961	NS	1	-33.89	16.349	0.0	-34.47	17.246	0.0	-13.573	22.839	0.048	-22.31	23.524	0.303	0.087	181.433	1.27	0.087	207.334	1.329	0.086	1.751	0.002	0.086	12.674	0.023	
11	9960	9961	SN	1	-34.838	20.3	0.0	-34.509	20.773	0.0	-19.772	23.146	0.291	-21.741	23.516	0.368	0.086	225.711	2.408	0.086	209.207	2.227	0.086	7.272	0.025	0.086	11.123	0.023	
12	9960	9961	SN	1	-34.838	20.3	0.0	-34.509	20.773	0.0	-19.772	23.146	0.291	-21.741	23.516	0.368	0.086	225.711	2.453	0.086	209.207	2.251	0.086	7.272	0.025	0.086	11.123	0.023	
13	9960	9961	SN	1	-34.838	20.3	0.0	-34.509	20.773	0.0	-19.97	23.146	0.292	-21.741	23.516	0.368	0.086	225.711	2.453	0.086	209.207	2.253	0.086	7.418	0.025	0.086	11.123	0.023	
14	9961	9962	SN	1	-34.697	17.189	0.0	-34.991	17.627	0.0	0.806	23.061	0.23	2.104	23.334	0.361	0.087	218.538	1.79	0.087	233.773	1.532	0.086	0.138	0.0	0.086	0.123	0.0	
15	9961	9962	SN	1	-34.697	17.189	0.0	-34.991	17.627	0.0	0.806	23.061	0.23	2.104	23.334	0.355	0.087	218.538	1.754	0.087	233.773	1.664	0.086	0.138	0.0	0.086	0.123	0.0	
16	9961	9962	SN	1	-34.697	17.189	0.0	-34.991	17.627	0.0	0.806	23.061	0.229	2.104	23.334	0.354	0.087	218.538	1.754	0.087	233.773	1.663	0.086	0.138	0.0	0.086	0.123	0.0	
17	9961	9962	NS	1	-34.846	16.672	0.0	-34.987	17.659	0.0	-31.006	22.72	0.039	-27.388	23.682	0.23	0.087	226.077	2.354	0.087	233.575	2.277	0.086	93.424	0.155	0.086	40.65	0.145	
18	9962	9963	SN	1	-34.885	17.721	0.0	-34.637	17.248	0.0	1.445	23.315	0.6	2.414	23.372	1.866	0.086	228.146	3.942	0.087	215.481	3.47	0.086	0.13	0.0	0.086	0.121	0.0	
19	9962	9963	NS	1	-34.773	16.078	0.0	-33.037	15.843	0.0	-8.162	23.201	0.146	-12.973	23.676	0.237	0.087	222.332	1.589	0.087	149.112	1.041	0.086	0.552	0.0	0.086	1.533	0.001	
20	9962	9963	SN	1	-34.56	17.721	0.0	-34.637	17.234	0.0	1.445	23.315	0.588	2.414	23.372	1.734	0.086	211.716	3.892	0.087	215.481	3.677	0.086	0.13	0.0	0.086	0.121	0.0	
21	9962	9963	NS	1	-33.854	16.08	0.0	-32.728	15.843	0.0	-8.16	23.201	0.146	-12.973	23.676	0.237	0.087	179.971	1.572	0.087	138.882	1.04	0.086	0.552	0.0	0.086	1.533	0.001	
22	9962	9963	SN	1	-34.885	17.721	0.0	-34.637	17.234	0.0	1.445	23.315	0.591	2.414	23.372	1.737	0.086	228.146	3.895	0.087	215.481	3.681	0.086	0.13	0.0	0.086	0.121	0.0	
23	9963	9964	SN	1	-34.931	16.618	0.0	-34.966	17.26	0.0	1.201	22.511	0.166	2.984	23.318	0.44	0.087	230.542	4.934	0.087	232.495	5.051	0.086	0.133	0.0	0.086	0.116	0.0	
24	9963	9964	NS	1	-34.855	16.442	0.0	-33.157	16.429	0.0	-20.991	22.836	0.114	-32.142	23.414	0.318	0.087	226.615	4.036	0.087	153.265	3.234	0.086	9.37	0.033	0.086	121.342	0.037	
25	9963	9964	NS	2	-34.855	16.442	0.0	-33.157	16.429	0.0	-20.991	22.836	0.114	-32.142	23.414	0.318	0.087	226.615	4.036	0.087	153.265	3.234	0.086	9.37	0.033	0.086	121.342	0.037	
26	9963	9964	SN	1	-34.931	16.618	0.0	-34.966	17.26	0.0	1.201	22.511	0.18	2.984	23.318	0.452	0.087	230.542	5.042	0.087	232.495	4.91	0.086	0.133	0.0	0.086	0.116	0.0	
27	9963	9964	SN	1	-34.936	16.618	0.0	-34.945	17.26	0.0	1.201	22.511	0.166	2.984	23.318	0.44	0.087	230.785	4.925	0.087	231.317	5.043	0.086	0.133	0.0	0.086	0.116	0.0	
28	9964	9965	SN	1	-34.809	16.474	0.0	-34.877	16.849	0.0	0.534	23.872	0.588	4.16	24.429	0.868	0.087	224.213	3.133	0.087	227.745	3.336	0.086	0.141	0.0	0.086	0.108	0.0	
29	9964	9965	SN	1	-34.809	15.464	0.0	-34.877	15.883	0.0	0.534	23.872	0.634	4.16	24.429	0.87	0.087	224.213	3.084	0.087	227.745	3.209	0.086	0.141	0.0	0.086	0.108	0.0	
30	9964	9965	NS	1	-34.971	20.857	0.0	-34.948	21.822	0.0	-27.544	22.989	0.359	-25.507	23.416	0.88	0.086	232.694	7.416	0.086	231.442	6.615	0.086	42.142	0.215	0.086	26.384	0.057	
31	9964	9965	SN	1	-34.874	16.473	0.0	-34.905	16.849	0.0	0.536	23.872	0.588	4.165	24.429	0.868	0.087	227.594	3.123	0.087	229.215	3.334	0.086	0.141	0.0	0.086	0.108	0.0	
32	9964	9965	NS	2	-34.971	20.857	0.0	-34.948	21.822	0.0	-27.544	22.989	0.359	-25.507	23.416	0.88	0.086	232.694	7.417	0.086	231.442	6.613	0.086	42.142	0.215	0.086	26.384	0.057	

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

33	9965	9966	NS	1	-34.929	20.879	0.0	-34.925	22.044	0.001	2.217	22.976	0.073	1.646	23.9	0.731	0.086	230.473	3.924	0.086	230.258	3.62	0.086	0.122	0.0	0.086	0.128	0.0
34	9965	9966	SN	2	-34.083	18.68	0.0	-33.843	18.929	0.0	-14.678	24.031	1.186	-7.445	24.8	1.938	0.086	189.728	1.426	0.086	179.508	1.602	0.086	2.239	0.001	0.086	0.478	0.0
35	9965	9966	SN	1	-33.701	18.68	0.0	-33.843	18.929	0.0	-14.678	24.031	1.274	-7.445	24.8	1.942	0.086	173.727	0.832	0.086	179.508	1.484	0.086	2.239	0.002	0.086	0.478	0.0
36	9965	9966	SN	1	-34.083	18.68	0.0	-33.843	18.929	0.0	-14.678	24.031	1.186	-7.445	24.8	1.938	0.086	189.728	1.426	0.086	179.508	1.602	0.086	2.239	0.001	0.086	0.478	0.0
37	9965	9966	NS	1	-34.205	20.879	0.0	-34.925	22.045	0.001	2.217	22.976	0.074	1.646	23.9	0.734	0.086	195.097	3.926	0.086	230.258	3.617	0.086	0.122	0.0	0.086	0.128	0.0
38	9966	9967	SN	2	-33.345	19.35	0.0	-34.275	19.525	0.0	-31.26	23.849	0.633	-11.064	24.14	0.893	0.086	160.063	1.764	0.086	198.283	1.794	0.086	99.054	0.053	0.086	1.011	0.002
39	9966	9967	NS	1	-34.625	21.728	0.0	-34.812	21.542	0.0	-1.032	22.834	0.042	-20.544	24.316	1.439	0.086	214.904	3.74	0.086	224.34	3.886	0.086	0.168	0.0	0.086	8.458	0.002
40	9966	9967	SN	1	-33.311	19.352	0.0	-34.026	19.525	0.0	-31.26	23.849	0.633	-11.062	24.14	0.893	0.086	158.808	1.764	0.086	187.227	1.794	0.086	99.054	0.053	0.086	1.011	0.002
41	9966	9967	NS	1	-34.601	21.728	0.0	-34.812	21.542	0.0	-1.032	22.834	0.042	-20.544	24.316	1.438	0.086	213.768	3.741	0.086	224.34	3.882	0.086	0.168	0.0	0.086	8.458	0.002
42	9967	9968	NS	1	-34.636	20.988	0.0	-34.976	19.797	0.0	-29.578	22.208	0.003	-24.733	24.557	2.548	0.086	215.448	2.651	0.086	232.941	2.449	0.086	67.278	0.091	0.086	22.085	0.087
43	9967	9968	NS	1	-34.846	20.988	0.0	-33.019	19.797	0.0	-29.578	22.208	0.003	-24.733	24.556	2.548	0.086	226.116	2.653	0.086	148.497	2.445	0.086	67.278	0.091	0.086	22.085	0.087
44	9967	9968	SN	1	-34.673	21.725	0.0	-34.512	21.394	0.0	-9.686	23.98	0.628	-10.982	23.515	0.202	0.086	217.254	2.453	0.086	209.366	2.281	0.086	0.755	0.0	0.086	0.994	0.0
45	9968	9969	NS	1	-34.693	18.761	0.0	-34.796	18.543	0.0	-19.824	22.86	0.101	-16.89	24.444	2.431	0.086	218.247	3.779	0.086	223.539	3.702	0.086	7.176	0.038	0.086	3.683	0.019
46	9973	9974	NS	1	-34.439	21.567	0.0	-31.86	20.821	0.0	0.095	24.808	0.108	-2.801	26.296	0.521	0.086	205.887	1.531	0.086	113.744	1.337	0.086	0.148	0.0	0.086	0.213	0.0
47	9973	9974	SN	1	-34.13	21.388	0.0	-34.193	21.561	0.0	-21.7	23.349	0.154	-18.38	23.453	0.133	0.086	191.765	2.382	0.086	194.521	1.833	0.086	11.016	0.028	0.086	5.165	0.032
48	9973	9974	SN	1	-34.13	21.388	0.0	-34.193	21.561	0.0	-21.665	23.349	0.154	-18.38	23.453	0.133	0.086	191.765	2.463	0.086	194.521	1.938	0.086	10.932	0.028	0.086	5.165	0.032
49	9974	9975	SN	1	-34.538	20.402	0.0	-34.773	21.262	0.0	-2.54	23.258	0.14	-0.762	23.75	0.156	0.086	210.61	2.832	0.086	222.347	2.4	0.086	0.205	0.0	0.086	0.162	0.0
50	9974	9975	SN	1	-34.538	20.402	0.0	-34.773	21.262	0.0	-2.54	23.258	0.14	-0.762	23.75	0.156	0.086	210.61	2.775	0.086	222.347	2.36	0.086	0.205	0.0	0.086	0.162	0.0
51	9974	9975	NS	1	-34.56	21.097	0.0	-33.447	21.23	0.0	-9.58	23.278	0.071	-7.848	23.614	0.274	0.086	211.652	1.16	0.086	163.853	1.267	0.086	0.738	0.0	0.086	0.518	0.0
52	9975	9976	NS	1	-34.001	17.124	0.0	-34.936	16.802	0.0	-11.477	22.491	0.024	-19.311	23.703	0.225	0.087	186.125	1.709	0.087	230.797	1.774	0.086	1.106	0.002	0.086	6.384	0.014
53	9975	9976	SN	1	-34.549	16.971	0.0	-34.976	17.939	0.0	1.793	23.297	0.241	3.131	23.074	0.205	0.087	211.174	3.205	0.086	232.992	2.842	0.086	0.126	0.0	0.086	0.115	0.0
54	9975	9976	NS	1	-34.575	17.124	0.0	-33.884	16.801	0.0	-11.474	22.491	0.024	-19.243	23.703	0.226	0.087	212.456	1.707	0.087	181.157	1.766	0.086	1.105	0.002	0.086	6.285	0.014
55	9975	9976	SN	1	-34.549	17.652	0.0	-34.976	17.939	0.0	1.793	23.297	0.24	3.131	23.074	0.205	0.087	211.174	3.166	0.086	232.992	2.825	0.086	0.126	0.0	0.086	0.115	0.0
56	9975	9976	SN	1	-34.549	17.65	0.0	-34.976	17.939	0.0	1.793	23.297	0.241	3.131	23.074	0.205	0.087	211.174	3.167	0.086	232.992	2.825	0.086	0.126	0.0	0.086	0.115	0.0
57	9976	9977	NS	1	-34.892	17.681	0.0	-34.798	18.359	0.0	-17.625	23.638	0.077	-29.796	23.496	0.189	0.086	228.498	1.692	0.086	223.599	1.886	0.086	4.35	0.026	0.086	70.74	0.039
58	9976	9977	NS	1	-34.894	17.681	0.0	-34.704	18.359	0.0	-17.642	23.64	0.077	-28.893	23.496	0.189	0.086	228.606	1.697	0.086	218.81	1.884	0.086	4.367	0.026	0.086	57.454	0.038
59	9976	9977	SN	1	-34.923	17.597	0.0	-34.889	17.846	0.0	1.498	23.19	0.642	2.135	23.656	1.223	0.087	230.139	3.76	0.086	228.34	3.23	0.086	0.13	0.0	0.086	0.123	0.0
60	9976	9977	SN	1	-34.923	17.597	0.0	-34.889	17.862	0.0	1.498	23.19	0.64	2.135	23.656	1.172	0.087	230.139	3.709	0.086	228.34	3.265	0.086	0.13	0.0	0.086	0.123	0.0
61	9976	9977	SN	1	-34.923	17.597	0.0	-34.889	17.862	0.0	1.498	23.19	0.641	2.135	23.656	1.178	0.087	230.139	3.705	0.086	228.34	3.266	0.086	0.13	0.0	0.086	0.123	0.0
62	9977	9978	NS	2	-34.318	17.153	0.0	-32.793	15.919	0.0	-31.209	23.154	0.053	-22.902	23.188	0.155	0.087	200.276	2.784	0.087	140.969	2.854	0.086	97.895	0.056	0.086	14.51	0.018
63	9977	9978	SN	1	-34.733	16.464	0.0	-34.365	18.151	0.0	0.853	23.205	0.284	3.483	24.089	1.194	0.087	220.319	5.811	0.086	202.383	5.33	0.086	0.137	0.0	0.086	0.112	0.0
64	9977	9978	SN	1	-34.775	17.605	0.0	-34.987	18.151	0.0	0.853	23.205	0.272	3.483	24.089	1.129	0.087	222.394	5.659	0.086	233.563	5.341	0.086	0.137	0.0	0.086	0.112	0.0
65	9977	9978	NS	1	-34.352	17.153	0.0	-32.793	15.919	0.0	-31.221	23.154	0.053	-22.909	23.188	0.155	0.087	201.804	2.785	0.087	140.969	2.856	0.086	98.19	0.056	0.086	14.534	0.018
66	9977	9978	SN	1	-34.912	17.605	0.0	-34.335	18.151	0.0	0.853	23.205	0.272	3.483	24.089	1.129	0.087	229.598	5.671	0.086	201.369	5.348	0.086	0.137	0.0	0.086	0.112	0.0
67	9978	9979	SN	1	-34.861	15.982	0.0	-34.62	18.424	0.0	1.193	23.018	0.173	4.723	22.409	0.055	0.087	226.893	3.492	0.086	214.641	3.423	0.086	0.133	0.0	0.086	0.106	0.0
68	9978	9979	NS	1	-34.73	21.111	0.0	-34.035	22.978	0.002	-26.483	22.891	0.094	-21.166	23.529	0.497	0.086	220.147	2.901	0.086	187.631	2.591	0.086	33.02	0.077	0.086	9.749	0.051
69	9978	9979	SN	1	-34.861	17.107	0.0	-34.998	18.416	0.0	1.193	23.018	0.17	4.723	22.409	0.055	0.087	226.893	3.482	0.086	234.136	3.485	0.086	0.133	0.0	0.086	0.106	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

70	9978	9979	SN	1	-34.657	17.11	0.0	-34.984	18.416	0.0	1.193	23.018	0.17	4.723	22.409	0.055	0.087	216.494	3.478	0.086	233.399	3.48	0.086	0.133	0.0	0.086	0.106	0.0
71	9978	9979	NS	2	-34.931	21.111	0.0	-34.035	22.978	0.002	-26.345	22.891	0.094	-21.259	23.529	0.497	0.086	230.582	2.901	0.086	187.631	2.597	0.086	31.988	0.077	0.086	9.961	0.051
72	9979	9980	SN	1	-34.993	18.388	0.0	-34.275	18.532	0.0	-3.31	24.192	0.843	-3.818	24.107	1.318	0.086	233.865	1.521	0.086	198.278	1.717	0.086	0.23	0.0	0.086	0.249	0.0
73	9979	9980	SN	1	-34.818	18.388	0.0	-34.275	18.306	0.0	-3.309	24.192	0.907	-3.818	24.107	1.322	0.086	224.64	1.251	0.086	198.278	1.19	0.086	0.23	0.0	0.086	0.249	0.0
74	9979	9980	SN	2	-34.993	18.388	0.0	-34.275	18.532	0.0	-3.31	24.192	0.843	-3.818	24.107	1.318	0.086	233.865	1.521	0.086	198.278	1.717	0.086	0.23	0.0	0.086	0.249	0.0
75	9979	9980	NS	1	-34.999	21.004	0.0	-34.688	21.728	0.0	3.25	22.868	0.14	2.556	23.458	1.167	0.086	234.186	5.095	0.086	218.064	4.642	0.086	0.114	0.0	0.086	0.119	0.0
76	9979	9980	NS	1	-34.96	21.002	0.0	-34.866	21.73	0.0	3.252	22.866	0.132	2.558	23.456	1.167	0.086	232.157	5.104	0.086	227.128	4.641	0.086	0.114	0.0	0.086	0.119	0.0
77	9980	9981	SN	1	-33.669	18.83	0.0	-34.11	19.157	0.0	-8.915	23.888	0.761	-6.731	24.404	1.274	0.086	172.443	1.207	0.086	190.849	1.425	0.086	0.643	0.0	0.086	0.417	0.0
78	9980	9981	NS	1	-34.922	20.039	0.0	-34.864	20.678	0.0	-1.93	22.928	0.104	0.429	24.48	0.87	0.086	230.096	4.892	0.086	227.033	4.551	0.086	0.188	0.0	0.086	0.143	0.0
79	9980	9981	SN	2	-33.669	18.844	0.0	-34.11	19.157	0.0	-8.914	23.888	0.712	-6.731	24.404	1.291	0.086	172.443	1.758	0.086	190.849	2.21	0.086	0.643	0.0	0.086	0.417	0.0
80	9980	9981	NS	1	-34.95	20.039	0.0	-34.97	20.676	0.0	-1.924	22.928	0.104	0.429	24.478	0.87	0.086	231.549	4.895	0.086	232.649	4.555	0.086	0.188	0.0	0.086	0.143	0.0
81	9980	9981	SN	1	-33.669	18.844	0.0	-34.11	19.157	0.0	-8.914	23.888	0.712	-6.731	24.404	1.291	0.086	172.443	1.758	0.086	190.849	2.21	0.086	0.643	0.0	0.086	0.417	0.0
82	9981	9982	NS	1	-34.895	20.509	0.0	-34.521	21.615	0.0	-11.177	22.246	0.011	-25.126	24.406	2.478	0.086	228.708	3.225	0.086	209.839	2.751	0.086	1.036	0.004	0.086	24.172	0.017
83	9981	9982	SN	1	-34.588	19.895	0.0	-34.932	20.617	0.0	-22.068	23.768	0.658	-5.932	24.209	0.486	0.086	213.032	2.083	0.086	230.656	2.131	0.086	11.987	0.015	0.086	0.359	0.0
84	9981	9982	SN	2	-34.588	19.895	0.0	-34.932	20.617	0.0	-22.068	23.768	0.658	-5.932	24.209	0.486	0.086	213.032	2.083	0.086	230.656	2.131	0.086	11.987	0.015	0.086	0.359	0.0
85	9981	9982	NS	1	-34.895	20.509	0.0	-34.521	21.615	0.0	-11.177	22.246	0.011	-25.126	24.407	2.478	0.086	228.708	3.236	0.086	209.839	2.753	0.086	1.036	0.004	0.086	24.172	0.017
86	9982	9983	NS	1	-34.953	21.118	0.0	-34.923	17.571	0.0	-23.649	22.735	0.034	-25.663	24.856	2.503	0.086	231.757	4.521	0.087	230.129	4.151	0.086	17.22	0.076	0.086	27.343	0.061
87	9982	9983	NS	1	-34.713	21.118	0.0	-34.923	17.57	0.0	-23.649	22.735	0.034	-25.663	24.856	2.503	0.086	219.27	4.505	0.087	230.129	4.143	0.086	17.22	0.076	0.086	27.343	0.061

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors