

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-SEP-2018 To 04-SEP-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-SEP-2018 To 04-SEP-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10248	10249	SN	1	48.824	49.423	0.0	0.0	78.55	2.757	1054.448	1074.6	0.0	-91.649	-90.065	0.0
2	10248	10249	SN	2	48.824	49.423	0.0	0.0	78.55	2.757	1054.448	1074.6	0.0	-91.649	-90.065	0.0
3	10248	10249	SN	1	48.824	49.423	0.0	0.003	6.089	1.996	1054.448	1074.6	0.0	-91.666	-90.065	0.0
4	10249	10250	SN	2	48.824	49.452	0.0	0.003	215.013	2.605	1053.328	1074.56	0.0	-91.67	-90.061	0.0
5	10249	10250	NS	1	48.688	49.294	0.0	0.0	265.023	2.705	1021.768	1069.64	12.4	-91.505	-89.744	0.0
6	10249	10250	NS	1	48.688	49.294	0.0	0.0	265.023	2.703	1021.768	1069.64	12.389	-91.505	-89.744	0.0
7	10249	10250	SN	1	48.824	49.452	0.0	0.003	215.013	2.605	1053.328	1074.56	0.0	-91.67	-90.061	0.0
8	10249	10250	SN	1	48.824	49.452	0.0	0.003	215.013	2.419	1053.328	1074.56	0.0	-91.67	-90.061	0.0
9	10250	10251	SN	1	48.849	49.424	0.0	0.003	6.094	2.352	1054.12	1074.704	0.0	-92.189	-90.081	0.0
10	10250	10251	SN	1	48.849	49.424	0.0	0.003	6.094	2.364	1054.12	1074.704	0.0	-92.189	-90.081	0.0
11	10250	10251	NS	1	48.704	49.293	0.0	0.003	13.104	2.52	1021.136	1069.872	12.419	-91.401	-89.745	0.0
12	10250	10251	SN	1	48.849	49.424	0.0	0.003	6.094	2.511	1054.12	1074.704	0.0	-92.189	-90.081	0.0
13	10250	10251	NS	1	48.704	49.301	0.0	0.003	13.104	2.52	1020.968	1069.88	12.441	-91.539	-89.745	0.0
14	10251	10252	SN	1	48.884	49.421	0.0	0.003	6.083	2.297	1052.944	1074.656	0.0	-91.643	-90.08	0.0
15	10251	10252	NS	1	48.703	49.292	0.0	0.003	13.175	2.551	1021.04	1069.896	11.814	-91.652	-89.756	0.0
16	10251	10252	NS	1	48.703	49.292	0.0	0.003	13.175	2.549	1021.16	1069.896	11.801	-91.509	-89.756	0.0
17	10251	10252	SN	2	48.884	49.421	0.0	0.003	6.083	2.513	1052.944	1074.656	0.0	-91.691	-90.08	0.0
18	10251	10252	SN	1	48.884	49.421	0.0	0.003	6.083	2.512	1052.944	1074.656	0.0	-91.691	-90.08	0.0
19	10252	10253	NS	2	48.655	49.321	0.0	0.003	17.345	2.685	1022.0	1069.848	12.091	-91.636	-89.716	0.0
20	10252	10253	SN	1	48.884	49.42	0.0	0.003	35.142	2.488	1052.936	1074.608	0.0	-91.659	-90.08	0.0
21	10252	10253	NS	1	48.655	49.321	0.0	0.003	207.254	2.685	1021.992	1069.856	12.066	-91.636	-89.716	0.0
22	10252	10253	SN	1	48.884	49.42	0.0	0.003	35.142	2.138	1052.936	1074.608	0.0	-91.648	-90.08	0.0
23	10252	10253	SN	1	48.884	49.42	0.0	0.003	35.142	2.486	1053.0	1074.608	0.0	-91.648	-90.08	0.0
24	10253	10254	SN	1	48.833	49.453	0.0	0.003	6.066	2.505	1053.176	1074.608	0.0	-91.673	-90.081	0.0
25	10253	10254	NS	2	48.65	49.328	0.0	0.003	42.457	2.649	1021.912	1069.832	12.386	-91.656	-89.755	0.0
26	10253	10254	SN	1	48.833	49.452	0.0	0.003	6.066	1.952	1053.176	1074.608	0.0	-91.66	-90.081	0.0
27	10253	10254	SN	1	48.833	49.452	0.0	0.003	6.066	2.507	1053.176	1074.608	0.0	-91.673	-90.081	0.0
28	10253	10254	NS	1	48.652	49.327	0.0	0.003	15.58	2.647	1021.936	1069.808	12.416	-91.656	-89.755	0.0
29	10254	10255	NS	1	48.653	49.292	0.0	0.003	210.838	2.609	1021.76	1069.848	13.557	-92.221	-89.756	0.0
30	10254	10255	NS	2	48.653	49.304	0.0	0.003	210.838	2.609	1021.76	1069.848	13.557	-91.621	-89.756	0.0
31	10254	10255	SN	1	48.85	49.421	0.0	0.003	215.366	2.571	1053.28	1074.664	0.0	-92.2	-90.073	0.0
32	10254	10255	SN	1	48.85	49.421	0.0	0.003	215.366	1.719	1053.28	1074.664	0.0	-92.2	-90.073	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10254	10255	SN	1	48.853	49.418	0.0	0.003	280.686	2.567	1053.304	1074.632	0.0	-91.654	-90.073	0.0
34	10255	10256	SN	1	48.884	49.423	0.0	0.0	188.144	1.575	1053.848	1074.936	0.0	-91.646	-90.077	0.0
35	10255	10256	NS	1	48.642	49.335	0.0	0.0	264.168	2.731	1021.264	1069.96	14.651	-91.839	-89.755	0.0
36	10255	10256	SN	1	48.884	49.423	0.0	0.0	188.144	2.682	1053.848	1074.936	0.0	-91.646	-90.077	0.0
37	10256	10257	NS	1	48.64	49.336	0.0	0.003	266.65	2.694	1021.528	1070.08	15.03	-91.63	-89.712	0.0
38	10263	10264	NS	1	48.665	49.323	0.0	0.0	206.923	2.814	1020.024	1070.424	14.892	-91.388	-89.743	0.0
39	10263	10264	SN	1	48.844	49.427	0.0	0.003	6.1	2.718	1054.24	1075.544	0.0	-91.659	-90.035	0.0
40	10263	10264	NS	2	48.665	49.323	0.0	0.0	206.923	2.817	1020.024	1070.424	14.888	-91.388	-89.743	0.0
41	10263	10264	SN	1	48.844	49.427	0.0	0.003	6.1	2.418	1054.24	1075.544	0.0	-91.645	-90.035	0.0
42	10264	10265	SN	2	48.847	49.48	0.0	0.003	6.1	2.541	1054.392	1075.696	0.0	-91.663	-90.082	0.0
43	10264	10265	NS	1	48.697	49.288	0.0	0.003	42.805	2.586	1020.192	1070.68	15.252	-92.066	-89.749	0.0
44	10264	10265	NS	1	48.697	49.287	0.0	0.003	42.805	2.588	1020.192	1070.68	15.149	-91.613	-89.749	0.0
45	10264	10265	SN	1	48.847	49.48	0.0	0.003	6.1	2.541	1054.392	1075.696	0.0	-91.663	-90.082	0.0
46	10265	10266	SN	1	48.855	49.585	0.0	0.003	215.223	2.497	1054.616	1075.752	0.0	-93.937	-90.086	0.0
47	10265	10266	SN	2	48.855	49.585	0.0	0.003	215.223	2.497	1054.616	1075.752	0.0	-93.937	-90.086	0.0
48	10265	10266	NS	1	48.686	49.311	0.0	0.003	18.966	2.593	1020.304	1070.84	15.219	-91.461	-89.75	0.0
49	10265	10266	NS	1	48.697	49.311	0.0	0.003	18.966	2.591	1020.312	1070.84	15.212	-91.61	-89.75	0.0
50	10265	10266	SN	1	48.855	49.427	0.0	0.003	215.223	2.322	1054.616	1075.752	0.0	-91.676	-90.086	0.0
51	10266	10267	SN	1	48.844	49.448	0.0	0.003	30.01	2.51	1053.472	1075.696	0.0	-92.016	-90.078	0.0
52	10266	10267	NS	1	48.637	49.299	0.0	0.003	41.321	2.713	1021.376	1070.752	15.071	-91.581	-89.743	0.0
53	10266	10267	NS	2	48.638	49.299	0.0	0.003	41.321	2.714	1021.376	1070.752	15.074	-92.025	-89.743	0.0
54	10266	10267	SN	1	48.844	49.448	0.0	0.003	30.01	2.512	1053.952	1075.696	0.0	-91.68	-90.078	0.0
55	10266	10267	SN	1	48.844	49.448	0.0	0.003	30.01	2.24	1053.952	1075.696	0.0	-91.68	-90.078	0.0
56	10267	10268	SN	1	48.846	49.46	0.0	0.003	6.089	2.042	1053.472	1075.696	0.0	-91.644	-90.087	0.0
57	10267	10268	NS	2	48.674	49.286	0.0	0.003	16.892	2.678	1021.296	1070.744	15.851	-91.632	-89.744	0.0
58	10267	10268	NS	1	48.675	49.285	0.0	0.003	16.892	2.678	1021.312	1070.72	15.863	-91.632	-89.745	0.0
59	10267	10268	SN	1	48.847	49.426	0.0	0.003	6.089	2.492	1053.48	1075.696	0.0	-91.623	-90.087	0.0
60	10267	10268	SN	1	48.846	49.46	0.0	0.003	6.089	2.495	1053.472	1075.696	0.0	-91.644	-90.087	0.0
61	10268	10269	NS	1	48.663	49.31	0.0	0.003	207.171	2.598	1021.184	1070.704	16.08	-91.665	-89.749	0.0
62	10268	10269	NS	2	48.663	49.341	0.0	0.003	207.171	2.598	1021.184	1070.704	16.08	-91.638	-89.749	0.0
63	10268	10269	SN	1	48.848	49.459	0.0	0.003	6.083	2.539	1053.624	1075.672	0.0	-91.665	-90.087	0.0
64	10268	10269	SN	1	48.848	49.459	0.0	0.003	6.083	1.833	1053.624	1075.672	0.0	-91.665	-90.087	0.0
65	10268	10269	SN	1	48.859	49.426	0.0	0.003	6.083	2.538	1053.624	1075.672	0.0	-91.665	-90.087	0.0
66	10269	10270	NS	1	48.651	49.322	0.0	0.003	267.715	2.645	1020.984	1070.784	16.946	-91.627	-89.748	0.0
67	10269	10270	NS	1	48.644	49.32	0.0	0.003	207.16	2.642	1021.04	1070.728	16.896	-91.627	-89.748	0.0
68	10269	10270	SN	2	48.867	49.428	0.0	0.003	214.837	2.646	1053.896	1075.832	0.0	-91.652	-90.06	0.0
69	10269	10270	SN	1	48.867	49.428	0.0	0.003	214.837	2.646	1053.896	1075.832	0.0	-91.652	-90.06	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	10269	10270	SN	1	48.867	49.428	0.0	0.003	214.837	1.624	1053.896	1075.832	0.0	-91.652	-90.06	0.0
71	10270	10271	NS	1	48.661	49.312	0.0	0.003	12.982	2.602	1020.296	1070.992	17.301	-91.622	-89.742	0.0
72	10270	10271	SN	1	48.893	49.429	0.0	0.003	6.105	1.52	1054.224	1076.064	0.0	-91.602	-90.08	0.0
73	10270	10271	SN	2	48.893	49.429	0.0	0.003	6.105	2.592	1054.224	1076.064	0.0	-91.602	-90.08	0.0
74	10270	10271	SN	1	48.893	49.429	0.0	0.003	6.105	2.592	1054.224	1076.064	0.0	-91.602	-90.08	0.0
75	10270	10271	NS	1	48.636	49.309	0.0	0.003	12.988	2.603	1020.328	1070.928	17.289	-91.621	-89.743	0.0
76	10271	10272	NS	1	48.638	49.311	0.0	0.0	267.588	2.836	1020.448	1071.04	17.047	-91.633	-89.729	0.0
77	10271	10272	SN	1	48.896	49.429	0.0	0.003	279.561	2.523	1054.216	1076.144	0.0	-91.488	-90.066	0.0
78	10271	10272	NS	1	48.638	49.298	0.0	0.0	267.588	2.823	1020.448	1071.04	17.058	-91.655	-89.729	0.0
79	10272	10273	SN	1	48.881	49.44	0.0	0.0	103.963	2.565	1054.152	1076.128	0.0	-92.202	-90.094	0.0
80	10272	10273	NS	1	48.663	49.283	0.0	0.003	14.714	2.672	1020.96	1070.928	17.912	-91.587	-89.745	0.0
81	10273	10274	NS	1	48.641	49.307	0.0	0.003	206.774	2.616	1020.544	1070.608	18.191	-92.237	-89.744	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10248	10249	SN	1	-34.718	25.077	2.49	-34.597	25.94	6.285	-27.884	28.889	11.69	-27.836	30.188	13.83	0.116	287.182	2.606	0.116	279.368	2.155	0.116	59.618	0.033	0.116	58.974	0.062
2	10248	10249	SN	2	-34.718	25.077	2.489	-34.597	25.94	6.288	-27.884	28.889	11.69	-27.836	30.188	13.83	0.116	287.182	2.606	0.116	279.368	2.155	0.116	59.618	0.033	0.116	58.974	0.062
3	10248	10249	SN	1	-34.718	24.698	0.048	-34.526	25.94	3.332	-27.884	28.889	11.566	-27.836	30.188	13.83	0.116	287.182	2.742	0.116	274.851	2.396	0.116	59.618	0.033	0.116	58.974	0.062
4	10249	10250	SN	2	-34.858	25.865	2.249	-32.946	27.778	4.979	-10.932	30.518	12.091	-19.13	29.994	8.683	0.116	296.631	2.508	0.116	191.014	1.877	0.116	1.292	0.004	0.116	8.019	0.002
5	10249	10250	NS	1	-34.458	26.128	2.422	-32.99	28.21	0.622	-22.847	33.734	19.158	-22.963	36.383	33.984	0.116	270.537	0.918	0.116	192.927	0.679	0.116	18.752	0.032	0.116	19.259	0.031
6	10249	10250	NS	1	-34.458	26.128	2.417	-32.99	28.21	0.621	-22.847	33.734	19.158	-22.963	36.383	33.991	0.116	270.537	0.917	0.116	192.927	0.678	0.116	18.752	0.032	0.116	19.259	0.031
7	10249	10250	SN	1	-34.858	25.865	2.249	-32.946	27.778	4.979	-10.932	30.518	12.091	-19.13	29.994	8.683	0.116	296.631	2.508	0.116	191.014	1.877	0.116	1.292	0.004	0.116	8.019	0.002
8	10249	10250	SN	1	-34.858	25.865	1.609	-32.946	27.778	4.425	-10.932	30.518	12.091	-19.13	29.994	8.683	0.116	296.631	2.565	0.116	191.014	1.924	0.116	1.292	0.004	0.116	8.019	0.002
9	10250	10251	SN	1	-34.685	25.88	1.998	-33.928	26.595	3.767	-4.085	28.753	13.139	-4.155	29.386	7.079	0.116	285.063	1.575	0.116	239.485	1.157	0.116	0.345	0.0	0.116	0.349	0.0
10	10250	10251	SN	1	-34.685	25.88	2.019	-33.928	26.595	3.803	-4.085	28.753	13.139	-4.155	29.386	7.079	0.116	285.063	1.573	0.116	239.485	1.155	0.116	0.345	0.0	0.116	0.349	0.0
11	10250	10251	NS	1	-34.572	25.374	2.255	-34.041	25.597	0.937	-3.974	29.944	14.932	-6.004	30.204	25.048	0.116	277.765	1.597	0.116	245.798	1.48	0.116	0.339	0.0	0.116	0.481	0.0
12	10250	10251	SN	1	-34.685	25.88	2.345	-33.928	26.595	4.262	-4.085	28.753	13.139	-4.155	29.386	7.079	0.116	285.063	1.547	0.116	239.485	1.138	0.116	0.345	0.0	0.116	0.349	0.0
13	10250	10251	NS	1	-34.433	25.374	2.255	-34.826	25.597	0.937	-3.976	29.944	14.962	-6.004	30.204	25.102	0.116	268.985	1.593	0.116	294.483	1.48	0.116	0.339	0.0	0.116	0.481	0.0
14	10251	10252	SN	1	-34.583	24.929	0.369	-34.739	25.776	1.422	7.285	27.791	13.704	2.041	28.72	5.295	0.116	278.402	2.957	0.116	288.617	2.611	0.116	0.13	0.0	0.116	0.167	0.0
15	10251	10252	NS	1	-34.294	25.394	2.119	-34.731	25.688	0.898	-3.926	29.333	11.175	-2.953	30.363	19.703	0.116	260.523	2.649	0.116	288.139	2.185	0.116	0.336	0.0	0.116	0.29	0.0
16	10251	10252	NS	1	-33.045	25.394	2.119	-33.757	25.688	0.899	-3.928	29.333	11.156	-2.953	30.363	19.655	0.116	195.434	2.648	0.116	230.271	2.185	0.116	0.337	0.0	0.116	0.29	0.0
17	10251	10252	SN	2	-34.583	25.128	0.584	-33.769	25.786	2.084	0.548	27.791	13.677	2.016	28.72	5.299	0.116	278.402	2.908	0.116	230.886	2.568	0.116	0.189	0.0	0.116	0.167	0.0
18	10251	10252	SN	1	-34.583	25.128	0.584	-33.769	25.786	2.084	0.548	27.791	13.678	2.016	28.72	5.299	0.116	278.402	2.908	0.116	230.886	2.568	0.116	0.189	0.0	0.116	0.167	0.0
19	10252	10253	NS	2	-34.137	24.946	3.699	-34.099	25.38	1.493	-14.354	28.549	7.627	-8.268	29.505	13.833	0.116	251.328	2.381	0.116	249.06	2.048	0.116	2.731	0.004	0.116	0.743	0.0
20	10252	10253	SN	1	-34.574	24.573	0.296	-34.583	26.176	1.782	1.465	29.683	18.297	1.604	29.209	18.893	0.116	277.859	2.458	0.116	278.44	2.231	0.116	0.175	0.0	0.116	0.173	0.0
21	10252	10253	NS	1	-34.134	24.946	3.699	-34.298	25.38	1.493	-14.354	28.549	7.628	-8.27	29.505	13.833	0.116	251.126	2.378	0.116	260.832	2.048	0.116	2.731	0.004	0.116	0.743	0.0
22	10252	10253	SN	1	-34.812	23.728	0.062	-34.583	25.69	0.716	6.131	29.683	18.429	1.603	29.209	19.634	0.116	293.537	2.529	0.116	278.44	2.235	0.116	0.135	0.0	0.116	0.173	0.0
23	10252	10253	SN	1	-34.711	24.573	0.293	-34.6	26.177	1.781	1.467	29.683	18.297	1.603	29.209	18.893	0.116	286.828	2.458	0.116	279.573	2.227	0.116	0.175	0.0	0.116	0.173	0.0
24	10253	10254	SN	1	-34.827	24.694	0.235	-34.331	25.875	1.883	0.611	28.94	15.935	2.52	29.24	15.98	0.116	294.541	5.151	0.116	262.726	3.98	0.116	0.188	0.0	0.116	0.161	0.0
25	10253	10254	NS	2	-34.167	25.161	2.536	-33.686	25.79	0.94	-25.674	28.159	10.042	-24.557	29.696	17.579	0.116	252.989	2.869	0.116	226.492	2.058	0.116	35.878	0.035	0.116	27.763	0.019
26	10253	10254	SN	1	-34.636	22.412	0.002	-34.869	25.348	0.247	6.196	28.94	16.672	2.525	29.24	16.293	0.116	281.861	5.315	0.116	297.456	4.092	0.116	0.134	0.0	0.116	0.161	0.0
27	10253	10254	SN	1	-34.636	24.689	0.235	-34.869	25.875	1.884	0.61	28.94	15.935	2.52	29.24	15.98	0.116	281.861	5.152	0.116	297.456	3.983	0.116	0.188	0.0	0.116	0.161	0.0
28	10253	10254	NS	1	-33.938	25.161	2.536	-33.67	25.79	0.94	-25.671	28.159	10.044	-24.557	29.724	17.582	0.116	240.003	2.869	0.116	225.679	2.058	0.116	35.842	0.035	0.116	27.763	0.019
29	10254	10255	NS	1	-34.376	26.282	2.33	-33.802	28.02	1.104	-8.737	29.372	12.658	-8.459	29.847	19.214	0.116	265.46	1.454	0.116	232.592	1.427	0.116	0.817	0.0	0.116	0.772	0.0
30	10254	10255	NS	2	-34.376	26.282	2.338	-34.165	28.02	1.105	-8.737	29.372	12.658	-8.459	29.847	19.214	0.116	265.46	1.455	0.116	252.946	1.427	0.116	0.817	0.0	0.116	0.772	0.0
31	10254	10255	SN	1	-34.823	24.721	0.546	-34.465	25.761	2.752	6.281	29.254	12.413	8.894	28.808	12.186	0.116	294.289	2.124	0.116	271.027	1.737	0.116	0.134	0.0	0.116	0.126	0.0
32	10254	10255	SN	1	-34.823	22.46	0.018	-32.648	24.234	0.157	6.281	29.254	13.191	8.894	28.808	12.242	0.116	294.289	2.213	0.116	178.383	1.778	0.116	0.134	0.0	0.116	0.126	0.0
33	10254	10255	SN	1	-34.244	24.721	0.544	-34.035	25.756	2.751	6.281	29.256	12.404	8.894	28.808	12.162	0.116	257.567	2.124	0.116	245.454	1.742	0.116	0.134	0.0	0.116	0.126	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10255	10256	SN	1	-33.401	23.386	0.01	-34.643	24.393	0.027	-20.886	31.971	14.2	-13.536	33.53	15.033	0.116	223.086	3.433	0.116	282.362	3.22	0.116	11.972	0.014	0.116	2.277	0.005
35	10255	10256	NS	1	-34.318	26.706	2.461	-33.811	27.255	0.963	7.579	32.905	11.736	7.494	29.551	20.362	0.116	268.002	3.651	0.116	233.139	3.256	0.116	0.129	0.0	0.116	0.13	0.0
36	10255	10256	SN	1	-33.401	24.927	0.966	-34.643	25.913	4.119	-22.08	31.971	13.338	-13.536	33.53	14.983	0.116	223.086	3.233	0.116	282.362	2.901	0.116	15.732	0.013	0.116	2.277	0.005
37	10256	10257	NS	1	-34.558	25.311	2.111	-33.78	24.236	0.361	-0.942	29.259	25.411	1.19	30.702	43.2	0.116	276.9	5.149	0.116	231.482	4.788	0.116	0.222	0.0	0.116	0.179	0.0
38	10263	10264	NS	1	-33.423	27.186	3.773	-34.728	27.068	0.668	1.742	31.183	19.926	-3.252	33.343	32.61	0.116	213.22	2.049	0.116	287.912	2.042	0.116	0.171	0.0	0.116	0.303	0.0
39	10263	10264	SN	1	-34.507	26.85	3.884	-34.812	27.497	8.46	-28.989	36.383	13.26	-28.42	29.542	15.727	0.116	273.664	3.329	0.116	293.553	2.731	0.116	76.857	0.136	0.116	67.42	0.148
40	10263	10264	NS	2	-33.29	27.186	3.776	-34.734	27.068	0.668	1.742	31.183	19.932	-3.252	33.343	32.608	0.116	206.763	2.049	0.116	288.309	2.042	0.116	0.171	0.0	0.116	0.303	0.0
41	10263	10264	SN	1	-33.717	26.85	1.018	-34.708	27.497	7.301	-28.989	36.383	13.258	-28.42	29.542	15.726	0.116	228.146	3.404	0.116	286.632	2.826	0.116	76.857	0.136	0.116	67.42	0.148
42	10264	10265	SN	2	-34.767	26.23	2.992	-34.507	27.384	6.064	-13.663	28.685	10.334	-24.1	29.483	5.635	0.116	290.484	5.185	0.116	273.675	4.105	0.116	2.342	0.002	0.116	25.0	0.002
43	10264	10265	NS	1	-31.238	26.516	2.946	-30.859	27.18	0.883	-13.756	30.167	16.624	-8.72	31.847	27.941	0.116	128.944	0.466	0.116	118.178	0.294	0.116	2.391	0.005	0.116	0.814	0.0
44	10264	10265	NS	1	-31.715	26.516	2.951	-30.9	27.178	0.885	-13.754	30.167	16.624	-8.72	31.847	27.94	0.116	143.913	0.465	0.116	119.296	0.293	0.116	2.39	0.005	0.116	0.814	0.0
45	10264	10265	SN	1	-34.767	26.23	2.992	-34.507	27.384	6.064	-13.663	28.685	10.334	-24.1	29.483	5.635	0.116	290.484	5.185	0.116	273.675	4.105	0.116	2.342	0.002	0.116	25.0	0.002
46	10265	10266	SN	1	-34.974	24.726	0.969	-34.676	25.837	2.968	1.32	28.561	16.489	2.81	29.398	8.022	0.116	304.75	2.886	0.116	284.43	2.92	0.116	0.177	0.0	0.116	0.158	0.0
47	10265	10266	SN	2	-34.974	24.726	0.969	-34.676	25.837	2.968	1.32	28.561	16.489	2.81	29.398	8.022	0.116	304.75	2.886	0.116	284.43	2.92	0.116	0.177	0.0	0.116	0.158	0.0
48	10265	10266	NS	1	-34.968	25.235	2.783	-34.69	25.297	0.936	-21.265	29.378	12.965	-6.116	30.014	23.294	0.116	304.31	5.052	0.116	285.377	4.837	0.116	13.056	0.002	0.116	0.491	0.0
49	10265	10266	NS	1	-34.942	25.235	2.78	-34.377	25.298	0.936	-14.473	29.378	12.957	-6.118	30.014	23.25	0.116	302.485	5.045	0.116	265.532	4.837	0.116	2.95	0.002	0.116	0.491	0.0
50	10265	10266	SN	1	-34.968	24.086	0.463	-34.676	25.837	2.438	6.119	28.561	16.491	8.619	29.398	8.035	0.116	304.224	2.924	0.116	284.43	2.922	0.116	0.135	0.0	0.116	0.126	0.0
51	10266	10267	SN	1	-34.608	25.475	1.153	-34.646	26.183	2.789	1.103	27.811	14.428	2.681	28.162	8.682	0.116	280.065	2.722	0.116	282.552	2.497	0.116	0.18	0.0	0.116	0.16	0.0
52	10266	10267	NS	1	-32.375	25.281	3.224	-31.93	25.385	1.149	-5.311	32.682	7.258	-9.453	31.61	13.961	0.116	167.498	2.469	0.116	159.015	2.449	0.116	0.425	0.0	0.116	0.946	0.0
53	10266	10267	NS	2	-32.372	25.281	3.224	-31.93	25.385	1.149	-5.311	32.682	7.258	-9.453	31.61	13.96	0.116	167.428	2.467	0.116	159.015	2.449	0.116	0.425	0.0	0.116	0.946	0.0
54	10266	10267	SN	1	-34.82	25.475	1.156	-34.843	26.183	2.792	1.12	27.811	14.428	2.678	28.162	8.682	0.116	294.011	2.735	0.116	295.661	2.493	0.116	0.18	0.0	0.116	0.16	0.0
55	10266	10267	SN	1	-34.82	25.475	0.572	-34.843	26.183	1.972	3.992	27.811	14.444	2.735	28.162	8.813	0.116	294.011	2.794	0.116	295.661	2.502	0.116	0.148	0.0	0.116	0.159	0.0
56	10267	10268	SN	1	-34.377	24.251	0.165	-34.527	25.466	0.764	5.212	28.624	16.177	8.456	28.948	17.497	0.116	265.612	3.445	0.116	274.868	3.025	0.116	0.139	0.0	0.116	0.127	0.0
57	10267	10268	NS	2	-34.308	24.966	3.021	-33.526	25.312	1.241	-4.723	28.117	11.58	-6.333	29.378	19.786	0.116	261.348	2.894	0.116	218.33	2.136	0.116	0.384	0.0	0.116	0.511	0.0
58	10267	10268	NS	1	-34.308	24.966	3.021	-33.526	25.312	1.241	-4.723	28.117	11.582	-6.333	29.378	19.787	0.116	261.348	2.894	0.116	218.33	2.136	0.116	0.384	0.0	0.116	0.511	0.0
59	10267	10268	SN	1	-34.612	24.652	0.433	-34.533	25.466	2.149	3.982	28.624	15.767	8.456	28.948	17.029	0.116	280.346	3.346	0.116	275.275	2.988	0.116	0.148	0.0	0.116	0.127	0.0
60	10267	10268	SN	1	-34.377	24.652	0.434	-34.527	25.466	2.151	3.984	28.624	15.767	8.456	28.948	17.029	0.116	265.612	3.347	0.116	274.868	2.986	0.116	0.148	0.0	0.116	0.127	0.0
61	10268	10269	NS	1	-34.674	25.049	2.564	-34.012	25.09	1.156	-8.142	29.152	9.595	-7.97	31.278	17.116	0.116	284.39	2.299	0.116	244.162	1.673	0.116	0.724	0.0	0.116	0.7	0.0
62	10268	10269	NS	2	-34.0	25.051	2.568	-34.359	25.09	1.156	-8.142	29.152	9.595	-7.97	31.278	17.116	0.116	243.428	2.298	0.116	264.403	1.673	0.116	0.724	0.0	0.116	0.7	0.0
63	10268	10269	SN	1	-34.937	24.746	0.419	-34.974	25.769	2.274	1.589	28.25	14.332	1.144	29.361	12.571	0.116	302.074	6.701	0.116	304.658	5.41	0.116	0.173	0.0	0.116	0.179	0.0
64	10268	10269	SN	1	-34.937	22.593	0.006	-34.974	23.405	0.119	1.359	28.25	15.322	1.15	29.361	12.702	0.116	302.074	6.93	0.116	304.658	5.707	0.116	0.176	0.0	0.116	0.179	0.0
65	10268	10269	SN	1	-34.996	24.745	0.419	-34.894	25.767	2.27	1.588	28.25	14.331	1.144	29.361	12.568	0.116	306.256	6.704	0.116	299.078	5.399	0.116	0.173	0.0	0.116	0.179	0.0
66	10269	10270	NS	1	-34.673	26.443	2.126	-34.53	27.378	0.973	-8.343	28.993	15.906	-3.354	29.842	25.811	0.116	284.216	3.244	0.116	275.061	2.807	0.116	0.754	0.0	0.116	0.308	0.0
67	10269	10270	NS	1	-34.846	26.443	2.124	-34.552	27.378	0.972	-8.341	28.993	15.921	-3.357	29.842	25.795	0.116	295.837	3.246	0.116	276.476	2.806	0.116	0.754	0.0	0.116	0.308	0.0
68	10269	10270	SN	2	-34.372	24.519	0.778	-34.742	26.264	3.644	-22.611	32.704	11.683	-17.671	34.147	13.056	0.116	265.33	4.697	0.116	288.803	4.144	0.116	17.765	0.007	0.116	5.758	0.013
69	10269	10270	SN	1	-34.372	24.519	0.778	-34.742	26.264	3.644	-22.611	32.704	11.683	-17.671	34.147	13.056	0.116	265.33	4.697	0.116	288.803	4.144	0.116	17.765	0.007	0.116	5.758	0.013
70	10269	10270	SN	1	-34.372	23.991	0.032	-34.742	24.219	0.086	-22.484	32.704	12.319	-17.671	34.147	13.082	0.116	265.33	4.79	0.116	288.803	4.46	0.116	17.256	0.005	0.116	5.758	0.013
71	10270	10271	NS	1	-34.623	24.834	2.696	-34.988	24.715	0.7	-0.413	29.251	19.266	-2.558	30.134	32.401	0.116	281.046	4.754	0.116	305.654	4.119	0.116	0.209	0.0	0.116	0.274	0.0
72	10270	10271	SN	1	-30.746	25.074	0.03	-34.659	25.806	0.042	-4.562	31.013	17.201	-1.044	30.137	19.905	0.116	115.166	1.854	0.116	283.315	1.951	0.116	0.373	0.0	0.116	0.225	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	10270	10271	SN	2	-30.921	25.074	0.976	-34.659	25.806	4.141	-4.562	31.013	16.04	-1.044	30.137	19.775	0.116	119.879	1.797	0.116	283.315	1.848	0.116	0.373	0.0	0.116	0.225	0.0
74	10270	10271	SN	1	-30.921	25.074	0.976	-34.659	25.806	4.141	-4.562	31.013	16.04	-1.044	30.137	19.775	0.116	119.879	1.797	0.116	283.315	1.848	0.116	0.373	0.0	0.116	0.225	0.0
75	10270	10271	NS	1	-34.795	24.834	2.694	-33.976	24.714	0.699	-0.413	29.251	19.231	-2.557	30.134	32.382	0.116	292.32	4.759	0.116	242.146	4.114	0.116	0.209	0.0	0.116	0.274	0.0
76	10271	10272	NS	1	-34.932	28.705	1.822	-34.714	26.968	0.322	-18.047	29.969	26.997	-14.616	30.68	40.594	0.116	301.836	2.975	0.116	287.008	2.46	0.116	6.271	0.062	0.116	2.895	0.008
77	10271	10272	SN	1	-28.673	25.939	0.749	-32.863	25.78	3.077	-6.514	29.045	18.268	-10.25	30.49	19.947	0.116	71.492	0.506	0.116	187.439	0.409	0.116	0.528	0.0	0.116	1.118	0.002
78	10271	10272	NS	1	-34.372	28.703	1.825	-34.196	26.977	0.322	-18.038	29.969	26.982	-14.583	30.68	40.583	0.116	265.327	2.978	0.116	254.742	2.447	0.116	6.257	0.059	0.116	2.874	0.008
79	10272	10273	SN	1	-34.813	26.623	0.886	-34.882	27.019	2.862	-9.396	32.894	18.612	-12.309	29.693	18.422	0.116	293.621	4.099	0.116	298.264	3.655	0.116	0.935	0.0	0.116	1.74	0.002
80	10272	10273	NS	1	-34.137	26.652	2.129	-34.976	25.919	0.91	-15.976	36.01	14.256	-6.082	35.351	25.578	0.116	251.323	4.508	0.116	304.864	4.334	0.116	3.926	0.007	0.116	0.488	0.0
81	10273	10274	NS	1	-34.767	27.152	3.04	-34.41	26.217	2.395	-12.102	29.246	18.625	0.953	33.498	26.504	0.116	290.548	2.156	0.116	267.539	2.202	0.116	1.663	0.003	0.116	0.182	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10248	10249	SN	1	57.672	58.27	0.0	0.0	299.123	3.907	1236.624	1263.16	0.0	-93.081	-92.112	0.0
2	10248	10249	SN	2	57.672	58.27	0.0	0.0	299.123	3.906	1236.624	1263.16	0.0	-93.081	-92.112	0.0
3	10248	10249	SN	1	57.672	58.27	0.0	0.003	299.123	3.102	1236.624	1263.16	0.0	-93.081	-92.112	0.0
4	10249	10250	SN	2	57.673	58.266	0.0	0.0	299.619	3.692	1235.6	1263.128	0.0	-93.022	-92.112	0.0
5	10249	10250	NS	1	57.435	58.115	0.0	0.0	297.998	3.77	1196.672	1255.88	31.88	-93.654	-91.798	0.0
6	10249	10250	NS	1	57.435	58.115	0.0	0.0	297.998	3.766	1196.672	1255.88	31.848	-93.654	-91.798	0.0
7	10249	10250	SN	1	57.673	58.266	0.0	0.0	299.619	3.694	1235.6	1263.128	0.0	-93.022	-92.112	0.0
8	10249	10250	SN	1	57.673	58.266	0.0	0.003	299.619	3.299	1235.6	1263.128	0.0	-93.022	-92.112	0.0
9	10250	10251	SN	1	57.676	58.295	0.0	0.003	286.978	3.174	1236.008	1263.264	0.0	-93.046	-92.133	0.0
10	10250	10251	SN	1	57.676	58.295	0.0	0.003	286.978	3.172	1236.008	1263.264	0.0	-93.046	-92.133	0.0
11	10250	10251	NS	1	57.461	58.105	0.0	0.003	299.321	3.498	1196.52	1256.152	32.98	-93.654	-91.803	0.0
12	10250	10251	SN	1	57.676	58.295	0.0	0.0	286.978	3.56	1236.008	1263.264	0.0	-93.046	-92.133	0.0
13	10250	10251	NS	1	57.46	58.096	0.0	0.0	299.338	3.502	1196.432	1256.176	33.026	-93.654	-91.802	0.0
14	10251	10252	SN	1	57.691	58.281	0.0	0.0	287.569	3.143	1235.408	1263.224	0.0	-93.006	-92.133	0.0
15	10251	10252	NS	1	57.449	58.131	0.0	0.0	297.611	3.6	1196.592	1256.192	32.928	-93.653	-91.811	0.0
16	10251	10252	NS	1	57.449	58.118	0.0	0.0	297.611	3.596	1196.464	1256.192	32.893	-93.653	-91.811	0.0
17	10251	10252	SN	2	57.691	58.281	0.0	0.0	287.569	3.515	1235.408	1263.224	0.0	-93.001	-92.133	0.0
18	10251	10252	SN	1	57.691	58.281	0.0	0.0	287.569	3.517	1235.408	1263.224	0.0	-93.001	-92.133	0.0
19	10252	10253	NS	2	57.454	58.107	0.0	0.0	299.294	3.656	1197.296	1256.128	34.137	-92.857	-91.772	0.0
20	10252	10253	SN	1	57.706	58.267	0.0	0.0	298.908	3.532	1235.184	1263.16	0.0	-92.999	-92.133	0.0
21	10252	10253	NS	1	57.444	58.108	0.0	0.0	299.305	3.653	1197.288	1256.144	34.136	-92.858	-91.772	0.0
22	10252	10253	SN	1	57.706	58.267	0.0	0.0	298.908	3.088	1235.184	1263.16	0.0	-92.999	-92.133	0.0
23	10252	10253	SN	1	57.687	58.267	0.0	0.0	298.908	3.528	1235.416	1263.16	0.0	-92.999	-92.133	0.0
24	10253	10254	SN	1	57.674	58.267	0.0	0.0	297.093	3.491	1235.312	1263.168	0.0	-93.237	-92.134	0.0
25	10253	10254	NS	2	57.431	58.095	0.0	0.0	293.37	3.684	1196.624	1256.072	34.953	-93.651	-91.804	0.0
26	10253	10254	SN	1	57.676	58.267	0.0	0.0	292.924	2.913	1235.44	1263.168	0.0	-93.267	-92.134	0.0
27	10253	10254	SN	1	57.676	58.267	0.0	0.0	297.093	3.495	1235.44	1263.168	0.0	-93.267	-92.134	0.0
28	10253	10254	NS	1	57.433	58.094	0.0	0.0	293.315	3.688	1196.672	1256.04	34.942	-93.651	-91.804	0.0
29	10254	10255	NS	1	57.428	58.118	0.0	0.0	296.801	3.657	1196.504	1256.136	34.959	-92.9	-91.811	0.0
30	10254	10255	NS	2	57.428	58.12	0.0	0.0	296.801	3.657	1196.504	1256.136	34.957	-92.972	-91.811	0.0
31	10254	10255	SN	1	57.695	58.268	0.0	0.0	299.668	3.609	1235.688	1263.248	0.0	-93.266	-92.11	0.0
32	10254	10255	SN	1	57.695	58.268	0.0	0.003	299.668	2.731	1235.688	1263.248	0.0	-93.266	-92.11	0.0
33	10254	10255	SN	1	57.698	58.265	0.0	0.0	299.74	3.605	1235.984	1263.184	0.0	-93.032	-92.111	0.0
34	10255	10256	SN	1	57.711	58.271	0.0	0.0	299.674	2.5	1236.856	1263.592	0.0	-93.002	-92.128	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10255	10256	NS	1	57.435	58.122	0.0	0.0	296.431	3.753	1196.752	1256.272	34.267	-93.651	-91.808	0.0
36	10255	10256	SN	1	57.711	58.271	0.0	0.0	299.674	3.768	1236.856	1263.592	0.0	-93.002	-92.128	0.0
37	10256	10257	NS	1	57.418	58.106	0.0	0.0	297.148	3.694	1196.728	1256.416	35.022	-93.65	-91.76	0.0
38	10263	10264	NS	1	57.425	58.103	0.0	0.0	298.174	3.908	1195.448	1256.832	32.573	-93.646	-91.786	0.0
39	10263	10264	SN	1	57.692	58.277	0.0	0.0	290.762	3.86	1236.36	1264.344	0.0	-92.992	-92.092	0.0
40	10263	10264	NS	2	57.425	58.103	0.0	0.0	298.18	3.909	1195.448	1256.84	32.574	-93.646	-91.786	0.0
41	10263	10264	SN	1	57.692	58.276	0.0	0.003	288.6	3.418	1236.36	1264.336	0.0	-92.983	-92.093	0.0
42	10264	10265	SN	2	57.689	58.29	0.0	0.0	290.679	3.647	1236.2	1264.672	0.0	-93.869	-92.132	0.0
43	10264	10265	NS	1	57.452	58.094	0.0	0.0	297.44	3.574	1195.344	1257.144	33.894	-93.645	-91.798	0.0
44	10264	10265	NS	1	57.453	58.093	0.0	0.0	297.44	3.575	1195.432	1257.152	33.816	-93.645	-91.798	0.0
45	10264	10265	SN	1	57.689	58.29	0.0	0.0	290.679	3.647	1236.2	1264.672	0.0	-93.869	-92.132	0.0
46	10265	10266	SN	1	57.692	58.286	0.0	0.0	291.716	3.535	1236.72	1264.576	0.0	-93.133	-92.139	0.0
47	10265	10266	SN	2	57.692	58.286	0.0	0.0	291.716	3.537	1236.72	1264.576	0.0	-93.133	-92.139	0.0
48	10265	10266	NS	1	57.442	58.088	0.0	0.0	291.754	3.581	1194.576	1257.344	34.489	-93.644	-91.804	0.0
49	10265	10266	NS	1	57.442	58.088	0.0	0.0	291.754	3.589	1194.576	1257.344	34.461	-93.644	-91.804	0.0
50	10265	10266	SN	1	57.692	58.286	0.0	0.006	291.716	3.17	1236.72	1264.576	0.0	-93.133	-92.139	0.0
51	10266	10267	SN	1	57.689	58.277	0.0	0.0	298.422	3.515	1235.728	1264.48	0.0	-93.032	-92.128	0.0
52	10266	10267	NS	1	57.423	58.086	0.0	0.0	297.407	3.652	1195.584	1257.232	33.747	-92.856	-91.799	0.0
53	10266	10267	NS	2	57.421	58.086	0.0	0.003	297.407	3.654	1195.592	1257.224	33.743	-92.946	-91.799	0.0
54	10266	10267	SN	1	57.689	58.276	0.0	0.0	298.422	3.52	1235.944	1264.48	0.0	-93.099	-92.128	0.0
55	10266	10267	SN	1	57.689	58.276	0.0	0.0	298.422	3.127	1235.944	1264.48	0.0	-93.202	-92.128	0.0
56	10267	10268	SN	1	57.685	58.286	0.0	0.0	293.602	3.0	1236.032	1264.504	0.0	-93.066	-92.14	0.0
57	10267	10268	NS	2	57.432	58.086	0.0	0.0	291.584	3.682	1196.376	1257.232	35.562	-93.432	-91.797	0.0
58	10267	10268	NS	1	57.433	58.085	0.0	0.0	291.55	3.685	1196.392	1257.2	35.559	-93.432	-91.797	0.0
59	10267	10268	SN	1	57.686	58.276	0.0	0.0	299.117	3.49	1235.776	1264.504	0.0	-93.146	-92.14	0.0
60	10267	10268	SN	1	57.685	58.286	0.0	0.0	299.117	3.494	1236.032	1264.504	0.0	-93.066	-92.14	0.0
61	10268	10269	NS	1	57.452	58.113	0.0	0.0	299.117	3.702	1195.664	1257.184	36.386	-92.948	-91.804	0.0
62	10268	10269	NS	2	57.452	58.112	0.0	0.0	299.117	3.703	1195.664	1257.184	36.385	-92.987	-91.804	0.0
63	10268	10269	SN	1	57.694	58.285	0.0	0.003	299.409	3.532	1235.952	1264.472	0.0	-93.158	-92.141	0.0
64	10268	10269	SN	1	57.694	58.285	0.0	0.003	290.128	2.825	1235.952	1264.472	0.0	-93.158	-92.141	0.0
65	10268	10269	SN	1	57.689	58.292	0.0	0.003	299.288	3.529	1235.952	1264.472	0.0	-93.217	-92.141	0.0
66	10269	10270	NS	1	57.416	58.104	0.0	0.0	297.981	3.7	1195.968	1257.28	36.186	-93.642	-91.803	0.0
67	10269	10270	NS	1	57.42	58.101	0.0	0.0	298.042	3.69	1196.04	1257.2	36.124	-93.642	-91.803	0.0
68	10269	10270	SN	2	57.686	58.278	0.0	0.0	297.794	3.728	1236.832	1264.704	0.0	-93.207	-92.11	0.0
69	10269	10270	SN	1	57.686	58.278	0.0	0.0	297.794	3.728	1236.832	1264.704	0.0	-93.207	-92.11	0.0
70	10269	10270	SN	1	57.686	58.278	0.0	0.0	297.794	2.652	1236.832	1264.704	0.0	-93.207	-92.11	0.0
71	10270	10271	NS	1	57.405	58.105	0.0	0.0	299.531	3.658	1195.296	1257.536	36.172	-93.642	-91.797	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	10270	10271	SN	1	57.718	58.294	0.0	0.0	290.596	2.242	1237.512	1264.992	0.0	-93.032	-92.121	0.0
73	10270	10271	SN	2	57.718	58.294	0.0	0.0	290.966	3.657	1237.512	1264.992	0.0	-93.032	-92.121	0.0
74	10270	10271	SN	1	57.718	58.294	0.0	0.0	290.966	3.657	1237.512	1264.992	0.0	-93.032	-92.121	0.0
75	10270	10271	NS	1	57.409	58.101	0.0	0.0	299.575	3.657	1195.512	1257.44	36.131	-93.642	-91.798	0.0
76	10271	10272	NS	1	57.424	58.112	0.0	0.0	290.916	3.898	1196.008	1257.6	35.781	-93.642	-91.756	0.0
77	10271	10272	SN	1	57.721	58.279	0.0	0.0	292.218	3.564	1236.448	1265.08	0.0	-92.97	-92.118	0.0
78	10271	10272	NS	1	57.41	58.115	0.0	0.0	290.916	3.884	1196.008	1257.6	35.809	-93.642	-91.756	0.0
79	10272	10273	SN	1	57.699	58.282	0.0	0.0	291.672	3.623	1236.76	1265.08	0.0	-93.121	-92.147	0.0
80	10272	10273	NS	1	57.415	58.199	0.0	0.0	297.628	3.747	1195.616	1257.448	36.736	-94.409	-91.8	0.0
81	10273	10274	NS	1	57.418	58.293	0.0	0.0	297.678	3.5	1195.88	1257.424	36.862	-95.814	-91.799	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10248	10249	SN	1	-34.902	21.354	0.0	-34.906	21.846	0.0	-27.683	23.301	0.076	-23.977	23.253	0.038	0.086	229.037	3.514	0.086	229.3	2.954	0.086	43.503	0.019	0.086	18.567	0.056
2	10248	10249	SN	2	-34.902	21.354	0.0	-34.906	21.846	0.0	-27.683	23.301	0.076	-23.977	23.253	0.038	0.086	229.037	3.513	0.086	229.3	2.954	0.086	43.503	0.019	0.086	18.567	0.056
3	10248	10249	SN	1	-34.902	21.354	0.0	-34.906	21.846	0.0	-27.683	23.301	0.077	-23.977	23.253	0.038	0.086	229.037	3.642	0.086	229.3	3.275	0.086	43.503	0.02	0.086	18.567	0.056
4	10249	10250	SN	2	-34.974	21.471	0.0	-34.462	21.313	0.0	-17.473	23.14	0.097	-18.056	23.81	0.093	0.086	232.92	1.866	0.086	206.976	1.547	0.086	4.203	0.014	0.086	4.798	0.027
5	10249	10250	NS	1	-34.498	20.722	0.0	-34.8	21.999	0.0	-15.966	23.376	0.032	-11.573	23.936	0.277	0.086	208.712	1.662	0.086	223.713	1.868	0.086	2.99	0.002	0.086	1.129	0.002
6	10249	10250	NS	1	-34.216	20.722	0.0	-34.8	21.999	0.0	-15.966	23.376	0.032	-11.573	23.936	0.277	0.086	195.632	1.66	0.086	223.713	1.87	0.086	2.99	0.002	0.086	1.129	0.002
7	10249	10250	SN	1	-34.974	21.471	0.0	-34.462	21.313	0.0	-17.473	23.14	0.097	-18.056	23.81	0.093	0.086	232.92	1.866	0.086	206.976	1.547	0.086	4.203	0.014	0.086	4.798	0.027
8	10249	10250	SN	1	-34.974	21.471	0.0	-34.462	21.313	0.0	-17.473	23.14	0.097	-18.056	23.81	0.093	0.086	232.92	1.916	0.086	206.976	1.557	0.086	4.203	0.014	0.086	4.798	0.027
9	10250	10251	SN	1	-34.963	19.384	0.0	-33.99	19.401	0.0	-9.108	23.133	0.213	-14.141	23.614	0.288	0.086	232.329	2.323	0.086	185.703	1.934	0.086	0.669	0.0	0.086	1.986	0.004
10	10250	10251	SN	1	-34.963	19.384	0.0	-33.99	19.401	0.0	-9.108	23.133	0.213	-14.141	23.614	0.288	0.086	232.329	2.323	0.086	185.703	1.932	0.086	0.669	0.0	0.086	1.986	0.004
11	10250	10251	NS	1	-33.608	19.328	0.0	-33.647	19.129	0.0	-9.11	23.264	0.05	-17.734	23.637	0.259	0.086	170.077	1.561	0.086	171.56	1.638	0.086	0.669	0.0	0.086	4.461	0.037
12	10250	10251	SN	1	-34.963	19.384	0.0	-33.99	19.401	0.0	-9.108	23.133	0.213	-14.141	23.614	0.288	0.086	232.329	2.309	0.086	185.703	1.906	0.086	0.669	0.0	0.086	1.986	0.004
13	10250	10251	NS	1	-34.671	19.328	0.0	-33.036	19.129	0.0	-9.084	23.262	0.05	-17.823	23.637	0.259	0.086	217.217	1.569	0.086	149.044	1.634	0.086	0.666	0.0	0.086	4.55	0.037
14	10251	10252	SN	1	-34.954	17.868	0.0	-34.716	19.157	0.0	2.118	22.503	0.145	2.517	23.012	0.228	0.086	231.777	2.543	0.086	219.438	2.304	0.086	0.123	0.0	0.086	0.12	0.0
15	10251	10252	NS	1	-34.588	18.62	0.0	-34.523	18.131	0.0	-27.691	22.675	0.058	-24.37	23.508	0.204	0.086	213.019	2.578	0.086	209.883	2.582	0.086	43.58	0.171	0.086	20.32	0.099
16	10251	10252	NS	1	-34.244	18.62	0.0	-34.891	18.131	0.0	-27.654	22.675	0.058	-24.58	23.508	0.204	0.086	196.843	2.573	0.086	228.448	2.587	0.086	43.21	0.171	0.086	21.327	0.098
17	10251	10252	SN	2	-34.728	18.046	0.0	-34.966	19.103	0.0	2.118	22.503	0.145	2.517	23.012	0.224	0.086	220.034	2.5	0.086	232.509	2.331	0.086	0.123	0.0	0.086	0.12	0.0
18	10251	10252	SN	1	-34.728	18.046	0.0	-34.966	19.103	0.0	2.118	22.503	0.145	2.517	23.012	0.224	0.086	220.034	2.5	0.086	232.509	2.33	0.086	0.123	0.0	0.086	0.12	0.0
19	10252	10253	NS	2	-34.523	18.557	0.0	-34.026	18.399	0.0	-31.277	23.324	0.127	-19.144	23.453	0.228	0.086	209.903	2.076	0.086	187.183	1.921	0.086	99.426	0.008	0.086	6.145	0.008
20	10252	10253	SN	1	-34.741	18.566	0.0	-34.883	19.212	0.0	1.219	22.607	0.392	2.494	23.122	1.585	0.086	220.72	2.419	0.086	228.07	2.227	0.086	0.133	0.0	0.086	0.12	0.0
21	10252	10253	NS	1	-34.523	18.557	0.0	-33.95	18.399	0.0	-31.224	23.324	0.127	-19.144	23.453	0.228	0.086	209.903	2.08	0.086	183.962	1.921	0.086	98.257	0.008	0.086	6.145	0.008
22	10252	10253	SN	1	-34.741	18.543	0.0	-34.883	19.259	0.0	1.219	22.607	0.397	2.494	23.122	1.699	0.086	220.72	2.472	0.086	228.07	2.239	0.086	0.133	0.0	0.086	0.12	0.0
23	10252	10253	SN	1	-34.982	18.567	0.0	-34.66	19.206	0.0	1.219	22.607	0.392	2.494	23.122	1.585	0.086	233.32	2.41	0.086	216.614	2.225	0.086	0.133	0.0	0.086	0.12	0.0
24	10253	10254	SN	1	-34.999	18.69	0.0	-34.694	19.178	0.0	1.289	22.59	0.123	2.994	23.201	0.284	0.086	234.228	4.563	0.086	218.348	4.093	0.086	0.132	0.0	0.086	0.116	0.0
25	10253	10254	NS	2	-34.793	18.643	0.0	-34.499	18.321	0.0	-28.52	22.8	0.073	-21.44	23.448	0.287	0.086	223.368	2.208	0.086	208.804	2.292	0.086	52.733	0.043	0.086	10.381	0.022
26	10253	10254	SN	1	-34.54	15.856	0.0	-34.759	19.157	0.0	1.289	22.59	0.133	2.994	23.201	0.291	0.087	210.692	4.685	0.086	221.636	4.193	0.086	0.132	0.0	0.086	0.116	0.0
27	10253	10254	SN	1	-34.54	18.691	0.0	-34.705	19.178	0.0	1.289	22.59	0.123	2.994	23.201	0.284	0.086	210.692	4.564	0.086	218.871	4.08	0.086	0.132	0.0	0.086	0.116	0.0
28	10253	10254	NS	1	-34.782	18.643	0.0	-34.516	18.321	0.0	-28.571	22.8	0.073	-21.435	23.448	0.287	0.086	222.796	2.207	0.086	209.587	2.292	0.086	53.362	0.043	0.086	10.372	0.022
29	10254	10255	NS	1	-33.464	21.131	0.0	-34.795	21.204	0.0	-25.49	22.902	0.223	-28.63	23.85	0.701	0.086	164.514	1.2	0.086	223.472	1.19	0.086	26.28	0.157	0.086	54.086	0.06
30	10254	10255	NS	2	-34.617	21.131	0.0	-34.383	21.204	0.0	-25.49	22.902	0.223	-28.63	23.85	0.701	0.086	214.472	1.202	0.086	203.298	1.186	0.086	26.28	0.157	0.086	54.086	0.06
31	10254	10255	SN	1	-34.597	18.286	0.0	-34.745	19.196	0.0	1.427	23.59	0.547	-0.004	24.106	0.793	0.086	213.503	3.193	0.086	220.897	3.064	0.086	0.13	0.0	0.086	0.149	0.0
32	10254	10255	SN	1	-34.597	16.561	0.0	-34.872	18.604	0.0	1.427	23.59	0.588	0.0	24.106	0.794	0.087	213.503	3.316	0.086	227.508	3.254	0.086	0.13	0.0	0.086	0.149	0.0





Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	10254	10255	SN	1	-34.81	18.281	0.0	-34.895	19.196	0.0	1.427	23.59	0.546	0.003	24.106	0.791	0.086	224.279	3.197	0.086	228.664	3.059	0.086	0.13	0.0	0.086	0.149	0.0
34	10255	10256	SN	1	-34.468	17.48	0.0	-33.902	17.599	0.0	-15.459	24.073	1.086	-17.403	24.339	1.723	0.087	207.284	2.793	0.087	181.946	2.98	0.086	2.668	0.002	0.086	4.137	0.002
35	10255	10256	NS	1	-34.38	20.223	0.0	-34.69	21.343	0.0	2.341	23.003	0.056	2.728	23.983	0.764	0.086	203.106	2.546	0.086	218.126	2.418	0.086	0.121	0.0	0.086	0.118	0.0
36	10255	10256	SN	1	-34.468	18.267	0.0	-33.902	18.996	0.0	-15.453	24.073	1.012	-17.403	24.339	1.72	0.086	207.284	2.608	0.086	181.946	2.651	0.086	2.664	0.001	0.086	4.137	0.002
37	10256	10257	NS	1	-34.745	22.279	0.002	-34.442	22.5	0.004	-0.984	22.879	0.123	0.918	24.446	1.626	0.086	220.915	3.692	0.086	206.0	3.528	0.086	0.167	0.0	0.086	0.136	0.0
38	10263	10264	NS	1	-34.761	20.826	0.0	-34.42	20.978	0.0	-1.519	25.365	0.111	-0.761	24.776	0.476	0.086	221.756	2.104	0.086	204.984	2.386	0.086	0.178	0.0	0.086	0.162	0.0
39	10263	10264	SN	1	-34.984	20.738	0.0	-34.966	21.621	0.0	-28.181	22.996	0.106	-28.574	23.338	0.086	0.086	233.365	4.262	0.086	232.449	4.069	0.086	48.791	0.1	0.086	53.404	0.089
40	10263	10264	NS	2	-34.761	20.826	0.0	-34.383	20.978	0.0	-1.519	25.365	0.111	-0.761	24.776	0.476	0.086	221.756	2.103	0.086	203.262	2.388	0.086	0.178	0.0	0.086	0.162	0.0
41	10263	10264	SN	1	-34.984	20.738	0.0	-34.966	21.621	0.0	-28.181	22.996	0.106	-28.574	23.338	0.086	0.086	233.365	4.398	0.086	232.449	4.289	0.086	48.791	0.1	0.086	53.404	0.089
42	10264	10265	SN	2	-34.642	21.07	0.0	-34.32	22.113	0.001	-11.942	23.017	0.091	-9.961	23.433	0.113	0.086	215.748	5.024	0.086	200.346	4.303	0.086	1.223	0.002	0.086	0.8	0.0
43	10264	10265	NS	1	-30.52	20.659	0.0	-34.055	21.559	0.0	-7.896	23.061	0.047	-11.332	23.652	0.252	0.086	83.556	0.481	0.086	188.492	0.372	0.086	0.523	0.0	0.086	1.072	0.001
44	10264	10265	NS	1	-30.584	20.659	0.0	-33.885	21.559	0.0	-7.896	23.061	0.049	-11.332	23.652	0.252	0.086	84.792	0.482	0.086	181.214	0.373	0.086	0.523	0.0	0.086	1.072	0.001
45	10264	10265	SN	1	-34.642	21.07	0.0	-34.32	22.113	0.001	-11.942	23.017	0.091	-9.961	23.433	0.113	0.086	215.748	5.024	0.086	200.346	4.303	0.086	1.223	0.002	0.086	0.8	0.0
46	10265	10266	SN	1	-34.866	19.468	0.0	-34.253	19.678	0.0	2.018	23.246	0.171	2.672	22.956	0.165	0.086	227.144	2.321	0.086	197.266	2.787	0.086	0.124	0.0	0.086	0.118	0.0
47	10265	10266	SN	2	-34.866	19.468	0.0	-34.253	19.678	0.0	2.018	23.246	0.171	2.672	22.956	0.165	0.086	227.144	2.321	0.086	197.266	2.787	0.086	0.124	0.0	0.086	0.118	0.0
48	10265	10266	NS	1	-34.968	18.979	0.0	-34.786	18.67	0.0	-5.578	22.429	0.02	-23.89	23.476	0.196	0.086	232.564	4.294	0.086	222.996	4.224	0.086	0.336	0.0	0.086	18.204	0.014
49	10265	10266	NS	1	-34.984	18.979	0.0	-34.914	18.668	0.0	-5.581	22.429	0.02	-23.564	23.476	0.196	0.086	233.405	4.298	0.086	229.697	4.222	0.086	0.336	0.0	0.086	16.888	0.014
50	10265	10266	SN	1	-34.866	19.468	0.0	-34.844	19.677	0.0	2.018	23.246	0.171	2.672	22.956	0.165	0.086	227.144	2.348	0.086	226.036	2.804	0.086	0.124	0.0	0.086	0.118	0.0
51	10266	10267	SN	1	-34.905	18.419	0.0	-33.556	19.154	0.0	1.085	23.276	0.548	2.429	23.669	1.051	0.086	229.208	2.386	0.086	168.026	2.413	0.086	0.134	0.0	0.086	0.12	0.0
52	10266	10267	NS	1	-34.578	18.495	0.0	-34.247	18.393	0.0	-21.523	23.204	0.049	-31.938	23.402	0.189	0.086	212.597	1.764	0.086	196.984	1.868	0.086	10.582	0.01	0.086	115.765	0.043
53	10266	10267	NS	2	-34.555	18.495	0.0	-34.006	18.393	0.0	-21.52	23.204	0.049	-31.879	23.402	0.189	0.086	211.452	1.762	0.086	186.359	1.866	0.086	10.574	0.01	0.086	114.2	0.043
54	10266	10267	SN	1	-34.598	18.42	0.0	-34.789	19.154	0.0	1.085	23.276	0.548	2.429	23.669	1.051	0.086	213.554	2.393	0.086	223.178	2.417	0.086	0.134	0.0	0.086	0.12	0.0
55	10266	10267	SN	1	-34.566	17.865	0.0	-34.789	19.154	0.0	1.085	23.276	0.548	2.429	23.669	1.089	0.086	212.009	2.435	0.086	223.178	2.424	0.086	0.134	0.0	0.086	0.12	0.0
56	10267	10268	SN	1	-34.752	18.461	0.0	-34.734	19.033	0.0	0.718	22.921	0.191	2.635	23.171	0.93	0.086	221.259	4.193	0.086	220.402	3.756	0.086	0.139	0.0	0.086	0.119	0.0
57	10267	10268	NS	2	-34.659	18.287	0.0	-33.964	18.476	0.0	-23.975	23.614	0.048	-22.733	23.174	0.135	0.086	216.577	2.182	0.086	184.561	1.943	0.086	18.562	0.045	0.086	13.959	0.028
58	10267	10268	NS	1	-34.688	18.287	0.0	-33.984	18.476	0.0	-23.975	23.614	0.048	-22.679	23.174	0.135	0.086	218.04	2.182	0.086	185.403	1.943	0.086	18.562	0.045	0.086	13.786	0.028
59	10267	10268	SN	1	-34.617	18.527	0.0	-34.94	19.028	0.0	0.718	22.921	0.183	2.635	23.171	0.88	0.086	214.518	4.08	0.086	231.055	3.673	0.086	0.139	0.0	0.086	0.119	0.0
60	10267	10268	SN	1	-34.464	18.529	0.0	-34.765	19.028	0.0	0.718	22.921	0.183	2.635	23.171	0.88	0.086	207.053	4.086	0.086	221.92	3.665	0.086	0.139	0.0	0.086	0.119	0.0
61	10268	10269	NS	1	-34.17	21.784	0.0	-34.232	21.896	0.0	-17.586	22.763	0.054	-20.615	23.354	0.375	0.086	193.49	1.633	0.086	196.311	1.502	0.086	4.312	0.061	0.086	8.598	0.031
62	10268	10269	NS	2	-34.17	21.784	0.0	-34.866	21.896	0.0	-17.586	22.763	0.054	-20.615	23.354	0.375	0.086	193.49	1.636	0.086	227.133	1.503	0.086	4.312	0.061	0.086	8.598	0.031
63	10268	10269	SN	1	-34.863	18.244	0.0	-34.965	18.994	0.0	1.151	22.396	0.093	4.402	22.427	0.01	0.086	226.983	6.49	0.086	232.367	5.71	0.086	0.133	0.0	0.086	0.107	0.0
64	10268	10269	SN	1	-34.863	16.759	0.0	-34.965	18.877	0.0	1.151	22.396	0.102	4.402	22.427	0.01	0.087	226.983	6.701	0.086	232.367	5.953	0.086	0.133	0.0	0.086	0.107	0.0
65	10268	10269	SN	1	-34.936	18.244	0.0	-34.914	18.994	0.0	1.151	22.396	0.093	4.402	22.427	0.01	0.086	230.788	6.485	0.086	229.648	5.709	0.086	0.133	0.0	0.086	0.107	0.0
66	10269	10270	NS	1	-34.532	21.265	0.0	-34.334	21.717	0.0	3.099	22.543	0.09	2.448	24.344	1.038	0.086	210.345	2.069	0.086	200.965	1.902	0.086	0.115	0.0	0.086	0.12	0.0
67	10269	10270	NS	1	-34.532	21.265	0.0	-34.806	21.717	0.0	3.096	22.543	0.09	2.442	24.344	1.038	0.086	210.345	2.068	0.086	223.997	1.9	0.086	0.115	0.0	0.086	0.12	0.0
68	10269	10270	SN	2	-34.643	17.966	0.0	-34.96	18.768	0.0	-12.84	23.857	0.716	-9.862	23.88	1.224	0.086	215.825	3.42	0.086	232.163	3.322	0.086	1.489	0.003	0.086	0.783	0.0
69	10269	10270	SN	1	-34.643	17.966	0.0	-34.96	18.768	0.0	-12.84	23.857	0.716	-9.862	23.88	1.224	0.086	215.825	3.42	0.086	232.163	3.322	0.086	1.489	0.003	0.086	0.783	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	10269	10270	SN	1	-34.643	16.805	0.0	-34.96	18.563	0.0	-12.837	23.857	0.769	-9.862	23.88	1.228	0.087	215.825	3.505	0.086	232.163	3.637	0.086	1.488	0.004	0.086	0.783	0.0
71	10270	10271	NS	1	-34.768	19.779	0.0	-34.931	21.726	0.0	1.671	22.819	0.131	-0.629	24.463	1.153	0.086	222.119	4.668	0.086	230.59	4.39	0.086	0.128	0.0	0.086	0.16	0.0
72	10270	10271	SN	1	-34.403	19.045	0.0	-34.765	18.485	0.0	-7.877	23.937	0.65	-12.911	24.7	1.092	0.086	204.215	2.05	0.086	221.922	2.05	0.086	0.521	0.0	0.086	1.513	0.002
73	10270	10271	SN	2	-34.403	19.045	0.0	-34.765	18.56	0.0	-7.821	23.937	0.595	-12.888	24.7	1.107	0.086	204.215	2.291	0.086	221.922	2.132	0.086	0.515	0.0	0.086	1.505	0.002
74	10270	10271	SN	1	-34.403	19.045	0.0	-34.765	18.56	0.0	-7.821	23.937	0.595	-12.888	24.7	1.107	0.086	204.215	2.291	0.086	221.922	2.132	0.086	0.515	0.0	0.086	1.505	0.002
75	10270	10271	NS	1	-34.959	19.78	0.0	-34.994	21.726	0.0	1.67	22.819	0.13	-0.628	24.468	1.151	0.086	232.073	4.676	0.086	233.962	4.392	0.086	0.128	0.0	0.086	0.16	0.0
76	10271	10272	NS	1	-34.13	21.725	0.0	-34.965	17.706	0.0	-31.036	22.65	0.173	-24.062	24.559	2.699	0.086	191.76	2.421	0.086	232.36	2.207	0.086	94.067	0.024	0.086	18.937	0.009
77	10271	10272	SN	1	-34.554	18.663	0.0	-34.111	18.81	0.0	-15.914	23.524	0.504	-4.842	23.971	0.423	0.086	211.418	0.668	0.086	190.948	0.473	0.086	2.955	0.012	0.086	0.295	0.0
78	10271	10272	NS	1	-33.949	21.726	0.0	-34.807	17.707	0.0	-30.728	22.65	0.173	-24.065	24.559	2.69	0.086	183.883	2.419	0.086	224.059	2.192	0.086	87.65	0.028	0.086	18.946	0.009
79	10272	10273	SN	1	-34.286	20.24	0.0	-34.98	21.49	0.0	-32.94	24.045	0.588	-23.777	23.235	0.143	0.086	203.835	4.177	0.086	233.228	3.925	0.086	145.784	0.087	0.086	17.738	0.073
80	10272	10273	NS	1	-34.673	21.422	0.0	-34.988	18.943	0.0	-10.471	22.846	0.042	-6.163	24.624	2.302	0.086	217.268	3.693	0.086	233.594	3.881	0.086	0.891	0.0	0.086	0.374	0.0
81	10273	10274	NS	1	-34.151	19.588	0.0	-34.818	20.736	0.0	-3.963	23.116	0.194	-31.835	24.284	2.651	0.086	192.684	2.404	0.086	224.664	2.375	0.086	0.255	0.0	0.086	113.087	0.003

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	