

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-SEP-2018 To 15-SEP-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-SEP-2018 To 15-SEP-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10408	10409	NS	1	48.647	49.258	0.0	0.003	42.534	2.745	1016.416	1080.56	24.222	-91.565	-89.692	0.0
2	10408	10409	SN	1	48.887	49.485	0.0	0.003	30.308	2.429	1053.4	1085.896	0.0	-91.758	-90.075	0.0
3	10408	10409	SN	1	48.674	49.485	0.0	0.003	30.308	2.693	1047.44	1085.896	0.0	-92.088	-90.062	0.0
4	10408	10409	SN	1	48.674	49.485	0.0	0.003	30.308	2.696	1047.44	1085.896	0.0	-92.088	-90.062	0.0
5	10409	10410	SN	1	48.88	49.485	0.0	0.003	29.513	2.406	1052.536	1086.064	0.0	-91.729	-90.071	0.0
6	10409	10410	SN	1	48.642	49.485	0.0	0.003	29.513	2.533	1046.808	1086.064	0.0	-92.419	-90.059	0.0
7	10409	10410	NS	1	48.648	49.26	0.0	0.003	264.339	2.563	1016.24	1080.848	25.782	-91.488	-89.698	0.0
8	10409	10410	NS	2	48.648	49.26	0.0	0.003	264.339	2.563	1016.24	1080.848	25.782	-91.488	-89.698	0.0
9	10409	10410	SN	1	48.879	49.485	0.0	0.003	6.315	2.405	1052.304	1086.072	0.0	-91.684	-90.071	0.0
10	10410	10411	SN	1	48.635	49.485	0.0	0.003	214.158	2.516	1046.592	1086.112	0.0	-93.944	-90.062	0.0
11	10410	10411	NS	1	48.632	49.262	0.0	0.003	210.524	2.566	1015.952	1080.968	26.151	-91.529	-89.711	0.0
12	10410	10411	SN	1	48.868	49.485	0.0	0.003	214.158	2.338	1052.608	1086.112	0.0	-92.031	-90.073	0.0
13	10410	10411	NS	1	48.636	49.262	0.0	0.003	210.524	2.569	1015.952	1080.968	26.178	-91.529	-89.711	0.0
14	10411	10412	SN	1	48.861	49.544	0.0	0.003	6.326	2.539	1051.624	1086.04	0.0	-91.817	-90.056	0.0
15	10411	10412	NS	1	48.614	49.286	0.0	0.0	269.507	2.779	1016.144	1080.96	25.999	-92.0	-89.69	0.0
16	10411	10412	SN	2	48.861	49.544	0.0	0.003	6.331	2.539	1051.352	1086.04	0.0	-91.817	-90.056	0.0
17	10412	10413	SN	1	48.885	49.508	0.0	0.003	6.315	2.493	1051.608	1086.032	0.0	-91.812	-90.056	0.0
18	10412	10413	SN	1	48.869	49.508	0.0	0.003	6.315	2.046	1052.752	1086.032	0.0	-91.812	-90.076	0.0
19	10412	10413	SN	1	48.869	49.508	0.0	0.003	6.315	2.494	1051.608	1086.032	0.0	-91.812	-90.056	0.0
20	10412	10413	NS	1	48.616	49.266	0.0	0.003	42.347	2.68	1017.008	1080.96	26.912	-93.177	-89.704	0.0
21	10412	10413	NS	2	48.616	49.266	0.0	0.003	42.347	2.68	1017.008	1080.96	26.912	-93.177	-89.704	0.0
22	10413	10414	NS	2	48.604	49.26	0.0	0.003	15.023	2.615	1016.928	1080.92	27.01	-91.543	-89.705	0.0
23	10413	10414	SN	1	48.854	49.517	0.0	0.003	6.315	1.834	1052.576	1086.008	0.0	-91.789	-90.089	0.0
24	10413	10414	SN	1	48.638	49.517	0.0	0.003	6.315	2.525	1046.464	1086.008	0.0	-92.393	-90.055	0.0
25	10413	10414	SN	1	48.638	49.517	0.0	0.003	6.315	2.523	1046.472	1086.008	0.0	-92.393	-90.055	0.0
26	10413	10414	NS	1	48.604	49.429	0.0	0.003	15.023	2.616	1016.928	1080.92	27.017	-94.521	-89.705	0.0
27	10414	10415	SN	1	48.861	49.485	0.0	0.003	214.754	2.619	1050.264	1086.168	0.0	-91.666	-90.052	0.0
28	10414	10415	SN	1	48.861	49.485	0.0	0.003	214.754	2.006	1052.968	1086.168	0.0	-91.666	-90.084	0.0
29	10414	10415	NS	1	48.591	49.26	0.0	0.0	267.615	2.733	1015.784	1080.952	27.293	-91.517	-89.71	0.0
30	10414	10415	NS	2	48.59	49.261	0.0	0.0	264.544	2.733	1015.728	1080.96	27.312	-91.517	-89.71	0.0
31	10414	10415	SN	1	48.87	49.485	0.0	0.003	214.754	2.617	1050.264	1086.168	0.0	-91.764	-90.052	0.0
32	10415	10416	NS	1	48.591	49.262	0.0	0.003	42.27	2.681	1015.824	1081.176	27.598	-91.506	-89.704	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10415	10416	SN	1	48.891	49.494	0.0	0.003	214.677	1.519	1053.696	1086.392	0.0	-91.821	-90.056	0.0
34	10415	10416	NS	2	48.592	49.262	0.0	0.003	17.113	2.683	1015.832	1081.16	27.606	-91.506	-89.705	0.0
35	10415	10416	SN	1	48.85	49.486	0.0	0.003	214.677	2.589	1049.984	1086.392	0.0	-94.364	-90.047	0.0
36	10415	10416	SN	1	48.85	49.494	0.0	0.003	214.677	2.591	1049.984	1086.392	0.0	-94.364	-90.047	0.0
37	10416	10417	SN	2	48.888	49.487	0.0	0.003	279.997	2.528	1051.312	1086.472	0.0	-91.747	-90.03	0.0
38	10416	10417	SN	1	48.888	49.487	0.0	0.003	279.997	2.528	1051.312	1086.472	0.0	-91.747	-90.03	0.0
39	10416	10417	NS	1	48.591	49.284	0.0	0.003	210.458	2.692	1015.808	1081.256	26.528	-91.462	-89.7	0.0
40	10416	10417	NS	1	48.591	49.284	0.0	0.003	210.458	2.689	1015.808	1081.256	26.545	-91.462	-89.7	0.0
41	10417	10418	NS	1	48.634	49.274	0.0	0.003	206.89	2.674	1016.064	1081.192	27.973	-91.59	-89.692	0.0
42	10417	10418	SN	1	48.865	49.51	0.0	0.003	279.274	2.541	1051.496	1086.424	0.0	-91.748	-90.037	0.0
43	10417	10418	NS	1	48.634	49.265	0.0	0.003	206.89	2.676	1016.312	1081.192	27.924	-91.58	-89.692	0.0
44	10418	10419	NS	1	48.619	49.27	0.0	0.003	210.756	2.68	1016.096	1081.328	27.983	-91.568	-89.707	0.0
45	10422	10423	SN	1	48.869	49.505	0.0	0.003	280.085	2.015	1053.184	1086.968	0.0	-91.848	-90.085	0.0
46	10422	10423	SN	1	48.849	49.5	0.0	0.0	280.085	2.739	1050.832	1086.968	0.0	-92.423	-90.052	0.0
47	10422	10423	SN	1	48.869	49.505	0.0	0.0	280.085	2.735	1050.976	1086.968	0.0	-91.848	-90.052	0.0
48	10423	10424	NS	1	48.612	49.267	0.0	0.003	266.97	2.555	1015.752	1081.8	25.461	-91.39	-89.69	0.0
49	10423	10424	SN	2	48.686	49.524	0.0	0.003	6.359	2.614	1046.688	1086.936	0.0	-93.051	-90.052	0.0
50	10423	10424	SN	1	48.686	49.524	0.0	0.003	6.359	2.614	1046.688	1086.936	0.0	-93.051	-90.052	0.0
51	10423	10424	SN	1	48.885	49.524	0.0	0.003	6.359	2.447	1051.536	1086.936	0.0	-91.764	-90.062	0.0
52	10424	10425	SN	2	48.864	49.531	0.0	0.003	29.362	2.38	1050.88	1087.088	0.0	-91.809	-90.059	0.0
53	10424	10425	SN	1	48.861	49.531	0.0	0.003	29.362	2.381	1050.896	1087.072	0.0	-91.809	-90.059	0.0
54	10424	10425	SN	1	48.77	49.531	0.0	0.003	29.362	2.52	1047.944	1087.072	0.0	-91.809	-90.05	0.0
55	10424	10425	NS	1	48.621	49.268	0.0	0.003	210.778	2.589	1016.672	1082.056	26.589	-91.518	-89.669	0.0
56	10424	10425	NS	1	48.621	49.268	0.0	0.003	210.778	2.587	1016.672	1082.056	26.664	-91.518	-89.669	0.0
57	10425	10426	NS	1	48.646	49.268	0.0	0.003	267.522	2.62	1016.248	1082.064	26.309	-91.504	-89.707	0.0
58	10425	10426	NS	1	48.646	49.268	0.0	0.003	267.522	2.618	1016.32	1082.064	26.386	-91.504	-89.707	0.0
59	10425	10426	SN	1	48.852	49.534	0.0	0.003	6.348	2.306	1051.776	1087.008	0.0	-91.791	-90.063	0.0
60	10425	10426	SN	2	48.637	49.534	0.0	0.003	6.348	2.522	1045.616	1087.008	0.0	-92.431	-90.048	0.0
61	10425	10426	SN	1	48.637	49.534	0.0	0.003	6.348	2.522	1045.608	1087.008	0.0	-92.431	-90.048	0.0
62	10426	10427	NS	2	48.635	49.268	0.0	0.003	264.726	2.679	1016.536	1082.024	27.02	-91.475	-89.675	0.0
63	10426	10427	SN	1	48.763	49.543	0.0	0.003	31.091	2.494	1047.712	1086.96	0.0	-91.817	-90.045	0.0
64	10426	10427	SN	1	48.763	49.543	0.0	0.003	31.091	2.492	1047.712	1086.96	0.0	-91.817	-90.045	0.0
65	10426	10427	NS	1	48.636	49.268	0.0	0.003	264.72	2.679	1016.536	1082.024	27.029	-91.475	-89.675	0.0
66	10426	10427	SN	1	48.858	49.543	0.0	0.003	31.091	2.145	1052.312	1086.96	0.0	-91.817	-90.067	0.0
67	10427	10428	SN	1	48.851	49.524	0.0	0.003	214.953	2.515	1050.64	1086.952	0.0	-92.007	-90.043	0.0
68	10427	10428	NS	1	48.587	49.355	0.0	0.008	210.397	2.343	1016.824	1057.624	49.055	-93.116	-89.698	0.0
69	10427	10428	NS	1	48.587	49.354	0.0	0.003	210.397	2.631	1016.832	1082.008	27.143	-93.116	-89.698	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	10428	10429	NS	1	48.596	49.335	0.0	0.0	213.171	2.692	1015.928	1082.04	27.053	-93.629	-89.704	0.0
71	10428	10429	SN	1	48.838	49.487	0.0	0.003	30.732	2.579	1050.52	1086.992	0.0	-91.605	-90.044	0.0
72	10429	10430	SN	1	48.884	49.534	0.0	0.003	6.331	2.673	1050.48	1087.256	0.0	-94.467	-90.043	0.0
73	10429	10430	SN	1	48.882	49.532	0.0	0.003	6.331	2.659	1050.12	1087.256	0.0	-94.467	-90.043	0.0
74	10429	10430	SN	1	48.884	49.532	0.0	0.003	6.331	1.56	1052.944	1087.256	0.0	-91.858	-90.087	0.0
75	10429	10430	NS	1	48.615	49.317	0.0	0.003	264.885	2.662	1016.424	1082.176	27.698	-92.459	-89.707	0.0
76	10430	10431	SN	2	48.874	49.491	0.0	0.003	30.06	2.569	1050.608	1087.392	0.0	-91.752	-90.027	0.0
77	10430	10431	SN	1	48.874	49.491	0.0	0.003	30.06	2.569	1050.608	1087.392	0.0	-91.752	-90.027	0.0
78	10430	10431	NS	1	48.587	49.276	0.0	0.003	42.231	2.695	1015.576	1082.304	27.764	-91.515	-89.681	0.0
79	10430	10431	NS	1	48.588	49.275	0.0	0.003	42.231	2.694	1016.184	1082.304	27.847	-91.488	-89.681	0.0
80	10431	10432	NS	1	48.594	49.27	0.0	0.003	42.358	2.66	1016.568	1082.32	27.552	-91.66	-89.679	0.0
81	10431	10432	SN	1	48.881	49.497	0.0	0.003	6.364	2.534	1050.576	1087.416	0.0	-91.779	-90.031	0.0
82	10431	10432	NS	1	48.605	49.316	0.0	0.003	42.358	2.663	1016.56	1082.32	27.543	-91.566	-89.679	0.0
83	10432	10433	SN	1	48.878	49.491	0.0	0.003	6.359	2.585	1050.304	1087.416	0.0	-91.649	-90.026	0.0
84	10432	10433	NS	1	48.585	49.294	0.0	0.0	42.179	2.781	1015.624	1082.328	28.103	-91.633	-89.705	0.0
85	10433	10434	NS	1	48.593	49.272	0.0	0.003	207.143	2.679	1015.544	1082.496	28.45	-91.306	-89.706	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10408	10409	NS	1	-34.849	27.059	3.327	-34.26	27.381	0.432	-3.562	31.544	18.394	0.194	33.05	30.521	0.116	295.993	4.22	0.116	258.447	4.159	0.116	0.318	0.0	0.116	0.196	0.0
2	10408	10409	SN	1	-33.846	26.292	1.463	-34.213	27.698	7.583	-24.127	34.222	12.473	-33.166	29.331	15.093	0.116	235.034	2.943	0.116	255.741	2.403	0.116	25.146	0.086	0.116	200.918	0.098
3	10408	10409	SN	1	-33.662	26.292	3.959	-34.951	27.698	8.228	-24.514	34.217	12.476	-30.786	29.331	15.091	0.116	225.262	2.974	0.116	303.123	2.395	0.116	27.485	0.086	0.116	116.237	0.097
4	10408	10409	SN	1	-33.846	26.292	3.964	-34.247	27.698	8.245	-24.127	34.222	12.473	-33.166	29.331	15.093	0.116	235.034	2.977	0.116	257.746	2.398	0.116	25.146	0.086	0.116	200.918	0.098
5	10409	10410	SN	1	-34.547	26.791	2.516	-34.631	26.443	5.083	-9.266	29.848	10.095	-5.49	30.81	5.882	0.116	276.202	2.886	0.116	281.567	2.601	0.116	0.91	0.0	0.116	0.438	0.0
6	10409	10410	SN	1	-34.547	26.791	2.75	-34.631	26.443	5.307	-9.266	29.848	10.095	-5.49	30.81	5.882	0.116	276.202	2.837	0.116	281.567	2.669	0.116	0.91	0.0	0.116	0.438	0.0
7	10409	10410	NS	1	-34.406	26.921	2.265	-34.148	26.607	0.292	-2.204	30.634	17.125	-0.187	30.959	28.731	0.116	267.376	1.628	0.116	251.923	1.382	0.116	0.261	0.0	0.116	0.204	0.0
8	10409	10410	NS	2	-34.406	26.921	2.265	-34.148	26.607	0.292	-2.204	30.634	17.125	-0.187	30.959	28.731	0.116	267.376	1.628	0.116	251.923	1.382	0.116	0.261	0.0	0.116	0.204	0.0
9	10409	10410	SN	1	-34.018	26.791	2.522	-34.604	26.443	5.09	-9.269	29.85	10.095	-5.493	30.81	5.882	0.116	244.513	2.892	0.116	279.845	2.6	0.116	0.911	0.0	0.116	0.439	0.0
10	10410	10411	SN	1	-34.882	25.249	0.902	-34.295	25.687	2.388	4.293	28.397	15.824	6.295	29.208	7.734	0.116	298.288	4.251	0.116	260.59	4.003	0.116	0.145	0.0	0.116	0.134	0.0
11	10410	10411	NS	1	-34.954	25.612	2.22	-34.677	24.831	0.809	-10.751	28.928	12.284	-5.222	29.531	22.714	0.116	303.296	6.269	0.116	284.534	5.577	0.116	1.243	0.002	0.116	0.418	0.0
12	10410	10411	SN	1	-34.882	24.505	0.427	-34.295	25.687	1.898	4.293	28.397	15.824	6.295	29.208	7.74	0.116	298.288	4.3	0.116	260.59	3.826	0.116	0.145	0.0	0.116	0.134	0.0
13	10410	10411	NS	1	-34.954	25.612	2.224	-34.852	24.831	0.811	-10.751	28.928	12.284	-5.222	29.531	22.716	0.116	303.296	6.284	0.116	296.223	5.579	0.116	1.243	0.002	0.116	0.418	0.0
14	10411	10412	SN	1	-34.654	25.51	0.935	-34.372	25.603	2.115	-0.133	27.939	13.653	3.258	28.672	8.909	0.116	283.01	2.731	0.116	265.295	2.899	0.116	0.203	0.0	0.116	0.154	0.0
15	10411	10412	NS	1	-34.171	24.873	2.503	-34.696	26.957	1.031	-15.174	30.864	7.101	-26.438	31.411	13.636	0.116	253.319	6.679	0.116	285.762	4.936	0.116	3.279	0.006	0.116	42.762	0.007
16	10411	10412	SN	2	-34.349	25.51	0.935	-33.413	25.603	2.116	-0.133	27.939	13.652	3.258	28.672	8.91	0.116	263.86	2.73	0.116	212.748	2.898	0.116	0.203	0.0	0.116	0.154	0.0
17	10412	10413	SN	1	-34.991	24.301	0.269	-33.851	25.244	1.495	-1.109	28.785	15.173	4.264	28.832	17.057	0.116	305.888	2.592	0.116	235.309	2.329	0.116	0.226	0.0	0.116	0.146	0.0
18	10412	10413	SN	1	-34.493	23.464	0.081	-33.203	24.817	0.329	6.51	28.785	15.542	4.035	28.832	17.495	0.116	272.724	1.967	0.116	202.677	2.397	0.116	0.133	0.0	0.116	0.147	0.0
19	10412	10413	SN	1	-34.493	24.301	0.27	-34.162	25.244	1.498	-1.109	28.785	15.168	4.273	28.832	17.057	0.116	272.724	2.594	0.116	252.713	2.324	0.116	0.226	0.0	0.116	0.145	0.0
20	10412	10413	NS	1	-34.98	24.54	2.181	-34.623	24.417	1.103	-4.223	28.938	11.021	-4.782	29.438	19.339	0.116	305.084	5.111	0.116	281.032	3.716	0.116	0.353	0.0	0.116	0.388	0.0
21	10412	10413	NS	2	-34.98	24.54	2.181	-34.623	24.417	1.103	-4.223	28.938	11.021	-4.785	29.438	19.339	0.116	305.084	5.111	0.116	281.032	3.716	0.116	0.353	0.0	0.116	0.388	0.0
22	10413	10414	NS	2	-34.475	24.65	1.918	-33.534	24.721	1.15	-12.979	29.327	9.366	-7.701	29.847	17.386	0.116	271.55	3.905	0.116	218.758	3.478	0.116	2.015	0.007	0.116	0.664	0.0
23	10413	10414	SN	1	-34.979	23.003	0.021	-34.868	22.856	0.054	1.499	28.321	14.777	8.871	28.92	11.833	0.116	305.018	4.796	0.116	297.324	4.634	0.116	0.174	0.0	0.116	0.126	0.0
24	10413	10414	SN	1	-34.979	24.082	0.158	-34.868	25.128	1.807	1.622	28.372	13.857	8.871	28.92	11.714	0.116	305.018	5.353	0.116	297.31	4.469	0.116	0.172	0.0	0.116	0.126	0.0
25	10413	10414	SN	1	-34.979	24.089	0.158	-34.793	25.128	1.805	1.622	28.361	13.855	8.871	28.92	11.691	0.116	305.018	5.347	0.116	292.283	4.462	0.116	0.172	0.0	0.116	0.126	0.0
26	10413	10414	NS	1	-34.547	24.652	1.913	-33.534	24.729	1.146	-12.979	29.327	9.366	-7.701	29.847	17.386	0.116	276.164	3.905	0.116	218.758	3.487	0.116	2.015	0.007	0.116	0.664	0.0
27	10414	10415	SN	1	-33.584	24.516	0.467	-34.849	25.056	3.399	-13.425	32.237	11.192	-4.984	32.619	11.734	0.116	221.231	2.128	0.116	296.005	2.101	0.116	2.222	0.003	0.116	0.401	0.0
28	10414	10415	SN	1	-33.553	23.167	0.042	-34.849	24.531	0.572	-13.425	32.237	11.275	-4.984	32.622	11.689	0.116	219.681	1.837	0.116	296.005	1.775	0.116	2.222	0.003	0.116	0.401	0.0
29	10414	10415	NS	1	-34.922	26.915	1.829	-34.844	27.014	0.952	7.653	28.754	14.829	7.95	29.893	25.392	0.116	301.086	4.693	0.116	295.744	4.615	0.116	0.129	0.0	0.116	0.128	0.0
30	10414	10415	NS	2	-34.922	26.914	1.829	-34.844	27.014	0.952	7.653	28.754	14.822	7.95	29.893	25.391	0.116	301.086	4.693	0.116	295.744	4.615	0.116	0.129	0.0	0.116	0.128	0.0
31	10414	10415	SN	1	-34.591	24.514	0.465	-32.686	25.056	3.393	-13.623	32.237	11.21	-4.984	32.62	11.755	0.116	278.953	2.125	0.116	179.974	2.093	0.116	2.322	0.003	0.116	0.401	0.0
32	10415	10416	NS	1	-34.882	24.608	2.469	-34.575	24.997	0.87	-6.236	29.334	20.0	-1.558	30.838	33.459	0.116	298.269	4.612	0.116	277.964	4.627	0.116	0.502	0.0	0.116	0.239	0.0
33	10415	10416	SN	1	-34.29	26.465	0.03	-34.249	24.961	0.03	-6.478	30.301	17.403	-1.21	31.793	20.825	0.116	260.331	1.329	0.116	257.856	1.219	0.116	0.525	0.0	0.116	0.229	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10415	10416	NS	2	-34.882	24.608	2.469	-34.707	24.997	0.87	-6.236	29.334	20.001	-1.559	30.838	33.46	0.116	298.269	4.61	0.116	286.494	4.628	0.116	0.502	0.0	0.116	0.24	0.0
35	10415	10416	SN	1	-34.304	26.465	0.892	-34.68	25.334	4.079	-6.491	30.301	16.646	-1.208	31.79	20.815	0.116	261.196	1.934	0.116	284.742	1.78	0.116	0.526	0.0	0.116	0.229	0.0
36	10415	10416	SN	1	-34.29	26.465	0.893	-34.249	25.334	4.089	-6.478	30.301	16.654	-1.21	31.793	20.813	0.116	260.331	1.94	0.116	257.856	1.78	0.116	0.525	0.0	0.116	0.229	0.0
37	10416	10417	SN	2	-34.923	25.481	0.477	-34.885	26.483	3.088	-11.735	29.11	17.497	-4.584	30.926	18.126	0.116	301.15	1.979	0.116	298.504	1.853	0.116	1.536	0.002	0.116	0.375	0.0
38	10416	10417	SN	1	-34.923	25.481	0.477	-34.885	26.483	3.088	-11.735	29.11	17.497	-4.584	30.926	18.126	0.116	301.15	1.979	0.116	298.504	1.853	0.116	1.536	0.002	0.116	0.375	0.0
39	10416	10417	NS	1	-34.601	28.703	1.791	-34.015	24.919	0.512	-20.49	29.91	26.77	-19.501	30.513	41.082	0.116	279.673	2.76	0.116	244.3	2.472	0.116	10.937	0.05	0.116	8.729	0.034
40	10416	10417	NS	1	-34.64	28.703	1.788	-34.015	24.919	0.511	-20.49	29.91	26.764	-19.501	30.513	41.085	0.116	282.119	2.753	0.116	244.3	2.468	0.116	10.937	0.05	0.116	8.729	0.034
41	10417	10418	NS	1	-34.852	27.053	2.019	-34.998	26.275	0.733	-33.109	35.272	14.771	-31.693	33.392	26.657	0.116	296.293	2.521	0.116	306.305	2.708	0.116	198.297	0.246	0.116	143.173	0.21
42	10417	10418	SN	1	-34.987	26.363	0.761	-34.946	26.404	2.946	-16.718	30.055	18.227	-9.851	29.823	17.862	0.116	305.56	5.722	0.116	302.749	5.761	0.116	4.641	0.004	0.116	1.028	0.002
43	10417	10418	NS	1	-34.786	27.053	2.02	-34.979	26.275	0.734	-33.597	35.272	14.814	-31.562	33.392	26.695	0.116	291.727	2.53	0.116	305.035	2.703	0.116	221.926	0.246	0.116	138.926	0.21
44	10418	10419	NS	1	-34.803	28.006	3.03	-34.756	26.55	1.907	0.229	30.823	20.236	-1.79	31.324	28.18	0.116	292.92	3.306	0.116	289.801	3.746	0.116	0.196	0.0	0.116	0.247	0.0
45	10422	10423	SN	1	-34.782	25.148	0.074	-33.673	26.333	4.265	-26.412	29.519	10.934	-27.447	29.732	13.195	0.116	291.531	2.804	0.116	225.813	2.354	0.116	42.502	0.179	0.116	53.914	0.177
46	10422	10423	SN	1	-34.088	25.255	3.11	-33.947	26.819	7.917	-26.286	29.519	11.041	-26.846	29.732	13.196	0.116	248.472	2.736	0.116	240.525	2.57	0.116	41.292	0.179	0.116	46.972	0.179
47	10422	10423	SN	1	-34.782	25.258	3.109	-34.318	26.819	7.931	-26.412	29.519	11.021	-27.292	29.732	13.195	0.116	291.531	2.738	0.116	261.968	2.576	0.116	42.502	0.178	0.116	52.034	0.177
48	10423	10424	NS	1	-34.629	25.51	3.274	-30.732	27.964	0.343	-4.454	34.758	18.822	-4.384	36.383	33.73	0.116	281.481	1.335	0.116	114.784	1.042	0.116	0.367	0.0	0.116	0.362	0.0
49	10423	10424	SN	2	-34.326	25.677	3.294	-34.815	26.915	6.406	-18.745	31.743	11.446	-16.081	30.465	7.883	0.116	262.488	2.352	0.116	293.705	2.461	0.116	7.346	0.02	0.116	4.02	0.023
50	10423	10424	SN	1	-34.326	25.677	3.294	-34.815	26.915	6.406	-18.745	31.743	11.446	-16.081	30.465	7.883	0.116	262.488	2.352	0.116	293.705	2.461	0.116	7.346	0.02	0.116	4.02	0.023
51	10423	10424	SN	1	-34.326	25.677	2.513	-34.815	26.915	6.135	-18.745	31.743	11.446	-16.081	30.465	7.883	0.116	262.488	2.329	0.116	293.705	2.368	0.116	7.346	0.02	0.116	4.02	0.023
52	10424	10425	SN	2	-34.578	25.673	1.902	-34.314	26.556	4.167	-6.116	29.096	12.43	-4.812	30.816	6.866	0.116	278.131	2.588	0.116	261.695	2.122	0.116	0.491	0.0	0.116	0.39	0.0
53	10424	10425	SN	1	-34.928	25.673	1.902	-34.314	26.556	4.167	-6.116	29.096	12.429	-4.812	30.816	6.863	0.116	301.484	2.589	0.116	261.695	2.121	0.116	0.491	0.0	0.116	0.39	0.0
54	10424	10425	SN	1	-34.928	25.673	2.33	-34.314	26.556	4.481	-6.116	29.096	12.429	-4.812	30.816	6.863	0.116	301.484	2.562	0.116	261.695	2.103	0.116	0.491	0.0	0.116	0.39	0.0
55	10424	10425	NS	1	-33.591	25.62	2.495	-34.801	24.902	0.496	-0.67	29.59	13.489	-7.411	30.399	24.108	0.116	221.627	2.478	0.116	292.772	2.313	0.116	0.215	0.0	0.116	0.627	0.0
56	10424	10425	NS	1	-33.475	25.62	2.491	-34.85	24.902	0.495	-0.67	29.59	13.487	-7.411	30.397	24.105	0.116	215.763	2.484	0.116	296.135	2.311	0.116	0.215	0.0	0.116	0.627	0.0
57	10425	10426	NS	1	-34.765	26.112	2.262	-33.652	25.27	0.748	-3.159	28.962	10.489	-6.907	29.593	18.999	0.116	290.451	4.545	0.116	224.746	4.238	0.116	0.315	0.0	0.116	0.569	0.0
58	10425	10426	NS	1	-34.939	26.112	2.259	-34.451	25.27	0.747	-3.159	28.962	10.489	-6.907	29.593	18.999	0.116	302.197	4.536	0.116	270.178	4.227	0.116	0.315	0.0	0.116	0.569	0.0
59	10425	10426	SN	1	-34.98	25.818	0.553	-34.588	26.555	1.882	7.124	27.303	13.024	0.887	28.366	5.342	0.116	325.051	3.816	0.116	278.702	3.182	0.116	0.131	0.0	0.116	0.184	0.0
60	10425	10426	SN	2	-34.98	25.869	1.239	-34.588	26.55	2.507	-0.055	27.303	12.994	0.898	28.366	5.397	0.116	325.051	3.749	0.116	278.702	3.141	0.116	0.201	0.0	0.116	0.183	0.0
61	10425	10426	SN	1	-34.98	25.869	1.239	-34.588	26.55	2.507	-0.057	27.303	12.994	0.898	28.366	5.397	0.116	325.051	3.749	0.116	278.702	3.141	0.116	0.201	0.0	0.116	0.183	0.0
62	10426	10427	NS	2	-34.431	24.653	2.629	-34.176	24.762	1.135	-28.593	29.02	7.361	-16.771	29.127	14.12	0.116	268.895	2.546	0.116	253.55	2.705	0.116	70.164	0.012	0.116	4.696	0.002
63	10426	10427	SN	1	-34.103	26.142	0.88	-34.06	26.329	2.032	-0.294	28.911	17.795	5.215	28.9	18.874	0.116	249.373	2.317	0.116	246.865	2.397	0.116	0.206	0.0	0.116	0.139	0.0
64	10426	10427	SN	1	-34.179	26.142	0.879	-34.018	26.329	2.03	-0.295	28.911	17.795	5.228	28.9	18.874	0.116	253.711	2.314	0.116	244.522	2.419	0.116	0.206	0.0	0.116	0.139	0.0
65	10426	10427	NS	1	-34.431	24.653	2.629	-34.176	24.762	1.135	-28.593	29.02	7.361	-16.771	29.127	14.12	0.116	268.895	2.544	0.116	253.55	2.705	0.116	70.164	0.012	0.116	4.696	0.002
66	10426	10427	SN	1	-34.103	26.135	0.409	-34.06	26.316	1.097	5.82	28.911	17.923	5.152	28.9	19.586	0.116	249.373	2.363	0.116	246.865	2.294	0.116	0.136	0.0	0.116	0.14	0.0
67	10427	10428	SN	1	-33.995	24.571	0.121	-34.977	24.913	1.451	0.058	28.479	15.469	-0.399	29.392	15.724	0.116	243.251	2.409	0.116	304.957	2.301	0.116	0.199	0.0	0.116	0.209	0.0
68	10427	10428	NS	1	-34.349	24.584	4.666	-34.354	24.517	2.219	-6.344	27.795	6.587	-4.723	29.039	12.605	0.116	263.826	8.578	0.116	264.151	7.621	0.116	0.512	0.0	0.116	0.384	0.0
69	10427	10428	NS	1	-34.116	24.584	1.809	-34.295	24.517	1.059	-6.344	27.918	9.414	-4.723	29.947	16.587	0.116	250.049	4.796	0.116	260.587	4.674	0.116	0.512	0.0	0.116	0.384	0.0
70	10428	10429	NS	1	-34.555	26.061	1.889	-33.778	27.424	1.245	-7.623	29.751	12.566	-8.366	30.546	19.139	0.116	276.698	4.508	0.116	231.38	4.043	0.116	0.654	0.0	0.116	0.758	0.0
71	10428	10429	SN	1	-34.566	24.123	0.282	-34.54	25.548	2.321	1.181	29.735	12.097	5.053	30.732	11.765	0.116	277.348	4.338	0.116	275.668	4.549	0.116	0.179	0.0	0.116	0.14	0.0
72	10429	10430	SN	1	-34.351	24.288	0.764	-34.283	25.549	3.959	-13.456	32.308	13.341	-7.292	33.199	14.955	0.116	263.929	3.731	0.116	259.88	3.482	0.116	2.237	0.007	0.116	0.613	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors


73	10429	10430	SN	1	-33.531	24.29	0.763	-34.744	25.546	3.963	-13.443	32.308	13.234	-7.294	33.199	14.875	0.116	218.539	3.742	0.116	288.908	3.486	0.116	2.232	0.007	0.116	0.613	0.0
74	10429	10430	SN	1	-33.5	22.837	0.026	-34.943	23.697	0.068	-13.527	32.308	14.046	-7.294	33.199	14.889	0.116	217.008	2.861	0.116	302.569	2.783	0.116	2.273	0.008	0.116	0.613	0.0
75	10429	10430	NS	1	-34.971	26.2	2.127	-33.768	27.077	1.043	6.26	32.701	12.025	7.82	30.571	21.413	0.116	304.447	2.393	0.116	230.812	1.679	0.116	0.134	0.0	0.116	0.128	0.0
76	10430	10431	SN	2	-33.667	24.149	0.525	-34.891	25.165	3.201	-8.87	29.956	19.908	-16.084	30.195	22.06	0.116	225.496	2.174	0.116	298.95	2.448	0.116	0.839	0.0	0.116	4.022	0.002
77	10430	10431	SN	1	-33.667	24.149	0.525	-34.891	25.165	3.201	-8.87	29.956	19.908	-16.084	30.195	22.06	0.116	225.496	2.174	0.116	298.95	2.448	0.116	0.839	0.0	0.116	4.022	0.002
78	10430	10431	NS	1	-34.625	27.218	1.855	-34.863	24.514	0.469	-2.667	29.735	26.616	0.059	31.041	44.791	0.116	281.101	4.932	0.116	296.974	4.503	0.116	0.278	0.0	0.116	0.199	0.0
79	10430	10431	NS	1	-34.122	27.218	1.855	-34.863	24.514	0.469	-2.654	29.735	26.673	0.058	31.041	44.875	0.116	250.409	4.928	0.116	296.974	4.5	0.116	0.278	0.0	0.116	0.199	0.0
80	10431	10432	NS	1	-34.863	27.472	1.72	-34.705	28.525	0.594	-31.848	31.178	16.17	-24.059	31.039	31.246	0.116	297.013	3.236	0.116	286.422	3.018	0.116	148.357	0.326	0.116	24.756	0.269
81	10431	10432	SN	1	-34.97	26.565	0.553	-33.536	26.896	3.03	-5.502	29.748	16.627	-2.958	30.533	15.689	0.116	304.376	4.054	0.116	218.806	3.123	0.116	0.439	0.0	0.116	0.29	0.0
82	10431	10432	NS	1	-34.32	27.472	1.72	-34.328	28.525	0.594	-25.285	31.165	16.221	-23.972	31.039	31.31	0.116	262.11	3.238	0.116	262.516	3.019	0.116	32.817	0.314	0.116	24.273	0.272
83	10432	10433	SN	1	-33.509	25.868	0.955	-33.341	27.432	3.409	-13.231	29.068	17.268	-10.802	30.489	17.874	0.116	217.464	1.549	0.116	209.185	1.193	0.116	2.129	0.003	0.116	1.257	0.002
84	10432	10433	NS	1	-33.554	29.416	2.444	-32.756	25.677	1.211	-9.288	28.753	15.969	-22.547	31.005	24.165	0.116	219.737	2.034	0.116	182.835	1.489	0.116	0.914	0.0	0.116	17.511	0.021
85	10433	10434	NS	1	-34.998	27.6	4.115	-34.136	26.886	3.14	-8.914	29.022	27.328	-10.433	30.584	38.376	0.116	306.383	2.32	0.116	251.261	2.28	0.116	0.847	0.0	0.116	1.162	0.004

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10408	10409	NS	1	57.374	58.106	0.0	0.0	286.526	3.832	1190.592	1269.304	37.51	-93.545	-91.747	0.0
2	10408	10409	SN	1	57.675	58.356	0.0	0.0	293.911	3.501	1234.456	1277.0	0.0	-93.123	-92.129	0.0
3	10408	10409	SN	1	57.386	58.356	0.0	0.0	293.911	3.8	1224.872	1277.0	0.0	-94.66	-92.115	0.0
4	10408	10409	SN	1	57.386	58.356	0.0	0.0	293.911	3.804	1224.872	1277.0	0.0	-94.66	-92.115	0.0
5	10409	10410	SN	1	57.659	58.377	0.0	0.0	292.99	3.321	1233.6	1277.208	0.0	-93.138	-92.123	0.0
6	10409	10410	SN	1	57.388	58.377	0.0	0.0	292.99	3.596	1224.816	1277.208	0.0	-95.101	-92.112	0.0
7	10409	10410	NS	1	57.388	58.11	0.0	0.0	290.376	3.565	1190.2	1269.664	40.477	-93.545	-91.749	0.0
8	10409	10410	NS	2	57.388	58.11	0.0	0.0	290.376	3.565	1190.2	1269.664	40.477	-93.545	-91.749	0.0
9	10409	10410	SN	1	57.686	58.356	0.0	0.0	292.924	3.321	1233.944	1277.224	0.0	-93.165	-92.123	0.0
10	10410	10411	SN	1	57.636	58.356	0.0	0.0	291.865	3.552	1230.88	1277.2	0.0	-95.533	-92.115	0.0
11	10410	10411	NS	1	57.367	58.108	0.0	0.0	293.602	3.544	1190.152	1269.792	41.261	-93.544	-91.758	0.0
12	10410	10411	SN	1	57.683	58.356	0.0	0.0	291.865	3.278	1234.04	1277.2	0.0	-93.149	-92.125	0.0
13	10410	10411	NS	1	57.367	58.108	0.0	0.0	293.602	3.547	1190.152	1269.792	41.23	-93.544	-91.758	0.0
14	10411	10412	SN	1	57.679	58.381	0.0	0.0	291.021	3.539	1233.072	1277.144	0.0	-94.498	-92.109	0.0
15	10411	10412	NS	1	57.366	58.11	0.0	0.0	298.036	3.822	1190.496	1269.792	39.847	-93.542	-91.74	0.0
16	10411	10412	SN	2	57.679	58.381	0.0	0.0	291.06	3.54	1233.072	1277.136	0.0	-94.498	-92.109	0.0
17	10412	10413	SN	1	57.68	58.362	0.0	0.0	290.861	3.499	1233.064	1277.144	0.0	-93.159	-92.108	0.0
18	10412	10413	SN	1	57.666	58.362	0.0	0.0	290.861	3.091	1234.12	1277.144	0.0	-93.159	-92.135	0.0
19	10412	10413	SN	1	57.677	58.362	0.0	0.0	290.861	3.503	1233.064	1277.144	0.0	-93.159	-92.108	0.0
20	10412	10413	NS	1	57.358	58.205	0.0	0.0	289.162	3.714	1191.032	1269.8	40.123	-95.123	-91.755	0.0
21	10412	10413	NS	2	57.358	58.205	0.0	0.0	289.107	3.713	1191.032	1269.8	40.123	-95.123	-91.755	0.0
22	10413	10414	NS	2	57.38	58.11	0.0	0.0	294.076	3.733	1190.288	1269.744	41.795	-93.039	-91.759	0.0
23	10413	10414	SN	1	57.651	58.355	0.0	0.0	289.593	2.922	1233.952	1277.064	0.0	-93.249	-92.145	0.0
24	10413	10414	SN	1	57.639	58.355	0.0	0.0	295.847	3.522	1230.776	1277.064	0.0	-95.392	-92.11	0.0
25	10413	10414	SN	1	57.64	58.355	0.0	0.0	295.852	3.52	1230.784	1277.064	0.0	-95.392	-92.11	0.0
26	10413	10414	NS	1	57.38	58.224	0.0	0.0	294.076	3.736	1190.288	1269.744	41.803	-95.12	-91.759	0.0
27	10414	10415	SN	1	57.68	58.357	0.0	0.0	297.071	3.669	1232.344	1277.336	0.0	-93.079	-92.105	0.0
28	10414	10415	SN	1	57.68	58.357	0.0	0.0	297.071	3.143	1234.888	1277.336	0.0	-93.138	-92.138	0.0
29	10414	10415	NS	1	57.36	58.116	0.0	0.0	284.8	3.825	1189.992	1269.776	42.778	-93.536	-91.763	0.0
30	10414	10415	NS	2	57.359	58.115	0.0	0.0	284.844	3.825	1189.976	1269.8	42.795	-93.536	-91.763	0.0
31	10414	10415	SN	1	57.68	58.357	0.0	0.0	297.071	3.674	1232.848	1277.616	0.0	-93.08	-92.105	0.0
32	10415	10416	NS	1	57.351	58.113	0.0	0.0	296.652	3.703	1189.728	1270.072	42.868	-93.539	-91.757	0.0
33	10415	10416	SN	1	57.68	58.389	0.0	0.0	294.407	2.445	1234.96	1277.6	0.0	-93.176	-92.101	0.0
34	10415	10416	NS	2	57.352	58.112	0.0	0.0	289.058	3.704	1189.744	1270.048	42.871	-93.539	-91.757	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10415	10416	SN	1	57.587	58.385	0.0	0.0	294.407	3.595	1229.392	1277.6	0.0	-94.417	-92.085	0.0
36	10415	10416	SN	1	57.587	58.389	0.0	0.0	294.407	3.598	1229.392	1277.6	0.0	-94.417	-92.085	0.0
37	10416	10417	SN	2	57.678	58.369	0.0	0.0	293.574	3.558	1233.136	1277.672	0.0	-95.826	-92.078	0.0
38	10416	10417	SN	1	57.678	58.369	0.0	0.0	293.574	3.558	1233.136	1277.672	0.0	-95.826	-92.078	0.0
39	10416	10417	NS	1	57.358	58.113	0.0	0.0	293.177	3.817	1190.08	1270.16	41.821	-93.539	-91.724	0.0
40	10416	10417	NS	1	57.358	58.113	0.0	0.0	293.177	3.813	1190.08	1270.16	41.884	-93.539	-91.724	0.0
41	10417	10418	NS	1	57.377	58.113	0.0	0.0	296.299	3.732	1190.504	1270.088	43.445	-93.54	-91.743	0.0
42	10417	10418	SN	1	57.682	58.359	0.0	0.0	293.012	3.568	1232.92	1277.632	0.0	-95.41	-92.086	0.0
43	10417	10418	NS	1	57.379	58.113	0.0	0.0	296.299	3.736	1190.024	1270.088	43.389	-93.54	-91.743	0.0
44	10418	10419	NS	1	57.365	58.114	0.0	0.0	288.28	3.744	1189.92	1270.256	42.934	-93.496	-91.761	0.0
45	10422	10423	SN	1	57.682	58.382	0.0	0.0	295.312	3.203	1234.672	1278.288	0.0	-93.128	-92.138	0.0
46	10422	10423	SN	1	57.49	58.365	0.0	0.0	295.312	3.858	1226.448	1278.288	0.0	-95.389	-92.105	0.0
47	10422	10423	SN	1	57.49	58.382	0.0	0.0	295.312	3.846	1226.448	1278.288	0.0	-95.389	-92.105	0.0
48	10423	10424	NS	1	57.366	58.118	0.0	0.0	297.992	3.615	1190.072	1270.832	39.144	-93.534	-91.744	0.0
49	10423	10424	SN	2	57.679	58.384	0.0	0.0	294.424	3.683	1232.16	1278.224	0.0	-93.106	-92.104	0.0
50	10423	10424	SN	1	57.679	58.384	0.0	0.0	294.424	3.683	1232.16	1278.224	0.0	-93.106	-92.104	0.0
51	10423	10424	SN	1	57.679	58.384	0.0	0.0	294.424	3.42	1233.288	1278.224	0.0	-93.106	-92.115	0.0
52	10424	10425	SN	2	57.659	58.377	0.0	0.0	295.135	3.276	1232.848	1278.4	0.0	-93.146	-92.112	0.0
53	10424	10425	SN	1	57.659	58.377	0.0	0.0	295.097	3.277	1232.864	1278.384	0.0	-93.146	-92.112	0.0
54	10424	10425	SN	1	57.343	58.377	0.0	0.0	295.097	3.54	1222.552	1278.384	0.0	-94.666	-92.104	0.0
55	10424	10425	NS	1	57.361	58.121	0.0	0.0	297.981	3.581	1189.936	1271.152	41.137	-93.532	-91.723	0.0
56	10424	10425	NS	1	57.361	58.121	0.0	0.0	297.981	3.577	1189.936	1271.152	41.199	-93.532	-91.723	0.0
57	10425	10426	NS	1	57.36	58.12	0.0	0.0	297.6	3.619	1189.816	1271.16	40.881	-93.531	-91.76	0.0
58	10425	10426	NS	1	57.36	58.12	0.0	0.0	297.6	3.616	1189.856	1271.16	40.941	-93.531	-91.76	0.0
59	10425	10426	SN	1	57.677	58.362	0.0	0.0	295.207	3.244	1233.264	1278.312	0.0	-93.13	-92.109	0.0
60	10425	10426	SN	2	57.446	58.362	0.0	0.0	295.207	3.519	1225.008	1278.312	0.0	-93.886	-92.101	0.0
61	10425	10426	SN	1	57.446	58.362	0.0	0.0	295.207	3.517	1225.016	1278.312	0.0	-93.886	-92.101	0.0
62	10426	10427	NS	2	57.374	58.287	0.0	0.0	295.461	3.692	1190.8	1271.112	40.026	-95.38	-91.73	0.0
63	10426	10427	SN	1	57.43	58.369	0.0	0.0	293.58	3.527	1224.576	1278.232	0.0	-93.908	-92.098	0.0
64	10426	10427	SN	1	57.43	58.369	0.0	0.0	293.58	3.523	1224.576	1278.232	0.0	-93.908	-92.098	0.0
65	10426	10427	NS	1	57.374	58.287	0.0	0.0	295.494	3.693	1190.8	1271.112	40.031	-95.38	-91.73	0.0
66	10426	10427	SN	1	57.67	58.369	0.0	0.0	293.58	3.181	1233.824	1278.232	0.0	-93.081	-92.12	0.0
67	10427	10428	SN	1	57.67	58.366	0.0	0.0	294.86	3.479	1231.248	1278.216	0.0	-93.181	-92.096	0.0
68	10427	10428	NS	1	57.357	58.022	0.0	0.0	282.462	2.998	1190.768	1237.368	64.832	-93.902	-91.747	0.0
69	10427	10428	NS	1	57.382	58.119	0.0	0.0	287.414	3.733	1190.784	1271.08	41.393	-93.902	-91.748	0.0
70	10428	10429	NS	1	57.385	58.121	0.0	0.0	290.817	3.815	1190.256	1271.136	42.257	-93.388	-91.758	0.0
71	10428	10429	SN	1	57.661	58.383	0.0	0.003	297.804	3.608	1231.744	1278.264	0.0	-93.132	-92.096	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	10429	10430	SN	1	57.442	58.399	0.0	0.003	295.676	3.692	1224.656	1278.608	0.0	-95.044	-92.094	0.0
73	10429	10430	SN	1	57.442	58.399	0.0	0.003	295.676	3.679	1224.672	1278.608	0.0	-95.044	-92.094	0.0
74	10429	10430	SN	1	57.67	58.399	0.0	0.003	295.676	2.54	1233.6	1278.608	0.0	-93.19	-92.143	0.0
75	10429	10430	NS	1	57.352	58.121	0.0	0.003	294.424	3.631	1189.672	1271.296	42.11	-93.525	-91.76	0.0
76	10430	10431	SN	2	57.67	58.365	0.0	0.0	295.687	3.605	1231.848	1278.808	0.0	-95.717	-92.069	0.0
77	10430	10431	SN	1	57.67	58.365	0.0	0.0	295.687	3.605	1231.848	1278.808	0.0	-95.717	-92.069	0.0
78	10430	10431	NS	1	57.348	58.123	0.0	0.0	299.983	3.713	1189.984	1271.464	42.502	-93.524	-91.733	0.0
79	10430	10431	NS	1	57.347	58.122	0.0	0.0	299.988	3.71	1190.304	1271.456	42.563	-93.524	-91.733	0.0
80	10431	10432	NS	1	57.356	58.123	0.0	0.0	291.523	3.781	1190.072	1271.48	42.357	-93.529	-91.733	0.0
81	10431	10432	SN	1	57.675	58.365	0.0	0.0	296.724	3.576	1231.808	1278.816	0.0	-93.098	-92.08	0.0
82	10431	10432	NS	1	57.346	58.123	0.0	0.0	292.262	3.786	1189.672	1271.472	42.314	-93.529	-91.733	0.0
83	10432	10433	SN	1	57.673	58.366	0.0	0.0	296.657	3.66	1230.648	1278.808	0.0	-94.464	-92.085	0.0
84	10432	10433	NS	1	57.359	58.123	0.0	0.0	291.92	3.846	1189.664	1271.488	43.259	-92.98	-91.759	0.0
85	10433	10434	NS	1	57.345	58.126	0.0	0.0	296.784	3.636	1189.624	1271.704	42.75	-93.493	-91.758	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR															Kp													
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10408	10409	NS	1	-34.574	20.611	0.0	-34.634	20.876	0.0	-0.057	22.764	0.101	-6.554	23.646	0.368	0.086	212.333	3.82	0.086	215.316	4.121	0.086	0.15	0.0	0.086	0.403	0.0
2	10408	10409	SN	1	-33.806	21.19	0.0	-34.861	21.623	0.0	-26.709	23.193	0.051	-24.283	22.65	0.054	0.086	177.982	2.109	0.086	226.921	2.401	0.086	34.779	0.037	0.086	19.918	0.051
3	10408	10409	SN	1	-34.963	21.193	0.0	-33.604	21.623	0.0	-26.665	23.193	0.051	-24.255	22.65	0.054	0.086	232.266	2.259	0.086	169.894	2.513	0.086	34.436	0.037	0.086	19.792	0.051
4	10408	10409	SN	1	-32.713	21.19	0.0	-34.861	21.623	0.0	-26.709	23.193	0.051	-24.283	22.65	0.054	0.086	138.374	2.256	0.086	226.921	2.52	0.086	34.779	0.037	0.086	19.918	0.051
5	10409	10410	SN	1	-34.801	20.487	0.0	-34.467	20.749	0.0	-11.806	23.363	0.052	-4.155	23.307	0.071	0.086	223.762	2.204	0.086	207.215	2.188	0.086	1.188	0.002	0.086	0.263	0.0
6	10409	10410	SN	1	-34.801	20.487	0.0	-34.467	20.749	0.0	-11.806	23.363	0.052	-4.155	23.307	0.071	0.086	223.762	2.256	0.086	207.215	2.275	0.086	1.188	0.002	0.086	0.263	0.0
7	10409	10410	NS	1	-32.624	20.294	0.0	-34.7	20.883	0.0	-8.361	22.583	0.038	-5.106	23.748	0.194	0.086	135.587	1.181	0.086	218.658	0.913	0.086	0.574	0.0	0.086	0.309	0.0
8	10409	10410	NS	2	-32.624	20.294	0.0	-34.7	20.883	0.0	-8.361	22.583	0.038	-5.106	23.748	0.194	0.086	135.587	1.181	0.086	218.658	0.913	0.086	0.574	0.0	0.086	0.309	0.0
9	10409	10410	SN	1	-34.813	20.487	0.0	-34.843	20.749	0.0	-11.805	23.363	0.052	-4.156	23.307	0.071	0.086	224.425	2.207	0.086	225.925	2.184	0.086	1.187	0.002	0.086	0.263	0.0
10	10410	10411	SN	1	-34.738	19.53	0.0	-34.461	19.751	0.0	2.301	22.816	0.122	2.349	22.738	0.094	0.086	220.567	3.043	0.086	206.935	3.33	0.086	0.122	0.0	0.086	0.121	0.0
11	10410	10411	NS	1	-34.875	19.223	0.0	-34.985	18.379	0.0	-4.667	22.523	0.006	-21.475	23.546	0.144	0.086	227.655	4.701	0.086	233.479	3.876	0.086	0.286	0.0	0.086	10.466	0.021
12	10410	10411	SN	1	-34.738	19.53	0.0	-34.461	19.751	0.0	2.301	22.816	0.122	2.349	22.738	0.094	0.086	220.567	3.1	0.086	206.935	3.223	0.086	0.122	0.0	0.086	0.121	0.0
13	10410	10411	NS	1	-34.973	19.223	0.0	-34.734	18.379	0.0	-4.667	22.525	0.006	-21.475	23.546	0.144	0.086	232.836	4.711	0.086	220.367	3.878	0.086	0.286	0.0	0.086	10.466	0.021
14	10411	10412	SN	1	-34.878	19.729	0.0	-34.996	19.514	0.0	1.077	23.272	0.414	1.905	23.23	0.916	0.086	235.676	1.824	0.086	234.026	2.087	0.086	0.134	0.0	0.086	0.125	0.0
15	10411	10412	NS	1	-34.88	19.064	0.0	-34.868	18.253	0.0	-15.214	22.823	0.041	-24.948	23.495	0.141	0.086	227.861	4.618	0.086	227.249	3.367	0.086	2.525	0.016	0.086	23.204	0.051
16	10411	10412	SN	2	-34.878	19.729	0.0	-34.996	19.516	0.0	1.077	23.272	0.414	1.905	23.23	0.916	0.086	235.676	1.824	0.086	234.026	2.085	0.086	0.134	0.0	0.086	0.125	0.0
17	10412	10413	SN	1	-34.914	19.616	0.0	-34.512	19.22	0.0	1.184	22.579	0.061	2.435	23.419	0.715	0.086	229.635	2.021	0.086	209.356	2.093	0.086	0.133	0.0	0.086	0.12	0.0
18	10412	10413	SN	1	-34.854	19.616	0.0	-33.333	19.222	0.0	1.184	22.579	0.064	2.435	23.419	0.754	0.086	226.495	1.673	0.086	159.615	2.124	0.086	0.133	0.0	0.086	0.12	0.0
19	10412	10413	SN	1	-34.854	19.616	0.0	-33.333	19.22	0.0	1.184	22.579	0.061	2.435	23.419	0.715	0.086	226.495	2.02	0.086	159.615	2.09	0.086	0.133	0.0	0.086	0.12	0.0
20	10412	10413	NS	1	-34.877	18.461	0.0	-34.01	18.099	0.0	-24.699	23.833	0.036	-20.799	23.15	0.116	0.086	227.714	4.439	0.086	186.523	3.252	0.086	21.913	0.018	0.086	8.967	0.03
21	10412	10413	NS	2	-34.24	18.461	0.0	-34.01	18.099	0.0	-24.699	23.833	0.036	-20.799	23.15	0.116	0.086	196.67	4.437	0.086	186.523	3.253	0.086	21.913	0.018	0.086	8.967	0.03
22	10413	10414	NS	2	-34.97	21.621	0.0	-34.957	21.869	0.0	-24.755	22.44	0.022	-21.416	23.3	0.291	0.086	232.608	2.956	0.086	231.964	2.822	0.086	22.196	0.144	0.086	10.325	0.016
23	10413	10414	SN	1	-34.161	16.021	0.0	-34.891	18.386	0.0	1.116	22.634	0.078	3.648	22.642	0.041	0.087	193.116	3.776	0.086	228.474	3.913	0.086	0.134	0.0	0.086	0.112	0.0
24	10413	10414	SN	1	-34.741	18.535	0.0	-34.824	18.816	0.0	1.116	22.634	0.071	3.648	22.642	0.04	0.086	220.697	4.342	0.086	224.994	3.939	0.086	0.134	0.0	0.086	0.112	0.0
25	10413	10414	SN	1	-34.962	18.527	0.0	-34.824	18.823	0.0	1.116	22.634	0.071	3.648	22.642	0.04	0.086	232.184	4.345	0.086	224.994	3.941	0.086	0.134	0.0	0.086	0.112	0.0
26	10413	10414	NS	1	-34.97	21.621	0.0	-34.957	21.869	0.0	-30.08	22.44	0.022	-21.416	23.3	0.291	0.086	232.608	2.957	0.086	231.964	2.814	0.086	75.499	0.144	0.086	10.325	0.016
27	10414	10415	SN	1	-34.244	18.216	0.0	-33.864	18.79	0.0	-2.09	23.801	0.589	-3.794	23.731	1.142	0.086	196.859	2.942	0.086	180.368	3.138	0.086	0.192	0.0	0.086	0.248	0.0
28	10414	10415	SN	1	-34.244	17.879	0.0	-34.13	18.79	0.0	-2.09	23.801	0.601	-3.794	23.731	1.142	0.086	196.859	2.754	0.086	191.727	2.969	0.086	0.192	0.0	0.086	0.248	0.0
29	10414	10415	NS	1	-34.784	21.691	0.0	-34.991	21.884	0.0	2.834	22.491	0.129	2.11	24.205	0.828	0.086	222.897	4.566	0.086	233.789	4.662	0.086	0.117	0.0	0.086	0.123	0.0
30	10414	10415	NS	2	-34.932	21.691	0.0	-34.991	21.884	0.0	2.834	22.491	0.13	2.11	24.205	0.828	0.086	230.662	4.568	0.086	233.789	4.662	0.086	0.117	0.0	0.086	0.123	0.0
31	10414	10415	SN	1	-34.662	18.229	0.0	-34.34	18.79	0.0	-2.093	23.799	0.589	-3.794	23.731	1.142	0.086	216.757	2.933	0.086	201.223	3.135	0.086	0.192	0.0	0.086	0.248	0.0
32	10415	10416	NS	1	-34.912	21.457	0.0	-34.818	21.499	0.0	-3.313	22.837	0.185	-2.178	24.087	1.173	0.086	229.624	5.361	0.086	224.651	5.336	0.086	0.23	0.0	0.086	0.195	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	10415	10416	SN	1	-34.739	17.659	0.0	-33.43	18.091	0.0	-5.85	23.934	0.438	-6.675	24.318	0.909	0.087	220.597	1.052	0.086	163.257	1.222	0.086	0.353	0.0	0.086	0.412	0.0
34	10415	10416	NS	2	-34.77	21.457	0.0	-34.818	21.499	0.0	-3.313	22.837	0.185	-2.178	24.087	1.173	0.086	222.222	5.36	0.086	224.651	5.335	0.086	0.23	0.0	0.086	0.195	0.0
35	10415	10416	SN	1	-34.936	18.026	0.0	-34.338	18.547	0.0	-5.854	23.934	0.411	-6.683	24.318	0.979	0.086	230.848	1.748	0.086	201.185	1.778	0.086	0.353	0.0	0.086	0.413	0.0
36	10415	10416	SN	1	-34.891	18.034	0.0	-33.43	18.547	0.0	-5.85	23.934	0.411	-6.675	24.318	0.979	0.086	228.462	1.748	0.086	163.257	1.783	0.086	0.353	0.0	0.086	0.412	0.0
37	10416	10417	SN	2	-34.441	18.827	0.0	-34.04	18.388	0.0	-15.799	23.372	0.38	-4.183	23.608	0.395	0.086	205.943	2.288	0.086	187.849	2.283	0.086	2.88	0.015	0.086	0.264	0.0
38	10416	10417	SN	1	-34.441	18.827	0.0	-34.04	18.388	0.0	-15.799	23.372	0.38	-4.183	23.608	0.395	0.086	205.943	2.288	0.086	187.849	2.283	0.086	2.88	0.015	0.086	0.264	0.0
39	10416	10417	NS	1	-34.379	21.698	0.0	-34.92	19.042	0.0	-32.584	23.397	0.297	-28.874	24.206	2.6	0.086	203.05	2.631	0.086	229.979	2.627	0.086	134.34	0.204	0.086	57.215	0.109
40	10416	10417	NS	1	-33.901	21.698	0.0	-34.536	19.042	0.0	-32.584	23.397	0.297	-28.874	24.206	2.599	0.086	181.916	2.629	0.086	210.542	2.623	0.086	134.34	0.204	0.086	57.215	0.109
41	10417	10418	NS	1	-34.436	21.853	0.0	-34.244	19.234	0.0	-29.617	22.647	0.047	-25.384	24.605	1.968	0.086	205.722	2.013	0.086	196.856	2.118	0.086	67.874	0.141	0.086	25.649	0.148
42	10417	10418	SN	1	-34.768	19.854	0.0	-34.869	22.115	0.001	-28.525	23.394	0.43	-27.821	22.989	0.168	0.086	222.113	4.756	0.086	227.353	4.771	0.086	52.787	0.109	0.086	44.912	0.082
43	10417	10418	NS	1	-34.357	21.853	0.0	-34.15	19.234	0.0	-29.617	22.647	0.047	-25.384	24.605	1.973	0.086	202.074	2.014	0.086	192.629	2.094	0.086	67.874	0.141	0.086	25.649	0.148
44	10418	10419	NS	1	-33.512	20.275	0.0	-34.832	21.598	0.0	0.772	23.029	0.124	-1.723	24.308	2.114	0.086	166.338	2.866	0.086	225.411	3.273	0.086	0.138	0.0	0.086	0.183	0.0
45	10422	10423	SN	1	-34.835	21.457	0.0	-34.588	21.138	0.0	-29.286	22.713	0.048	-27.925	22.478	0.014	0.086	225.55	3.904	0.086	213.044	3.575	0.086	62.905	0.196	0.086	45.984	0.177
46	10422	10423	SN	1	-34.718	21.456	0.0	-34.719	21.137	0.0	-29.557	22.713	0.048	-32.397	22.47	0.014	0.086	219.494	3.865	0.086	219.596	3.482	0.086	66.927	0.193	0.086	128.672	0.18
47	10422	10423	SN	1	-34.943	21.457	0.0	-34.588	21.138	0.0	-29.311	22.713	0.048	-27.66	22.478	0.014	0.086	231.207	3.863	0.086	213.044	3.485	0.086	63.249	0.193	0.086	43.273	0.178
48	10423	10424	NS	1	-34.95	19.765	0.0	-34.968	21.149	0.0	-6.593	22.891	0.018	-2.514	23.442	0.188	0.086	231.581	1.209	0.086	232.564	1.054	0.086	0.406	0.0	0.086	0.204	0.0
49	10423	10424	SN	2	-34.996	21.418	0.0	-34.88	20.478	0.0	-34.998	22.808	0.044	-32.405	23.035	0.043	0.086	234.056	2.807	0.086	227.904	2.706	0.086	234.123	0.228	0.086	128.926	0.343
50	10423	10424	SN	1	-34.996	21.418	0.0	-34.88	20.478	0.0	-34.998	22.808	0.044	-32.405	23.035	0.043	0.086	234.056	2.807	0.086	227.904	2.706	0.086	234.123	0.228	0.086	128.926	0.343
51	10423	10424	SN	1	-34.996	21.418	0.0	-34.88	20.478	0.0	-34.998	22.808	0.044	-32.405	23.035	0.043	0.086	234.056	2.866	0.086	227.904	2.706	0.086	234.123	0.228	0.086	128.926	0.343
52	10424	10425	SN	2	-34.977	19.749	0.0	-34.759	20.331	0.0	-0.331	22.887	0.105	-3.423	23.185	0.164	0.086	233.065	2.194	0.086	221.654	1.973	0.086	0.155	0.0	0.086	0.234	0.0
53	10424	10425	SN	1	-34.977	19.749	0.0	-34.759	20.331	0.0	-0.331	22.887	0.105	-3.423	23.185	0.164	0.086	233.065	2.194	0.086	221.654	1.973	0.086	0.155	0.0	0.086	0.234	0.0
54	10424	10425	SN	1	-34.977	19.749	0.0	-34.759	20.331	0.0	-0.331	22.887	0.105	-3.423	23.185	0.164	0.086	233.065	2.195	0.086	221.654	1.953	0.086	0.155	0.0	0.086	0.234	0.0
55	10424	10425	NS	1	-34.976	19.217	0.0	-34.337	18.622	0.0	-10.539	22.624	0.02	-19.871	23.352	0.165	0.086	233.01	2.021	0.086	201.12	1.888	0.086	0.904	0.0	0.086	7.254	0.037
56	10424	10425	NS	1	-34.793	19.217	0.0	-34.184	18.622	0.0	-10.539	22.624	0.02	-19.871	23.352	0.165	0.086	223.354	2.019	0.086	194.114	1.885	0.086	0.904	0.0	0.086	7.254	0.037
57	10425	10426	NS	1	-34.912	19.65	0.0	-34.919	17.994	0.0	-34.388	23.12	0.018	-30.836	23.314	0.133	0.086	229.573	4.719	0.086	229.886	4.996	0.086	203.477	0.125	0.086	89.835	0.107
58	10425	10426	NS	1	-34.654	19.65	0.0	-34.994	17.994	0.0	-34.216	23.116	0.018	-31.059	23.314	0.133	0.086	216.322	4.719	0.086	233.928	4.982	0.086	195.569	0.125	0.086	94.59	0.107
59	10425	10426	SN	1	-34.99	18.038	0.0	-34.798	19.553	0.0	1.533	22.565	0.029	1.775	23.178	0.154	0.086	233.75	3.5	0.086	223.582	3.185	0.086	0.129	0.0	0.086	0.127	0.0
60	10425	10426	SN	2	-34.872	19.103	0.0	-34.798	19.573	0.0	1.533	22.565	0.029	1.775	23.178	0.151	0.086	227.507	3.438	0.086	223.582	3.178	0.086	0.129	0.0	0.086	0.127	0.0
61	10425	10426	SN	1	-34.872	19.103	0.0	-34.798	19.573	0.0	1.533	22.565	0.029	1.775	23.178	0.151	0.086	227.507	3.438	0.086	223.582	3.178	0.086	0.129	0.0	0.086	0.127	0.0
62	10426	10427	NS	2	-33.955	19.341	0.0	-34.255	17.969	0.0	-10.494	23.592	0.103	-10.47	23.366	0.208	0.086	184.17	2.587	0.086	197.37	2.864	0.086	0.896	0.0	0.086	0.891	0.0
63	10426	10427	SN	1	-33.924	19.44	0.0	-34.965	20.014	0.0	0.658	22.617	0.156	2.225	23.284	0.954	0.086	182.842	2.443	0.086	232.405	2.5	0.086	0.14	0.0	0.086	0.122	0.0
64	10426	10427	SN	1	-34.767	19.438	0.0	-34.835	20.014	0.0	0.658	22.617	0.156	2.225	23.284	0.954	0.086	221.999	2.441	0.086	225.54	2.515	0.086	0.14	0.0	0.086	0.122	0.0
65	10426	10427	NS	1	-33.955	19.341	0.0	-34.219	17.969	0.0	-10.494	23.592	0.103	-10.47	23.366	0.208	0.086	184.17	2.587	0.086	195.76	2.862	0.086	0.896	0.0	0.086	0.891	0.0
66	10426	10427	SN	1	-34.071	19.442	0.0	-34.965	20.012	0.0	0.658	22.617	0.157	2.225	23.284	1.02	0.086	189.166	2.494	0.086	232.405	2.33	0.086	0.14	0.0	0.086	0.122	0.0
67	10427	10428	SN	1	-34.676	18.371	0.0	-34.988	19.245	0.0	-0.018	22.565	0.026	2.007	22.63	0.129	0.086	217.424	2.214	0.086	233.658	2.371	0.086	0.15	0.0	0.086	0.124	0.0
68	10427	10428	NS	1	-34.834	18.731	0.0	-34.468	18.513	0.0	-19.008	19.644	0.0	-19.167	19.576	0.0	0.086	225.473	6.681	0.086	207.315	6.236	0.086	5.958	0.021	0.086	6.177	0.016
69	10427	10428	NS	1	-34.161	18.731	0.0	-34.764	18.513	0.0	-19.008	22.766	0.026	-19.167	22.964	0.211	0.086	193.139	3.941	0.086	221.907	3.908	0.086	5.957	0.018	0.086	6.177	0.012

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

70	10428	10429	NS	1	-34.888	21.64	0.0	-34.888	22.016	0.001	-24.945	23.0	0.114	-33.791	23.103	0.451	0.086	228.262	3.595	0.086	228.256	3.099	0.086	23.188	0.198	0.086	177.336	0.23
71	10428	10429	SN	1	-34.823	18.4	0.0	-34.731	18.604	0.0	-0.665	23.807	0.397	4.648	23.754	0.736	0.086	224.907	4.389	0.086	220.252	4.965	0.086	0.161	0.0	0.086	0.106	0.0
72	10429	10430	SN	1	-34.922	18.21	0.0	-33.826	18.728	0.0	-14.215	23.943	0.706	-34.252	24.248	1.448	0.086	230.054	3.152	0.086	178.826	3.294	0.086	2.019	0.001	0.086	197.207	0.002
73	10429	10430	SN	1	-34.998	18.212	0.0	-34.985	18.728	0.0	-14.215	23.943	0.7	-34.24	24.248	1.436	0.086	234.147	3.16	0.086	233.497	3.305	0.086	2.019	0.001	0.086	196.61	0.002
74	10429	10430	SN	1	-34.998	18.212	0.0	-34.795	18.728	0.0	-14.22	23.943	0.75	-34.246	24.248	1.439	0.086	234.147	2.658	0.086	223.444	3.108	0.086	2.021	0.002	0.086	196.912	0.002
75	10429	10430	NS	1	-33.71	21.27	0.0	-34.47	21.746	0.0	2.884	23.026	0.041	2.073	23.779	0.618	0.086	174.068	2.731	0.086	207.348	2.171	0.086	0.117	0.0	0.086	0.124	0.0
76	10430	10431	SN	2	-34.809	18.334	0.0	-34.716	18.673	0.0	-28.412	23.665	0.319	-13.808	24.118	0.688	0.086	224.148	1.714	0.086	219.407	1.946	0.086	51.441	0.045	0.086	1.845	0.002
77	10430	10431	SN	1	-34.809	18.334	0.0	-34.716	18.673	0.0	-28.412	23.665	0.319	-13.808	24.118	0.688	0.086	224.148	1.714	0.086	219.407	1.946	0.086	51.441	0.045	0.086	1.845	0.002
78	10430	10431	NS	1	-34.993	23.046	0.005	-34.625	18.43	0.0	-0.834	23.143	0.137	-17.188	24.54	1.781	0.086	233.876	4.501	0.086	214.853	4.241	0.086	0.164	0.0	0.086	3.941	0.006
79	10430	10431	NS	1	-34.993	23.046	0.005	-34.708	18.43	0.0	-0.835	23.143	0.137	-17.187	24.542	1.776	0.086	233.876	4.507	0.086	219.029	4.241	0.086	0.164	0.0	0.086	3.939	0.006
80	10431	10432	NS	1	-34.903	21.502	0.0	-34.549	20.317	0.0	-29.093	23.281	0.335	-28.044	24.652	2.629	0.086	229.086	2.734	0.086	211.195	2.683	0.086	60.165	0.166	0.086	47.273	0.139
81	10431	10432	SN	1	-34.974	19.887	0.0	-34.993	20.719	0.0	-6.697	23.351	0.343	-5.679	23.159	0.159	0.086	232.926	3.621	0.086	233.91	3.216	0.086	0.414	0.0	0.086	0.342	0.0
82	10431	10432	NS	1	-34.442	21.502	0.0	-34.903	20.317	0.0	-29.116	23.281	0.337	-28.172	24.653	2.638	0.086	206.007	2.732	0.086	229.075	2.683	0.086	60.475	0.167	0.086	48.675	0.14
83	10432	10433	SN	1	-33.52	19.262	0.0	-34.269	20.897	0.0	-28.297	23.227	0.365	-21.129	23.467	0.161	0.086	166.624	1.98	0.086	197.997	1.823	0.086	50.114	0.129	0.086	9.667	0.02
84	10432	10433	NS	1	-34.673	20.78	0.0	-31.554	19.604	0.0	-9.794	22.594	0.052	-12.761	24.313	1.881	0.086	217.273	1.561	0.086	105.999	1.064	0.086	0.772	0.0	0.086	1.463	0.002
85	10433	10434	NS	1	-34.892	19.899	0.0	-34.337	20.501	0.0	-12.806	22.897	0.366	-8.118	24.081	2.586	0.086	228.56	2.205	0.086	201.076	2.021	0.086	1.478	0.005	0.086	0.547	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors