

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-DEC-2017 To 07-DEC-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-DEC-2017 To 07-DEC-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6319	6320	NS	1	48.892	49.416	0.0	0.003	5.989	2.64	1054.536	1072.744	0.0	-92.097	-89.429	0.0
2	6319	6320	SN	1	48.748	49.29	0.0	0.003	6.056	2.739	1023.288	1068.936	9.993	-91.877	-89.233	0.0
3	6319	6320	SN	2	48.748	49.29	0.0	0.003	6.056	2.739	1023.288	1068.936	9.993	-91.877	-89.233	0.0
4	6319	6320	SN	1	48.748	49.29	0.0	0.003	6.056	2.43	1023.288	1068.936	10.261	-91.877	-89.233	0.0
5	6319	6320	NS	1	48.892	49.416	0.0	0.003	5.989	2.642	1054.536	1072.744	0.0	-92.097	-89.429	0.0
6	6320	6321	SN	1	48.761	49.262	0.0	0.003	6.044	2.534	1022.328	1069.04	10.768	-91.958	-89.267	0.0
7	6320	6321	SN	1	48.761	49.262	0.0	0.003	6.044	2.372	1022.328	1069.04	10.925	-91.958	-89.267	0.0
8	6320	6321	SN	1	48.761	49.262	0.0	0.003	6.044	2.384	1022.328	1069.04	10.913	-91.958	-89.267	0.0
9	6320	6321	NS	1	48.905	49.376	0.0	0.003	5.995	2.463	1054.704	1072.992	0.0	-92.112	-89.409	0.0
10	6320	6321	NS	1	48.905	49.376	0.0	0.003	5.995	2.461	1054.704	1072.992	0.0	-92.112	-89.409	0.0
11	6321	6322	SN	1	48.752	49.254	0.0	0.003	6.039	2.502	1022.528	1069.104	11.683	-91.904	-89.265	0.0
12	6321	6322	SN	1	48.752	49.254	0.0	0.003	6.039	2.302	1022.528	1069.104	11.861	-91.904	-89.265	0.0
13	6321	6322	SN	2	48.752	49.254	0.0	0.003	6.039	2.502	1022.528	1069.104	11.683	-91.904	-89.265	0.0
14	6321	6322	NS	1	48.886	49.375	0.0	0.003	5.995	2.462	1054.752	1073.048	0.0	-92.151	-89.422	0.0
15	6321	6322	NS	1	48.886	49.375	0.0	0.003	5.995	2.464	1054.752	1073.048	0.0	-92.151	-89.422	0.0
16	6322	6323	SN	1	48.753	49.284	0.0	0.003	6.05	2.537	1022.584	1068.912	12.29	-91.797	-89.265	0.0
17	6322	6323	NS	1	48.901	49.374	0.0	0.003	5.995	2.57	1055.224	1072.912	0.0	-92.077	-89.417	0.0
18	6322	6323	NS	2	48.901	49.374	0.0	0.003	5.995	2.573	1055.224	1072.912	0.0	-92.077	-89.417	0.0
19	6322	6323	SN	1	48.753	49.284	0.0	0.003	6.05	2.239	1022.584	1068.912	12.539	-91.797	-89.265	0.0
20	6322	6323	SN	1	48.753	49.29	0.0	0.003	6.056	2.533	1022.672	1068.912	12.311	-91.934	-89.265	0.0
21	6323	6324	SN	1	48.738	49.267	0.0	0.003	6.022	2.516	1022.856	1068.76	11.886	-91.767	-89.265	0.0
22	6323	6324	NS	1	48.912	49.388	0.0	0.003	6.0	2.582	1055.336	1072.744	0.0	-92.129	-89.425	0.0
23	6323	6324	NS	2	48.918	49.374	0.0	0.003	6.0	2.583	1055.344	1072.752	0.0	-92.129	-89.425	0.0
24	6323	6324	SN	1	48.738	49.267	0.0	0.003	6.022	2.514	1022.856	1068.76	11.874	-91.767	-89.265	0.0
25	6324	6325	SN	1	48.735	49.287	0.0	0.003	6.011	2.577	1022.824	1068.568	11.656	-91.752	-89.265	0.0
26	6324	6325	NS	1	48.891	49.392	0.0	0.003	6.0	2.568	1054.696	1072.52	0.0	-92.234	-89.432	0.0
27	6324	6325	SN	1	48.735	49.287	0.0	0.003	6.011	2.575	1022.824	1068.568	11.644	-91.752	-89.265	0.0
28	6324	6325	NS	2	48.892	49.382	0.0	0.003	6.0	2.567	1054.672	1072.536	0.0	-92.1	-89.432	0.0
29	6324	6325	SN	1	48.735	49.287	0.0	0.003	6.011	1.858	1022.824	1068.568	12.213	-91.752	-89.265	0.0
30	6325	6326	SN	1	48.75	49.293	0.0	0.003	6.006	1.609	1023.016	1068.544	9.892	-91.987	-89.248	0.0
31	6325	6326	NS	1	48.902	49.402	0.0	0.003	19.691	2.541	1054.632	1072.416	0.0	-92.249	-89.433	0.0
32	6325	6326	NS	2	48.9	49.395	0.0	0.003	6.006	2.538	1054.632	1072.392	0.0	-92.619	-89.433	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	6325	6326	SN	1	48.75	49.293	0.0	0.003	6.006	2.636	1023.016	1068.544	9.273	-91.987	-89.248	0.0
34	6325	6326	SN	1	48.75	49.293	0.0	0.003	6.006	2.651	1022.792	1068.536	9.324	-91.812	-89.248	0.0
35	6326	6327	SN	1	48.752	49.301	0.0	0.003	6.011	2.579	1023.368	1068.552	7.211	-91.863	-89.262	0.0
36	6326	6327	SN	1	48.752	49.301	0.0	0.003	6.011	1.495	1023.368	1068.552	7.841	-91.863	-89.262	0.0
37	6326	6327	NS	2	48.916	49.403	0.0	0.003	6.006	2.584	1055.104	1072.44	0.0	-92.651	-89.428	0.0
38	6326	6327	NS	1	48.915	49.413	0.0	0.003	6.011	2.584	1055.088	1072.744	0.0	-92.333	-89.428	0.0
39	6326	6327	SN	1	48.752	49.301	0.0	0.003	6.011	2.593	1023.368	1068.552	7.204	-91.863	-89.262	0.0
40	6327	6328	NS	1	48.902	49.374	0.0	0.003	5.984	2.647	1054.688	1072.352	0.0	-92.598	-89.432	0.0
41	6327	6328	SN	1	48.761	49.294	0.0	0.003	6.033	2.532	1023.232	1068.528	7.212	-91.876	-89.272	0.0
42	6328	6329	SN	1	48.749	49.256	0.0	0.003	6.028	2.554	1023.008	1068.32	7.569	-91.884	-89.271	0.0
43	6328	6329	NS	1	48.908	49.4	0.0	0.003	5.978	2.608	1054.44	1072.176	0.0	-92.115	-89.418	0.0
44	6328	6329	NS	1	48.908	49.4	0.0	0.003	5.978	2.605	1054.44	1072.176	0.0	-92.115	-89.418	0.0
45	6329	6330	NS	1	48.889	49.388	0.0	0.003	5.973	2.513	1054.408	1072.136	0.0	-92.12	-89.432	0.0
46	6333	6334	SN	1	48.768	49.299	0.0	0.003	6.022	2.707	1023.936	1068.376	5.268	-91.793	-89.267	0.0
47	6333	6334	SN	2	48.768	49.299	0.0	0.003	6.022	2.707	1023.936	1068.376	5.267	-91.793	-89.267	0.0
48	6333	6334	SN	1	48.768	49.299	0.0	0.003	6.022	2.001	1023.936	1068.224	5.493	-91.793	-89.267	0.0
49	6334	6335	NS	1	48.894	49.38	0.0	0.003	6.0	2.506	1054.088	1071.864	0.0	-92.024	-89.417	0.0
50	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.592	1023.28	1068.432	5.398	-91.917	-89.26	0.0
51	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.579	1023.28	1068.416	5.403	-91.917	-89.26	0.0
52	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.401	1023.28	1068.08	5.49	-91.917	-89.26	0.0
53	6335	6336	SN	2	48.75	49.259	0.0	0.003	6.028	2.343	1022.952	1068.272	6.615	-91.787	-89.272	0.0
54	6335	6336	NS	1	48.898	49.373	0.0	0.003	5.978	2.462	1054.28	1072.072	0.0	-92.112	-89.399	0.0
55	6335	6336	NS	1	48.908	49.396	0.0	0.003	5.978	2.459	1054.416	1072.048	0.0	-91.976	-89.399	0.0
56	6335	6336	SN	1	48.75	49.259	0.0	0.003	6.028	2.343	1022.952	1068.272	6.615	-91.787	-89.272	0.0
57	6335	6336	SN	1	48.75	49.259	0.0	0.003	6.028	2.505	1022.952	1068.4	6.527	-91.787	-89.272	0.0
58	6336	6337	SN	2	48.757	49.251	0.0	0.003	6.022	2.54	1022.856	1068.456	7.463	-91.822	-89.27	0.0
59	6336	6337	SN	1	48.757	49.251	0.0	0.003	6.022	2.54	1022.856	1068.456	7.463	-91.822	-89.27	0.0
60	6336	6337	NS	1	48.926	49.405	0.0	0.003	5.978	2.495	1054.48	1072.04	0.0	-92.449	-89.432	0.0
61	6336	6337	SN	1	48.757	49.251	0.0	0.003	6.022	2.295	1022.856	1068.128	7.591	-91.822	-89.27	0.0
62	6336	6337	NS	1	48.926	49.405	0.0	0.003	5.978	2.493	1054.48	1072.04	0.0	-92.449	-89.432	0.0
63	6337	6338	NS	1	48.892	49.391	0.0	0.003	51.634	2.572	1055.104	1072.112	0.0	-92.172	-89.403	0.0
64	6337	6338	SN	2	48.749	49.287	0.0	0.003	6.033	2.514	1023.648	1068.568	7.292	-91.855	-89.27	0.0
65	6337	6338	SN	1	48.749	49.269	0.0	0.003	6.033	2.512	1023.656	1068.568	7.28	-91.808	-89.27	0.0
66	6337	6338	NS	1	48.892	49.391	0.0	0.003	51.634	2.574	1055.104	1072.112	0.0	-92.172	-89.403	0.0
67	6338	6339	NS	2	48.896	49.39	0.0	0.003	5.978	2.593	1054.432	1072.392	0.0	-92.168	-89.426	0.0
68	6338	6339	NS	1	48.895	49.399	0.0	0.003	5.978	2.594	1054.368	1072.544	0.0	-92.205	-89.426	0.0
69	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	2.537	1023.344	1068.68	6.877	-92.228	-89.27	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

70	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	2.534	1023.344	1068.68	6.87	-92.228	-89.27	0.0
71	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	1.951	1023.344	1067.8	7.141	-92.228	-89.27	0.0
72	6339	6340	NS	1	48.896	49.375	0.0	0.003	5.989	2.535	1054.168	1072.064	0.0	-92.181	-89.429	0.0
73	6339	6340	NS	2	48.896	49.375	0.0	0.003	5.989	2.534	1054.168	1072.064	0.0	-92.181	-89.429	0.0
74	6339	6340	SN	1	48.744	49.286	0.0	0.003	6.017	1.746	1023.232	1067.696	5.675	-91.788	-89.271	0.0
75	6339	6340	SN	1	48.741	49.252	0.0	0.003	6.017	2.621	1023.272	1068.68	5.34	-91.853	-89.27	0.0
76	6339	6340	SN	1	48.744	49.286	0.0	0.003	6.017	2.621	1023.232	1068.68	5.363	-91.788	-89.271	0.0
77	6340	6341	NS	1	48.9	49.417	0.0	0.008	5.984	2.534	1054.088	1071.984	0.0	-92.043	-89.426	0.0
78	6340	6341	SN	1	48.782	49.3	0.0	0.003	5.989	1.722	1023.52	1067.72	3.14	-91.983	-89.266	0.0
79	6340	6341	SN	1	48.782	49.3	0.0	0.003	5.989	2.657	1023.52	1068.776	2.962	-91.983	-89.266	0.0
80	6341	6342	SN	1	48.765	49.251	0.0	0.003	6.028	2.546	1023.784	1069.048	1.905	-91.716	-89.251	0.0
81	6341	6342	NS	2	48.887	49.374	0.0	0.003	5.995	2.611	1054.616	1072.024	0.0	-92.179	-89.38	0.0
82	6341	6342	SN	2	48.765	49.251	0.0	0.003	6.028	2.546	1023.784	1069.048	1.905	-91.716	-89.251	0.0
83	6341	6342	NS	1	48.887	49.374	0.0	0.003	5.995	2.611	1054.616	1072.024	0.0	-92.179	-89.38	0.0
84	6342	6343	NS	1	48.891	49.399	0.0	0.003	5.973	2.617	1053.832	1072.24	0.0	-92.124	-89.416	0.0
85	6342	6343	NS	1	48.891	49.399	0.0	0.003	5.973	2.62	1053.832	1072.24	0.0	-92.124	-89.416	0.0
86	6342	6343	SN	1	48.759	49.262	0.0	0.003	6.006	2.527	1023.68	1069.168	2.915	-91.908	-89.278	0.0
87	6343	6344	NS	1	48.911	49.376	0.0	0.003	5.984	2.595	1053.904	1072.336	0.0	-92.452	-89.427	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6319	6320	NS	1	-34.875	25.487	0.159	-33.859	26.38	0.022	7.895	29.867	8.582	7.387	31.57	27.468	0.103	259.568	2.799	0.103	205.413	2.217	0.102	0.114	0.0	0.102	0.115	0.0
2	6319	6320	SN	1	-28.856	23.869	0.767	-34.372	25.281	2.268	0.201	34.32	7.688	0.944	29.93	17.838	0.103	64.961	1.063	0.103	231.209	0.905	0.102	0.173	0.0	0.102	0.161	0.0
3	6319	6320	SN	2	-28.856	23.869	0.767	-34.372	25.281	2.268	0.201	34.32	7.688	0.944	29.93	17.838	0.103	64.961	1.063	0.103	231.209	0.905	0.102	0.173	0.0	0.102	0.161	0.0
4	6319	6320	SN	1	-28.856	23.869	0.341	-34.372	25.281	2.398	0.201	34.32	7.688	0.944	29.93	17.838	0.103	64.961	1.128	0.103	231.209	0.958	0.102	0.173	0.0	0.102	0.161	0.0
5	6319	6320	NS	1	-34.875	25.487	0.159	-33.859	26.38	0.022	7.895	29.867	8.568	7.387	31.57	27.456	0.103	259.568	2.794	0.103	205.413	2.209	0.102	0.114	0.0	0.102	0.115	0.0
6	6320	6321	SN	1	-34.936	23.318	0.193	-34.408	24.955	0.764	3.139	28.764	7.205	5.983	30.413	5.407	0.103	263.219	3.332	0.103	233.108	2.639	0.102	0.137	0.0	0.102	0.12	0.0
7	6320	6321	SN	1	-34.936	23.318	0.198	-34.408	24.955	0.717	3.139	28.764	7.205	5.983	30.413	5.407	0.103	263.219	3.41	0.103	233.108	2.697	0.102	0.137	0.0	0.102	0.12	0.0
8	6320	6321	SN	1	-34.936	23.318	0.198	-34.408	24.955	0.718	3.139	28.764	7.205	5.983	30.413	5.407	0.103	263.219	3.405	0.103	233.108	2.693	0.102	0.137	0.0	0.102	0.12	0.0
9	6320	6321	NS	1	-34.916	25.803	0.023	-34.908	26.929	0.101	-4.005	32.0	4.837	-2.722	29.992	19.197	0.103	261.97	1.245	0.103	261.496	1.192	0.102	0.299	0.0	0.102	0.246	0.0
10	6320	6321	NS	1	-34.916	25.803	0.023	-34.908	26.929	0.101	-4.005	32.0	4.837	-2.722	29.992	19.197	0.103	261.97	1.243	0.103	261.496	1.198	0.102	0.299	0.0	0.102	0.246	0.0
11	6321	6322	SN	1	-34.083	21.49	0.0	-34.782	23.836	0.067	4.459	26.643	11.058	4.582	27.93	8.153	0.103	216.272	1.975	0.103	254.078	1.429	0.103	0.128	0.0	0.103	0.127	0.0
12	6321	6322	SN	1	-34.083	21.381	0.0	-34.782	23.836	0.067	4.459	26.643	11.06	4.582	27.93	8.168	0.103	216.272	2.011	0.103	254.078	1.452	0.103	0.128	0.0	0.103	0.127	0.0
13	6321	6322	SN	2	-34.083	21.49	0.0	-34.782	23.836	0.067	4.459	26.643	11.058	4.582	27.93	8.153	0.103	216.272	1.975	0.103	254.078	1.429	0.103	0.128	0.0	0.103	0.127	0.0
14	6321	6322	NS	1	-33.975	22.201	0.002	-34.433	23.855	0.163	-1.339	28.063	6.532	-8.106	29.624	17.235	0.103	210.981	2.268	0.103	234.413	2.567	0.103	0.205	0.0	0.102	0.629	0.0
15	6321	6322	NS	1	-33.975	22.201	0.002	-34.433	23.855	0.163	-1.339	28.063	6.532	-8.106	29.624	17.235	0.103	210.981	2.27	0.103	234.413	2.557	0.103	0.205	0.0	0.102	0.629	0.0
16	6322	6323	SN	1	-34.682	21.035	0.0	-34.208	24.296	0.059	5.678	26.698	10.222	5.031	27.576	8.311	0.103	248.289	1.188	0.103	222.663	0.891	0.103	0.121	0.0	0.103	0.124	0.0
17	6322	6323	NS	1	-34.598	22.147	0.002	-34.869	22.008	0.004	-8.092	28.137	3.95	-7.828	30.28	10.748	0.103	243.522	1.923	0.103	259.204	1.263	0.103	0.628	0.0	0.102	0.596	0.0
18	6322	6323	NS	2	-34.485	22.147	0.002	-32.969	22.008	0.004	-8.092	28.137	3.95	-7.828	30.28	10.748	0.103	237.246	1.921	0.103	167.416	1.262	0.103	0.628	0.0	0.102	0.596	0.0
19	6322	6323	SN	1	-34.682	20.419	0.0	-34.208	24.296	0.059	5.678	26.698	10.23	5.031	27.576	8.435	0.103	248.289	1.217	0.103	222.663	0.908	0.103	0.121	0.0	0.103	0.124	0.0
20	6322	6323	SN	1	-34.329	21.035	0.0	-34.937	24.296	0.059	5.678	26.698	10.217	5.031	27.576	8.311	0.103	228.894	1.189	0.103	263.323	0.891	0.103	0.121	0.0	0.103	0.124	0.0
21	6323	6324	SN	1	-34.882	22.605	0.001	-34.161	24.345	0.064	5.472	27.699	14.794	8.509	29.113	22.241	0.103	259.925	3.122	0.103	220.195	2.415	0.103	0.122	0.0	0.102	0.112	0.0
22	6323	6324	NS	1	-32.723	21.787	0.0	-34.464	22.678	0.017	-6.819	26.93	3.011	-3.917	28.737	12.511	0.103	158.164	1.58	0.103	236.104	1.216	0.103	0.49	0.0	0.102	0.295	0.0
23	6323	6324	NS	2	-32.781	21.787	0.0	-34.54	22.678	0.017	-6.82	26.93	3.01	-3.918	28.737	12.511	0.103	160.278	1.583	0.103	240.232	1.216	0.103	0.49	0.0	0.102	0.295	0.0
24	6323	6324	SN	1	-34.882	22.605	0.001	-34.161	24.345	0.063	5.472	27.699	14.794	8.509	29.113	22.241	0.103	259.925	3.131	0.103	220.195	2.413	0.103	0.122	0.0	0.102	0.112	0.0
25	6324	6325	SN	1	-34.922	22.31	0.001	-34.671	23.765	0.066	5.118	27.093	12.671	7.613	29.474	19.022	0.103	262.32	4.849	0.103	247.626	3.968	0.103	0.124	0.0	0.102	0.114	0.0
26	6324	6325	NS	1	-34.854	23.083	0.058	-34.338	24.878	0.814	-10.767	29.194	4.334	-10.0	30.19	12.131	0.103	258.236	2.268	0.103	229.366	2.05	0.102	1.09	0.002	0.102	0.927	0.0
27	6324	6325	SN	1	-34.922	22.31	0.001	-34.671	23.765	0.065	5.118	27.093	12.671	7.613	29.474	19.022	0.103	262.32	4.846	0.103	247.626	3.963	0.103	0.124	0.0	0.102	0.114	0.0
28	6324	6325	NS	2	-34.888	23.083	0.058	-32.943	24.878	0.814	-10.765	29.192	4.334	-9.998	30.19	12.131	0.103	260.275	2.268	0.103	166.396	2.05	0.102	1.089	0.002	0.102	0.926	0.0
29	6324	6325	SN	1	-34.922	22.31	0.001	-34.671	23.765	0.067	5.118	27.093	13.512	7.613	29.474	19.205	0.103	262.32	5.049	0.103	247.626	4.193	0.103	0.124	0.0	0.102	0.114	0.0
30	6325	6326	SN	1	-33.483	20.845	0.0	-34.147	21.22	0.0	-2.442	30.373	8.777	-1.301	34.133	14.118	0.103	188.362	3.315	0.103	219.457	2.1	0.102	0.237	0.0	0.102	0.204	0.0
31	6325	6326	NS	1	-34.604	22.659	0.004	-33.234	23.397	0.018	4.364	27.305	10.096	5.721	29.492	21.843	0.103	243.854	0.441	0.103	177.869	0.394	0.103	0.128	0.0	0.102	0.121	0.0
32	6325	6326	NS	2	-34.657	22.661	0.004	-31.938	23.397	0.018	4.364	27.305	10.097	5.72	29.491	21.843	0.103	246.879	0.443	0.103	132.014	0.394	0.103	0.128	0.0	0.102	0.121	0.0
33	6325	6326	SN	1	-33.483	21.027	0.0	-34.147	22.798	0.008	-2.442	30.373	8.393	-1.301	34.133	14.142	0.103	188.362	3.09	0.103	219.457	1.867	0.102	0.237	0.0	0.102	0.204	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	6325	6326	SN	1	-34.841	21.029	0.0	-34.294	22.798	0.008	-2.442	30.374	8.381	-1.299	34.132	14.22	0.103	257.5	3.087	0.103	227.026	1.867	0.102	0.237	0.0	0.102	0.204	0.0
35	6326	6327	SN	1	-34.755	21.55	0.0	-34.258	24.248	0.31	-5.394	28.595	10.422	-1.066	31.938	16.967	0.103	252.413	2.979	0.103	225.157	1.856	0.102	0.378	0.0	0.102	0.198	0.0
36	6326	6327	SN	1	-34.755	20.295	0.0	-34.258	24.248	0.014	-5.394	28.595	11.124	-1.066	31.938	17.03	0.103	252.413	3.284	0.103	225.157	2.192	0.102	0.378	0.0	0.102	0.198	0.0
37	6326	6327	NS	2	-34.424	22.665	0.01	-34.154	23.236	0.162	-9.178	27.667	10.688	-3.988	30.238	24.712	0.103	233.948	0.99	0.103	219.898	0.916	0.103	0.782	0.0	0.102	0.298	0.0
38	6326	6327	NS	1	-32.47	22.664	0.01	-33.195	23.235	0.161	-9.183	27.665	10.688	-3.98	30.238	24.709	0.103	149.221	0.987	0.103	176.305	0.913	0.103	0.782	0.0	0.102	0.298	0.0
39	6326	6327	SN	1	-34.755	21.55	0.0	-34.258	24.248	0.309	-5.394	28.595	10.51	-1.066	31.938	17.055	0.103	252.413	2.977	0.103	225.157	1.855	0.102	0.378	0.0	0.102	0.198	0.0
40	6327	6328	NS	1	-34.79	23.445	0.09	-34.62	23.884	0.281	2.98	27.605	16.578	3.89	31.265	34.546	0.103	254.56	0.918	0.103	244.734	0.631	0.103	0.138	0.0	0.102	0.131	0.0
41	6327	6328	SN	1	-34.544	23.32	0.003	-34.94	24.39	0.572	-15.323	28.184	14.532	0.195	30.838	17.06	0.103	240.529	1.996	0.103	263.473	1.354	0.103	2.957	0.005	0.102	0.173	0.0
42	6328	6329	SN	1	-32.937	25.209	0.012	-34.385	27.28	0.801	-17.806	28.991	14.841	-10.504	29.936	18.981	0.103	166.112	1.531	0.103	231.877	0.807	0.102	5.175	0.009	0.102	1.03	0.002
43	6328	6329	NS	1	-34.773	23.19	0.16	-34.069	24.079	0.303	4.867	29.514	10.944	7.144	32.52	21.405	0.103	253.534	2.428	0.103	215.604	2.297	0.102	0.125	0.0	0.102	0.116	0.0
44	6328	6329	NS	1	-34.773	23.19	0.16	-34.069	24.079	0.303	4.867	29.514	10.906	7.144	32.52	21.337	0.103	253.534	2.428	0.103	215.604	2.297	0.102	0.125	0.0	0.102	0.116	0.0
45	6329	6330	NS	1	-34.778	23.985	0.585	-34.162	24.822	1.135	4.463	27.965	16.454	4.021	31.377	26.031	0.103	253.842	1.928	0.103	220.275	1.739	0.103	0.128	0.0	0.102	0.13	0.0
46	6333	6334	SN	1	-30.977	23.564	0.794	-31.837	25.192	2.834	-11.941	27.8	6.94	-10.153	30.105	18.497	0.103	105.809	0.191	0.103	128.974	0.237	0.103	1.402	0.002	0.102	0.957	0.0
47	6333	6334	SN	2	-30.977	23.564	0.794	-31.837	25.192	2.834	-11.941	27.8	6.94	-10.153	30.105	18.497	0.103	105.809	0.191	0.103	128.974	0.237	0.103	1.402	0.002	0.102	0.957	0.0
48	6333	6334	SN	1	-30.977	23.368	0.224	-31.837	25.192	2.59	-11.941	27.8	6.836	-10.153	30.105	18.495	0.103	105.809	0.201	0.103	128.974	0.263	0.103	1.402	0.002	0.102	0.957	0.0
49	6334	6335	NS	1	-34.226	25.308	0.056	-34.792	27.184	0.085	2.816	32.911	5.518	2.395	34.924	22.006	0.103	223.49	3.517	0.103	254.604	3.377	0.102	0.14	0.0	0.102	0.144	0.0
50	6334	6335	SN	1	-34.837	23.672	0.469	-33.098	24.908	1.392	2.841	30.637	7.947	5.419	30.134	7.971	0.103	257.223	2.298	0.103	172.422	1.519	0.102	0.14	0.0	0.102	0.122	0.0
51	6334	6335	SN	1	-34.837	23.672	0.469	-33.098	24.908	1.392	2.841	30.637	7.877	5.419	30.134	7.887	0.103	257.223	2.298	0.103	172.422	1.519	0.102	0.14	0.0	0.102	0.122	0.0
52	6334	6335	SN	1	-34.837	23.674	0.484	-33.098	24.908	1.406	2.841	30.637	7.877	5.419	30.134	7.887	0.103	257.223	2.362	0.103	172.422	1.558	0.102	0.14	0.0	0.102	0.122	0.0
53	6335	6336	SN	2	-34.849	23.36	0.056	-34.902	23.754	0.207	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.467	0.103	261.113	2.246	0.103	0.123	0.0	0.102	0.118	0.0
54	6335	6336	NS	1	-33.904	22.337	0.023	-34.86	23.592	0.138	-1.892	29.256	6.572	-6.957	29.576	17.17	0.103	207.562	1.413	0.103	258.618	1.749	0.102	0.22	0.0	0.102	0.503	0.0
55	6335	6336	NS	1	-33.079	22.337	0.023	-34.708	23.592	0.137	-1.89	29.256	6.569	-6.954	29.579	17.191	0.103	171.666	1.413	0.103	249.749	1.745	0.102	0.22	0.0	0.102	0.503	0.0
56	6335	6336	SN	1	-34.849	23.36	0.056	-34.902	23.754	0.207	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.467	0.103	261.113	2.246	0.103	0.123	0.0	0.102	0.118	0.0
57	6335	6336	SN	1	-34.849	23.36	0.055	-34.902	23.754	0.228	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.403	0.103	261.113	2.211	0.103	0.123	0.0	0.102	0.118	0.0
58	6336	6337	SN	2	-34.495	21.538	0.0	-33.966	23.553	0.069	6.461	26.584	10.326	7.024	28.303	7.248	0.103	237.819	1.539	0.103	210.506	1.067	0.103	0.118	0.0	0.103	0.116	0.0
59	6336	6337	SN	1	-34.495	21.538	0.0	-33.966	23.553	0.069	6.461	26.584	10.326	7.024	28.303	7.248	0.103	237.819	1.539	0.103	210.506	1.067	0.103	0.118	0.0	0.103	0.116	0.0
60	6336	6337	NS	1	-32.258	21.858	0.0	-32.312	23.861	0.136	-4.902	27.856	6.098	-5.592	29.229	16.092	0.103	142.094	0.746	0.103	143.901	0.602	0.103	0.347	0.0	0.102	0.391	0.0
61	6336	6337	SN	1	-34.495	21.48	0.0	-33.966	23.553	0.069	6.461	26.584	10.343	7.024	28.303	7.208	0.103	237.819	1.57	0.103	210.506	1.087	0.103	0.118	0.0	0.103	0.116	0.0
62	6336	6337	NS	1	-32.258	21.858	0.0	-32.312	23.861	0.136	-4.902	27.856	6.106	-5.592	29.229	16.092	0.103	142.094	0.745	0.103	143.901	0.601	0.103	0.347	0.0	0.102	0.391	0.0
63	6337	6338	NS	1	-34.929	21.805	0.0	-31.359	21.717	0.0	-27.94	27.13	2.949	-15.983	32.644	10.186	0.103	262.817	1.086	0.103	115.54	1.121	0.103	52.634	0.001	0.102	3.429	0.005
64	6337	6338	SN	2	-33.54	21.53	0.0	-34.56	23.787	0.066	5.798	28.399	15.155	7.294	28.558	19.985	0.103	190.889	0.86	0.103	241.335	0.702	0.103	0.121	0.0	0.102	0.115	0.0
65	6337	6338	SN	1	-33.641	21.53	0.0	-33.286	23.787	0.066	5.798	28.397	15.16	7.294	28.558	19.983	0.103	195.378	0.859	0.103	180.054	0.701	0.103	0.121	0.0	0.102	0.115	0.0
66	6337	6338	NS	1	-34.929	21.805	0.0	-31.359	21.717	0.0	-27.94	27.13	2.954	-15.983	32.644	10.199	0.103	262.817	1.086	0.103	115.54	1.121	0.103	52.634	0.001	0.102	3.429	0.005
67	6338	6339	NS	2	-34.097	24.123	0.233	-33.997	24.76	0.736	-6.557	26.997	3.574	-13.211	28.805	10.983	0.103	217.021	1.602	0.103	212.032	1.329	0.103	0.467	0.0	0.102	1.85	0.004
68	6338	6339	NS	1	-33.593	24.126	0.233	-33.132	24.76	0.736	-6.556	26.998	3.574	-13.196	28.805	10.988	0.103	193.197	1.602	0.103	173.779	1.33	0.103	0.467	0.0	0.102	1.844	0.004
69	6338	6339	SN	1	-34.818	22.192	0.001	-34.685	25.277	0.061	5.398	27.472	14.451	8.012	29.257	22.141	0.103	256.182	4.698	0.103	248.445	3.513	0.103	0.122	0.0	0.102	0.113	0.0
70	6338	6339	SN	1	-34.818	22.192	0.001	-34.685	25.277	0.061	5.398	27.472	14.451	8.012	29.257	22.141	0.103	256.182	4.692	0.103	248.445	3.509	0.103	0.122	0.0	0.102	0.113	0.0
71	6338	6339	SN	1	-34.818	21.372	0.0	-34.685	25.277	0.063	5.398	27.472	15.105	8.012	29.257	22.574	0.103	256.182	4.858	0.103	248.445	3.666	0.103	0.122	0.0	0.102	0.113	0.0
72	6339	6340	NS	1	-34.688	23.965	0.233	-34.308	25.653	0.732	-9.472	28.666	7.765	-9.336	30.784	15.579	0.103	248.592	2.581	0.103	227.781	2.155	0.102	0.83	0.0	0.102	0.807	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	6339	6340	NS	2	-34.688	23.965	0.233	-34.308	25.653	0.732	-9.472	28.666	7.765	-9.336	30.784	15.579	0.103	248.592	2.581	0.103	227.781	2.154	0.102	0.83	0.0	0.102	0.807	0.0
74	6339	6340	SN	1	-34.875	19.109	0.0	-34.762	23.227	0.024	5.873	27.235	9.484	8.393	29.539	17.377	0.103	259.523	4.794	0.103	252.934	3.705	0.103	0.12	0.0	0.102	0.112	0.0
75	6339	6340	SN	1	-34.761	23.007	0.016	-34.846	23.228	0.061	5.871	27.231	8.97	8.393	29.539	17.356	0.103	252.814	4.544	0.103	257.806	3.43	0.103	0.12	0.0	0.102	0.112	0.0
76	6339	6340	SN	1	-34.875	23.007	0.016	-34.762	23.227	0.061	5.873	27.235	8.974	8.393	29.539	17.343	0.103	259.523	4.551	0.103	252.934	3.429	0.103	0.12	0.0	0.102	0.112	0.0
77	6340	6341	NS	1	-34.892	22.368	0.005	-30.633	23.536	0.052	5.3	30.809	7.473	7.188	29.09	16.229	0.103	260.534	0.868	0.103	97.781	0.669	0.102	0.123	0.0	0.102	0.116	0.0
78	6340	6341	SN	1	-34.705	20.712	0.0	-33.534	22.096	0.003	-1.014	32.509	10.028	1.215	33.479	13.914	0.103	249.604	4.849	0.103	190.624	3.611	0.102	0.197	0.0	0.102	0.157	0.0
79	6340	6341	SN	1	-34.705	20.712	0.0	-33.534	23.374	0.13	-1.014	32.509	9.786	1.215	33.479	13.923	0.103	249.604	4.469	0.103	190.624	3.193	0.102	0.197	0.0	0.102	0.157	0.0
80	6341	6342	SN	1	-34.897	20.462	0.0	-34.27	23.784	0.403	-8.918	30.521	13.379	-5.747	30.385	19.759	0.103	260.834	4.192	0.103	225.79	3.091	0.102	0.741	0.0	0.102	0.402	0.0
81	6341	6342	NS	2	-34.527	22.993	0.078	-33.686	23.77	0.21	1.258	27.953	11.504	1.32	29.706	34.303	0.103	239.564	1.114	0.103	197.373	0.741	0.103	0.157	0.0	0.102	0.156	0.0
82	6341	6342	SN	2	-34.897	20.462	0.0	-34.27	23.784	0.403	-8.918	30.521	13.379	-5.747	30.385	19.759	0.103	260.834	4.192	0.103	225.79	3.091	0.102	0.741	0.0	0.102	0.402	0.0
83	6341	6342	NS	1	-34.527	22.993	0.078	-33.686	23.77	0.21	1.258	27.953	11.504	1.32	29.706	34.303	0.103	239.564	1.114	0.103	197.373	0.741	0.103	0.157	0.0	0.102	0.156	0.0
84	6342	6343	NS	1	-34.951	22.938	0.077	-34.857	24.443	0.246	-0.682	28.57	10.886	-1.95	29.78	24.883	0.103	264.132	3.017	0.103	258.417	2.591	0.102	0.19	0.0	0.102	0.222	0.0
85	6342	6343	NS	1	-34.951	22.938	0.077	-34.857	24.443	0.246	-0.682	28.57	10.886	-1.95	29.78	24.883	0.103	264.132	3.021	0.103	258.417	2.595	0.102	0.19	0.0	0.102	0.222	0.0
86	6342	6343	SN	1	-34.643	26.151	0.072	-34.963	26.929	0.749	-2.292	27.981	13.792	-2.396	31.889	16.301	0.103	246.068	4.222	0.103	264.842	2.274	0.103	0.232	0.0	0.102	0.236	0.0
87	6343	6344	NS	1	-34.7	24.42	0.415	-34.985	24.454	0.685	5.074	27.829	13.729	5.607	30.844	22.539	0.103	249.314	1.076	0.103	266.225	0.72	0.103	0.124	0.0	0.102	0.122	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6319	6320	NS	1	57.771	58.263	0.0	0.0	293.205	3.748	1238.12	1261.84	0.0	-93.603	-91.824	0.0
2	6319	6320	SN	1	57.563	58.107	0.0	0.0	293.646	4.028	1199.896	1256.328	31.097	-93.41	-91.689	0.0
3	6319	6320	SN	2	57.563	58.107	0.0	0.0	293.646	4.028	1199.896	1256.328	31.097	-93.41	-91.689	0.0
4	6319	6320	SN	1	57.563	58.107	0.0	0.0	290.9	3.576	1199.896	1256.328	31.847	-93.41	-91.689	0.0
5	6319	6320	NS	1	57.771	58.263	0.0	0.0	293.205	3.752	1238.12	1261.84	0.0	-93.603	-91.824	0.0
6	6320	6321	SN	1	57.554	58.106	0.0	0.0	297.832	3.775	1198.984	1256.448	31.367	-93.522	-91.735	0.0
7	6320	6321	SN	1	57.554	58.106	0.0	0.0	297.832	3.371	1198.984	1256.448	31.804	-93.522	-91.735	0.0
8	6320	6321	SN	1	57.554	58.106	0.0	0.0	297.832	3.372	1198.984	1256.448	31.771	-93.522	-91.735	0.0
9	6320	6321	NS	1	57.77	58.284	0.0	0.0	297.088	3.477	1238.824	1262.152	0.0	-93.64	-91.816	0.0
10	6320	6321	NS	1	57.77	58.284	0.0	0.0	297.088	3.473	1238.824	1262.152	0.0	-93.64	-91.816	0.0
11	6321	6322	SN	1	57.547	58.132	0.0	0.0	296.58	3.691	1199.104	1256.544	31.832	-93.311	-91.733	0.0
12	6321	6322	SN	1	57.547	58.132	0.0	0.0	296.58	3.296	1199.104	1256.544	32.295	-93.311	-91.733	0.0
13	6321	6322	SN	2	57.547	58.132	0.0	0.0	296.58	3.69	1199.104	1256.544	31.832	-93.311	-91.733	0.0
14	6321	6322	NS	1	57.776	58.287	0.0	0.0	295.532	3.469	1238.52	1262.216	0.0	-93.791	-91.821	0.0
15	6321	6322	NS	1	57.776	58.287	0.0	0.0	295.532	3.472	1238.52	1262.216	0.0	-93.791	-91.821	0.0
16	6322	6323	SN	1	57.568	58.111	0.0	0.0	293.916	3.691	1199.528	1256.312	31.574	-93.426	-91.732	0.0
17	6322	6323	NS	1	57.769	58.268	0.0	0.0	299.806	3.609	1238.92	1262.056	0.0	-93.762	-91.825	0.0
18	6322	6323	NS	2	57.769	58.268	0.0	0.003	299.911	3.609	1238.712	1262.056	0.0	-93.762	-91.825	0.0
19	6322	6323	SN	1	57.568	58.111	0.0	0.003	293.773	3.257	1199.528	1256.312	32.17	-93.426	-91.732	0.0
20	6322	6323	SN	1	57.564	58.11	0.0	0.0	294.016	3.687	1199.224	1256.312	31.578	-93.383	-91.732	0.0
21	6323	6324	SN	1	57.545	58.12	0.0	0.0	292.29	3.666	1199.688	1256.12	31.559	-93.265	-91.732	0.0
22	6323	6324	NS	1	57.77	58.262	0.0	0.0	299.067	3.71	1239.312	1262.128	0.0	-93.67	-91.834	0.0
23	6323	6324	NS	2	57.77	58.263	0.0	0.0	299.161	3.709	1239.32	1261.872	0.0	-93.67	-91.834	0.0
24	6323	6324	SN	1	57.545	58.12	0.0	0.0	292.29	3.663	1199.688	1256.12	31.559	-93.265	-91.732	0.0
25	6324	6325	SN	1	57.546	58.104	0.0	0.0	291.815	3.752	1199.296	1255.888	31.708	-93.39	-91.732	0.0
26	6324	6325	NS	1	57.763	58.277	0.0	0.003	297.148	3.697	1238.712	1261.576	0.0	-93.705	-91.839	0.0
27	6324	6325	SN	1	57.546	58.104	0.0	0.0	291.815	3.747	1199.296	1255.888	31.708	-93.39	-91.732	0.0
28	6324	6325	NS	2	57.761	58.281	0.0	0.0	297.236	3.699	1238.408	1261.6	0.0	-93.636	-91.839	0.0
29	6324	6325	SN	1	57.546	58.104	0.0	0.0	291.815	3.02	1199.296	1255.888	33.188	-93.39	-91.732	0.0
30	6325	6326	SN	1	57.561	58.117	0.0	0.0	293.012	2.765	1199.48	1255.864	31.183	-93.438	-91.695	0.0
31	6325	6326	NS	1	57.769	58.276	0.0	0.0	297.733	3.604	1238.432	1261.456	0.0	-93.719	-91.841	0.0
32	6325	6326	NS	2	57.76	58.274	0.0	0.0	297.639	3.6	1238.344	1261.424	0.0	-93.919	-91.841	0.0
33	6325	6326	SN	1	57.561	58.117	0.0	0.0	296.58	3.836	1199.48	1255.864	29.126	-93.438	-91.695	0.0
34	6325	6326	SN	1	57.56	58.105	0.0	0.0	296.652	3.835	1199.472	1255.856	29.115	-93.345	-91.695	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors





35	6326	6327	SN	1	57.55	58.116	0.0	0.0	293.508	3.746	1199.952	1255.848	27.458	-93.331	-91.731	0.0
36	6326	6327	SN	1	57.55	58.116	0.0	0.0	292.295	2.324	1199.952	1255.848	29.963	-93.315	-91.731	0.0
37	6326	6327	NS	2	57.78	58.29	0.0	0.0	299.889	3.689	1238.144	1261.456	0.0	-94.109	-91.835	0.0
38	6326	6327	NS	1	57.78	58.282	0.0	0.0	299.812	3.687	1238.168	1261.416	0.0	-94.109	-91.835	0.0
39	6326	6327	SN	1	57.55	58.116	0.0	0.0	293.508	3.758	1199.952	1255.848	27.431	-93.331	-91.731	0.0
40	6327	6328	NS	1	57.77	58.28	0.0	0.0	293.431	3.801	1238.456	1261.624	0.0	-94.26	-91.823	0.0
41	6327	6328	SN	1	57.555	58.124	0.0	0.0	298.913	3.702	1199.768	1255.824	29.374	-93.371	-91.74	0.0
42	6328	6329	SN	1	57.552	58.125	0.0	0.003	295.896	3.77	1199.872	1255.784	30.373	-93.422	-91.739	0.0
43	6328	6329	NS	1	57.768	58.283	0.0	0.0	295.703	3.675	1238.072	1261.144	0.0	-93.645	-91.832	0.0
44	6328	6329	NS	1	57.768	58.283	0.0	0.0	295.703	3.671	1238.072	1261.144	0.0	-93.645	-91.832	0.0
45	6329	6330	NS	1	57.769	58.262	0.0	0.0	298.312	3.466	1238.0	1261.08	0.0	-93.66	-91.839	0.0
46	6333	6334	SN	1	57.556	58.105	0.0	0.0	294.876	3.99	1200.696	1255.92	30.961	-93.336	-91.727	0.0
47	6333	6334	SN	2	57.556	58.105	0.0	0.0	294.876	3.99	1200.696	1255.92	30.959	-93.336	-91.727	0.0
48	6333	6334	SN	1	57.556	58.105	0.0	0.0	293.304	3.244	1200.696	1255.456	32.208	-93.336	-91.727	0.0
49	6334	6335	NS	1	57.764	58.261	0.0	0.0	299.646	3.589	1237.776	1260.728	0.0	-93.634	-91.824	0.0
50	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.795	1200.304	1255.976	29.368	-93.287	-91.74	0.0
51	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.794	1200.304	1255.96	29.397	-93.287	-91.74	0.0
52	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.388	1200.304	1255.264	29.87	-93.287	-91.74	0.0
53	6335	6336	SN	2	57.553	58.103	0.0	0.0	296.464	3.28	1199.592	1255.52	30.293	-93.298	-91.739	0.0
54	6335	6336	NS	1	57.763	58.281	0.0	0.0	293.96	3.463	1237.984	1260.992	0.0	-93.677	-91.793	0.0
55	6335	6336	NS	1	57.761	58.275	0.0	0.003	293.74	3.459	1237.984	1260.952	0.0	-93.606	-91.793	0.0
56	6335	6336	SN	1	57.553	58.103	0.0	0.0	296.464	3.28	1199.592	1255.52	30.293	-93.298	-91.739	0.0
57	6335	6336	SN	1	57.553	58.103	0.0	0.0	296.464	3.685	1199.592	1255.936	29.896	-93.298	-91.739	0.0
58	6336	6337	SN	2	57.553	58.127	0.0	0.0	293.872	3.693	1199.584	1256.016	30.449	-93.407	-91.737	0.0
59	6336	6337	SN	1	57.553	58.127	0.0	0.0	293.872	3.693	1199.584	1256.016	30.449	-93.407	-91.737	0.0
60	6336	6337	NS	1	57.782	58.262	0.0	0.0	296.657	3.558	1238.096	1260.912	0.0	-93.797	-91.84	0.0
61	6336	6337	SN	1	57.553	58.127	0.0	0.0	293.872	3.269	1199.584	1255.328	30.947	-93.407	-91.737	0.0
62	6336	6337	NS	1	57.782	58.262	0.0	0.0	296.657	3.555	1238.096	1260.912	0.0	-93.797	-91.84	0.0
63	6337	6338	NS	1	57.775	58.272	0.0	0.003	297.849	3.637	1238.872	1261.224	0.0	-93.656	-91.8	0.0
64	6337	6338	SN	2	57.557	58.104	0.0	0.0	290.883	3.73	1200.376	1256.144	30.667	-93.323	-91.737	0.0
65	6337	6338	SN	1	57.552	58.118	0.0	0.0	290.872	3.732	1200.384	1256.144	30.658	-93.323	-91.737	0.0
66	6337	6338	NS	1	57.775	58.272	0.0	0.003	297.849	3.64	1238.872	1261.224	0.0	-93.656	-91.8	0.0
67	6338	6339	NS	2	57.767	58.263	0.0	0.003	299.183	3.685	1238.608	1261.8	0.0	-93.677	-91.831	0.0
68	6338	6339	NS	1	57.754	58.263	0.0	0.003	299.26	3.682	1238.448	1261.616	0.0	-93.634	-91.831	0.0
69	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.691	1200.176	1256.288	29.812	-93.447	-91.738	0.0
70	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.687	1200.176	1256.288	29.884	-93.447	-91.738	0.0
71	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.064	1200.176	1254.936	30.942	-93.447	-91.738	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	6339	6340	NS	1	57.728	58.27	0.0	0.0	295.008	3.646	1237.76	1261.752	0.0	-93.604	-91.837	0.0
73	6339	6340	NS	2	57.728	58.27	0.0	0.0	295.008	3.645	1237.76	1261.752	0.0	-93.604	-91.837	0.0
74	6339	6340	SN	1	57.554	58.119	0.0	0.0	288.986	2.914	1200.224	1254.824	31.375	-93.395	-91.738	0.0
75	6339	6340	SN	1	57.554	58.125	0.0	0.0	299.58	3.81	1200.12	1256.296	29.773	-93.268	-91.738	0.0
76	6339	6340	SN	1	57.554	58.119	0.0	0.0	299.58	3.814	1200.224	1256.296	29.724	-93.395	-91.738	0.0
77	6340	6341	NS	1	57.76	58.29	0.0	0.0	295.792	3.564	1237.512	1261.184	0.0	-93.678	-91.834	0.0
78	6340	6341	SN	1	57.567	58.127	0.0	0.0	290.822	2.899	1200.712	1254.832	27.609	-93.337	-91.741	0.0
79	6340	6341	SN	1	57.567	58.127	0.0	0.0	295.323	3.864	1200.712	1256.408	26.062	-93.337	-91.741	0.0
80	6341	6342	SN	1	57.56	58.122	0.0	0.003	299.917	3.736	1200.672	1256.744	27.3	-93.379	-91.716	0.0
81	6341	6342	NS	2	57.751	58.28	0.0	0.0	297.909	3.715	1238.28	1260.984	0.0	-93.687	-91.785	0.0
82	6341	6342	SN	2	57.56	58.122	0.0	0.003	299.917	3.736	1200.672	1256.744	27.3	-93.379	-91.716	0.0
83	6341	6342	NS	1	57.751	58.28	0.0	0.0	297.909	3.715	1238.28	1260.984	0.0	-93.687	-91.785	0.0
84	6342	6343	NS	1	57.756	58.261	0.0	0.0	299.575	3.736	1237.68	1261.248	0.0	-93.643	-91.819	0.0
85	6342	6343	NS	1	57.756	58.261	0.0	0.0	299.575	3.74	1237.68	1261.248	0.0	-93.643	-91.819	0.0
86	6342	6343	SN	1	57.561	58.126	0.0	0.0	296.613	3.706	1200.712	1256.888	28.478	-93.449	-91.745	0.0
87	6343	6344	NS	1	57.756	58.264	0.0	0.0	292.273	3.663	1237.488	1261.376	0.0	-93.981	-91.835	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6319	6320	NS	1	-34.953	19.711	0.0	-34.238	20.012	0.0	-1.33	22.628	0.014	0.019	24.053	0.255	0.083	215.753	2.563	0.083	183.038	2.303	0.083	0.166	0.0	0.083	0.142	0.0
2	6319	6320	SN	1	-34.436	18.16	0.0	-34.06	18.609	0.0	-1.621	22.432	0.007	-0.668	22.97	0.032	0.083	191.59	0.983	0.083	175.688	0.811	0.083	0.172	0.0	0.083	0.153	0.0
3	6319	6320	SN	2	-34.436	18.16	0.0	-34.06	18.609	0.0	-1.621	22.432	0.007	-0.668	22.97	0.032	0.083	191.59	0.983	0.083	175.688	0.811	0.083	0.172	0.0	0.083	0.153	0.0
4	6319	6320	SN	1	-34.436	17.322	0.0	-34.06	18.609	0.0	-1.621	22.432	0.007	-0.668	22.97	0.032	0.084	191.59	1.028	0.083	175.688	0.856	0.083	0.172	0.0	0.083	0.153	0.0
5	6319	6320	NS	1	-34.953	19.711	0.0	-34.238	20.012	0.0	-1.33	22.628	0.014	0.019	24.053	0.255	0.083	215.753	2.531	0.083	183.038	2.301	0.083	0.166	0.0	0.083	0.142	0.0
6	6320	6321	SN	1	-34.963	17.704	0.0	-34.82	18.193	0.0	-0.507	22.122	0.006	0.918	22.953	0.066	0.084	216.28	3.32	0.083	209.284	2.403	0.083	0.151	0.0	0.083	0.13	0.0
7	6320	6321	SN	1	-34.963	17.704	0.0	-34.82	18.193	0.0	-0.507	22.122	0.006	0.918	22.953	0.066	0.084	216.28	3.4	0.083	209.284	2.447	0.083	0.151	0.0	0.083	0.13	0.0
8	6320	6321	SN	1	-34.963	17.704	0.0	-34.82	18.193	0.0	-0.507	22.122	0.006	0.918	22.953	0.066	0.084	216.28	3.394	0.083	209.284	2.444	0.083	0.151	0.0	0.083	0.13	0.0
9	6320	6321	NS	1	-34.936	19.138	0.0	-34.482	19.321	0.0	-13.907	22.836	0.012	-12.527	23.87	0.148	0.083	214.942	1.548	0.083	193.635	1.562	0.083	1.76	0.002	0.083	1.299	0.001
10	6320	6321	NS	1	-34.936	19.138	0.0	-34.482	19.321	0.0	-13.907	22.836	0.012	-12.527	23.87	0.148	0.083	214.942	1.547	0.083	193.635	1.571	0.083	1.76	0.002	0.083	1.299	0.001
11	6321	6322	SN	1	-34.604	16.533	0.0	-33.689	17.225	0.0	0.556	22.291	0.01	0.314	21.818	0.0	0.084	199.121	1.778	0.084	161.305	1.366	0.083	0.135	0.0	0.083	0.138	0.0
12	6321	6322	SN	1	-34.604	16.533	0.0	-33.689	17.225	0.0	0.556	22.291	0.01	0.314	21.258	0.0	0.084	199.121	1.813	0.084	161.305	1.385	0.083	0.135	0.0	0.083	0.138	0.0
13	6321	6322	SN	2	-34.604	16.533	0.0	-33.689	17.225	0.0	0.556	22.291	0.01	0.314	21.818	0.0	0.084	199.121	1.778	0.084	161.305	1.366	0.083	0.135	0.0	0.083	0.138	0.0
14	6321	6322	NS	1	-34.932	16.08	0.0	-34.256	16.533	0.0	-7.879	21.748	0.0	-21.342	23.256	0.086	0.084	214.747	1.692	0.084	183.806	1.801	0.083	0.49	0.0	0.083	9.457	0.044
15	6321	6322	NS	1	-34.932	16.08	0.0	-34.256	16.533	0.0	-7.879	21.748	0.0	-21.342	23.256	0.086	0.084	214.747	1.691	0.084	183.806	1.799	0.083	0.49	0.0	0.083	9.457	0.044
16	6322	6323	SN	1	-34.847	15.877	0.0	-34.564	17.034	0.0	0.939	22.324	0.078	1.984	22.579	0.25	0.084	210.561	1.675	0.084	197.305	1.414	0.083	0.13	0.0	0.083	0.12	0.0
17	6322	6323	NS	1	-33.93	16.176	0.0	-34.26	16.245	0.0	-18.403	22.016	0.001	-26.16	22.922	0.076	0.084	170.487	1.382	0.084	183.968	1.391	0.083	4.838	0.046	0.083	28.538	0.041
18	6322	6323	NS	2	-33.887	16.176	0.0	-34.184	16.245	0.0	-18.401	22.016	0.001	-26.16	22.922	0.076	0.084	168.838	1.381	0.084	180.737	1.394	0.083	4.836	0.046	0.083	28.54	0.041
19	6322	6323	SN	1	-34.847	15.707	0.0	-34.564	17.034	0.0	0.939	22.324	0.078	1.984	22.579	0.26	0.084	210.561	1.712	0.084	197.305	1.437	0.083	0.13	0.0	0.083	0.12	0.0
20	6322	6323	SN	1	-34.758	15.877	0.0	-34.98	17.034	0.0	0.939	22.324	0.078	1.984	22.579	0.25	0.084	206.264	1.672	0.084	217.122	1.414	0.083	0.13	0.0	0.083	0.12	0.0
21	6323	6324	SN	1	-34.987	16.006	0.0	-34.98	17.307	0.0	0.902	21.974	0.0	2.712	23.193	0.353	0.084	217.465	3.305	0.084	217.15	2.784	0.083	0.131	0.0	0.083	0.114	0.0
22	6323	6324	NS	1	-31.947	15.975	0.0	-31.732	16.347	0.0	-30.971	22.45	0.014	-28.284	22.812	0.036	0.084	108.034	1.049	0.084	102.787	1.032	0.083	86.295	0.029	0.083	46.51	0.026
23	6323	6324	NS	2	-31.863	15.975	0.0	-34.204	16.347	0.0	-31.0	22.45	0.014	-28.308	22.811	0.036	0.084	105.979	1.049	0.084	181.587	1.034	0.083	86.874	0.029	0.083	46.775	0.026
24	6323	6324	SN	1	-34.987	16.006	0.0	-34.98	17.307	0.0	0.902	21.974	0.0	2.712	23.193	0.353	0.084	217.465	3.305	0.084	217.15	2.78	0.083	0.131	0.0	0.083	0.114	0.0
25	6324	6325	SN	1	-34.86	16.553	0.0	-34.57	17.09	0.0	0.313	22.047	0.004	4.022	22.189	0.005	0.084	211.16	4.191	0.084	197.6	3.649	0.083	0.138	0.0	0.083	0.105	0.0
26	6324	6325	NS	1	-34.261	16.628	0.0	-33.865	17.758	0.0	-26.435	22.098	0.005	-24.0	22.764	0.162	0.084	184.007	2.132	0.083	167.988	1.988	0.083	30.408	0.128	0.083	17.383	0.015
27	6324	6325	SN	1	-34.86	16.553	0.0	-34.57	17.09	0.0	0.313	22.047	0.004	4.022	22.189	0.005	0.084	211.16	4.185	0.084	197.6	3.644	0.083	0.138	0.0	0.083	0.105	0.0
28	6324	6325	NS	2	-34.413	16.628	0.0	-34.422	17.758	0.0	-26.385	22.098	0.005	-24.125	22.764	0.162	0.084	190.546	2.134	0.083	190.97	1.991	0.083	30.065	0.128	0.083	17.893	0.015
29	6324	6325	SN	1	-34.86	15.826	0.0	-34.57	17.09	0.0	0.313	22.047	0.004	4.022	22.189	0.005	0.084	211.16	4.329	0.084	197.6	3.843	0.083	0.138	0.0	0.083	0.105	0.0
30	6325	6326	SN	1	-34.931	13.444	0.0	-34.68	16.668	0.0	0.406	23.516	0.266	0.515	23.564	0.827	0.085	214.688	2.656	0.084	202.624	2.204	0.083	0.137	0.0	0.083	0.136	0.0
31	6325	6326	NS	1	-34.979	16.703	0.0	-33.526	17.01	0.0	0.022	22.509	0.053	0.922	23.148	0.52	0.084	217.069	0.458	0.084	155.356	0.399	0.083	0.142	0.0	0.083	0.13	0.0
32	6325	6326	NS	2	-33.449	16.703	0.0	-33.873	17.01	0.0	0.02	22.509	0.053	0.919	23.148	0.52	0.084	152.655	0.457	0.084	168.285	0.399	0.083	0.142	0.0	0.083	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0	Alarming	High Errors

33	6325	6326	SN	1	-34.931	16.835	0.0	-34.68	17.203	0.0	0.406	23.516	0.249	0.515	23.564	0.825	0.084	214.688	2.491	0.084	202.624	1.986	0.083	0.137	0.0	0.083	0.136	0.0
34	6325	6326	SN	1	-34.988	16.835	0.0	-34.778	17.203	0.0	0.406	23.516	0.249	0.514	23.566	0.834	0.084	217.515	2.492	0.084	207.256	1.981	0.083	0.137	0.0	0.083	0.136	0.0
35	6326	6327	SN	1	-34.306	15.919	0.0	-34.017	17.543	0.0	-9.712	23.191	0.141	-6.141	23.891	1.035	0.084	185.94	3.031	0.084	173.927	2.752	0.083	0.711	0.0	0.083	0.351	0.0
36	6326	6327	SN	1	-34.306	13.77	0.0	-34.017	15.495	0.0	-9.712	23.191	0.154	-6.141	23.891	0.922	0.085	185.94	3.153	0.084	173.927	3.125	0.083	0.711	0.0	0.083	0.351	0.0
37	6326	6327	NS	2	-34.456	17.386	0.0	-34.552	17.641	0.0	-6.528	22.324	0.016	-1.124	24.141	0.782	0.084	192.482	1.349	0.084	196.774	1.105	0.083	0.377	0.0	0.083	0.162	0.0
38	6326	6327	NS	1	-34.753	17.386	0.0	-34.555	17.641	0.0	-6.547	22.324	0.016	-1.118	24.143	0.782	0.084	206.077	1.351	0.084	196.916	1.108	0.083	0.379	0.0	0.083	0.162	0.0
39	6326	6327	SN	1	-34.306	15.919	0.0	-34.017	17.543	0.0	-9.712	23.191	0.141	-6.141	23.891	1.036	0.084	185.94	3.029	0.084	173.927	2.75	0.083	0.711	0.0	0.083	0.351	0.0
40	6327	6328	NS	1	-33.864	17.153	0.0	-34.906	17.772	0.0	1.123	22.33	0.011	0.796	24.548	2.082	0.084	167.886	1.445	0.083	213.48	1.334	0.083	0.128	0.0	0.083	0.132	0.0
41	6327	6328	SN	1	-33.463	15.74	0.0	-34.798	17.74	0.0	-19.92	22.896	0.139	-6.2	23.99	0.612	0.084	153.135	1.576	0.083	208.212	0.966	0.083	6.834	0.043	0.083	0.355	0.0
42	6328	6329	SN	1	-34.984	20.037	0.0	-34.564	20.93	0.0	-22.581	23.294	0.162	-30.367	23.495	0.345	0.083	217.297	1.29	0.083	197.294	1.008	0.083	12.558	0.095	0.083	75.103	0.136
43	6328	6329	NS	1	-34.775	17.845	0.0	-34.806	18.427	0.0	0.299	21.991	0.0	1.943	24.205	1.833	0.083	207.108	2.793	0.083	208.61	2.438	0.083	0.138	0.0	0.083	0.12	0.0
44	6328	6329	NS	1	-34.775	17.845	0.0	-34.806	18.427	0.0	0.299	21.991	0.0	1.943	24.205	1.827	0.083	207.108	2.793	0.083	208.61	2.438	0.083	0.138	0.0	0.083	0.12	0.0
45	6329	6330	NS	1	-34.026	17.652	0.0	-34.615	18.349	0.0	0.695	22.333	0.014	0.259	24.073	1.824	0.084	174.322	1.639	0.083	199.651	1.786	0.083	0.133	0.0	0.083	0.139	0.0
46	6333	6334	SN	1	-32.671	16.808	0.0	-33.902	18.843	0.0	-3.938	22.525	0.01	-3.91	23.57	0.019	0.084	127.61	0.375	0.083	169.39	0.303	0.083	0.24	0.0	0.083	0.239	0.0
47	6333	6334	SN	2	-32.671	16.808	0.0	-33.902	18.843	0.0	-3.938	22.525	0.01	-3.91	23.57	0.019	0.084	127.61	0.374	0.083	169.39	0.303	0.083	0.24	0.0	0.083	0.239	0.0
48	6333	6334	SN	1	-32.671	16.773	0.0	-33.902	18.843	0.0	-3.938	22.525	0.011	-3.91	23.57	0.019	0.084	127.61	0.39	0.083	169.39	0.338	0.083	0.24	0.0	0.083	0.239	0.0
49	6334	6335	NS	1	-34.507	18.849	0.0	-34.937	20.456	0.0	-5.188	22.291	0.004	-4.605	24.537	0.192	0.083	194.719	2.747	0.083	214.98	2.835	0.083	0.296	0.0	0.083	0.268	0.0
50	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.091	0.083	206.196	1.79	0.083	113.177	1.213	0.083	0.135	0.0	0.083	0.13	0.0
51	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.092	0.083	206.196	1.79	0.083	113.177	1.214	0.083	0.135	0.0	0.083	0.13	0.0
52	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.092	0.083	206.196	1.843	0.083	113.177	1.245	0.083	0.135	0.0	0.083	0.13	0.0
53	6335	6336	SN	2	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.163	0.083	208.013	1.68	0.083	0.131	0.0	0.083	0.117	0.0
54	6335	6336	NS	1	-34.84	16.165	0.0	-32.524	16.632	0.0	-10.027	22.344	0.012	-34.835	23.47	0.148	0.084	210.181	0.996	0.084	123.373	1.234	0.083	0.759	0.0	0.083	210.018	0.056
55	6335	6336	NS	1	-32.581	16.163	0.0	-34.385	16.632	0.0	-10.063	22.344	0.012	-30.538	23.47	0.148	0.084	125.002	0.99	0.084	189.291	1.237	0.083	0.765	0.0	0.083	78.104	0.055
56	6335	6336	SN	1	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.163	0.083	208.013	1.68	0.083	0.131	0.0	0.083	0.117	0.0
57	6335	6336	SN	1	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.123	0.083	208.013	1.655	0.083	0.131	0.0	0.083	0.117	0.0
58	6336	6337	SN	2	-34.28	16.208	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.05	0.084	213.916	0.877	0.083	0.129	0.0	0.083	0.131	0.0
59	6336	6337	SN	1	-34.28	16.208	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.05	0.084	213.916	0.877	0.083	0.129	0.0	0.083	0.131	0.0
60	6336	6337	NS	1	-33.746	16.092	0.0	-34.507	16.714	0.0	-32.833	21.89	0.0	-28.168	23.267	0.093	0.084	163.423	0.998	0.084	194.731	0.906	0.083	132.457	0.255	0.083	45.288	0.17
61	6336	6337	SN	1	-34.28	15.814	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.073	0.084	213.916	0.889	0.083	0.129	0.0	0.083	0.131	0.0
62	6336	6337	NS	1	-33.746	16.092	0.0	-34.507	16.714	0.0	-32.833	21.89	0.0	-28.168	23.267	0.093	0.084	163.423	0.998	0.084	194.731	0.904	0.083	132.457	0.254	0.083	45.288	0.17
63	6337	6338	NS	1	-34.795	16.057	0.0	-34.592	15.767	0.0	-11.683	22.86	0.023	-15.892	22.972	0.09	0.084	208.062	1.27	0.084	198.571	1.313	0.083	1.081	0.001	0.083	2.742	0.001
64	6337	6338	SN	2	-33.658	16.023	0.0	-34.916	17.24	0.0	1.292	22.169	0.024	2.7	22.797	0.407	0.084	160.129	0.781	0.084	213.952	0.56	0.083	0.126	0.0	0.083	0.114	0.0
65	6337	6338	SN	1	-32.926	16.024	0.0	-34.28	17.24	0.0	1.292	22.169	0.024	2.7	22.797	0.407	0.084	135.34	0.781	0.084	184.812	0.56	0.083	0.126	0.0	0.083	0.114	0.0
66	6337	6338	NS	1	-34.795	16.057	0.0	-34.592	15.767	0.0	-11.683	22.86	0.023	-15.892	22.972	0.09	0.084	208.062	1.269	0.084	198.571	1.313	0.083	1.081	0.001	0.083	2.742	0.001
67	6338	6339	NS	2	-34.202	17.494	0.0	-34.227	17.942	0.0	-18.059	21.996	0.0	-28.352	23.114	0.069	0.084	181.508	1.585	0.083	182.601	1.535	0.083	4.474	0.027	0.083	47.241	0.023
68	6338	6339	NS	1	-34.758	17.494	0.0	-34.898	17.942	0.0	-18.033	21.996	0.0	-28.39	23.112	0.069	0.084	206.256	1.581	0.083	213.055	1.539	0.083	4.449	0.027	0.083	47.668	0.023
69	6338	6339	SN	1	-34.965	16.049	0.0	-34.026	17.307	0.0	0.772	22.353	0.009	2.763	23.032	0.21	0.084	216.398	3.56	0.084	174.336	2.82	0.083	0.132	0.0	0.083	0.113	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

█ Normal █ Deviations
█ Alarming █ High Errors

70	6338	6339	SN	1	-34.965	16.049	0.0	-34.026	17.307	0.0	0.772	22.353	0.009	2.763	23.032	0.21	0.084	216.398	3.556	0.084	174.336	2.817	0.083	0.132	0.0	0.083	0.113	0.0
71	6338	6339	SN	1	-34.965	15.002	0.0	-34.026	17.27	0.0	0.772	22.353	0.01	2.763	23.032	0.215	0.084	216.398	3.664	0.084	174.336	2.931	0.083	0.132	0.0	0.083	0.113	0.0
72	6339	6340	NS	1	-34.827	17.143	0.0	-34.311	17.853	0.0	-22.952	22.407	0.04	-25.952	23.261	0.362	0.084	209.599	1.916	0.083	186.114	1.855	0.083	13.674	0.188	0.083	27.211	0.202
73	6339	6340	NS	2	-34.827	17.143	0.0	-34.311	17.853	0.0	-22.952	22.407	0.04	-25.952	23.261	0.362	0.084	209.599	1.916	0.083	186.114	1.855	0.083	13.674	0.188	0.083	27.211	0.202
74	6339	6340	SN	1	-34.649	17.341	0.0	-34.94	17.667	0.0	1.01	23.592	0.185	8.071	23.405	0.401	0.084	201.237	3.878	0.084	215.113	3.437	0.083	0.129	0.0	0.083	0.091	0.0
75	6339	6340	SN	1	-34.912	17.344	0.0	-34.145	17.667	0.0	1.014	23.592	0.172	8.071	23.405	0.401	0.084	213.774	3.711	0.084	179.168	3.186	0.083	0.129	0.0	0.083	0.091	0.0
76	6339	6340	SN	1	-34.649	17.341	0.0	-34.94	17.667	0.0	1.01	23.592	0.172	8.071	23.405	0.401	0.084	201.237	3.714	0.084	215.113	3.189	0.083	0.129	0.0	0.083	0.091	0.0
77	6340	6341	NS	1	-34.965	17.078	0.0	-33.712	17.194	0.0	1.79	22.203	0.021	0.796	23.465	0.486	0.084	216.338	0.621	0.084	162.14	0.656	0.083	0.121	0.0	0.083	0.132	0.0
78	6340	6341	SN	1	-34.697	14.098	0.0	-34.179	16.187	0.0	-10.877	23.467	0.385	-8.268	24.46	1.204	0.085	203.461	3.905	0.084	180.597	3.267	0.083	0.909	0.0	0.083	0.529	0.0
79	6340	6341	SN	1	-34.697	16.038	0.0	-34.179	18.066	0.0	-10.877	23.467	0.373	-8.268	24.46	1.207	0.084	203.461	3.642	0.083	180.597	2.887	0.083	0.909	0.0	0.083	0.529	0.0
80	6341	6342	SN	1	-34.516	15.64	0.0	-34.971	17.915	0.0	-30.431	22.823	0.111	-17.656	23.682	0.79	0.084	195.174	3.721	0.083	216.695	2.551	0.083	76.198	0.083	0.083	4.082	0.009
81	6341	6342	NS	2	-34.702	17.116	0.0	-33.034	17.652	0.0	-0.725	22.24	0.01	-0.82	24.175	1.327	0.084	203.651	0.785	0.084	138.74	0.821	0.083	0.154	0.0	0.083	0.156	0.0
82	6341	6342	SN	2	-34.516	15.64	0.0	-34.971	17.915	0.0	-30.431	22.823	0.111	-17.656	23.682	0.79	0.084	195.174	3.721	0.083	216.695	2.551	0.083	76.198	0.083	0.083	4.082	0.009
83	6341	6342	NS	1	-34.702	17.116	0.0	-33.034	17.652	0.0	-0.725	22.24	0.01	-0.82	24.175	1.327	0.084	203.651	0.785	0.084	138.74	0.821	0.083	0.154	0.0	0.083	0.156	0.0
84	6342	6343	NS	1	-34.874	17.5	0.0	-34.492	17.819	0.0	0.908	22.72	0.09	-0.543	24.434	2.065	0.084	211.851	2.198	0.083	194.028	2.273	0.083	0.131	0.0	0.083	0.151	0.0
85	6342	6343	NS	1	-34.874	17.5	0.0	-34.492	17.819	0.0	0.908	22.72	0.09	-0.543	24.434	2.065	0.084	211.851	2.201	0.083	194.028	2.277	0.083	0.131	0.0	0.083	0.151	0.0
86	6342	6343	SN	1	-34.908	19.155	0.0	-34.718	20.548	0.0	-5.733	23.315	0.127	-2.619	23.716	0.344	0.083	213.512	2.64	0.083	204.362	1.991	0.083	0.326	0.0	0.083	0.197	0.0
87	6343	6344	NS	1	-34.499	17.873	0.0	-34.767	18.697	0.0	-0.317	22.215	0.003	1.317	24.14	1.751	0.083	194.395	0.777	0.083	206.722	0.733	0.083	0.148	0.0	0.083	0.126	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors