









SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 27-NOV-2016 To 28-NOV-2016



SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 27-NOV-2016 To 28-NOV-2016

Sr No	Start Orbit	End Orbit	Dir.	Ver.	SNR												Sigma0											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	897	898	SN	1	0.0	69.027	1.675	0.0	46.924	1.577	0.0	47.856	1.645	0.0	57.737	1.827	0.0	93.917	1.727	0.0	93.864	1.575	0.0	93.23	1.649	0.0	57.587	1.829
2	897	898	SN	1	0.0	58.559	5.033	0.0	60.998	5.302	0.0	48.502	4.485	0.0	45.236	5.047	0.0	94.264	5.131	0.0	94.034	5.338	0.0	48.698	4.569	0.0	45.067	5.023
3	897	898	SN	3	0.0	58.559	5.033	0.0	60.998	5.302	0.0	48.502	4.485	0.0	45.236	5.047	0.0	94.264	5.131	0.0	94.034	5.338	0.0	48.698	4.569	0.0	45.067	5.023
4	897	898	SN	2	0.0	58.559	5.033	0.0	60.998	5.302	0.0	48.502	4.485	0.0	45.236	5.047	0.0	94.264	5.131	0.0	94.034	5.338	0.0	48.698	4.569	0.0	45.067	5.023
5	898	899	SN	2	0.0	61.486	1.368	0.0	98.716	1.199	0.0	59.988	0.934	0.0	49.459	1.163	0.0	95.516	1.457	0.0	94.913	1.242	0.0	94.217	0.94	0.0	49.87	1.148
6	898	899	SN	1	0.0	61.486	1.368	0.0	98.716	1.199	0.0	59.988	0.934	0.0	49.459	1.163	0.0	95.516	1.457	0.0	94.913	1.242	0.0	94.217	0.94	0.0	49.87	1.148
7	898	899	SN	1	0.0	58.405	4.745	0.0	94.567	4.835	0.0	44.008	3.448	0.0	49.459	3.929	0.0	95.673	5.067	0.0	95.494	5.014	0.0	94.217	3.463	0.0	49.87	3.907
8	898	899	NS	3	0.0	99.402	3.457	0.0	98.499	3.093	0.0	56.629	2.564	0.0	53.011	2.609	0.0	95.648	3.611	0.0	95.654	3.251	0.0	94.805	2.578	0.0	94.158	2.596
9	898	899	SN	3	0.0	61.486	1.368	0.0	98.716	1.199	0.0	59.988	0.934	0.0	49.459	1.163	0.0	95.516	1.457	0.0	94.913	1.242	0.0	94.217	0.94	0.0	49.87	1.148
10	898	899	NS	1	0.0	97.481	10.283	0.0	100.442	10.36	0.0	50.913	8.288	0.0	49.654	8.846	0.0	94.065	10.532	0.0	95.357	10.675	0.0	94.055	8.323	0.0	94.646	8.803
11	898	899	NS	3	0.0	97.501	10.274	0.0	100.442	10.385	0.0	61.962	8.202	0.0	53.243	8.817	0.0	94.067	10.481	0.0	95.356	10.625	0.0	94.054	8.216	0.0	94.646	8.817
12	898	899	NS	2	0.0	99.402	3.457	0.0	98.499	3.093	0.0	56.629	2.564	0.0	53.011	2.609	0.0	95.648	3.611	0.0	95.654	3.251	0.0	94.805	2.578	0.0	94.158	2.596
13	898	899	NS	2	0.0	97.501	10.274	0.0	100.442	10.385	0.0	61.962	8.202	0.0	53.243	8.817	0.0	94.067	10.481	0.0	95.356	10.625	0.0	94.054	8.216	0.0	94.646	8.817
14	898	899	NS	1	0.0	99.402	3.457	0.0	98.499	3.093	0.0	56.629	2.564	0.0	53.011	2.609	0.0	95.648	3.611	0.0	95.654	3.251	0.0	94.805	2.578	0.0	94.158	2.596
15	899	900	SN	3	0.0	46.538	4.075	0.0	44.609	4.19	0.0	54.038	3.691	0.0	56.349	4.157	0.0	94.102	4.201	0.0	94.744	4.24	0.0	54.031	3.705	0.0	56.813	4.157
16	899	900	NS	1	0.0	99.058	1.175	0.0	43.455	1.162	0.0	42.392	1.038	0.0	48.831	1.129	0.0	95.535	1.225	0.0	94.984	1.182	0.0	94.39	1.033	0.0	48.904	1.127
17	899	900	NS	3	0.0	99.058	1.175	0.0	43.455	1.162	0.0	42.392	1.038	0.0	48.831	1.129	0.0	95.535	1.225	0.0	94.984	1.182	0.0	94.39	1.033	0.0	48.904	1.127
18	899	900	NS	1	0.0	98.026	3.705	0.0	50.407	4.007	0.0	45.446	3.284	0.0	55.776	3.409	0.0	94.596	3.813	0.0	51.285	4.007	0.0	94.39	3.256	0.0	55.895	3.337
19	899	900	NS	2	0.0	99.058	1.175	0.0	43.455	1.162	0.0	42.392	1.038	0.0	48.831	1.129	0.0	95.535	1.225	0.0	94.984	1.182	0.0	94.39	1.033	0.0	48.904	1.127
20	899	900	SN	1	0.0	46.538	4.075	0.0	44.609	4.19	0.0	54.038	3.691	0.0	56.349	4.157	0.0	94.102	4.201	0.0	94.744	4.24	0.0	54.031	3.705	0.0	56.813	4.157
21	899	900	SN	1	0.0	45.025	1.487	0.0	94.792	1.387	0.0	50.531	1.348	0.0	52.867	1.689	0.0	95.199	1.511	0.0	95.494	1.434	0.0	92.733	1.33	0.0	53.06	1.655
22	899	900	SN	2	0.0	46.538	4.075	0.0	44.609	4.19	0.0	54.038	3.691	0.0	56.349	4.157	0.0	94.102	4.201	0.0	94.744	4.24	0.0	54.031	3.705	0.0	56.813	4.157
23	900	901	SN	2	0.0	49.521	3.076	0.0	44.13	3.034	0.0	59.525	3.205	0.0	45.726	3.958	0.0	94.619	3.11	0.0	95.24	3.059	0.0	59.908	3.198	0.0	45.679	3.958
24	900	901	SN	1	0.0	53.939	0.986	0.0	42.689	0.931	0.0	55.876	0.991	0.0	47.942	1.438	0.0	92.979	0.986	0.0	95.24	0.933	0.0	88.357	0.995	0.0	48.184	1.42
25	900	901	SN	2	0.0	53.939	0.986	0.0	42.689	0.931	0.0	55.876	0.991	0.0	47.942	1.438	0.0	92.979	0.986	0.0	95.24	0.933	0.0	88.357	0.995	0.0	48.184	1.42
26	900	901	NS	3	0.0	49.232	2.037	0.0	47.824	2.031	0.0	49.414	1.946	0.0	60.546	2.334	0.0	94.742	2.048	0.0	95.501	2.054	0.0	92.991	1.944	0.0	93.746	2.327
27	900	901	SN	3	0.0	49.521	3.076	0.0	44.13	3.034	0.0	59.525	3.205	0.0	45.726	3.958	0.0	94.619	3.11	0.0	95.24	3.059	0.0	59.908	3.198	0.0	45.679	3.958
28	900	901	SN	3	0.0	53.939	0.986	0.0	42.689	0.931	0.0	55.876	0.991	0.0	47.942	1.438	0.0	92.979	0.986	0.0	95.24	0.933	0.0	88.357	0.995	0.0	48.184	1.42
29	900	901	NS	1	0.0	52.196	6.239	0.0	53.449	6.011	0.0	49.662	5.853	0.0	50.154	6.556	0.0	94.878	6.322	0.0	94.587	6.036	0.0	49.441	5.839	0.0	93.746	6.484
30	900	901	NS	1	0.0	49.232	2.037	0.0	47.824	2.031	0.0	49.414	1.946	0.0	60.546	2.334	0.0	94.742	2.048	0.0	95.501	2.054	0.0	92.991	1.944	0.0	93.746	2.327
31	900	901	NS	2	0.0	49.232	2.037	0.0	47.824	2.031	0.0	49.414	1.946	0.0	60.546	2.334	0.0	94.742	2.048	0.0	95.501	2.054	0.0	92.991	1.944	0.0	93.746	2.327

Parameter Specifications	Parameters	SNR	Sigma0	■ Normal	■ Deviations
	Range	20.0	20.0	■ Alarming	■ High Errors

32	900	901	SN	1	0.0	49.521	3.076	0.0	44.13	3.034	0.0	59.525	3.205	0.0	45.726	3.958	0.0	94.619	3.11	0.0	95.24	3.059	0.0	59.908	3.198	0.0	45.679	3.958
33	901	902	NS	2	0.0	47.778	1.638	0.0	54.784	1.837	0.0	56.009	1.475	0.0	52.139	1.789	0.0	95.729	1.714	0.0	95.54	1.883	0.0	94.972	1.477	0.0	52.261	1.78
34	901	902	SN	2	0.0	45.449	1.219	0.0	46.144	1.654	0.0	41.085	1.322	0.0	44.253	1.903	0.0	45.682	1.223	0.0	46.396	1.646	0.0	41.247	1.325	0.0	44.526	1.902
35	901	902	NS	3	0.0	47.778	1.638	0.0	54.784	1.837	0.0	56.009	1.475	0.0	52.139	1.789	0.0	95.729	1.714	0.0	95.54	1.883	0.0	94.972	1.477	0.0	52.261	1.78
36	901	902	SN	3	0.0	45.449	1.219	0.0	46.144	1.654	0.0	41.085	1.322	0.0	44.253	1.903	0.0	45.682	1.223	0.0	46.396	1.646	0.0	41.247	1.325	0.0	44.526	1.902
37	901	902	NS	2	0.0	61.708	6.065	0.0	67.961	6.946	0.0	64.149	5.319	0.0	57.548	5.979	0.0	95.488	6.255	0.0	94.627	7.07	0.0	94.972	5.312	0.0	57.623	5.986
38	901	902	NS	1	0.0	93.327	1.663	0.0	57.926	1.819	0.0	60.856	1.361	0.0	50.036	1.808	0.0	95.837	1.728	0.0	95.41	1.859	0.0	94.678	1.355	0.0	50.002	1.816
39	901	902	SN	2	0.0	43.415	4.01	0.0	44.308	4.641	0.0	55.76	4.146	0.0	47.875	5.564	0.0	43.394	3.984	0.0	44.298	4.76	0.0	55.922	4.132	0.0	48.018	5.484
40	901	902	SN	1	0.0	45.449	1.219	0.0	46.144	1.654	0.0	41.085	1.322	0.0	44.253	1.903	0.0	45.682	1.223	0.0	46.396	1.646	0.0	41.247	1.325	0.0	44.526	1.902
41	901	902	NS	3	0.0	61.708	6.065	0.0	67.961	6.946	0.0	64.149	5.319	0.0	57.548	5.979	0.0	95.488	6.255	0.0	94.627	7.07	0.0	94.972	5.312	0.0	57.623	5.986
42	901	902	NS	1	0.0	57.128	5.955	0.0	67.961	6.642	0.0	63.473	5.154	0.0	54.109	6.082	0.0	94.636	6.088	0.0	94.627	6.791	0.0	94.972	5.175	0.0	54.586	6.124
43	901	902	SN	1	0.0	43.415	4.01	0.0	44.308	4.641	0.0	55.76	4.146	0.0	47.875	5.564	0.0	43.394	3.984	0.0	44.298	4.76	0.0	55.922	4.132	0.0	48.018	5.484
44	901	902	SN	3	0.0	43.415	4.01	0.0	44.308	4.641	0.0	55.76	4.146	0.0	47.875	5.564	0.0	43.394	3.984	0.0	44.298	4.76	0.0	55.922	4.132	0.0	48.018	5.484
45	902	903	NS	1	0.0	55.989	4.201	0.0	48.85	4.357	0.0	56.22	3.378	0.0	53.198	4.145	0.0	92.634	4.292	0.0	91.502	4.506	0.0	56.591	3.37	0.0	53.454	4.166
46	902	903	SN	1	0.0	49.614	2.26	0.0	43.715	1.932	0.0	54.587	1.923	0.0	50.225	2.114	0.0	95.581	2.275	0.0	95.518	1.93	0.0	54.18	1.918	0.0	50.308	2.109
47	902	903	SN	3	0.0	49.614	2.26	0.0	43.715	1.932	0.0	54.587	1.923	0.0	50.225	2.114	0.0	95.581	2.275	0.0	95.518	1.93	0.0	54.18	1.918	0.0	50.308	2.109
48	902	903	NS	3	0.0	56.025	4.218	0.0	50.621	4.332	0.0	55.214	3.335	0.0	44.956	4.102	0.0	92.647	4.284	0.0	91.5	4.481	0.0	55.584	3.378	0.0	45.404	4.109
49	902	903	NS	2	0.0	56.025	4.218	0.0	50.621	4.332	0.0	55.214	3.335	0.0	44.956	4.102	0.0	92.647	4.284	0.0	91.5	4.481	0.0	55.584	3.378	0.0	45.404	4.109
50	902	903	NS	3	0.0	90.447	1.245	0.0	40.793	1.068	0.0	45.728	1.033	0.0	43.743	1.237	0.0	95.28	1.301	0.0	95.294	1.093	0.0	45.976	1.029	0.0	43.633	1.227
51	902	903	NS	2	0.0	90.447	1.245	0.0	40.793	1.068	0.0	45.728	1.033	0.0	43.743	1.237	0.0	95.28	1.301	0.0	95.294	1.093	0.0	45.976	1.029	0.0	43.633	1.227
52	902	903	SN	3	0.0	52.863	7.102	0.0	61.037	6.145	0.0	48.559	5.598	0.0	51.628	6.18	0.0	92.638	7.145	0.0	95.28	6.171	0.0	48.876	5.598	0.0	51.778	6.173
53	902	903	SN	1	0.0	52.863	7.102	0.0	61.037	6.145	0.0	48.559	5.598	0.0	51.628	6.18	0.0	92.638	7.145	0.0	95.28	6.171	0.0	48.876	5.598	0.0	51.778	6.173
54	902	903	SN	2	0.0	49.614	2.26	0.0	43.715	1.932	0.0	54.587	1.923	0.0	50.225	2.114	0.0	95.581	2.275	0.0	95.518	1.93	0.0	54.18	1.918	0.0	50.308	2.109
55	902	903	SN	2	0.0	52.863	7.102	0.0	61.037	6.145	0.0	48.559	5.598	0.0	51.628	6.18	0.0	92.638	7.145	0.0	95.28	6.171	0.0	48.876	5.598	0.0	51.778	6.173
56	902	903	NS	1	0.0	90.444	1.253	0.0	46.023	1.091	0.0	59.765	1.04	0.0	42.999	1.223	0.0	95.281	1.299	0.0	95.305	1.106	0.0	59.81	1.033	0.0	42.815	1.216
57	903	904	NS	1	0.0	57.046	4.1	0.0	57.558	4.31	0.0	51.809	3.938	0.0	49.908	4.466	0.0	95.682	4.399	0.0	95.318	4.435	0.0	51.806	3.959	0.0	92.659	4.466
58	903	904	SN	3	0.0	52.258	5.812	0.0	58.132	6.366	0.0	55.689	5.69	0.0	55.499	6.303	0.0	94.34	5.969	0.0	58.81	6.48	0.0	91.05	5.645	0.0	55.754	6.22
59	903	904	SN	1	0.0	53.32	1.673	0.0	48.307	1.755	0.0	45.705	1.717	0.0	49.617	1.949	0.0	94.755	1.726	0.0	92.814	1.773	0.0	45.573	1.7	0.0	49.605	1.921
60	903	904	SN	3	0.0	53.32	1.673	0.0	48.307	1.755	0.0	45.705	1.717	0.0	49.617	1.949	0.0	94.755	1.726	0.0	92.814	1.773	0.0	45.573	1.7	0.0	49.605	1.921
61	903	904	SN	1	0.0	52.258	5.812	0.0	58.132	6.366	0.0	55.689	5.69	0.0	55.499	6.303	0.0	94.34	5.969	0.0	58.81	6.48	0.0	91.05	5.645	0.0	55.754	6.22
62	903	904	NS	3	0.0	47.706	4.135	0.0	52.917	4.25	0.0	56.772	4.097	0.0	48.82	4.7	0.0	95.682	4.275	0.0	95.318	4.332	0.0	56.893	4.09	0.0	48.951	4.664
63	903	904	NS	1	0.0	52.117	1.284	0.0	98.292	1.186	0.0	61.801	1.269	0.0	47.306	1.478	0.0	95.682	1.325	0.0	95.318	1.234	0.0	61.703	1.258	0.0	47.26	1.476
64	903	904	NS	2	0.0	47.706	4.135	0.0	52.917	4.25	0.0	56.772	4.097	0.0	48.82	4.7	0.0	95.682	4.275	0.0	95.318	4.332	0.0	56.893	4.09	0.0	48.951	4.664
65	903	904	SN	2	0.0	53.32	1.673	0.0	48.307	1.755	0.0	45.705	1.717	0.0	49.617	1.949	0.0	94.755	1.726	0.0	92.814	1.773	0.0	45.573	1.7	0.0	49.605	1.921
66	903	904	SN	2	0.0	52.258	5.812	0.0	58.132	6.366	0.0	55.689	5.69	0.0	55.499	6.303	0.0	94.34	5.969	0.0	58.81	6.48	0.0	91.05	5.645	0.0	55.754	6.22
67	904	905	SN	2	0.0	49.41	1.77	0.0	95.926	1.797	0.0	45.474	1.825	0.0	54.594	2.106	0.0	95.843	1.815	0.0	95.133	1.879	0.0	95.122	1.841	0.0	93.94	2.096

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

68	904	905	SN	3	0.0	49.41	1.77	0.0	95.926	1.797	0.0	45.474	1.825	0.0	54.594	2.106	0.0	95.843	1.815	0.0	95.133	1.879	0.0	95.122	1.841	0.0	93.94	2.096
69	904	905	NS	2	0.0	48.447	6.771	0.0	50.296	7.332	0.0	58.305	6.021	0.0	51.382	7.449	0.0	91.466	6.754	0.0	93.968	7.39	0.0	58.96	6.042	0.0	51.253	7.463
70	904	905	NS	1	0.0	47.261	2.052	0.0	57.658	2.35	0.0	46.399	2.061	0.0	53.002	2.536	0.0	95.094	2.058	0.0	95.402	2.357	0.0	46.661	2.049	0.0	53.057	2.527
71	904	905	NS	1	0.0	43.656	7.009	0.0	53.218	7.509	0.0	49.119	6.203	0.0	50.834	7.102	0.0	95.712	7.034	0.0	53.254	7.542	0.0	48.933	6.132	0.0	50.705	7.087
72	904	905	NS	3	0.0	48.447	6.771	0.0	50.296	7.332	0.0	58.305	6.021	0.0	51.382	7.449	0.0	91.466	6.754	0.0	93.968	7.39	0.0	58.96	6.042	0.0	51.253	7.463
73	904	905	SN	3	0.0	50.544	5.969	0.0	49.782	6.267	0.0	56.894	5.575	0.0	48.72	5.998	0.0	95.21	6.121	0.0	95.046	6.536	0.0	94.965	5.583	0.0	48.95	5.99
74	904	905	NS	2	0.0	52.097	2.105	0.0	48.908	2.339	0.0	53.279	2.064	0.0	47.416	2.539	0.0	95.712	2.128	0.0	95.247	2.33	0.0	53.477	2.06	0.0	93.74	2.512
75	904	905	NS	3	0.0	52.097	2.105	0.0	48.908	2.339	0.0	53.279	2.064	0.0	47.416	2.539	0.0	95.712	2.128	0.0	95.247	2.33	0.0	53.477	2.06	0.0	93.74	2.512
76	904	905	SN	1	0.0	49.41	1.77	0.0	95.926	1.797	0.0	45.474	1.825	0.0	54.594	2.106	0.0	95.843	1.815	0.0	95.133	1.879	0.0	95.122	1.841	0.0	93.94	2.096
77	904	905	SN	1	0.0	50.544	5.969	0.0	49.782	6.267	0.0	56.894	5.575	0.0	48.72	5.998	0.0	95.21	6.121	0.0	95.046	6.536	0.0	94.965	5.583	0.0	48.95	5.99
78	904	905	SN	2	0.0	50.544	5.969	0.0	49.782	6.267	0.0	56.894	5.575	0.0	48.72	5.998	0.0	95.21	6.121	0.0	95.046	6.536	0.0	94.965	5.583	0.0	48.95	5.99
79	905	906	NS	2	0.0	51.866	1.497	0.0	45.344	1.489	0.0	55.887	1.488	0.0	52.807	1.677	0.0	95.934	1.764	0.0	95.822	1.921	0.0	95.734	1.5	0.0	94.762	1.658
80	905	906	SN	3	0.0	99.843	7.701	0.0	98.584	7.432	0.0	56.681	6.482	0.0	45.788	6.77	0.0	95.875	8.041	0.0	95.753	7.698	0.0	95.118	6.461	0.0	95.002	6.841
81	905	906	NS	2	0.0	62.903	4.664	0.0	55.438	4.862	0.0	53.372	4.579	0.0	51.119	4.833	0.0	95.716	5.012	0.0	95.806	5.525	0.0	95.252	4.629	0.0	51.022	4.826
82	905	906	SN	1	0.0	99.135	2.628	0.0	97.073	2.381	0.0	53.746	2.138	0.0	52.493	1.964	0.0	95.773	2.758	0.0	95.691	2.486	0.0	94.412	2.14	0.0	94.986	1.972
83	905	906	SN	2	0.0	99.135	2.628	0.0	97.073	2.381	0.0	53.746	2.138	0.0	52.493	1.962	0.0	95.795	2.758	0.0	95.84	2.489	0.0	94.408	2.14	0.0	95.183	1.972
84	905	906	SN	1	0.0	99.843	7.651	0.0	98.584	7.432	0.0	56.824	6.489	0.0	52.355	6.784	0.0	95.873	7.983	0.0	95.753	7.698	0.0	95.119	6.475	0.0	94.887	6.848
85	905	906	NS	1	0.0	51.195	1.507	0.0	44.645	1.504	0.0	53.795	1.516	0.0	51.942	1.645	0.0	95.926	1.779	0.0	95.798	1.923	0.0	95.735	1.518	0.0	51.957	1.645
86	905	906	NS	3	0.0	51.866	1.497	0.0	45.344	1.489	0.0	55.887	1.488	0.0	52.807	1.677	0.0	95.934	1.764	0.0	95.822	1.921	0.0	95.734	1.5	0.0	94.762	1.658
87	905	906	NS	3	0.0	62.903	4.664	0.0	55.438	4.862	0.0	53.372	4.579	0.0	51.119	4.833	0.0	95.716	5.012	0.0	95.806	5.525	0.0	95.252	4.629	0.0	51.022	4.826
88	905	906	SN	3	0.0	99.135	2.628	0.0	97.073	2.381	0.0	53.746	2.138	0.0	52.493	1.962	0.0	95.795	2.758	0.0	95.84	2.489	0.0	94.408	2.14	0.0	95.183	1.972
89	905	906	NS	1	0.0	52.338	4.664	0.0	50.121	4.995	0.0	49.564	4.643	0.0	51.614	4.812	0.0	95.709	4.896	0.0	95.804	5.633	0.0	95.249	4.679	0.0	51.907	4.84
90	905	906	SN	2	0.0	99.843	7.701	0.0	98.584	7.432	0.0	56.681	6.482	0.0	45.788	6.77	0.0	95.875	8.041	0.0	95.753	7.698	0.0	95.118	6.461	0.0	95.002	6.841
91	906	907	SN	1	0.0	49.67	4.121	0.0	53.16	4.561	0.0	51.385	4.187	0.0	48.769	4.755	0.0	95.34	4.245	0.0	94.955	4.619	0.0	93.632	4.23	0.0	48.698	4.691
92	906	907	NS	2	0.0	95.362	1.599	0.0	95.982	1.426	0.0	41.322	1.348	0.0	50.199	1.684	0.0	95.475	1.728	0.0	95.845	1.514	0.0	94.034	1.336	0.0	50.062	1.659
93	906	907	SN	2	0.0	44.693	1.277	0.0	53.921	1.447	0.0	62.717	1.407	0.0	44.175	1.575	0.0	95.191	1.336	0.0	95.193	1.466	0.0	94.386	1.409	0.0	44.118	1.571
94	906	907	SN	1	0.0	44.693	1.277	0.0	53.921	1.447	0.0	62.717	1.407	0.0	44.175	1.575	0.0	95.191	1.336	0.0	95.193	1.466	0.0	94.386	1.409	0.0	44.118	1.571
95	906	907	NS	1	0.0	61.895	5.22	0.0	55.717	5.647	0.0	46.231	4.442	0.0	53.16	5.26	0.0	95.868	5.534	0.0	95.801	5.896	0.0	95.318	4.414	0.0	53.193	5.282
96	906	907	SN	2	0.0	49.67	4.121	0.0	53.16	4.561	0.0	51.385	4.187	0.0	48.769	4.755	0.0	95.34	4.245	0.0	94.955	4.619	0.0	93.632	4.23	0.0	48.698	4.691
97	906	907	NS	3	0.0	95.362	1.599	0.0	95.982	1.426	0.0	41.322	1.348	0.0	50.199	1.684	0.0	95.475	1.728	0.0	95.845	1.514	0.0	94.034	1.336	0.0	50.062	1.659
98	906	907	NS	1	0.0	95.362	1.599	0.0	95.982	1.426	0.0	41.322	1.348	0.0	50.199	1.684	0.0	95.475	1.728	0.0	95.845	1.514	0.0	94.034	1.336	0.0	50.062	1.659
99	907	908	NS	1	0.0	55.451	5.65	0.0	54.006	5.59	0.0	67.87	5.026	0.0	49.571	5.04	0.0	95.704	5.932	0.0	95.393	5.697	0.0	95.922	4.998	0.0	49.711	5.018
100	907	908	SN	2	0.0	51.435	8.88	0.0	50.083	8.374	0.0	57.191	7.191	0.0	54.775	7.524	0.0	95.762	9.037	0.0	95.402	8.557	0.0	94.005	7.213	0.0	54.477	7.531
101	907	908	SN	2	0.0	53.406	2.764	0.0	46.559	2.518	0.0	69.346	2.543	0.0	48.007	2.64	0.0	95.762	2.806	0.0	95.741	2.582	0.0	94.005	2.541	0.0	94.852	2.62
102	907	908	NS	2	0.0	91.542	1.72	0.0	55.707	1.608	0.0	55.12	1.469	0.0	44.507	1.645	0.0	95.672	1.801	0.0	95.572	1.614	0.0	94.975	1.473	0.0	44.181	1.64
103	907	908	NS	1	0.0	91.542	1.72	0.0	55.707	1.608	0.0	55.12	1.469	0.0	44.507	1.645	0.0	95.672	1.801	0.0	95.572	1.614	0.0	94.975	1.473	0.0	44.181	1.64

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

104	907	908	SN	1	0.0	51.435	8.88	0.0	50.083	8.374	0.0	57.191	7.191	0.0	54.775	7.524	0.0	95.762	9.037	0.0	95.402	8.557	0.0	94.005	7.213	0.0	54.477	7.531
105	907	908	NS	2	0.0	55.451	5.65	0.0	54.006	5.59	0.0	67.87	5.026	0.0	49.571	5.04	0.0	95.704	5.932	0.0	95.393	5.697	0.0	95.922	4.998	0.0	49.711	5.018
106	907	908	SN	1	0.0	53.406	2.764	0.0	46.559	2.518	0.0	69.346	2.543	0.0	48.007	2.64	0.0	95.762	2.806	0.0	95.741	2.582	0.0	94.005	2.541	0.0	94.852	2.62
107	908	909	SN	2	0.0	56.56	6.409	0.0	48.37	5.985	0.0	51.0	5.498	0.0	47.744	5.282	0.0	95.873	6.616	0.0	95.531	6.151	0.0	95.259	5.484	0.0	93.683	5.289
108	908	909	SN	1	0.0	52.228	1.809	0.0	46.927	1.595	0.0	46.306	1.645	0.0	51.169	1.651	0.0	95.926	1.933	0.0	94.956	1.61	0.0	95.363	1.654	0.0	51.05	1.638
109	908	909	NS	2	0.0	52.802	0.695	0.0	59.374	0.815	0.0	42.16	0.821	0.0	44.284	1.104	0.0	95.832	0.758	0.0	95.41	0.847	0.0	94.725	0.828	0.0	43.91	1.1
110	908	909	NS	2	0.0	53.206	2.196	0.0	48.919	2.368	0.0	47.411	2.335	0.0	54.833	3.053	0.0	95.431	2.328	0.0	95.274	2.401	0.0	94.905	2.363	0.0	54.641	3.01
111	908	909	SN	2	0.0	52.228	1.809	0.0	46.927	1.595	0.0	46.306	1.645	0.0	51.169	1.651	0.0	95.926	1.933	0.0	94.956	1.61	0.0	95.363	1.654	0.0	51.05	1.638
112	908	909	NS	1	0.0	53.206	2.196	0.0	48.919	2.368	0.0	47.411	2.335	0.0	54.833	3.053	0.0	95.431	2.328	0.0	95.274	2.401	0.0	94.905	2.363	0.0	54.641	3.01
113	908	909	NS	1	0.0	52.802	0.695	0.0	59.374	0.815	0.0	42.16	0.821	0.0	44.284	1.104	0.0	95.832	0.758	0.0	95.41	0.847	0.0	94.725	0.828	0.0	43.91	1.1
114	908	909	SN	1	0.0	56.56	6.409	0.0	48.37	5.985	0.0	51.0	5.498	0.0	47.744	5.282	0.0	95.873	6.616	0.0	95.531	6.151	0.0	95.259	5.484	0.0	93.683	5.289
115	909	910	SN	1	0.0	51.238	4.161	0.0	54.563	4.453	0.0	49.875	3.429	0.0	56.851	4.187	0.0	95.722	4.402	0.0	95.11	4.594	0.0	95.449	3.436	0.0	56.835	4.244
116	909	910	NS	2	0.0	47.487	0.864	0.0	54.235	1.176	0.0	46.18	0.883	0.0	40.961	1.485	0.0	95.293	0.883	0.0	95.388	1.207	0.0	92.342	0.872	0.0	40.939	1.457
117	909	910	SN	1	0.0	48.461	1.122	0.0	47.03	1.268	0.0	52.377	1.035	0.0	55.683	1.186	0.0	95.806	1.216	0.0	95.631	1.308	0.0	94.037	1.05	0.0	93.598	1.209
118	909	910	NS	1	0.0	54.273	2.916	0.0	47.462	3.718	0.0	51.459	2.855	0.0	47.889	4.078	0.0	92.858	2.958	0.0	95.078	3.767	0.0	94.017	2.834	0.0	48.059	4.028
119	909	910	NS	2	0.0	54.273	2.916	0.0	47.462	3.718	0.0	51.459	2.855	0.0	47.889	4.078	0.0	92.858	2.958	0.0	95.078	3.767	0.0	94.017	2.834	0.0	48.059	4.028
120	909	910	SN	2	0.0	48.461	1.122	0.0	47.03	1.268	0.0	52.377	1.035	0.0	55.683	1.186	0.0	95.806	1.216	0.0	95.631	1.308	0.0	94.037	1.05	0.0	93.598	1.209
121	909	910	SN	2	0.0	51.238	4.161	0.0	54.563	4.453	0.0	49.875	3.429	0.0	56.851	4.187	0.0	95.722	4.402	0.0	95.11	4.594	0.0	95.449	3.436	0.0	56.835	4.244
122	909	910	NS	1	0.0	47.487	0.864	0.0	54.235	1.176	0.0	46.18	0.883	0.0	40.961	1.485	0.0	95.293	0.883	0.0	95.388	1.207	0.0	92.342	0.872	0.0	40.939	1.457
123	910	911	SN	1	0.0	47.841	5.976	0.0	61.188	6.384	0.0	49.84	5.561	0.0	46.856	6.138	0.0	95.75	6.341	0.0	95.74	6.526	0.0	93.169	5.525	0.0	46.95	6.096
124	910	911	SN	2	0.0	53.833	1.893	0.0	52.287	2.036	0.0	48.495	1.892	0.0	49.405	2.069	0.0	95.925	2.078	0.0	95.809	2.156	0.0	94.913	1.866	0.0	49.136	2.047
125	910	911	SN	3	0.0	52.174	6.013	0.0	61.663	6.385	0.0	47.972	5.556	0.0	52.932	6.11	0.0	95.794	6.43	0.0	95.712	6.51	0.0	93.164	5.506	0.0	52.957	6.088
126	910	911	NS	2	0.0	55.526	6.585	0.0	54.962	7.265	0.0	58.158	5.907	0.0	44.778	6.657	0.0	95.544	6.635	0.0	93.852	7.248	0.0	94.805	5.971	0.0	44.625	6.565
127	910	911	NS	1	0.0	55.526	6.585	0.0	54.962	7.265	0.0	58.158	5.907	0.0	44.778	6.657	0.0	95.544	6.635	0.0	93.852	7.248	0.0	94.805	5.971	0.0	44.625	6.565
128	910	911	NS	2	0.0	49.134	1.918	0.0	46.924	2.078	0.0	49.997	1.979	0.0	45.015	2.219	0.0	95.76	1.957	0.0	94.83	2.08	0.0	93.507	1.966	0.0	93.605	2.21
129	910	911	SN	1	0.0	53.833	1.893	0.0	52.287	2.036	0.0	48.495	1.892	0.0	49.405	2.069	0.0	95.925	2.078	0.0	95.809	2.156	0.0	94.913	1.866	0.0	49.136	2.047
130	910	911	SN	3	0.0	47.884	1.91	0.0	44.028	2.059	0.0	46.425	1.94	0.0	57.75	2.085	0.0	95.915	2.103	0.0	95.809	2.181	0.0	94.943	1.924	0.0	57.558	2.048
131	910	911	NS	1	0.0	49.134	1.918	0.0	46.924	2.078	0.0	49.997	1.979	0.0	45.015	2.219	0.0	95.76	1.957	0.0	94.83	2.08	0.0	93.507	1.966	0.0	93.605	2.21
132	910	911	SN	2	0.0	47.841	5.976	0.0	61.188	6.384	0.0	49.84	5.561	0.0	46.856	6.138	0.0	95.75	6.341	0.0	95.74	6.526	0.0	93.169	5.525	0.0	46.95	6.096
133	911	912	NS	1	0.0	51.076	1.701	0.0	47.527	1.798	0.0	59.176	1.59	0.0	44.295	1.954	0.0	95.929	1.788	0.0	95.856	1.852	0.0	95.387	1.611	0.0	44.254	1.945
134	911	912	NS	1	0.0	59.908	5.584	0.0	53.532	6.121	0.0	54.311	5.01	0.0	53.234	5.965	0.0	95.759	5.816	0.0	94.439	6.22	0.0	95.468	5.06	0.0	94.843	5.943
135	911	912	SN	1	0.0	58.633	6.93	0.0	48.161	7.174	0.0	52.887	6.169	0.0	49.122	6.516	0.0	95.835	7.27	0.0	95.801	7.482	0.0	52.911	6.141	0.0	49.144	6.444
136	911	912	SN	1	0.0	51.167	2.212	0.0	47.81	2.22	0.0	49.111	2.004	0.0	47.327	2.486	0.0	95.938	2.367	0.0	95.903	2.431	0.0	91.904	2.002	0.0	94.883	2.468
137	911	912	NS	2	0.0	59.908	5.584	0.0	53.532	6.121	0.0	54.311	5.01	0.0	53.234	5.965	0.0	95.759	5.816	0.0	94.439	6.22	0.0	95.468	5.06	0.0	94.843	5.943
138	911	912	NS	2	0.0	51.076	1.701	0.0	47.527	1.798	0.0	59.176	1.59	0.0	44.295	1.954	0.0	95.929	1.788	0.0	95.856	1.852	0.0	95.387	1.611	0.0	44.254	1.945
139	911	912	SN	2	0.0	58.633	6.93	0.0	48.161	7.174	0.0	52.887	6.169	0.0	49.122	6.516	0.0	95.835	7.27	0.0	95.801	7.482	0.0	52.911	6.141	0.0	49.144	6.444

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

140	911	912	SN	2	0.0	51.167	2.212	0.0	47.81	2.22	0.0	49.111	2.004	0.0	47.327	2.486	0.0	95.938	2.367	0.0	95.903	2.431	0.0	91.904	2.002	0.0	94.883	2.468
141	911	912	NS	3	0.0	52.906	6.061	0.0	57.971	6.896	0.0	43.486	5.546	0.0	48.91	6.641	0.0	92.979	6.193	0.0	58.859	6.971	0.0	43.91	5.473	0.0	48.891	6.617
142	911	912	NS	3	0.0	47.293	1.878	0.0	44.564	2.041	0.0	52.375	1.773	0.0	50.525	2.304	0.0	91.4	1.902	0.0	45.198	2.058	0.0	52.442	1.769	0.0	50.633	2.276
143	912	913	NS	2	0.0	89.921	10.102	0.0	96.307	10.369	0.0	57.638	8.651	0.0	62.14	9.196	0.0	94.971	10.276	0.0	95.381	10.576	0.0	95.175	8.637	0.0	62.549	9.268
144	912	913	NS	2	0.0	99.138	3.551	0.0	97.602	3.181	0.0	60.169	2.797	0.0	50.418	2.89	0.0	95.468	3.611	0.0	95.584	3.237	0.0	93.758	2.799	0.0	50.261	2.876
145	912	913	SN	1	0.0	92.681	3.613	0.0	46.803	4.046	0.0	58.221	3.18	0.0	59.454	3.427	0.0	94.236	3.713	0.0	94.399	4.212	0.0	58.23	3.173	0.0	94.374	3.434
146	912	913	NS	1	0.0	99.138	3.551	0.0	97.602	3.181	0.0	60.169	2.797	0.0	50.418	2.89	0.0	95.468	3.611	0.0	95.584	3.237	0.0	93.758	2.799	0.0	50.261	2.876
147	912	913	SN	1	0.0	93.307	1.092	0.0	98.743	1.015	0.0	49.779	1.001	0.0	49.167	1.204	0.0	93.499	1.107	0.0	94.458	1.049	0.0	49.98	1.007	0.0	94.374	1.194
148	912	913	NS	1	0.0	89.921	10.102	0.0	96.307	10.369	0.0	57.638	8.651	0.0	62.14	9.196	0.0	94.971	10.276	0.0	95.381	10.576	0.0	95.175	8.637	0.0	62.549	9.268
149	912	913	SN	2	0.0	93.307	1.092	0.0	98.743	1.015	0.0	49.779	1.001	0.0	49.167	1.204	0.0	93.499	1.107	0.0	94.458	1.049	0.0	49.98	1.007	0.0	94.374	1.194
150	912	913	SN	2	0.0	92.681	3.613	0.0	46.803	4.046	0.0	58.221	3.18	0.0	59.454	3.427	0.0	94.236	3.713	0.0	94.399	4.212	0.0	58.23	3.173	0.0	94.374	3.434
151	913	914	SN	2	0.0	51.415	4.335	0.0	49.622	4.372	0.0	48.457	3.917	0.0	47.204	4.039	0.0	93.896	4.443	0.0	95.596	4.455	0.0	93.504	3.917	0.0	47.65	4.068
152	913	914	SN	2	0.0	45.647	1.322	0.0	43.752	1.262	0.0	48.358	1.224	0.0	50.844	1.298	0.0	95.688	1.372	0.0	95.596	1.285	0.0	92.947	1.224	0.0	50.764	1.297
153	913	914	NS	1	0.0	99.514	1.587	0.0	97.907	1.554	0.0	44.495	1.48	0.0	51.221	1.516	0.0	95.307	1.737	0.0	94.98	1.648	0.0	95.003	1.495	0.0	94.868	1.526
154	913	914	SN	1	0.0	51.415	4.335	0.0	49.622	4.372	0.0	48.457	3.917	0.0	47.204	4.039	0.0	93.896	4.443	0.0	95.596	4.455	0.0	93.504	3.917	0.0	47.65	4.068
155	913	914	NS	2	0.0	97.589	5.046	0.0	97.907	5.308	0.0	47.391	4.222	0.0	53.24	5.061	0.0	95.35	5.244	0.0	95.158	5.499	0.0	93.539	4.265	0.0	92.078	5.118
156	913	914	NS	1	0.0	97.589	5.046	0.0	97.907	5.308	0.0	47.391	4.222	0.0	53.24	5.061	0.0	95.35	5.244	0.0	95.158	5.499	0.0	93.539	4.265	0.0	92.078	5.118
157	913	914	SN	1	0.0	45.647	1.322	0.0	43.752	1.262	0.0	48.358	1.224	0.0	50.844	1.298	0.0	95.688	1.372	0.0	95.596	1.285	0.0	92.947	1.224	0.0	50.764	1.297
158	913	914	NS	2	0.0	99.514	1.587	0.0	97.907	1.554	0.0	44.495	1.48	0.0	51.221	1.516	0.0	95.307	1.737	0.0	94.98	1.648	0.0	95.003	1.495	0.0	94.868	1.526
159	914	915	NS	3	0.0	54.284	1.767	0.0	53.777	1.813	0.0	50.315	1.726	0.0	46.959	2.175	0.0	95.775	1.794	0.0	95.723	1.865	0.0	95.093	1.732	0.0	47.14	2.159
160	914	915	SN	3	0.0	89.853	3.021	0.0	100.6	3.416	0.0	45.938	3.186	0.0	59.19	4.122	0.0	95.77	3.156	0.0	95.616	3.467	0.0	46.18	3.15	0.0	59.037	4.072
161	914	915	NS	3	0.0	55.229	5.311	0.0	48.297	5.748	0.0	49.871	5.286	0.0	47.915	6.445	0.0	95.775	5.327	0.0	95.091	5.815	0.0	93.886	5.294	0.0	48.007	6.438
162	914	915	SN	1	0.0	99.285	0.996	0.0	100.159	1.084	0.0	56.334	1.143	0.0	49.592	1.427	0.0	95.735	1.03	0.0	95.616	1.112	0.0	87.083	1.131	0.0	94.615	1.407
163	914	915	NS	1	0.0	54.284	1.767	0.0	53.777	1.813	0.0	50.315	1.726	0.0	46.959	2.175	0.0	95.775	1.794	0.0	95.723	1.865	0.0	95.093	1.732	0.0	47.14	2.159
164	914	915	SN	1	0.0	89.853	3.021	0.0	100.6	3.416	0.0	45.938	3.186	0.0	59.19	4.122	0.0	95.77	3.156	0.0	95.616	3.467	0.0	46.18	3.15	0.0	59.037	4.072
165	914	915	NS	1	0.0	55.229	5.311	0.0	48.297	5.748	0.0	49.871	5.286	0.0	47.915	6.445	0.0	95.775	5.327	0.0	95.091	5.815	0.0	93.886	5.294	0.0	48.007	6.438
166	914	915	NS	2	0.0	51.48	1.731	0.0	57.618	1.85	0.0	65.302	1.748	0.0	49.114	2.09	0.0	95.781	1.765	0.0	95.716	1.896	0.0	95.093	1.749	0.0	49.095	2.068
167	914	915	SN	2	0.0	89.853	3.038	0.0	100.6	3.425	0.0	43.649	3.107	0.0	51.447	4.122	0.0	95.768	3.122	0.0	95.616	3.492	0.0	43.378	3.107	0.0	51.149	4.086
168	914	915	NS	2	0.0	53.57	5.302	0.0	53.743	5.74	0.0	45.37	5.244	0.0	52.96	6.438	0.0	95.781	5.385	0.0	95.097	5.806	0.0	93.89	5.258	0.0	52.936	6.409
169	914	915	SN	3	0.0	99.283	1.03	0.0	100.159	1.067	0.0	49.352	1.145	0.0	55.061	1.42	0.0	95.732	1.06	0.0	95.616	1.097	0.0	87.084	1.145	0.0	94.619	1.397
170	914	915	SN	2	0.0	99.285	0.996	0.0	100.159	1.084	0.0	56.334	1.143	0.0	49.592	1.427	0.0	95.735	1.03	0.0	95.616	1.112	0.0	87.083	1.131	0.0	94.615	1.407
171	915	916	SN	1	0.0	47.052	1.286	0.0	45.253	1.675	0.0	47.459	1.353	0.0	54.953	1.832	0.0	94.124	1.286	0.0	45.3	1.688	0.0	47.347	1.344	0.0	54.925	1.827
172	915	916	SN	1	0.0	48.271	4.101	0.0	46.215	5.206	0.0	43.336	4.09	0.0	55.276	5.291	0.0	94.265	4.135	0.0	46.401	5.206	0.0	43.622	4.076	0.0	55.481	5.24
173	915	916	SN	1	0.0	48.271	4.101	0.0	46.215	5.206	0.0	43.336	4.09	0.0	55.276	5.291	0.0	94.265	4.135	0.0	46.401	5.206	0.0	43.622	4.076	0.0	55.481	5.24
174	915	916	NS	1	0.0	51.665	7.532	0.0	51.594	7.918	0.0	51.156	7.467	0.0	63.464	7.713	0.0	95.428	7.631	0.0	95.841	8.018	0.0	51.669	7.439	0.0	63.541	7.62
175	915	916	NS	1	0.0	94.823	2.299	0.0	90.498	2.426	0.0	52.239	2.544	0.0	60.944	2.585	0.0	95.068	2.356	0.0	95.787	2.458	0.0	93.949	2.53	0.0	60.832	2.581

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

176	915	916	SN	1	0.0	47.052	1.286	0.0	45.253	1.675	0.0	47.459	1.353	0.0	54.953	1.832	0.0	94.124	1.286	0.0	45.3	1.688	0.0	47.347	1.344	0.0	54.925	1.827
177	915	916	SN	2	0.0	48.271	4.101	0.0	46.215	5.206	0.0	43.336	4.09	0.0	55.276	5.291	0.0	94.265	4.135	0.0	46.401	5.206	0.0	43.622	4.076	0.0	55.481	5.24
178	915	916	SN	2	0.0	47.052	1.286	0.0	45.253	1.675	0.0	47.459	1.353	0.0	54.953	1.832	0.0	94.124	1.286	0.0	45.3	1.688	0.0	47.347	1.344	0.0	54.925	1.827
179	915	916	NS	2	0.0	94.823	2.299	0.0	90.498	2.426	0.0	52.239	2.544	0.0	60.944	2.585	0.0	95.068	2.356	0.0	95.787	2.458	0.0	93.949	2.53	0.0	60.832	2.581
180	915	916	NS	2	0.0	51.665	7.532	0.0	51.594	7.918	0.0	51.156	7.467	0.0	63.464	7.713	0.0	95.428	7.631	0.0	95.841	8.018	0.0	51.669	7.439	0.0	63.541	7.62
181	915	916	NS	1	0.0	51.665	7.532	0.0	51.594	7.918	0.0	51.156	7.467	0.0	63.464	7.713	0.0	95.428	7.631	0.0	95.841	8.018	0.0	51.669	7.439	0.0	63.541	7.62
182	915	916	NS	1	0.0	94.823	2.299	0.0	90.498	2.426	0.0	52.239	2.544	0.0	60.944	2.585	0.0	95.068	2.356	0.0	95.787	2.458	0.0	93.949	2.53	0.0	60.832	2.581
183	916	917	NS	2	0.0	43.621	0.743	0.0	94.251	0.676	0.0	41.144	0.567	0.0	45.12	0.69	0.0	94.789	0.795	0.0	94.464	0.701	0.0	41.5	0.578	0.0	93.623	0.694
184	916	917	NS	1	0.0	48.031	2.9	0.0	94.251	2.86	0.0	47.736	2.259	0.0	49.651	2.657	0.0	94.84	3.065	0.0	94.464	2.935	0.0	47.728	2.28	0.0	49.536	2.671
185	916	917	NS	1	0.0	45.892	0.756	0.0	94.008	0.617	0.0	38.893	0.599	0.0	41.797	0.713	0.0	95.506	0.806	0.0	92.551	0.657	0.0	94.239	0.59	0.0	41.719	0.706
186	916	917	SN	1	0.0	55.466	1.523	0.0	46.391	1.569	0.0	55.104	1.474	0.0	49.931	1.934	0.0	95.241	1.569	0.0	95.513	1.567	0.0	54.931	1.481	0.0	49.99	1.899
187	916	917	SN	1	0.0	51.418	4.76	0.0	47.346	4.729	0.0	49.501	4.369	0.0	50.742	5.39	0.0	95.337	4.718	0.0	95.404	4.823	0.0	49.198	4.332	0.0	50.418	5.375
188	916	917	NS	2	0.0	48.553	2.982	0.0	58.022	3.036	0.0	44.612	2.279	0.0	47.235	2.693	0.0	94.789	3.106	0.0	92.031	3.161	0.0	44.606	2.272	0.0	47.652	2.679
189	917	918	NS	2	0.0	58.094	5.674	0.0	53.435	4.947	0.0	69.808	4.144	0.0	58.011	4.886	0.0	94.199	5.848	0.0	95.088	5.171	0.0	92.603	4.144	0.0	58.108	4.886
190	917	918	NS	1	0.0	55.992	5.95	0.0	57.208	5.019	0.0	50.542	4.418	0.0	47.501	4.629	0.0	93.489	6.066	0.0	93.283	5.152	0.0	92.806	4.418	0.0	47.53	4.586
191	917	918	SN	1	0.0	48.276	2.466	0.0	48.164	2.512	0.0	51.418	2.524	0.0	50.25	2.706	0.0	94.04	2.49	0.0	94.608	2.536	0.0	51.397	2.507	0.0	50.321	2.697
192	917	918	SN	1	0.0	50.686	7.746	0.0	58.676	8.127	0.0	44.359	7.402	0.0	55.871	7.832	0.0	94.828	7.876	0.0	95.328	8.179	0.0	44.165	7.373	0.0	55.91	7.824
193	917	918	NS	2	0.0	65.485	1.747	0.0	48.944	1.34	0.0	52.08	1.327	0.0	44.962	1.506	0.0	94.274	1.766	0.0	95.133	1.384	0.0	93.345	1.326	0.0	44.97	1.506
194	917	918	NS	1	0.0	66.869	1.669	0.0	89.608	1.442	0.0	47.937	1.269	0.0	46.724	1.514	0.0	94.487	1.696	0.0	95.166	1.467	0.0	94.327	1.268	0.0	46.321	1.505
195	918	919	NS	1	0.0	48.31	7.122	0.0	45.98	6.601	0.0	32.741	3.676	0.0	60.226	5.385	0.0	94.186	7.603	0.0	93.93	6.877	0.0	32.763	3.422	0.0	60.301	5.475
196	918	919	NS	1	0.0	34.282	1.385	0.0	43.446	1.575	0.0	34.647	0.899	0.0	52.581	1.558	0.0	94.186	1.436	0.0	92.651	1.689	0.0	34.372	0.933	0.0	52.353	1.574
197	919	920	SN	1	0.0	33.661	3.241	0.0	21.031	8.333	0.0	42.196	3.472	100000.0	-100000.0	0.0	0.0	34.141	3.704	0.0	21.086	8.333	0.0	42.504	3.819	100000.0	-100000.0	0.0
198	919	920	SN	1	0.0	26.554	1.07	0.0	17.316	0.0	0.0	39.863	0.289	100000.0	-100000.0	0.0	0.0	26.828	1.203	0.0	17.627	0.0	0.0	39.988	0.289	100000.0	-100000.0	0.0
199	920	921	SN	1	0.0	51.639	5.05	0.0	54.764	5.353	0.0	49.544	3.989	0.0	59.558	5.061	0.0	95.65	5.307	0.0	95.607	5.494	0.0	95.926	4.031	0.0	92.922	5.075
200	920	921	NS	1	0.0	55.48	1.497	0.0	55.898	1.164	0.0	48.011	1.207	0.0	47.717	1.399	0.0	95.541	1.604	0.0	95.95	1.237	0.0	94.771	1.2	0.0	94.552	1.404
201	920	921	SN	1	0.0	48.019	1.351	0.0	47.411	1.35	0.0	43.488	1.304	0.0	55.729	1.598	0.0	95.734	1.452	0.0	95.825	1.431	0.0	95.623	1.322	0.0	93.952	1.598
202	920	921	NS	1	0.0	61.052	5.169	0.0	55.822	4.415	0.0	46.333	3.896	0.0	54.623	4.343	0.0	95.679	5.451	0.0	95.631	4.597	0.0	94.771	3.889	0.0	94.392	4.371
203	921	922	SN	1	0.0	51.979	6.776	0.0	52.052	6.319	0.0	44.564	5.626	0.0	44.589	6.328	0.0	95.105	6.958	0.0	94.512	6.519	0.0	93.633	5.675	0.0	44.612	6.257
204	921	922	SN	1	0.0	50.403	2.246	0.0	47.897	2.019	0.0	54.795	1.939	0.0	52.836	2.184	0.0	95.222	2.288	0.0	94.176	2.047	0.0	94.134	1.93	0.0	52.867	2.175
205	921	922	NS	1	0.0	55.141	6.106	0.0	54.597	5.755	0.0	62.621	5.054	0.0	56.795	5.901	0.0	95.487	6.28	0.0	95.54	5.879	0.0	94.887	5.062	0.0	95.271	5.929
206	921	922	NS	2	0.0	55.141	6.106	0.0	54.597	5.755	0.0	62.621	5.054	0.0	56.795	5.901	0.0	95.487	6.28	0.0	95.54	5.879	0.0	94.887	5.062	0.0	95.271	5.929
207	921	922	NS	2	0.0	53.367	1.858	0.0	45.746	1.597	0.0	46.249	1.697	0.0	48.867	1.892	0.0	95.785	1.996	0.0	95.776	1.66	0.0	95.878	1.722	0.0	95.465	1.888
208	921	922	NS	1	0.0	53.367	1.858	0.0	45.746	1.597	0.0	46.249	1.697	0.0	48.867	1.892	0.0	95.785	1.996	0.0	95.776	1.66	0.0	95.878	1.722	0.0	95.465	1.888
209	922	923	NS	1	0.0	94.573	4.59	0.0	95.345	4.324	0.0	53.537	4.362	0.0	53.458	4.678	0.0	95.866	4.722	0.0	95.901	4.448	0.0	93.983	4.369	0.0	53.238	4.743
210	922	923	SN	1	0.0	95.413	2.694	0.0	50.808	2.554	0.0	48.454	2.668	0.0	47.637	2.818	0.0	95.85	2.763	0.0	95.172	2.59	0.0	95.404	2.659	0.0	94.106	2.784
211	922	923	NS	2	0.0	94.573	4.59	0.0	95.345	4.324	0.0	53.537	4.362	0.0	53.458	4.678	0.0	95.866	4.722	0.0	95.901	4.448	0.0	93.983	4.369	0.0	53.238	4.743

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

212	922	923	SN	1	0.0	95.184	8.747	0.0	60.248	8.958	0.0	52.999	8.133	0.0	44.578	8.588	0.0	95.648	8.988	0.0	94.772	9.166	0.0	94.753	8.133	0.0	44.732	8.517
213	922	923	SN	2	0.0	95.184	8.747	0.0	60.248	8.958	0.0	52.999	8.133	0.0	44.578	8.588	0.0	95.648	8.988	0.0	94.772	9.166	0.0	94.753	8.133	0.0	44.732	8.517
214	922	923	NS	1	0.0	95.849	1.417	0.0	99.424	1.569	0.0	50.989	1.554	0.0	55.056	1.678	0.0	95.819	1.503	0.0	95.64	1.592	0.0	94.839	1.554	0.0	54.868	1.672
215	922	923	NS	2	0.0	95.849	1.417	0.0	99.424	1.569	0.0	50.989	1.554	0.0	55.056	1.678	0.0	95.819	1.503	0.0	95.64	1.592	0.0	94.839	1.554	0.0	54.868	1.672
216	922	923	SN	2	0.0	95.413	2.694	0.0	50.808	2.554	0.0	48.454	2.668	0.0	47.637	2.818	0.0	95.85	2.763	0.0	95.172	2.59	0.0	95.404	2.659	0.0	94.106	2.784
217	923	924	SN	2	0.0	51.263	3.35	0.0	54.273	3.372	0.0	44.829	3.082	0.0	55.904	3.639	0.0	94.839	3.507	0.0	94.874	3.463	0.0	92.159	3.06	0.0	55.722	3.646
218	923	924	NS	1	0.0	46.591	0.839	0.0	46.56	1.043	0.0	44.059	1.114	0.0	54.0	1.319	0.0	95.591	0.876	0.0	95.9	1.078	0.0	95.313	1.121	0.0	93.151	1.298
219	923	924	NS	2	0.0	49.886	2.344	0.0	51.591	2.874	0.0	53.381	2.725	0.0	54.0	3.81	0.0	95.266	2.443	0.0	94.606	2.916	0.0	95.158	2.69	0.0	54.09	3.803
220	923	924	SN	1	0.0	48.135	0.91	0.0	53.653	0.838	0.0	48.683	0.813	0.0	51.77	1.083	0.0	95.246	0.992	0.0	95.909	0.88	0.0	95.387	0.823	0.0	93.829	1.074
221	923	924	NS	2	0.0	46.591	0.839	0.0	46.56	1.043	0.0	44.059	1.114	0.0	54.0	1.319	0.0	95.591	0.876	0.0	95.9	1.078	0.0	95.313	1.121	0.0	93.151	1.298
222	923	924	SN	2	0.0	48.135	0.91	0.0	53.653	0.838	0.0	48.683	0.813	0.0	51.77	1.083	0.0	95.246	0.992	0.0	95.909	0.88	0.0	95.387	0.823	0.0	93.829	1.074
223	923	924	SN	1	0.0	51.263	3.35	0.0	54.273	3.372	0.0	44.829	3.082	0.0	55.904	3.639	0.0	94.839	3.507	0.0	94.874	3.463	0.0	92.159	3.06	0.0	55.722	3.646
224	923	924	NS	1	0.0	49.886	2.344	0.0	51.591	2.874	0.0	53.381	2.725	0.0	54.0	3.81	0.0	95.266	2.443	0.0	94.606	2.916	0.0	95.158	2.69	0.0	54.09	3.803
225	924	925	NS	2	0.0	46.947	5.616	0.0	55.769	5.674	0.0	54.929	4.59	0.0	49.328	5.96	0.0	94.098	5.715	0.0	93.588	5.741	0.0	54.587	4.59	0.0	48.963	5.846
226	924	925	SN	2	0.0	61.976	4.404	0.0	52.016	5.286	0.0	47.446	4.465	0.0	44.198	5.013	0.0	95.743	4.562	0.0	95.537	5.328	0.0	95.21	4.494	0.0	44.337	5.056
227	924	925	SN	1	0.0	55.76	1.354	0.0	44.434	1.501	0.0	46.385	1.469	0.0	48.294	1.687	0.0	95.659	1.447	0.0	95.696	1.568	0.0	94.155	1.464	0.0	48.767	1.673
228	924	925	NS	1	0.0	47.979	1.795	0.0	51.58	1.727	0.0	56.388	1.679	0.0	57.25	1.977	0.0	94.963	1.82	0.0	95.346	1.742	0.0	56.261	1.672	0.0	57.145	1.956
229	924	925	NS	1	0.0	46.947	5.616	0.0	55.769	5.674	0.0	54.929	4.59	0.0	49.328	5.96	0.0	94.098	5.715	0.0	93.588	5.741	0.0	54.587	4.59	0.0	48.963	5.846
230	924	925	NS	2	0.0	47.979	1.795	0.0	51.58	1.727	0.0	56.388	1.679	0.0	57.25	1.977	0.0	94.963	1.82	0.0	95.346	1.742	0.0	56.261	1.672	0.0	57.145	1.956
231	924	925	SN	1	0.0	61.976	4.404	0.0	52.016	5.286	0.0	47.446	4.465	0.0	44.198	5.013	0.0	95.743	4.562	0.0	95.537	5.328	0.0	95.21	4.494	0.0	44.337	5.056
232	924	925	SN	2	0.0	55.76	1.354	0.0	44.434	1.501	0.0	46.385	1.469	0.0	48.294	1.687	0.0	95.659	1.447	0.0	95.696	1.568	0.0	94.155	1.464	0.0	48.767	1.673
233	925	926	NS	2	0.0	49.674	1.81	0.0	51.348	1.98	0.0	61.088	1.726	0.0	52.488	2.061	0.0	95.133	1.814	0.0	95.131	1.973	0.0	60.717	1.698	0.0	52.454	2.046
234	925	926	NS	1	0.0	49.674	1.81	0.0	51.348	1.98	0.0	61.088	1.726	0.0	52.488	2.061	0.0	95.133	1.814	0.0	95.131	1.973	0.0	60.717	1.698	0.0	52.454	2.046
235	925	926	NS	1	0.0	48.208	5.363	0.0	55.468	6.273	0.0	47.767	5.054	0.0	51.738	6.056	0.0	94.433	5.425	0.0	95.156	6.361	0.0	47.716	5.046	0.0	51.31	6.018
236	925	926	NS	2	0.0	48.208	5.363	0.0	55.468	6.273	0.0	47.767	5.054	0.0	51.738	6.056	0.0	94.433	5.425	0.0	95.156	6.361	0.0	47.716	5.046	0.0	51.31	6.018

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

Sr No	Start Orbit	End Orbit	Dir.	Ver.	Azimuth Angle												Incidence Angle											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	897	898	SN	1	0.0	39.658	12.725	0.0	41.603	12.98	0.0	17.301	4.935	0.0	17.461	5.235	0.0	1.868	0.0	0.0	1.859	0.0	0.0	2.218	0.0	0.0	2.201	0.0
2	897	898	SN	1	0.0	40.761	23.976	0.0	42.821	25.343	0.0	21.685	13.525	0.0	23.571	14.755	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
3	897	898	SN	3	0.0	40.761	23.976	0.0	42.821	25.343	0.0	21.685	13.525	0.0	23.571	14.755	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
4	897	898	SN	2	0.0	40.761	23.976	0.0	42.821	25.343	0.0	21.685	13.525	0.0	23.571	14.755	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
5	898	899	SN	2	0.0	39.658	12.713	0.0	40.935	12.864	0.0	20.246	5.207	0.0	17.984	5.296	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
6	898	899	SN	1	0.0	39.658	12.713	0.0	40.935	12.864	0.0	20.246	5.207	0.0	17.984	5.296	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
7	898	899	SN	1	0.0	40.767	24.122	0.0	42.81	25.247	0.0	23.08	13.757	0.0	23.582	14.637	0.0	1.868	0.0	0.0	1.858	0.0	0.0	2.218	0.0	0.0	2.201	0.0
8	898	899	NS	3	0.0	41.614	13.094	0.0	40.37	12.716	0.0	22.385	4.154	0.0	24.216	3.884	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.181	0.0	0.0	2.193	0.0
9	898	899	SN	3	0.0	39.658	12.713	0.0	40.935	12.864	0.0	20.246	5.207	0.0	17.984	5.296	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
10	898	899	NS	1	0.0	44.021	24.345	0.0	45.262	24.257	0.0	24.553	13.286	0.0	28.331	12.511	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.194	0.0
11	898	899	NS	3	0.0	44.021	24.327	0.0	45.267	24.257	0.0	24.558	13.286	0.0	28.336	12.475	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.194	0.0
12	898	899	NS	2	0.0	41.614	13.094	0.0	40.37	12.716	0.0	22.385	4.154	0.0	24.216	3.884	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.181	0.0	0.0	2.193	0.0
13	898	899	NS	2	0.0	44.021	24.327	0.0	45.267	24.257	0.0	24.558	13.286	0.0	28.336	12.475	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.194	0.0
14	898	899	NS	1	0.0	41.614	13.094	0.0	40.37	12.716	0.0	22.385	4.154	0.0	24.216	3.884	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.181	0.0	0.0	2.193	0.0
15	899	900	SN	3	0.0	42.317	24.189	0.0	42.565	25.215	0.0	26.053	14.004	0.0	23.637	14.63	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
16	899	900	NS	1	0.0	41.796	13.069	0.0	40.381	12.694	0.0	22.374	4.125	0.0	24.205	3.864	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
17	899	900	NS	3	0.0	41.796	13.069	0.0	40.381	12.694	0.0	22.374	4.125	0.0	24.205	3.864	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
18	899	900	NS	1	0.0	44.004	24.295	0.0	45.857	24.276	0.0	24.547	13.209	0.0	28.32	12.439	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.194	0.0
19	899	900	NS	2	0.0	41.796	13.069	0.0	40.381	12.694	0.0	22.374	4.125	0.0	24.205	3.864	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
20	899	900	SN	1	0.0	42.317	24.189	0.0	42.565	25.215	0.0	26.053	14.004	0.0	23.637	14.63	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
21	899	900	SN	1	0.0	39.52	12.718	0.0	41.387	12.822	0.0	23.284	5.343	0.0	19.777	5.558	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
22	899	900	SN	2	0.0	42.317	24.189	0.0	42.565	25.215	0.0	26.053	14.004	0.0	23.637	14.63	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
23	900	901	SN	2	0.0	41.749	24.12	0.0	42.788	25.142	0.0	24.966	13.833	0.0	23.411	14.624	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
24	900	901	SN	1	0.0	39.515	12.705	0.0	41.382	12.794	0.0	22.391	5.337	0.0	19.424	5.689	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
25	900	901	SN	2	0.0	39.515	12.705	0.0	41.382	12.794	0.0	22.391	5.337	0.0	19.424	5.689	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
26	900	901	NS	3	0.0	41.779	13.085	0.0	41.241	12.718	0.0	22.159	4.1	0.0	24.062	3.855	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
27	900	901	SN	3	0.0	41.749	24.12	0.0	42.788	25.142	0.0	24.966	13.833	0.0	23.411	14.624	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
28	900	901	SN	3	0.0	39.515	12.705	0.0	41.382	12.794	0.0	22.391	5.337	0.0	19.424	5.689	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
29	900	901	NS	1	0.0	43.596	24.294	0.0	46.486	24.344	0.0	24.514	13.145	0.0	27.183	12.428	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
30	900	901	NS	1	0.0	41.779	13.085	0.0	41.241	12.718	0.0	22.159	4.1	0.0	24.062	3.855	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
31	900	901	NS	2	0.0	41.779	13.085	0.0	41.241	12.718	0.0	22.159	4.1	0.0	24.062	3.855	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

32	900	901	SN	1	0.0	41.749	24.12	0.0	42.788	25.142	0.0	24.966	13.833	0.0	23.411	14.624	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
33	901	902	NS	2	0.0	41.812	13.062	0.0	41.241	12.713	0.0	22.17	4.087	0.0	24.051	3.841	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
34	901	902	SN	2	0.0	39.504	12.689	0.0	40.908	12.815	0.0	20.433	5.255	0.0	18.172	5.696	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.202	0.0
35	901	902	NS	3	0.0	41.812	13.062	0.0	41.241	12.713	0.0	22.17	4.087	0.0	24.051	3.841	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
36	901	902	SN	3	0.0	39.504	12.689	0.0	40.908	12.815	0.0	20.433	5.255	0.0	18.172	5.696	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.202	0.0
37	901	902	NS	2	0.0	42.907	24.3	0.0	46.475	24.24	0.0	24.525	13.145	0.0	27.592	12.421	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
38	901	902	NS	1	0.0	41.261	13.063	0.0	40.215	12.726	0.0	22.926	4.091	0.0	23.207	3.849	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
39	901	902	SN	2	0.0	40.739	24.051	0.0	42.788	25.138	0.0	23.863	13.73	0.0	23.411	14.468	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
40	901	902	SN	1	0.0	39.504	12.689	0.0	40.908	12.815	0.0	20.433	5.255	0.0	18.172	5.696	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.202	0.0
41	901	902	NS	3	0.0	42.907	24.3	0.0	46.475	24.24	0.0	24.525	13.145	0.0	27.592	12.421	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
42	901	902	NS	1	0.0	44.148	24.228	0.0	46.475	24.232	0.0	25.148	13.119	0.0	27.233	12.356	0.0	1.839	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
43	901	902	SN	1	0.0	40.739	24.051	0.0	42.788	25.138	0.0	23.863	13.73	0.0	23.411	14.468	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
44	901	902	SN	3	0.0	40.739	24.051	0.0	42.788	25.138	0.0	23.863	13.73	0.0	23.411	14.468	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
45	902	903	NS	1	0.0	44.142	24.13	0.0	46.447	24.261	0.0	25.143	13.118	0.0	27.217	12.406	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
46	902	903	SN	1	0.0	39.35	12.67	0.0	42.0	12.821	0.0	19.098	5.168	0.0	17.411	5.664	0.0	1.869	0.0	0.0	1.858	0.0	0.0	2.219	0.0	0.0	2.203	0.0
47	902	903	SN	3	0.0	39.35	12.67	0.0	42.0	12.821	0.0	19.098	5.168	0.0	17.411	5.664	0.0	1.869	0.0	0.0	1.858	0.0	0.0	2.219	0.0	0.0	2.203	0.0
48	902	903	NS	3	0.0	44.142	24.163	0.0	46.447	24.261	0.0	25.143	13.14	0.0	27.217	12.391	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
49	902	903	NS	2	0.0	44.142	24.163	0.0	46.447	24.261	0.0	25.143	13.14	0.0	27.217	12.391	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
50	902	903	NS	3	0.0	40.24	13.076	0.0	40.226	12.697	0.0	22.904	4.08	0.0	23.891	3.838	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
51	902	903	NS	2	0.0	40.24	13.076	0.0	40.226	12.697	0.0	22.904	4.08	0.0	23.891	3.838	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
52	902	903	SN	3	0.0	40.419	24.018	0.0	42.369	25.123	0.0	23.235	13.567	0.0	23.406	14.497	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
53	902	903	SN	1	0.0	40.419	24.018	0.0	42.369	25.123	0.0	23.235	13.567	0.0	23.406	14.497	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
54	902	903	SN	2	0.0	39.35	12.67	0.0	42.0	12.821	0.0	19.098	5.168	0.0	17.411	5.664	0.0	1.869	0.0	0.0	1.858	0.0	0.0	2.219	0.0	0.0	2.203	0.0
55	902	903	SN	2	0.0	40.419	24.018	0.0	42.369	25.123	0.0	23.235	13.567	0.0	23.406	14.497	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
56	902	903	NS	1	0.0	40.417	13.076	0.0	40.226	12.697	0.0	22.909	4.081	0.0	23.891	3.838	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
57	903	904	NS	1	0.0	44.109	24.23	0.0	45.372	24.229	0.0	24.685	13.174	0.0	27.156	12.423	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
58	903	904	SN	3	0.0	40.414	23.981	0.0	42.353	25.191	0.0	22.225	13.5	0.0	23.389	14.573	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
59	903	904	SN	1	0.0	39.322	12.717	0.0	42.0	12.851	0.0	17.698	5.074	0.0	17.4	5.669	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
60	903	904	SN	3	0.0	39.322	12.717	0.0	42.0	12.851	0.0	17.698	5.074	0.0	17.4	5.669	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
61	903	904	SN	1	0.0	40.414	23.981	0.0	42.353	25.191	0.0	22.225	13.5	0.0	23.389	14.573	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
62	903	904	NS	3	0.0	44.109	24.227	0.0	46.431	24.238	0.0	24.045	13.175	0.0	27.205	12.355	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
63	903	904	NS	1	0.0	41.476	13.068	0.0	40.237	12.753	0.0	22.071	4.083	0.0	24.294	3.818	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
64	903	904	NS	2	0.0	44.109	24.227	0.0	46.431	24.238	0.0	24.045	13.175	0.0	27.205	12.355	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
65	903	904	SN	2	0.0	39.322	12.717	0.0	42.0	12.851	0.0	17.698	5.074	0.0	17.4	5.669	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
66	903	904	SN	2	0.0	40.414	23.981	0.0	42.353	25.191	0.0	22.225	13.5	0.0	23.389	14.573	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
67	904	905	SN	2	0.0	39.3	12.738	0.0	41.978	12.929	0.0	17.687	4.994	0.0	17.449	5.599	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
68	904	905	SN	3	0.0	39.3	12.738	0.0	41.978	12.929	0.0	17.687	4.994	0.0	17.449	5.599	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

69	904	905	NS	2	0.0	44.12	24.281	0.0	46.414	24.29	0.0	24.045	13.231	0.0	27.145	12.412	0.0	1.839	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
70	904	905	NS	1	0.0	40.472	13.073	0.0	40.072	12.728	0.0	22.661	4.101	0.0	24.283	3.843	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
71	904	905	NS	1	0.0	44.12	24.258	0.0	45.361	24.275	0.0	25.093	13.225	0.0	27.145	12.444	0.0	1.839	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
72	904	905	NS	3	0.0	44.12	24.281	0.0	46.414	24.29	0.0	24.045	13.231	0.0	27.145	12.412	0.0	1.839	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
73	904	905	SN	3	0.0	40.375	23.958	0.0	42.33	25.184	0.0	22.22	13.435	0.0	23.378	14.652	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
74	904	905	NS	2	0.0	41.117	13.052	0.0	40.072	12.729	0.0	22.86	4.083	0.0	23.852	3.874	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
75	904	905	NS	3	0.0	41.117	13.052	0.0	40.072	12.729	0.0	22.86	4.083	0.0	23.852	3.874	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
76	904	905	SN	1	0.0	39.3	12.738	0.0	41.978	12.929	0.0	17.687	4.994	0.0	17.449	5.599	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
77	904	905	SN	1	0.0	40.375	23.958	0.0	42.33	25.184	0.0	22.22	13.435	0.0	23.378	14.652	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
78	904	905	SN	2	0.0	40.375	23.958	0.0	42.33	25.184	0.0	22.22	13.435	0.0	23.378	14.652	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
79	905	906	NS	2	0.0	40.621	13.055	0.0	38.633	12.733	0.0	22.656	4.1	0.0	23.692	3.857	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
80	905	906	SN	3	0.0	46.618	24.297	0.0	46.023	25.258	0.0	27.145	14.112	0.0	26.378	14.571	0.0	1.869	0.0	0.0	1.857	0.0	0.0	2.219	0.0	0.0	2.201	0.0
81	905	906	NS	2	0.0	44.098	24.223	0.0	45.344	24.246	0.0	25.082	13.254	0.0	27.134	12.456	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.181	0.0	0.0	2.193	0.0
82	905	906	SN	1	0.0	39.702	12.729	0.0	41.829	12.841	0.0	24.437	5.374	0.0	21.746	5.553	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
83	905	906	SN	2	0.0	39.702	12.729	0.0	41.823	12.837	0.0	24.437	5.374	0.0	21.746	5.555	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
84	905	906	SN	1	0.0	46.618	24.297	0.0	46.023	25.258	0.0	27.145	14.119	0.0	26.378	14.564	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.201	0.0
85	905	906	NS	1	0.0	40.626	13.051	0.0	38.627	12.727	0.0	22.656	4.098	0.0	23.692	3.852	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
86	905	906	NS	3	0.0	40.621	13.055	0.0	38.633	12.733	0.0	22.656	4.1	0.0	23.692	3.857	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
87	905	906	NS	3	0.0	44.098	24.223	0.0	45.344	24.246	0.0	25.082	13.254	0.0	27.134	12.456	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.181	0.0	0.0	2.193	0.0
88	905	906	SN	3	0.0	39.702	12.729	0.0	41.823	12.837	0.0	24.437	5.374	0.0	21.746	5.555	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
89	905	906	NS	1	0.0	44.092	24.234	0.0	45.339	24.213	0.0	25.088	13.232	0.0	27.134	12.464	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.181	0.0	0.0	2.193	0.0
90	905	906	SN	2	0.0	46.618	24.297	0.0	46.023	25.258	0.0	27.145	14.112	0.0	26.378	14.571	0.0	1.869	0.0	0.0	1.857	0.0	0.0	2.219	0.0	0.0	2.201	0.0
91	906	907	SN	1	0.0	46.629	24.293	0.0	45.013	25.291	0.0	27.167	14.084	0.0	26.384	14.557	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
92	906	907	NS	2	0.0	40.731	13.075	0.0	39.019	12.717	0.0	22.457	4.091	0.0	23.273	3.863	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
93	906	907	SN	2	0.0	39.708	12.751	0.0	41.823	12.861	0.0	24.42	5.438	0.0	21.928	5.571	0.0	1.868	0.0	0.0	1.859	0.0	0.0	2.218	0.0	0.0	2.202	0.0
94	906	907	SN	1	0.0	39.708	12.751	0.0	41.823	12.861	0.0	24.42	5.438	0.0	21.928	5.571	0.0	1.868	0.0	0.0	1.859	0.0	0.0	2.218	0.0	0.0	2.202	0.0
95	906	907	NS	1	0.0	43.695	24.25	0.0	45.642	24.294	0.0	24.635	13.191	0.0	28.375	12.399	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.193	0.0
96	906	907	SN	2	0.0	46.629	24.293	0.0	45.013	25.291	0.0	27.167	14.084	0.0	26.384	14.557	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.201	0.0
97	906	907	NS	3	0.0	40.731	13.075	0.0	39.019	12.717	0.0	22.457	4.091	0.0	23.273	3.863	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
98	906	907	NS	1	0.0	40.731	13.075	0.0	39.019	12.717	0.0	22.457	4.091	0.0	23.273	3.863	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
99	907	908	NS	1	0.0	43.69	24.267	0.0	45.317	24.321	0.0	24.608	13.149	0.0	28.375	12.392	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.177	0.0	0.0	2.193	0.0
100	907	908	SN	2	0.0	46.624	24.293	0.0	45.024	25.246	0.0	27.161	14.078	0.0	26.395	14.564	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.218	0.0	0.0	2.201	0.0
101	907	908	SN	2	0.0	39.702	12.741	0.0	41.807	12.847	0.0	23.72	5.481	0.0	21.95	5.597	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.218	0.0	0.0	2.203	0.0
102	907	908	NS	2	0.0	40.323	13.09	0.0	38.842	12.759	0.0	22.424	4.079	0.0	24.713	3.839	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
103	907	908	NS	1	0.0	40.323	13.09	0.0	38.842	12.759	0.0	22.424	4.079	0.0	24.713	3.839	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
104	907	908	SN	1	0.0	46.624	24.293	0.0	45.024	25.246	0.0	27.161	14.078	0.0	26.395	14.564	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.218	0.0	0.0	2.201	0.0
105	907	908	NS	2	0.0	43.69	24.267	0.0	45.317	24.321	0.0	24.608	13.149	0.0	28.375	12.392	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.177	0.0	0.0	2.193	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

106	907	908	SN	1	0.0	39.702	12.741	0.0	41.807	12.847	0.0	23.72	5.481	0.0	21.95	5.597	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.218	0.0	0.0	2.203	0.0
107	908	909	SN	2	0.0	46.657	24.252	0.0	45.03	25.221	0.0	27.145	14.085	0.0	26.417	14.6	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.201	0.0
108	908	909	SN	1	0.0	39.123	12.701	0.0	41.062	12.836	0.0	24.817	5.507	0.0	21.961	5.695	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.202	0.0
109	908	909	NS	2	0.0	40.533	13.089	0.0	38.853	12.736	0.0	22.43	4.078	0.0	23.494	3.83	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
110	908	909	NS	2	0.0	43.679	24.219	0.0	45.653	24.313	0.0	24.591	13.156	0.0	28.364	12.398	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.177	0.0	0.0	2.192	0.0
111	908	909	SN	2	0.0	39.123	12.701	0.0	41.062	12.836	0.0	24.817	5.507	0.0	21.961	5.695	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.202	0.0
112	908	909	NS	1	0.0	43.679	24.219	0.0	45.653	24.313	0.0	24.591	13.156	0.0	28.364	12.398	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.177	0.0	0.0	2.192	0.0
113	908	909	NS	1	0.0	40.533	13.089	0.0	38.853	12.736	0.0	22.43	4.078	0.0	23.494	3.83	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
114	908	909	SN	1	0.0	46.657	24.252	0.0	45.03	25.221	0.0	27.145	14.085	0.0	26.417	14.6	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.201	0.0
115	909	910	SN	1	0.0	46.067	24.237	0.0	46.083	25.144	0.0	28.297	14.126	0.0	26.786	14.598	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
116	909	910	NS	2	0.0	40.538	13.067	0.0	38.859	12.729	0.0	22.441	4.094	0.0	24.238	3.84	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
117	909	910	SN	1	0.0	39.669	12.758	0.0	41.614	12.835	0.0	24.547	5.505	0.0	22.17	5.754	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.202	0.0
118	909	910	NS	1	0.0	43.657	24.275	0.0	45.637	24.3	0.0	24.602	13.228	0.0	28.353	12.375	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.193	0.0
119	909	910	NS	2	0.0	43.657	24.275	0.0	45.637	24.3	0.0	24.602	13.228	0.0	28.353	12.375	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.193	0.0
120	909	910	SN	2	0.0	39.669	12.758	0.0	41.614	12.835	0.0	24.547	5.505	0.0	22.17	5.754	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.202	0.0
121	909	910	SN	2	0.0	46.067	24.237	0.0	46.083	25.144	0.0	28.297	14.126	0.0	26.786	14.598	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.202	0.0
122	909	910	NS	1	0.0	40.538	13.067	0.0	38.859	12.729	0.0	22.441	4.094	0.0	24.238	3.84	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
123	910	911	SN	1	0.0	46.083	24.221	0.0	46.105	25.204	0.0	28.314	14.089	0.0	26.814	14.605	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
124	910	911	SN	2	0.0	39.653	12.73	0.0	40.935	12.812	0.0	23.919	5.477	0.0	22.187	5.748	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
125	910	911	SN	3	0.0	43.403	24.019	0.0	43.431	25.042	0.0	28.309	13.808	0.0	23.61	14.584	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
126	910	911	NS	2	0.0	43.618	24.236	0.0	46.519	24.312	0.0	24.531	13.266	0.0	27.194	12.46	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
127	910	911	NS	1	0.0	43.618	24.236	0.0	46.519	24.312	0.0	24.531	13.266	0.0	27.194	12.46	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
128	910	911	NS	2	0.0	41.001	13.077	0.0	39.057	12.722	0.0	22.225	4.13	0.0	23.284	3.857	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
129	910	911	SN	1	0.0	39.653	12.73	0.0	40.935	12.812	0.0	23.919	5.477	0.0	22.187	5.748	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
130	910	911	SN	3	0.0	39.653	12.651	0.0	40.935	12.69	0.0	23.665	5.312	0.0	19.407	5.692	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.203	0.0
131	910	911	NS	1	0.0	41.001	13.077	0.0	39.057	12.722	0.0	22.225	4.13	0.0	23.284	3.857	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
132	910	911	SN	2	0.0	46.083	24.221	0.0	46.105	25.204	0.0	28.314	14.089	0.0	26.814	14.605	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
133	911	912	NS	1	0.0	41.034	13.051	0.0	41.407	12.726	0.0	22.203	4.1	0.0	23.268	3.865	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
134	911	912	NS	1	0.0	43.602	24.298	0.0	46.502	24.327	0.0	24.558	13.223	0.0	27.189	12.485	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
135	911	912	SN	1	0.0	46.116	24.223	0.0	46.127	25.202	0.0	28.347	14.11	0.0	26.836	14.591	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.203	0.0
136	911	912	SN	1	0.0	39.642	12.717	0.0	40.93	12.84	0.0	23.687	5.492	0.0	44.779	5.716	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
137	911	912	NS	2	0.0	43.602	24.298	0.0	46.502	24.327	0.0	24.558	13.223	0.0	27.189	12.485	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
138	911	912	NS	2	0.0	41.034	13.051	0.0	41.407	12.726	0.0	22.203	4.1	0.0	23.268	3.865	0.0	1.838	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
139	911	912	SN	2	0.0	46.116	24.223	0.0	46.127	25.202	0.0	28.347	14.11	0.0	26.836	14.591	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.203	0.0
140	911	912	SN	2	0.0	39.642	12.717	0.0	40.93	12.84	0.0	23.687	5.492	0.0	44.779	5.716	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
141	911	912	NS	3	0.0	43.596	24.167	0.0	46.497	24.705	0.0	24.553	12.989	0.0	27.189	13.065	0.0	1.839	0.0	0.0	1.848	0.0	0.0	2.18	0.0	0.0	2.193	0.0
142	911	912	NS	3	0.0	35.825	13.057	0.0	38.462	12.889	0.0	22.203	3.91	0.0	23.273	4.089	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0		

143	912	913	NS	2	0.0	42.934	24.273	0.0	46.48	24.391	0.0	24.525	13.23	0.0	27.178	12.471	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
144	912	913	NS	2	0.0	41.04	13.088	0.0	40.375	12.742	0.0	22.176	4.099	0.0	24.056	3.848	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
145	912	913	SN	1	0.0	46.116	24.24	0.0	45.449	25.183	0.0	27.112	14.08	0.0	25.827	14.555	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.218	0.0	0.0	2.202	0.0
146	912	913	NS	1	0.0	41.04	13.088	0.0	40.375	12.742	0.0	22.176	4.099	0.0	24.056	3.848	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
147	912	913	SN	1	0.0	39.366	12.747	0.0	41.382	12.836	0.0	24.101	5.479	0.0	21.338	5.602	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.202	0.0
148	912	913	NS	1	0.0	42.934	24.273	0.0	46.48	24.391	0.0	24.525	13.23	0.0	27.178	12.471	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.193	0.0
149	912	913	SN	2	0.0	39.366	12.747	0.0	41.382	12.836	0.0	24.101	5.479	0.0	21.338	5.602	0.0	1.868	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.202	0.0
150	912	913	SN	2	0.0	46.116	24.24	0.0	45.449	25.183	0.0	27.112	14.08	0.0	25.827	14.555	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.218	0.0	0.0	2.202	0.0
151	913	914	SN	2	0.0	45.477	24.221	0.0	45.477	25.106	0.0	27.095	14.089	0.0	26.163	14.547	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
152	913	914	SN	2	0.0	39.515	12.736	0.0	40.913	12.823	0.0	24.095	5.465	0.0	22.435	5.696	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.203	0.0
153	913	914	NS	1	0.0	40.847	13.105	0.0	39.107	12.714	0.0	22.17	4.061	0.0	24.045	3.845	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
154	913	914	SN	1	0.0	45.477	24.221	0.0	45.477	25.106	0.0	27.095	14.089	0.0	26.163	14.547	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
155	913	914	NS	2	0.0	42.907	24.316	0.0	46.464	24.338	0.0	24.52	13.215	0.0	27.172	12.442	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
156	913	914	NS	1	0.0	42.907	24.316	0.0	46.464	24.338	0.0	24.52	13.215	0.0	27.172	12.442	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.18	0.0	0.0	2.192	0.0
157	913	914	SN	1	0.0	39.515	12.736	0.0	40.913	12.823	0.0	24.095	5.465	0.0	22.435	5.696	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.203	0.0
158	913	914	NS	2	0.0	40.847	13.105	0.0	39.107	12.714	0.0	22.17	4.061	0.0	24.045	3.845	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
159	914	915	NS	3	0.0	41.073	13.117	0.0	41.456	12.746	0.0	22.898	4.013	0.0	23.51	3.83	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
160	914	915	SN	3	0.0	42.592	24.129	0.0	42.386	25.061	0.0	24.999	13.89	0.0	23.411	14.548	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
161	914	915	NS	3	0.0	44.148	24.184	0.0	46.453	24.277	0.0	25.148	13.116	0.0	27.217	12.377	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
162	914	915	SN	1	0.0	39.366	12.715	0.0	42.011	12.816	0.0	22.17	5.392	0.0	19.986	5.761	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
163	914	915	NS	1	0.0	41.073	13.117	0.0	41.456	12.746	0.0	22.898	4.013	0.0	23.51	3.83	0.0	1.837	0.0	0.0	1.847	0.0	0.0	2.179	0.0	0.0	2.192	0.0
164	914	915	SN	1	0.0	42.592	24.129	0.0	42.386	25.061	0.0	24.999	13.89	0.0	23.411	14.548	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
165	914	915	NS	1	0.0	44.148	24.184	0.0	46.453	24.277	0.0	25.148	13.116	0.0	27.217	12.377	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
166	914	915	NS	2	0.0	41.073	13.096	0.0	41.451	12.738	0.0	22.904	4.002	0.0	23.207	3.824	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.192	0.0
167	914	915	SN	2	0.0	42.592	24.154	0.0	42.386	25.078	0.0	24.994	13.883	0.0	23.406	14.555	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
168	914	915	NS	2	0.0	44.148	24.2	0.0	46.453	24.277	0.0	25.154	13.116	0.0	27.217	12.399	0.0	1.838	0.0	0.0	1.847	0.0	0.0	2.178	0.0	0.0	2.192	0.0
169	914	915	SN	3	0.0	39.366	12.712	0.0	42.011	12.818	0.0	22.17	5.389	0.0	19.986	5.766	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
170	914	915	SN	2	0.0	39.366	12.715	0.0	42.011	12.816	0.0	22.17	5.392	0.0	19.986	5.761	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
171	915	916	SN	1	0.0	39.355	12.709	0.0	42.005	12.839	0.0	21.861	5.351	0.0	18.823	5.791	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.204	0.0
172	915	916	SN	1	0.0	40.949	24.082	0.0	42.369	25.083	0.0	24.266	13.793	0.0	23.4	14.573	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.22	0.0	0.0	2.203	0.0
173	915	916	SN	1	0.0	40.949	24.082	0.0	42.369	25.083	0.0	24.266	13.793	0.0	23.4	14.573	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.22	0.0	0.0	2.203	0.0
174	915	916	NS	1	0.0	44.131	24.161	0.0	46.436	24.277	0.0	24.056	13.067	0.0	27.205	12.299	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.192	0.0
175	915	916	NS	1	0.0	41.09	13.11	0.0	41.462	12.734	0.0	22.904	4.0	0.0	23.874	3.808	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
176	915	916	SN	1	0.0	39.355	12.709	0.0	42.005	12.839	0.0	21.861	5.351	0.0	18.823	5.791	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.204	0.0
177	915	916	SN	2	0.0	40.949	24.082	0.0	42.369	25.083	0.0	24.266	13.793	0.0	23.4	14.573	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.22	0.0	0.0	2.203	0.0
178	915	916	SN	2	0.0	39.355	12.709	0.0	42.005	12.839	0.0	21.861	5.351	0.0	18.823	5.791	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.204	0.0
179	915	916	NS	2	0.0	41.09	13.11	0.0	41.462	12.734	0.0	22.904	4.0	0.0	23.874	3.808	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0		

180	915	916	NS	2	0.0	44.131	24.161	0.0	46.436	24.277	0.0	24.056	13.067	0.0	27.205	12.299	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.192	0.0
181	915	916	NS	1	0.0	44.131	24.161	0.0	46.436	24.277	0.0	24.056	13.067	0.0	27.205	12.299	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.192	0.0
182	915	916	NS	1	0.0	41.09	13.11	0.0	41.462	12.734	0.0	22.904	4.0	0.0	23.874	3.808	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
183	916	917	NS	2	0.0	40.439	13.13	0.0	38.781	12.67	0.0	22.7	4.014	0.0	23.544	3.695	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
184	916	917	NS	1	0.0	44.114	24.176	0.0	46.425	24.1	0.0	24.062	13.075	0.0	27.189	12.216	0.0	1.838	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.192	0.0
185	916	917	NS	1	0.0	39.954	13.13	0.0	39.145	12.654	0.0	22.86	3.998	0.0	23.858	3.718	0.0	1.838	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
186	916	917	SN	1	0.0	39.338	12.696	0.0	41.989	12.81	0.0	19.975	5.232	0.0	17.411	5.784	0.0	1.87	0.0	0.0	1.861	0.0	0.0	2.219	0.0	0.0	2.204	0.0
187	916	917	SN	1	0.0	40.403	24.015	0.0	42.353	25.084	0.0	24.305	13.704	0.0	23.395	14.608	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.22	0.0	0.0	2.203	0.0
188	916	917	NS	2	0.0	44.114	24.203	0.0	45.366	24.015	0.0	25.104	13.06	0.0	27.145	12.183	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
189	917	918	NS	2	0.0	44.103	24.188	0.0	45.35	24.223	0.0	25.088	13.131	0.0	27.134	12.373	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
190	917	918	NS	1	0.0	44.103	24.196	0.0	46.403	24.244	0.0	24.045	13.082	0.0	27.134	12.305	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.177	0.0	0.0	2.191	0.0
191	917	918	SN	1	0.0	39.311	12.695	0.0	41.978	12.864	0.0	17.692	5.183	0.0	17.444	5.75	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
192	917	918	SN	1	0.0	40.375	23.922	0.0	42.336	25.128	0.0	22.22	13.613	0.0	23.378	14.635	0.0	1.87	0.0	0.0	1.86	0.0	0.0	2.22	0.0	0.0	2.203	0.0
193	917	918	NS	2	0.0	40.472	13.132	0.0	38.798	12.773	0.0	22.661	4.018	0.0	24.806	3.783	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
194	917	918	NS	1	0.0	40.279	13.132	0.0	39.145	12.753	0.0	22.843	4.011	0.0	23.852	3.801	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
195	918	919	NS	1	0.0	44.081	32.146	0.0	45.328	20.0	0.0	25.071	21.926	0.0	27.123	11.402	0.0	1.836	0.0	0.0	1.845	0.0	0.0	2.178	0.0	0.0	2.191	0.0
196	918	919	NS	1	0.0	35.892	18.359	0.0	38.125	9.545	0.0	22.645	12.72	0.0	23.67	4.969	0.0	1.837	0.0	0.0	1.845	0.0	0.0	2.179	0.0	0.0	2.191	0.0
197	919	920	SN	1	0.0	26.345	18.519	0.0	11.256	16.667	0.0	23.737	15.972	100000.0	-100000.0	0.0	0.0	1.837	0.0	0.0	0.596	0.0	0.0	2.181	0.0	100000.0	-100000.0	0.0
198	919	920	SN	1	0.0	22.54	8.824	0.0	11.256	10.0	0.0	21.2	7.329	100000.0	-100000.0	0.0	0.0	1.837	0.0	0.0	0.388	0.0	0.0	2.181	0.0	100000.0	-100000.0	0.0
199	920	921	SN	1	0.0	46.668	24.297	0.0	46.067	25.198	0.0	27.189	14.198	0.0	26.428	14.607	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
200	920	921	NS	1	0.0	40.301	13.142	0.0	38.66	12.759	0.0	22.623	4.038	0.0	24.376	3.822	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.18	0.0	0.0	2.191	0.0
201	920	921	SN	1	0.0	39.691	12.709	0.0	41.773	12.827	0.0	23.742	5.305	0.0	21.111	5.697	0.0	1.869	0.0	0.0	1.861	0.0	0.0	2.218	0.0	0.0	2.202	0.0
202	920	921	NS	1	0.0	44.054	24.198	0.0	45.339	24.178	0.0	24.999	13.169	0.0	27.123	12.431	0.0	1.838	0.0	0.0	1.846	0.0	0.0	2.18	0.0	0.0	2.191	0.0
203	921	922	SN	1	0.0	46.679	24.241	0.0	45.052	25.202	0.0	27.167	14.177	0.0	26.439	14.621	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
204	921	922	SN	1	0.0	39.686	12.694	0.0	41.046	12.82	0.0	24.834	5.438	0.0	21.111	5.745	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.218	0.0	0.0	2.203	0.0
205	921	922	NS	1	0.0	43.635	24.2	0.0	45.631	24.244	0.0	24.58	13.156	0.0	28.353	12.307	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.176	0.0	0.0	2.191	0.0
206	921	922	NS	2	0.0	43.635	24.2	0.0	45.631	24.244	0.0	24.58	13.156	0.0	28.353	12.307	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.176	0.0	0.0	2.191	0.0
207	921	922	NS	2	0.0	40.544	13.159	0.0	38.881	12.761	0.0	22.424	4.039	0.0	24.691	3.812	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
208	921	922	NS	1	0.0	40.544	13.159	0.0	38.881	12.761	0.0	22.424	4.039	0.0	24.691	3.812	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
209	922	923	NS	1	0.0	43.624	24.24	0.0	46.519	24.186	0.0	24.547	13.143	0.0	27.2	12.355	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
210	922	923	SN	1	0.0	39.675	12.735	0.0	41.608	12.785	0.0	24.564	5.47	0.0	21.293	5.8	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
211	922	923	NS	2	0.0	43.624	24.24	0.0	46.519	24.186	0.0	24.547	13.143	0.0	27.2	12.355	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
212	922	923	SN	1	0.0	46.078	24.252	0.0	46.094	25.067	0.0	28.32	14.175	0.0	25.777	14.605	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
213	922	923	SN	2	0.0	46.078	24.252	0.0	46.094	25.067	0.0	28.32	14.175	0.0	25.777	14.605	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
214	922	923	NS	1	0.0	40.786	13.162	0.0	39.046	12.774	0.0	22.231	4.009	0.0	24.58	3.813	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
215	922	923	NS	2	0.0	40.786	13.162	0.0	39.046	12.774	0.0	22.231	4.009	0.0	24.58	3.813	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
216	922	923	SN	2	0.0	39.675	12.735	0.0	41.608	12.785	0.0	24.564	5.47	0.0	21.293	5.8	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

217	923	924	SN	2	0.0	46.122	24.229	0.0	46.116	25.069	0.0	27.619	14.239	0.0	25.799	14.612	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
218	923	924	NS	1	0.0	39.59	13.143	0.0	39.057	12.778	0.0	22.203	4.034	0.0	24.591	3.825	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
219	923	924	NS	2	0.0	43.64	24.219	0.0	46.525	24.252	0.0	24.509	13.172	0.0	27.205	12.405	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
220	923	924	SN	1	0.0	39.664	12.738	0.0	41.591	12.805	0.0	23.924	5.495	0.0	21.31	5.846	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
221	923	924	NS	2	0.0	39.59	13.143	0.0	39.057	12.778	0.0	22.203	4.034	0.0	24.591	3.825	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
222	923	924	SN	2	0.0	39.664	12.738	0.0	41.591	12.805	0.0	23.924	5.495	0.0	21.31	5.846	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.203	0.0
223	923	924	SN	1	0.0	46.122	24.229	0.0	46.116	25.069	0.0	27.619	14.239	0.0	25.799	14.612	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
224	923	924	NS	1	0.0	43.64	24.219	0.0	46.525	24.252	0.0	24.509	13.172	0.0	27.205	12.405	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
225	924	925	NS	2	0.0	43.607	24.186	0.0	46.486	24.23	0.0	24.553	13.136	0.0	27.183	12.404	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
226	924	925	SN	2	0.0	46.127	24.22	0.0	46.133	25.092	0.0	28.353	14.175	0.0	25.821	14.641	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
227	924	925	SN	1	0.0	39.653	12.737	0.0	40.924	12.801	0.0	23.946	5.483	0.0	22.209	5.856	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.204	0.0
228	924	925	NS	1	0.0	39.865	13.129	0.0	39.085	12.759	0.0	22.192	4.022	0.0	23.659	3.841	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
229	924	925	NS	1	0.0	43.607	24.186	0.0	46.486	24.23	0.0	24.553	13.136	0.0	27.183	12.404	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
230	924	925	NS	2	0.0	39.865	13.129	0.0	39.085	12.759	0.0	22.192	4.022	0.0	23.659	3.841	0.0	1.836	0.0	0.0	1.846	0.0	0.0	2.178	0.0	0.0	2.191	0.0
231	924	925	SN	1	0.0	46.127	24.22	0.0	46.133	25.092	0.0	28.353	14.175	0.0	25.821	14.641	0.0	1.869	0.0	0.0	1.86	0.0	0.0	2.219	0.0	0.0	2.202	0.0
232	924	925	SN	2	0.0	39.653	12.737	0.0	40.924	12.801	0.0	23.946	5.483	0.0	22.209	5.856	0.0	1.869	0.0	0.0	1.859	0.0	0.0	2.219	0.0	0.0	2.204	0.0
233	925	926	NS	2	0.0	35.958	13.097	0.0	38.318	12.84	0.0	21.972	3.781	0.0	23.742	3.777	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
234	925	926	NS	1	0.0	35.958	13.097	0.0	38.318	12.84	0.0	21.972	3.781	0.0	23.742	3.777	0.0	1.837	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.191	0.0
235	925	926	NS	1	0.0	44.164	24.024	0.0	45.399	24.369	0.0	25.159	12.646	0.0	28.055	12.573	0.0	1.838	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.192	0.0
236	925	926	NS	2	0.0	44.164	24.024	0.0	45.399	24.369	0.0	25.159	12.646	0.0	28.055	12.573	0.0	1.838	0.0	0.0	1.846	0.0	0.0	2.179	0.0	0.0	2.192	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0		