

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-DEC-2018 To 28-DEC-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-DEC-2018 To 28-DEC-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11916	11917	SN	1	48.854	49.405	0.0	0.0	179.761	2.895	1051.76	1072.008	0.0	-91.644	-90.016	0.0
2	11916	11917	SN	1	48.861	49.46	0.0	0.0	179.761	2.897	1051.768	1072.24	0.0	-91.74	-90.016	0.0
3	11916	11917	NS	1	48.704	49.305	0.0	0.003	42.297	2.771	1022.36	1068.432	5.84	-91.558	-89.767	0.0
4	11916	11917	SN	1	48.861	49.46	0.0	0.0	179.761	2.661	1051.768	1072.24	0.0	-91.74	-90.016	0.0
5	11917	11918	SN	1	48.843	49.442	0.0	0.003	29.949	2.533	1052.608	1073.2	0.0	-91.743	-90.07	0.0
6	11917	11918	SN	1	48.843	49.442	0.0	0.003	29.949	2.387	1052.608	1073.2	0.0	-91.743	-90.07	0.0
7	11917	11918	NS	1	48.69	49.307	0.0	0.0	268.432	2.651	1022.304	1068.576	5.789	-91.559	-89.774	0.0
8	11917	11918	NS	2	48.69	49.306	0.0	0.0	266.071	2.651	1022.312	1068.56	5.768	-91.553	-89.774	0.0
9	11917	11918	SN	1	48.843	49.442	0.0	0.003	29.949	2.389	1052.608	1073.2	0.0	-91.743	-90.07	0.0
10	11918	11919	NS	1	48.689	49.305	0.0	0.0	51.003	2.676	1022.416	1068.4	5.592	-91.479	-89.777	0.0
11	11918	11919	SN	1	48.817	49.437	0.0	0.003	6.111	2.51	1052.496	1072.456	0.0	-92.637	-90.07	0.0
12	11918	11919	SN	1	48.817	49.437	0.0	0.003	6.111	2.327	1052.496	1072.456	0.0	-92.637	-90.07	0.0
13	11919	11920	NS	1	48.688	49.305	0.0	0.003	267.61	2.701	1022.92	1068.208	5.573	-91.589	-89.771	0.0
14	11919	11920	SN	1	48.82	49.404	0.0	0.003	6.105	2.267	1052.496	1072.128	0.0	-91.654	-90.068	0.0
15	11919	11920	NS	2	48.688	49.305	0.0	0.003	267.61	2.701	1022.92	1068.208	5.573	-91.589	-89.771	0.0
16	11919	11920	SN	2	48.82	49.404	0.0	0.003	6.105	2.564	1052.496	1072.128	0.0	-91.654	-90.068	0.0
17	11919	11920	SN	1	48.82	49.404	0.0	0.003	6.105	2.561	1052.488	1072.136	0.0	-91.633	-90.068	0.0
18	11920	11921	SN	2	48.811	49.423	0.0	0.003	30.55	2.543	1051.672	1072.44	0.0	-91.7	-90.069	0.0
19	11920	11921	SN	1	48.811	49.423	0.0	0.003	30.55	2.543	1051.672	1072.44	0.0	-91.7	-90.069	0.0
20	11920	11921	SN	1	48.811	49.423	0.0	0.003	30.55	2.08	1051.672	1072.44	0.0	-91.7	-90.069	0.0
21	11920	11921	NS	1	48.72	49.304	0.0	0.003	42.308	2.69	1023.456	1068.136	6.065	-91.622	-89.767	0.0
22	11921	11922	SN	1	48.818	49.464	0.0	0.003	6.089	2.404	1051.92	1072.104	0.0	-91.673	-90.069	0.0
23	11921	11922	NS	1	48.673	49.303	0.0	0.003	207.408	2.683	1022.552	1068.152	6.457	-91.582	-89.775	0.0
24	11921	11922	NS	1	48.673	49.303	0.0	0.003	207.408	2.68	1022.432	1068.152	6.451	-91.573	-89.775	0.0
25	11921	11922	SN	1	48.818	49.464	0.0	0.003	6.083	2.605	1051.928	1072.096	0.0	-91.673	-90.069	0.0
26	11921	11922	SN	2	48.818	49.464	0.0	0.003	6.089	2.605	1051.92	1072.104	0.0	-91.673	-90.069	0.0
27	11922	11923	NS	2	48.68	49.344	0.0	0.003	265.117	2.654	1022.272	1068.152	7.463	-92.08	-89.774	0.0
28	11922	11923	SN	1	48.861	49.405	0.0	0.003	213.96	2.635	1052.12	1072.88	0.0	-91.718	-90.035	0.0
29	11922	11923	SN	1	48.861	49.405	0.0	0.003	213.96	1.63	1052.592	1072.88	0.0	-91.718	-90.035	0.0
30	11922	11923	SN	1	48.861	49.405	0.0	0.003	213.96	2.638	1052.592	1072.88	0.0	-91.718	-90.035	0.0
31	11922	11923	NS	1	48.679	49.345	0.0	0.003	207.16	2.652	1022.248	1068.152	7.499	-92.081	-89.773	0.0
32	11923	11924	SN	1	48.859	49.559	0.0	0.003	30.214	1.511	1052.176	1074.504	0.0	-93.973	-90.057	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	11923	11924	NS	1	48.656	49.335	0.0	0.003	15.707	2.647	1023.048	1068.08	7.968	-91.611	-89.766	0.0
34	11923	11924	SN	1	48.86	49.559	0.0	0.003	6.111	1.509	1052.184	1074.504	0.0	-93.973	-90.057	0.0
35	11923	11924	SN	1	48.86	49.559	0.0	0.003	6.111	2.594	1052.184	1074.504	0.0	-93.973	-90.057	0.0
36	11923	11924	NS	1	48.657	49.335	0.0	0.003	15.707	2.66	1023.048	1068.08	7.979	-91.611	-89.766	0.0
37	11924	11925	SN	1	48.824	49.475	0.0	0.003	6.116	2.533	1052.16	1073.024	0.0	-91.72	-90.065	0.0
38	11924	11925	NS	1	48.717	49.302	0.0	0.003	210.392	2.733	1023.112	1068.192	7.983	-92.002	-89.752	0.0
39	11925	11926	SN	1	48.818	49.418	0.0	0.003	6.111	2.565	1052.256	1072.544	0.0	-91.682	-90.077	0.0
40	11925	11926	NS	1	48.681	49.302	0.0	0.0	265.189	2.81	1023.096	1069.008	8.434	-91.635	-89.772	0.0
41	11925	11926	NS	1	48.681	49.302	0.0	0.0	265.189	2.813	1023.096	1068.312	8.443	-91.483	-89.772	0.0
42	11926	11927	NS	1	48.717	49.301	0.0	0.003	18.376	2.486	1023.0	1068.088	8.844	-91.686	-89.769	0.0
43	11926	11927	SN	1	48.84	49.462	0.0	0.003	278.678	2.652	1053.224	1072.84	0.0	-91.732	-90.035	0.0
44	11926	11927	NS	1	48.717	49.301	0.0	0.003	18.376	2.661	1023.0	1068.088	8.71	-91.522	-89.769	0.0
45	11927	11928	SN	1	48.88	49.467	0.0	0.003	6.094	2.576	1052.184	1072.776	0.0	-91.65	-90.056	0.0
46	11928	11929	NS	1	48.688	49.298	0.0	0.003	267.704	2.658	1022.6	1068.288	10.283	-91.413	-89.768	0.0
47	11928	11929	NS	1	48.688	49.298	0.0	0.003	267.075	1.982	1022.6	1067.688	10.871	-91.413	-89.768	0.0
48	11928	11929	SN	1	48.837	49.424	0.0	0.003	279.445	2.695	1052.264	1072.92	0.0	-91.755	-90.078	0.0
49	11929	11930	NS	1	48.704	49.298	0.0	0.003	40.952	1.47	1022.176	1067.208	11.645	-91.546	-89.761	0.0
50	11929	11930	SN	1	48.822	49.453	0.0	0.003	279.445	1.516	1053.4	1073.864	0.0	-91.658	-90.074	0.0
51	11929	11930	SN	1	48.822	49.453	0.0	0.003	279.445	2.655	1053.4	1073.864	0.0	-91.658	-90.074	0.0
52	11929	11930	NS	1	48.704	49.298	0.0	0.003	40.952	2.537	1022.176	1068.432	10.22	-91.423	-89.761	0.0
53	11930	11931	NS	1	48.712	49.298	0.0	0.003	267.715	2.781	1021.704	1068.344	9.658	-91.551	-89.758	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11916	11917	SN	1	-34.117	24.664	1.86	-34.64	25.874	3.973	-28.031	35.292	13.362	-21.734	29.531	17.793	0.116	250.192	1.004	0.116	282.13	0.656	0.116	61.663	0.043	0.116	15.563	0.016
2	11916	11917	SN	1	-34.83	24.666	1.877	-34.64	25.874	3.981	-27.812	35.287	13.365	-21.449	29.531	17.841	0.116	294.8	1.008	0.116	282.13	0.661	0.116	58.632	0.043	0.116	13.616	0.016
3	11916	11917	NS	1	-33.262	24.517	1.179	-34.708	24.833	0.304	8.66	31.856	20.963	7.87	33.598	36.789	0.116	205.448	1.283	0.116	286.59	1.034	0.116	0.126	0.0	0.116	0.128	0.0
4	11916	11917	SN	1	-34.83	24.666	0.607	-34.64	25.874	4.106	-27.812	35.287	13.363	-21.449	29.531	17.841	0.116	294.8	1.052	0.116	282.13	0.69	0.116	58.632	0.043	0.116	13.616	0.016
5	11917	11918	SN	1	-32.985	25.264	1.338	-34.75	25.045	2.256	3.642	27.95	9.593	4.508	30.892	5.763	0.116	192.743	2.518	0.116	289.354	2.051	0.116	0.15	0.0	0.116	0.144	0.0
6	11917	11918	SN	1	-32.985	25.264	1.293	-34.75	25.045	2.301	3.642	27.95	9.593	4.508	30.892	5.763	0.116	192.743	2.573	0.116	289.354	2.093	0.116	0.15	0.0	0.116	0.144	0.0
7	11917	11918	NS	1	-34.28	23.388	0.193	-34.758	21.836	0.0	-6.264	31.745	13.221	-3.431	34.523	27.19	0.116	259.723	3.127	0.116	289.909	3.032	0.116	0.504	0.0	0.116	0.311	0.0
8	11917	11918	NS	2	-34.28	23.388	0.194	-34.758	21.836	0.0	-6.264	31.745	13.221	-3.431	34.523	27.19	0.116	259.723	3.127	0.116	289.909	3.033	0.116	0.504	0.0	0.116	0.311	0.0
9	11917	11918	SN	1	-33.972	25.264	1.297	-34.75	25.043	2.304	3.642	27.95	9.595	4.508	30.892	5.77	0.116	241.906	2.567	0.116	289.354	2.093	0.116	0.15	0.0	0.116	0.144	0.0
10	11918	11919	NS	1	-34.987	23.072	0.048	-34.834	22.59	0.011	-0.342	28.904	13.195	-13.715	29.653	23.667	0.116	305.558	7.959	0.116	295.026	7.937	0.116	0.207	0.0	0.116	2.37	0.002
11	11918	11919	SN	1	-34.637	23.685	0.121	-34.903	23.87	0.257	5.102	28.156	19.39	7.154	27.229	15.848	0.116	281.917	2.899	0.116	299.703	2.631	0.116	0.14	0.0	0.116	0.131	0.0
12	11918	11919	SN	1	-34.637	23.685	0.102	-34.903	23.87	0.261	5.102	28.156	19.392	7.154	27.229	15.871	0.116	281.917	2.951	0.116	299.703	2.673	0.116	0.14	0.0	0.116	0.131	0.0
13	11919	11920	NS	1	-34.874	24.839	0.018	-34.988	23.41	0.012	-21.257	30.213	7.456	-16.888	31.329	15.146	0.116	297.693	6.707	0.116	305.681	6.957	0.116	13.032	0.019	0.116	4.822	0.013
14	11919	11920	SN	1	-32.361	21.638	0.0	-34.402	22.945	0.007	6.225	27.837	16.279	6.188	26.561	14.854	0.116	166.985	1.977	0.116	267.1	1.289	0.116	0.134	0.0	0.116	0.134	0.0
15	11919	11920	NS	2	-34.874	24.839	0.018	-34.988	23.41	0.012	-21.257	30.213	7.456	-16.888	31.329	15.146	0.116	297.693	6.707	0.116	305.681	6.957	0.116	13.032	0.019	0.116	4.822	0.013
16	11919	11920	SN	2	-34.337	21.892	0.0	-34.402	22.945	0.007	6.225	27.837	16.262	6.188	27.559	14.67	0.116	263.157	1.93	0.116	267.1	1.264	0.116	0.134	0.0	0.116	0.134	0.0
17	11919	11920	SN	1	-34.337	21.892	0.0	-34.402	22.945	0.007	6.225	27.837	16.263	6.188	27.559	14.67	0.116	263.157	1.93	0.116	267.1	1.263	0.116	0.134	0.0	0.116	0.134	0.0
18	11920	11921	SN	2	-34.786	20.854	0.0	-34.993	22.46	0.003	6.181	28.601	18.302	7.791	28.637	26.776	0.116	291.768	4.029	0.116	306.031	2.811	0.116	0.134	0.0	0.116	0.128	0.0
19	11920	11921	SN	1	-34.786	20.854	0.0	-34.993	22.46	0.003	6.181	28.601	18.302	7.791	28.637	26.776	0.116	291.768	4.029	0.116	306.031	2.811	0.116	0.134	0.0	0.116	0.128	0.0
20	11920	11921	SN	1	-34.786	20.156	0.0	-34.993	19.938	0.0	6.181	28.601	18.762	7.791	28.637	27.508	0.116	291.768	4.159	0.116	306.031	2.902	0.116	0.134	0.0	0.116	0.128	0.0
21	11920	11921	NS	1	-34.683	24.608	0.016	-34.951	23.759	0.054	-5.298	27.795	11.287	-5.229	29.571	18.423	0.116	284.994	3.335	0.116	303.082	3.749	0.116	0.424	0.0	0.116	0.419	0.0
22	11921	11922	SN	1	-34.795	21.946	0.0	-34.966	22.531	0.005	5.212	28.1	17.515	7.591	29.115	25.463	0.116	292.402	2.901	0.116	304.201	2.195	0.116	0.139	0.0	0.116	0.129	0.0
23	11921	11922	NS	1	-34.973	22.545	0.003	-34.683	23.855	0.024	-10.177	30.136	8.312	-6.23	31.757	13.652	0.116	304.627	3.791	0.116	285.01	3.789	0.116	1.101	0.002	0.116	0.501	0.0
24	11921	11922	NS	1	-34.962	22.545	0.003	-34.931	23.855	0.024	-10.182	30.136	8.287	-6.237	31.757	13.614	0.116	303.79	3.788	0.116	301.718	3.787	0.116	1.102	0.002	0.116	0.502	0.0
25	11921	11922	SN	1	-34.795	21.946	0.0	-34.966	22.913	0.021	5.212	28.1	17.469	7.591	29.115	25.46	0.116	292.402	2.857	0.116	304.201	2.156	0.116	0.139	0.0	0.116	0.129	0.0
26	11921	11922	SN	2	-34.795	21.946	0.0	-34.966	22.913	0.021	5.212	28.1	17.474	7.591	29.115	25.463	0.116	292.402	2.856	0.116	304.201	2.156	0.116	0.139	0.0	0.116	0.129	0.0
27	11922	11923	NS	2	-34.281	25.56	0.07	-34.529	25.905	0.093	4.374	27.402	13.432	3.964	28.841	24.142	0.116	259.759	3.515	0.116	275.04	3.132	0.116	0.145	0.0	0.116	0.148	0.0
28	11922	11923	SN	1	-34.852	21.886	0.0	-33.83	23.348	0.101	5.526	32.175	12.096	6.676	32.572	15.215	0.116	296.266	2.227	0.116	234.13	1.592	0.116	0.138	0.0	0.116	0.132	0.0
29	11922	11923	SN	1	-33.864	21.886	0.0	-33.679	23.136	0.038	5.526	32.173	12.649	6.676	32.572	15.169	0.116	235.973	2.375	0.116	226.15	1.764	0.116	0.138	0.0	0.116	0.132	0.0
30	11922	11923	SN	1	-33.864	21.886	0.0	-33.679	23.348	0.101	5.526	32.173	12.084	6.676	32.572	15.213	0.116	235.973	2.217	0.116	226.15	1.572	0.116	0.138	0.0	0.116	0.132	0.0
31	11922	11923	NS	1	-34.874	25.555	0.07	-34.324	25.905	0.093	4.374	27.402	13.438	3.964	28.841	24.142	0.116	297.776	3.515	0.116	262.361	3.133	0.116	0.145	0.0	0.116	0.148	0.0
32	11923	11924	SN	1	-34.255	24.033	0.026	-32.558	25.162	0.08	-3.657	31.024	15.424	-3.247	31.722	18.46	0.116	258.226	2.499	0.116	174.721	2.111	0.116	0.322	0.0	0.116	0.303	0.0
33	11923	11924	NS	1	-34.846	23.182	0.143	-33.978	23.815	0.255	-1.728	29.604	20.012	-2.422	30.174	34.253	0.116	295.852	2.05	0.116	242.22	2.065	0.116	0.245	0.0	0.116	0.269	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

34	11923	11924	SN	1	-34.062	24.033	0.026	-32.668	25.162	0.082	-3.657	31.024	15.395	-3.247	31.722	18.462	0.116	246.932	2.499	0.116	179.208	2.109	0.116	0.322	0.0	0.116	0.303	0.0
35	11923	11924	SN	1	-34.062	24.033	0.026	-33.229	25.162	0.335	-3.657	31.024	14.861	-3.247	31.722	18.582	0.116	246.932	2.268	0.116	203.892	1.847	0.116	0.322	0.0	0.116	0.303	0.0
36	11923	11924	NS	1	-34.858	23.182	0.143	-33.978	23.815	0.253	-1.728	29.604	19.966	-2.418	30.174	34.3	0.116	296.67	2.05	0.116	242.22	2.064	0.116	0.245	0.0	0.116	0.268	0.0
37	11924	11925	SN	1	-34.574	24.195	0.04	-34.427	24.827	0.667	-6.974	29.532	17.594	0.667	31.049	18.079	0.116	277.889	4.792	0.116	268.614	3.953	0.116	0.576	0.0	0.116	0.187	0.0
38	11924	11925	NS	1	-32.807	29.061	0.429	-33.922	24.353	0.478	-1.615	29.562	33.467	1.67	31.785	48.206	0.116	185.016	1.693	0.116	239.164	1.324	0.116	0.241	0.0	0.116	0.172	0.0
39	11925	11926	SN	1	-34.714	22.706	0.006	-34.826	24.732	0.866	-13.151	29.181	16.918	-16.113	29.8	17.389	0.116	286.989	6.071	0.116	294.491	4.375	0.116	2.092	0.006	0.116	4.049	0.012
40	11925	11926	NS	1	-34.614	27.246	0.788	-32.655	27.122	0.583	5.565	36.383	14.982	-14.682	36.383	26.65	0.116	280.462	2.088	0.116	178.676	1.955	0.116	0.138	0.0	0.116	2.938	0.002
41	11925	11926	NS	1	-34.614	27.246	0.79	-32.655	27.122	0.584	5.563	36.383	14.982	-14.682	36.383	26.652	0.116	280.462	2.094	0.116	178.676	1.936	0.116	0.138	0.0	0.116	2.938	0.002
42	11926	11927	NS	1	-34.229	27.531	1.888	-33.46	27.172	1.709	4.552	29.564	17.296	4.273	31.318	26.918	0.116	256.655	1.156	0.116	215.042	0.876	0.116	0.144	0.0	0.116	0.145	0.0
43	11926	11927	SN	1	-34.459	22.441	0.017	-34.158	25.215	2.073	-24.466	31.398	14.45	-23.301	29.194	13.301	0.116	270.677	4.403	0.116	252.498	3.534	0.116	27.18	0.068	0.116	20.811	0.03
44	11926	11927	NS	1	-33.075	27.531	1.886	-33.46	27.172	1.709	4.552	29.564	20.361	4.273	31.318	29.613	0.116	196.802	1.158	0.116	215.042	0.876	0.116	0.144	0.0	0.116	0.145	0.0
45	11927	11928	SN	1	-33.534	24.444	0.058	-34.973	26.056	3.202	-7.224	30.362	16.809	-4.098	30.792	18.751	0.116	218.729	5.347	0.116	304.608	5.376	0.116	0.605	0.0	0.116	0.346	0.0
46	11928	11929	NS	1	-34.089	26.579	1.497	-34.841	26.288	0.915	9.168	29.232	33.385	8.784	29.7	44.834	0.116	248.538	2.1	0.116	295.486	2.246	0.116	0.125	0.0	0.116	0.126	0.0
47	11928	11929	NS	1	-34.089	26.579	1.497	-34.841	26.288	0.915	9.208	28.072	18.594	8.831	29.693	40.29	0.116	248.538	2.1	0.116	295.486	2.246	0.116	0.125	0.0	0.116	0.126	0.0
48	11928	11929	SN	1	-34.98	23.68	0.174	-34.64	26.131	2.581	-0.247	28.977	37.926	-3.683	29.726	45.321	0.116	305.151	3.846	0.116	282.136	3.405	0.116	0.205	0.0	0.116	0.324	0.0
49	11929	11930	NS	1	-34.756	24.658	1.395	-34.858	26.572	0.409	8.244	29.84	5.191	8.421	28.126	4.803	0.116	289.776	1.757	0.116	296.66	1.358	0.116	0.127	0.0	0.116	0.127	0.0
50	11929	11930	SN	1	-34.816	21.968	0.0	-34.854	22.659	0.004	8.015	29.367	33.962	9.166	29.874	40.383	0.116	293.835	2.428	0.116	296.32	2.039	0.116	0.128	0.0	0.116	0.125	0.0
51	11929	11930	SN	1	-34.816	24.553	0.374	-34.854	25.67	2.447	8.015	29.366	35.95	9.166	29.874	42.172	0.116	293.835	2.363	0.116	296.32	1.907	0.116	0.128	0.0	0.116	0.125	0.0
52	11929	11930	NS	1	-34.756	25.818	1.608	-34.858	26.59	0.41	7.096	29.84	20.653	8.366	30.06	31.422	0.116	289.776	1.721	0.116	296.66	1.353	0.116	0.131	0.0	0.116	0.127	0.0
53	11930	11931	NS	1	-34.818	24.898	1.636	-33.825	26.513	0.419	7.067	29.786	16.317	8.124	29.48	27.881	0.116	293.973	1.677	0.116	233.844	1.634	0.116	0.131	0.0	0.116	0.128	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11916	11917	SN	1	57.694	58.272	0.0	0.0	289.234	3.861	1233.768	1259.984	0.0	-93.535	-92.068	0.0
2	11916	11917	SN	1	57.695	58.261	0.0	0.0	289.102	3.866	1233.784	1259.96	0.0	-93.535	-92.068	0.0
3	11916	11917	NS	1	57.481	58.133	0.0	0.0	297.678	3.899	1198.144	1254.896	30.059	-93.669	-91.811	0.0
4	11916	11917	SN	1	57.695	58.261	0.0	0.0	289.102	3.676	1233.784	1259.96	0.0	-93.535	-92.068	0.0
5	11917	11918	SN	1	57.665	58.26	0.0	0.0	297.231	3.644	1233.936	1260.6	0.0	-93.064	-92.122	0.0
6	11917	11918	SN	1	57.665	58.26	0.0	0.003	297.231	3.229	1233.936	1260.6	0.0	-93.064	-92.122	0.0
7	11917	11918	NS	1	57.47	58.115	0.0	0.0	296.398	3.662	1198.304	1255.144	30.205	-93.667	-91.822	0.0
8	11917	11918	NS	2	57.471	58.114	0.0	0.0	296.415	3.664	1198.312	1255.12	30.198	-93.667	-91.822	0.0
9	11917	11918	SN	1	57.665	58.26	0.0	0.003	297.231	3.233	1233.936	1260.6	0.0	-93.064	-92.122	0.0
10	11918	11919	NS	1	57.473	58.112	0.0	0.0	296.354	3.726	1198.24	1254.912	30.881	-93.666	-91.831	0.0
11	11918	11919	SN	1	57.681	58.272	0.0	0.0	293.194	3.595	1234.184	1260.512	0.0	-93.214	-92.122	0.0
12	11918	11919	SN	1	57.681	58.272	0.0	0.003	293.194	3.181	1234.184	1260.512	0.0	-93.214	-92.122	0.0
13	11919	11920	NS	1	57.456	58.111	0.0	0.0	298.328	3.706	1198.688	1254.64	30.145	-93.665	-91.825	0.0
14	11919	11920	SN	1	57.672	58.257	0.0	0.003	289.091	3.15	1234.192	1260.424	0.0	-93.057	-92.117	0.0
15	11919	11920	NS	2	57.456	58.111	0.0	0.0	298.328	3.706	1198.688	1254.64	30.145	-93.665	-91.825	0.0
16	11919	11920	SN	2	57.672	58.257	0.0	0.0	289.091	3.607	1234.192	1260.424	0.0	-93.057	-92.117	0.0
17	11919	11920	SN	1	57.671	58.258	0.0	0.0	289.047	3.601	1234.192	1260.432	0.0	-93.057	-92.117	0.0
18	11920	11921	SN	2	57.658	58.272	0.0	0.0	299.878	3.611	1233.472	1260.128	0.0	-93.059	-92.122	0.0
19	11920	11921	SN	1	57.658	58.272	0.0	0.0	299.878	3.611	1233.472	1260.128	0.0	-93.059	-92.122	0.0
20	11920	11921	SN	1	57.658	58.272	0.0	0.003	299.878	3.048	1233.472	1260.128	0.0	-93.059	-92.122	0.0
21	11920	11921	NS	1	57.471	58.11	0.0	0.0	296.404	3.734	1199.12	1254.576	32.568	-92.97	-91.818	0.0
22	11921	11922	SN	1	57.629	58.279	0.0	0.003	289.642	3.258	1233.576	1260.104	0.0	-93.11	-92.122	0.0
23	11921	11922	NS	1	57.471	58.11	0.0	0.0	295.847	3.745	1198.08	1254.592	33.246	-92.898	-91.829	0.0
24	11921	11922	NS	1	57.482	58.11	0.0	0.0	295.847	3.741	1198.104	1254.592	33.282	-92.958	-91.829	0.0
25	11921	11922	SN	1	57.629	58.279	0.0	0.0	289.703	3.684	1233.584	1260.096	0.0	-93.11	-92.122	0.0
26	11921	11922	SN	2	57.629	58.279	0.0	0.0	289.747	3.685	1233.576	1260.104	0.0	-93.11	-92.122	0.0
27	11922	11923	NS	2	57.473	58.383	0.0	0.0	298.372	3.686	1198.008	1263.408	32.68	-95.52	-91.828	0.0
28	11922	11923	SN	1	57.696	58.252	0.0	0.0	299.431	3.735	1234.328	1260.84	0.0	-93.025	-92.088	0.0
29	11922	11923	SN	1	57.696	58.252	0.0	0.0	299.431	2.656	1234.696	1260.84	0.0	-93.025	-92.088	0.0
30	11922	11923	SN	1	57.696	58.252	0.0	0.0	299.431	3.736	1234.696	1260.84	0.0	-93.025	-92.088	0.0
31	11922	11923	NS	1	57.472	58.382	0.0	0.0	298.378	3.681	1198.0	1263.384	32.697	-95.52	-91.828	0.0
32	11923	11924	SN	1	57.683	58.388	0.0	0.0	293.933	2.376	1234.544	1263.776	0.0	-95.547	-92.115	0.0
33	11923	11924	NS	1	57.445	58.114	0.0	0.0	299.917	3.716	1198.672	1254.536	32.845	-93.662	-91.82	0.0
34	11923	11924	SN	1	57.683	58.389	0.0	0.0	293.889	2.39	1234.56	1263.776	0.0	-95.547	-92.115	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	11923	11924	SN	1	57.683	58.389	0.0	0.0	293.889	3.684	1234.56	1263.776	0.0	-95.547	-92.115	0.0
36	11923	11924	NS	1	57.446	58.108	0.0	0.0	299.928	3.731	1198.672	1254.528	32.817	-93.662	-91.82	0.0
37	11924	11925	SN	1	57.665	58.262	0.0	0.0	291.567	3.601	1234.216	1260.848	0.0	-94.117	-92.117	0.0
38	11924	11925	NS	1	57.478	58.109	0.0	0.0	291.181	3.913	1198.76	1254.664	32.791	-93.664	-91.78	0.0
39	11925	11926	SN	1	57.67	58.279	0.0	0.003	289.449	3.676	1234.384	1260.888	0.0	-93.73	-92.129	0.0
40	11925	11926	NS	1	57.458	58.108	0.0	0.0	298.924	3.915	1198.752	1254.816	33.49	-93.664	-91.826	0.0
41	11925	11926	NS	1	57.458	58.108	0.0	0.0	298.924	3.92	1198.752	1254.816	33.528	-93.664	-91.826	0.0
42	11926	11927	NS	1	57.477	58.107	0.0	0.003	287.524	3.26	1198.528	1254.504	33.978	-93.623	-91.825	0.0
43	11926	11927	SN	1	57.674	58.271	0.0	0.0	295.416	3.771	1234.848	1260.888	0.0	-93.064	-92.09	0.0
44	11926	11927	NS	1	57.477	58.107	0.0	0.003	297.457	3.69	1198.528	1254.504	33.459	-93.623	-91.825	0.0
45	11927	11928	SN	1	57.691	58.278	0.0	0.0	291.175	3.678	1234.56	1260.952	0.0	-93.264	-92.108	0.0
46	11928	11929	NS	1	57.466	58.103	0.0	0.0	295.979	3.686	1198.128	1254.248	33.553	-92.937	-91.823	0.0
47	11928	11929	NS	1	57.466	58.103	0.0	0.003	295.979	2.981	1198.128	1254.04	35.444	-92.937	-91.823	0.0
48	11928	11929	SN	1	57.662	58.254	0.0	0.0	299.139	3.764	1234.304	1261.12	0.0	-93.682	-92.131	0.0
49	11929	11930	NS	1	57.444	58.118	0.0	0.003	291.506	1.975	1197.112	1253.36	37.918	-93.05	-91.817	0.0
50	11929	11930	SN	1	57.668	58.273	0.0	0.003	293.155	2.407	1235.248	1261.928	0.0	-93.258	-92.126	0.0
51	11929	11930	SN	1	57.668	58.273	0.0	0.0	293.155	3.721	1235.248	1261.928	0.0	-93.258	-92.126	0.0
52	11929	11930	NS	1	57.444	58.118	0.0	0.0	298.003	3.587	1197.112	1254.424	33.212	-93.05	-91.817	0.0
53	11930	11931	NS	1	57.453	58.102	0.0	0.0	287.767	3.878	1197.104	1254.296	32.204	-93.659	-91.814	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11916	11917	SN	1	-32.869	17.907	0.0	-33.172	18.844	0.0	-24.654	22.529	0.017	-14.554	22.07	0.002	0.086	143.43	1.586	0.086	153.787	1.295	0.086	21.696	0.024	0.086	2.178	0.007
2	11916	11917	SN	1	-33.6	17.905	0.0	-33.826	18.844	0.0	-24.64	22.529	0.017	-14.526	22.071	0.002	0.086	169.755	1.597	0.086	178.814	1.3	0.086	21.621	0.024	0.086	2.164	0.007
3	11916	11917	NS	1	-34.662	18.543	0.0	-34.382	18.502	0.0	0.024	23.346	0.039	0.494	26.912	0.206	0.086	216.734	2.005	0.086	203.227	2.002	0.086	0.149	0.0	0.086	0.142	0.0
4	11916	11917	SN	1	-33.6	17.778	0.0	-33.826	18.844	0.0	-24.64	22.529	0.017	-14.526	22.07	0.002	0.086	169.755	1.642	0.086	178.814	1.354	0.086	21.621	0.024	0.086	2.164	0.007
5	11917	11918	SN	1	-34.499	18.351	0.0	-34.536	19.007	0.0	-1.677	23.267	0.025	0.333	20.379	0.0	0.086	208.76	3.116	0.086	210.546	2.476	0.086	0.182	0.0	0.086	0.144	0.0
6	11917	11918	SN	1	-34.499	18.351	0.0	-34.536	19.007	0.0	-1.677	23.267	0.025	0.333	20.379	0.0	0.086	208.76	3.185	0.086	210.546	2.519	0.086	0.182	0.0	0.086	0.144	0.0
7	11917	11918	NS	1	-34.903	18.636	0.0	-34.844	17.02	0.0	-14.062	22.882	0.01	-9.265	23.679	0.086	0.086	229.09	3.533	0.087	226.018	3.919	0.086	1.952	0.003	0.086	0.691	0.0
8	11917	11918	NS	2	-34.889	18.636	0.0	-34.736	17.02	0.0	-14.062	22.882	0.01	-9.265	23.679	0.086	0.086	228.386	3.534	0.087	220.469	3.919	0.086	1.952	0.003	0.086	0.691	0.0
9	11917	11918	SN	1	-34.173	18.351	0.0	-34.536	19.007	0.0	-1.677	23.266	0.025	0.333	20.379	0.0	0.086	193.656	3.18	0.086	210.546	2.52	0.086	0.182	0.0	0.086	0.144	0.0
10	11918	11919	NS	1	-34.841	17.169	0.0	-34.97	16.9	0.0	-5.923	22.192	0.002	-28.715	22.984	0.069	0.087	225.862	7.104	0.087	232.655	6.794	0.086	0.358	0.0	0.086	55.157	0.032
11	11918	11919	SN	1	-34.81	17.409	0.0	-34.883	17.639	0.0	0.856	22.88	0.039	1.58	21.047	0.0	0.087	224.278	2.481	0.087	228.015	2.412	0.086	0.137	0.0	0.086	0.129	0.0
12	11918	11919	SN	1	-34.81	17.409	0.0	-34.883	17.639	0.0	0.856	22.88	0.039	1.58	21.047	0.0	0.087	224.278	2.53	0.087	228.015	2.443	0.086	0.137	0.0	0.086	0.129	0.0
13	11919	11920	NS	1	-34.595	17.122	0.0	-34.526	16.846	0.0	-29.744	22.518	0.013	-22.42	22.938	0.052	0.087	213.404	5.733	0.087	210.022	5.882	0.086	69.879	0.024	0.086	12.994	0.043
14	11919	11920	SN	1	-33.84	17.435	0.0	-34.704	17.704	0.0	-0.02	22.571	0.045	0.819	22.43	0.129	0.087	179.366	2.279	0.086	218.847	1.868	0.086	0.15	0.0	0.086	0.138	0.0
15	11919	11920	NS	2	-34.595	17.122	0.0	-34.526	16.846	0.0	-29.744	22.518	0.013	-22.42	22.938	0.052	0.087	213.404	5.733	0.087	210.022	5.882	0.086	69.879	0.024	0.086	12.994	0.043
16	11919	11920	SN	2	-33.84	17.457	0.0	-34.575	17.698	0.0	-0.02	22.571	0.045	0.819	22.43	0.124	0.087	179.366	2.227	0.086	212.445	1.838	0.086	0.15	0.0	0.086	0.138	0.0
17	11919	11920	SN	1	-33.84	17.457	0.0	-34.575	17.698	0.0	-0.02	22.571	0.045	0.819	22.43	0.124	0.087	179.366	2.227	0.086	212.445	1.838	0.086	0.15	0.0	0.086	0.138	0.0
18	11920	11921	SN	2	-34.871	15.668	0.0	-34.951	16.911	0.0	-0.128	22.078	0.01	2.035	22.588	0.082	0.087	227.412	3.761	0.087	231.622	3.387	0.086	0.151	0.0	0.086	0.124	0.0
19	11920	11921	SN	1	-34.871	15.668	0.0	-34.951	16.911	0.0	-0.128	22.078	0.01	2.035	22.588	0.082	0.087	227.412	3.761	0.087	231.622	3.387	0.086	0.151	0.0	0.086	0.124	0.0
20	11920	11921	SN	1	-34.871	14.873	0.0	-34.951	15.596	0.0	-0.128	22.078	0.011	2.035	22.588	0.086	0.087	227.412	3.862	0.087	231.622	3.485	0.086	0.151	0.0	0.086	0.124	0.0
21	11920	11921	NS	1	-34.125	16.954	0.0	-34.877	16.641	0.0	-19.377	23.244	0.018	-13.711	22.642	0.034	0.087	191.537	3.055	0.087	227.752	3.333	0.086	6.481	0.017	0.086	1.805	0.003
22	11921	11922	SN	1	-34.977	14.783	0.0	-34.578	16.801	0.0	-0.17	22.051	0.004	2.949	22.266	0.005	0.088	233.074	2.572	0.087	212.614	2.067	0.086	0.152	0.0	0.086	0.116	0.0
23	11921	11922	NS	1	-34.97	16.827	0.0	-34.326	18.53	0.0	-30.562	22.378	0.007	-16.707	22.582	0.074	0.087	232.657	4.238	0.086	200.618	4.171	0.086	84.371	0.114	0.086	3.534	0.023
24	11921	11922	NS	1	-34.79	16.827	0.0	-34.634	18.53	0.0	-30.588	22.376	0.007	-15.651	22.582	0.074	0.087	223.248	4.242	0.086	215.369	4.181	0.086	84.873	0.114	0.086	2.856	0.023
25	11921	11922	SN	1	-34.977	15.408	0.0	-34.744	17.126	0.0	-0.17	22.051	0.004	2.949	22.266	0.005	0.087	233.074	2.542	0.087	220.871	2.031	0.086	0.152	0.0	0.086	0.116	0.0
26	11921	11922	SN	2	-34.977	15.408	0.0	-34.578	17.126	0.0	-0.17	22.051	0.004	2.949	22.266	0.005	0.087	233.074	2.542	0.087	212.614	2.031	0.086	0.152	0.0	0.086	0.116	0.0
27	11922	11923	NS	2	-34.376	18.53	0.0	-34.516	18.072	0.0	0.3	22.424	0.052	0.981	24.225	0.263	0.086	202.888	2.733	0.086	209.598	2.584	0.086	0.145	0.0	0.086	0.135	0.0
28	11922	11923	SN	1	-34.012	15.012	0.0	-33.878	17.05	0.0	0.22	23.431	0.27	0.692	23.382	0.578	0.087	186.618	1.769	0.087	180.892	1.516	0.086	0.146	0.0	0.086	0.139	0.0
29	11922	11923	SN	1	-33.681	14.934	0.0	-33.878	16.007	0.0	0.22	23.431	0.289	0.695	23.382	0.58	0.087	172.903	1.882	0.087	180.892	1.704	0.086	0.146	0.0	0.086	0.139	0.0
30	11922	11923	SN	1	-33.681	15.022	0.0	-33.878	17.05	0.0	0.22	23.431	0.27	0.695	23.382	0.578	0.087	172.903	1.768	0.087	180.892	1.517	0.086	0.146	0.0	0.086	0.139	0.0
31	11922	11923	NS	1	-34.309	18.53	0.0	-34.485	18.072	0.0	0.3	22.424	0.052	0.981	24.225	0.263	0.086	199.79	2.732	0.086	208.096	2.584	0.086	0.145	0.0	0.086	0.135	0.0
32	11923	11924	SN	1	-34.755	15.99	0.0	-34.699	17.308	0.0	-13.2	23.157	0.181	-9.133	23.96	0.525	0.087	227.062	3.554	0.087	218.563	3.481	0.086	1.612	0.002	0.086	0.673	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	11923	11924	NS	1	-34.993	18.281	0.0	-33.565	17.825	0.0	-4.0	23.007	0.108	-0.781	23.255	0.63	0.086	233.924	1.953	0.086	168.389	1.981	0.086	0.256	0.0	0.086	0.163	0.0
34	11923	11924	SN	1	-34.908	15.99	0.0	-34.555	17.308	0.0	-13.2	23.157	0.18	-9.128	23.96	0.525	0.087	229.314	3.555	0.087	211.467	3.478	0.086	1.612	0.002	0.086	0.672	0.0
35	11923	11924	SN	1	-34.908	15.99	0.0	-34.555	18.12	0.0	-13.2	23.157	0.169	-9.128	23.96	0.575	0.087	229.314	3.281	0.086	211.467	2.987	0.086	1.612	0.001	0.086	0.672	0.0
36	11923	11924	NS	1	-34.462	18.283	0.0	-33.597	17.825	0.0	-4.0	23.007	0.108	-0.781	23.253	0.637	0.086	207.025	1.951	0.086	169.648	1.977	0.086	0.256	0.0	0.086	0.163	0.0
37	11924	11925	SN	1	-34.612	17.274	0.0	-34.922	18.34	0.0	-25.827	23.317	0.158	-5.604	23.829	0.246	0.087	221.656	4.186	0.086	230.106	4.353	0.086	28.4	0.035	0.086	0.338	0.0
38	11924	11925	NS	1	-34.939	21.601	0.0	-34.439	18.547	0.0	-1.376	23.12	0.189	1.038	23.889	1.573	0.086	230.995	1.427	0.086	205.875	1.388	0.086	0.175	0.0	0.086	0.135	0.0
39	11925	11926	SN	1	-34.696	18.159	0.0	-34.979	18.561	0.0	-27.654	23.456	0.194	-27.501	23.13	0.096	0.086	218.464	5.584	0.086	233.17	4.729	0.086	43.219	0.129	0.086	41.721	0.139
40	11925	11926	NS	1	-34.57	21.036	0.0	-33.718	21.832	0.0	0.478	23.527	0.013	-1.392	24.257	1.265	0.086	212.213	2.068	0.086	174.429	2.014	0.086	0.142	0.0	0.086	0.175	0.0
41	11925	11926	NS	1	-34.649	21.036	0.0	-33.051	21.832	0.0	0.48	23.527	0.013	-1.392	24.259	1.265	0.086	216.101	2.064	0.086	149.614	2.001	0.086	0.142	0.0	0.086	0.175	0.0
42	11926	11927	NS	1	-34.855	19.032	0.0	-34.554	18.925	0.0	1.258	22.354	0.044	1.147	23.911	1.271	0.086	226.553	1.451	0.086	211.374	1.166	0.086	0.132	0.0	0.086	0.134	0.0
43	11926	11927	SN	1	-34.821	15.794	0.0	-34.979	18.966	0.0	-32.16	23.153	0.144	-24.577	22.914	0.058	0.087	224.853	4.251	0.086	233.153	3.777	0.086	121.862	0.052	0.086	21.312	0.019
44	11926	11927	NS	1	-34.753	19.032	0.0	-34.554	18.925	0.0	1.252	22.354	0.045	1.147	23.911	1.182	0.086	221.353	1.465	0.086	211.374	1.166	0.086	0.132	0.0	0.086	0.133	0.0
45	11927	11928	SN	1	-34.984	16.496	0.0	-34.858	18.936	0.0	-16.925	23.024	0.156	-14.704	23.31	0.128	0.087	233.392	5.982	0.086	226.734	6.22	0.086	3.713	0.012	0.086	2.252	0.016
46	11928	11929	NS	1	-33.99	21.135	0.0	-34.982	21.013	0.0	1.311	22.525	0.12	1.816	23.522	1.626	0.086	185.702	1.803	0.086	233.275	1.906	0.086	0.132	0.0	0.086	0.126	0.0
47	11928	11929	NS	1	-33.99	21.135	0.0	-34.982	21.013	0.0	1.304	22.498	0.079	1.816	23.524	2.279	0.086	185.702	1.799	0.086	233.275	1.906	0.086	0.132	0.0	0.086	0.126	0.0
48	11928	11929	SN	1	-34.442	17.466	0.0	-34.863	19.045	0.0	-25.244	23.014	0.381	-24.996	23.447	0.485	0.087	206.048	3.149	0.086	226.988	2.986	0.086	24.834	0.036	0.086	23.467	0.062
49	11929	11930	NS	1	-34.68	18.544	0.0	-34.337	20.704	0.0	3.8	21.847	0.0	2.92	21.406	0.0	0.086	217.68	1.676	0.086	201.078	1.599	0.086	0.11	0.0	0.086	0.116	0.0
50	11929	11930	SN	1	-34.379	15.099	0.0	-33.461	15.33	0.0	2.488	22.85	0.109	4.278	23.272	0.683	0.087	203.035	1.853	0.087	164.425	1.742	0.086	0.12	0.0	0.086	0.108	0.0
51	11929	11930	SN	1	-34.379	17.775	0.0	-33.461	18.954	0.0	2.488	22.85	0.127	4.278	23.272	0.676	0.086	203.035	1.812	0.086	164.425	1.615	0.086	0.12	0.0	0.086	0.108	0.0
52	11929	11930	NS	1	-34.68	19.791	0.0	-34.337	20.705	0.0	1.55	23.242	0.665	2.923	23.649	1.333	0.086	217.68	1.749	0.086	201.078	1.608	0.086	0.129	0.0	0.086	0.116	0.0
53	11930	11931	NS	1	-34.402	19.899	0.0	-34.885	20.719	0.0	1.213	23.592	0.206	1.496	23.863	0.403	0.086	204.118	1.92	0.086	228.142	2.211	0.086	0.133	0.0	0.086	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors