

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-OCT-2017 To 08-OCT-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-OCT-2017 To 08-OCT-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5449	5450	SN	1	48.826	49.49	0.0	0.003	1.82	0.168	1042.144	1094.088	0.0	-92.0	-89.443	0.0
2	5449	5450	NS	2	48.683	49.398	0.0	0.003	5.504	0.219	1016.72	1091.072	23.514	-92.572	-89.045	0.0
3	5449	5450	SN	1	48.826	49.49	0.0	0.003	1.82	0.171	1042.992	1094.088	0.0	-92.0	-89.46	0.0
4	5450	5451	SN	1	48.823	49.528	0.0	0.003	1.82	0.158	1042.696	1094.296	0.0	-92.108	-89.454	0.0
5	5450	5451	SN	1	48.823	49.528	0.0	0.003	1.82	0.156	1042.192	1094.296	0.0	-92.108	-89.444	0.0
6	5450	5451	SN	2	48.823	49.528	0.0	0.003	1.82	0.158	1042.696	1094.296	0.0	-92.108	-89.454	0.0
7	5450	5451	NS	1	48.69	49.372	0.0	0.003	1.814	0.167	1017.056	1091.344	25.734	-91.972	-89.013	0.0
8	5450	5451	NS	1	48.69	49.372	0.0	0.003	1.814	0.167	1017.056	1091.344	25.757	-91.972	-89.013	0.0
9	5451	5452	SN	1	48.794	49.491	0.0	0.003	1.814	0.156	1042.128	1094.336	0.0	-92.116	-89.458	0.0
10	5451	5452	SN	1	48.794	49.491	0.0	0.003	1.814	0.154	1041.6	1094.336	0.0	-92.116	-89.442	0.0
11	5451	5452	NS	1	48.69	49.375	0.0	0.003	1.814	0.166	1017.648	1091.472	26.174	-91.964	-89.026	0.0
12	5452	5453	SN	1	48.794	49.49	0.0	0.003	1.814	0.161	1042.632	1094.272	0.0	-92.12	-89.453	0.0
13	5452	5453	NS	1	48.657	49.393	0.0	0.003	5.46	0.187	1017.76	1091.456	25.541	-92.198	-89.055	0.0
14	5452	5453	SN	1	48.794	49.49	0.0	0.003	1.814	0.158	1042.016	1094.272	0.0	-92.12	-89.444	0.0
15	5452	5453	NS	2	48.653	49.393	0.0	0.003	5.46	0.187	1017.752	1091.448	25.612	-92.198	-89.055	0.0
16	5453	5454	SN	1	48.812	49.49	0.0	0.003	1.814	0.154	1042.016	1094.256	0.0	-92.21	-89.449	0.0
17	5453	5454	NS	1	48.65	49.373	0.0	0.003	1.809	0.172	1017.736	1091.448	25.878	-92.051	-89.06	0.0
18	5453	5454	NS	1	48.691	49.375	0.0	0.003	1.809	0.172	1017.76	1091.456	25.793	-92.051	-89.06	0.0
19	5453	5454	SN	1	48.812	49.49	0.0	0.003	1.814	0.159	1043.432	1094.256	0.0	-92.21	-89.464	0.0
20	5454	5455	NS	1	48.689	49.372	0.0	0.003	1.809	0.168	1017.72	1091.376	26.469	-92.033	-89.067	0.0
21	5454	5455	SN	1	48.81	49.531	0.0	0.003	1.814	0.159	1041.968	1094.2	0.0	-92.208	-89.439	0.0
22	5455	5456	NS	2	48.649	49.371	0.0	0.003	1.809	0.168	1017.576	1091.4	27.0	-91.918	-89.071	0.0
23	5455	5456	NS	3	48.641	49.374	0.0	0.003	1.809	0.168	1017.608	1091.424	27.002	-91.918	-89.071	0.0
24	5455	5456	SN	1	48.816	49.53	0.0	0.003	1.814	0.165	1041.856	1094.312	0.0	-92.348	-89.438	0.0
25	5455	5456	SN	1	48.805	49.529	0.0	0.003	1.814	0.165	1041.656	1094.312	0.0	-92.348	-89.438	0.0
26	5455	5456	SN	1	48.805	49.529	0.0	0.003	1.814	0.176	1044.12	1094.312	0.0	-92.348	-89.483	0.0
27	5456	5457	SN	1	48.822	49.508	0.0	0.003	1.82	0.176	1044.504	1094.496	0.0	-92.297	-89.466	0.0
28	5456	5457	SN	1	48.822	49.508	0.0	0.003	1.82	0.162	1041.936	1094.496	0.0	-92.297	-89.443	0.0
29	5456	5457	SN	1	48.824	49.534	0.0	0.003	1.82	0.162	1041.936	1094.52	0.0	-92.169	-89.443	0.0
30	5456	5457	NS	2	48.641	49.404	0.0	0.003	5.476	0.182	1017.048	1091.584	27.303	-92.266	-89.071	0.0
31	5456	5457	NS	3	48.652	49.415	0.0	0.003	5.482	0.182	1017.104	1091.592	27.292	-92.159	-89.071	0.0
32	5457	5458	NS	1	48.647	49.376	0.0	0.003	1.809	0.174	1017.064	1091.656	25.732	-91.861	-89.065	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	5457	5458	SN	1	48.812	49.523	0.0	0.003	1.82	0.155	1041.24	1094.544	0.0	-92.757	-89.436	0.0
34	5458	5459	NS	2	48.666	49.376	0.0	0.003	5.482	0.189	1017.696	1091.576	27.447	-92.039	-89.044	0.0
35	5458	5459	SN	1	48.79	49.49	0.0	0.003	1.82	0.158	1041.68	1094.456	0.0	-92.137	-89.43	0.0
36	5459	5460	NS	1	48.648	49.405	0.0	0.003	5.465	0.189	1017.296	1091.36	27.484	-92.001	-89.073	0.0
37	5462	5463	NS	2	48.686	49.384	0.0	0.003	1.809	0.168	1017.272	1092.072	28.034	-92.146	-89.068	0.0
38	5462	5463	SN	2	48.791	49.49	0.0	0.003	1.814	0.162	1041.328	1094.92	0.0	-92.305	-89.436	0.0
39	5462	5463	NS	1	48.686	49.384	0.0	0.003	1.809	0.168	1017.272	1092.072	28.034	-92.146	-89.068	0.0
40	5462	5463	SN	1	48.791	49.49	0.0	0.003	1.814	0.162	1041.328	1094.92	0.0	-92.305	-89.436	0.0
41	5463	5464	SN	2	48.821	49.493	0.0	0.003	1.814	0.169	1041.336	1094.96	0.0	-92.124	-89.435	0.0
42	5463	5464	SN	1	48.821	49.493	0.0	0.003	1.814	0.169	1041.336	1094.96	0.0	-92.124	-89.435	0.0
43	5464	5465	SN	1	48.819	49.528	0.0	0.003	181.405	0.164	1041.904	1094.888	0.0	-92.211	-89.441	0.0
44	5464	5465	SN	1	48.819	49.528	0.0	0.003	181.405	0.162	1041.368	1094.888	0.0	-92.211	-89.435	0.0
45	5464	5465	SN	1	48.819	49.528	0.0	0.003	181.405	0.162	1041.368	1094.888	0.0	-92.211	-89.435	0.0
46	5464	5465	NS	2	48.69	49.378	0.0	0.003	1.809	0.166	1017.592	1092.056	24.268	-91.999	-89.05	0.0
47	5465	5466	NS	3	48.691	49.382	0.0	0.003	5.476	0.177	1017.784	1092.312	25.645	-91.866	-89.005	0.0
48	5465	5466	NS	2	48.691	49.382	0.0	0.003	5.476	0.177	1017.784	1092.312	25.65	-91.866	-89.005	0.0
49	5465	5466	SN	1	48.781	49.504	0.0	0.003	1.814	0.156	1041.224	1095.016	0.0	-92.228	-89.433	0.0
50	5465	5466	SN	1	48.781	49.504	0.0	0.003	1.814	0.157	1041.712	1095.016	0.0	-92.228	-89.439	0.0
51	5465	5466	SN	1	48.781	49.504	0.0	0.003	1.814	0.157	1041.712	1095.016	0.0	-92.228	-89.439	0.0
52	5466	5467	SN	1	48.792	49.499	0.0	0.003	1.82	0.159	1041.88	1094.96	0.0	-92.031	-89.442	0.0
53	5466	5467	SN	1	48.792	49.499	0.0	0.003	1.82	0.157	1041.136	1094.96	0.0	-92.031	-89.435	0.0
54	5466	5467	SN	1	48.792	49.499	0.0	0.003	1.82	0.157	1041.136	1094.96	0.0	-92.031	-89.434	0.0
55	5466	5467	NS	1	48.683	49.404	0.0	0.003	1.814	0.167	1017.768	1092.32	25.357	-92.096	-89.062	0.0
56	5467	5468	NS	3	48.682	49.381	0.0	0.003	5.46	0.186	1017.976	1092.28	25.152	-91.99	-89.065	0.0
57	5467	5468	SN	1	48.814	49.489	0.0	0.003	1.825	0.155	1041.024	1094.888	0.0	-92.243	-89.433	0.0
58	5467	5468	NS	2	48.681	49.38	0.0	0.003	5.454	0.186	1017.968	1092.28	25.156	-91.99	-89.065	0.0
59	5468	5469	SN	1	48.804	49.489	0.0	0.003	1.82	0.157	1041.072	1094.856	0.0	-92.134	-89.443	0.0
60	5468	5469	NS	2	48.656	49.381	0.0	0.003	5.46	0.188	1017.984	1092.256	25.492	-92.055	-89.064	0.0
61	5468	5469	SN	1	48.804	49.489	0.0	0.003	1.82	0.163	1042.632	1094.856	0.0	-92.134	-89.454	0.0
62	5469	5470	NS	1	48.645	49.381	0.0	0.003	1.814	0.169	1017.92	1092.24	25.709	-91.914	-89.072	0.0
63	5469	5470	NS	2	48.645	49.381	0.0	0.003	1.814	0.169	1017.92	1092.24	25.709	-91.914	-89.072	0.0
64	5469	5470	SN	1	48.788	49.507	0.0	0.003	1.82	0.161	1041.008	1094.84	0.0	-92.082	-89.437	0.0
65	5469	5470	SN	2	48.788	49.507	0.0	0.003	1.82	0.161	1041.008	1094.84	0.0	-92.082	-89.437	0.0
66	5469	5470	SN	1	48.788	49.507	0.0	0.003	1.82	0.165	1042.104	1094.84	0.0	-92.082	-89.446	0.0
67	5470	5471	NS	1	48.651	49.151	0.0	0.003	1.787	0.105	1017.52	1044.112	45.308	-91.898	-89.074	0.0
68	5470	5471	SN	1	48.816	49.439	0.0	0.003	1.792	0.147	1042.952	1079.0	0.0	-92.725	-89.468	0.0
69	5470	5471	SN	1	48.816	49.514	0.0	0.003	261.852	0.165	1041.008	1095.072	0.0	-92.725	-89.43	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	5470	5471	SN	1	48.816	49.439	0.0	0.003	1.792	0.135	1041.008	1079.0	0.0	-92.725	-89.43	0.0
71	5471	5472	NS	2	48.658	49.382	0.0	0.003	5.449	0.186	1017.376	1092.528	26.471	-92.213	-89.066	0.0
72	5471	5472	SN	1	48.816	49.513	0.0	0.003	1.814	0.159	1040.416	1095.192	0.0	-92.176	-89.413	0.0
73	5471	5472	NS	1	48.658	49.382	0.0	0.003	5.449	0.186	1017.376	1092.528	26.392	-92.213	-89.066	0.0
74	5472	5473	NS	1	48.691	49.382	0.0	0.003	1.809	0.174	1017.648	1092.496	25.855	-91.981	-89.058	0.0
75	5472	5473	SN	1	48.816	49.494	0.0	0.003	1.814	0.157	1041.168	1095.168	0.0	-92.068	-89.413	0.0
76	5473	5474	NS	1	48.663	49.383	0.0	0.003	1.809	0.173	1017.152	1092.496	26.427	-92.385	-89.073	0.0
77	5476	5477	SN	1	48.781	49.489	0.0	0.003	1.82	0.157	1040.456	1095.472	0.0	-92.311	-89.431	0.0
78	5476	5477	NS	3	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0
79	5476	5477	NS	4	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0
80	5476	5477	SN	2	48.781	49.489	0.0	0.003	1.82	0.157	1040.456	1095.472	0.0	-92.311	-89.431	0.0
81	5476	5477	NS	2	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0
82	5476	5477	NS	6	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0
83	5476	5477	NS	1	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0
84	5476	5477	NS	5	48.687	49.384	0.0	0.003	308.437	0.172	1017.024	1092.8	27.362	-99.965	-96.685	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

Inner																												
SNR																	Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5449	5450	SN	1	-34.06	25.114	1.348	-33.636	26.038	3.164	-13.316	36.237	6.485	-13.629	29.546	12.831	0.103	215.121	3.426	0.103	195.13	2.6	0.102	1.893	0.003	0.103	2.029	0.003
2	5449	5450	NS	2	-34.798	26.318	0.308	-34.53	27.656	0.14	2.05	29.907	10.096	6.629	35.113	26.662	0.103	254.999	4.305	0.103	239.746	3.956	0.103	0.147	0.0	0.102	0.117	0.0
3	5449	5450	SN	1	-34.06	25.114	0.748	-33.636	26.038	3.271	-13.316	36.237	6.485	-13.629	29.546	12.831	0.103	215.121	3.596	0.103	195.13	2.719	0.102	1.893	0.003	0.103	2.029	0.003
4	5450	5451	SN	1	-34.823	23.785	0.354	-34.154	25.052	1.134	-2.305	28.757	6.798	1.971	29.605	4.517	0.103	256.477	2.731	0.103	219.89	2.017	0.103	0.233	0.0	0.103	0.148	0.0
5	5450	5451	SN	1	-34.823	23.785	0.357	-34.154	25.052	1.258	-2.305	28.757	6.798	1.971	29.605	4.517	0.103	256.477	2.686	0.103	219.89	1.994	0.103	0.233	0.0	0.103	0.148	0.0
6	5450	5451	SN	2	-34.823	23.785	0.354	-34.154	25.052	1.134	-2.305	28.757	6.798	1.971	29.605	4.517	0.103	256.477	2.731	0.103	219.89	2.017	0.103	0.233	0.0	0.103	0.148	0.0
7	5450	5451	NS	1	-34.4	25.761	0.068	-34.818	26.649	0.325	-7.079	33.533	6.448	-5.796	30.823	23.949	0.103	232.679	2.18	0.103	256.151	1.665	0.102	0.515	0.0	0.103	0.406	0.0
8	5450	5451	NS	1	-34.4	25.761	0.068	-34.818	26.649	0.325	-7.079	33.533	6.451	-5.796	30.823	23.939	0.103	232.679	2.183	0.103	256.151	1.665	0.102	0.515	0.0	0.103	0.406	0.0
9	5451	5452	SN	1	-34.784	22.528	0.011	-34.376	24.675	0.314	7.435	27.096	11.103	8.283	28.753	8.099	0.103	254.204	1.596	0.103	231.341	1.3	0.103	0.115	0.0	0.103	0.113	0.0
10	5451	5452	SN	1	-34.784	22.528	0.011	-34.376	24.675	0.405	7.435	27.096	11.103	8.283	28.753	8.093	0.103	254.204	1.614	0.103	231.341	1.284	0.103	0.115	0.0	0.103	0.113	0.0
11	5451	5452	NS	1	-34.719	23.188	0.03	-33.157	24.414	0.19	-0.575	28.413	7.062	-7.368	29.675	18.749	0.103	250.378	1.576	0.103	174.732	1.078	0.103	0.188	0.0	0.103	0.545	0.0
12	5452	5453	SN	1	-34.318	21.582	0.0	-34.863	24.514	0.358	6.013	26.474	9.329	6.835	27.718	7.946	0.103	228.363	1.727	0.103	258.836	1.484	0.103	0.12	0.0	0.103	0.117	0.0
13	5452	5453	NS	1	-34.824	23.595	0.126	-34.286	24.734	0.657	-6.963	28.727	4.252	-14.054	31.098	11.97	0.103	256.523	3.598	0.103	226.646	2.845	0.103	0.504	0.0	0.103	2.229	0.001
14	5452	5453	SN	1	-34.318	22.248	0.002	-34.863	25.224	0.57	6.013	26.474	9.32	6.835	27.718	7.869	0.103	228.363	1.722	0.103	258.836	1.458	0.103	0.12	0.0	0.103	0.117	0.0
15	5452	5453	NS	2	-34.824	23.595	0.126	-33.978	24.734	0.655	-6.963	28.728	4.247	-14.039	31.095	11.971	0.103	256.523	3.596	0.103	211.118	2.858	0.103	0.504	0.0	0.103	2.221	0.001
16	5453	5454	SN	1	-34.775	22.791	0.009	-34.773	25.066	0.785	6.099	27.466	12.242	8.506	29.102	16.562	0.103	253.602	2.855	0.103	253.57	2.407	0.103	0.119	0.0	0.103	0.112	0.0
17	5453	5454	NS	1	-34.908	23.792	0.334	-32.038	24.61	0.63	-13.841	27.622	3.702	-12.82	29.803	16.565	0.103	261.542	1.004	0.103	135.097	0.723	0.103	2.126	0.006	0.103	1.698	0.003
18	5453	5454	NS	1	-34.897	23.792	0.334	-32.607	24.61	0.632	-13.838	27.622	3.709	-12.764	29.802	16.598	0.103	260.816	1.004	0.103	160.31	0.719	0.103	2.124	0.006	0.103	1.677	0.003
19	5453	5454	SN	1	-34.775	22.413	0.002	-34.773	24.857	0.284	6.099	27.466	12.531	8.506	29.102	16.979	0.103	253.602	2.918	0.103	253.57	2.284	0.103	0.119	0.0	0.103	0.112	0.0
20	5454	5455	NS	1	-33.037	24.616	0.523	-31.985	24.859	0.673	-13.429	28.892	4.939	-6.944	29.998	14.929	0.103	170.054	1.162	0.103	133.482	0.667	0.103	1.941	0.007	0.103	0.502	0.0
21	5454	5455	SN	1	-34.855	22.931	0.022	-34.872	25.453	1.098	5.729	26.881	11.399	7.949	29.545	11.528	0.103	258.402	2.012	0.103	259.355	1.607	0.103	0.121	0.0	0.103	0.113	0.0
22	5455	5456	NS	2	-34.97	24.879	0.664	-34.122	25.818	0.834	7.718	27.814	11.202	7.431	30.065	22.713	0.103	265.263	3.147	0.103	218.239	2.533	0.103	0.114	0.0	0.103	0.115	0.0
23	5455	5456	NS	3	-34.957	24.881	0.664	-33.797	25.818	0.834	7.718	27.815	11.202	7.432	30.068	22.691	0.103	264.551	3.143	0.103	202.533	2.533	0.103	0.114	0.0	0.103	0.115	0.0
24	5455	5456	SN	1	-34.951	22.016	0.001	-34.612	26.459	2.143	-6.081	30.026	7.704	-6.683	33.295	10.018	0.103	264.094	6.571	0.103	244.325	5.165	0.103	0.427	0.0	0.102	0.478	0.0
25	5455	5456	SN	1	-34.994	22.016	0.001	-34.717	26.459	2.148	-6.079	30.023	7.706	-6.683	33.295	10.017	0.103	266.781	6.568	0.103	250.297	5.177	0.103	0.427	0.0	0.102	0.478	0.0
26	5455	5456	SN	1	-34.994	22.016	0.002	-34.717	22.941	0.01	-6.079	30.023	8.03	-6.683	33.295	9.971	0.103	266.781	6.697	0.103	250.297	5.709	0.103	0.427	0.0	0.102	0.478	0.0
27	5456	5457	SN	1	-34.835	23.416	0.009	-34.868	24.738	0.03	-3.002	31.183	11.052	-1.52	29.616	18.48	0.103	257.198	4.138	0.103	259.057	2.388	0.103	0.257	0.0	0.103	0.21	0.0
28	5456	5457	SN	1	-34.835	23.487	0.047	-34.868	26.584	3.076	-3.002	31.183	10.379	-1.52	29.616	18.409	0.103	257.198	4.308	0.103	259.057	2.611	0.103	0.257	0.0	0.103	0.21	0.0
29	5456	5457	SN	1	-34.915	23.487	0.047	-34.758	26.584	3.076	-2.942	31.183	10.372	-1.517	29.615	18.408	0.103	262.016	4.301	0.103	252.667	2.61	0.103	0.254	0.0	0.103	0.21	0.0
30	5456	5457	NS	2	-34.343	24.042	0.817	-34.996	25.829	0.64	0.351	28.525	12.066	0.276	29.594	28.6	0.103	229.641	3.835	0.103	266.837	2.741	0.103	0.17	0.0	0.103	0.172	0.0
31	5456	5457	NS	3	-34.869	24.047	0.818	-34.905	25.829	0.64	0.361	28.524	12.06	0.283	29.593	28.616	0.103	259.186	3.841	0.103	261.357	2.741	0.103	0.17	0.0	0.103	0.172	0.0
32	5457	5458	NS	1	-34.714	24.342	0.743	-34.622	24.373	0.55	-8.281	28.7	18.686	-16.884	30.201	38.089	0.103	250.147	3.873	0.103	244.879	3.206	0.103	0.652	0.0	0.103	4.201	0.003
33	5457	5458	SN	1	-34.645	26.154	0.252	-33.76	26.531	2.717	-8.644	27.668	13.502	-0.069	30.67	16.061	0.103	246.134	1.602	0.103	200.764	1.88	0.103	0.701	0.0	0.103	0.178	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	5458	5459	NS	2	-34.448	25.297	1.011	-34.858	24.782	0.816	-2.515	34.72	11.616	-5.079	33.505	25.54	0.103	235.261	3.185	0.103	258.546	2.283	0.102	0.239	0.0	0.102	0.358	0.0
35	5458	5459	SN	1	-34.713	26.248	0.355	-34.806	28.06	2.503	-14.02	28.971	13.808	-12.189	30.089	16.185	0.103	250.072	4.812	0.103	255.48	4.062	0.103	2.212	0.004	0.103	1.479	0.004
36	5459	5460	NS	1	-34.045	25.127	1.945	-33.042	25.885	1.808	-2.575	27.792	16.172	-2.441	31.479	25.206	0.103	214.414	1.236	0.103	170.198	1.105	0.103	0.241	0.0	0.103	0.237	0.0
37	5462	5463	NS	2	-34.597	24.101	0.739	-34.637	25.281	0.067	7.677	29.212	17.276	8.465	29.591	29.144	0.103	243.434	2.142	0.103	245.709	2.117	0.103	0.114	0.0	0.103	0.112	0.0
38	5462	5463	SN	2	-34.974	24.257	0.556	-34.806	26.562	2.311	3.458	28.399	25.266	5.421	29.285	34.725	0.103	265.538	3.441	0.103	255.396	2.524	0.103	0.134	0.0	0.103	0.122	0.0
39	5462	5463	NS	1	-34.597	24.101	0.739	-34.637	25.281	0.067	7.677	29.212	17.276	8.465	29.591	29.144	0.103	243.434	2.142	0.103	245.709	2.117	0.103	0.114	0.0	0.103	0.112	0.0
40	5462	5463	SN	1	-34.974	24.257	0.556	-34.806	26.562	2.311	3.458	28.399	25.266	5.421	29.285	34.725	0.103	265.538	3.441	0.103	255.396	2.524	0.103	0.134	0.0	0.103	0.122	0.0
41	5463	5464	SN	2	-33.551	25.17	1.396	-34.057	26.206	3.292	-3.596	27.339	5.966	-1.384	29.506	9.781	0.103	191.365	1.585	0.103	214.997	1.378	0.103	0.281	0.0	0.103	0.206	0.0
42	5463	5464	SN	1	-33.551	25.17	1.386	-34.057	26.206	3.283	-3.596	27.339	5.964	-1.384	29.506	9.778	0.103	191.365	1.585	0.103	214.997	1.379	0.103	0.281	0.0	0.103	0.206	0.0
43	5464	5465	SN	1	-34.765	24.5	0.833	-34.829	25.656	1.975	-5.366	30.448	7.371	-4.594	30.339	6.566	0.103	253.093	2.432	0.103	256.844	2.073	0.103	0.376	0.0	0.103	0.33	0.0
44	5464	5465	SN	1	-34.765	24.5	0.848	-34.829	25.656	2.095	-5.366	30.448	7.371	-4.594	30.339	6.566	0.103	253.093	2.445	0.103	256.844	2.034	0.103	0.376	0.0	0.103	0.33	0.0
45	5464	5465	SN	1	-34.765	24.5	0.848	-34.829	25.656	2.093	-5.366	30.448	7.363	-4.594	30.339	6.565	0.103	253.093	2.443	0.103	256.844	2.032	0.103	0.376	0.0	0.103	0.33	0.0
46	5464	5465	NS	2	-34.835	25.175	0.105	-34.335	29.027	0.273	6.62	32.193	8.099	6.488	34.522	30.016	0.103	257.197	2.335	0.103	229.256	2.144	0.102	0.117	0.0	0.102	0.118	0.0
47	5465	5466	NS	3	-34.513	22.928	0.027	-34.799	24.506	0.238	-0.773	28.822	6.738	-3.516	30.162	20.014	0.103	238.818	1.987	0.103	255.056	1.426	0.103	0.192	0.0	0.103	0.277	0.0
48	5465	5466	NS	2	-34.513	22.928	0.027	-34.799	24.506	0.238	-0.773	28.822	6.738	-3.516	30.162	20.014	0.103	238.818	1.987	0.103	255.056	1.427	0.103	0.192	0.0	0.103	0.277	0.0
49	5465	5466	SN	1	-34.006	24.106	0.099	-34.733	25.122	0.614	-7.466	27.125	8.741	-2.104	29.63	6.305	0.103	212.472	2.67	0.103	251.238	2.234	0.103	0.555	0.0	0.103	0.226	0.0
50	5465	5466	SN	1	-34.006	24.106	0.097	-34.137	25.122	0.527	-7.466	27.125	8.741	-2.104	29.63	6.305	0.103	212.472	2.703	0.103	219.022	2.251	0.103	0.555	0.0	0.103	0.226	0.0
51	5465	5466	SN	1	-34.006	24.106	0.097	-34.137	25.122	0.527	-7.466	27.125	8.741	-2.104	29.63	6.305	0.103	212.472	2.681	0.103	219.022	2.249	0.103	0.555	0.0	0.103	0.226	0.0
52	5466	5467	SN	1	-34.538	21.901	0.0	-34.051	25.074	0.291	6.928	27.091	8.301	7.522	28.015	5.508	0.103	240.205	1.026	0.103	214.654	0.674	0.103	0.116	0.0	0.103	0.115	0.0
53	5466	5467	SN	1	-34.538	22.699	0.004	-34.051	25.195	0.439	6.928	27.091	8.285	7.522	28.015	5.574	0.103	240.205	1.014	0.103	214.654	0.668	0.103	0.116	0.0	0.103	0.115	0.0
54	5466	5467	SN	1	-34.538	22.699	0.004	-34.051	25.195	0.437	6.928	27.091	8.285	7.522	28.015	5.574	0.103	240.205	1.016	0.103	214.654	0.668	0.103	0.116	0.0	0.103	0.115	0.0
55	5466	5467	NS	1	-34.69	22.815	0.078	-34.999	24.486	0.382	-3.174	28.544	6.373	-1.943	29.676	17.064	0.103	248.695	3.077	0.103	267.049	2.08	0.103	0.263	0.0	0.103	0.222	0.0
56	5467	5468	NS	3	-34.476	23.858	0.224	-33.263	24.816	0.907	-11.287	27.896	3.334	-6.615	30.236	12.29	0.103	236.77	0.849	0.103	179.099	0.921	0.103	1.217	0.001	0.103	0.472	0.0
57	5467	5468	SN	1	-34.796	22.054	0.001	-34.919	25.004	0.73	5.972	27.981	13.597	7.712	28.159	17.923	0.103	254.919	1.491	0.103	262.2	1.381	0.103	0.12	0.0	0.103	0.114	0.0
58	5467	5468	NS	2	-34.094	23.86	0.224	-34.738	24.814	0.907	-11.274	27.896	3.334	-6.618	30.236	12.287	0.103	216.821	0.849	0.103	251.463	0.923	0.103	1.214	0.001	0.103	0.472	0.0
59	5468	5469	SN	1	-34.608	22.733	0.011	-34.049	25.147	0.926	5.597	27.435	13.034	7.785	29.543	15.905	0.103	244.081	2.516	0.103	214.646	2.078	0.103	0.122	0.0	0.103	0.114	0.0
60	5468	5469	NS	2	-33.741	23.918	0.38	-32.23	24.729	0.438	-5.768	27.234	4.461	-4.944	28.894	14.26	0.103	199.944	1.152	0.103	141.203	0.883	0.103	0.404	0.0	0.103	0.35	0.0
61	5468	5469	SN	1	-34.608	21.897	0.0	-34.049	24.68	0.226	5.597	27.435	13.579	7.785	29.543	16.202	0.103	244.081	2.559	0.103	214.646	2.107	0.103	0.122	0.0	0.103	0.114	0.0
62	5469	5470	NS	1	-34.874	25.066	0.628	-34.86	25.654	0.797	-5.527	30.106	8.685	-8.994	33.094	17.017	0.103	259.444	3.524	0.103	258.636	2.784	0.103	0.387	0.0	0.102	0.753	0.0
63	5469	5470	NS	2	-34.874	25.066	0.628	-34.86	25.654	0.797	-5.527	30.106	8.685	-8.994	33.094	17.017	0.103	259.444	3.524	0.103	258.636	2.784	0.103	0.387	0.0	0.102	0.753	0.0
64	5469	5470	SN	1	-34.648	22.732	0.021	-34.769	25.991	1.421	2.392	27.619	8.018	0.175	33.115	9.578	0.103	246.355	4.705	0.103	253.237	3.441	0.103	0.144	0.0	0.102	0.173	0.0
65	5469	5470	SN	2	-34.648	22.732	0.021	-34.769	25.991	1.421	2.392	27.619	8.018	0.175	33.115	9.578	0.103	246.355	4.705	0.103	253.237	3.441	0.103	0.144	0.0	0.102	0.173	0.0
66	5469	5470	SN	1	-34.648	22.73	0.018	-34.769	25.564	0.586	2.392	27.619	8.03	0.175	33.115	9.562	0.103	246.355	4.836	0.103	253.237	3.565	0.103	0.144	0.0	0.102	0.173	0.0
67	5470	5471	NS	1	-33.727	25.383	1.521	-34.915	26.038	1.219	14.128	28.275	57.557	15.792	28.999	66.261	0.103	199.296	4.334	0.103	261.97	3.726	0.103	0.105	0.0	0.103	0.104	0.0
68	5470	5471	SN	1	-34.898	18.099	0.0	-34.708	23.597	0.207	-4.995	33.524	2.689	0.636	32.837	9.067	0.103	260.934	3.893	0.103	249.803	4.459	0.102	0.353	0.0	0.102	0.166	0.0
69	5470	5471	SN	1	-34.898	22.831	0.015	-34.708	26.524	2.821	-4.995	33.524	9.858	0.636	32.837	14.465	0.103	260.934	1.916	0.103	249.803	1.953	0.102	0.353	0.0	0.102	0.166	0.0
70	5470	5471	SN	1	-34.898	22.831	0.027	-34.708	26.524	5.274	-4.995	33.524	2.633	0.636	32.837	9.083	0.103	260.934	3.526	0.103	249.803	3.651	0.102	0.353	0.0	0.102	0.166	0.0
71	5471	5472	NS	2	-34.588	24.133	0.791	-34.357	24.517	0.51	-2.0	28.244	13.732	-0.948	30.632	40.332	0.103	242.937	3.581	0.103	230.349	2.483	0.103	0.223	0.0	0.103	0.196	0.0
72	5471	5472	SN	1	-34.707	23.324	0.146	-34.674	26.459	2.851	-6.231	28.071	13.193	-2.964	30.294	19.366	0.103	249.683	4.431	0.103	247.816	3.934	0.103	0.439	0.0	0.103	0.255	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	5471	5472	NS	1	-34.588	24.133	0.792	-34.357	24.517	0.511	-2.0	28.244	13.732	-0.948	30.632	40.332	0.103	242.937	3.587	0.103	230.349	2.487	0.103	0.223	0.0	0.103	0.196	0.0
74	5472	5473	NS	1	-34.866	24.918	0.872	-34.671	25.011	0.57	-7.419	28.262	11.732	-2.905	30.105	29.656	0.103	258.976	4.252	0.103	247.665	2.845	0.103	0.55	0.0	0.103	0.253	0.0
75	5472	5473	SN	1	-34.868	26.03	0.343	-34.502	27.26	2.735	-2.913	29.86	12.771	-1.245	30.547	14.335	0.103	259.056	1.917	0.103	238.221	1.472	0.103	0.253	0.0	0.103	0.203	0.0
76	5473	5474	NS	1	-34.872	24.93	1.556	-34.809	25.387	1.263	5.351	28.433	14.255	6.462	33.425	23.446	0.103	259.352	3.258	0.103	255.61	2.48	0.103	0.123	0.0	0.102	0.118	0.0
77	5476	5477	SN	1	-34.14	24.186	0.339	-34.159	26.423	2.265	6.793	27.952	33.35	8.707	30.53	52.065	0.103	219.199	2.796	0.103	220.093	2.194	0.103	0.117	0.0	0.103	0.112	0.0
78	5476	5477	NS	3	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0
79	5476	5477	NS	4	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0
80	5476	5477	SN	2	-34.14	24.186	0.339	-34.159	26.423	2.265	6.793	27.952	33.35	8.707	30.53	52.065	0.103	219.199	2.796	0.103	220.093	2.194	0.103	0.117	0.0	0.103	0.112	0.0
81	5476	5477	NS	2	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0
82	5476	5477	NS	6	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0
83	5476	5477	NS	1	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0
84	5476	5477	NS	5	-34.926	24.613	0.712	-34.134	25.435	0.177	7.726	28.287	25.886	8.852	30.102	39.414	0.103	262.604	3.283	0.103	218.881	2.535	0.103	0.114	0.0	0.103	0.111	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5449	5450	SN	1	57.64	58.423	0.0	0.008	1.991	0.203	1222.72	1287.888	17.953	-93.569	-91.921	0.0
2	5449	5450	NS	2	57.428	58.273	0.0	0.003	74.497	0.265	1191.984	1283.528	40.016	-93.911	-91.442	0.0
3	5449	5450	SN	1	57.64	58.423	0.0	0.008	1.991	0.207	1223.072	1287.888	18.307	-93.569	-91.939	0.0
4	5450	5451	SN	1	57.637	58.449	0.0	0.003	1.985	0.193	1223.128	1288.08	17.185	-93.658	-91.933	0.0
5	5450	5451	SN	1	57.637	58.449	0.0	0.003	1.985	0.191	1222.56	1288.08	17.017	-93.658	-91.922	0.0
6	5450	5451	SN	2	57.637	58.449	0.0	0.003	1.985	0.193	1223.128	1288.08	17.185	-93.658	-91.933	0.0
7	5450	5451	NS	1	57.454	58.276	0.0	0.003	1.98	0.174	1191.896	1283.864	43.418	-93.587	-91.405	0.0
8	5450	5451	NS	1	57.454	58.276	0.0	0.003	1.98	0.174	1191.896	1283.864	43.46	-93.587	-91.405	0.0
9	5451	5452	SN	1	57.628	58.442	0.0	0.003	1.985	0.188	1223.176	1288.128	16.912	-93.71	-91.938	0.0
10	5451	5452	SN	1	57.628	58.442	0.0	0.003	1.985	0.186	1222.464	1288.128	16.725	-93.71	-91.92	0.0
11	5451	5452	NS	1	57.445	58.279	0.0	0.003	1.98	0.171	1192.128	1284.024	44.571	-93.715	-91.416	0.0
12	5452	5453	SN	1	57.625	58.418	0.0	0.003	1.985	0.19	1223.408	1288.04	16.937	-93.68	-91.932	0.0
13	5452	5453	NS	1	57.434	58.279	0.0	0.003	60.345	0.203	1192.208	1284.008	43.417	-93.644	-91.434	0.0
14	5452	5453	SN	1	57.625	58.418	0.0	0.003	1.985	0.187	1222.496	1288.04	16.648	-93.68	-91.922	0.0
15	5452	5453	NS	2	57.44	58.278	0.0	0.003	60.428	0.204	1192.224	1284.0	43.468	-93.644	-91.434	0.0
16	5453	5454	SN	1	57.636	58.418	0.0	0.003	1.985	0.184	1222.312	1288.04	16.434	-93.793	-91.924	0.0
17	5453	5454	NS	1	57.434	58.278	0.0	0.003	1.98	0.181	1192.656	1284.0	43.772	-93.75	-91.449	0.0
18	5453	5454	NS	1	57.453	58.279	0.0	0.003	1.974	0.18	1192.688	1284.008	43.726	-93.75	-91.45	0.0
19	5453	5454	SN	1	57.636	58.418	0.0	0.003	1.985	0.189	1223.88	1288.04	16.917	-93.793	-91.942	0.0
20	5454	5455	NS	1	57.441	58.277	0.0	0.003	1.974	0.183	1192.632	1283.912	43.684	-93.602	-91.453	0.0
21	5454	5455	SN	1	57.638	58.427	0.0	0.003	1.985	0.186	1222.056	1287.992	16.488	-93.605	-91.92	0.0
22	5455	5456	NS	2	57.425	58.277	0.0	0.003	1.974	0.176	1192.448	1283.936	45.112	-93.631	-91.459	0.0
23	5455	5456	NS	3	57.429	58.28	0.0	0.003	1.974	0.176	1191.808	1283.968	45.15	-93.631	-91.459	0.0
24	5455	5456	SN	1	57.623	58.439	0.0	0.003	344.864	0.195	1222.088	1288.136	17.662	-94.117	-91.915	0.0
25	5455	5456	SN	1	57.637	58.438	0.0	0.003	1.985	0.195	1222.144	1288.128	17.738	-93.902	-91.915	0.0
26	5455	5456	SN	1	57.637	58.438	0.0	0.003	1.985	0.208	1224.704	1288.128	18.935	-93.902	-91.967	0.0
27	5456	5457	SN	1	57.635	58.434	0.0	0.003	1.98	0.206	1224.896	1288.312	19.049	-93.663	-91.956	0.0
28	5456	5457	SN	1	57.635	58.434	0.0	0.003	1.98	0.19	1222.032	1288.312	17.503	-93.663	-91.901	0.0
29	5456	5457	SN	1	57.637	58.451	0.0	0.003	1.98	0.189	1222.032	1288.36	17.451	-93.683	-91.901	0.0
30	5456	5457	NS	2	57.429	58.278	0.0	0.003	79.124	0.205	1191.624	1284.16	45.687	-93.702	-91.458	0.0
31	5456	5457	NS	3	57.43	58.282	0.0	0.003	78.931	0.206	1191.72	1284.176	45.72	-93.8	-91.459	0.0
32	5457	5458	NS	1	57.424	58.282	0.0	0.003	1.974	0.187	1192.112	1284.248	44.28	-93.734	-91.459	0.0
33	5457	5458	SN	1	57.631	58.441	0.0	0.003	1.98	0.186	1221.696	1288.376	17.09	-93.62	-91.898	0.0
34	5458	5459	NS	2	57.456	58.282	0.0	0.003	73.03	0.21	1192.168	1284.144	46.096	-93.68	-91.431	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	5458	5459	SN	1	57.63	58.419	0.0	0.003	1.985	0.188	1220.84	1288.264	17.459	-93.501	-91.899	0.0
36	5459	5460	NS	1	57.444	58.297	0.0	0.003	70.178	0.203	1191.92	1283.896	45.58	-93.658	-91.461	0.0
37	5462	5463	NS	2	57.45	58.281	0.0	0.003	1.974	0.179	1191.68	1284.752	46.523	-93.767	-91.456	0.0
38	5462	5463	SN	2	57.596	58.42	0.0	0.003	1.985	0.192	1221.504	1288.84	18.56	-93.536	-91.914	0.0
39	5462	5463	NS	1	57.45	58.281	0.0	0.003	1.974	0.179	1191.68	1284.752	46.523	-93.767	-91.456	0.0
40	5462	5463	SN	1	57.596	58.42	0.0	0.003	1.985	0.192	1221.504	1288.84	18.56	-93.536	-91.914	0.0
41	5463	5464	SN	2	57.633	58.423	0.0	0.003	1.985	0.2	1221.624	1288.904	18.365	-93.656	-91.912	0.0
42	5463	5464	SN	1	57.633	58.423	0.0	0.003	1.985	0.2	1221.624	1288.904	18.363	-93.656	-91.912	0.0
43	5464	5465	SN	1	57.63	58.45	0.0	0.003	1.985	0.195	1222.208	1288.792	18.252	-93.797	-91.92	0.0
44	5464	5465	SN	1	57.63	58.45	0.0	0.003	1.985	0.192	1221.032	1288.792	18.049	-93.797	-91.912	0.0
45	5464	5465	SN	1	57.63	58.45	0.0	0.003	1.985	0.192	1221.032	1288.792	18.033	-93.797	-91.912	0.0
46	5464	5465	NS	2	57.455	58.284	0.0	0.003	1.974	0.176	1192.488	1284.736	42.709	-93.6	-91.431	0.0
47	5465	5466	NS	3	57.456	58.289	0.0	0.003	79.129	0.195	1192.064	1285.048	45.111	-93.563	-91.387	0.0
48	5465	5466	NS	2	57.456	58.289	0.0	0.003	79.129	0.195	1192.064	1285.048	45.117	-93.563	-91.387	0.0
49	5465	5466	SN	1	57.616	58.419	0.0	0.003	1.985	0.184	1220.52	1288.968	17.243	-93.589	-91.91	0.0
50	5465	5466	SN	1	57.616	58.419	0.0	0.003	1.985	0.186	1221.496	1288.968	17.398	-93.589	-91.917	0.0
51	5465	5466	SN	1	57.616	58.419	0.0	0.003	1.985	0.186	1221.496	1288.968	17.414	-93.589	-91.917	0.0
52	5466	5467	SN	1	57.614	58.442	0.0	0.003	1.985	0.187	1222.144	1288.888	17.552	-93.621	-91.914	0.0
53	5466	5467	SN	1	57.614	58.442	0.0	0.003	1.985	0.185	1221.288	1288.888	17.321	-93.621	-91.91	0.0
54	5466	5467	SN	1	57.614	58.442	0.0	0.003	1.985	0.184	1221.28	1288.888	17.302	-93.621	-91.909	0.0
55	5466	5467	NS	1	57.441	58.289	0.0	0.003	1.98	0.177	1192.088	1285.056	45.319	-93.666	-91.451	0.0
56	5467	5468	NS	3	57.454	58.288	0.0	0.003	73.647	0.202	1192.952	1285.016	44.292	-93.68	-91.454	0.0
57	5467	5468	SN	1	57.603	58.417	0.0	0.003	1.985	0.186	1221.248	1288.808	17.291	-93.827	-91.91	0.0
58	5467	5468	NS	2	57.456	58.287	0.0	0.003	73.691	0.202	1192.288	1285.016	44.298	-93.665	-91.454	0.0
59	5468	5469	SN	1	57.613	58.424	0.0	0.003	1.991	0.187	1221.192	1288.768	17.514	-93.572	-91.912	0.0
60	5468	5469	NS	2	57.451	58.288	0.0	0.003	66.676	0.206	1192.392	1284.992	44.746	-93.661	-91.446	0.0
61	5468	5469	SN	1	57.613	58.424	0.0	0.003	1.991	0.194	1223.016	1288.768	18.149	-93.572	-91.934	0.0
62	5469	5470	NS	1	57.43	58.287	0.0	0.003	1.98	0.183	1192.448	1284.968	44.555	-93.715	-91.462	0.0
63	5469	5470	NS	2	57.43	58.287	0.0	0.003	1.98	0.183	1192.448	1284.968	44.555	-93.715	-91.462	0.0
64	5469	5470	SN	1	57.616	58.417	0.0	0.003	1.985	0.191	1221.104	1288.76	17.934	-93.632	-91.907	0.0
65	5469	5470	SN	2	57.616	58.417	0.0	0.003	1.985	0.191	1221.104	1288.76	17.934	-93.632	-91.907	0.0
66	5469	5470	SN	1	57.616	58.417	0.0	0.003	1.985	0.196	1222.48	1288.76	18.357	-93.632	-91.926	0.0
67	5470	5471	NS	1	57.437	57.961	0.0	0.003	1.947	0.133	1192.088	1226.144	65.895	-93.393	-91.461	0.0
68	5470	5471	SN	1	57.627	58.354	0.0	0.003	1.958	0.191	1223.304	1270.128	0.0	-93.404	-91.952	0.0
69	5470	5471	SN	1	57.627	58.443	0.0	0.003	1.985	0.194	1221.104	1289.048	18.7	-93.651	-91.907	0.0
70	5470	5471	SN	1	57.627	58.354	0.0	0.003	1.958	0.175	1221.104	1270.128	0.0	-93.404	-91.907	0.0
71	5471	5472	NS	2	57.426	58.29	0.0	0.003	81.104	0.203	1192.104	1285.32	46.137	-93.695	-91.452	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	5471	5472	SN	1	57.621	58.439	0.0	0.003	1.985	0.187	1221.064	1289.192	17.421	-93.536	-91.877	0.0
73	5471	5472	NS	1	57.426	58.29	0.0	0.003	81.104	0.203	1192.104	1285.32	46.079	-93.695	-91.452	0.0
74	5472	5473	NS	1	57.455	58.291	0.0	0.003	1.974	0.184	1192.696	1285.272	45.869	-93.565	-91.434	0.0
75	5472	5473	SN	1	57.627	58.451	0.0	0.003	1.985	0.186	1221.136	1289.144	17.928	-93.541	-91.888	0.0
76	5473	5474	NS	1	57.445	58.29	0.0	0.003	1.974	0.178	1192.24	1285.272	47.156	-94.119	-91.46	0.0
77	5476	5477	SN	1	57.605	58.421	0.0	0.003	1.985	0.188	1220.368	1289.52	18.633	-93.622	-91.909	0.0
78	5476	5477	NS	3	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001
79	5476	5477	NS	4	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001
80	5476	5477	SN	2	57.605	58.421	0.0	0.003	1.985	0.188	1220.368	1289.52	18.633	-93.622	-91.909	0.0
81	5476	5477	NS	2	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001
82	5476	5477	NS	6	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001
83	5476	5477	NS	1	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001
84	5476	5477	NS	5	57.448	58.292	0.0	0.003	1.98	0.18	1191.768	1285.64	47.774	-100.179	-97.999	0.001

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5449	5450	SN	1	-34.982	18.73	0.0	-34.464	19.531	0.0	-11.203	22.376	0.006	-10.792	23.337	0.137	0.083	217.218	3.861	0.083	192.798	3.15	0.083	0.975	0.0	0.083	0.893	0.0
2	5449	5450	NS	2	-34.693	21.36	0.0	-34.782	21.401	0.0	1.111	22.729	0.019	0.228	24.138	0.286	0.083	203.204	3.267	0.083	207.448	3.104	0.083	0.128	0.0	0.083	0.139	0.0
3	5449	5450	SN	1	-34.982	17.99	0.0	-34.464	19.531	0.0	-11.203	22.376	0.006	-10.792	23.337	0.137	0.083	217.218	3.943	0.083	192.798	3.286	0.083	0.975	0.0	0.083	0.893	0.0
4	5450	5451	SN	1	-34.572	18.937	0.0	-34.826	19.237	0.0	-0.181	21.944	0.0	0.39	23.679	0.171	0.083	197.637	1.92	0.083	209.571	1.441	0.083	0.145	0.0	0.083	0.137	0.0
5	5450	5451	SN	1	-34.572	18.937	0.0	-34.826	19.237	0.0	-0.181	21.944	0.0	0.39	23.679	0.171	0.083	197.637	1.891	0.083	209.571	1.448	0.083	0.145	0.0	0.083	0.137	0.0
6	5450	5451	SN	2	-34.572	18.937	0.0	-34.826	19.237	0.0	-0.181	21.944	0.0	0.39	23.679	0.171	0.083	197.637	1.92	0.083	209.571	1.441	0.083	0.145	0.0	0.083	0.137	0.0
7	5450	5451	NS	1	-32.778	19.561	0.0	-33.944	21.637	0.0	-7.334	22.517	0.007	-5.809	24.031	0.175	0.083	130.785	1.09	0.083	171.068	1.168	0.083	0.44	0.0	0.083	0.33	0.0
8	5450	5451	NS	1	-32.778	19.561	0.0	-33.944	21.637	0.0	-7.334	22.517	0.007	-5.809	24.031	0.175	0.083	130.785	1.092	0.083	171.068	1.168	0.083	0.44	0.0	0.083	0.33	0.0
9	5451	5452	SN	1	-34.54	16.889	0.0	-34.605	18.721	0.0	2.342	22.356	0.01	2.372	22.71	0.03	0.084	196.204	1.326	0.083	199.107	1.276	0.083	0.116	0.0	0.083	0.116	0.0
10	5451	5452	SN	1	-34.683	17.268	0.0	-34.605	18.721	0.0	2.342	22.356	0.01	2.372	22.71	0.029	0.084	202.821	1.324	0.083	199.107	1.265	0.083	0.116	0.0	0.083	0.116	0.0
11	5451	5452	NS	1	-34.693	17.358	0.0	-34.863	18.368	0.0	-5.187	21.706	0.0	-25.887	23.377	0.112	0.084	203.231	1.733	0.083	211.342	1.494	0.083	0.296	0.0	0.083	26.808	0.032
12	5452	5453	SN	1	-34.682	16.852	0.0	-34.345	18.685	0.0	0.973	22.614	0.068	2.533	22.84	0.432	0.084	202.75	1.481	0.083	187.607	1.431	0.083	0.13	0.0	0.083	0.115	0.0
13	5452	5453	NS	1	-34.377	17.786	0.0	-34.67	17.93	0.0	-14.364	22.5	0.007	-34.462	22.897	0.095	0.083	188.955	3.027	0.083	202.113	2.735	0.083	1.948	0.004	0.083	192.708	0.046
14	5452	5453	SN	1	-34.682	17.2	0.0	-34.345	18.685	0.0	0.973	22.614	0.068	2.533	22.84	0.417	0.084	202.75	1.478	0.083	187.607	1.472	0.083	0.13	0.0	0.083	0.115	0.0
15	5452	5453	NS	2	-34.205	17.786	0.0	-34.649	17.93	0.0	-14.353	22.5	0.007	-32.434	22.899	0.095	0.083	181.631	3.028	0.083	201.2	2.748	0.083	1.943	0.004	0.083	120.848	0.045
16	5453	5454	SN	1	-34.519	16.658	0.0	-34.564	18.895	0.0	1.338	21.938	0.0	3.159	23.185	0.479	0.084	195.257	2.596	0.083	197.335	2.274	0.083	0.126	0.0	0.083	0.11	0.0
17	5453	5454	NS	1	-33.169	18.068	0.0	-33.163	18.277	0.0	-11.932	22.662	0.024	-26.183	23.114	0.054	0.083	143.107	0.776	0.083	142.888	0.526	0.083	1.14	0.001	0.083	28.69	0.007
18	5453	5454	NS	1	-34.722	18.068	0.0	-33.441	18.277	0.0	-11.933	22.662	0.024	-26.036	23.114	0.054	0.083	204.597	0.779	0.083	152.382	0.526	0.083	1.141	0.002	0.083	27.745	0.007
19	5453	5454	SN	1	-34.519	16.272	0.0	-34.564	18.895	0.0	1.338	21.938	0.0	3.159	23.185	0.506	0.084	195.257	2.644	0.083	197.335	2.233	0.083	0.126	0.0	0.083	0.11	0.0
20	5454	5455	NS	1	-34.08	18.567	0.0	-34.939	18.761	0.0	-23.748	22.46	0.007	-23.477	23.482	0.206	0.083	176.481	1.206	0.083	215.039	0.964	0.083	16.406	0.079	0.083	15.421	0.01
21	5454	5455	SN	1	-34.359	17.222	0.0	-34.685	19.086	0.0	0.593	21.601	0.0	4.394	22.308	0.005	0.084	188.166	2.029	0.083	202.852	1.78	0.083	0.134	0.0	0.083	0.103	0.0
22	5455	5456	NS	2	-34.806	18.7	0.0	-34.349	18.394	0.0	3.056	22.573	0.101	1.704	23.697	0.891	0.083	208.559	2.284	0.083	187.782	1.883	0.083	0.111	0.0	0.083	0.122	0.0
23	5455	5456	NS	3	-34.623	18.699	0.0	-34.806	18.393	0.0	3.056	22.573	0.101	1.707	23.697	0.891	0.083	199.978	2.28	0.083	208.595	1.887	0.083	0.111	0.0	0.083	0.122	0.0
24	5455	5456	SN	1	-34.971	17.458	0.0	-34.847	18.934	0.0	-0.001	23.074	0.202	-3.202	23.722	0.788	0.084	216.651	5.242	0.083	210.608	4.491	0.083	0.143	0.0	0.083	0.214	0.0
25	5455	5456	SN	1	-34.967	17.455	0.0	-34.909	18.936	0.0	-0.006	23.074	0.202	-3.217	23.724	0.792	0.084	216.465	5.233	0.083	213.584	4.508	0.083	0.143	0.0	0.083	0.215	0.0
26	5455	5456	SN	1	-34.967	15.647	0.0	-34.909	17.969	0.0	-0.006	23.074	0.215	-3.217	23.724	0.794	0.084	216.465	5.45	0.083	213.584	4.866	0.083	0.143	0.0	0.083	0.215	0.0
27	5456	5457	SN	1	-34.317	16.931	0.0	-34.411	18.736	0.0	-5.153	22.927	0.068	-6.636	23.962	0.696	0.084	186.368	3.312	0.083	190.439	2.856	0.083	0.294	0.0	0.083	0.385	0.0
28	5456	5457	SN	1	-34.317	16.931	0.0	-34.634	19.131	0.0	-5.153	22.927	0.063	-6.636	23.962	0.83	0.084	186.368	3.472	0.083	200.473	2.812	0.083	0.294	0.0	0.083	0.385	0.0
29	5456	5457	SN	1	-34.588	16.938	0.0	-34.634	19.131	0.0	-5.178	22.927	0.063	-6.734	23.965	0.831	0.084	198.395	3.46	0.083	200.473	2.809	0.083	0.296	0.0	0.083	0.392	0.0
30	5456	5457	NS	2	-34.563	18.106	0.0	-34.612	18.3	0.0	-0.481	22.908	0.088	-0.996	23.844	1.298	0.083	197.209	3.8	0.083	199.477	3.262	0.083	0.15	0.0	0.083	0.159	0.0
31	5456	5457	NS	3	-34.883	18.106	0.0	-34.683	18.3	0.0	-0.475	22.907	0.088	-0.914	23.846	1.298	0.083	212.326	3.804	0.083	202.801	3.265	0.083	0.15	0.0	0.083	0.158	0.0
32	5457	5458	NS	1	-34.267	18.419	0.0	-34.821	19.192	0.0	-3.573	22.88	0.118	-5.482	24.222	2.632	0.083	184.246	3.007	0.083	209.302	2.881	0.083	0.227	0.0	0.083	0.312	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	5457	5458	SN	1	-33.105	17.2	0.0	-34.161	19.304	0.0	-24.289	22.358	0.02	-5.512	23.693	0.552	0.084	141.017	1.737	0.083	179.77	1.757	0.083	18.575	0.017	0.083	0.313	0.0
34	5458	5459	NS	2	-34.937	19.024	0.0	-34.906	19.29	0.0	-4.078	22.597	0.003	-7.916	24.214	1.669	0.083	215.017	2.442	0.083	213.45	1.979	0.083	0.246	0.0	0.083	0.493	0.0
35	5458	5459	SN	1	-34.775	19.435	0.0	-34.103	22.379	0.001	-23.977	22.605	0.039	-26.716	23.614	0.482	0.083	207.121	3.177	0.083	177.446	3.124	0.083	17.294	0.099	0.083	32.438	0.074
36	5459	5460	NS	1	-34.815	18.894	0.0	-34.1	19.372	0.0	-2.526	22.195	0.011	-1.259	24.369	1.792	0.083	209.042	1.465	0.083	177.285	1.356	0.083	0.194	0.0	0.083	0.164	0.0
37	5462	5463	NS	2	-34.239	18.643	0.0	-33.706	18.238	0.0	2.211	23.239	0.375	2.428	24.175	1.851	0.083	183.08	2.061	0.083	161.937	2.017	0.083	0.117	0.0	0.083	0.116	0.0
38	5462	5463	SN	2	-34.846	17.952	0.0	-34.376	19.797	0.0	1.748	22.859	0.072	1.041	23.521	1.075	0.083	210.509	2.962	0.083	195.402	2.461	0.083	0.122	0.0	0.083	0.129	0.0
39	5462	5463	NS	1	-34.239	18.643	0.0	-33.706	18.238	0.0	2.211	23.239	0.375	2.428	24.175	1.851	0.083	183.08	2.061	0.083	161.937	2.017	0.083	0.117	0.0	0.083	0.116	0.0
40	5462	5463	SN	1	-34.846	17.952	0.0	-34.376	19.797	0.0	1.748	22.859	0.072	1.041	23.521	1.075	0.083	210.509	2.962	0.083	195.402	2.461	0.083	0.122	0.0	0.083	0.129	0.0
41	5463	5464	SN	2	-34.734	18.255	0.0	-34.861	20.009	0.0	-23.378	22.166	0.005	-19.003	22.409	0.012	0.083	205.224	1.743	0.083	211.253	1.618	0.083	15.071	0.027	0.083	5.545	0.026
42	5463	5464	SN	1	-34.734	18.255	0.0	-34.861	20.009	0.0	-23.378	22.166	0.005	-19.003	22.409	0.012	0.083	205.224	1.743	0.083	211.253	1.62	0.083	15.071	0.027	0.083	5.545	0.027
43	5464	5465	SN	1	-34.917	19.005	0.0	-34.994	19.67	0.0	-5.54	22.286	0.004	-4.396	23.901	0.124	0.083	213.984	1.765	0.083	217.835	1.552	0.083	0.315	0.0	0.083	0.259	0.0
44	5464	5465	SN	1	-34.917	19.005	0.0	-34.994	19.67	0.0	-5.54	22.286	0.004	-4.396	23.901	0.124	0.083	213.984	1.779	0.083	217.835	1.557	0.083	0.315	0.0	0.083	0.259	0.0
45	5464	5465	SN	1	-34.917	19.005	0.0	-34.994	19.67	0.0	-5.54	22.286	0.004	-4.396	23.901	0.124	0.083	213.984	1.782	0.083	217.835	1.556	0.083	0.315	0.0	0.083	0.259	0.0
46	5464	5465	NS	2	-34.919	19.872	0.0	-34.888	21.876	0.0	0.396	22.229	0.005	-1.994	24.998	0.24	0.083	214.041	2.08	0.083	212.561	1.99	0.083	0.137	0.0	0.083	0.181	0.0
47	5465	5466	NS	3	-34.744	17.639	0.0	-34.382	18.157	0.0	-6.929	22.308	0.018	-17.496	23.16	0.151	0.083	205.636	1.972	0.083	189.191	1.713	0.083	0.407	0.0	0.083	3.939	0.003
48	5465	5466	NS	2	-34.744	17.639	0.0	-34.382	18.157	0.0	-6.929	22.308	0.018	-17.496	23.16	0.151	0.083	205.636	1.972	0.083	189.191	1.714	0.083	0.407	0.0	0.083	3.939	0.003
49	5465	5466	SN	1	-34.838	18.326	0.0	-34.691	19.076	0.0	-5.102	22.695	0.022	-1.885	22.933	0.223	0.083	210.14	2.716	0.083	203.182	2.634	0.083	0.292	0.0	0.083	0.178	0.0
50	5465	5466	SN	1	-34.838	18.326	0.0	-34.691	19.076	0.0	-5.102	22.695	0.022	-1.885	22.933	0.223	0.083	210.14	2.702	0.083	203.182	2.649	0.083	0.292	0.0	0.083	0.178	0.0
51	5465	5466	SN	1	-34.838	18.326	0.0	-34.691	19.076	0.0	-5.102	22.695	0.022	-1.885	22.933	0.223	0.083	210.14	2.692	0.083	203.182	2.647	0.083	0.292	0.0	0.083	0.178	0.0
52	5466	5467	SN	1	-34.974	17.271	0.0	-34.253	18.543	0.0	1.024	21.773	0.0	1.948	22.447	0.059	0.084	216.815	1.259	0.083	183.684	1.059	0.083	0.129	0.0	0.083	0.12	0.0
53	5466	5467	SN	1	-34.974	17.271	0.0	-34.253	18.717	0.0	1.024	21.773	0.0	1.948	22.447	0.058	0.084	216.815	1.258	0.083	183.684	1.047	0.083	0.129	0.0	0.083	0.12	0.0
54	5466	5467	SN	1	-34.974	17.271	0.0	-34.253	18.717	0.0	1.024	21.773	0.0	1.948	22.447	0.058	0.084	216.815	1.257	0.083	183.684	1.046	0.083	0.129	0.0	0.083	0.12	0.0
55	5466	5467	NS	1	-33.817	17.467	0.0	-34.096	18.325	0.0	-26.026	22.047	0.002	-22.855	23.392	0.099	0.084	166.156	2.879	0.083	177.145	2.318	0.083	27.686	0.078	0.083	13.373	0.039
56	5467	5468	NS	3	-33.274	18.145	0.0	-33.579	18.368	0.0	-7.158	22.811	0.024	-5.267	23.196	0.12	0.083	146.61	0.87	0.083	157.269	1.156	0.083	0.425	0.0	0.083	0.3	0.0
57	5467	5468	SN	1	-34.933	16.977	0.0	-34.793	18.57	0.0	1.368	22.03	0.006	2.644	23.358	0.637	0.084	214.734	1.492	0.083	208.004	1.453	0.083	0.125	0.0	0.083	0.114	0.0
58	5467	5468	NS	2	-33.269	18.144	0.0	-33.449	18.366	0.0	-7.144	22.811	0.024	-5.264	23.196	0.121	0.083	146.452	0.87	0.083	152.626	1.156	0.083	0.424	0.0	0.083	0.3	0.0
59	5468	5469	SN	1	-34.875	16.963	0.0	-34.147	19.018	0.0	0.778	21.538	0.0	2.783	22.863	0.124	0.084	211.934	1.992	0.083	179.242	1.877	0.083	0.132	0.0	0.083	0.113	0.0
60	5468	5469	NS	2	-34.997	18.43	0.0	-34.762	18.617	0.0	-13.766	21.686	0.0	-16.279	22.992	0.112	0.083	217.962	1.034	0.083	206.495	0.926	0.083	1.706	0.012	0.083	2.991	0.009
61	5468	5469	SN	1	-34.875	15.789	0.0	-34.147	18.431	0.0	0.778	21.538	0.0	2.783	22.863	0.127	0.084	211.934	2.029	0.083	179.242	1.893	0.083	0.132	0.0	0.083	0.113	0.0
62	5469	5470	NS	1	-34.962	18.909	0.0	-34.875	19.144	0.0	-25.66	22.67	0.053	-26.958	23.686	0.465	0.083	216.179	2.943	0.083	211.935	2.355	0.083	25.45	0.049	0.083	34.283	0.147
63	5469	5470	NS	2	-34.962	18.909	0.0	-34.875	19.144	0.0	-25.66	22.67	0.053	-26.958	23.686	0.465	0.083	216.179	2.943	0.083	211.935	2.355	0.083	25.45	0.049	0.083	34.283	0.147
64	5469	5470	SN	1	-34.739	17.359	0.0	-34.601	19.106	0.0	0.82	23.018	0.138	0.048	23.21	0.425	0.084	205.389	3.97	0.083	199.0	3.109	0.083	0.132	0.0	0.083	0.142	0.0
65	5469	5470	SN	2	-34.739	17.359	0.0	-34.601	19.106	0.0	0.82	23.018	0.138	0.048	23.21	0.425	0.084	205.389	3.97	0.083	199.0	3.109	0.083	0.132	0.0	0.083	0.142	0.0
66	5469	5470	SN	1	-34.739	17.359	0.0	-34.601	18.889	0.0	0.82	23.018	0.14	0.048	23.21	0.425	0.084	205.389	4.022	0.083	199.0	3.196	0.083	0.132	0.0	0.083	0.142	0.0
67	5470	5471	NS	1	-34.656	18.226	0.0	-34.748	18.323	0.0	9.833	22.497	0.391	10.934	23.456	2.826	0.083	201.475	4.235	0.083	205.829	4.082	0.083	0.088	0.0	0.083	0.087	0.0
68	5470	5471	SN	1	-33.919	13.453	0.0	-34.889	18.105	0.0	-11.225	23.157	0.006	-6.084	27.608	0.042	0.085	170.065	4.901	0.083	218.022	5.587	0.083	0.979	0.0	0.083	0.348	0.0
69	5470	5471	SN	1	-33.919	17.293	0.0	-34.889	19.644	0.0	-11.225	23.575	0.2	-6.084	27.608	1.106	0.084	170.065	2.571	0.083	218.022	2.73	0.083	0.979	0.0	0.083	0.348	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	5470	5471	SN	1	-33.919	16.621	0.0	-34.889	19.644	0.0	-11.225	23.157	0.006	-6.084	27.608	0.042	0.084	170.065	4.44	0.083	218.022	4.675	0.083	0.979	0.0	0.083	0.348	0.0
71	5471	5472	NS	2	-34.656	18.513	0.0	-34.577	18.325	0.0	0.628	22.45	0.046	-1.028	24.087	1.804	0.083	201.471	2.956	0.083	197.848	2.678	0.083	0.134	0.0	0.083	0.16	0.0
72	5471	5472	SN	1	-34.1	16.614	0.0	-34.385	19.31	0.0	-29.905	22.709	0.032	-15.702	23.914	0.712	0.084	177.308	3.404	0.083	189.347	3.351	0.083	67.534	0.024	0.083	2.627	0.005
73	5471	5472	NS	1	-34.656	18.513	0.0	-34.577	18.325	0.0	0.628	22.45	0.046	-1.028	24.087	1.804	0.083	201.471	2.961	0.083	197.848	2.667	0.083	0.134	0.0	0.083	0.16	0.0
74	5472	5473	NS	1	-34.526	18.922	0.0	-34.996	18.888	0.0	-8.853	22.979	0.207	-5.046	24.186	2.226	0.083	195.526	3.221	0.083	217.909	2.379	0.083	0.596	0.0	0.083	0.289	0.0
75	5472	5473	SN	1	-34.656	20.164	0.0	-34.601	21.27	0.0	-4.956	22.481	0.018	-3.479	23.697	0.4	0.083	201.466	2.033	0.083	198.989	1.617	0.083	0.284	0.0	0.083	0.224	0.0
76	5473	5474	NS	1	-34.979	18.956	0.0	-33.735	19.397	0.0	-3.436	21.943	0.0	-3.428	25.69	1.476	0.083	217.088	1.766	0.083	163.039	1.425	0.083	0.222	0.0	0.083	0.222	0.0
77	5476	5477	SN	1	-34.994	17.919	0.0	-34.215	19.915	0.0	2.114	22.758	0.186	3.306	24.186	1.927	0.083	217.843	2.448	0.083	182.054	2.011	0.083	0.118	0.0	0.083	0.109	0.0
78	5476	5477	NS	3	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0
79	5476	5477	NS	4	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0
80	5476	5477	SN	2	-34.994	17.919	0.0	-34.215	19.915	0.0	2.114	22.758	0.186	3.306	24.186	1.927	0.083	217.843	2.448	0.083	182.054	2.011	0.083	0.118	0.0	0.083	0.109	0.0
81	5476	5477	NS	2	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0
82	5476	5477	NS	6	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0
83	5476	5477	NS	1	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0
84	5476	5477	NS	5	-34.922	18.518	0.0	-34.973	19.274	0.0	3.314	22.848	0.077	3.091	24.379	2.089	0.083	214.235	2.564	0.083	216.727	2.354	0.083	0.109	0.0	0.083	0.111	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors