

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-SEP-2017 To 24-SEP-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-SEP-2017 To 24-SEP-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5246	5247	SN	1	48.893	49.443	0.0	0.003	1.809	0.173	1055.48	1081.48	0.0	-92.115	-89.527	0.0
2	5246	5247	NS	1	48.702	49.293	0.0	0.003	5.741	0.189	1018.4	1076.768	22.734	-92.01	-89.06	0.0
3	5246	5247	SN	1	48.893	49.443	0.0	0.003	1.809	0.169	1055.48	1081.48	0.0	-92.115	-89.527	0.0
4	5247	5248	NS	1	48.719	49.286	0.0	0.003	5.736	0.174	1019.184	1077.048	23.196	-91.853	-89.07	0.0
5	5247	5248	SN	1	48.9	49.468	0.0	0.003	1.809	0.158	1055.224	1081.616	0.0	-92.072	-89.546	0.0
6	5247	5248	SN	1	48.901	49.463	0.0	0.003	1.809	0.158	1055.68	1081.64	0.0	-92.034	-89.545	0.0
7	5247	5248	SN	1	48.901	49.463	0.0	0.003	1.809	0.156	1055.68	1081.64	0.0	-92.034	-89.545	0.0
8	5247	5248	NS	2	48.72	49.287	0.0	0.003	5.736	0.174	1018.704	1077.04	23.173	-91.924	-89.07	0.0
9	5248	5249	SN	2	48.858	49.442	0.0	0.003	1.809	0.153	1054.968	1081.688	0.0	-92.03	-89.566	0.0
10	5248	5249	NS	1	48.714	49.289	0.0	0.003	1.803	0.166	1018.888	1077.2	23.629	-91.953	-89.074	0.0
11	5248	5249	SN	1	48.858	49.442	0.0	0.003	1.809	0.155	1054.968	1081.688	0.0	-92.03	-89.571	0.0
12	5248	5249	SN	1	48.858	49.442	0.0	0.003	1.809	0.153	1054.968	1081.688	0.0	-92.03	-89.566	0.0
13	5248	5249	NS	1	48.714	49.289	0.0	0.003	1.803	0.166	1018.888	1077.2	23.604	-91.953	-89.074	0.0
14	5249	5250	NS	1	48.699	49.289	0.0	0.003	1.803	0.172	1019.24	1077.184	23.485	-91.803	-89.061	0.0
15	5249	5250	NS	1	48.699	49.289	0.0	0.003	1.803	0.172	1019.24	1077.184	23.458	-91.803	-89.061	0.0
16	5249	5250	SN	2	48.856	49.476	0.0	0.003	1.809	0.155	1054.832	1081.608	0.0	-92.036	-89.56	0.0
17	5249	5250	SN	1	48.856	49.476	0.0	0.003	1.809	0.155	1054.832	1081.608	0.0	-92.036	-89.56	0.0
18	5250	5251	NS	2	48.732	49.288	0.0	0.003	5.741	0.184	1019.432	1077.112	24.582	-92.116	-89.066	0.0
19	5250	5251	SN	1	48.872	49.475	0.0	0.003	207.733	0.153	1055.048	1081.656	0.0	-92.075	-89.564	0.0
20	5250	5251	SN	1	48.872	49.475	0.0	0.003	207.733	0.153	1055.048	1081.656	0.0	-92.075	-89.564	0.0
21	5250	5251	NS	1	48.701	49.289	0.0	0.003	5.741	0.184	1019.448	1077.12	20.235	-91.865	-89.067	0.0
22	5251	5252	NS	3	48.721	49.289	0.0	0.003	1.809	0.169	1019.072	1077.088	24.609	-91.951	-89.069	0.0
23	5251	5252	SN	1	48.876	49.439	0.0	0.003	1.814	0.158	1054.936	1081.648	0.0	-92.051	-89.577	0.0
24	5251	5252	NS	2	48.701	49.287	0.0	0.003	1.803	0.169	1019.04	1077.08	24.617	-91.952	-89.069	0.0
25	5251	5252	SN	1	48.876	49.439	0.0	0.003	1.814	0.16	1054.936	1081.648	0.0	-92.051	-89.583	0.0
26	5251	5252	SN	1	48.876	49.439	0.0	0.003	1.814	0.158	1054.936	1081.648	0.0	-92.051	-89.577	0.0
27	5252	5253	NS	1	48.687	49.308	0.0	0.003	1.803	0.167	1018.568	1077.176	24.925	-91.877	-89.07	0.0
28	5252	5253	SN	1	48.896	49.475	0.0	0.003	1.809	0.172	1055.056	1081.776	0.0	-92.037	-89.559	0.0
29	5252	5253	SN	1	48.894	49.455	0.0	0.003	1.809	0.161	1055.048	1081.792	0.0	-92.039	-89.558	0.0
30	5252	5253	SN	2	48.896	49.475	0.0	0.003	1.809	0.161	1055.056	1081.776	0.0	-92.037	-89.559	0.0
31	5252	5253	NS	1	48.696	49.298	0.0	0.003	1.803	0.168	1018.512	1077.168	24.893	-92.558	-89.07	0.0
32	5253	5254	NS	1	48.689	49.29	0.0	0.003	5.714	0.197	1019.064	1077.376	25.219	-91.826	-89.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	5253	5254	NS	3	48.68	49.287	0.0	0.003	5.714	0.197	1019.016	1077.36	25.227	-91.924	-89.064	0.0
34	5253	5254	SN	1	48.901	49.441	0.0	0.003	1.809	0.174	1055.288	1082.008	0.0	-92.056	-89.538	0.0
35	5253	5254	SN	1	48.901	49.441	0.0	0.003	1.809	0.16	1055.288	1082.008	0.0	-92.056	-89.538	0.0
36	5253	5254	SN	2	48.901	49.441	0.0	0.003	1.809	0.16	1055.288	1082.008	0.0	-92.056	-89.538	0.0
37	5254	5255	SN	1	48.9	49.481	0.0	0.003	1.809	0.156	1055.328	1082.072	0.0	-91.838	-89.516	0.0
38	5254	5255	NS	1	48.723	49.289	0.0	0.003	5.719	0.187	1018.904	1077.448	24.119	-91.943	-89.067	0.0
39	5254	5255	NS	2	48.723	49.289	0.0	0.003	5.719	0.187	1018.904	1077.448	24.095	-91.943	-89.067	0.0
40	5255	5256	SN	1	48.9	49.441	0.0	0.003	1.809	0.157	1055.344	1082.016	0.0	-91.931	-89.552	0.0
41	5255	5256	NS	1	48.704	49.29	0.0	0.003	1.803	0.17	1019.128	1077.368	25.543	-91.872	-89.059	0.0
42	5255	5256	NS	1	48.704	49.29	0.0	0.003	1.803	0.17	1019.128	1077.368	25.57	-91.872	-89.059	0.0
43	5260	5261	SN	2	48.874	49.476	0.0	0.003	1.814	0.166	1054.76	1082.616	0.0	-92.074	-89.552	0.0
44	5260	5261	SN	1	48.874	49.476	0.0	0.003	1.814	0.173	1055.52	1082.616	0.0	-92.074	-89.557	0.0
45	5260	5261	SN	1	48.874	49.476	0.0	0.003	1.814	0.166	1054.76	1082.616	0.0	-92.074	-89.552	0.0
46	5261	5262	SN	1	48.897	49.443	0.0	0.003	1.809	0.163	1055.2	1082.592	0.0	-91.862	-89.546	0.0
47	5261	5262	NS	1	48.719	49.292	0.0	0.003	5.697	0.179	1018.512	1077.944	23.599	-92.012	-89.062	0.0
48	5261	5262	SN	1	48.897	49.443	0.0	0.003	1.809	0.16	1055.2	1082.592	0.0	-91.862	-89.546	0.0
49	5261	5262	NS	2	48.719	49.292	0.0	0.003	5.697	0.179	1018.512	1077.944	23.574	-92.012	-89.062	0.0
50	5262	5263	SN	1	48.853	49.468	0.0	0.003	1.809	0.156	1054.712	1082.688	0.0	-92.045	-89.569	0.0
51	5262	5263	NS	1	48.699	49.294	0.0	0.003	5.714	0.177	1018.496	1078.184	24.353	-91.815	-89.044	0.0
52	5262	5263	SN	1	48.853	49.468	0.0	0.003	1.809	0.154	1054.712	1082.688	0.0	-92.045	-89.555	0.0
53	5263	5264	SN	2	48.87	49.483	0.0	0.003	1.809	0.154	1054.848	1082.68	0.0	-92.081	-89.55	0.0
54	5263	5264	SN	1	48.87	49.483	0.0	0.003	1.809	0.157	1054.848	1082.68	0.0	-92.081	-89.57	0.0
55	5263	5264	NS	3	48.706	49.294	0.0	0.003	5.719	0.179	1018.76	1078.232	24.055	-91.922	-89.07	0.0
56	5263	5264	NS	1	48.706	49.294	0.0	0.003	5.719	0.179	1018.76	1078.232	24.08	-91.922	-89.07	0.0
57	5263	5264	SN	1	48.87	49.483	0.0	0.003	1.809	0.154	1054.848	1082.68	0.0	-92.081	-89.55	0.0
58	5264	5265	SN	1	48.862	49.482	0.0	0.003	1.809	0.158	1054.568	1082.64	0.0	-92.004	-89.569	0.0
59	5264	5265	NS	1	48.728	49.294	0.0	0.003	1.803	0.171	1019.136	1078.184	24.973	-92.094	-89.031	0.0
60	5264	5265	NS	1	48.728	49.294	0.0	0.003	1.803	0.171	1019.136	1078.184	24.955	-92.094	-89.031	0.0
61	5264	5265	SN	2	48.862	49.482	0.0	0.003	1.809	0.154	1054.568	1082.64	0.0	-92.004	-89.551	0.0
62	5264	5265	SN	1	48.868	49.477	0.0	0.003	1.809	0.154	1054.576	1082.648	0.0	-92.44	-89.551	0.0
63	5265	5266	SN	1	48.855	49.488	0.0	0.003	1.809	0.156	1054.672	1082.624	0.0	-92.075	-89.561	0.0
64	5265	5266	SN	1	48.855	49.488	0.0	0.003	1.809	0.156	1054.672	1082.624	0.0	-92.075	-89.573	0.0
65	5265	5266	NS	2	48.729	49.294	0.0	0.003	5.725	0.199	1019.088	1078.136	25.317	-91.956	-89.062	0.0
66	5265	5266	NS	3	48.691	49.292	0.0	0.003	5.725	0.199	1018.528	1078.144	25.32	-91.956	-89.062	0.0
67	5265	5266	SN	1	48.855	49.488	0.0	0.003	1.809	0.156	1054.672	1082.624	0.0	-92.075	-89.561	0.0
68	5266	5267	SN	1	48.866	49.482	0.0	0.003	1.814	0.16	1054.744	1082.68	0.0	-92.136	-89.571	0.0
69	5266	5267	SN	1	48.866	49.482	0.0	0.003	1.814	0.169	1054.744	1082.68	0.0	-92.136	-89.582	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	5266	5267	SN	1	48.866	49.482	0.0	0.003	1.814	0.16	1054.744	1082.68	0.0	-92.136	-89.571	0.0
71	5266	5267	NS	2	48.711	49.293	0.0	0.003	5.714	0.182	1018.968	1078.144	25.205	-91.85	-89.068	0.0
72	5266	5267	NS	3	48.711	49.293	0.0	0.003	5.714	0.182	1018.968	1078.144	25.203	-91.85	-89.068	0.0
73	5267	5268	SN	1	48.897	49.446	0.0	0.003	1.814	0.172	1054.736	1082.944	0.0	-92.063	-89.565	0.0
74	5267	5268	SN	2	48.897	49.446	0.0	0.003	1.814	0.163	1054.616	1082.944	0.0	-92.063	-89.554	0.0
75	5267	5268	NS	1	48.677	49.294	0.0	0.003	1.803	0.167	1018.168	1078.336	25.708	-92.104	-89.066	0.0
76	5267	5268	NS	1	48.677	49.294	0.0	0.003	1.803	0.167	1018.168	1078.336	25.686	-92.104	-89.066	0.0
77	5267	5268	SN	1	48.897	49.446	0.0	0.003	1.814	0.163	1054.616	1082.944	0.0	-92.063	-89.554	0.0
78	5268	5269	NS	1	48.68	49.294	0.0	0.003	1.803	0.169	1018.728	1078.464	25.6	-92.032	-89.045	0.0
79	5268	5269	SN	2	48.895	49.446	0.0	0.003	1.809	0.157	1055.0	1083.064	0.0	-91.888	-89.509	0.0
80	5268	5269	NS	1	48.68	49.294	0.0	0.003	1.803	0.169	1018.728	1078.464	25.626	-92.032	-89.045	0.0
81	5268	5269	SN	1	48.895	49.446	0.0	0.003	1.809	0.157	1055.0	1083.064	0.0	-91.888	-89.509	0.0
82	5269	5270	NS	1	48.685	49.305	0.0	0.003	1.803	0.172	1018.544	1078.456	25.64	-91.915	-89.067	0.0
83	5269	5270	NS	1	48.685	49.305	0.0	0.003	1.803	0.172	1018.544	1078.456	25.613	-91.915	-89.067	0.0
84	5269	5270	SN	1	48.895	49.449	0.0	0.003	1.809	0.155	1054.896	1083.08	0.0	-92.044	-89.531	0.0
85	5270	5271	NS	1	48.725	49.295	0.0	0.003	5.714	0.186	1018.624	1078.464	26.273	-92.261	-89.067	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5246	5247	SN	1	-34.362	24.407	0.484	-34.844	25.6	3.399	-25.48	34.256	7.229	-32.945	30.6	12.545	0.103	230.585	5.22	0.103	257.706	4.244	0.102	29.903	0.039	0.103	166.429	0.044
2	5246	5247	NS	1	-34.923	26.262	0.515	-34.863	28.672	0.272	4.389	30.394	10.818	7.478	36.262	28.65	0.103	262.481	3.575	0.103	258.858	2.898	0.103	0.128	0.0	0.102	0.115	0.0
3	5246	5247	SN	1	-34.362	24.407	1.39	-34.844	25.602	3.33	-25.48	34.256	7.231	-32.945	30.6	12.545	0.103	230.585	5.209	0.103	257.706	4.131	0.102	29.903	0.039	0.103	166.429	0.044
4	5247	5248	NS	1	-34.465	27.093	0.112	-32.989	27.715	0.614	-5.849	33.298	7.261	-6.746	30.858	25.259	0.103	236.201	1.264	0.103	168.15	0.835	0.102	0.41	0.0	0.103	0.484	0.0
5	5247	5248	SN	1	-34.371	23.991	0.328	-34.75	24.545	1.167	0.661	28.241	7.745	-2.394	29.864	5.243	0.103	231.077	2.921	0.103	252.138	2.412	0.103	0.165	0.0	0.103	0.235	0.0
6	5247	5248	SN	1	-34.407	23.991	0.331	-34.946	24.545	1.188	0.661	28.242	7.747	-2.401	29.864	5.243	0.103	232.987	2.918	0.103	263.829	2.414	0.103	0.165	0.0	0.103	0.236	0.0
7	5247	5248	SN	1	-34.407	23.991	0.33	-34.946	24.972	1.441	0.661	28.242	7.747	-2.401	29.864	5.243	0.103	232.987	3.072	0.103	263.829	2.442	0.103	0.165	0.0	0.103	0.236	0.0
8	5247	5248	NS	2	-32.054	27.091	0.112	-33.418	27.715	0.616	-5.85	33.298	7.267	-6.746	30.858	25.18	0.103	135.6	1.264	0.103	185.604	0.837	0.102	0.41	0.0	0.103	0.483	0.0
9	5248	5249	SN	2	-34.326	21.958	0.0	-34.549	25.568	0.607	7.491	27.713	12.138	8.224	29.248	8.445	0.103	228.765	1.874	0.103	240.816	1.386	0.103	0.115	0.0	0.103	0.113	0.0
10	5248	5249	NS	1	-33.703	23.513	0.048	-32.726	25.023	0.339	-5.388	28.31	7.533	-11.017	29.69	21.092	0.103	198.161	1.157	0.103	158.28	0.919	0.103	0.378	0.0	0.103	1.149	0.002
11	5248	5249	SN	1	-34.326	21.958	0.0	-34.549	25.568	0.465	7.491	27.713	12.139	8.558	29.248	8.455	0.103	228.765	1.853	0.103	240.816	1.407	0.103	0.115	0.0	0.103	0.112	0.0
12	5248	5249	SN	1	-34.326	21.958	0.0	-34.549	25.568	0.607	7.491	27.713	12.138	8.224	29.248	8.445	0.103	228.765	1.874	0.103	240.816	1.386	0.103	0.115	0.0	0.103	0.113	0.0
13	5248	5249	NS	1	-33.703	23.513	0.048	-32.726	25.023	0.339	-5.388	28.31	7.54	-11.017	29.69	21.061	0.103	198.161	1.157	0.103	158.28	0.919	0.103	0.378	0.0	0.103	1.149	0.002
14	5249	5250	NS	1	-33.585	23.337	0.103	-34.413	24.441	0.472	-12.267	28.997	4.646	-8.121	30.807	13.021	0.103	192.887	2.866	0.103	233.325	2.129	0.103	1.505	0.001	0.103	0.631	0.0
15	5249	5250	NS	1	-33.585	23.337	0.103	-34.413	24.441	0.472	-12.267	28.997	4.65	-8.121	30.807	13.039	0.103	192.887	2.866	0.103	233.325	2.129	0.103	1.505	0.001	0.103	0.631	0.0
16	5249	5250	SN	2	-34.64	21.615	0.0	-34.996	25.122	0.744	6.399	26.876	10.313	7.632	28.887	7.966	0.103	245.914	3.973	0.103	266.855	2.846	0.103	0.118	0.0	0.103	0.114	0.0
17	5249	5250	SN	1	-34.64	21.613	0.0	-34.996	25.122	0.744	6.399	26.876	10.313	7.632	28.887	7.966	0.103	245.914	3.974	0.103	266.855	2.846	0.103	0.118	0.0	0.103	0.114	0.0
18	5250	5251	NS	2	-34.908	24.435	0.163	-33.215	23.99	0.328	-3.793	27.446	3.879	-4.246	29.222	16.524	0.103	261.51	1.682	0.103	177.121	1.036	0.103	0.289	0.0	0.103	0.311	0.0
19	5250	5251	SN	1	-34.953	23.024	0.009	-34.639	25.486	0.708	6.512	27.681	12.871	8.575	29.073	16.584	0.103	264.221	5.143	0.103	245.781	4.091	0.103	0.118	0.0	0.103	0.112	0.0
20	5250	5251	SN	1	-34.953	23.024	0.009	-34.639	25.486	0.707	6.512	27.681	12.871	8.575	29.073	16.584	0.103	264.221	5.137	0.103	245.781	4.089	0.103	0.118	0.0	0.103	0.112	0.0
21	5250	5251	NS	1	-34.875	24.435	0.17	-33.457	23.99	0.349	-3.79	27.446	4.34	-4.217	29.222	12.368	0.103	259.596	0.955	0.103	187.281	1.047	0.103	0.289	0.0	0.103	0.31	0.0
22	5251	5252	NS	3	-33.963	23.578	0.072	-33.704	24.361	0.185	-16.961	29.112	5.215	-9.101	33.425	15.47	0.103	210.361	2.577	0.103	198.2	1.784	0.103	4.275	0.005	0.102	0.769	0.0
23	5251	5252	SN	1	-34.416	23.614	0.045	-34.776	25.371	0.74	5.95	28.388	12.464	8.585	29.61	11.818	0.103	233.508	2.991	0.103	253.745	2.233	0.103	0.12	0.0	0.103	0.112	0.0
24	5251	5252	NS	2	-34.905	23.578	0.072	-34.038	24.361	0.185	-16.936	29.107	5.208	-9.107	33.425	15.473	0.103	261.303	2.583	0.103	214.087	1.783	0.103	4.251	0.005	0.102	0.77	0.0
25	5251	5252	SN	1	-34.416	23.614	0.043	-34.776	25.371	0.584	5.95	28.388	12.478	8.585	29.61	11.818	0.103	233.508	3.036	0.103	253.745	2.253	0.103	0.12	0.0	0.103	0.112	0.0
26	5251	5252	SN	1	-34.416	23.614	0.046	-34.776	25.371	0.741	5.95	28.388	12.464	8.585	29.61	11.818	0.103	233.508	2.995	0.103	253.745	2.235	0.103	0.12	0.0	0.103	0.112	0.0
27	5252	5253	NS	1	-34.493	23.971	0.39	-34.917	25.67	0.712	8.178	28.208	11.816	8.069	29.859	24.428	0.103	237.689	1.979	0.103	262.09	1.579	0.103	0.113	0.0	0.103	0.113	0.0
28	5252	5253	SN	1	-34.946	25.626	0.003	-34.552	22.371	0.003	-1.545	30.154	8.603	-2.175	31.906	10.701	0.103	263.895	6.19	0.103	240.975	4.766	0.103	0.211	0.0	0.102	0.228	0.0
29	5252	5253	SN	1	-34.953	25.623	0.01	-34.308	24.907	1.397	-1.548	30.148	8.209	-2.172	31.904	10.738	0.103	264.245	5.871	0.103	227.766	4.292	0.103	0.211	0.0	0.102	0.228	0.0
30	5252	5253	SN	2	-34.946	25.626	0.01	-34.552	24.912	1.398	-1.545	30.154	8.209	-2.175	31.906	10.733	0.103	263.895	5.865	0.103	240.975	4.292	0.103	0.211	0.0	0.102	0.228	0.0
31	5252	5253	NS	1	-34.764	23.971	0.393	-34.761	25.67	0.713	8.179	28.208	11.873	8.068	29.856	24.621	0.103	253.02	1.983	0.103	252.793	1.582	0.103	0.113	0.0	0.103	0.113	0.0
32	5253	5254	NS	1	-34.83	24.115	0.568	-34.714	24.55	0.568	-5.086	28.75	11.793	-5.143	30.611	28.643	0.103	256.926	3.918	0.103	250.166	2.775	0.103	0.358	0.0	0.103	0.362	0.0
33	5253	5254	NS	3	-34.501	24.116	0.572	-34.685	24.55	0.568	-5.088	28.748	11.773	-5.196	30.609	28.695	0.103	238.111	3.916	0.103	248.458	2.764	0.103	0.358	0.0	0.103	0.365	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	5253	5254	SN	1	-32.716	24.355	0.004	-34.144	26.527	0.037	-19.162	32.718	11.398	-9.121	32.891	17.951	0.103	157.878	2.177	0.103	219.318	1.782	0.102	7.043	0.002	0.102	0.772	0.0
35	5253	5254	SN	1	-32.716	24.355	0.056	-34.144	26.527	2.317	-19.162	32.718	10.651	-9.121	32.891	17.851	0.103	157.878	2.105	0.103	219.318	1.555	0.102	7.043	0.001	0.102	0.772	0.0
36	5253	5254	SN	2	-32.716	24.355	0.056	-34.144	26.527	2.317	-19.162	32.718	10.651	-9.121	32.891	17.851	0.103	157.878	2.105	0.103	219.318	1.555	0.102	7.043	0.001	0.102	0.772	0.0
37	5254	5255	SN	1	-33.662	24.887	0.118	-33.395	25.891	2.132	-10.139	29.613	14.01	0.211	30.41	16.479	0.103	196.346	2.106	0.103	184.593	1.801	0.103	0.954	0.0	0.103	0.173	0.0
38	5254	5255	NS	1	-34.734	23.922	0.627	-34.798	24.24	0.587	-16.101	28.326	18.926	-8.801	30.055	37.524	0.103	251.314	3.272	0.103	254.981	2.504	0.103	3.522	0.015	0.103	0.724	0.0
39	5254	5255	NS	2	-34.734	23.922	0.626	-34.798	24.24	0.587	-16.101	28.326	18.88	-8.801	30.055	37.602	0.103	251.314	3.271	0.103	254.981	2.503	0.103	3.522	0.015	0.103	0.724	0.0
40	5255	5256	SN	1	-34.437	26.603	0.224	-32.607	28.425	2.304	-16.362	28.822	15.158	-17.656	29.964	17.194	0.103	234.708	1.552	0.103	154.027	1.267	0.103	3.735	0.019	0.103	5.002	0.014
41	5255	5256	NS	1	-34.957	24.033	0.793	-34.942	24.545	0.659	-32.675	32.592	11.829	-32.346	32.342	24.516	0.103	264.533	1.559	0.103	263.521	1.322	0.102	156.424	0.184	0.102	144.996	0.062
42	5255	5256	NS	1	-34.957	24.033	0.794	-34.942	24.545	0.66	-32.675	32.592	11.829	-32.346	32.342	24.516	0.103	264.533	1.551	0.103	263.521	1.324	0.102	156.424	0.184	0.102	144.996	0.062
43	5260	5261	SN	2	-34.493	24.517	1.248	-34.523	25.869	2.984	-26.136	27.271	6.689	-29.775	29.72	9.778	0.103	237.706	3.918	0.103	239.336	2.777	0.103	34.771	0.088	0.103	80.27	0.071
44	5260	5261	SN	1	-34.493	23.358	0.022	-33.788	25.869	2.005	-26.136	27.271	6.588	-29.775	29.72	9.776	0.103	237.706	3.853	0.103	202.106	2.897	0.103	34.771	0.089	0.103	80.27	0.071
45	5260	5261	SN	1	-34.493	24.517	1.258	-34.523	25.869	2.992	-26.136	27.271	6.689	-29.775	29.72	9.778	0.103	237.706	3.918	0.103	239.336	2.777	0.103	34.771	0.088	0.103	80.27	0.071
46	5261	5262	SN	1	-34.759	24.763	0.847	-34.06	25.486	2.027	-21.995	29.969	8.317	-27.425	30.24	6.83	0.103	252.686	0.799	0.103	215.15	0.689	0.103	13.446	0.028	0.103	46.748	0.021
47	5261	5262	NS	1	-34.049	25.428	0.198	-34.632	28.365	0.472	0.517	31.363	8.076	4.108	35.17	30.01	0.103	214.635	0.736	0.103	245.475	0.482	0.103	0.168	0.0	0.102	0.13	0.0
48	5261	5262	SN	1	-34.759	24.763	0.83	-34.06	25.486	2.146	-21.995	29.969	8.317	-27.425	30.24	6.83	0.103	252.686	0.778	0.103	215.15	0.672	0.103	13.446	0.028	0.103	46.748	0.021
49	5261	5262	NS	2	-34.049	25.428	0.198	-34.632	28.365	0.472	0.517	31.363	8.129	4.108	35.17	30.104	0.103	214.635	0.736	0.103	245.475	0.482	0.103	0.168	0.0	0.102	0.13	0.0
50	5262	5263	SN	1	-34.244	23.614	0.074	-34.843	24.777	0.54	1.243	29.056	9.73	-2.192	29.678	6.6	0.103	224.478	1.494	0.103	257.648	0.94	0.103	0.157	0.0	0.103	0.229	0.0
51	5262	5263	NS	1	-34.303	23.024	0.038	-33.956	25.138	0.425	-1.879	29.274	7.576	-5.368	29.727	21.62	0.103	227.554	1.924	0.103	210.083	1.623	0.103	0.22	0.0	0.103	0.376	0.0
52	5262	5263	SN	1	-34.244	23.614	0.073	-34.843	25.476	0.749	1.243	29.056	9.73	-2.192	29.678	6.6	0.103	224.478	1.47	0.103	257.648	0.928	0.103	0.157	0.0	0.103	0.229	0.0
53	5263	5264	SN	2	-34.6	21.828	0.0	-34.807	25.26	0.635	6.962	27.693	9.703	7.362	28.111	5.571	0.103	243.592	3.193	0.103	255.482	2.364	0.103	0.116	0.0	0.103	0.115	0.0
54	5263	5264	SN	1	-34.6	21.793	0.0	-34.807	24.904	0.465	6.962	27.693	9.72	7.362	28.111	5.531	0.103	243.592	3.249	0.103	255.482	2.402	0.103	0.116	0.0	0.103	0.115	0.0
55	5263	5264	NS	3	-34.816	23.573	0.156	-34.95	23.96	0.395	-3.55	28.018	7.145	-3.468	30.233	18.512	0.103	256.091	2.594	0.103	264.051	2.521	0.103	0.279	0.0	0.103	0.275	0.0
56	5263	5264	NS	1	-34.816	23.573	0.156	-34.95	23.96	0.395	-3.55	28.018	7.144	-3.468	30.233	18.549	0.103	256.091	2.594	0.103	264.051	2.521	0.103	0.279	0.0	0.103	0.275	0.0
57	5263	5264	SN	1	-34.6	21.828	0.0	-34.807	25.26	0.635	6.962	27.693	9.703	7.362	28.111	5.571	0.103	243.592	3.193	0.103	255.482	2.364	0.103	0.116	0.0	0.103	0.115	0.0
58	5264	5265	SN	1	-34.651	21.483	0.0	-34.428	25.764	0.414	6.642	28.327	14.693	8.187	28.253	18.928	0.103	246.482	4.007	0.103	234.18	3.465	0.103	0.117	0.0	0.103	0.113	0.0
59	5264	5265	NS	1	-34.727	24.024	0.149	-30.377	25.758	0.487	-10.649	27.181	3.667	-6.946	30.897	12.294	0.103	250.823	1.037	0.103	92.175	0.976	0.103	1.063	0.001	0.103	0.502	0.0
60	5264	5265	NS	1	-34.727	24.024	0.149	-30.377	25.758	0.487	-10.649	27.181	3.663	-6.946	30.897	12.282	0.103	250.823	1.036	0.103	92.175	0.987	0.103	1.063	0.001	0.103	0.502	0.0
61	5264	5265	SN	2	-34.651	21.873	0.0	-34.428	25.764	0.693	6.642	28.327	14.598	8.187	28.253	18.272	0.103	246.482	3.904	0.103	234.18	3.419	0.103	0.117	0.0	0.103	0.113	0.0
62	5264	5265	SN	1	-33.972	21.873	0.0	-34.861	25.764	0.693	6.642	28.327	14.598	8.185	28.253	18.272	0.103	210.832	3.903	0.103	258.7	3.421	0.103	0.117	0.0	0.103	0.113	0.0
63	5265	5266	SN	1	-34.512	22.952	0.019	-34.97	25.676	0.668	6.263	27.333	13.559	8.696	30.021	15.698	0.103	238.757	3.769	0.103	265.259	2.825	0.103	0.119	0.0	0.103	0.112	0.0
64	5265	5266	SN	1	-34.512	22.952	0.019	-34.97	25.676	0.636	6.263	27.333	13.563	8.696	30.021	15.698	0.103	238.757	3.779	0.103	265.259	2.833	0.103	0.119	0.0	0.103	0.112	0.0
65	5265	5266	NS	2	-34.702	23.461	0.118	-34.662	24.16	0.221	-14.102	28.317	4.509	-4.305	29.407	14.981	0.103	249.416	2.612	0.103	247.072	1.765	0.103	2.253	0.004	0.103	0.314	0.0
66	5265	5266	NS	3	-34.181	23.461	0.118	-33.69	24.16	0.221	-14.21	28.317	4.507	-4.303	29.406	14.978	0.103	221.212	2.611	0.103	197.597	1.763	0.103	2.308	0.004	0.103	0.314	0.0
67	5265	5266	SN	1	-34.512	22.952	0.019	-34.97	25.676	0.667	6.263	27.333	13.559	8.696	30.021	15.698	0.103	238.757	3.765	0.103	265.259	2.821	0.103	0.119	0.0	0.103	0.112	0.0
68	5266	5267	SN	1	-34.798	23.628	0.054	-34.62	25.461	1.002	3.271	27.654	8.781	6.558	30.089	10.213	0.103	254.975	3.356	0.103	244.742	2.723	0.103	0.136	0.0	0.103	0.118	0.0
69	5266	5267	SN	1	-34.798	19.621	0.0	-34.62	24.285	0.114	3.271	27.654	9.254	6.558	30.089	10.206	0.103	254.975	3.457	0.103	244.742	2.867	0.103	0.136	0.0	0.103	0.118	0.0
70	5266	5267	SN	1	-34.798	23.628	0.054	-34.62	25.461	1.003	3.271	27.654	8.757	6.558	30.089	10.19	0.103	254.975	3.358	0.103	244.742	2.727	0.103	0.136	0.0	0.103	0.118	0.0
71	5266	5267	NS	2	-34.708	24.243	0.277	-34.866	25.489	0.456	-7.888	29.217	8.823	-8.74	33.73	17.455	0.103	249.729	2.673	0.103	258.986	2.139	0.103	0.603	0.0	0.102	0.715	0.0
72	5266	5267	NS	3	-34.708	24.243	0.277	-34.866	25.489	0.456	-7.888	29.217	8.823	-8.74	33.73	17.455	0.103	249.729	2.673	0.103	258.986	2.138	0.103	0.603	0.0	0.102	0.715	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	5267	5268	SN	1	-34.635	22.571	0.002	-34.991	23.516	0.065	3.411	32.141	10.327	3.732	32.493	14.48	0.103	245.827	4.709	0.103	266.628	3.974	0.102	0.135	0.0	0.102	0.132	0.0
74	5267	5268	SN	2	-34.635	22.571	0.023	-34.991	25.088	2.106	3.411	32.141	10.067	3.732	32.493	14.481	0.103	245.827	4.426	0.103	266.628	3.596	0.102	0.135	0.0	0.102	0.132	0.0
75	5267	5268	NS	1	-34.266	23.97	0.401	-33.752	25.676	0.673	7.562	31.55	8.388	1.953	30.765	17.328	0.103	225.624	4.68	0.103	200.449	3.248	0.103	0.114	0.0	0.103	0.148	0.0
76	5267	5268	NS	1	-34.266	23.97	0.401	-33.752	25.676	0.673	7.562	31.55	8.418	1.953	30.765	17.301	0.103	225.624	4.677	0.103	200.449	3.247	0.103	0.114	0.0	0.103	0.148	0.0
77	5267	5268	SN	1	-34.635	22.571	0.023	-34.991	25.088	2.106	3.411	32.141	10.067	3.732	32.493	14.481	0.103	245.827	4.426	0.103	266.628	3.596	0.102	0.135	0.0	0.102	0.132	0.0
78	5268	5269	NS	1	-34.27	23.759	0.559	-33.347	24.284	0.48	-1.596	28.214	13.214	0.368	30.345	39.94	0.103	225.809	2.268	0.103	182.609	1.767	0.103	0.212	0.0	0.103	0.17	0.0
79	5268	5269	SN	2	-34.264	23.929	0.152	-33.502	26.85	2.269	-11.941	28.197	13.36	-3.739	30.481	18.685	0.103	225.476	1.222	0.103	189.188	0.967	0.103	1.402	0.002	0.103	0.287	0.0
80	5268	5269	NS	1	-34.27	23.759	0.559	-33.347	24.284	0.48	-1.596	28.214	13.226	0.368	30.345	39.951	0.103	225.809	2.271	0.103	182.609	1.768	0.103	0.212	0.0	0.103	0.17	0.0
81	5268	5269	SN	1	-34.264	23.929	0.152	-33.502	26.85	2.269	-11.941	28.197	13.36	-3.739	30.481	18.685	0.103	225.476	1.222	0.103	189.188	0.967	0.103	1.402	0.002	0.103	0.287	0.0
82	5269	5270	NS	1	-34.212	24.036	0.67	-34.741	24.706	0.596	-27.163	28.668	11.758	-27.736	30.311	28.251	0.103	222.786	2.438	0.103	251.652	2.16	0.103	44.021	0.192	0.103	50.21	0.115
83	5269	5270	NS	1	-34.212	24.036	0.669	-34.741	24.706	0.595	-27.163	28.668	11.758	-27.736	30.311	28.251	0.103	222.786	2.434	0.103	251.652	2.163	0.103	44.021	0.192	0.103	50.21	0.115
84	5269	5270	SN	1	-34.523	26.895	0.208	-34.736	27.045	2.321	-1.112	29.449	13.803	-0.317	29.946	15.022	0.103	239.36	2.764	0.103	251.4	1.707	0.103	0.2	0.0	0.103	0.182	0.0
85	5270	5271	NS	1	-34.284	24.879	1.222	-34.765	25.083	1.166	1.745	29.633	14.689	2.018	32.552	23.653	0.103	226.52	1.883	0.103	253.117	1.862	0.103	0.151	0.0	0.102	0.148	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal
 Deviations
 Alarming
 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5246	5247	SN	1	57.746	58.352	0.0	0.003	1.974	0.203	1238.888	1272.592	0.0	-93.556	-92.027	0.0
2	5246	5247	NS	1	57.48	58.154	0.0	0.003	41.429	0.22	1194.192	1265.936	34.202	-93.54	-91.461	0.0
3	5246	5247	SN	1	57.746	58.352	0.0	0.003	1.974	0.199	1238.888	1272.592	0.0	-93.556	-92.027	0.0
4	5247	5248	NS	1	57.51	58.156	0.0	0.003	37.838	0.205	1194.448	1266.28	36.934	-93.477	-91.465	0.0
5	5247	5248	SN	1	57.744	58.355	0.0	0.003	1.974	0.192	1238.704	1272.752	0.0	-93.521	-92.037	0.0
6	5247	5248	SN	1	57.723	58.356	0.0	0.003	1.974	0.191	1238.496	1272.784	0.0	-93.469	-92.037	0.0
7	5247	5248	SN	1	57.723	58.356	0.0	0.003	1.974	0.189	1238.496	1272.784	0.0	-93.469	-92.037	0.0
8	5247	5248	NS	2	57.511	58.157	0.0	0.003	37.844	0.206	1194.56	1266.272	36.872	-93.406	-91.465	0.0
9	5248	5249	SN	2	57.713	58.348	0.0	0.003	1.974	0.185	1238.608	1273.216	0.0	-93.47	-92.056	0.0
10	5248	5249	NS	1	57.509	58.158	0.0	0.003	1.963	0.171	1194.832	1266.472	37.674	-93.631	-91.467	0.0
11	5248	5249	SN	1	57.713	58.348	0.0	0.003	1.974	0.188	1238.608	1273.216	0.0	-93.47	-92.062	0.0
12	5248	5249	SN	1	57.713	58.348	0.0	0.003	1.974	0.185	1238.608	1273.216	0.0	-93.47	-92.056	0.0
13	5248	5249	NS	1	57.509	58.158	0.0	0.003	1.963	0.171	1194.832	1266.472	37.613	-93.631	-91.467	0.0
14	5249	5250	NS	1	57.492	58.159	0.0	0.003	1.963	0.177	1195.008	1266.456	36.756	-93.594	-91.451	0.0
15	5249	5250	NS	1	57.492	58.159	0.0	0.003	1.963	0.177	1195.008	1266.456	36.689	-93.594	-91.451	0.0
16	5249	5250	SN	2	57.721	58.373	0.0	0.003	1.974	0.184	1238.168	1272.752	0.0	-93.696	-92.045	0.0
17	5249	5250	SN	1	57.721	58.373	0.0	0.003	1.974	0.184	1238.168	1272.752	0.0	-93.696	-92.045	0.0
18	5250	5251	NS	2	57.501	58.158	0.0	0.003	42.989	0.217	1195.176	1266.368	37.376	-93.51	-91.458	0.0
19	5250	5251	SN	1	57.724	58.369	0.0	0.003	1.974	0.184	1238.288	1272.792	0.0	-93.61	-92.045	0.0
20	5250	5251	SN	1	57.724	58.369	0.0	0.003	1.974	0.184	1238.288	1272.792	0.0	-93.61	-92.045	0.0
21	5250	5251	NS	1	57.505	58.159	0.0	0.003	42.989	0.219	1195.2	1266.384	30.321	-93.528	-91.459	0.0
22	5251	5252	NS	3	57.51	58.158	0.0	0.003	1.969	0.182	1194.56	1266.352	38.735	-93.494	-91.461	0.0
23	5251	5252	SN	1	57.718	58.361	0.0	0.003	1.98	0.185	1238.208	1272.76	0.0	-93.517	-92.064	0.0
24	5251	5252	NS	2	57.504	58.156	0.0	0.003	1.969	0.182	1194.56	1266.336	38.746	-93.55	-91.461	0.0
25	5251	5252	SN	1	57.718	58.361	0.0	0.003	1.98	0.187	1238.208	1272.76	0.0	-93.517	-92.072	0.0
26	5251	5252	SN	1	57.718	58.361	0.0	0.003	1.98	0.185	1238.208	1272.76	0.0	-93.517	-92.064	0.0
27	5252	5253	NS	1	57.491	58.158	0.0	0.003	1.969	0.179	1194.472	1266.456	39.209	-93.483	-91.463	0.0
28	5252	5253	SN	1	57.74	58.366	0.0	0.003	1.98	0.208	1238.528	1272.944	0.0	-93.719	-92.045	0.0
29	5252	5253	SN	1	57.739	58.382	0.0	0.003	1.98	0.194	1238.464	1272.976	0.0	-93.7	-92.044	0.0
30	5252	5253	SN	2	57.74	58.366	0.0	0.003	1.98	0.194	1238.528	1272.944	0.0	-93.719	-92.045	0.0
31	5252	5253	NS	1	57.493	58.156	0.0	0.003	1.969	0.179	1194.208	1266.44	39.177	-93.577	-91.462	0.0
32	5253	5254	NS	1	57.481	58.16	0.0	0.003	44.837	0.251	1194.104	1266.696	39.241	-93.548	-91.459	0.0
33	5253	5254	NS	3	57.478	58.156	0.0	0.0	44.909	0.251	1193.912	1266.672	39.23	-93.662	-91.458	0.0
34	5253	5254	SN	1	57.745	58.372	0.0	0.003	1.98	0.207	1238.488	1273.232	0.0	-93.478	-92.03	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	5253	5254	SN	1	57.745	58.372	0.0	0.003	1.98	0.189	1238.488	1273.232	0.0	-93.478	-92.021	0.0
36	5253	5254	SN	2	57.745	58.372	0.0	0.003	1.98	0.189	1238.488	1273.232	0.0	-93.478	-92.021	0.0
37	5254	5255	SN	1	57.744	58.36	0.0	0.003	1.974	0.184	1238.84	1273.296	0.0	-93.364	-92.01	0.0
38	5254	5255	NS	1	57.489	58.16	0.0	0.003	38.544	0.22	1194.48	1266.776	38.727	-93.575	-91.445	0.0
39	5254	5255	NS	2	57.489	58.16	0.0	0.003	38.544	0.22	1194.48	1266.776	38.686	-93.575	-91.445	0.0
40	5255	5256	SN	1	57.731	58.352	0.0	0.003	1.974	0.188	1238.432	1273.232	0.0	-93.599	-92.036	0.0
41	5255	5256	NS	1	57.482	58.16	0.0	0.003	1.969	0.178	1194.28	1266.68	39.748	-93.522	-91.464	0.0
42	5255	5256	NS	1	57.482	58.16	0.0	0.003	1.969	0.178	1194.28	1266.68	39.791	-93.522	-91.464	0.0
43	5260	5261	SN	2	57.718	58.356	0.0	0.003	1.98	0.199	1238.616	1273.984	0.0	-93.556	-92.038	0.0
44	5260	5261	SN	1	57.718	58.356	0.0	0.003	1.98	0.206	1238.952	1273.984	0.0	-93.556	-92.048	0.0
45	5260	5261	SN	1	57.718	58.356	0.0	0.003	1.98	0.199	1238.616	1273.984	0.0	-93.556	-92.038	0.0
46	5261	5262	SN	1	57.739	58.357	0.0	0.003	308.404	0.194	1238.16	1273.936	0.0	-93.454	-92.036	0.0
47	5261	5262	NS	1	57.504	58.163	0.0	0.003	42.223	0.211	1193.936	1267.384	35.586	-93.46	-91.451	0.0
48	5261	5262	SN	1	57.739	58.357	0.0	0.003	308.404	0.191	1238.16	1273.936	0.0	-93.454	-92.036	0.0
49	5261	5262	NS	2	57.504	58.163	0.0	0.003	42.223	0.21	1193.936	1267.384	35.549	-93.46	-91.451	0.0
50	5262	5263	SN	1	57.723	58.384	0.0	0.003	1.98	0.187	1238.288	1274.056	0.0	-93.519	-92.051	0.0
51	5262	5263	NS	1	57.481	58.166	0.0	0.003	38.875	0.204	1194.584	1267.68	37.735	-93.425	-91.442	0.0
52	5262	5263	SN	1	57.723	58.384	0.0	0.003	1.98	0.185	1237.8	1274.056	0.0	-93.519	-92.041	0.0
53	5263	5264	SN	2	57.732	58.355	0.0	0.003	1.974	0.184	1238.168	1274.032	0.0	-93.624	-92.035	0.0
54	5263	5264	SN	1	57.732	58.355	0.0	0.003	1.974	0.187	1238.168	1274.032	0.0	-93.624	-92.058	0.0
55	5263	5264	NS	3	57.49	58.167	0.0	0.003	40.987	0.211	1194.216	1267.736	37.439	-93.441	-91.463	0.0
56	5263	5264	NS	1	57.49	58.167	0.0	0.003	40.987	0.211	1194.216	1267.736	37.41	-93.441	-91.463	0.0
57	5263	5264	SN	1	57.732	58.355	0.0	0.003	1.974	0.184	1238.168	1274.032	0.0	-93.624	-92.035	0.0
58	5264	5265	SN	1	57.73	58.367	0.0	0.003	1.974	0.188	1237.752	1273.976	0.0	-93.634	-92.055	0.0
59	5264	5265	NS	1	57.505	58.167	0.0	0.003	1.969	0.179	1194.784	1267.672	38.1	-93.462	-91.438	0.0
60	5264	5265	NS	1	57.505	58.167	0.0	0.003	1.969	0.179	1194.784	1267.672	38.135	-93.462	-91.438	0.0
61	5264	5265	SN	2	57.73	58.367	0.0	0.003	1.974	0.184	1237.752	1273.976	0.0	-93.773	-92.037	0.0
62	5264	5265	SN	1	57.724	58.378	0.0	0.003	1.974	0.184	1237.76	1273.992	0.0	-93.583	-92.037	0.0
63	5265	5266	SN	1	57.71	58.378	0.0	0.003	1.985	0.183	1237.656	1274.008	0.0	-93.585	-92.045	0.0
64	5265	5266	SN	1	57.71	58.378	0.0	0.003	1.985	0.184	1237.656	1274.008	0.0	-93.585	-92.062	0.0
65	5265	5266	NS	2	57.48	58.166	0.0	0.0	46.194	0.251	1194.144	1267.632	38.465	-93.5	-91.454	0.0
66	5265	5266	NS	3	57.492	58.164	0.0	0.003	46.205	0.252	1194.112	1267.64	38.476	-93.5	-91.453	0.0
67	5265	5266	SN	1	57.71	58.378	0.0	0.003	1.985	0.183	1237.656	1274.008	0.0	-93.585	-92.045	0.0
68	5266	5267	SN	1	57.714	58.359	0.0	0.003	1.98	0.191	1237.656	1274.032	0.0	-93.643	-92.051	0.0
69	5266	5267	SN	1	57.714	58.359	0.0	0.003	1.98	0.2	1237.656	1274.032	0.0	-93.643	-92.073	0.0
70	5266	5267	SN	1	57.714	58.359	0.0	0.003	1.98	0.19	1237.656	1274.032	0.0	-93.643	-92.051	0.0
71	5266	5267	NS	2	57.481	58.166	0.0	0.003	45.267	0.212	1194.608	1267.648	39.099	-93.591	-91.461	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	5266	5267	NS	3	57.481	58.166	0.0	0.003	45.267	0.212	1194.608	1267.648	39.095	-93.591	-91.461	0.0
73	5267	5268	SN	1	57.738	58.359	0.0	0.003	1.98	0.206	1237.952	1274.376	0.0	-93.56	-92.051	0.0
74	5267	5268	SN	2	57.738	58.359	0.0	0.003	1.98	0.195	1237.952	1274.376	0.0	-93.56	-92.04	0.0
75	5267	5268	NS	1	57.472	58.167	0.0	0.003	1.974	0.176	1193.688	1267.88	38.846	-93.84	-91.459	0.0
76	5267	5268	NS	1	57.472	58.167	0.0	0.003	1.974	0.176	1193.688	1267.88	38.809	-93.84	-91.459	0.0
77	5267	5268	SN	1	57.738	58.359	0.0	0.003	1.98	0.195	1237.952	1274.376	0.0	-93.56	-92.04	0.0
78	5268	5269	NS	1	57.47	58.167	0.0	0.003	1.969	0.179	1194.296	1268.024	39.68	-93.669	-91.432	0.0
79	5268	5269	SN	2	57.709	58.359	0.0	0.003	344.213	0.188	1238.24	1274.504	0.0	-93.564	-92.008	0.0
80	5268	5269	NS	1	57.47	58.167	0.0	0.003	1.969	0.179	1194.296	1268.024	39.721	-93.669	-91.432	0.0
81	5268	5269	SN	1	57.709	58.359	0.0	0.003	344.213	0.188	1238.24	1274.504	0.0	-93.564	-92.008	0.0
82	5269	5270	NS	1	57.475	58.168	0.0	0.003	1.969	0.183	1194.016	1268.008	39.269	-93.486	-91.442	0.0
83	5269	5270	NS	1	57.475	58.168	0.0	0.003	1.969	0.183	1194.016	1268.008	39.225	-93.486	-91.442	0.0
84	5269	5270	SN	1	57.737	58.362	0.0	0.003	1.98	0.185	1238.08	1274.528	0.0	-93.478	-92.016	0.0
85	5270	5271	NS	1	57.502	58.168	0.0	0.003	39.669	0.214	1194.136	1268.024	39.954	-93.692	-91.459	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR														Kp														
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5246	5247	SN	1	-34.577	18.216	0.0	-34.648	19.414	0.0	-23.203	22.686	0.048	-20.419	23.682	0.21	0.083	197.871	4.185	0.083	201.113	3.885	0.083	14.479	0.006	0.083	7.656	0.008
2	5246	5247	NS	1	-34.946	21.047	0.0	-34.827	21.586	0.0	1.801	23.221	0.044	1.431	24.441	0.572	0.083	215.415	4.149	0.083	209.589	3.615	0.083	0.121	0.0	0.083	0.125	0.0
3	5246	5247	SN	1	-34.577	18.25	0.0	-34.648	19.415	0.0	-23.203	22.686	0.048	-20.419	23.682	0.21	0.083	197.871	4.23	0.083	201.113	3.862	0.083	14.479	0.006	0.083	7.656	0.008
4	5247	5248	NS	1	-34.499	20.667	0.0	-34.719	22.019	0.001	-6.35	23.261	0.029	-5.632	24.321	0.285	0.083	194.366	1.212	0.083	204.454	0.802	0.083	0.365	0.0	0.083	0.32	0.0
5	5247	5248	SN	1	-34.854	18.897	0.0	-34.95	19.225	0.0	1.575	22.594	0.033	-1.31	23.748	0.307	0.083	210.927	2.752	0.083	221.052	2.387	0.083	0.123	0.0	0.083	0.165	0.0
6	5247	5248	SN	1	-34.866	18.897	0.0	-33.195	19.223	0.0	1.575	22.596	0.033	-0.979	23.748	0.307	0.083	211.526	2.764	0.083	143.982	2.393	0.083	0.123	0.0	0.083	0.165	0.0
7	5247	5248	SN	1	-34.866	18.897	0.0	-33.195	19.223	0.0	1.575	22.596	0.033	-0.979	23.748	0.307	0.083	211.526	2.734	0.083	143.982	2.401	0.083	0.123	0.0	0.083	0.165	0.0
8	5247	5248	NS	2	-34.201	20.668	0.0	-34.705	22.019	0.001	-6.349	23.261	0.029	-5.632	24.321	0.285	0.083	181.454	1.212	0.083	203.815	0.802	0.083	0.365	0.0	0.083	0.32	0.0
9	5248	5249	SN	2	-34.883	17.458	0.0	-33.87	19.058	0.0	2.27	22.484	0.005	2.369	22.969	0.151	0.084	212.293	1.511	0.083	168.165	1.465	0.083	0.117	0.0	0.083	0.116	0.0
10	5248	5249	NS	1	-34.954	18.003	0.0	-34.92	18.355	0.0	-7.971	22.597	0.002	-23.694	23.97	0.19	0.083	215.858	1.425	0.083	214.148	0.914	0.083	0.499	0.0	0.083	16.203	0.026
11	5248	5249	SN	1	-34.883	17.317	0.0	-33.87	19.058	0.0	2.27	22.484	0.005	2.369	22.969	0.151	0.084	212.293	1.42	0.083	168.165	1.481	0.083	0.117	0.0	0.083	0.116	0.0
12	5248	5249	SN	1	-34.883	17.458	0.0	-33.87	19.058	0.0	2.27	22.484	0.005	2.369	22.969	0.151	0.084	212.293	1.511	0.083	168.165	1.465	0.083	0.117	0.0	0.083	0.116	0.0
13	5248	5249	NS	1	-34.954	18.003	0.0	-34.92	18.355	0.0	-7.971	22.597	0.002	-23.694	23.97	0.191	0.083	215.858	1.425	0.083	214.148	0.912	0.083	0.499	0.0	0.083	16.203	0.026
14	5249	5250	NS	1	-33.563	17.704	0.0	-33.884	17.997	0.0	-18.862	22.659	0.019	-21.993	23.762	0.185	0.083	156.711	1.743	0.083	168.698	1.386	0.083	5.37	0.009	0.083	10.976	0.022
15	5249	5250	NS	1	-33.563	17.704	0.0	-33.884	17.997	0.0	-18.862	22.659	0.019	-21.993	23.762	0.185	0.083	156.711	1.743	0.083	168.698	1.387	0.083	5.37	0.009	0.083	10.976	0.02
16	5249	5250	SN	2	-34.779	16.918	0.0	-34.574	18.914	0.0	1.145	22.673	0.253	2.952	22.956	0.766	0.084	207.296	3.177	0.083	197.707	2.459	0.083	0.128	0.0	0.083	0.112	0.0
17	5249	5250	SN	1	-34.779	16.92	0.0	-34.574	18.912	0.0	1.145	22.673	0.253	2.952	22.956	0.766	0.084	207.296	3.177	0.083	197.707	2.459	0.083	0.128	0.0	0.083	0.112	0.0
18	5250	5251	NS	2	-33.765	18.249	0.0	-33.469	18.408	0.0	-13.808	23.136	0.037	-23.689	23.066	0.151	0.083	164.139	1.49	0.083	153.346	1.168	0.083	1.722	0.009	0.083	16.187	0.007
19	5250	5251	SN	1	-34.747	16.652	0.0	-34.908	18.997	0.0	1.464	22.371	0.051	3.221	23.56	0.978	0.084	205.754	4.132	0.083	213.534	3.782	0.083	0.124	0.0	0.083	0.11	0.0
20	5250	5251	SN	1	-34.747	16.652	0.0	-34.908	18.997	0.0	1.464	22.371	0.051	3.221	23.56	0.978	0.084	205.754	4.127	0.083	213.534	3.783	0.083	0.124	0.0	0.083	0.11	0.0
21	5250	5251	NS	1	-32.722	18.249	0.0	-33.107	18.408	0.0	-13.807	23.136	0.044	-23.557	23.065	0.174	0.083	129.093	1.236	0.083	141.06	1.246	0.083	1.721	0.011	0.083	15.704	0.008
22	5251	5252	NS	3	-34.3	17.802	0.0	-33.191	17.899	0.0	-23.559	23.04	0.058	-30.435	23.603	0.455	0.083	185.646	2.15	0.083	143.795	1.947	0.083	15.715	0.066	0.083	76.281	0.083
23	5251	5252	SN	1	-34.905	17.885	0.0	-34.601	18.88	0.0	0.689	22.395	0.018	4.579	22.266	0.005	0.083	213.418	2.846	0.083	198.978	2.271	0.083	0.133	0.0	0.083	0.102	0.0
24	5251	5252	NS	2	-34.315	17.802	0.0	-34.738	17.899	0.0	-23.692	23.04	0.061	-30.974	23.601	0.453	0.083	186.328	2.148	0.083	205.304	1.954	0.083	16.196	0.066	0.083	86.348	0.081
25	5251	5252	SN	1	-34.905	16.058	0.0	-34.601	18.878	0.0	0.689	22.395	0.018	4.579	22.266	0.005	0.084	213.418	2.877	0.083	198.978	2.288	0.083	0.133	0.0	0.083	0.102	0.0
26	5251	5252	SN	1	-34.905	17.887	0.0	-34.601	18.88	0.0	0.689	22.395	0.018	4.579	22.266	0.005	0.083	213.418	2.846	0.083	198.978	2.27	0.083	0.133	0.0	0.083	0.102	0.0
27	5252	5253	NS	1	-34.583	17.877	0.0	-34.168	18.191	0.0	3.217	22.952	0.259	2.545	24.172	1.504	0.083	198.161	1.792	0.083	180.143	1.465	0.083	0.11	0.0	0.083	0.115	0.0
28	5252	5253	SN	1	-34.54	22.692	0.002	-34.903	18.437	0.0	-2.964	23.884	0.516	-3.275	24.027	1.33	0.083	196.187	4.114	0.083	213.335	3.396	0.083	0.207	0.0	0.083	0.217	0.0
29	5252	5253	SN	1	-34.714	22.692	0.001	-34.793	19.264	0.0	-2.965	23.884	0.482	-3.267	24.027	1.328	0.083	204.228	3.925	0.083	207.984	3.055	0.083	0.207	0.0	0.083	0.216	0.0
30	5252	5253	SN	2	-34.54	22.692	0.001	-34.903	19.265	0.0	-2.964	23.884	0.482	-3.275	24.027	1.325	0.083	196.187	3.925	0.083	213.335	3.054	0.083	0.207	0.0	0.083	0.217	0.0
31	5252	5253	NS	1	-34.886	17.879	0.0	-34.909	18.19	0.0	3.217	22.95	0.258	2.547	24.172	1.502	0.083	212.453	1.795	0.083	213.583	1.462	0.083	0.11	0.0	0.083	0.115	0.0
32	5253	5254	NS	1	-34.792	17.82	0.0	-34.765	18.304	0.0	-0.747	23.177	0.154	-1.596	24.401	1.606	0.083	207.932	3.369	0.083	206.633	2.67	0.083	0.155	0.0	0.083	0.171	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	5253	5254	NS	3	-34.47	17.82	0.0	-34.846	18.311	0.0	-0.745	23.176	0.153	-1.576	24.4	1.616	0.083	193.045	3.368	0.083	210.514	2.675	0.083	0.155	0.0	0.083	0.171	0.0
34	5253	5254	SN	1	-34.235	17.302	0.0	-34.303	19.123	0.0	-8.043	23.479	0.312	-5.077	24.53	1.134	0.084	182.913	1.865	0.083	185.765	1.722	0.083	0.506	0.0	0.083	0.29	0.0
35	5253	5254	SN	1	-34.68	17.302	0.0	-34.303	19.123	0.0	-8.043	23.479	0.285	-5.077	24.53	1.238	0.084	202.629	2.037	0.083	185.765	1.633	0.083	0.506	0.0	0.083	0.29	0.0
36	5253	5254	SN	2	-34.68	17.302	0.0	-34.303	19.123	0.0	-8.043	23.479	0.285	-5.077	24.53	1.238	0.084	202.629	2.037	0.083	185.765	1.633	0.083	0.506	0.0	0.083	0.29	0.0
37	5254	5255	SN	1	-34.273	17.864	0.0	-34.793	19.081	0.0	-23.729	23.516	0.221	-6.055	24.042	0.643	0.083	184.534	1.685	0.083	207.972	1.472	0.083	16.336	0.035	0.083	0.346	0.0
38	5254	5255	NS	1	-34.58	18.572	0.0	-34.939	18.343	0.0	-27.133	22.644	0.069	-22.886	24.516	3.323	0.083	198.029	2.671	0.083	215.055	2.192	0.083	35.692	0.08	0.083	13.468	0.057
39	5254	5255	NS	2	-34.58	18.572	0.0	-34.939	18.343	0.0	-27.133	22.644	0.069	-22.886	24.516	3.391	0.083	198.029	2.67	0.083	215.055	2.191	0.083	35.692	0.08	0.083	13.468	0.057
40	5255	5256	SN	1	-33.778	20.882	0.0	-34.448	21.784	0.0	-26.952	23.119	0.276	-19.398	23.892	0.379	0.083	164.646	1.283	0.083	192.137	1.2	0.083	34.237	0.111	0.083	6.066	0.094
41	5255	5256	NS	1	-33.799	18.894	0.0	-33.929	19.041	0.0	-23.4	22.446	0.018	-24.045	24.861	2.523	0.083	165.396	1.382	0.083	170.445	1.177	0.083	15.147	0.087	0.083	17.564	0.047
42	5255	5256	NS	1	-33.799	18.894	0.0	-33.929	19.041	0.0	-23.4	22.446	0.018	-24.045	24.861	2.523	0.083	165.396	1.384	0.083	170.445	1.174	0.083	15.147	0.087	0.083	17.564	0.047
43	5260	5261	SN	2	-34.96	18.072	0.0	-34.883	19.381	0.0	-28.932	22.385	0.017	-28.4	23.171	0.025	0.083	216.113	3.669	0.083	212.334	2.943	0.083	53.974	0.102	0.083	47.772	0.099
44	5260	5261	SN	1	-34.96	17.249	0.0	-34.883	19.381	0.0	-28.932	22.385	0.017	-28.4	23.171	0.025	0.084	216.113	3.804	0.083	212.334	3.133	0.083	53.974	0.103	0.083	47.772	0.099
45	5260	5261	SN	1	-34.96	18.06	0.0	-34.883	19.381	0.0	-28.932	22.385	0.017	-28.4	23.171	0.025	0.083	216.113	3.669	0.083	212.334	2.943	0.083	53.974	0.102	0.083	47.772	0.099
46	5261	5262	SN	1	-34.578	18.594	0.0	-33.334	18.982	0.0	-32.949	22.61	0.03	-33.297	24.169	0.238	0.083	197.906	1.583	0.083	148.657	1.413	0.083	136.06	0.196	0.083	147.38	0.354
47	5261	5262	NS	1	-34.366	20.141	0.0	-33.455	22.294	0.001	-5.942	22.432	0.014	-5.198	24.294	0.338	0.083	188.522	0.967	0.083	152.872	0.611	0.083	0.347	0.0	0.083	0.297	0.0
48	5261	5262	SN	1	-34.578	18.639	0.0	-33.334	19.055	0.0	-32.949	22.61	0.03	-33.297	24.169	0.238	0.083	197.906	1.691	0.083	148.657	1.382	0.083	136.06	0.196	0.083	147.38	0.354
49	5261	5262	NS	2	-34.366	20.141	0.0	-33.455	22.294	0.001	-5.942	22.432	0.014	-5.198	24.294	0.337	0.083	188.522	0.967	0.083	152.872	0.611	0.083	0.347	0.0	0.083	0.297	0.0
50	5262	5263	SN	1	-34.337	17.904	0.0	-34.355	19.25	0.0	0.715	22.812	0.13	-4.454	23.657	0.71	0.083	187.235	1.194	0.083	188.072	0.982	0.083	0.133	0.0	0.083	0.261	0.0
51	5262	5263	NS	1	-34.652	17.743	0.0	-34.094	18.564	0.0	-15.187	23.03	0.028	-18.607	23.773	0.269	0.083	201.372	1.166	0.083	177.089	1.203	0.083	2.341	0.002	0.083	5.067	0.016
52	5262	5263	SN	1	-34.337	17.904	0.0	-34.355	19.25	0.0	0.715	22.812	0.13	-4.454	23.657	0.71	0.083	187.235	1.183	0.083	188.072	0.972	0.083	0.133	0.0	0.083	0.261	0.0
53	5263	5264	SN	2	-34.806	17.582	0.0	-34.885	19.072	0.0	1.277	22.345	0.017	1.946	22.874	0.236	0.083	208.564	3.18	0.083	212.366	2.591	0.083	0.126	0.0	0.083	0.12	0.0
54	5263	5264	SN	1	-34.806	17.113	0.0	-34.885	18.515	0.0	1.277	22.345	0.017	1.946	22.874	0.24	0.084	208.564	3.223	0.083	212.366	2.61	0.083	0.126	0.0	0.083	0.12	0.0
55	5263	5264	NS	3	-34.733	17.805	0.0	-34.594	18.778	0.0	-28.613	22.457	0.019	-27.249	23.464	0.184	0.083	205.133	2.45	0.083	198.641	2.396	0.083	50.159	0.113	0.083	36.66	0.073
56	5263	5264	NS	1	-34.733	17.805	0.0	-34.594	18.778	0.0	-28.613	22.457	0.019	-27.249	23.464	0.185	0.083	205.133	2.45	0.083	198.641	2.396	0.083	50.159	0.113	0.083	36.66	0.074
57	5263	5264	SN	1	-34.806	17.582	0.0	-34.885	19.072	0.0	1.277	22.345	0.017	1.946	22.874	0.236	0.083	208.564	3.18	0.083	212.366	2.591	0.083	0.126	0.0	0.083	0.12	0.0
58	5264	5265	SN	1	-34.748	17.215	0.0	-34.948	18.892	0.0	1.425	22.554	0.115	2.893	23.162	1.355	0.084	205.828	3.912	0.083	215.537	3.399	0.083	0.125	0.0	0.083	0.112	0.0
59	5264	5265	NS	1	-34.337	17.843	0.0	-34.841	18.17	0.0	-5.091	23.222	0.077	-5.509	23.272	0.203	0.083	187.277	0.722	0.083	210.289	0.675	0.083	0.291	0.0	0.083	0.313	0.0
60	5264	5265	NS	1	-34.337	17.843	0.0	-34.841	18.17	0.0	-5.091	23.222	0.077	-5.509	23.272	0.203	0.083	187.277	0.739	0.083	210.289	0.675	0.083	0.291	0.0	0.083	0.313	0.0
61	5264	5265	SN	2	-34.772	17.215	0.0	-34.948	18.894	0.0	1.425	22.554	0.114	2.893	23.162	1.264	0.084	206.977	3.839	0.083	215.537	3.355	0.083	0.125	0.0	0.083	0.112	0.0
62	5264	5265	SN	1	-34.765	17.214	0.0	-34.98	18.891	0.0	1.425	22.552	0.114	2.893	23.162	1.264	0.084	211.904	3.836	0.083	217.163	3.356	0.083	0.125	0.0	0.083	0.112	0.0
63	5265	5266	SN	1	-34.968	17.042	0.0	-34.294	19.002	0.0	0.327	22.381	0.013	3.226	23.351	0.294	0.084	216.492	3.295	0.083	185.364	2.736	0.083	0.138	0.0	0.083	0.11	0.0
64	5265	5266	SN	1	-34.968	16.785	0.0	-34.294	19.002	0.0	0.327	22.381	0.013	3.226	23.351	0.294	0.084	216.492	3.302	0.083	185.364	2.745	0.083	0.138	0.0	0.083	0.11	0.0
65	5265	5266	NS	2	-34.419	18.433	0.0	-33.783	18.263	0.0	-12.499	22.811	0.01	-16.927	23.925	0.279	0.083	190.834	2.718	0.083	164.806	2.253	0.083	1.291	0.008	0.083	3.462	0.012
66	5265	5266	NS	3	-34.75	18.433	0.0	-34.235	18.264	0.0	-12.476	22.814	0.01	-16.938	23.925	0.279	0.083	205.927	2.717	0.083	182.895	2.261	0.083	1.284	0.008	0.083	3.471	0.012
67	5265	5266	SN	1	-34.968	17.042	0.0	-34.294	19.002	0.0	0.327	22.381	0.013	3.226	23.351	0.294	0.084	216.492	3.291	0.083	185.364	2.733	0.083	0.138	0.0	0.083	0.11	0.0
68	5266	5267	SN	1	-34.962	17.757	0.0	-34.571	18.444	0.0	1.182	23.372	0.328	3.628	23.6	0.685	0.083	216.178	2.537	0.083	197.581	2.231	0.083	0.127	0.0	0.083	0.107	0.0
69	5266	5267	SN	1	-34.962	17.203	0.0	-34.571	18.422	0.0	1.182	23.372	0.352	3.628	23.6	0.684	0.084	216.178	2.642	0.083	197.581	2.328	0.083	0.127	0.0	0.083	0.107	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	5266	5267	SN	1	-34.962	17.757	0.0	-34.571	18.444	0.0	1.182	23.372	0.328	3.628	23.6	0.686	0.083	216.178	2.54	0.083	197.581	2.234	0.083	0.127	0.0	0.083	0.107	0.0
71	5266	5267	NS	2	-34.99	18.297	0.0	-34.391	18.6	0.0	-30.511	23.044	0.225	-23.992	23.767	0.927	0.083	217.568	2.275	0.083	192.854	2.06	0.083	77.623	0.182	0.083	17.356	0.113
72	5266	5267	NS	3	-34.99	18.297	0.0	-34.391	18.6	0.0	-30.511	23.044	0.225	-23.992	23.767	0.927	0.083	217.568	2.275	0.083	192.854	2.059	0.083	77.623	0.182	0.083	17.356	0.113
73	5267	5268	SN	1	-34.875	16.969	0.0	-34.919	18.827	0.0	-8.527	23.844	0.599	-6.491	25.639	1.69	0.084	211.974	3.711	0.083	214.094	3.637	0.083	0.557	0.0	0.083	0.375	0.0
74	5267	5268	SN	2	-34.875	16.969	0.0	-34.919	18.827	0.0	-8.527	23.844	0.579	-6.491	25.639	1.688	0.084	211.974	3.512	0.083	214.094	3.29	0.083	0.557	0.0	0.083	0.375	0.0
75	5267	5268	NS	1	-34.963	18.032	0.0	-34.933	18.555	0.0	2.844	22.778	0.123	2.038	24.293	1.162	0.083	216.318	3.027	0.083	214.779	2.556	0.083	0.112	0.0	0.083	0.119	0.0
76	5267	5268	NS	1	-34.963	18.032	0.0	-34.933	18.555	0.0	2.844	22.778	0.123	2.038	24.293	1.159	0.083	216.318	3.023	0.083	214.779	2.556	0.083	0.112	0.0	0.083	0.119	0.0
77	5267	5268	SN	1	-34.875	16.969	0.0	-34.919	18.827	0.0	-8.527	23.844	0.579	-6.491	25.639	1.688	0.084	211.974	3.512	0.083	214.094	3.29	0.083	0.557	0.0	0.083	0.375	0.0
78	5268	5269	NS	1	-34.639	18.238	0.0	-34.464	18.552	0.0	1.984	22.644	0.061	-1.219	24.684	2.211	0.083	200.695	2.147	0.083	192.804	1.863	0.083	0.119	0.0	0.083	0.164	0.0
79	5268	5269	SN	2	-34.386	17.594	0.0	-33.002	19.019	0.0	-24.281	23.187	0.225	-10.473	24.421	1.018	0.083	189.404	0.914	0.083	137.72	0.718	0.083	18.544	0.056	0.083	0.834	0.0
80	5268	5269	NS	1	-34.639	18.238	0.0	-34.464	18.552	0.0	1.984	22.644	0.061	-1.219	24.684	2.199	0.083	200.695	2.149	0.083	192.804	1.864	0.083	0.119	0.0	0.083	0.164	0.0
81	5268	5269	SN	1	-34.386	17.594	0.0	-33.002	19.019	0.0	-24.281	23.187	0.225	-10.473	24.421	1.018	0.083	189.404	0.914	0.083	137.72	0.718	0.083	18.544	0.056	0.083	0.834	0.0
82	5269	5270	NS	1	-34.748	18.671	0.0	-34.722	18.657	0.0	-23.181	23.108	0.184	-25.972	24.497	3.337	0.083	205.86	2.605	0.083	204.62	2.317	0.083	14.408	0.074	0.083	27.341	0.031
83	5269	5270	NS	1	-34.748	18.671	0.0	-34.722	18.657	0.0	-23.181	23.108	0.184	-25.972	24.497	3.337	0.083	205.86	2.602	0.083	204.62	2.318	0.083	14.408	0.074	0.083	27.341	0.031
84	5269	5270	SN	1	-34.724	20.913	0.0	-34.94	21.59	0.0	-5.79	23.182	0.23	-7.541	23.711	0.375	0.083	204.659	2.007	0.083	215.119	1.531	0.083	0.329	0.0	0.083	0.458	0.0
85	5270	5271	NS	1	-34.628	18.674	0.0	-34.355	19.062	0.0	0.478	22.979	0.014	-1.455	24.947	2.433	0.083	200.19	1.596	0.083	188.033	1.668	0.083	0.136	0.0	0.083	0.168	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors