

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-SEP-2017 To 27-SEP-2017





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-SEP-2017 To 27-SEP-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5289	5290	SN	1	48.864	49.459	0.0	0.003	1.814	0.165	1053.304	1084.68	0.0	-92.125	-89.533	0.0
2	5289	5290	SN	1	48.864	49.459	0.0	0.003	1.814	0.165	1053.304	1084.68	0.0	-92.125	-89.533	0.0
3	5290	5291	SN	1	48.886	49.485	0.0	0.003	1.814	0.162	1053.952	1084.6	0.0	-92.099	-89.547	0.0
4	5290	5291	NS	1	48.719	49.302	0.0	0.003	1.803	0.164	1017.448	1080.032	24.817	-91.963	-89.053	0.0
5	5290	5291	SN	1	48.886	49.485	0.0	0.003	1.814	0.16	1053.224	1084.6	0.0	-92.099	-89.538	0.0
6	5290	5291	NS	1	48.719	49.302	0.0	0.003	1.803	0.164	1017.448	1080.032	24.793	-91.963	-89.053	0.0
7	5290	5291	SN	2	48.886	49.485	0.0	0.003	1.814	0.16	1053.224	1084.6	0.0	-92.099	-89.538	0.0
8	5291	5292	SN	2	48.842	49.483	0.0	0.003	1.814	0.154	1053.712	1084.712	0.0	-92.096	-89.539	0.0
9	5291	5292	NS	1	48.702	49.305	0.0	0.003	5.675	0.177	1018.312	1080.304	25.608	-91.922	-89.032	0.0
10	5291	5292	NS	1	48.702	49.305	0.0	0.003	5.675	0.177	1018.312	1080.304	25.633	-91.922	-89.032	0.0
11	5291	5292	SN	1	48.844	49.483	0.0	0.003	1.814	0.153	1052.208	1084.712	0.0	-92.108	-89.531	0.0
12	5291	5292	SN	1	48.844	49.483	0.0	0.003	1.814	0.154	1053.72	1084.712	0.0	-92.108	-89.539	0.0
13	5292	5293	NS	1	48.72	49.305	0.0	0.003	1.803	0.165	1018.032	1080.328	25.369	-91.789	-89.064	0.0
14	5292	5293	SN	1	48.863	49.494	0.0	0.003	1.814	0.155	1053.0	1084.704	0.0	-92.054	-89.527	0.0
15	5292	5293	SN	2	48.863	49.494	0.0	0.003	1.814	0.155	1053.016	1084.704	0.0	-92.054	-89.527	0.0
16	5292	5293	SN	1	48.863	49.494	0.0	0.003	1.814	0.157	1053.352	1084.704	0.0	-92.054	-89.551	0.0
17	5292	5293	NS	1	48.72	49.305	0.0	0.003	1.803	0.165	1018.032	1080.328	25.346	-91.789	-89.064	0.0
18	5293	5294	SN	1	48.855	49.48	0.0	0.003	1.814	0.154	1052.968	1084.648	0.0	-92.003	-89.531	0.0
19	5293	5294	SN	2	48.855	49.48	0.0	0.003	1.814	0.154	1052.968	1084.648	0.0	-92.003	-89.531	0.0
20	5293	5294	NS	1	48.72	49.304	0.0	0.003	1.803	0.169	1018.48	1080.312	26.187	-91.855	-89.028	0.0
21	5293	5294	NS	1	48.709	49.304	0.0	0.003	1.803	0.169	1018.464	1080.312	26.162	-91.855	-89.028	0.0
22	5294	5295	NS	4	48.687	49.315	0.0	0.003	5.703	0.183	1018.44	1080.296	26.367	-91.885	-89.055	0.0
23	5294	5295	SN	2	48.858	49.492	0.0	0.003	1.809	0.155	1052.912	1084.648	0.0	-92.031	-89.541	0.0
24	5294	5295	SN	1	48.858	49.492	0.0	0.003	1.809	0.155	1053.216	1084.648	0.0	-92.031	-89.557	0.0
25	5294	5295	NS	3	48.669	49.303	0.0	0.003	5.708	0.183	1018.416	1080.304	26.365	-91.928	-89.055	0.0
26	5294	5295	SN	1	48.858	49.492	0.0	0.003	1.809	0.155	1052.92	1084.648	0.0	-92.031	-89.541	0.0
27	5295	5296	SN	1	48.862	49.492	0.0	0.003	1.809	0.16	1052.12	1084.688	0.0	-92.084	-89.544	0.0
28	5295	5296	SN	1	48.861	49.458	0.0	0.003	1.809	0.16	1052.12	1084.736	0.0	-92.017	-89.544	0.0
29	5295	5296	NS	2	48.679	49.302	0.0	0.003	5.68	0.182	1018.064	1080.28	26.367	-91.936	-89.062	0.0
30	5295	5296	NS	3	48.689	49.304	0.0	0.003	5.68	0.182	1017.664	1080.28	26.365	-91.977	-89.062	0.0
31	5295	5296	SN	1	48.862	49.492	0.0	0.003	1.809	0.168	1053.632	1084.688	0.0	-92.084	-89.573	0.0
32	5296	5297	SN	1	48.887	49.474	0.0	0.003	1.814	0.176	1054.24	1084.952	0.0	-92.119	-89.572	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

33	5296	5297	SN	1	48.887	49.474	0.0	0.003	1.814	0.163	1052.504	1084.952	0.0	-92.119	-89.54	0.0
34	5296	5297	SN	1	48.887	49.474	0.0	0.003	1.814	0.163	1052.504	1084.952	0.0	-92.119	-89.54	0.0
35	5296	5297	NS	2	48.669	49.305	0.0	0.003	1.803	0.168	1018.12	1080.472	26.853	-92.005	-89.074	0.0
36	5297	5298	NS	2	48.67	49.305	0.0	0.003	5.664	0.198	1018.088	1080.584	26.833	-91.94	-89.039	0.0
37	5297	5298	NS	3	48.67	49.305	0.0	0.003	5.664	0.198	1018.088	1080.584	26.83	-91.94	-89.039	0.0
38	5297	5298	SN	1	48.886	49.458	0.0	0.003	1.814	0.156	1052.896	1085.056	0.0	-91.916	-89.503	0.0
39	5298	5299	SN	1	48.886	49.486	0.0	0.003	1.814	0.155	1052.144	1085.08	0.0	-91.966	-89.512	0.0
40	5298	5299	NS	2	48.677	49.305	0.0	0.003	5.658	0.186	1017.656	1080.592	26.622	-92.059	-89.042	0.0
41	5299	5300	NS	1	48.687	49.306	0.0	0.003	5.669	0.185	1017.952	1080.584	27.304	-92.249	-89.061	0.0
42	5304	5305	NS	2	48.678	49.306	0.0	0.003	1.803	0.175	1017.104	1080.992	24.099	-91.848	-89.042	0.0
43	5304	5305	SN	1	48.881	49.461	0.0	0.003	1.814	0.167	1052.256	1085.52	0.0	-92.016	-89.523	0.0
44	5305	5306	SN	1	48.882	49.502	0.0	0.003	1.814	0.158	1052.248	1085.672	0.0	-92.143	-89.536	0.0
45	5305	5306	NS	1	48.714	49.308	0.0	0.003	1.803	0.163	1017.424	1081.28	25.666	-92.004	-89.046	0.0
46	5308	5309	SN	1	48.843	49.461	0.0	0.003	1.809	0.159	1052.984	1085.672	0.0	-91.961	-89.555	0.0
47	5308	5309	SN	1	48.843	49.461	0.0	0.003	1.809	0.154	1051.904	1085.672	0.0	-91.961	-89.542	0.0
48	5308	5309	NS	1	48.701	49.31	0.0	0.003	5.653	0.183	1018.144	1081.408	27.04	-91.876	-89.055	0.0
49	5309	5310	SN	1	48.849	49.508	0.0	0.003	1.809	0.164	1053.04	1085.64	0.0	-92.065	-89.569	0.0
50	5309	5310	NS	1	48.688	49.31	0.0	0.003	5.68	0.195	1017.912	1081.352	27.136	-91.835	-89.057	0.0
51	5309	5310	SN	1	48.849	49.508	0.0	0.003	1.809	0.157	1051.824	1085.64	0.0	-92.065	-89.531	0.0
52	5310	5311	NS	1	48.666	49.31	0.0	0.003	5.658	0.181	1017.696	1081.44	27.293	-92.069	-89.072	0.0
53	5310	5311	SN	1	48.882	49.462	0.0	0.003	1.809	0.174	1053.208	1085.784	0.0	-91.992	-89.566	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5289	5290	SN	1	-34.544	24.318	1.154	-33.485	26.129	3.045	-33.017	28.085	6.577	-30.613	29.992	9.952	0.103	253.979	1.463	0.103	188.433	1.263	0.103	169.244	0.13	0.103	97.32	0.116
2	5289	5290	SN	1	-34.544	24.318	1.153	-33.485	26.129	3.045	-33.017	28.085	6.569	-30.613	29.992	9.942	0.103	253.979	1.463	0.103	188.433	1.264	0.103	169.244	0.129	0.103	97.32	0.115
3	5290	5291	SN	1	-32.807	24.461	0.735	-34.091	25.6	2.042	-20.463	30.264	8.213	-19.639	30.79	6.954	0.103	161.245	1.215	0.103	216.665	0.906	0.103	9.477	0.009	0.103	8.291	0.006
4	5290	5291	NS	1	-34.626	25.718	0.182	-34.977	28.92	0.467	3.9	31.575	8.615	4.422	35.264	31.006	0.103	255.173	2.162	0.103	265.734	1.832	0.102	0.131	0.0	0.102	0.128	0.0
5	5290	5291	SN	1	-32.807	24.461	0.724	-34.091	25.6	2.111	-20.463	30.264	8.213	-19.639	30.79	6.954	0.103	161.245	1.184	0.103	216.665	0.892	0.103	9.477	0.009	0.103	8.291	0.006
6	5290	5291	NS	1	-34.626	25.718	0.182	-34.977	28.92	0.466	3.9	31.575	8.615	4.422	35.264	30.988	0.103	255.173	2.158	0.103	265.734	1.831	0.102	0.131	0.0	0.102	0.128	0.0
7	5290	5291	SN	2	-32.807	24.461	0.724	-34.091	25.6	2.111	-20.463	30.264	8.213	-19.639	30.79	6.954	0.103	161.245	1.184	0.103	216.665	0.892	0.103	9.477	0.009	0.103	8.291	0.006
8	5291	5292	SN	2	-33.789	23.595	0.082	-34.646	25.102	0.547	-16.649	28.214	9.617	-13.236	30.431	6.379	0.103	202.149	2.054	0.103	246.214	1.321	0.103	3.983	0.006	0.103	1.86	0.018
9	5291	5292	NS	1	-34.199	23.225	0.033	-33.78	25.484	0.457	-4.829	29.093	7.563	-6.698	29.87	21.512	0.103	222.164	2.323	0.103	201.718	1.866	0.103	0.343	0.0	0.103	0.479	0.0
10	5291	5292	NS	1	-34.199	23.225	0.033	-33.78	25.484	0.457	-4.829	29.093	7.563	-6.698	29.87	21.524	0.103	222.164	2.328	0.103	201.718	1.867	0.103	0.343	0.0	0.103	0.479	0.0
11	5291	5292	SN	1	-34.67	23.595	0.085	-33.648	25.764	0.758	-16.652	28.216	9.617	-13.233	30.43	6.376	0.103	247.579	2.084	0.103	195.708	1.334	0.103	3.986	0.006	0.103	1.859	0.018
12	5291	5292	SN	1	-34.67	23.595	0.082	-33.648	25.102	0.547	-16.652	28.216	9.617	-13.233	30.43	6.376	0.103	247.579	2.057	0.103	195.708	1.321	0.103	3.986	0.006	0.103	1.859	0.018
13	5292	5293	NS	1	-34.572	23.221	0.114	-34.666	24.282	0.426	-4.611	28.117	7.181	-2.941	29.604	18.387	0.103	242.038	3.575	0.103	247.347	3.128	0.103	0.33	0.0	0.103	0.254	0.0
14	5292	5293	SN	1	-34.922	22.494	0.003	-34.857	25.196	0.64	7.147	27.682	9.376	7.366	28.784	5.404	0.103	262.367	2.824	0.103	258.42	2.546	0.103	0.116	0.0	0.103	0.115	0.0
15	5292	5293	SN	2	-34.922	22.494	0.003	-34.857	25.196	0.639	7.147	27.682	9.376	7.366	28.784	5.404	0.103	262.367	2.824	0.103	258.42	2.546	0.103	0.116	0.0	0.103	0.115	0.0
16	5292	5293	SN	1	-34.922	22.494	0.002	-34.742	25.196	0.477	7.147	27.682	9.394	7.366	28.784	5.356	0.103	262.367	2.757	0.103	251.746	2.587	0.103	0.116	0.0	0.103	0.115	0.0
17	5292	5293	NS	1	-34.572	23.221	0.113	-34.666	24.282	0.426	-4.611	28.117	7.181	-2.941	29.604	18.404	0.103	242.038	3.569	0.103	247.347	3.125	0.103	0.33	0.0	0.103	0.254	0.0
18	5293	5294	SN	1	-34.951	21.518	0.0	-34.903	24.898	0.672	5.846	28.344	14.359	8.481	28.358	18.234	0.103	264.133	5.742	0.103	261.264	4.302	0.103	0.12	0.0	0.103	0.112	0.0
19	5293	5294	SN	2	-34.951	21.518	0.0	-34.903	24.898	0.672	5.846	28.344	14.359	8.481	28.358	18.234	0.103	264.133	5.742	0.103	261.264	4.302	0.103	0.12	0.0	0.103	0.112	0.0
20	5293	5294	NS	1	-33.823	23.23	0.113	-34.501	24.853	0.355	-9.158	27.305	3.878	-14.266	30.668	12.907	0.103	203.722	1.197	0.103	238.119	0.673	0.103	0.778	0.0	0.103	2.336	0.007
21	5293	5294	NS	1	-33.777	23.23	0.113	-33.534	24.851	0.355	-9.187	27.303	3.87	-14.265	30.67	12.883	0.103	201.572	1.199	0.103	190.62	0.669	0.103	0.783	0.0	0.103	2.336	0.007
22	5294	5295	NS	4	-34.985	23.048	0.037	-34.589	23.696	0.049	-18.678	27.266	4.353	-20.312	29.121	14.428	0.103	266.226	3.009	0.103	242.998	2.46	0.103	6.31	0.014	0.103	9.153	0.014
23	5294	5295	SN	2	-34.854	23.143	0.022	-34.232	25.102	0.545	5.967	27.724	13.345	8.875	29.358	15.713	0.103	258.284	2.131	0.103	223.835	1.937	0.103	0.12	0.0	0.103	0.111	0.0
24	5294	5295	SN	1	-34.854	23.143	0.022	-34.232	25.102	0.53	5.967	27.724	13.352	8.875	29.358	15.713	0.103	258.284	2.139	0.103	223.835	1.947	0.103	0.12	0.0	0.103	0.111	0.0
25	5294	5295	NS	3	-34.683	23.048	0.037	-34.82	23.694	0.049	-18.706	27.266	4.353	-20.409	29.121	14.427	0.103	248.341	3.011	0.103	256.247	2.463	0.103	6.348	0.014	0.103	9.359	0.014
26	5294	5295	SN	1	-34.854	23.143	0.022	-34.232	25.102	0.545	5.967	27.724	13.345	8.875	29.358	15.713	0.103	258.284	2.131	0.103	223.835	1.937	0.103	0.12	0.0	0.103	0.111	0.0
27	5295	5296	SN	1	-34.82	23.519	0.045	-34.781	25.298	0.801	5.761	28.286	8.593	9.228	29.107	9.949	0.103	256.212	3.982	0.103	253.945	3.293	0.103	0.121	0.0	0.103	0.111	0.0
28	5295	5296	SN	1	-34.325	23.519	0.044	-34.553	25.298	0.8	5.758	28.287	8.568	9.228	29.109	9.949	0.103	228.641	3.993	0.103	240.99	3.291	0.103	0.121	0.0	0.103	0.111	0.0
29	5295	5296	NS	2	-34.994	25.147	0.25	-34.694	25.278	0.593	-7.424	29.276	8.812	-10.211	30.509	17.615	0.103	266.781	3.48	0.103	248.956	2.749	0.103	0.55	0.0	0.103	0.969	0.0
30	5295	5296	NS	3	-34.917	25.144	0.249	-34.979	25.278	0.594	-7.424	29.273	8.828	-10.213	30.509	17.628	0.103	262.038	3.482	0.103	265.818	2.754	0.103	0.55	0.0	0.103	0.969	0.0
31	5295	5296	SN	1	-34.82	20.312	0.0	-34.781	24.89	0.115	5.761	28.286	9.09	9.228	29.107	9.961	0.103	256.212	4.182	0.103	253.945	3.538	0.103	0.121	0.0	0.103	0.111	0.0
32	5296	5297	SN	1	-34.779	21.012	0.0	-34.637	23.068	0.01	0.645	32.387	10.851	-0.051	35.159	14.617	0.103	253.936	7.227	0.103	245.732	5.985	0.102	0.166	0.0	0.102	0.177	0.0
33	5296	5297	SN	1	-34.779	22.845	0.011	-34.637	25.06	1.822	0.645	32.387	10.246	-0.051	35.159	14.601	0.103	253.936	6.68	0.103	245.732	5.165	0.102	0.166	0.0	0.102	0.177	0.0

Parameter Specifications	Parameters	SNR	Kp	<span style="color: green;">■</span> Normal <span style="color: yellow;">■</span> Deviations <span style="color: orange;">■</span> Alarming <span style="color: red;">■</span> High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	

34	5296	5297	SN	1	-34.779	22.845	0.011	-34.637	25.06	1.82	0.645	32.387	10.225	-0.051	35.159	14.593	0.103	253.936	6.679	0.103	245.732	5.179	0.102	0.166	0.0	0.102	0.177	0.0
35	5296	5297	NS	2	-34.748	24.124	0.463	-34.994	25.271	0.722	7.129	30.713	8.488	6.015	30.518	17.381	0.103	252.055	3.106	0.103	266.782	2.646	0.103	0.116	0.0	0.103	0.12	0.0
36	5297	5298	NS	2	-34.123	23.869	0.752	-34.32	24.434	0.532	3.15	28.132	13.522	0.384	30.874	40.903	0.103	218.344	3.08	0.103	228.438	2.711	0.103	0.137	0.0	0.103	0.17	0.0
37	5297	5298	NS	3	-34.123	23.869	0.752	-34.32	24.434	0.532	3.15	28.132	13.522	0.384	30.874	40.903	0.103	218.344	3.08	0.103	228.438	2.71	0.103	0.137	0.0	0.103	0.17	0.0
38	5297	5298	SN	1	-34.598	23.298	0.119	-34.359	26.397	2.158	-11.762	28.273	13.479	-4.672	30.555	19.203	0.103	243.532	2.325	0.103	230.452	1.956	0.103	1.348	0.002	0.103	0.334	0.0
39	5298	5299	SN	1	-34.933	27.107	0.172	-33.698	27.525	2.186	-1.607	29.822	13.635	-2.031	30.179	14.932	0.103	263.031	3.424	0.103	197.974	2.12	0.103	0.212	0.0	0.103	0.224	0.0
40	5298	5299	NS	2	-34.745	24.164	0.859	-34.993	24.78	0.6	-30.425	27.842	12.013	-25.126	30.365	28.266	0.103	251.91	3.011	0.103	266.66	2.785	0.103	93.184	0.11	0.103	28.701	0.059
41	5299	5300	NS	1	-34.153	24.553	1.312	-34.748	26.46	1.129	-13.556	29.608	14.626	-1.974	33.488	23.626	0.103	219.792	2.958	0.103	252.071	3.144	0.103	1.996	0.003	0.102	0.222	0.0
42	5304	5305	NS	2	-34.931	26.582	0.447	-34.174	28.332	0.181	4.733	29.925	11.269	6.043	36.333	28.414	0.103	262.87	4.867	0.103	220.927	3.608	0.103	0.126	0.0	0.102	0.12	0.0
43	5304	5305	SN	1	-34.533	24.749	1.331	-34.787	25.88	3.398	-25.329	35.779	6.99	-31.153	30.342	12.403	0.103	239.934	3.804	0.103	254.32	2.928	0.102	28.887	0.036	0.103	110.226	0.031
44	5305	5306	SN	1	-34.954	24.007	0.293	-34.734	24.768	1.142	-10.131	28.332	7.315	-7.874	30.421	4.858	0.103	264.321	5.069	0.103	251.328	3.521	0.103	0.953	0.0	0.103	0.601	0.0
45	5305	5306	NS	1	-34.878	25.877	0.086	-34.243	26.729	0.523	-5.086	32.302	7.374	-1.687	31.049	25.41	0.103	259.701	2.008	0.103	224.415	1.677	0.102	0.358	0.0	0.103	0.214	0.0
46	5308	5309	SN	1	-34.993	23.069	0.002	-34.441	25.141	0.399	5.919	28.1	12.96	8.127	29.115	16.994	0.103	266.716	3.354	0.103	234.844	2.833	0.103	0.12	0.0	0.103	0.113	0.0
47	5308	5309	SN	1	-34.993	23.069	0.017	-34.441	25.141	0.715	5.919	28.1	12.655	8.127	29.115	16.565	0.103	266.716	3.354	0.103	234.844	2.771	0.103	0.12	0.0	0.103	0.113	0.0
48	5308	5309	NS	1	-34.403	23.133	0.101	-33.438	23.917	0.295	-17.994	26.961	3.83	-22.264	29.375	16.451	0.103	232.839	2.303	0.103	186.447	2.079	0.103	5.403	0.01	0.103	14.301	0.003
49	5309	5310	SN	1	-34.765	22.384	0.002	-34.979	25.042	0.214	5.894	27.228	12.907	9.078	29.628	11.708	0.103	253.044	5.639	0.103	265.817	4.727	0.103	0.12	0.0	0.103	0.111	0.0
50	5309	5310	NS	1	-34.967	23.103	0.077	-33.471	24.488	0.492	-10.971	28.216	5.028	-6.445	33.703	15.403	0.103	265.039	1.622	0.103	187.848	1.295	0.103	1.138	0.005	0.102	0.457	0.0
51	5309	5310	SN	1	-34.765	23.252	0.039	-34.979	25.042	0.74	5.894	27.228	12.112	9.078	29.628	11.59	0.103	253.044	5.516	0.103	265.817	4.56	0.103	0.12	0.0	0.103	0.111	0.0
52	5310	5311	NS	1	-34.98	23.888	0.322	-34.555	25.336	0.837	8.113	27.952	11.626	7.421	30.012	24.557	0.103	265.946	3.21	0.103	241.083	2.456	0.103	0.113	0.0	0.103	0.115	0.0
53	5310	5311	SN	1	-34.929	22.435	0.002	-34.912	22.842	0.012	-2.09	29.375	8.58	-2.995	33.878	10.731	0.103	262.784	7.217	0.103	261.836	6.036	0.103	0.226	0.0	0.102	0.256	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5289	5290	SN	1	57.703	58.375	0.0	0.003	1.98	0.2	1236.168	1276.504	0.0	-93.705	-92.017	0.0
2	5289	5290	SN	1	57.703	58.375	0.0	0.003	1.98	0.2	1236.168	1276.504	0.0	-93.705	-92.017	0.0
3	5290	5291	SN	1	57.725	58.372	0.0	0.003	1.985	0.196	1236.936	1276.368	0.0	-93.537	-92.03	0.0
4	5290	5291	NS	1	57.483	58.178	0.0	0.003	1.969	0.177	1192.792	1269.944	36.594	-93.884	-91.448	0.0
5	5290	5291	SN	1	57.725	58.372	0.0	0.003	1.985	0.193	1235.68	1276.368	0.0	-93.537	-92.023	0.0
6	5290	5291	NS	1	57.483	58.178	0.0	0.003	1.969	0.177	1192.792	1269.944	36.558	-93.884	-91.448	0.0
7	5290	5291	SN	2	57.725	58.372	0.0	0.003	1.985	0.193	1235.68	1276.368	0.0	-93.537	-92.023	0.0
8	5291	5292	SN	2	57.704	58.385	0.0	0.003	1.98	0.185	1236.384	1276.512	0.0	-93.575	-92.025	0.0
9	5291	5292	NS	1	57.442	58.181	0.0	0.003	44.346	0.202	1193.128	1270.288	38.669	-93.529	-91.44	0.0
10	5291	5292	NS	1	57.442	58.181	0.0	0.003	44.346	0.203	1193.128	1270.288	38.706	-93.529	-91.44	0.0
11	5291	5292	SN	1	57.705	58.372	0.0	0.003	1.98	0.183	1235.688	1276.52	0.0	-93.575	-92.016	0.0
12	5291	5292	SN	1	57.705	58.372	0.0	0.003	1.98	0.185	1236.376	1276.52	0.0	-93.575	-92.025	0.0
13	5292	5293	NS	1	57.481	58.181	0.0	0.003	1.969	0.173	1193.304	1270.32	38.376	-93.494	-91.457	0.0
14	5292	5293	SN	1	57.702	58.384	0.0	0.003	1.98	0.185	1235.08	1276.488	0.0	-93.68	-92.018	0.0
15	5292	5293	SN	2	57.702	58.384	0.0	0.003	1.98	0.185	1235.712	1276.488	0.0	-93.68	-92.018	0.0
16	5292	5293	SN	1	57.702	58.384	0.0	0.003	1.98	0.187	1236.536	1276.488	0.0	-93.68	-92.038	0.0
17	5292	5293	NS	1	57.481	58.181	0.0	0.003	1.969	0.173	1193.304	1270.32	38.338	-93.494	-91.457	0.0
18	5293	5294	SN	1	57.709	58.371	0.0	0.003	1.98	0.184	1235.76	1276.416	0.0	-93.684	-92.015	0.0
19	5293	5294	SN	2	57.709	58.371	0.0	0.003	1.98	0.184	1235.76	1276.416	0.0	-93.684	-92.015	0.0
20	5293	5294	NS	1	57.475	58.181	0.0	0.003	1.969	0.175	1193.936	1270.312	38.482	-93.464	-91.426	0.0
21	5293	5294	NS	1	57.494	58.18	0.0	0.003	1.969	0.175	1193.912	1270.312	38.453	-93.485	-91.426	0.0
22	5294	5295	NS	4	57.474	58.182	0.0	0.003	46.839	0.215	1193.88	1270.288	38.962	-93.494	-91.45	0.0
23	5294	5295	SN	2	57.678	58.371	0.0	0.003	1.98	0.184	1235.68	1276.424	0.0	-93.672	-92.023	0.0
24	5294	5295	SN	1	57.678	58.371	0.0	0.003	1.98	0.185	1236.08	1276.424	0.0	-93.672	-92.034	0.0
25	5294	5295	NS	3	57.467	58.18	0.0	0.003	46.833	0.215	1193.84	1270.296	38.968	-93.49	-91.449	0.0
26	5294	5295	SN	1	57.678	58.371	0.0	0.003	1.98	0.184	1235.696	1276.424	0.0	-93.672	-92.024	0.0
27	5295	5296	SN	1	57.717	58.372	0.0	0.003	1.974	0.189	1235.56	1276.472	0.0	-93.445	-92.032	0.0
28	5295	5296	SN	1	57.704	58.374	0.0	0.003	1.974	0.189	1235.56	1276.544	0.0	-93.437	-92.032	0.0
29	5295	5296	NS	2	57.471	58.178	0.0	0.003	48.367	0.212	1193.12	1270.28	39.918	-93.515	-91.454	0.0
30	5295	5296	NS	3	57.471	58.181	0.0	0.003	48.378	0.212	1193.104	1270.28	39.914	-93.601	-91.454	0.0
31	5295	5296	SN	1	57.717	58.372	0.0	0.003	1.974	0.199	1236.48	1276.472	0.0	-93.445	-92.066	0.0
32	5296	5297	SN	1	57.725	58.389	0.0	0.003	344.566	0.209	1236.928	1276.8	0.0	-93.586	-92.049	0.0
33	5296	5297	SN	1	57.725	58.389	0.0	0.003	344.566	0.194	1235.528	1276.8	0.0	-93.586	-92.022	0.0
34	5296	5297	SN	1	57.725	58.389	0.0	0.003	344.566	0.194	1235.528	1276.8	0.0	-93.586	-92.022	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	5296	5297	NS	2	57.464	58.182	0.0	0.003	1.974	0.176	1193.248	1270.504	39.8	-93.766	-91.464	0.0
36	5297	5298	NS	2	57.46	58.183	0.0	0.003	50.357	0.248	1193.464	1270.648	40.587	-93.507	-91.433	0.0
37	5297	5298	NS	3	57.46	58.183	0.0	0.003	50.357	0.248	1193.464	1270.648	40.583	-93.507	-91.433	0.0
38	5297	5298	SN	1	57.7	58.375	0.0	0.003	1.985	0.188	1235.656	1276.928	0.0	-93.398	-91.98	0.0
39	5298	5299	SN	1	57.724	58.375	0.0	0.003	1.98	0.185	1234.808	1276.944	0.0	-93.523	-91.996	0.0
40	5298	5299	NS	2	57.466	58.183	0.0	0.003	45.598	0.216	1192.936	1270.64	40.213	-93.612	-91.433	0.0
41	5299	5300	NS	1	57.478	58.183	0.0	0.003	42.057	0.223	1193.064	1270.632	40.9	-93.895	-91.453	0.0
42	5304	5305	NS	2	57.438	58.184	0.0	0.003	1.969	0.184	1192.48	1271.136	35.955	-93.559	-91.438	0.0
43	5304	5305	SN	1	57.704	58.379	0.0	0.008	1.98	0.201	1234.528	1277.496	0.0	-93.404	-92.007	0.0
44	5305	5306	SN	1	57.718	58.382	0.0	0.003	1.985	0.19	1234.968	1277.696	0.0	-93.699	-92.022	0.0
45	5305	5306	NS	1	57.487	58.186	0.0	0.003	1.969	0.173	1192.576	1271.496	38.83	-93.574	-91.445	0.0
46	5308	5309	SN	1	57.696	58.386	0.0	0.003	1.98	0.188	1235.648	1277.704	0.0	-93.475	-92.04	0.0
47	5308	5309	SN	1	57.696	58.386	0.0	0.003	1.98	0.183	1234.44	1277.704	0.0	-93.475	-92.028	0.0
48	5308	5309	NS	1	57.459	58.19	0.0	0.003	46.662	0.211	1193.472	1271.664	38.756	-93.471	-91.446	0.0
49	5309	5310	SN	1	57.708	58.395	0.0	0.008	1.98	0.194	1235.72	1277.648	0.0	-93.552	-92.058	0.0
50	5309	5310	NS	1	57.487	58.212	0.0	0.003	50.346	0.248	1193.048	1271.584	40.258	-93.518	-91.448	0.0
51	5309	5310	SN	1	57.708	58.395	0.0	0.008	1.98	0.186	1234.344	1277.648	0.0	-93.552	-92.018	0.0
52	5310	5311	NS	1	57.458	58.19	0.0	0.003	50.639	0.213	1192.768	1271.712	41.126	-93.742	-91.462	0.0
53	5310	5311	SN	1	57.718	58.38	0.0	0.003	1.98	0.207	1235.792	1277.824	0.0	-93.498	-92.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors



Outer																												
SNR																Kp												
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5289	5290	SN	1	-34.383	18.046	0.0	-32.815	19.415	0.0	-24.934	22.989	0.015	-24.184	23.334	0.021	0.083	189.238	1.857	0.083	131.913	1.517	0.083	21.545	0.065	0.083	18.135	0.072
2	5289	5290	SN	1	-34.383	18.046	0.0	-32.815	19.415	0.0	-24.934	22.989	0.015	-24.184	23.334	0.021	0.083	189.238	1.857	0.083	131.913	1.517	0.083	21.545	0.065	0.083	18.135	0.072
3	5290	5291	SN	1	-34.611	19.001	0.0	-33.93	19.038	0.0	-25.771	22.551	0.012	-29.444	24.395	0.198	0.083	199.445	1.896	0.083	170.496	1.653	0.083	26.104	0.125	0.083	60.728	0.157
4	5290	5291	NS	1	-34.829	19.78	0.0	-33.916	21.858	0.0	0.828	22.661	0.025	0.438	23.841	0.297	0.083	209.71	2.484	0.083	169.933	2.47	0.083	0.132	0.0	0.083	0.136	0.0
5	5290	5291	SN	1	-34.611	19.001	0.0	-33.93	19.038	0.0	-25.771	22.551	0.012	-29.444	24.395	0.198	0.083	199.445	1.848	0.083	170.496	1.69	0.083	26.104	0.125	0.083	60.728	0.157
6	5290	5291	NS	1	-34.829	19.78	0.0	-33.916	21.858	0.0	0.828	22.661	0.025	0.438	23.841	0.299	0.083	209.71	2.48	0.083	169.933	2.468	0.083	0.132	0.0	0.083	0.136	0.0
7	5290	5291	SN	2	-34.611	19.001	0.0	-33.93	19.038	0.0	-25.771	22.551	0.012	-29.444	24.395	0.198	0.083	199.445	1.848	0.083	170.496	1.69	0.083	26.104	0.125	0.083	60.728	0.157
8	5291	5292	SN	2	-34.349	18.032	0.0	-32.999	18.611	0.0	-8.887	23.71	0.145	-11.65	23.66	0.652	0.083	187.77	1.668	0.083	137.632	1.527	0.083	0.6	0.0	0.083	1.073	0.004
9	5291	5292	NS	1	-34.957	17.616	0.0	-34.113	18.915	0.0	-8.429	22.729	0.028	-21.339	23.838	0.291	0.083	216.007	1.583	0.083	177.825	1.333	0.083	0.546	0.0	0.083	9.449	0.047
10	5291	5292	NS	1	-34.957	17.616	0.0	-34.113	18.915	0.0	-8.429	22.729	0.028	-21.339	23.838	0.285	0.083	216.007	1.585	0.083	177.825	1.335	0.083	0.546	0.0	0.083	9.449	0.047
11	5291	5292	SN	1	-34.414	18.034	0.0	-32.561	18.611	0.0	-8.886	23.71	0.145	-11.646	23.66	0.652	0.083	190.616	1.68	0.083	124.407	1.517	0.083	0.599	0.0	0.083	1.072	0.004
12	5291	5292	SN	1	-34.414	18.034	0.0	-32.561	18.611	0.0	-8.886	23.71	0.145	-11.646	23.66	0.652	0.083	190.616	1.67	0.083	124.407	1.527	0.083	0.599	0.0	0.083	1.072	0.004
13	5292	5293	NS	1	-34.502	17.536	0.0	-34.84	18.523	0.0	-24.085	22.5	0.006	-32.072	23.3	0.212	0.083	194.534	3.54	0.083	210.201	3.217	0.083	17.729	0.078	0.083	111.176	0.118
14	5292	5293	SN	1	-34.99	17.022	0.0	-34.388	18.677	0.0	1.492	21.849	0.0	2.332	22.771	0.123	0.084	217.572	2.784	0.083	189.472	2.69	0.083	0.124	0.0	0.083	0.116	0.0
15	5292	5293	SN	2	-34.99	17.022	0.0	-34.388	18.677	0.0	1.492	21.849	0.0	2.332	22.771	0.123	0.084	217.572	2.784	0.083	189.472	2.69	0.083	0.124	0.0	0.083	0.116	0.0
16	5292	5293	SN	1	-34.99	16.989	0.0	-34.388	18.523	0.0	1.492	21.849	0.0	2.332	22.771	0.125	0.084	217.572	2.767	0.083	189.472	2.712	0.083	0.124	0.0	0.083	0.116	0.0
17	5292	5293	NS	1	-34.502	17.536	0.0	-34.84	18.523	0.0	-24.085	22.5	0.006	-32.072	23.3	0.212	0.083	194.534	3.535	0.083	210.201	3.215	0.083	17.729	0.078	0.083	111.176	0.118
18	5293	5294	SN	1	-34.668	17.582	0.0	-34.888	19.24	0.0	0.975	22.613	0.078	3.292	23.473	1.104	0.083	202.093	5.189	0.083	212.588	4.236	0.083	0.13	0.0	0.083	0.109	0.0
19	5293	5294	SN	2	-34.668	17.582	0.0	-34.888	19.24	0.0	0.975	22.613	0.078	3.292	23.473	1.104	0.083	202.093	5.189	0.083	212.588	4.236	0.083	0.13	0.0	0.083	0.109	0.0
20	5293	5294	NS	1	-32.467	18.204	0.0	-34.448	18.413	0.0	-14.89	22.871	0.06	-10.218	23.693	0.195	0.083	121.749	0.914	0.083	192.132	0.503	0.083	2.19	0.004	0.083	0.811	0.0
21	5293	5294	NS	1	-32.774	18.204	0.0	-29.704	18.413	0.0	-14.89	22.873	0.06	-10.341	23.693	0.195	0.083	130.679	0.914	0.083	64.477	0.501	0.083	2.19	0.004	0.083	0.811	0.0
22	5294	5295	NS	4	-34.832	18.244	0.0	-34.786	18.236	0.0	-27.719	22.494	0.014	-23.486	23.239	0.215	0.083	209.814	2.44	0.083	207.651	2.44	0.083	40.848	0.012	0.083	15.453	0.024
23	5294	5295	SN	2	-34.889	17.265	0.0	-34.95	18.764	0.0	0.935	22.322	0.009	3.118	23.01	0.218	0.084	212.592	2.711	0.083	215.626	2.538	0.083	0.13	0.0	0.083	0.111	0.0
24	5294	5295	SN	1	-34.889	17.177	0.0	-34.95	18.765	0.0	0.935	22.322	0.009	3.118	23.01	0.218	0.084	212.592	2.72	0.083	215.626	2.55	0.083	0.13	0.0	0.083	0.111	0.0
25	5294	5295	NS	3	-34.574	18.244	0.0	-34.683	18.236	0.0	-27.323	22.497	0.014	-23.923	23.239	0.215	0.083	197.754	2.439	0.083	202.784	2.436	0.083	37.29	0.012	0.083	17.076	0.024
26	5294	5295	SN	1	-34.889	17.265	0.0	-34.95	18.764	0.0	0.935	22.322	0.009	3.118	23.01	0.218	0.084	212.592	2.711	0.083	215.626	2.538	0.083	0.13	0.0	0.083	0.111	0.0
27	5295	5296	SN	1	-34.889	17.873	0.0	-34.597	18.589	0.0	1.431	23.597	0.305	3.507	23.573	0.7	0.083	212.64	3.541	0.083	198.795	3.036	0.083	0.125	0.0	0.083	0.108	0.0
28	5295	5296	SN	1	-34.795	17.873	0.0	-33.975	18.589	0.0	1.433	23.594	0.304	3.506	23.575	0.7	0.083	208.078	3.542	0.083	172.253	3.032	0.083	0.125	0.0	0.083	0.108	0.0
29	5295	5296	NS	2	-34.66	17.922	0.0	-34.444	19.256	0.0	-33.053	23.331	0.182	-23.079	24.709	0.87	0.083	201.731	2.692	0.083	191.908	2.447	0.083	139.358	0.117	0.083	14.074	0.148
30	5295	5296	NS	3	-34.73	17.922	0.0	-34.0	19.257	0.0	-32.938	23.335	0.182	-23.192	24.707	0.873	0.083	204.997	2.689	0.083	173.266	2.446	0.083	135.731	0.117	0.083	14.443	0.148
31	5295	5296	SN	1	-34.889	17.867	0.0	-34.597	18.157	0.0	1.431	23.597	0.327	3.507	23.573	0.702	0.083	212.64	3.656	0.083	198.795	3.257	0.083	0.125	0.0	0.083	0.108	0.0
32	5296	5297	SN	1	-34.405	17.002	0.0	-34.725	17.438	0.0	-8.214	23.535	0.571	-8.004	25.756	1.647	0.084	190.194	5.906	0.084	204.73	5.442	0.083	0.523	0.0	0.083	0.502	0.0

Parameter Specifications	Parameters	SNR	Kp	<span style="color: green;">■</span> Normal <span style="color: yellow;">■</span> Deviations <span style="color: orange;">■</span> Alarming <span style="color: red;">■</span> High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	

33	5296	5297	SN	1	-34.405	17.002	0.0	-34.725	18.81	0.0	-8.214	23.535	0.534	-8.004	25.756	1.645	0.084	190.194	5.499	0.083	204.73	4.667	0.083	0.523	0.0	0.083	0.502	0.0
34	5296	5297	SN	1	-34.405	17.002	0.0	-34.725	18.81	0.0	-8.214	23.535	0.533	-8.004	25.756	1.644	0.084	190.194	5.498	0.083	204.73	4.667	0.083	0.523	0.0	0.083	0.502	0.0
35	5296	5297	NS	2	-34.894	18.385	0.0	-34.798	18.509	0.0	2.188	23.119	0.114	3.06	24.364	1.091	0.083	212.869	3.197	0.083	208.198	3.048	0.083	0.118	0.0	0.083	0.111	0.0
36	5297	5298	NS	2	-34.536	18.362	0.0	-34.445	18.581	0.0	1.77	23.227	0.066	1.626	24.202	2.154	0.083	196.018	2.692	0.083	191.994	2.626	0.083	0.121	0.0	0.083	0.123	0.0
37	5297	5298	NS	3	-34.536	18.362	0.0	-34.445	18.581	0.0	1.77	23.227	0.066	1.626	24.202	2.154	0.083	196.018	2.692	0.083	191.994	2.625	0.083	0.121	0.0	0.083	0.123	0.0
38	5297	5298	SN	1	-34.784	17.303	0.0	-34.561	18.914	0.0	-30.528	23.468	0.147	-12.21	24.4	0.95	0.084	207.515	2.857	0.083	197.167	2.516	0.083	77.93	0.07	0.083	1.212	0.002
39	5298	5299	SN	1	-34.762	20.679	0.0	-34.3	21.193	0.0	-5.603	23.126	0.197	-6.367	23.595	0.329	0.083	206.474	2.782	0.083	185.65	2.234	0.083	0.319	0.0	0.083	0.366	0.0
40	5298	5299	NS	2	-34.563	18.342	0.0	-34.346	18.915	0.0	-21.331	23.297	0.212	-22.671	24.632	3.182	0.083	197.233	2.734	0.083	187.649	2.639	0.083	9.672	0.049	0.083	12.817	0.023
41	5299	5300	NS	1	-34.885	18.382	0.0	-34.524	18.971	0.0	-10.56	22.356	0.022	-1.807	26.425	2.374	0.083	212.43	2.303	0.083	195.487	2.411	0.083	0.85	0.0	0.083	0.176	0.0
42	5304	5305	NS	2	-34.953	20.606	0.0	-34.352	22.212	0.001	1.157	22.933	0.049	2.683	24.415	0.51	0.083	215.737	3.869	0.083	187.881	3.376	0.083	0.128	0.0	0.083	0.114	0.0
43	5304	5305	SN	1	-34.857	18.626	0.0	-34.377	19.189	0.0	-19.17	22.8	0.018	-24.21	23.985	0.194	0.083	211.075	2.579	0.083	188.969	1.977	0.083	5.76	0.013	0.083	18.246	0.027
44	5305	5306	SN	1	-34.957	18.6	0.0	-34.858	19.019	0.0	-7.233	22.286	0.004	-7.662	23.713	0.226	0.083	215.973	4.503	0.083	218.364	3.811	0.083	0.432	0.0	0.083	0.469	0.0
45	5305	5306	NS	1	-34.829	20.438	0.0	-34.538	21.81	0.0	-5.9	22.724	0.023	-4.981	24.129	0.263	0.083	209.727	1.908	0.083	196.102	1.707	0.083	0.336	0.0	0.083	0.286	0.0
46	5308	5309	SN	1	-34.806	16.971	0.0	-34.922	18.946	0.0	1.252	22.059	0.011	3.26	23.626	0.835	0.084	208.606	2.84	0.083	214.24	2.63	0.083	0.127	0.0	0.083	0.11	0.0
47	5308	5309	SN	1	-34.806	16.971	0.0	-34.922	18.946	0.0	1.252	22.059	0.01	3.26	23.626	0.792	0.084	208.606	2.836	0.083	214.24	2.592	0.083	0.127	0.0	0.083	0.11	0.0
48	5308	5309	NS	1	-34.359	17.989	0.0	-34.396	18.326	0.0	-29.343	22.645	0.027	-16.458	23.29	0.113	0.083	188.185	1.623	0.083	189.8	1.527	0.083	59.344	0.012	0.083	3.115	0.008
49	5309	5310	SN	1	-34.861	16.801	0.0	-34.606	18.468	0.0	1.009	22.167	0.008	2.947	22.534	0.021	0.084	211.262	4.11	0.083	199.231	3.595	0.083	0.129	0.0	0.083	0.112	0.0
50	5309	5310	NS	1	-34.131	17.82	0.0	-34.83	18.719	0.0	-30.677	22.884	0.044	-29.165	23.581	0.382	0.083	178.6	1.58	0.083	209.772	1.49	0.083	80.652	0.18	0.083	56.958	0.077
51	5309	5310	SN	1	-34.861	17.695	0.0	-34.606	18.468	0.0	1.009	22.167	0.007	2.947	22.534	0.02	0.083	211.262	4.046	0.083	199.231	3.474	0.083	0.129	0.0	0.083	0.112	0.0
52	5310	5311	NS	1	-34.762	18.178	0.0	-34.834	19.779	0.0	3.486	22.942	0.161	2.279	24.129	1.271	0.083	206.505	3.081	0.083	209.887	2.795	0.083	0.108	0.0	0.083	0.117	0.0
53	5310	5311	SN	1	-34.851	15.845	0.0	-34.617	17.964	0.0	-3.053	24.076	0.451	-0.368	24.019	1.135	0.084	210.746	6.041	0.083	199.713	5.371	0.083	0.21	0.0	0.083	0.148	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors