

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-SEP-2017 To 28-SEP-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-SEP-2017 To 28-SEP-2017

Inner																
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5304	5305	SN	1	48.881	49.461	0.0	0.003	1.814	0.167	1052.256	1085.52	0.0	-92.016	-89.523	0.0
2	5304	5305	NS	2	48.678	49.306	0.0	0.003	1.803	0.175	1017.104	1080.992	24.099	-91.848	-89.042	0.0
3	5305	5306	SN	1	48.882	49.502	0.0	0.003	1.814	0.158	1052.248	1085.672	0.0	-92.143	-89.536	0.0
4	5305	5306	NS	1	48.714	49.308	0.0	0.003	1.803	0.163	1017.424	1081.28	25.666	-92.004	-89.046	0.0
5	5308	5309	SN	1	48.843	49.461	0.0	0.003	1.809	0.154	1051.904	1085.672	0.0	-91.961	-89.542	0.0
6	5308	5309	SN	1	48.843	49.461	0.0	0.003	1.809	0.159	1052.984	1085.672	0.0	-91.961	-89.555	0.0
7	5308	5309	NS	1	48.701	49.31	0.0	0.003	5.653	0.183	1018.144	1081.408	27.04	-91.876	-89.055	0.0
8	5309	5310	NS	1	48.688	49.31	0.0	0.003	5.68	0.195	1017.912	1081.352	27.136	-91.835	-89.057	0.0
9	5309	5310	SN	1	48.849	49.508	0.0	0.003	1.809	0.164	1053.04	1085.64	0.0	-92.065	-89.569	0.0
10	5309	5310	SN	1	48.849	49.508	0.0	0.003	1.809	0.157	1051.824	1085.64	0.0	-92.065	-89.531	0.0
11	5310	5311	NS	1	48.666	49.31	0.0	0.003	5.658	0.181	1017.696	1081.44	27.293	-92.069	-89.072	0.0
12	5310	5311	SN	1	48.882	49.462	0.0	0.003	1.809	0.174	1053.208	1085.784	0.0	-91.992	-89.566	0.0
13	5318	5319	SN	2	48.868	49.469	0.0	0.003	1.809	0.165	1051.232	1086.576	0.0	-91.898	-89.52	0.0
14	5318	5319	SN	1	48.868	49.469	0.0	0.003	1.809	0.165	1051.232	1086.576	0.0	-91.898	-89.52	0.0
15	5319	5320	SN	1	48.872	49.487	0.0	0.003	1.814	0.159	1051.144	1086.544	0.0	-92.127	-89.518	0.0
16	5319	5320	NS	2	48.698	49.314	0.0	0.008	5.636	0.18	1016.944	1082.216	25.417	-91.979	-89.05	0.0
17	5319	5320	SN	1	48.872	49.487	0.0	0.003	1.814	0.159	1051.152	1086.544	0.0	-92.127	-89.517	0.0
18	5319	5320	SN	1	48.872	49.487	0.0	0.003	1.814	0.161	1051.832	1086.544	0.0	-92.127	-89.528	0.0
19	5320	5321	SN	1	48.836	49.48	0.0	0.003	1.814	0.155	1050.976	1086.712	0.0	-92.176	-89.519	0.0
20	5320	5321	SN	2	48.836	49.48	0.0	0.003	1.814	0.155	1050.976	1086.712	0.0	-92.176	-89.519	0.0
21	5320	5321	SN	1	48.836	49.48	0.0	0.003	1.814	0.157	1051.6	1086.712	0.0	-92.176	-89.519	0.0
22	5320	5321	NS	1	48.707	49.313	0.0	0.003	1.809	0.164	1017.4	1082.456	26.459	-92.025	-89.021	0.0
23	5320	5321	NS	1	48.703	49.315	0.0	0.003	1.803	0.164	1017.768	1082.464	26.497	-91.945	-89.021	0.0
24	5321	5322	SN	1	48.841	49.463	0.0	0.003	1.814	0.157	1050.432	1086.592	0.0	-92.053	-89.531	0.0
25	5321	5322	SN	2	48.841	49.463	0.0	0.003	1.814	0.157	1050.432	1086.592	0.0	-92.053	-89.531	0.0
26	5321	5322	NS	1	46.0	51.507	1.554	0.003	1.809	0.199	972.104	1082.176	9.878	-103.804	-88.871	0.376
27	5321	5322	NS	1	46.0	51.508	1.55	0.003	1.809	0.2	972.096	1082.176	9.86	-103.804	-88.871	0.375
28	5321	5322	SN	1	48.841	49.463	0.0	0.003	1.814	0.159	1052.24	1086.592	0.0	-92.053	-89.544	0.0
29	5322	5323	SN	2	48.781	49.462	0.0	0.003	1.814	0.156	1050.896	1086.536	0.0	-92.169	-89.523	0.0
30	5322	5323	SN	1	48.839	49.466	0.0	0.003	1.814	0.155	1050.968	1086.712	0.0	-92.05	-89.523	0.0
31	5322	5323	SN	1	48.839	49.466	0.0	0.003	1.814	0.159	1052.224	1086.712	0.0	-92.05	-89.543	0.0
32	5322	5323	NS	1	48.713	49.317	0.0	0.003	1.809	0.169	1017.976	1082.56	26.98	-91.983	-89.051	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

33	5322	5323	NS	1	48.713	49.317	0.0	0.003	1.809	0.169	1017.976	1082.56	27.009	-91.983	-89.051	0.0
34	5323	5324	NS	2	48.664	49.317	0.0	0.003	5.636	0.184	1017.936	1082.536	27.168	-91.91	-89.062	0.0
35	5323	5324	SN	1	48.844	49.466	0.0	0.003	1.814	0.156	1051.104	1086.72	0.0	-92.125	-89.54	0.0
36	5323	5324	SN	1	48.844	49.466	0.0	0.003	1.814	0.156	1050.088	1086.72	0.0	-92.125	-89.523	0.0
37	5323	5324	SN	1	48.844	49.466	0.0	0.003	1.814	0.156	1050.088	1086.72	0.0	-92.125	-89.523	0.0
38	5323	5324	NS	2	48.664	49.317	0.0	0.003	5.636	0.184	1017.936	1082.536	27.187	-91.91	-89.062	0.0
39	5324	5325	NS	1	48.673	49.316	0.0	0.003	1.809	0.167	1017.04	1082.552	27.109	-92.047	-89.071	0.0
40	5324	5325	SN	2	48.858	49.466	0.0	0.003	1.814	0.159	1050.808	1086.768	0.0	-92.459	-89.532	0.0
41	5324	5325	SN	1	48.858	49.466	0.0	0.003	1.814	0.159	1050.808	1086.768	0.0	-92.459	-89.532	0.0
42	5324	5325	NS	1	48.673	49.316	0.0	0.003	1.809	0.167	1017.04	1082.552	27.085	-92.047	-89.071	0.0
43	5325	5326	SN	2	48.856	49.491	0.0	0.003	1.814	0.165	1050.784	1086.576	0.0	-92.077	-89.523	0.0
44	5325	5326	NS	1	48.663	49.317	0.0	0.003	1.803	0.168	1016.88	1082.752	27.69	-91.983	-89.07	0.0
45	5325	5326	NS	1	48.663	49.317	0.0	0.003	1.803	0.168	1016.88	1082.752	27.665	-91.983	-89.07	0.0
46	5325	5326	SN	1	48.878	49.488	0.0	0.003	1.814	0.178	1052.912	1087.016	0.0	-92.202	-89.565	0.0
47	5325	5326	SN	1	48.878	49.488	0.0	0.003	1.814	0.165	1050.784	1087.016	0.0	-92.202	-89.523	0.0
48	5326	5327	SN	1	48.877	49.469	0.0	0.003	1.814	0.157	1050.896	1087.152	0.0	-91.985	-89.489	0.0
49	5326	5327	NS	2	48.69	49.332	0.0	0.003	208.395	0.186	1017.616	1082.848	27.673	-91.991	-89.036	0.0
50	5326	5327	SN	1	48.877	49.469	0.0	0.003	1.814	0.157	1050.896	1087.152	0.0	-91.985	-89.489	0.0
51	5326	5327	NS	3	48.697	49.339	0.0	0.003	5.631	0.185	1017.528	1082.824	27.744	-91.964	-89.038	0.0
52	5327	5328	NS	2	48.69	49.343	0.0	0.003	1.809	0.174	1017.912	1082.848	27.483	-92.01	-89.039	0.0
53	5327	5328	NS	1	48.664	49.329	0.0	0.003	1.803	0.175	1017.696	1082.84	27.41	-92.068	-89.037	0.0
54	5327	5328	SN	1	48.877	49.469	0.0	0.003	1.809	0.155	1050.904	1087.128	0.0	-92.649	-89.541	0.0
55	5328	5329	NS	1	48.682	49.32	0.0	0.003	5.636	0.187	1017.264	1082.832	27.991	-91.96	-89.058	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5304	5305	SN	1	-34.533	24.749	1.331	-34.787	25.88	3.398	-25.329	35.779	6.99	-31.153	30.342	12.403	0.103	239.934	3.804	0.103	254.32	2.928	0.102	28.887	0.036	0.103	110.226	0.031
2	5304	5305	NS	2	-34.931	26.582	0.447	-34.174	28.332	0.181	4.733	29.925	11.269	6.043	36.333	28.414	0.103	262.87	4.867	0.103	220.927	3.608	0.103	0.126	0.0	0.102	0.12	0.0
3	5305	5306	SN	1	-34.954	24.007	0.293	-34.734	24.768	1.142	-10.131	28.332	7.315	-7.874	30.421	4.858	0.103	264.321	5.069	0.103	251.328	3.521	0.103	0.953	0.0	0.103	0.601	0.0
4	5305	5306	NS	1	-34.878	25.877	0.086	-34.243	26.729	0.523	-5.086	32.302	7.374	-1.687	31.049	25.41	0.103	259.701	2.008	0.103	224.415	1.677	0.102	0.358	0.0	0.103	0.214	0.0
5	5308	5309	SN	1	-34.993	23.069	0.017	-34.441	25.141	0.715	5.919	28.1	12.655	8.127	29.115	16.565	0.103	266.716	3.354	0.103	234.844	2.771	0.103	0.12	0.0	0.103	0.113	0.0
6	5308	5309	SN	1	-34.993	23.069	0.002	-34.441	25.141	0.399	5.919	28.1	12.96	8.127	29.115	16.994	0.103	266.716	3.354	0.103	234.844	2.833	0.103	0.12	0.0	0.103	0.113	0.0
7	5308	5309	NS	1	-34.403	23.133	0.101	-33.438	23.917	0.295	-17.994	26.961	3.83	-22.264	29.375	16.451	0.103	232.839	2.303	0.103	186.447	2.079	0.103	5.403	0.01	0.103	14.301	0.003
8	5309	5310	NS	1	-34.967	23.103	0.077	-33.471	24.488	0.492	-10.971	28.216	5.028	-6.445	33.703	15.403	0.103	265.039	1.622	0.103	187.848	1.295	0.103	1.138	0.005	0.102	0.457	0.0
9	5309	5310	SN	1	-34.765	22.384	0.002	-34.979	25.042	0.214	5.894	27.228	12.907	9.078	29.628	11.708	0.103	253.044	5.639	0.103	265.817	4.727	0.103	0.12	0.0	0.103	0.111	0.0
10	5309	5310	SN	1	-34.765	23.252	0.039	-34.979	25.042	0.74	5.894	27.228	12.112	9.078	29.628	11.59	0.103	253.044	5.516	0.103	265.817	4.56	0.103	0.12	0.0	0.103	0.111	0.0
11	5310	5311	NS	1	-34.98	23.888	0.322	-34.555	25.336	0.837	8.113	27.952	11.626	7.421	30.012	24.557	0.103	265.946	3.21	0.103	241.083	2.456	0.103	0.113	0.0	0.103	0.115	0.0
12	5310	5311	SN	1	-34.929	22.435	0.002	-34.912	22.842	0.012	-2.09	29.375	8.58	-2.995	33.878	10.731	0.103	262.784	7.217	0.103	261.836	6.036	0.103	0.226	0.0	0.102	0.256	0.0
13	5318	5319	SN	2	-34.646	24.465	1.331	-33.969	25.909	3.926	1.233	27.286	6.464	1.244	29.961	9.985	0.103	246.195	2.273	0.103	210.702	2.414	0.103	0.157	0.0	0.103	0.157	0.0
14	5318	5319	SN	1	-34.646	24.465	1.331	-33.969	25.909	3.925	1.233	27.286	6.464	1.244	29.961	9.985	0.103	246.195	2.273	0.103	210.702	2.414	0.103	0.157	0.0	0.103	0.157	0.0
15	5319	5320	SN	1	-34.605	24.656	0.777	-34.236	25.541	2.162	-9.534	31.712	8.012	-12.216	30.595	6.825	0.103	243.845	3.106	0.103	224.097	2.221	0.102	0.841	0.0	0.103	1.488	0.002
16	5319	5320	NS	2	-34.369	25.656	0.162	-34.1	28.352	0.417	4.876	31.095	8.2	6.614	35.555	30.76	0.103	231.04	2.438	0.103	217.157	1.875	0.103	0.125	0.0	0.102	0.117	0.0
17	5319	5320	SN	1	-34.605	24.656	0.776	-34.236	25.541	2.158	-9.534	31.712	8.012	-12.216	30.595	6.825	0.103	243.845	3.107	0.103	224.097	2.236	0.102	0.841	0.0	0.103	1.488	0.002
18	5319	5320	SN	1	-34.605	24.656	0.785	-34.236	25.541	2.094	-9.534	31.712	8.012	-12.216	30.595	6.825	0.103	243.845	3.173	0.103	224.097	2.259	0.102	0.841	0.0	0.103	1.488	0.002
19	5320	5321	SN	1	-34.997	23.151	0.055	-34.515	24.878	0.703	2.797	29.068	9.363	2.245	29.8	6.438	0.103	266.981	5.728	0.103	238.858	4.406	0.103	0.14	0.0	0.103	0.145	0.0
20	5320	5321	SN	2	-34.997	23.151	0.055	-34.515	24.878	0.703	2.797	29.068	9.363	2.245	29.8	6.438	0.103	266.981	5.728	0.103	238.858	4.406	0.103	0.14	0.0	0.103	0.145	0.0
21	5320	5321	SN	1	-34.997	23.151	0.055	-34.515	24.878	0.487	2.797	29.068	9.363	2.245	29.8	6.438	0.103	266.981	5.821	0.103	238.858	4.372	0.103	0.14	0.0	0.103	0.145	0.0
22	5320	5321	NS	1	-34.826	23.382	0.046	-34.038	25.128	0.435	-8.917	29.178	7.257	-10.069	29.757	21.179	0.103	256.62	0.863	0.103	214.106	0.769	0.103	0.741	0.0	0.103	0.94	0.0
23	5320	5321	NS	1	-33.713	23.385	0.046	-33.591	25.127	0.435	-8.914	29.178	7.26	-10.061	29.757	21.181	0.103	198.671	0.862	0.103	193.137	0.77	0.103	0.74	0.0	0.103	0.939	0.0
24	5321	5322	SN	1	-34.311	22.237	0.003	-34.719	25.274	0.625	6.608	27.121	9.306	6.81	28.655	5.565	0.103	227.936	2.658	0.103	250.353	2.354	0.103	0.117	0.0	0.103	0.117	0.0
25	5321	5322	SN	2	-34.311	22.237	0.003	-34.719	25.274	0.625	6.608	27.121	9.306	6.81	28.655	5.565	0.103	227.936	2.658	0.103	250.353	2.354	0.103	0.117	0.0	0.103	0.117	0.0
26	5321	5322	NS	1	-34.823	23.422	0.163	-34.922	24.344	0.563	-19.365	28.092	7.913	-1.821	29.503	18.415	0.103	462.923	2.646	0.103	290.899	2.712	0.103	19.618	0.008	0.103	0.374	0.0
27	5321	5322	NS	1	-34.156	23.422	0.163	-34.764	24.344	0.561	-17.683	28.103	7.911	-1.824	29.503	18.416	0.103	531.829	2.637	0.103	410.413	2.707	0.103	13.393	0.008	0.103	0.374	0.0
28	5321	5322	SN	1	-34.311	22.15	0.001	-34.719	25.274	0.459	6.608	27.121	9.322	6.81	28.655	5.526	0.103	227.936	2.633	0.103	250.353	2.379	0.103	0.117	0.0	0.103	0.117	0.0
29	5322	5323	SN	2	-34.663	22.181	0.002	-34.693	25.903	0.71	6.611	28.767	14.352	7.975	28.499	18.334	0.103	247.216	3.301	0.103	248.905	2.409	0.103	0.117	0.0	0.103	0.113	0.0
30	5322	5323	SN	1	-34.974	22.181	0.002	-34.402	25.903	0.71	6.623	28.77	14.323	7.997	28.494	18.336	0.103	265.583	3.309	0.103	232.788	2.409	0.103	0.117	0.0	0.103	0.113	0.0
31	5322	5323	SN	1	-34.974	21.514	0.0	-34.402	25.787	0.412	6.623	28.77	14.417	7.997	28.494	18.973	0.103	265.583	3.278	0.103	232.788	2.395	0.103	0.117	0.0	0.103	0.113	0.0
32	5322	5323	NS	1	-33.102	23.066	0.166	-32.946	24.514	0.433	-27.748	27.486	3.417	-25.227	29.534	12.556	0.103	172.602	1.759	0.103	166.496	1.197	0.103	50.365	0.037	0.103	28.215	0.007
33	5322	5323	NS	1	-33.102	23.066	0.167	-32.946	24.514	0.434	-27.748	27.486	3.417	-25.227	29.534	12.556	0.103	172.602	1.764	0.103	166.496	1.201	0.103	50.365	0.037	0.103	28.215	0.007

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

34	5323	5324	NS	2	-34.88	23.038	0.095	-34.433	23.536	0.196	-15.553	26.72	4.367	-11.48	29.27	13.967	0.103	259.796	2.688	0.103	234.396	1.914	0.103	3.114	0.002	0.103	1.269	0.002
35	5323	5324	SN	1	-34.812	23.109	0.019	-34.284	25.26	0.682	6.085	27.472	13.358	8.229	29.379	15.719	0.103	255.78	1.767	0.103	226.585	1.561	0.103	0.119	0.0	0.103	0.113	0.0
36	5323	5324	SN	1	-34.812	23.109	0.019	-34.284	25.26	0.713	6.085	27.472	13.356	8.229	29.379	15.719	0.103	255.78	1.771	0.103	226.585	1.56	0.103	0.119	0.0	0.103	0.113	0.0
37	5323	5324	SN	1	-34.812	23.109	0.019	-34.284	25.26	0.722	6.085	27.472	13.331	8.229	29.379	15.698	0.103	255.78	1.78	0.103	226.585	1.559	0.103	0.119	0.0	0.103	0.113	0.0
38	5323	5324	NS	2	-34.88	23.038	0.095	-34.433	23.536	0.196	-15.553	26.72	4.367	-11.48	29.27	13.982	0.103	259.796	2.691	0.103	234.396	1.909	0.103	3.114	0.002	0.103	1.269	0.002
39	5324	5325	NS	1	-34.813	24.002	0.359	-34.589	25.326	1.143	-6.57	29.463	8.914	-10.946	31.423	17.512	0.103	255.88	3.083	0.103	242.987	2.081	0.103	0.468	0.0	0.103	1.132	0.006
40	5324	5325	SN	2	-34.832	23.335	0.031	-34.765	24.731	1.019	3.083	27.549	8.259	4.729	29.203	9.325	0.103	256.958	3.693	0.103	253.115	2.759	0.103	0.137	0.0	0.103	0.126	0.0
41	5324	5325	SN	1	-34.832	23.335	0.031	-34.765	24.731	1.019	3.083	27.549	8.259	4.729	29.203	9.325	0.103	256.958	3.693	0.103	253.115	2.759	0.103	0.137	0.0	0.103	0.126	0.0
42	5324	5325	NS	1	-34.813	24.002	0.359	-34.589	25.326	1.142	-6.57	29.463	8.911	-10.946	31.423	17.488	0.103	255.88	3.08	0.103	242.987	2.079	0.103	0.468	0.0	0.103	1.132	0.006
43	5325	5326	SN	2	-34.529	22.798	0.037	-34.795	25.238	2.16	-1.949	31.623	9.851	-1.206	32.571	13.581	0.103	239.676	6.076	0.103	254.81	4.537	0.102	0.222	0.0	0.102	0.202	0.0
44	5325	5326	NS	1	-34.934	24.257	0.528	-34.212	25.164	0.702	7.412	31.049	8.193	7.384	30.388	17.364	0.103	263.121	3.509	0.103	222.826	3.165	0.103	0.115	0.0	0.103	0.115	0.0
45	5325	5326	NS	1	-34.934	24.257	0.527	-34.212	25.164	0.702	7.412	31.049	8.226	7.384	30.388	17.367	0.103	263.121	3.506	0.103	222.826	3.163	0.103	0.115	0.0	0.103	0.115	0.0
46	5325	5326	SN	1	-34.753	20.908	0.0	-34.283	22.634	0.005	-1.929	31.788	10.418	-1.183	32.56	13.571	0.103	252.394	6.039	0.103	226.47	4.946	0.102	0.231	0.0	0.102	0.201	0.0
47	5325	5326	SN	1	-34.753	22.798	0.037	-34.283	25.238	2.16	-1.929	31.788	9.81	-1.183	32.56	13.56	0.103	252.394	6.086	0.103	226.47	4.531	0.102	0.231	0.0	0.102	0.201	0.0
48	5326	5327	SN	1	-33.565	23.632	0.161	-34.397	25.563	2.277	-9.515	28.094	13.527	-2.534	30.371	18.679	0.103	191.965	1.526	0.103	232.486	1.0	0.103	0.838	0.0	0.103	0.24	0.0
49	5326	5327	NS	2	-34.094	24.185	0.781	-34.671	24.659	0.551	-1.564	28.143	13.504	0.175	30.413	40.87	0.103	216.867	5.426	0.103	247.648	4.174	0.103	0.211	0.0	0.103	0.173	0.0
50	5326	5327	SN	1	-33.565	23.632	0.161	-34.397	25.563	2.281	-9.515	28.094	13.527	-2.534	30.371	18.679	0.103	191.965	1.529	0.103	232.486	1.002	0.103	0.838	0.0	0.103	0.24	0.0
51	5326	5327	NS	3	-34.897	24.133	0.776	-34.874	24.649	0.552	-1.438	28.191	13.529	0.26	30.421	40.944	0.103	260.878	5.418	0.103	259.453	4.179	0.103	0.208	0.0	0.103	0.172	0.0
52	5327	5328	NS	2	-34.923	24.366	0.897	-34.841	24.67	0.704	-19.277	27.899	11.748	-5.14	30.068	27.745	0.103	262.404	3.641	0.103	257.566	2.973	0.103	7.23	0.014	0.103	0.362	0.0
53	5327	5328	NS	1	-34.951	24.342	0.915	-34.399	24.67	0.712	-21.973	27.907	11.711	-5.06	30.071	27.758	0.103	264.093	3.633	0.103	232.585	2.99	0.103	13.383	0.008	0.103	0.357	0.0
54	5327	5328	SN	1	-33.768	27.71	0.221	-34.476	27.565	2.286	-2.527	30.193	13.542	-1.514	30.12	14.867	0.103	201.14	1.639	0.103	236.798	1.011	0.103	0.24	0.0	0.103	0.21	0.0
55	5328	5329	NS	1	-34.507	24.492	1.451	-34.688	25.306	1.177	2.342	29.817	14.482	3.956	34.331	23.733	0.103	238.492	3.185	0.103	248.626	3.231	0.103	0.144	0.0	0.102	0.131	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5304	5305	SN	1	57.704	58.379	0.0	0.008	1.98	0.201	1234.528	1277.496	0.0	-93.404	-92.007	0.0
2	5304	5305	NS	2	57.438	58.184	0.0	0.003	1.969	0.184	1192.48	1271.136	35.955	-93.559	-91.438	0.0
3	5305	5306	SN	1	57.718	58.382	0.0	0.003	1.985	0.19	1234.968	1277.696	0.0	-93.699	-92.022	0.0
4	5305	5306	NS	1	57.487	58.186	0.0	0.003	1.969	0.173	1192.576	1271.496	38.83	-93.574	-91.445	0.0
5	5308	5309	SN	1	57.696	58.386	0.0	0.003	1.98	0.183	1234.44	1277.704	0.0	-93.475	-92.028	0.0
6	5308	5309	SN	1	57.696	58.386	0.0	0.003	1.98	0.188	1235.648	1277.704	0.0	-93.475	-92.04	0.0
7	5308	5309	NS	1	57.459	58.19	0.0	0.003	46.662	0.211	1193.472	1271.664	38.756	-93.471	-91.446	0.0
8	5309	5310	NS	1	57.487	58.212	0.0	0.003	50.346	0.248	1193.048	1271.584	40.258	-93.518	-91.448	0.0
9	5309	5310	SN	1	57.708	58.395	0.0	0.008	1.98	0.194	1235.72	1277.648	0.0	-93.552	-92.058	0.0
10	5309	5310	SN	1	57.708	58.395	0.0	0.008	1.98	0.186	1234.344	1277.648	0.0	-93.552	-92.018	0.0
11	5310	5311	NS	1	57.458	58.19	0.0	0.003	50.639	0.213	1192.768	1271.712	41.126	-93.742	-91.462	0.0
12	5310	5311	SN	1	57.718	58.38	0.0	0.003	1.98	0.207	1235.792	1277.824	0.0	-93.498	-92.064	0.0
13	5318	5319	SN	2	57.711	58.386	0.0	0.003	1.98	0.2	1233.64	1278.8	0.0	-93.46	-92.004	0.0
14	5318	5319	SN	1	57.711	58.386	0.0	0.003	1.98	0.2	1233.64	1278.8	0.0	-93.46	-92.004	0.0
15	5319	5320	SN	1	57.712	58.386	0.0	0.003	1.98	0.193	1233.528	1278.736	0.0	-93.453	-92.002	0.0
16	5319	5320	NS	2	57.464	58.194	0.0	0.003	51.361	0.21	1192.112	1272.656	37.386	-93.615	-91.435	0.0
17	5319	5320	SN	1	57.712	58.386	0.0	0.003	1.98	0.193	1233.536	1278.736	0.0	-93.453	-92.002	0.0
18	5319	5320	SN	1	57.712	58.386	0.0	0.003	1.98	0.195	1234.096	1278.736	0.0	-93.453	-92.014	0.0
19	5320	5321	SN	1	57.685	58.406	0.0	0.003	1.98	0.184	1233.328	1278.92	0.0	-93.812	-92.003	0.0
20	5320	5321	SN	2	57.685	58.406	0.0	0.003	1.98	0.184	1233.328	1278.92	0.0	-93.812	-92.003	0.0
21	5320	5321	SN	1	57.685	58.406	0.0	0.003	1.98	0.186	1234.064	1278.92	0.0	-93.812	-92.004	0.0
22	5320	5321	NS	1	57.468	58.195	0.0	0.003	1.969	0.17	1192.384	1272.952	39.46	-93.564	-91.427	0.0
23	5320	5321	NS	1	57.47	58.197	0.0	0.003	1.969	0.17	1193.08	1272.96	39.509	-93.563	-91.427	0.0
24	5321	5322	SN	1	57.693	58.383	0.0	0.008	1.98	0.182	1233.08	1278.68	0.0	-93.511	-92.013	0.0
25	5321	5322	SN	2	57.693	58.383	0.0	0.008	1.98	0.182	1233.08	1278.68	0.0	-93.511	-92.013	0.0
26	5321	5322	NS	1	54.316	60.681	3.806	0.003	310.147	0.214	1120.544	1275.28	20.544	-107.346	-91.208	1.105
27	5321	5322	NS	1	54.316	60.681	3.796	0.003	1.969	0.214	1120.536	1275.288	20.51	-107.345	-91.208	1.102
28	5321	5322	SN	1	57.693	58.383	0.0	0.008	1.98	0.185	1234.608	1278.68	0.0	-93.511	-92.029	0.0
29	5322	5323	SN	2	57.684	58.381	0.0	0.003	1.98	0.184	1233.312	1278.696	0.0	-93.514	-92.005	0.0
30	5322	5323	SN	1	57.694	58.386	0.0	0.003	1.985	0.184	1233.312	1278.928	0.0	-93.502	-92.005	0.0
31	5322	5323	SN	1	57.694	58.386	0.0	0.003	1.985	0.189	1234.792	1278.928	0.0	-93.502	-92.025	0.0
32	5322	5323	NS	1	57.485	58.199	0.0	0.003	1.969	0.177	1193.272	1273.088	38.406	-93.501	-91.435	0.0
33	5322	5323	NS	1	57.485	58.199	0.0	0.003	1.969	0.177	1193.272	1273.088	38.447	-93.501	-91.435	0.0
34	5323	5324	NS	2	57.455	58.199	0.0	0.003	48.306	0.207	1193.072	1273.056	39.547	-93.494	-91.451	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	5323	5324	SN	1	57.696	58.386	0.0	0.003	1.98	0.185	1233.552	1278.96	0.0	-93.523	-92.028	0.0
36	5323	5324	SN	1	57.696	58.386	0.0	0.003	1.98	0.184	1233.136	1278.96	0.0	-93.523	-92.005	0.0
37	5323	5324	SN	1	57.696	58.386	0.0	0.003	1.98	0.184	1233.136	1278.96	0.0	-93.523	-92.005	0.0
38	5323	5324	NS	2	57.455	58.199	0.0	0.003	48.306	0.207	1193.072	1273.056	39.577	-93.494	-91.451	0.0
39	5324	5325	NS	1	57.46	58.198	0.0	0.003	1.974	0.178	1192.336	1273.08	40.612	-93.503	-91.461	0.0
40	5324	5325	SN	2	57.684	58.386	0.0	0.003	1.98	0.192	1232.736	1279.056	0.0	-94.06	-92.02	0.0
41	5324	5325	SN	1	57.684	58.386	0.0	0.003	1.98	0.192	1232.736	1279.056	0.0	-94.06	-92.02	0.0
42	5324	5325	NS	1	57.46	58.198	0.0	0.003	1.974	0.177	1192.336	1273.08	40.574	-93.503	-91.461	0.0
43	5325	5326	SN	2	57.689	58.378	0.0	0.003	1.98	0.194	1233.088	1278.68	0.0	-93.757	-92.005	0.0
44	5325	5326	NS	1	57.454	58.199	0.0	0.003	1.974	0.178	1192.12	1273.32	40.564	-93.492	-91.461	0.0
45	5325	5326	NS	1	57.454	58.199	0.0	0.003	1.974	0.177	1192.12	1273.32	40.523	-93.492	-91.461	0.0
46	5325	5326	SN	1	57.713	58.418	0.0	0.003	1.98	0.209	1235.48	1279.36	0.0	-93.657	-92.047	0.0
47	5325	5326	SN	1	57.713	58.418	0.0	0.003	1.98	0.194	1233.088	1279.36	0.0	-93.657	-92.005	0.0
48	5326	5327	SN	1	57.706	58.39	0.0	0.003	1.98	0.186	1232.744	1279.528	0.0	-93.395	-91.961	0.0
49	5326	5327	NS	2	57.451	58.201	0.0	0.003	52.415	0.213	1192.84	1273.448	41.007	-93.974	-91.424	0.0
50	5326	5327	SN	1	57.706	58.39	0.0	0.003	1.98	0.186	1232.744	1279.528	0.0	-93.395	-91.961	0.0
51	5326	5327	NS	3	57.476	58.223	0.0	0.003	52.133	0.213	1193.384	1273.44	41.074	-93.62	-91.428	0.0
52	5327	5328	NS	2	57.483	58.228	0.0	0.003	1.969	0.184	1192.848	1273.48	40.925	-93.597	-91.453	0.0
53	5327	5328	NS	1	57.462	58.2	0.0	0.003	1.969	0.185	1192.184	1273.424	40.831	-93.552	-91.448	0.0
54	5327	5328	SN	1	57.712	58.391	0.0	0.003	1.98	0.185	1233.224	1279.496	0.0	-93.998	-92.032	0.0
55	5328	5329	NS	1	57.455	58.203	0.0	0.003	51.036	0.214	1192.504	1273.416	41.573	-93.505	-91.449	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																											
					SNR												Kp															
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore						
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)				
1	5304	5305	SN	1	-34.857	18.626	0.0	-34.377	19.189	0.0	-19.17	22.8	0.018	-24.21	23.985	0.194	0.083	211.075	2.579	0.083	188.969	1.977	0.083	5.76	0.013	0.083	18.246	0.027				
2	5304	5305	NS	2	-34.953	20.606	0.0	-34.352	22.212	0.001	1.157	22.933	0.049	2.683	24.415	0.51	0.083	215.737	3.869	0.083	187.881	3.376	0.083	0.128	0.0	0.083	0.114	0.0				
3	5305	5306	SN	1	-34.957	18.6	0.0	-34.858	19.019	0.0	-7.233	22.286	0.004	-7.662	23.713	0.226	0.083	215.973	4.503	0.083	218.364	3.811	0.083	0.432	0.0	0.083	0.469	0.0				
4	5305	5306	NS	1	-34.829	20.438	0.0	-34.538	21.81	0.0	-5.9	22.724	0.023	-4.981	24.129	0.263	0.083	209.727	1.908	0.083	196.102	1.707	0.083	0.336	0.0	0.083	0.286	0.0				
5	5308	5309	SN	1	-34.806	16.971	0.0	-34.922	18.946	0.0	1.252	22.059	0.01	3.26	23.626	0.792	0.084	208.606	2.836	0.083	214.24	2.592	0.083	0.127	0.0	0.083	0.11	0.0				
6	5308	5309	SN	1	-34.806	16.971	0.0	-34.922	18.946	0.0	1.252	22.059	0.011	3.26	23.626	0.835	0.084	208.606	2.84	0.083	214.24	2.63	0.083	0.127	0.0	0.083	0.11	0.0				
7	5308	5309	NS	1	-34.359	17.989	0.0	-34.396	18.326	0.0	-29.343	22.645	0.027	-16.458	23.29	0.113	0.083	188.185	1.623	0.083	189.8	1.527	0.083	59.344	0.012	0.083	3.115	0.008				
8	5309	5310	NS	1	-34.131	17.82	0.0	-34.83	18.719	0.0	-30.677	22.884	0.044	-29.165	23.581	0.382	0.083	178.6	1.58	0.083	209.772	1.49	0.083	80.652	0.18	0.083	56.958	0.077				
9	5309	5310	SN	1	-34.861	16.801	0.0	-34.606	18.468	0.0	1.009	22.167	0.008	2.947	22.534	0.021	0.084	211.262	4.11	0.083	199.231	3.595	0.083	0.129	0.0	0.083	0.112	0.0				
10	5309	5310	SN	1	-34.861	17.695	0.0	-34.606	18.468	0.0	1.009	22.167	0.007	2.947	22.534	0.02	0.083	211.262	4.046	0.083	199.231	3.474	0.083	0.129	0.0	0.083	0.112	0.0				
11	5310	5311	NS	1	-34.762	18.178	0.0	-34.834	19.779	0.0	3.486	22.942	0.161	2.279	24.129	1.271	0.083	206.505	3.081	0.083	209.887	2.795	0.083	0.108	0.0	0.083	0.117	0.0				
12	5310	5311	SN	1	-34.851	15.845	0.0	-34.617	17.964	0.0	-3.053	24.076	0.451	-0.368	24.019	1.135	0.084	210.746	6.041	0.083	199.713	5.371	0.083	0.21	0.0	0.083	0.148	0.0				
13	5318	5319	SN	2	-33.961	18.199	0.0	-34.782	19.496	0.0	-21.053	22.235	0.009	-23.774	22.661	0.016	0.083	171.717	2.421	0.083	207.44	2.138	0.083	8.85	0.021	0.083	16.506	0.012				
14	5318	5319	SN	1	-33.961	18.199	0.0	-34.782	19.496	0.0	-21.053	22.235	0.009	-23.774	22.661	0.016	0.083	171.717	2.421	0.083	207.44	2.138	0.083	8.85	0.021	0.083	16.506	0.012				
15	5319	5320	SN	1	-34.512	18.886	0.0	-34.688	19.454	0.0	-25.601	22.599	0.014	-30.268	24.039	0.19	0.083	194.905	3.255	0.083	203.026	2.755	0.083	25.102	0.035	0.083	73.41	0.06				
16	5319	5320	NS	2	-34.411	20.507	0.0	-34.23	21.562	0.0	-0.56	22.914	0.016	-2.097	25.337	0.291	0.083	190.448	1.746	0.083	182.686	1.463	0.083	0.151	0.0	0.083	0.183	0.0				
17	5319	5320	SN	1	-34.512	18.886	0.0	-34.688	19.454	0.0	-25.601	22.599	0.014	-30.268	24.039	0.19	0.083	194.905	3.263	0.083	203.026	2.761	0.083	25.102	0.035	0.083	73.41	0.06				
18	5319	5320	SN	1	-34.512	18.886	0.0	-34.688	19.454	0.0	-25.601	22.599	0.014	-30.268	24.039	0.19	0.083	194.905	3.332	0.083	203.026	2.757	0.083	25.102	0.035	0.083	73.41	0.06				
19	5320	5321	SN	1	-34.28	18.345	0.0	-34.956	18.614	0.0	1.003	22.998	0.087	-2.189	23.451	0.558	0.083	184.772	4.026	0.083	215.878	3.796	0.083	0.13	0.0	0.083	0.185	0.0				
20	5320	5321	SN	2	-34.28	18.345	0.0	-34.956	18.614	0.0	1.003	22.998	0.087	-2.189	23.451	0.558	0.083	184.772	4.026	0.083	215.878	3.796	0.083	0.13	0.0	0.083	0.185	0.0				
21	5320	5321	SN	1	-34.28	18.345	0.0	-34.956	18.614	0.0	1.003	22.998	0.087	-2.189	23.451	0.558	0.083	184.772	4.06	0.083	215.878	3.809	0.083	0.13	0.0	0.083	0.185	0.0				
22	5320	5321	NS	1	-34.055	18.142	0.0	-33.294	18.444	0.0	-10.331	23.018	0.025	-25.785	23.66	0.257	0.083	175.471	1.027	0.083	147.275	0.864	0.083	0.809	0.0	0.083	26.191	0.033				
23	5320	5321	NS	1	-34.799	18.14	0.0	-33.39	18.444	0.0	-10.317	23.017	0.025	-25.703	23.66	0.257	0.083	208.284	1.029	0.083	150.585	0.867	0.083	0.807	0.0	0.083	25.703	0.033				
24	5321	5322	SN	1	-34.897	17.099	0.0	-34.075	18.761	0.0	1.407	22.211	0.012	2.039	22.873	0.151	0.084	212.99	2.017	0.083	176.335	1.859	0.083	0.125	0.0	0.083	0.119	0.0				
25	5321	5322	SN	2	-34.897	17.099	0.0	-34.075	18.761	0.0	1.407	22.211	0.012	2.039	22.873	0.151	0.084	212.99	2.017	0.083	176.335	1.859	0.083	0.125	0.0	0.083	0.119	0.0				
26	5321	5322	NS	1	-34.82	17.245	0.0	-34.54	18.402	0.0	-20.21	22.03	0.003	-12.077	23.587	0.252	0.084	209.211	2.103	0.083	289.891	2.196	0.083	23.778	0.152	0.083	2.876	0.013				
27	5321	5322	NS	1	-34.202	17.243	0.0	-33.911	18.4	0.0	-20.756	22.03	0.003	-12.055	23.586	0.252	0.084	287.841	2.1	0.083	388.399	2.181	0.083	19.191	0.155	0.083	2.862	0.013				
28	5321	5322	SN	1	-34.897	16.791	0.0	-34.075	18.748	0.0	1.407	22.211	0.012	2.039	22.873	0.154	0.084	212.99	2.002	0.083	176.335	1.853	0.083	0.125	0.0	0.083	0.119	0.0				
29	5322	5323	SN	2	-34.074	17.608	0.0	-34.849	18.779	0.0	1.212	22.446	0.066	2.853	23.355	1.212	0.083	176.273	2.457	0.083	210.677	2.108	0.083	0.127	0.0	0.083	0.112	0.0				
30	5322	5323	SN	1	-34.232	17.635	0.0	-34.461	18.779	0.0	1.204	22.458	0.06	2.851	23.365	1.221	0.083	182.739	2.454	0.083	192.628	2.101	0.083	0.127	0.0	0.083	0.112	0.0				
31	5322	5323	SN	1	-34.232	17.635	0.0	-34.461	18.779	0.0	1.204	22.458	0.06	2.851	23.365	1.307	0.083	182.739	2.424	0.083	192.628	2.097	0.083	0.127	0.0	0.083	0.112	0.0				
32	5322	5323	NS	1	-34.501	17.91	0.0	-33.811	17.989	0.0	-31.579	22.825	0.063	-19.306	23.467	0.178	0.083	194.443	1.302	0.083	165.871	1.013	0.083	99.234	0.025	0.083	5.941	0.005				

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

33	5322	5323	NS	1	-34.501	17.91	0.0	-33.811	17.989	0.0	-31.579	22.825	0.063	-19.306	23.467	0.178	0.083	194.443	1.3	0.083	165.871	1.016	0.083	99.234	0.025	0.083	5.941	0.005
34	5323	5324	NS	2	-34.408	18.038	0.0	-34.844	18.3	0.0	-11.406	22.217	0.006	-18.929	23.532	0.203	0.083	190.361	2.332	0.083	210.472	1.737	0.083	1.018	0.002	0.083	5.452	0.01
35	5323	5324	SN	1	-34.393	16.937	0.0	-34.886	18.807	0.0	0.73	22.119	0.004	3.091	23.241	0.218	0.084	189.634	2.136	0.083	212.447	2.031	0.083	0.133	0.0	0.083	0.111	0.0
36	5323	5324	SN	1	-34.393	16.94	0.0	-34.886	18.807	0.0	0.73	22.119	0.004	3.091	23.241	0.218	0.084	189.634	2.132	0.083	212.447	2.037	0.083	0.133	0.0	0.083	0.111	0.0
37	5323	5324	SN	1	-34.393	16.94	0.0	-34.886	18.807	0.0	0.73	22.119	0.004	3.091	23.241	0.218	0.084	189.634	2.133	0.083	212.447	2.036	0.083	0.133	0.0	0.083	0.111	0.0
38	5323	5324	NS	2	-34.408	18.038	0.0	-34.844	18.3	0.0	-11.406	22.217	0.006	-18.929	23.532	0.203	0.083	190.361	2.33	0.083	210.472	1.734	0.083	1.018	0.002	0.083	5.452	0.01
39	5324	5325	NS	1	-34.799	18.301	0.0	-34.957	18.526	0.0	-18.024	22.72	0.121	-25.282	24.013	0.802	0.083	208.273	2.572	0.083	216.008	2.13	0.083	4.439	0.043	0.083	23.332	0.129
40	5324	5325	SN	2	-34.674	17.483	0.0	-34.666	18.942	0.0	0.355	23.34	0.224	2.567	23.556	0.703	0.083	202.379	2.755	0.083	202.025	2.309	0.083	0.138	0.0	0.083	0.115	0.0
41	5324	5325	SN	1	-34.674	17.483	0.0	-34.666	18.942	0.0	0.355	23.34	0.224	2.567	23.556	0.703	0.083	202.379	2.755	0.083	202.025	2.309	0.083	0.138	0.0	0.083	0.115	0.0
42	5324	5325	NS	1	-34.799	18.301	0.0	-34.957	18.526	0.0	-18.024	22.72	0.121	-25.282	24.013	0.801	0.083	208.273	2.569	0.083	216.008	2.129	0.083	4.439	0.043	0.083	23.332	0.129
43	5325	5326	SN	2	-34.905	17.619	0.0	-34.95	18.781	0.0	-9.757	23.897	0.484	-13.265	24.769	1.531	0.083	213.399	4.645	0.083	215.575	3.843	0.083	0.718	0.0	0.083	1.527	0.002
44	5325	5326	NS	1	-34.979	18.512	0.0	-34.84	18.504	0.0	2.199	22.63	0.102	2.847	23.838	0.983	0.083	217.073	2.8	0.083	210.209	2.753	0.083	0.118	0.0	0.083	0.112	0.0
45	5325	5326	NS	1	-34.979	18.512	0.0	-34.84	18.504	0.0	2.199	22.63	0.101	2.847	23.838	0.982	0.083	217.073	2.798	0.083	210.209	2.755	0.083	0.118	0.0	0.083	0.112	0.0
46	5325	5326	SN	1	-34.504	17.605	0.0	-34.894	18.108	0.0	-9.269	23.909	0.525	-13.247	24.78	1.523	0.083	194.557	4.756	0.083	212.846	4.417	0.083	0.665	0.0	0.083	1.521	0.002
47	5325	5326	SN	1	-34.504	17.605	0.0	-34.894	18.781	0.0	-9.269	23.909	0.49	-13.247	24.78	1.52	0.083	194.557	4.655	0.083	212.846	3.831	0.083	0.665	0.0	0.083	1.521	0.002
48	5326	5327	SN	1	-34.464	16.954	0.0	-33.896	18.883	0.0	-30.1	23.088	0.134	-14.992	24.048	0.871	0.084	192.797	1.59	0.083	169.153	1.587	0.083	70.613	0.058	0.083	2.241	0.003
49	5326	5327	NS	2	-34.888	18.736	0.0	-34.933	18.622	0.0	1.804	22.922	0.061	-0.472	24.454	2.182	0.083	212.579	3.957	0.083	214.727	3.489	0.083	0.121	0.0	0.083	0.15	0.0
50	5326	5327	SN	1	-34.464	16.954	0.0	-33.896	18.883	0.0	-30.1	23.088	0.134	-14.992	24.048	0.871	0.084	192.797	1.593	0.083	169.153	1.589	0.083	70.613	0.058	0.083	2.241	0.003
51	5326	5327	NS	3	-34.527	18.725	0.0	-34.759	18.62	0.0	1.734	22.944	0.064	-0.402	24.457	2.185	0.083	195.622	3.979	0.083	206.384	3.477	0.083	0.122	0.0	0.083	0.149	0.0
52	5327	5328	NS	2	-34.826	18.434	0.0	-34.608	19.189	0.0	-10.16	22.908	0.2	-5.365	24.72	3.221	0.083	209.527	2.808	0.083	199.314	2.813	0.083	0.781	0.0	0.083	0.305	0.0
53	5327	5328	NS	1	-34.639	18.441	0.0	-34.803	19.191	0.0	-10.038	22.897	0.206	-5.332	24.726	3.221	0.083	200.744	2.799	0.083	208.45	2.805	0.083	0.761	0.0	0.083	0.304	0.0
54	5327	5328	SN	1	-34.586	20.77	0.0	-34.346	21.657	0.0	-3.801	23.094	0.146	-2.425	23.866	0.332	0.083	198.317	1.931	0.083	187.658	1.411	0.083	0.235	0.0	0.083	0.191	0.0
55	5328	5329	NS	1	-34.145	18.773	0.0	-34.185	19.386	0.0	-0.031	22.775	0.03	0.095	24.686	2.252	0.083	179.156	3.358	0.083	180.826	3.213	0.083	0.143	0.0	0.083	0.141	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors