

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-OCT-2018 To 02-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-OCT-2018 To 02-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10654	10655	SN	1	48.782	49.526	0.0	0.0	171.213	2.689	1036.6	1098.376	7.116	-91.754	-89.908	0.0
2	10654	10655	SN	1	48.783	49.528	0.0	0.0	171.208	2.064	1038.008	1098.408	7.409	-91.592	-89.931	0.0
3	10654	10655	NS	1	48.577	49.353	0.0	0.003	42.264	2.744	1018.04	1096.128	18.913	-91.414	-89.707	0.0
4	10654	10655	SN	1	48.783	49.528	0.0	0.0	171.208	2.691	1036.6	1098.408	7.131	-91.592	-89.908	0.0
5	10655	10656	SN	1	48.783	49.526	0.0	0.003	6.728	2.583	1036.528	1098.344	6.721	-91.859	-89.905	0.0
6	10655	10656	NS	1	48.624	49.354	0.0	0.0	264.764	2.685	1018.256	1096.16	17.412	-91.514	-89.714	0.0
7	10655	10656	SN	1	48.783	49.526	0.0	0.003	6.728	2.581	1036.536	1098.344	6.714	-91.859	-89.905	0.0
8	10655	10656	SN	1	48.783	49.526	0.0	0.003	6.728	2.453	1037.136	1098.344	6.801	-91.859	-89.913	0.0
9	10656	10657	NS	1	48.624	49.353	0.0	0.003	266.954	2.582	1017.96	1096.312	18.003	-91.552	-89.656	0.0
10	10656	10657	SN	1	48.731	49.526	0.0	0.003	6.734	2.394	1036.76	1098.504	6.682	-91.595	-89.91	0.0
11	10656	10657	SN	1	48.731	49.526	0.0	0.003	6.734	2.511	1036.44	1098.504	6.618	-91.595	-89.906	0.0
12	10656	10657	SN	1	48.731	49.526	0.0	0.003	6.734	2.383	1036.76	1098.504	6.689	-91.595	-89.913	0.0
13	10656	10657	NS	2	48.624	49.354	0.0	0.003	266.954	2.583	1017.944	1096.32	18.03	-91.552	-89.656	0.0
14	10657	10658	NS	1	48.625	49.354	0.0	0.003	210.673	2.574	1018.16	1096.304	17.609	-91.516	-89.707	0.0
15	10657	10658	SN	1	48.692	49.526	0.0	0.003	6.745	2.539	1033.76	1098.432	6.45	-91.766	-89.902	0.0
16	10657	10658	SN	1	48.733	49.526	0.0	0.003	6.745	2.329	1036.584	1098.432	6.543	-91.766	-89.915	0.0
17	10658	10659	NS	1	48.626	49.353	0.0	0.0	264.626	2.767	1018.632	1096.232	16.667	-91.478	-89.71	0.0
18	10658	10659	NS	1	48.626	49.352	0.0	0.0	264.626	2.766	1018.64	1096.224	16.737	-91.409	-89.71	0.0
19	10658	10659	SN	1	48.776	49.588	0.0	0.003	278.838	2.534	1036.392	1098.328	6.366	-91.933	-89.906	0.0
20	10659	10660	NS	1	48.58	49.353	0.0	0.0	264.825	2.804	1017.96	1096.184	17.185	-91.556	-89.712	0.0
21	10659	10660	SN	1	48.762	49.564	0.0	0.003	277.669	2.546	1036.128	1098.28	6.124	-91.858	-89.905	0.0
22	10659	10660	SN	1	48.762	49.564	0.0	0.003	6.734	1.987	1037.288	1098.28	6.349	-91.858	-89.924	0.0
23	10660	10661	NS	1	48.566	49.38	0.0	0.0	267.351	2.741	1018.6	1096.168	17.303	-91.738	-89.722	0.0
24	10660	10661	SN	1	48.776	49.529	0.0	0.003	215.499	2.597	1036.28	1098.272	6.415	-91.801	-89.907	0.0
25	10660	10661	SN	1	48.776	49.529	0.0	0.003	215.499	2.248	1037.304	1098.272	6.564	-91.801	-89.92	0.0
26	10660	10661	SN	1	48.776	49.529	0.0	0.003	215.499	2.594	1036.28	1098.272	6.408	-91.801	-89.907	0.0
27	10660	10661	NS	2	48.567	49.378	0.0	0.0	267.351	2.74	1018.592	1096.184	17.295	-91.738	-89.722	0.0
28	10661	10662	SN	1	48.778	49.55	0.0	0.003	6.728	2.642	1036.288	1098.464	7.074	-91.837	-89.905	0.0
29	10661	10662	SN	1	48.778	49.55	0.0	0.003	6.728	1.756	1037.392	1098.464	7.487	-92.064	-89.935	0.0
30	10661	10662	SN	1	48.778	49.55	0.0	0.003	6.728	2.645	1036.288	1098.464	7.081	-92.064	-89.905	0.0
31	10661	10662	NS	1	48.575	49.412	0.0	0.003	14.334	2.617	1017.464	1096.376	18.535	-91.67	-89.725	0.0
32	10662	10663	NS	1	48.59	49.354	0.0	0.003	267.124	2.689	1017.528	1096.392	18.001	-91.473	-89.725	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10662	10663	SN	1	48.78	49.526	0.0	0.003	6.734	2.566	1036.472	1098.552	7.177	-91.685	-89.884	0.0
34	10662	10663	NS	2	48.59	49.354	0.0	0.003	40.588	2.688	1017.528	1096.392	17.989	-91.473	-89.725	0.0
35	10663	10664	NS	1	48.626	49.354	0.0	0.003	206.834	2.66	1018.52	1096.36	17.36	-91.727	-89.699	0.0
36	10663	10664	NS	1	48.627	49.354	0.0	0.003	206.834	2.657	1018.528	1096.368	17.35	-91.732	-89.699	0.0
37	10663	10664	SN	1	48.781	49.526	0.0	0.003	30.07	2.555	1036.392	1098.512	7.188	-91.775	-89.886	0.0
38	10664	10665	NS	1	48.582	49.416	0.0	0.003	16.617	2.7	1017.72	1096.344	17.689	-91.849	-89.709	0.0
39	10664	10665	NS	1	48.582	49.416	0.0	0.003	16.617	2.697	1017.72	1096.344	17.67	-91.851	-89.709	0.0
40	10664	10665	SN	1	48.779	49.526	0.0	0.003	6.75	2.627	1036.264	1098.456	7.351	-91.654	-89.888	0.0
41	10664	10665	SN	2	48.779	49.526	0.0	0.003	6.75	2.627	1036.256	1098.464	7.353	-91.654	-89.888	0.0
42	10665	10666	SN	2	48.778	49.526	0.0	0.003	6.745	2.606	1036.12	1098.584	7.449	-91.662	-89.897	0.0
43	10665	10666	NS	1	48.573	49.354	0.0	0.003	210.618	2.627	1017.736	1096.464	18.126	-91.415	-89.725	0.0
44	10665	10666	NS	1	48.573	49.355	0.0	0.003	210.618	2.629	1017.736	1096.472	18.149	-91.415	-89.725	0.0
45	10665	10666	SN	1	48.778	49.526	0.0	0.003	6.745	2.606	1036.12	1098.584	7.449	-91.662	-89.897	0.0
46	10666	10667	NS	2	48.558	49.355	0.0	0.0	210.585	2.763	1018.48	1096.528	18.766	-91.738	-89.725	0.0
47	10666	10667	NS	1	48.558	49.355	0.0	0.0	210.585	2.763	1018.48	1096.528	18.766	-91.738	-89.725	0.0
48	10666	10667	SN	1	48.764	49.526	0.0	0.003	6.745	2.57	1035.96	1098.64	7.529	-91.558	-89.902	0.0
49	10666	10667	NS	1	48.558	49.35	0.0	0.0	210.585	2.723	1018.48	1096.216	18.647	-91.738	-89.725	0.0
50	10667	10668	SN	1	48.762	49.528	0.0	0.003	215.272	2.546	1035.816	1098.776	7.74	-91.517	-89.902	0.0
51	10667	10668	NS	1	48.56	49.356	0.0	0.003	264.935	2.652	1018.272	1096.68	19.09	-91.593	-89.722	0.0
52	10667	10668	NS	1	48.56	49.351	0.0	0.003	264.935	2.366	1018.272	1094.936	18.99	-91.593	-89.722	0.0
53	10667	10668	SN	1	48.736	49.528	0.0	0.003	215.272	2.548	1035.816	1098.776	7.748	-91.517	-89.902	0.0
54	10668	10669	SN	1	48.776	49.529	0.0	0.003	281.326	2.684	1035.992	1098.832	8.311	-91.632	-89.904	0.0
55	10668	10669	SN	2	48.766	49.529	0.0	0.003	281.326	2.682	1036.0	1098.832	8.302	-91.632	-89.905	0.0
56	10668	10669	NS	1	48.586	49.357	0.0	0.003	42.667	2.589	1017.752	1096.76	19.077	-91.702	-89.722	0.0
57	10668	10669	NS	2	48.586	49.362	0.0	0.003	13.892	2.585	1017.76	1096.848	19.204	-91.702	-89.722	0.0
58	10668	10669	SN	1	48.766	49.529	0.0	0.003	281.326	2.682	1035.992	1098.832	8.302	-91.632	-89.904	0.0
59	10668	10669	SN	1	48.777	49.529	0.0	0.003	281.326	1.717	1037.048	1098.832	8.702	-91.632	-89.934	0.0
60	10668	10669	NS	1	48.586	49.352	0.0	0.003	42.667	2.147	1017.752	1094.128	19.118	-91.702	-89.722	0.0
61	10669	10670	SN	1	48.776	49.561	0.0	0.003	6.75	2.492	1036.744	1098.664	8.22	-91.925	-89.912	0.0
62	10669	10670	SN	1	48.776	49.56	0.0	0.003	6.745	2.733	1036.008	1098.648	8.038	-91.925	-89.902	0.0
63	10669	10670	SN	2	48.776	49.561	0.0	0.003	6.75	2.734	1035.44	1098.664	8.046	-91.925	-89.902	0.0
64	10669	10670	NS	1	48.568	49.354	0.0	0.003	13.98	2.69	1018.576	1096.568	15.744	-91.678	-89.703	0.0
65	10670	10671	SN	1	48.774	49.526	0.0	0.003	215.344	2.55	1035.272	1098.84	7.681	-91.741	-89.899	0.0
66	10670	10671	SN	1	48.774	49.526	0.0	0.003	215.344	2.434	1035.288	1098.84	7.759	-91.741	-89.905	0.0
67	10670	10671	SN	2	48.774	49.526	0.0	0.003	215.344	2.434	1035.288	1098.84	7.759	-91.741	-89.905	0.0
68	10670	10671	NS	1	48.626	49.355	0.0	0.0	47.854	2.677	1018.768	1096.808	16.951	-91.681	-89.675	0.0
69	10670	10671	NS	1	48.626	49.356	0.0	0.0	47.854	2.663	1018.76	1096.808	16.962	-91.681	-89.675	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors





70	10671	10672	NS	1	48.626	49.357	0.0	0.0	267.378	2.64	1018.304	1096.928	16.946	-91.651	-89.676	0.0
71	10671	10672	NS	1	48.627	49.357	0.0	0.0	267.378	2.606	1018.896	1096.928	17.055	-91.651	-89.676	0.0
72	10671	10672	SN	2	48.728	49.526	0.0	0.003	6.761	2.521	1033.88	1098.88	7.593	-91.608	-89.899	0.0
73	10671	10672	SN	1	48.738	49.526	0.0	0.003	6.761	2.363	1035.984	1098.88	7.683	-91.608	-89.905	0.0
74	10671	10672	SN	1	48.728	49.526	0.0	0.003	6.761	2.521	1033.88	1098.88	7.593	-91.608	-89.899	0.0
75	10672	10673	NS	1	48.596	49.356	0.0	0.003	206.928	2.648	1018.648	1096.872	15.959	-91.529	-89.702	0.0
76	10672	10673	NS	1	48.614	49.356	0.0	0.003	206.928	2.651	1018.24	1096.872	15.912	-91.841	-89.702	0.0
77	10672	10673	SN	1	48.771	49.538	0.0	0.003	281.044	2.279	1036.32	1098.792	7.425	-91.88	-89.909	0.0
78	10672	10673	SN	2	48.771	49.538	0.0	0.003	281.044	2.548	1035.72	1098.792	7.291	-91.88	-89.899	0.0
79	10672	10673	SN	1	48.77	49.537	0.0	0.003	281.044	2.545	1035.72	1098.784	7.283	-91.88	-89.899	0.0
80	10673	10674	SN	1	48.726	49.524	0.0	0.003	280.427	2.509	1035.736	1098.744	7.44	-91.696	-89.9	0.0
81	10673	10674	NS	1	48.628	49.356	0.0	0.0	264.615	2.771	1019.08	1096.824	15.689	-91.472	-89.72	0.0
82	10673	10674	NS	2	48.627	49.356	0.0	0.0	264.615	2.772	1019.064	1096.848	15.715	-91.472	-89.72	0.0
83	10673	10674	SN	1	48.741	49.524	0.0	0.003	280.427	2.506	1035.736	1098.744	7.433	-91.696	-89.9	0.0
84	10673	10674	SN	1	48.726	49.524	0.0	0.003	280.427	2.076	1035.76	1098.744	7.661	-91.696	-89.917	0.0
85	10674	10675	NS	1	48.627	49.356	0.0	0.003	264.764	2.676	1019.088	1096.768	16.412	-91.89	-89.722	0.0
86	10674	10675	SN	1	48.743	49.524	0.0	0.003	6.739	2.549	1035.704	1098.648	7.361	-91.882	-89.9	0.0
87	10674	10675	SN	1	48.743	49.524	0.0	0.003	6.739	1.864	1035.8	1098.648	7.695	-91.882	-89.92	0.0
88	10674	10675	NS	2	48.627	49.356	0.0	0.003	264.764	2.676	1019.088	1096.768	16.41	-91.443	-89.722	0.0
89	10675	10676	SN	1	48.77	49.525	0.0	0.003	30.002	1.666	1036.32	1098.744	8.334	-91.671	-89.929	0.0
90	10675	10676	SN	1	48.77	49.525	0.0	0.003	30.002	2.653	1035.648	1098.744	7.829	-91.671	-89.901	0.0
91	10675	10676	NS	1	48.578	49.415	0.0	0.003	206.989	2.579	1018.168	1096.768	16.942	-91.833	-89.728	0.0
92	10675	10676	NS	1	48.58	49.416	0.0	0.003	264.924	2.589	1018.208	1096.728	16.867	-91.841	-89.728	0.0
93	10675	10676	SN	2	48.77	49.525	0.0	0.003	30.002	2.653	1035.648	1098.744	7.829	-91.671	-89.901	0.0
94	10676	10677	SN	1	48.771	49.526	0.0	0.003	279.93	1.568	1036.408	1098.912	8.533	-91.519	-89.907	0.0
95	10676	10677	SN	2	48.771	49.526	0.0	0.003	279.93	2.606	1035.744	1098.912	7.858	-91.519	-89.893	0.0
96	10676	10677	NS	1	48.628	49.401	0.0	0.003	210.618	2.623	1018.808	1096.904	17.614	-91.466	-89.729	0.0
97	10676	10677	SN	1	48.771	49.526	0.0	0.003	279.93	2.606	1035.744	1098.912	7.858	-91.519	-89.893	0.0
98	10677	10678	NS	1	48.626	49.357	0.0	0.0	45.526	2.802	1019.0	1096.984	16.076	-91.852	-89.726	0.0
99	10677	10678	SN	2	48.773	49.526	0.0	0.003	6.772	2.544	1035.896	1098.92	8.169	-91.83	-89.872	0.0
100	10677	10678	SN	1	48.773	49.526	0.0	0.003	6.772	2.544	1035.896	1098.92	8.169	-91.83	-89.872	0.0
101	10677	10678	NS	1	48.561	49.357	0.0	0.0	45.526	2.805	1019.032	1096.984	16.04	-91.727	-89.726	0.0
102	10678	10679	SN	1	48.764	49.526	0.0	0.003	154.618	2.608	1035.744	1098.824	8.125	-91.89	-89.886	0.0
103	10679	10680	SN	1	48.771	49.527	0.0	0.003	6.761	2.631	1035.528	1098.896	8.62	-91.686	-89.883	0.0
104	10679	10680	SN	1	48.751	49.527	0.0	0.003	6.761	2.629	1035.528	1098.896	8.611	-91.644	-89.883	0.0
105	10679	10680	NS	1	48.609	49.356	0.0	0.003	41.553	2.574	1018.488	1096.528	16.486	-91.663	-89.727	0.0
106	10679	10680	NS	1	48.609	49.357	0.0	0.003	41.553	2.652	1018.488	1096.976	16.807	-91.663	-89.727	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

107	10680	10681	NS	1	48.581	49.356	0.0	0.003	267.025	2.207	1018.0	1094.776	16.767	-91.586	-89.731	0.0
108	10680	10681	SN	1	48.744	49.526	0.0	0.003	6.75	2.561	1035.384	1098.984	8.576	-91.841	-89.894	0.0
109	10680	10681	SN	1	48.761	49.526	0.0	0.003	6.75	2.564	1035.384	1098.984	8.585	-91.73	-89.894	0.0
110	10681	10682	NS	1	48.574	49.357	0.0	0.0	264.621	2.766	1018.896	1097.088	18.4	-91.611	-89.729	0.0
111	10681	10682	NS	1	48.574	49.357	0.0	0.0	264.621	1.827	1018.896	1092.792	18.354	-91.611	-89.729	0.0
112	10681	10682	SN	1	48.742	49.526	0.0	0.003	215.416	2.573	1035.24	1099.048	8.783	-91.702	-89.896	0.0
113	10681	10682	SN	2	48.743	49.527	0.0	0.003	215.184	2.574	1035.224	1099.072	8.713	-91.702	-89.896	0.0
114	10681	10682	NS	2	48.574	49.357	0.0	0.0	264.621	2.766	1018.896	1097.112	18.386	-91.611	-89.729	0.0
115	10682	10683	NS	1	48.573	49.358	0.0	0.003	264.306	1.506	1018.504	1088.504	19.424	-91.344	-89.729	0.0
116	10682	10683	NS	1	48.574	49.36	0.0	0.003	12.359	2.591	1018.528	1097.208	18.652	-91.38	-89.729	0.0
117	10682	10683	SN	1	48.764	49.56	0.0	0.003	215.311	1.555	1035.856	1099.2	9.853	-91.86	-89.916	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

112	10681	10682	SN	1	-34.857	23.923	0.192	-33.891	26.34	3.208	-8.355	29.662	39.605	-5.499	30.728	48.339	0.116	296.575	2.736	0.116	237.435	2.395	0.116	0.756	0.0	0.116	0.439	0.0
113	10681	10682	SN	2	-34.694	23.923	0.192	-33.913	26.34	3.208	-8.355	29.662	39.601	-5.499	30.728	48.341	0.116	285.666	2.735	0.116	238.628	2.395	0.116	0.756	0.0	0.116	0.439	0.0
114	10681	10682	NS	2	-34.43	26.205	2.977	-34.498	26.793	2.316	8.947	29.239	27.304	8.69	29.766	38.614	0.116	268.84	4.455	0.116	273.058	3.491	0.116	0.126	0.0	0.116	0.126	0.0
115	10682	10683	NS	1	-34.937	25.19	3.333	-34.971	25.787	1.649	8.959	27.672	4.001	8.609	28.922	3.459	0.116	302.08	7.406	0.116	304.472	6.91	0.116	0.125	0.0	0.116	0.126	0.0
116	10682	10683	NS	1	-34.394	25.455	3.259	-34.99	25.786	1.646	7.84	28.942	19.57	8.418	29.618	30.299	0.116	266.627	7.285	0.116	305.821	6.911	0.116	0.128	0.0	0.116	0.127	0.0
117	10682	10683	SN	1	-33.594	22.899	0.003	-34.844	24.056	0.016	1.478	30.414	30.126	-16.37	30.447	33.797	0.116	221.749	2.426	0.116	295.7	2.255	0.116	0.174	0.0	0.116	4.291	0.019

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10654	10655	SN	1	57.526	58.432	0.0	0.0	299.823	3.854	1214.648	1291.888	18.728	-93.716	-91.961	0.0
2	10654	10655	SN	1	57.535	58.434	0.0	0.0	299.608	3.431	1215.696	1291.936	19.419	-93.211	-91.986	0.0
3	10654	10655	NS	1	57.354	58.238	0.0	0.0	291.126	3.92	1191.8	1288.44	48.078	-93.526	-91.768	0.0
4	10654	10655	SN	1	57.535	58.434	0.0	0.0	299.608	3.855	1214.768	1291.936	18.729	-93.716	-91.961	0.0
5	10655	10656	SN	1	57.534	58.442	0.0	0.0	296.365	3.686	1214.68	1291.872	18.365	-93.701	-91.959	0.0
6	10655	10656	NS	1	57.358	58.239	0.0	0.0	294.286	3.818	1191.896	1288.48	48.14	-95.56	-91.764	0.0
7	10655	10656	SN	1	57.534	58.442	0.0	0.0	296.365	3.682	1214.688	1291.872	18.349	-93.701	-91.96	0.0
8	10655	10656	SN	1	57.534	58.442	0.0	0.0	296.382	3.57	1215.408	1291.872	18.586	-93.252	-91.967	0.0
9	10656	10657	NS	1	57.36	58.239	0.0	0.0	295.356	3.541	1192.04	1288.656	49.659	-93.385	-91.706	0.0
10	10656	10657	SN	1	57.491	58.42	0.0	0.0	298.472	3.45	1214.128	1292.064	17.726	-93.618	-91.965	0.0
11	10656	10657	SN	1	57.491	58.42	0.0	0.0	298.472	3.564	1214.128	1292.064	17.558	-93.618	-91.96	0.0
12	10656	10657	SN	1	57.491	58.42	0.0	0.0	298.472	3.45	1214.128	1292.064	17.743	-93.618	-91.966	0.0
13	10656	10657	NS	2	57.36	58.239	0.0	0.0	295.372	3.542	1192.024	1288.672	49.676	-93.385	-91.706	0.0
14	10657	10658	NS	1	57.36	58.239	0.0	0.003	295.306	3.631	1191.664	1288.648	49.579	-93.384	-91.759	0.0
15	10657	10658	SN	1	57.519	58.419	0.0	0.0	298.317	3.562	1214.536	1291.96	17.702	-94.239	-91.96	0.0
16	10657	10658	SN	1	57.519	58.419	0.0	0.0	298.317	3.417	1214.568	1291.96	17.95	-94.239	-91.963	0.0
17	10658	10659	NS	1	57.354	58.241	0.0	0.0	295.731	3.843	1191.952	1288.56	48.827	-92.969	-91.762	0.0
18	10658	10659	NS	1	57.358	58.241	0.0	0.0	295.736	3.839	1191.96	1288.552	48.897	-92.969	-91.762	0.0
19	10658	10659	SN	1	57.528	58.434	0.0	0.0	299.917	3.607	1214.52	1291.832	17.679	-93.712	-91.959	0.0
20	10659	10660	NS	1	57.328	58.238	0.0	0.0	297.931	3.897	1192.032	1288.512	48.461	-93.382	-91.763	0.0
21	10659	10660	SN	1	57.527	58.433	0.0	0.0	299.294	3.57	1214.488	1291.768	17.879	-93.185	-91.959	0.0
22	10659	10660	SN	1	57.527	58.433	0.0	0.0	299.294	3.212	1214.8	1291.768	18.521	-93.185	-91.98	0.0
23	10660	10661	NS	1	57.336	58.238	0.0	0.0	288.015	3.834	1191.808	1288.488	47.749	-93.378	-91.771	0.0
24	10660	10661	SN	1	57.527	58.416	0.0	0.0	285.308	3.673	1214.384	1291.752	18.266	-93.114	-91.96	0.0
25	10660	10661	SN	1	57.527	58.416	0.0	0.0	273.461	3.463	1214.824	1291.752	18.679	-93.114	-91.974	0.0
26	10660	10661	SN	1	57.527	58.416	0.0	0.0	285.308	3.67	1214.384	1291.752	18.247	-93.114	-91.96	0.0
27	10660	10661	NS	2	57.334	58.239	0.0	0.0	291.109	3.836	1191.776	1288.512	47.719	-93.378	-91.771	0.0
28	10661	10662	SN	1	57.528	58.418	0.0	0.0	297.766	3.718	1214.392	1292.008	18.833	-93.225	-91.956	0.0
29	10661	10662	SN	1	57.528	58.418	0.0	0.0	295.797	3.047	1214.936	1292.008	19.929	-93.225	-91.993	0.0
30	10661	10662	SN	1	57.528	58.418	0.0	0.0	297.733	3.721	1214.4	1292.008	18.852	-93.225	-91.957	0.0
31	10661	10662	NS	1	57.326	58.242	0.0	0.0	293.552	3.639	1191.448	1288.76	50.445	-93.593	-91.776	0.0
32	10662	10663	NS	1	57.333	58.239	0.0	0.0	295.687	3.825	1191.544	1288.76	49.549	-93.382	-91.774	0.0
33	10662	10663	SN	1	57.509	58.42	0.0	0.0	292.212	3.64	1214.552	1292.112	17.609	-95.502	-91.928	0.0
34	10662	10663	NS	2	57.333	58.24	0.0	0.0	295.626	3.825	1191.536	1288.76	49.53	-93.382	-91.774	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10663	10664	NS	1	57.362	58.239	0.0	0.0	296.095	3.792	1192.568	1288.72	48.794	-93.384	-91.747	0.0
36	10663	10664	NS	1	57.362	58.239	0.0	0.0	296.139	3.79	1192.568	1288.72	48.751	-93.384	-91.747	0.0
37	10663	10664	SN	1	57.532	58.419	0.0	0.0	288.898	3.621	1214.64	1292.08	18.113	-93.122	-91.937	0.0
38	10664	10665	NS	1	57.356	58.239	0.0	0.0	298.56	3.721	1191.816	1288.704	50.159	-93.157	-91.758	0.0
39	10664	10665	NS	1	57.356	58.239	0.0	0.0	298.56	3.717	1191.816	1288.704	50.105	-93.152	-91.758	0.0
40	10664	10665	SN	1	57.526	58.418	0.0	0.0	297.887	3.746	1214.352	1292.024	18.816	-93.056	-91.946	0.0
41	10664	10665	SN	2	57.526	58.419	0.0	0.0	287.017	3.745	1214.344	1292.032	18.816	-93.056	-91.946	0.0
42	10665	10666	SN	2	57.528	58.42	0.0	0.0	286.366	3.727	1214.2	1292.152	18.885	-93.511	-91.955	0.0
43	10665	10666	NS	1	57.329	58.24	0.0	0.0	297.634	3.619	1191.864	1288.84	50.595	-93.496	-91.777	0.0
44	10665	10666	NS	1	57.329	58.241	0.0	0.0	297.617	3.622	1191.864	1288.856	50.648	-93.496	-91.777	0.0
45	10665	10666	SN	1	57.528	58.42	0.0	0.0	286.366	3.727	1214.2	1292.152	18.885	-93.511	-91.955	0.0
46	10666	10667	NS	2	57.326	58.241	0.0	0.0	296.652	3.878	1191.808	1288.928	51.359	-93.38	-91.776	0.0
47	10666	10667	NS	1	57.326	58.241	0.0	0.0	296.652	3.878	1191.808	1288.928	51.359	-93.38	-91.776	0.0
48	10666	10667	SN	1	57.526	58.42	0.0	0.0	286.449	3.655	1213.92	1292.216	18.799	-93.126	-91.956	0.0
49	10666	10667	NS	1	57.326	58.231	0.0	0.0	296.652	3.685	1191.808	1288.48	51.151	-93.38	-91.776	0.0
50	10667	10668	SN	1	57.514	58.421	0.0	0.0	285.716	3.579	1213.824	1292.36	18.47	-93.075	-91.955	0.0
51	10667	10668	NS	1	57.326	58.242	0.0	0.0	292.345	3.673	1191.304	1289.112	51.27	-94.766	-91.774	0.0
52	10667	10668	NS	1	57.326	58.232	0.0	0.003	290.028	2.978	1191.304	1286.752	49.893	-94.766	-91.774	0.0
53	10667	10668	SN	1	57.527	58.421	0.0	0.0	285.716	3.583	1213.824	1292.36	18.49	-93.075	-91.955	0.0
54	10668	10669	SN	1	57.527	58.422	0.0	0.0	294.87	3.729	1213.864	1292.448	19.613	-93.103	-91.958	0.0
55	10668	10669	SN	2	57.491	58.422	0.0	0.0	294.86	3.726	1213.656	1292.448	19.592	-93.103	-91.958	0.0
56	10668	10669	NS	1	57.337	58.243	0.0	0.0	295.742	3.731	1191.56	1289.216	50.118	-92.968	-91.774	0.0
57	10668	10669	NS	2	57.337	58.249	0.0	0.0	295.979	3.735	1191.576	1289.36	50.113	-92.979	-91.774	0.0
58	10668	10669	SN	1	57.491	58.422	0.0	0.0	294.87	3.725	1213.656	1292.448	19.592	-93.103	-91.958	0.0
59	10668	10669	SN	1	57.486	58.422	0.0	0.0	291.87	2.986	1213.48	1292.448	20.655	-93.048	-91.987	0.0
60	10668	10669	NS	1	57.337	58.232	0.0	0.003	292.698	2.931	1191.56	1285.864	48.046	-92.961	-91.774	0.0
61	10669	10670	SN	1	57.525	58.444	0.0	0.003	287.138	3.752	1214.392	1292.224	19.73	-93.269	-91.966	0.0
62	10669	10670	SN	1	57.525	58.444	0.0	0.0	289.995	3.896	1214.048	1292.208	19.344	-93.269	-91.956	0.0
63	10669	10670	SN	2	57.525	58.444	0.0	0.003	290.001	3.896	1213.304	1292.224	19.343	-93.269	-91.956	0.0
64	10669	10670	NS	1	57.322	58.24	0.0	0.0	296.817	3.769	1192.456	1288.968	47.302	-93.381	-91.746	0.0
65	10670	10671	SN	1	57.281	58.419	0.0	0.0	287.26	3.66	1206.072	1292.44	17.743	-94.508	-91.953	0.0
66	10670	10671	SN	1	57.523	58.419	0.0	0.003	287.221	3.535	1214.088	1292.44	17.914	-93.235	-91.959	0.0
67	10670	10671	SN	2	57.523	58.419	0.0	0.003	287.221	3.535	1214.088	1292.44	17.915	-93.235	-91.959	0.0
68	10670	10671	NS	1	57.362	58.242	0.0	0.0	297.634	3.712	1192.704	1289.256	49.463	-93.38	-91.724	0.0
69	10670	10671	NS	1	57.361	58.242	0.0	0.0	297.589	3.709	1192.696	1289.264	49.396	-93.38	-91.724	0.0
70	10671	10672	NS	1	57.362	58.243	0.0	0.0	299.001	3.61	1192.64	1289.408	49.807	-94.118	-91.724	0.0
71	10671	10672	NS	1	57.361	58.243	0.0	0.0	299.001	3.566	1192.848	1289.408	50.255	-94.118	-91.724	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	10671	10672	SN	2	57.337	58.451	0.0	0.0	286.267	3.599	1207.36	1292.48	17.836	-94.373	-91.956	0.0
73	10671	10672	SN	1	57.498	58.451	0.0	0.0	282.043	3.466	1213.336	1292.48	18.034	-93.17	-91.96	0.0
74	10671	10672	SN	1	57.337	58.451	0.0	0.0	286.267	3.599	1207.36	1292.48	17.836	-94.373	-91.956	0.0
75	10672	10673	NS	1	57.352	58.243	0.0	0.0	288.186	3.664	1192.376	1289.352	49.753	-93.135	-91.757	0.0
76	10672	10673	NS	1	57.347	58.243	0.0	0.0	288.186	3.668	1192.304	1289.352	49.703	-93.122	-91.757	0.0
77	10672	10673	SN	1	57.514	58.422	0.0	0.003	278.866	3.417	1213.624	1292.368	18.135	-93.195	-91.963	0.0
78	10672	10673	SN	2	57.514	58.422	0.0	0.003	286.73	3.58	1213.608	1292.368	17.831	-93.195	-91.953	0.0
79	10672	10673	SN	1	57.514	58.422	0.0	0.0	286.73	3.582	1213.6	1292.352	17.826	-93.186	-91.953	0.0
80	10673	10674	SN	1	57.515	58.418	0.0	0.0	287.1	3.546	1213.408	1292.288	17.614	-93.083	-91.953	0.0
81	10673	10674	NS	1	57.331	58.242	0.0	0.0	290.878	3.906	1192.616	1289.288	48.7	-93.836	-91.768	0.0
82	10673	10674	NS	2	57.33	58.243	0.0	0.0	290.878	3.905	1192.592	1289.32	48.69	-93.836	-91.768	0.0
83	10673	10674	SN	1	57.517	58.418	0.0	0.0	287.1	3.542	1213.568	1292.288	17.596	-93.083	-91.953	0.0
84	10673	10674	SN	1	57.517	58.418	0.0	0.0	276.588	3.282	1213.568	1292.288	18.111	-93.083	-91.972	0.0
85	10674	10675	NS	1	57.336	58.243	0.0	0.0	293.938	3.754	1193.072	1289.216	46.861	-94.155	-91.774	0.0
86	10674	10675	SN	1	57.487	58.417	0.0	0.0	296.591	3.581	1212.808	1292.192	17.656	-93.095	-91.955	0.0
87	10674	10675	SN	1	57.487	58.417	0.0	0.0	296.591	3.118	1212.808	1292.192	18.442	-93.095	-91.978	0.0
88	10674	10675	NS	2	57.336	58.243	0.0	0.0	293.938	3.749	1193.072	1289.216	46.858	-94.155	-91.774	0.0
89	10675	10676	SN	1	57.517	58.448	0.0	0.0	289.422	2.963	1213.608	1292.312	20.054	-93.175	-91.986	0.0
90	10675	10676	SN	1	57.517	58.448	0.0	0.0	291.788	3.754	1213.608	1292.312	18.778	-93.175	-91.955	0.0
91	10675	10676	NS	1	57.34	58.242	0.0	0.0	297.054	3.629	1192.304	1289.208	49.328	-93.377	-91.781	0.0
92	10675	10676	NS	1	57.335	58.264	0.0	0.0	296.988	3.644	1192.488	1289.152	49.369	-93.494	-91.781	0.0
93	10675	10676	SN	2	57.517	58.448	0.0	0.0	291.788	3.754	1213.608	1292.312	18.778	-93.175	-91.955	0.0
94	10676	10677	SN	1	57.519	58.42	0.0	0.0	285.032	2.544	1213.728	1292.528	20.013	-94.813	-91.96	0.0
95	10676	10677	SN	2	57.519	58.42	0.0	0.0	288.153	3.689	1211.808	1292.528	18.379	-94.813	-91.931	0.0
96	10676	10677	NS	1	57.34	58.242	0.0	0.0	297.038	3.688	1192.88	1289.376	50.674	-93.377	-91.781	0.0
97	10676	10677	SN	1	57.519	58.42	0.0	0.0	288.153	3.689	1211.808	1292.528	18.379	-94.813	-91.931	0.0
98	10677	10678	NS	1	57.331	58.256	0.0	0.0	299.012	4.019	1192.744	1289.48	47.683	-93.377	-91.779	0.0
99	10677	10678	SN	2	57.522	58.419	0.0	0.0	286.085	3.61	1213.592	1292.528	17.956	-93.803	-91.923	0.0
100	10677	10678	SN	1	57.522	58.419	0.0	0.0	286.085	3.61	1213.592	1292.528	17.956	-93.803	-91.923	0.0
101	10677	10678	NS	1	57.336	58.244	0.0	0.0	299.012	4.024	1192.744	1289.48	47.628	-93.377	-91.779	0.0
102	10678	10679	SN	1	57.52	58.419	0.0	0.0	286.388	3.695	1213.672	1292.408	18.344	-93.765	-91.935	0.0
103	10679	10680	SN	1	57.52	58.42	0.0	0.0	298.571	3.719	1213.432	1292.512	18.912	-93.085	-91.944	0.0
104	10679	10680	SN	1	57.489	58.42	0.0	0.0	298.571	3.715	1212.648	1292.512	18.892	-93.085	-91.944	0.0
105	10679	10680	NS	1	57.342	58.244	0.0	0.0	288.887	3.326	1192.424	1288.848	49.643	-93.825	-91.766	0.0
106	10679	10680	NS	1	57.342	58.244	0.0	0.0	288.887	3.687	1192.424	1289.472	50.037	-93.825	-91.766	0.0
107	10680	10681	NS	1	57.333	58.238	0.0	0.003	291.931	2.873	1192.168	1286.576	48.581	-93.517	-91.776	0.0
108	10680	10681	SN	1	57.516	58.42	0.0	0.0	299.442	3.622	1213.224	1292.624	18.434	-93.094	-91.951	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	10680	10681	SN	1	57.516	58.42	0.0	0.0	299.442	3.626	1213.224	1292.624	18.454	-93.094	-91.951	0.0
110	10681	10682	NS	1	57.35	58.241	0.0	0.0	296.894	3.843	1192.072	1289.584	51.406	-93.248	-91.781	0.0
111	10681	10682	NS	1	57.35	58.239	0.0	0.0	296.409	2.605	1192.072	1284.704	47.667	-93.248	-91.781	0.0
112	10681	10682	SN	1	57.487	58.419	0.0	0.0	294.545	3.635	1212.496	1292.688	18.784	-93.263	-91.951	0.0
113	10681	10682	SN	2	57.488	58.421	0.0	0.0	294.512	3.634	1212.52	1292.728	18.768	-93.263	-91.95	0.0
114	10681	10682	NS	2	57.35	58.243	0.0	0.0	296.762	3.842	1192.072	1289.624	51.406	-93.248	-91.781	0.0
115	10682	10683	NS	1	57.329	58.24	0.0	0.0	286.212	1.776	1192.728	1279.848	46.285	-92.905	-91.78	0.0
116	10682	10683	NS	1	57.34	58.243	0.0	0.0	297.281	3.674	1192.776	1289.728	51.137	-92.985	-91.78	0.0
117	10682	10683	SN	1	57.516	58.422	0.0	0.0	287.138	2.73	1213.128	1292.88	20.223	-93.142	-91.969	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10654	10655	SN	1	-34.01	20.999	0.0	-34.699	20.707	0.0	-28.659	22.211	0.009	-25.739	24.033	0.017	0.086	186.54	2.067	0.086	218.59	1.706	0.086	54.452	0.056	0.086	27.83	0.051
2	10654	10655	SN	1	-34.538	20.999	0.0	-34.936	20.707	0.0	-28.675	22.211	0.008	-25.452	24.033	0.017	0.086	210.64	2.059	0.086	230.823	1.83	0.086	54.647	0.056	0.086	26.059	0.054
3	10654	10655	NS	1	-33.109	20.201	0.0	-34.94	20.679	0.0	-0.971	23.697	0.258	1.332	23.945	0.56	0.086	151.568	1.855	0.086	231.074	1.638	0.086	0.166	0.0	0.086	0.131	0.0
4	10654	10655	SN	1	-34.538	20.999	0.0	-34.936	20.707	0.0	-28.675	22.211	0.009	-25.452	24.033	0.017	0.086	210.64	2.069	0.086	230.823	1.7	0.086	54.647	0.056	0.086	26.059	0.052
5	10655	10656	SN	1	-34.806	20.292	0.0	-33.973	21.053	0.0	-7.892	22.339	0.004	-15.784	23.153	0.029	0.086	224.019	1.191	0.086	184.965	0.95	0.086	0.523	0.0	0.086	2.87	0.002
6	10655	10656	NS	1	-34.465	19.989	0.0	-34.632	20.795	0.0	-2.094	22.24	0.005	0.661	23.306	0.096	0.086	207.159	2.493	0.086	215.246	2.776	0.086	0.192	0.0	0.086	0.14	0.0
7	10655	10656	SN	1	-34.793	20.292	0.0	-34.048	21.053	0.0	-7.896	22.339	0.004	-15.73	23.153	0.029	0.086	223.405	1.206	0.086	188.129	0.951	0.086	0.523	0.0	0.086	2.834	0.002
8	10655	10656	SN	1	-34.806	20.292	0.0	-33.973	21.053	0.0	-7.892	22.339	0.004	-15.787	23.153	0.029	0.086	224.019	1.207	0.086	184.965	0.968	0.086	0.523	0.0	0.086	2.872	0.002
9	10656	10657	NS	1	-34.221	19.476	0.0	-34.741	18.77	0.0	-6.649	22.452	0.005	-20.768	23.623	0.081	0.086	195.806	2.46	0.086	220.693	2.658	0.086	0.41	0.0	0.086	8.902	0.011
10	10656	10657	SN	1	-34.718	19.395	0.0	-34.744	19.876	0.0	-2.518	22.562	0.012	-3.85	22.902	0.02	0.086	219.496	3.724	0.086	220.846	3.618	0.086	0.204	0.0	0.086	0.25	0.0
11	10656	10657	SN	1	-34.718	19.395	0.0	-34.744	19.876	0.0	-2.518	22.562	0.012	-3.85	22.902	0.02	0.086	219.496	3.674	0.086	220.846	3.582	0.086	0.204	0.0	0.086	0.25	0.0
12	10656	10657	SN	1	-34.718	19.395	0.0	-34.744	19.876	0.0	-2.518	22.562	0.012	-3.85	22.902	0.02	0.086	219.496	3.729	0.086	220.846	3.62	0.086	0.204	0.0	0.086	0.25	0.0
13	10656	10657	NS	2	-34.174	19.476	0.0	-34.639	18.77	0.0	-6.649	22.452	0.005	-20.768	23.623	0.081	0.086	193.726	2.46	0.086	215.565	2.657	0.086	0.41	0.0	0.086	8.902	0.011
14	10657	10658	NS	1	-34.54	19.041	0.0	-34.736	18.01	0.0	-30.983	21.906	0.0	-27.416	23.307	0.049	0.086	210.683	1.525	0.086	220.425	1.48	0.086	92.929	0.105	0.086	40.905	0.121
15	10657	10658	SN	1	-34.555	19.059	0.0	-34.481	20.056	0.0	0.788	22.119	0.006	1.106	22.534	0.01	0.086	211.497	2.719	0.086	207.858	2.324	0.086	0.138	0.0	0.086	0.134	0.0
16	10657	10658	SN	1	-34.555	18.79	0.0	-34.481	20.059	0.0	0.788	22.119	0.006	1.106	22.534	0.01	0.086	211.497	2.767	0.086	207.858	2.352	0.086	0.138	0.0	0.086	0.134	0.0
17	10658	10659	NS	1	-31.077	18.4	0.0	-34.885	17.696	0.0	-5.915	22.583	0.028	-5.385	23.49	0.067	0.086	94.97	0.671	0.086	228.097	0.465	0.086	0.357	0.0	0.086	0.325	0.0
18	10658	10659	NS	1	-30.915	18.4	0.0	-34.885	17.696	0.0	-5.911	22.582	0.028	-5.385	23.49	0.067	0.086	91.494	0.669	0.086	228.097	0.464	0.086	0.357	0.0	0.086	0.325	0.0
19	10658	10659	SN	1	-34.917	19.219	0.0	-34.872	19.554	0.0	0.816	21.638	0.0	1.906	22.673	0.18	0.086	229.831	2.748	0.086	227.509	2.809	0.086	0.138	0.0	0.086	0.125	0.0
20	10659	10660	NS	1	-34.985	18.038	0.0	-31.783	18.069	0.0	-26.249	21.957	0.0	-17.188	25.328	0.058	0.086	233.485	1.248	0.086	111.723	1.183	0.086	31.286	0.01	0.086	3.941	0.014
21	10659	10660	SN	1	-34.999	18.004	0.0	-34.953	18.756	0.0	0.464	21.364	0.0	1.912	22.616	0.021	0.086	234.241	4.379	0.086	231.689	4.439	0.086	0.142	0.0	0.086	0.125	0.0
22	10659	10660	SN	1	-34.999	15.996	0.0	-34.953	18.758	0.0	0.464	21.364	0.0	1.912	22.616	0.021	0.087	234.241	4.456	0.086	231.689	4.607	0.086	0.142	0.0	0.086	0.125	0.0
23	10660	10661	NS	1	-33.939	20.555	0.0	-34.64	21.446	0.0	-31.144	22.3	0.031	-25.994	22.814	0.122	0.086	183.486	1.236	0.086	215.63	1.161	0.086	96.449	0.152	0.086	29.505	0.125
24	10660	10661	SN	1	-34.686	18.21	0.0	-34.523	18.464	0.0	1.117	22.964	0.137	5.022	23.779	0.328	0.086	217.922	3.563	0.086	209.865	3.623	0.086	0.134	0.0	0.086	0.104	0.0
25	10660	10661	SN	1	-34.686	15.885	0.0	-34.523	18.472	0.0	1.117	22.964	0.139	5.014	23.779	0.328	0.087	217.922	3.619	0.086	209.865	3.745	0.086	0.134	0.0	0.086	0.104	0.0
26	10660	10661	SN	1	-34.96	18.21	0.0	-34.914	18.464	0.0	1.117	22.964	0.137	5.022	23.779	0.328	0.086	232.11	3.573	0.086	229.636	3.624	0.086	0.134	0.0	0.086	0.104	0.0
27	10660	10661	NS	2	-33.904	20.555	0.0	-34.645	21.446	0.0	-31.144	22.3	0.031	-25.992	22.814	0.122	0.086	182.024	1.236	0.086	215.844	1.16	0.086	96.449	0.152	0.086	29.494	0.125
28	10661	10662	SN	1	-34.249	17.834	0.0	-34.609	18.622	0.0	-9.163	23.403	0.232	-10.645	23.906	0.786	0.086	197.095	3.908	0.086	214.082	3.577	0.086	0.677	0.0	0.086	0.925	0.0
29	10661	10662	SN	1	-34.69	16.914	0.0	-34.869	17.721	0.0	-9.164	23.403	0.239	-10.646	23.906	0.786	0.087	218.13	4.116	0.086	227.309	3.997	0.086	0.677	0.0	0.086	0.925	0.0
30	10661	10662	SN	1	-34.69	17.845	0.0	-34.869	18.622	0.0	-9.152	23.403	0.232	-10.646	23.906	0.786	0.086	218.13	3.872	0.086	227.309	3.587	0.086	0.675	0.0	0.086	0.925	0.0
31	10661	10662	NS	1	-34.963	20.896	0.0	-33.771	20.49	0.0	1.829	22.834	0.026	1.498	23.112	0.283	0.086	232.331	1.485	0.086	176.542	1.6	0.086	0.126	0.0	0.086	0.13	0.0
32	10662	10663	NS	1	-34.343	21.199	0.0	-34.875	22.902	0.006	0.056	22.628	0.12	-4.689	23.895	0.994	0.086	201.425	1.79	0.086	227.653	1.531	0.086	0.148	0.0	0.086	0.287	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

107	10680	10681	NS	1	-34.468	19.994	0.0	-34.936	19.769	0.0	1.965	22.172	0.022	3.475	23.464	1.127	0.086	207.322	1.663	0.086	230.851	1.5	0.086	0.125	0.0	0.086	0.113	0.0
108	10680	10681	SN	1	-34.252	17.828	0.0	-34.823	20.362	0.0	-24.432	22.46	0.025	-13.989	23.439	0.257	0.086	197.23	4.125	0.086	224.889	3.939	0.086	20.61	0.003	0.086	1.92	0.01
109	10680	10681	SN	1	-33.565	17.828	0.0	-34.502	20.362	0.0	-23.703	22.46	0.025	-13.988	23.439	0.257	0.086	168.339	4.129	0.086	208.891	3.91	0.086	17.44	0.003	0.086	1.92	0.01
110	10681	10682	NS	1	-34.954	21.814	0.0	-34.386	19.27	0.0	1.374	22.333	0.026	2.041	23.527	1.187	0.086	231.805	3.805	0.086	203.444	3.351	0.086	0.131	0.0	0.086	0.124	0.0
111	10681	10682	NS	1	-34.954	21.814	0.0	-34.386	19.27	0.0	1.773	22.333	0.043	1.985	23.521	1.62	0.086	231.805	3.824	0.086	203.444	3.353	0.086	0.127	0.0	0.086	0.124	0.0
112	10681	10682	SN	1	-34.976	18.68	0.0	-34.425	20.316	0.0	-23.684	22.551	0.053	-21.432	23.637	1.159	0.086	232.929	2.596	0.086	205.252	2.414	0.086	17.362	0.132	0.086	10.361	0.209
113	10681	10682	SN	2	-34.973	18.68	0.0	-34.391	20.316	0.0	-23.676	22.551	0.053	-21.433	23.637	1.159	0.086	232.816	2.595	0.086	203.661	2.414	0.086	17.329	0.132	0.086	10.366	0.209
114	10681	10682	NS	2	-34.954	21.814	0.0	-34.386	19.27	0.0	1.376	22.333	0.026	2.041	23.527	1.191	0.086	231.805	3.805	0.086	203.444	3.352	0.086	0.131	0.0	0.086	0.124	0.0
115	10682	10683	NS	1	-34.931	20.73	0.0	-34.816	18.719	0.0	3.786	21.946	0.0	3.351	21.284	0.0	0.086	230.573	6.506	0.086	224.574	6.246	0.086	0.111	0.0	0.086	0.113	0.0
116	10682	10683	NS	1	-34.765	20.73	0.0	-34.923	18.721	0.0	2.415	23.071	0.214	2.66	23.668	1.046	0.086	221.994	6.277	0.086	230.165	6.217	0.086	0.121	0.0	0.086	0.119	0.0
117	10682	10683	SN	1	-33.644	15.21	0.0	-34.629	15.872	0.0	-3.25	22.874	0.269	-23.223	23.49	1.171	0.087	171.423	2.586	0.087	215.093	2.399	0.086	0.228	0.0	0.086	15.619	0.015

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors