

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-OCT-2018 To 08-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-OCT-2018 To 08-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10741	10742	SN	1	48.728	49.581	0.0	0.003	6.822	2.06	1031.656	1100.208	11.642	-91.912	-89.893	0.0
2	10741	10742	SN	1	48.743	49.581	0.0	0.003	6.822	2.678	1032.128	1100.208	11.195	-91.912	-89.88	0.0
3	10741	10742	NS	1	48.625	49.382	0.0	0.003	264.637	2.695	1020.616	1099.0	15.433	-91.836	-89.731	0.0
4	10741	10742	SN	1	48.728	49.581	0.0	0.003	6.822	2.681	1031.656	1100.208	11.206	-91.912	-89.88	0.0
5	10741	10742	NS	2	48.593	49.379	0.0	0.003	210.463	2.695	1021.192	1099.04	15.473	-91.836	-89.73	0.0
6	10742	10743	NS	1	48.636	49.38	0.0	0.0	210.508	2.692	1021.424	1099.008	14.209	-91.643	-89.739	0.0
7	10742	10743	SN	1	48.742	49.555	0.0	0.003	6.816	2.459	1032.0	1100.152	10.542	-91.814	-89.882	0.0
8	10742	10743	SN	1	48.551	49.555	0.0	0.003	6.816	2.589	1028.976	1100.152	10.417	-92.393	-89.879	0.0
9	10742	10743	SN	1	48.551	49.538	0.0	0.003	6.816	2.6	1028.976	1100.152	10.512	-92.393	-89.879	0.0
10	10743	10744	SN	1	48.738	49.521	0.0	0.003	28.946	2.389	1031.744	1100.28	9.809	-92.086	-89.879	0.0
11	10743	10744	SN	2	48.738	49.522	0.0	0.003	28.946	2.388	1031.736	1100.288	9.818	-92.086	-89.879	0.0
12	10743	10744	NS	2	48.637	49.383	0.0	0.003	41.657	2.574	1021.568	1099.216	14.632	-91.72	-89.681	0.0
13	10743	10744	NS	1	48.637	49.383	0.0	0.003	41.657	2.574	1021.568	1099.216	14.632	-91.72	-89.681	0.0
14	10743	10744	SN	1	48.738	49.521	0.0	0.003	28.946	2.519	1031.744	1100.28	9.706	-92.086	-89.876	0.0
15	10744	10745	SN	1	48.729	49.535	0.0	0.003	6.816	2.547	1031.576	1100.216	9.765	-91.719	-89.872	0.0
16	10744	10745	SN	1	48.726	49.535	0.0	0.003	6.816	2.334	1031.576	1100.216	9.907	-91.733	-89.883	0.0
17	10744	10745	NS	1	48.61	49.383	0.0	0.003	206.95	2.586	1020.912	1099.168	14.198	-91.531	-89.724	0.0
18	10744	10745	NS	1	48.61	49.383	0.0	0.003	206.95	2.584	1020.912	1099.168	14.185	-91.526	-89.724	0.0
19	10744	10745	SN	2	48.729	49.535	0.0	0.003	6.816	2.547	1031.576	1100.216	9.765	-91.719	-89.872	0.0
20	10745	10746	NS	1	48.638	49.422	0.0	0.003	264.637	2.655	1021.848	1099.072	13.614	-91.733	-89.738	0.0
21	10745	10746	SN	2	48.699	49.535	0.0	0.003	6.8	2.528	1030.808	1100.096	9.865	-91.766	-89.877	0.0
22	10745	10746	SN	1	48.699	49.535	0.0	0.003	6.8	2.174	1030.808	1100.096	10.106	-91.766	-89.885	0.0
23	10745	10746	SN	1	48.699	49.535	0.0	0.003	6.8	2.527	1030.8	1100.088	9.872	-91.766	-89.877	0.0
24	10745	10746	NS	1	48.638	49.384	0.0	0.003	264.637	2.657	1021.848	1099.072	13.629	-91.72	-89.738	0.0
25	10746	10747	SN	1	48.698	49.519	0.0	0.003	215.454	1.978	1030.744	1100.032	9.925	-91.749	-89.886	0.0
26	10746	10747	NS	1	48.602	49.382	0.0	0.003	41.884	2.688	1021.408	1099.016	13.682	-91.617	-89.744	0.0
27	10746	10747	SN	1	48.698	49.519	0.0	0.003	215.454	2.541	1030.744	1100.032	9.574	-91.749	-89.877	0.0
28	10746	10747	SN	1	48.702	49.519	0.0	0.003	215.454	2.539	1030.76	1100.032	9.564	-91.749	-89.877	0.0
29	10746	10747	NS	2	48.602	49.382	0.0	0.003	41.884	2.687	1021.408	1099.016	13.679	-91.617	-89.744	0.0
30	10747	10748	SN	1	48.7	49.542	0.0	0.003	6.811	2.595	1030.696	1099.968	9.963	-91.79	-89.878	0.0
31	10747	10748	NS	2	48.587	49.399	0.0	0.0	206.95	2.728	1020.816	1098.976	13.133	-91.766	-89.756	0.0
32	10747	10748	SN	1	48.702	49.543	0.0	0.003	6.811	2.243	1030.768	1099.984	10.178	-91.802	-89.881	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10747	10748	SN	1	48.702	49.543	0.0	0.003	6.811	2.601	1030.768	1099.984	9.943	-91.802	-89.878	0.0
34	10747	10748	NS	1	48.587	49.399	0.0	0.0	206.95	2.728	1020.816	1098.976	13.136	-91.766	-89.756	0.0
35	10748	10749	SN	1	48.74	49.521	0.0	0.003	215.515	2.67	1031.632	1100.152	10.724	-91.79	-89.878	0.0
36	10748	10749	SN	1	48.74	49.521	0.0	0.003	215.515	1.601	1031.632	1100.152	11.55	-91.79	-89.882	0.0
37	10748	10749	NS	1	48.585	49.41	0.0	0.003	264.268	2.646	1020.76	1099.096	13.823	-91.839	-89.757	0.0
38	10749	10750	NS	1	48.574	49.383	0.0	0.0	31.182	2.772	1020.728	1099.176	14.158	-91.912	-89.758	0.0
39	10749	10750	SN	2	48.739	49.522	0.0	0.003	280.962	2.577	1031.744	1100.224	10.524	-91.744	-89.842	0.0
40	10749	10750	SN	1	48.739	49.521	0.0	0.003	215.449	2.579	1031.736	1100.216	10.535	-91.744	-89.842	0.0
41	10749	10750	NS	2	48.574	49.383	0.0	0.0	31.182	2.772	1020.728	1099.176	14.158	-91.912	-89.758	0.0
42	10750	10751	SN	1	48.743	49.522	0.0	0.003	214.252	2.556	1031.744	1100.152	10.582	-91.725	-89.86	0.0
43	10750	10751	NS	1	48.64	49.383	0.0	0.0	264.61	2.815	1021.944	1099.12	13.643	-91.682	-89.745	0.0
44	10750	10751	NS	1	48.64	49.383	0.0	0.0	264.61	2.818	1021.944	1099.12	13.658	-91.676	-89.745	0.0
45	10751	10752	SN	1	48.686	49.568	0.0	0.003	6.811	2.621	1030.672	1100.104	10.889	-91.801	-89.86	0.0
46	10751	10752	NS	1	48.64	49.382	0.0	0.0	59.948	2.659	1022.016	1099.08	13.535	-91.445	-89.734	0.0
47	10751	10752	SN	2	48.685	49.567	0.0	0.003	6.811	2.622	1030.664	1100.096	10.896	-91.801	-89.861	0.0
48	10751	10752	NS	1	48.64	49.382	0.0	0.0	59.948	2.657	1022.016	1099.08	13.525	-91.798	-89.734	0.0
49	10752	10753	NS	1	48.639	49.382	0.0	0.003	13.208	2.602	1021.912	1099.184	14.077	-91.756	-89.76	0.0
50	10752	10753	NS	1	48.639	49.382	0.0	0.003	13.208	2.603	1021.912	1099.184	14.087	-91.631	-89.76	0.0
51	10752	10753	SN	1	48.722	49.574	0.0	0.003	6.811	2.605	1030.848	1100.2	10.734	-91.803	-89.865	0.0
52	10752	10753	NS	1	48.639	49.382	0.0	0.003	13.208	2.388	1021.912	1098.16	12.354	-91.631	-89.76	0.0
53	10752	10753	SN	2	48.721	49.573	0.0	0.003	6.806	2.605	1030.832	1100.184	10.75	-91.803	-89.865	0.0
54	10753	10754	NS	1	48.586	49.384	0.0	0.003	42.336	2.655	1021.52	1099.224	14.574	-91.687	-89.758	0.0
55	10753	10754	SN	1	48.705	49.521	0.0	0.003	6.816	2.568	1030.728	1100.224	10.722	-91.757	-89.861	0.0
56	10753	10754	NS	1	48.606	49.382	0.0	0.003	264.764	2.644	1021.792	1099.224	14.607	-92.191	-89.758	0.0
57	10753	10754	NS	1	48.606	49.382	0.0	0.003	264.764	2.008	1021.792	1096.672	10.048	-92.191	-89.758	0.0
58	10753	10754	SN	1	48.74	49.521	0.0	0.003	6.816	2.566	1031.304	1100.224	10.711	-91.757	-89.861	0.0
59	10754	10755	NS	1	48.581	49.383	0.0	0.003	210.607	2.653	1020.832	1099.296	15.199	-91.746	-89.758	0.0
60	10754	10755	NS	1	48.581	49.383	0.0	0.003	210.607	1.538	1020.832	1094.368	9.223	-91.671	-89.758	0.0
61	10754	10755	NS	2	48.581	49.383	0.0	0.003	210.607	2.654	1020.832	1099.296	15.203	-91.746	-89.758	0.0
62	10754	10755	SN	1	48.703	49.522	0.0	0.003	28.907	2.562	1030.76	1100.328	10.687	-91.533	-89.87	0.0
63	10755	10756	NS	1	48.6	49.384	0.0	0.0	266.92	2.706	1020.728	1099.352	15.228	-91.757	-89.757	0.0
64	10755	10756	SN	1	48.685	49.523	0.0	0.003	6.822	1.741	1030.264	1100.368	11.764	-91.82	-89.893	0.0
65	10755	10756	NS	1	48.597	49.384	0.0	0.0	266.92	2.705	1020.736	1099.352	15.202	-91.755	-89.757	0.0
66	10755	10756	NS	1	48.6	49.384	0.0	0.0	266.92	1.69	1020.728	1089.384	9.747	-91.733	-89.757	0.0
67	10755	10756	SN	1	48.685	49.523	0.0	0.0	92.746	2.76	1030.264	1100.368	11.234	-91.978	-89.878	0.0
68	10756	10757	SN	1	48.739	49.525	0.0	0.003	6.822	2.499	1031.248	1100.192	11.318	-91.844	-89.882	0.0
69	10756	10757	NS	1	48.576	49.385	0.0	0.003	17.472	2.726	1021.608	1099.208	13.214	-91.735	-89.739	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors





70	10756	10757	SN	1	48.553	49.525	0.0	0.003	6.822	2.744	1028.792	1100.192	11.082	-92.402	-89.876	0.0
71	10756	10757	SN	2	48.553	49.525	0.0	0.003	6.822	2.744	1028.792	1100.192	11.082	-92.402	-89.876	0.0
72	10756	10757	NS	1	48.576	49.385	0.0	0.003	17.472	2.729	1021.432	1099.208	13.187	-91.683	-89.739	0.0
73	10757	10758	SN	1	48.738	49.52	0.0	0.003	282.048	2.427	1031.024	1100.368	10.196	-91.457	-89.854	0.0
74	10757	10758	SN	2	48.738	49.519	0.0	0.003	282.048	2.426	1031.008	1100.376	10.207	-91.457	-89.853	0.0
75	10757	10758	NS	1	48.639	49.386	0.0	0.0	267.621	2.67	1022.112	1099.432	13.934	-91.785	-89.699	0.0
76	10757	10758	SN	1	48.738	49.519	0.0	0.003	282.048	2.542	1031.008	1100.376	10.103	-92.074	-89.853	0.0
77	10757	10758	NS	1	48.639	49.386	0.0	0.0	267.621	2.668	1022.112	1099.432	13.952	-91.785	-89.699	0.0
78	10758	10759	NS	1	48.64	49.388	0.0	0.003	210.59	2.584	1022.264	1099.52	13.598	-91.692	-89.696	0.0
79	10758	10759	SN	1	48.678	49.533	0.0	0.003	6.822	2.364	1029.704	1100.416	9.842	-91.792	-89.869	0.0
80	10758	10759	SN	1	48.678	49.533	0.0	0.003	6.822	2.51	1029.704	1100.416	9.73	-91.792	-89.869	0.0
81	10759	10760	SN	1	48.69	49.519	0.0	0.003	6.828	2.546	1029.632	1100.304	9.655	-91.815	-89.873	0.0
82	10759	10760	SN	1	48.728	49.519	0.0	0.003	6.828	2.29	1030.272	1100.304	9.836	-91.815	-89.88	0.0
83	10759	10760	NS	1	48.6	49.388	0.0	0.0	267.158	2.77	1021.872	1099.44	12.638	-91.736	-89.729	0.0
84	10759	10760	SN	1	48.728	49.519	0.0	0.003	6.828	2.548	1030.272	1100.304	9.665	-91.815	-89.873	0.0
85	10759	10760	NS	2	48.6	49.388	0.0	0.0	264.77	2.77	1021.88	1099.432	12.638	-91.736	-89.729	0.0
86	10760	10761	NS	1	48.586	49.43	0.0	0.003	210.458	2.691	1021.584	1099.384	12.522	-91.698	-89.759	0.0
87	10760	10761	SN	1	48.704	49.534	0.0	0.003	6.828	2.514	1030.024	1100.24	9.822	-91.854	-89.88	0.0
88	10760	10761	SN	1	48.735	49.534	0.0	0.003	6.828	2.086	1030.616	1100.24	10.122	-91.719	-89.884	0.0
89	10760	10761	NS	2	48.587	49.431	0.0	0.003	210.458	2.688	1021.592	1099.376	12.495	-91.698	-89.759	0.0
90	10760	10761	SN	1	48.735	49.534	0.0	0.003	6.828	2.517	1030.616	1100.24	9.832	-91.719	-89.879	0.0
91	10761	10762	SN	1	48.688	49.517	0.0	0.003	6.822	2.58	1029.584	1100.128	9.869	-91.686	-89.875	0.0
92	10761	10762	SN	1	48.688	49.517	0.0	0.003	6.822	1.878	1029.584	1100.128	10.326	-91.686	-89.875	0.0
93	10761	10762	NS	1	48.585	49.388	0.0	0.003	42.375	2.615	1022.504	1099.216	12.791	-91.793	-89.748	0.0
94	10761	10762	NS	1	48.584	49.389	0.0	0.003	265.564	2.601	1022.488	1099.24	12.739	-91.793	-89.747	0.0
95	10762	10763	SN	1	48.722	49.538	0.0	0.003	6.816	2.659	1030.448	1100.192	10.377	-93.748	-89.873	0.0
96	10762	10763	NS	1	48.581	49.387	0.0	0.003	206.945	2.623	1022.416	1099.288	12.566	-91.664	-89.763	0.0
97	10762	10763	SN	1	48.722	49.538	0.0	0.003	6.816	1.657	1030.448	1100.192	11.056	-91.818	-89.873	0.0
98	10762	10763	NS	1	48.582	49.388	0.0	0.003	267.18	2.633	1022.448	1099.256	12.595	-91.55	-89.763	0.0
99	10763	10764	NS	1	48.616	49.389	0.0	0.003	264.659	2.612	1021.616	1099.408	12.87	-91.569	-89.765	0.0
100	10763	10764	SN	1	48.737	49.534	0.0	0.003	6.816	1.57	1030.768	1100.336	10.987	-91.819	-89.846	0.0
101	10763	10764	SN	1	48.676	49.534	0.0	0.003	6.816	2.6	1030.744	1100.336	10.121	-91.819	-89.846	0.0
102	10763	10764	NS	1	48.623	49.387	0.0	0.003	264.306	2.614	1021.712	1099.44	12.894	-91.686	-89.765	0.0
103	10764	10765	NS	1	48.597	49.388	0.0	0.0	210.59	2.8	1022.184	1099.456	12.727	-91.497	-89.768	0.0
104	10764	10765	SN	2	48.74	49.52	0.0	0.003	282.142	2.542	1030.84	1100.336	10.458	-91.954	-89.822	0.0
105	10764	10765	SN	1	48.74	49.52	0.0	0.003	282.142	2.542	1030.84	1100.336	10.458	-91.954	-89.822	0.0
106	10764	10765	NS	1	48.589	49.388	0.0	0.0	210.59	2.798	1022.416	1099.456	12.756	-91.694	-89.768	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	10765	10766	NS	1	48.642	49.386	0.0	0.003	210.452	2.647	1022.648	1099.336	12.814	-91.5	-89.738	0.0
108	10765	10766	SN	1	48.738	49.518	0.0	0.0	215.157	2.619	1030.72	1100.2	10.543	-91.724	-89.858	0.0
109	10765	10766	NS	1	48.642	49.386	0.0	0.003	210.452	2.66	1022.648	1099.336	12.806	-91.515	-89.738	0.0
110	10766	10767	SN	1	48.678	49.519	0.0	0.003	279.737	2.654	1029.408	1100.264	10.929	-91.741	-89.858	0.0
111	10766	10767	NS	1	48.586	49.386	0.0	0.003	207.094	2.681	1021.696	1099.4	12.697	-91.7	-89.753	0.0
112	10767	10768	SN	1	48.672	49.519	0.0	0.003	6.833	2.578	1029.536	1100.328	10.779	-91.627	-89.859	0.0
113	10767	10768	NS	1	48.617	49.386	0.0	0.003	267.29	2.59	1022.528	1099.472	13.27	-91.8	-89.766	0.0
114	10768	10769	NS	1	48.576	49.45	0.0	0.0	210.502	2.755	1021.576	1099.512	14.107	-91.778	-89.766	0.0
115	10768	10769	SN	1	48.688	49.519	0.0	0.003	281.149	2.589	1029.312	1100.416	10.605	-91.615	-89.856	0.0
116	10769	10770	NS	1	48.602	49.398	0.0	0.003	15.944	1.585	1021.44	1092.896	7.662	-91.622	-89.764	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																										
					SNR												Kp														
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore					
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)			
1	10741	10742	SN	1	-34.971	24.449	0.045	-34.92	27.115	4.55	-23.644	28.329	11.279	-12.75	29.95	14.846	0.116	304.456	3.824	0.116	300.97	3.031	0.116	22.513	0.012	0.116	1.916	0.003			
2	10741	10742	SN	1	-34.971	25.458	3.164	-34.92	27.107	7.698	-23.627	28.371	11.354	-12.99	29.95	14.848	0.116	304.456	3.63	0.116	300.97	2.799	0.116	22.425	0.012	0.116	2.019	0.003			
3	10741	10742	NS	1	-34.453	25.416	3.768	-34.734	25.255	0.848	6.836	29.847	13.077	7.024	29.975	22.299	0.116	270.26	6.198	0.116	288.319	6.15	0.116	0.132	0.0	0.116	0.131	0.0			
4	10741	10742	SN	1	-34.971	25.458	3.176	-34.92	27.107	7.718	-23.644	28.371	11.354	-12.75	29.95	14.848	0.116	304.456	3.63	0.116	300.97	2.784	0.116	22.513	0.012	0.116	1.916	0.003			
5	10741	10742	NS	2	-34.518	25.416	3.768	-34.902	25.255	0.847	6.836	29.847	13.074	7.024	29.975	22.295	0.116	274.272	6.198	0.116	299.666	6.15	0.116	0.132	0.0	0.116	0.131	0.0			
6	10742	10743	NS	1	-34.547	25.636	2.541	-34.383	27.416	0.139	4.532	32.906	15.118	5.904	36.383	29.117	0.116	276.161	3.172	0.116	265.968	3.205	0.116	0.144	0.0	0.116	0.136	0.0			
7	10742	10743	SN	1	-34.543	25.902	2.761	-34.711	26.893	6.195	-20.463	31.704	10.995	-12.164	30.568	8.74	0.116	275.926	4.751	0.116	286.85	4.797	0.116	10.87	0.009	0.116	1.686	0.002			
8	10742	10743	SN	1	-34.543	25.902	3.334	-34.711	26.893	6.194	-20.463	31.704	10.995	-12.164	30.568	8.74	0.116	275.926	4.697	0.116	286.85	4.798	0.116	10.87	0.009	0.116	1.686	0.002			
9	10742	10743	SN	1	-34.885	25.902	3.332	-34.518	26.893	6.194	-20.439	31.704	11.054	-12.164	30.568	8.812	0.116	298.51	4.694	0.116	274.31	4.8	0.116	10.81	0.009	0.116	1.686	0.002			
10	10743	10744	SN	1	-34.858	24.997	2.251	-34.657	25.605	3.92	-20.57	28.259	12.247	-6.966	31.395	7.032	0.116	296.635	0.983	0.116	283.263	0.934	0.116	11.14	0.009	0.116	0.576	0.0			
11	10743	10744	SN	2	-34.858	24.997	2.251	-34.657	25.605	3.92	-20.57	28.259	12.247	-6.966	31.395	7.032	0.116	296.635	0.983	0.116	283.263	0.934	0.116	11.14	0.009	0.116	0.576	0.0			
12	10743	10744	NS	2	-33.331	25.28	1.428	-33.669	24.242	0.091	-7.356	29.345	11.032	-8.923	29.41	20.976	0.116	208.73	2.497	0.116	225.633	3.021	0.116	0.62	0.0	0.116	0.848	0.0			
13	10743	10744	NS	1	-33.331	25.28	1.428	-33.669	24.242	0.091	-7.356	29.345	11.032	-8.923	29.41	20.976	0.116	208.73	2.497	0.116	225.633	3.021	0.116	0.62	0.0	0.116	0.848	0.0			
14	10743	10744	SN	1	-34.858	24.997	2.552	-34.657	25.605	3.957	-20.488	28.259	12.247	-6.966	31.395	7.032	0.116	296.635	1.018	0.116	283.263	0.923	0.116	10.93	0.009	0.116	0.576	0.0			
15	10744	10745	SN	1	-34.846	25.175	0.785	-34.968	25.741	1.415	6.971	27.292	12.503	6.784	27.797	6.202	0.116	295.79	2.294	0.116	304.321	1.927	0.116	0.131	0.0	0.116	0.132	0.0			
16	10744	10745	SN	1	-34.772	25.119	0.402	-33.079	25.747	1.267	6.971	27.292	12.535	6.784	27.797	6.18	0.116	290.824	2.331	0.116	197.02	1.955	0.116	0.131	0.0	0.116	0.132	0.0			
17	10744	10745	NS	1	-33.758	24.816	0.688	-34.354	24.101	0.124	-3.937	28.904	9.632	-5.255	30.741	17.853	0.116	230.28	2.963	0.116	264.17	3.023	0.116	0.337	0.0	0.116	0.42	0.0			
18	10744	10745	NS	1	-34.959	24.816	0.687	-34.909	24.101	0.124	-3.938	28.904	9.629	-5.255	30.741	17.856	0.116	303.617	2.976	0.116	300.224	3.018	0.116	0.337	0.0	0.116	0.42	0.0			
19	10744	10745	SN	2	-34.846	25.175	0.785	-34.968	25.741	1.415	6.971	27.292	12.503	6.784	27.797	6.202	0.116	295.79	2.294	0.116	304.321	1.927	0.116	0.131	0.0	0.116	0.132	0.0			
20	10745	10746	NS	1	-33.831	23.99	0.758	-34.475	24.195	0.645	-15.846	28.71	6.484	-14.972	30.117	12.704	0.116	234.168	3.059	0.116	271.624	3.555	0.116	3.812	0.013	0.116	3.135	0.006			
21	10745	10746	SN	2	-34.693	25.917	0.444	-34.68	25.147	0.85	6.198	28.306	16.252	7.842	28.392	17.855	0.116	285.537	5.705	0.116	284.804	4.907	0.116	0.134	0.0	0.116	0.128	0.0			
22	10745	10746	SN	1	-34.693	24.748	0.228	-34.68	25.148	0.533	6.198	28.306	16.367	7.842	28.392	18.448	0.116	285.537	5.775	0.116	284.804	4.988	0.116	0.134	0.0	0.116	0.128	0.0			
23	10745	10746	SN	1	-34.872	25.917	0.444	-34.68	25.147	0.85	6.198	28.306	16.252	7.856	28.392	17.855	0.116	297.604	5.705	0.116	284.804	4.908	0.116	0.134	0.0	0.116	0.128	0.0			
24	10745	10746	NS	1	-34.612	23.99	0.758	-34.603	24.195	0.645	-15.853	28.71	6.498	-14.972	30.117	12.68	0.116	280.373	3.053	0.116	279.724	3.548	0.116	3.819	0.013	0.116	3.134	0.006			
25	10746	10747	SN	1	-34.549	22.197	0.001	-34.996	23.106	0.007	5.59	27.834	15.645	7.547	29.177	16.777	0.116	276.277	7.124	0.116	306.182	6.578	0.116	0.137	0.0	0.116	0.129	0.0			
26	10746	10747	NS	1	-34.745	24.929	0.626	-34.711	24.284	0.513	-16.647	28.281	8.522	-6.185	30.639	15.417	0.116	289.042	5.406	0.116	286.806	4.568	0.116	4.568	0.006	0.116	0.497	0.0			
27	10746	10747	SN	1	-34.549	22.345	0.007	-34.996	24.452	0.594	5.59	27.834	15.048	7.547	29.177	16.494	0.116	276.277	6.935	0.116	306.182	6.337	0.116	0.137	0.0	0.116	0.129	0.0			
28	10746	10747	SN	1	-34.892	22.345	0.007	-34.878	24.452	0.594	5.59	27.834	15.048	7.547	29.177	16.494	0.116	299.033	6.937	0.116	298.018	6.326	0.116	0.137	0.0	0.116	0.129	0.0			
29	10746	10747	NS	2	-34.745	24.944	0.64	-34.711	24.301	0.514	-16.605	28.281	8.522	-6.185	30.639	15.415	0.116	289.042	5.405	0.116	286.806	4.566	0.116	4.524	0.006	0.116	0.497	0.0			
30	10747	10748	SN	1	-34.759	22.975	0.039	-34.948	24.853	1.008	-5.029	30.945	11.399	-5.174	29.075	11.238	0.116	290.026	7.278	0.116	302.817	5.894	0.116	0.404	0.0	0.116	0.415	0.0			
31	10747	10748	NS	2	-34.53	26.278	0.637	-34.581	27.051	0.57	-6.098	29.763	12.03	-11.293	31.456	18.354	0.116	275.127	3.703	0.116	278.375	3.237	0.116	0.489	0.0	0.116	1.396	0.003			
32	10747	10748	SN	1	-34.775	22.255	0.001	-34.892	24.463	0.286	-5.049	30.946	11.432	-5.145	29.075	11.229	0.116	290.99	7.465	0.116	299.002	6.068	0.116	0.406	0.0	0.116	0.412	0.0			
33	10747	10748	SN	1	-34.654	23.003	0.042	-34.892	24.854	1.01	-5.049	30.946	11.405	-5.145	29.075	11.234	0.116	283.066	7.255	0.116	299.002	5.91	0.116	0.406	0.0	0.116	0.412	0.0			

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10747	10748	NS	1	-34.53	26.278	0.637	-34.581	27.062	0.569	-6.098	29.763	12.03	-11.293	31.456	18.354	0.116	275.127	3.705	0.116	278.375	3.241	0.116	0.489	0.0	0.116	1.396	0.003
35	10748	10749	SN	1	-34.504	24.188	0.161	-34.813	25.105	2.334	-7.789	35.267	12.631	5.163	35.162	14.193	0.116	273.433	5.635	0.116	293.603	4.95	0.116	0.675	0.0	0.116	0.14	0.0
36	10748	10749	SN	1	-34.504	24.188	0.005	-34.813	24.488	0.007	-7.786	35.267	13.386	5.163	35.162	14.204	0.116	273.433	5.807	0.116	293.603	5.438	0.116	0.675	0.0	0.116	0.14	0.0
37	10748	10749	NS	1	-32.385	26.782	0.678	-34.809	27.398	0.698	6.649	32.388	11.323	7.203	29.882	19.474	0.116	167.859	2.538	0.116	293.349	2.214	0.116	0.132	0.0	0.116	0.13	0.0
38	10749	10750	NS	1	-34.441	27.059	0.611	-34.708	26.293	0.167	1.598	29.794	24.704	6.792	31.259	42.383	0.116	269.456	3.279	0.116	286.63	2.693	0.116	0.173	0.0	0.116	0.132	0.0
39	10749	10750	SN	2	-33.946	23.852	0.286	-34.614	25.02	2.051	-19.543	30.238	19.903	-8.861	30.221	22.176	0.116	240.481	4.148	0.116	280.469	3.354	0.116	8.812	0.006	0.116	0.838	0.0
40	10749	10750	SN	1	-33.916	23.852	0.286	-34.779	25.02	2.051	-19.543	30.238	19.903	-8.861	30.221	22.175	0.116	238.87	4.148	0.116	291.336	3.354	0.116	8.812	0.006	0.116	0.838	0.0
41	10749	10750	NS	2	-34.441	27.059	0.611	-34.708	26.293	0.167	1.598	29.794	24.704	6.792	31.259	42.383	0.116	269.456	3.279	0.116	286.63	2.693	0.116	0.173	0.0	0.116	0.132	0.0
42	10750	10751	SN	1	-34.066	26.811	0.389	-34.362	27.289	2.021	-1.109	28.976	16.393	-2.283	30.444	16.088	0.116	247.237	2.273	0.116	264.618	1.518	0.116	0.226	0.0	0.116	0.264	0.0
43	10750	10751	NS	1	-34.004	27.814	0.837	-34.741	27.84	0.504	-11.308	31.123	15.522	-14.722	32.634	30.182	0.116	243.746	1.601	0.116	288.708	0.865	0.116	1.4	0.008	0.116	2.965	0.002
44	10750	10751	NS	1	-34.004	27.814	0.838	-34.741	27.84	0.505	-11.308	31.123	15.519	-14.722	32.634	30.184	0.116	243.746	1.603	0.116	288.708	0.867	0.116	1.4	0.008	0.116	2.965	0.002
45	10751	10752	SN	1	-34.168	25.422	0.208	-34.314	27.651	2.207	-11.785	29.621	16.817	-9.933	30.236	17.926	0.116	253.07	1.882	0.116	261.765	1.749	0.116	1.552	0.007	0.116	1.046	0.002
46	10751	10752	NS	1	-34.674	27.806	1.47	-33.642	27.221	1.112	-2.039	29.005	15.366	-0.549	31.695	23.318	0.116	284.366	1.401	0.116	224.256	1.359	0.116	0.255	0.0	0.116	0.212	0.0
47	10751	10752	SN	2	-34.168	25.422	0.208	-34.314	27.651	2.207	-11.785	29.621	16.818	-9.933	30.236	17.928	0.116	253.07	1.881	0.116	261.765	1.747	0.116	1.552	0.007	0.116	1.046	0.002
48	10751	10752	NS	1	-33.28	27.804	1.47	-33.257	27.221	1.113	-2.04	29.005	15.347	-0.549	31.695	23.267	0.116	206.354	1.397	0.116	205.251	1.36	0.116	0.255	0.0	0.116	0.212	0.0
49	10752	10753	NS	1	-34.275	26.078	3.565	-34.977	28.035	3.137	-27.116	29.639	24.666	-14.848	29.933	36.43	0.116	259.411	3.372	0.116	304.87	3.529	0.116	49.969	0.06	0.116	3.048	0.019
50	10752	10753	NS	1	-34.665	26.078	3.543	-34.829	28.032	3.136	-26.876	29.642	24.686	-14.849	29.933	36.597	0.116	283.765	3.375	0.116	294.633	3.536	0.116	47.278	0.06	0.116	3.049	0.019
51	10752	10753	SN	1	-34.529	25.11	0.721	-33.248	26.668	4.243	-11.392	32.464	15.857	-20.941	30.404	17.343	0.116	275.019	3.19	0.116	204.75	2.256	0.116	1.426	0.004	0.116	12.124	0.004
52	10752	10753	NS	1	-34.665	26.078	3.544	-34.829	28.032	3.136	-26.876	29.642	20.033	-14.849	29.915	33.3	0.116	283.765	3.376	0.116	294.633	3.536	0.116	47.278	0.067	0.116	3.049	0.021
53	10752	10753	SN	2	-34.529	25.11	0.721	-33.248	26.668	4.243	-11.393	32.464	15.857	-20.943	30.404	17.344	0.116	275.019	3.19	0.116	204.75	2.256	0.116	1.426	0.004	0.116	12.128	0.004
54	10753	10754	NS	1	-34.591	25.953	3.089	-34.96	26.556	2.728	8.617	28.318	24.927	10.981	30.117	37.381	0.116	278.92	5.679	0.116	303.714	4.633	0.116	0.126	0.0	0.116	0.122	0.0
55	10753	10754	SN	1	-34.977	24.836	0.098	-34.772	26.824	3.076	-9.556	29.543	25.974	-8.431	30.038	29.711	0.116	304.951	5.002	0.116	290.818	4.938	0.116	0.966	0.0	0.116	0.768	0.0
56	10753	10754	NS	1	-34.953	25.953	3.04	-34.666	26.556	2.712	8.614	28.32	24.895	10.981	30.117	37.399	0.116	303.208	5.687	0.116	283.84	4.642	0.116	0.126	0.0	0.116	0.122	0.0
57	10753	10754	NS	1	-34.953	25.953	3.043	-34.666	26.556	2.712	8.614	28.262	12.984	11.027	30.13	31.583	0.116	303.208	5.693	0.116	283.84	4.642	0.116	0.126	0.0	0.116	0.122	0.0
58	10753	10754	SN	1	-34.731	24.834	0.098	-34.922	26.824	3.075	-9.557	29.543	25.983	-8.44	30.04	29.685	0.116	288.083	4.995	0.116	301.028	4.941	0.116	0.967	0.0	0.116	0.769	0.0
59	10754	10755	NS	1	-34.566	25.418	3.419	-34.908	26.46	2.125	8.017	28.702	27.61	9.142	32.568	39.748	0.116	277.402	6.231	0.116	300.066	5.358	0.116	0.128	0.0	0.116	0.125	0.0
60	10754	10755	NS	1	-34.566	25.418	3.424	-34.908	26.46	2.124	11.003	27.825	6.849	9.142	32.576	14.404	0.116	277.402	6.247	0.116	300.066	5.358	0.116	0.122	0.0	0.116	0.125	0.0
61	10754	10755	NS	2	-34.566	25.418	3.419	-34.908	26.46	2.125	8.017	28.702	27.61	9.142	32.568	39.748	0.116	277.402	6.231	0.116	300.066	5.358	0.116	0.128	0.0	0.116	0.125	0.0
62	10754	10755	SN	1	-34.558	23.722	0.342	-34.382	26.835	3.75	7.89	29.415	43.378	8.625	31.075	53.802	0.116	276.913	2.617	0.116	279.568	2.16	0.116	0.128	0.0	0.116	0.126	0.0
63	10755	10756	NS	1	-34.909	25.38	4.044	-34.863	26.084	1.296	-5.148	29.101	15.92	6.515	29.529	25.639	0.116	300.204	9.675	0.116	296.956	8.919	0.116	0.413	0.0	0.116	0.133	0.0
64	10755	10756	SN	1	-34.753	21.672	0.0	-34.601	25.869	0.235	3.238	28.867	14.661	4.324	29.464	16.027	0.116	289.62	3.414	0.116	279.607	3.027	0.116	0.154	0.0	0.116	0.145	0.0
65	10755	10756	NS	1	-34.71	25.38	4.044	-34.595	26.084	1.295	-5.148	29.101	15.863	6.515	29.529	25.612	0.116	286.653	9.673	0.116	279.248	8.911	0.116	0.413	0.0	0.116	0.133	0.0
66	10755	10756	NS	1	-34.909	25.38	4.301	-34.863	26.084	1.305	-5.148	26.892	6.071	6.516	27.761	8.362	0.116	300.204	10.341	0.116	296.956	8.98	0.116	0.413	0.0	0.116	0.133	0.0
67	10755	10756	SN	1	-34.753	24.848	1.394	-33.905	27.082	5.611	3.243	28.867	15.561	4.318	29.464	16.349	0.116	289.62	3.356	0.116	238.245	2.793	0.116	0.154	0.0	0.116	0.145	0.0
68	10756	10757	SN	1	-34.866	25.92	2.31	-34.39	26.703	8.394	-15.85	36.383	12.848	-14.874	30.072	16.868	0.116	297.236	4.367	0.116	266.309	3.689	0.116	3.817	0.011	0.116	3.067	0.011
69	10756	10757	NS	1	-34.829	26.542	3.298	-34.652	26.657	0.324	-0.654	32.481	15.878	3.863	32.924	27.233	0.116	294.637	5.314	0.116	282.979	5.651	0.116	0.215	0.0	0.116	0.148	0.0
70	10756	10757	SN	1	-34.866	25.92	4.597	-34.512	26.709	8.902	-15.85	36.383	12.852	-14.874	30.072	16.868	0.116	297.236	4.266	0.116	273.971	3.914	0.116	3.817	0.011	0.116	3.067	0.011
71	10756	10757	SN	2	-34.866	25.92	4.597	-34.512	26.709	8.902	-15.85	36.383	12.852	-14.874	30.072	16.868	0.116	297.236	4.266	0.116	273.971	3.914	0.116	3.817	0.011	0.116	3.067	0.011
72	10756	10757	NS	1	-34.888	26.541	3.301	-34.832	26.657	0.325	-0.654	32.481	15.88	3.863	32.924	27.23	0.116	298.642	5.323	0.116	294.833	5.66	0.116	0.215	0.0	0.116	0.148	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	10757	10758	SN	1	-33.808	26.132	2.824	-34.996	26.896	5.328	-14.173	30.58	9.427	-24.354	32.883	5.688	0.116	232.95	1.872	0.116	306.21	1.753	0.116	2.623	0.02	0.116	26.501	0.027
74	10757	10758	SN	2	-33.735	26.132	2.824	-34.996	26.896	5.328	-14.173	30.58	9.426	-24.312	32.883	5.688	0.116	229.116	1.873	0.116	306.21	1.753	0.116	2.623	0.02	0.116	26.241	0.027
75	10757	10758	NS	1	-34.789	26.111	1.944	-34.26	26.145	0.074	-2.8	31.417	14.19	-1.599	30.945	25.581	0.116	291.969	2.081	0.116	258.52	1.621	0.116	0.283	0.0	0.116	0.241	0.0
76	10757	10758	SN	1	-33.735	26.132	3.307	-34.536	26.896	5.329	-14.173	30.58	9.426	-24.312	32.883	5.688	0.116	229.116	2.012	0.116	275.48	1.727	0.116	2.623	0.02	0.116	26.241	0.027
77	10757	10758	NS	1	-33.848	26.109	1.944	-33.605	26.143	0.074	-2.798	31.415	14.195	-1.599	30.945	25.654	0.116	235.14	2.084	0.116	222.298	1.622	0.116	0.283	0.0	0.116	0.241	0.0
78	10758	10759	NS	1	-33.682	25.334	1.038	-33.506	23.362	0.106	-10.79	28.638	10.908	-6.462	29.341	19.833	0.116	226.352	1.711	0.116	217.324	1.567	0.116	1.253	0.002	0.116	0.523	0.0
79	10758	10759	SN	1	-34.487	25.031	0.828	-34.181	25.97	1.976	5.559	28.1	15.589	7.339	28.27	9.597	0.116	272.344	1.611	0.116	253.786	1.054	0.116	0.138	0.0	0.116	0.13	0.0
80	10758	10759	SN	1	-34.487	25.148	1.159	-33.956	25.97	2.06	5.559	28.1	15.589	7.339	28.27	9.591	0.116	272.344	1.591	0.116	241.087	1.04	0.116	0.138	0.0	0.116	0.13	0.0
81	10759	10760	SN	1	-34.62	25.27	0.572	-34.625	25.52	1.107	6.208	27.484	12.312	6.68	27.772	8.237	0.116	280.848	3.749	0.116	281.102	3.084	0.116	0.134	0.0	0.116	0.132	0.0
82	10759	10760	SN	1	-34.62	25.322	0.32	-34.625	25.513	0.86	6.208	27.484	12.325	6.727	27.772	8.324	0.116	280.848	3.808	0.116	281.102	3.13	0.116	0.134	0.0	0.116	0.132	0.0
83	10759	10760	NS	1	-34.784	24.698	0.796	-34.507	24.112	0.415	-8.117	30.42	6.388	-8.726	32.708	12.293	0.116	291.594	2.456	0.116	273.653	2.857	0.116	0.721	0.0	0.116	0.815	0.0
84	10759	10760	SN	1	-34.874	25.274	0.575	-34.625	25.52	1.109	6.208	27.484	12.312	6.665	27.772	8.237	0.116	297.735	3.75	0.116	281.102	3.074	0.116	0.134	0.0	0.116	0.132	0.0
85	10759	10760	NS	2	-34.784	24.698	0.796	-34.507	24.112	0.415	-8.117	30.42	6.388	-8.726	32.708	12.293	0.116	291.594	2.456	0.116	273.653	2.855	0.116	0.721	0.0	0.116	0.815	0.0
86	10760	10761	NS	1	-34.188	23.843	0.621	-34.925	24.277	0.462	-3.833	29.085	8.98	-3.965	30.382	17.522	0.116	254.273	5.036	0.116	301.229	4.53	0.116	0.332	0.0	0.116	0.339	0.0
87	10760	10761	SN	1	-34.858	23.461	0.123	-34.468	24.369	0.717	5.432	27.774	14.272	7.967	28.408	16.689	0.116	296.658	6.647	0.116	271.178	5.747	0.116	0.138	0.0	0.116	0.128	0.0
88	10760	10761	SN	1	-34.922	23.459	0.101	-34.824	24.369	0.219	5.432	27.774	14.621	7.967	28.408	17.037	0.116	301.061	6.781	0.116	294.366	5.908	0.116	0.138	0.0	0.116	0.128	0.0
89	10760	10761	NS	2	-34.188	23.843	0.621	-34.219	24.277	0.462	-3.833	29.085	8.978	-3.965	30.382	17.52	0.116	254.273	5.038	0.116	256.119	4.526	0.116	0.332	0.0	0.116	0.339	0.0
90	10760	10761	SN	1	-34.922	23.461	0.124	-34.824	24.369	0.718	5.432	27.774	14.272	7.967	28.408	16.689	0.116	301.061	6.614	0.116	294.366	5.738	0.116	0.138	0.0	0.116	0.128	0.0
91	10761	10762	SN	1	-34.878	23.171	0.033	-34.991	24.271	0.774	5.624	28.341	13.042	6.4	29.698	12.118	0.116	298.0	8.08	0.116	305.922	7.095	0.116	0.137	0.0	0.116	0.134	0.0
92	10761	10762	SN	1	-34.878	19.769	0.0	-34.991	21.199	0.0	5.624	28.326	13.846	6.4	29.698	12.236	0.116	298.0	8.41	0.116	305.922	7.465	0.116	0.137	0.0	0.116	0.134	0.0
93	10761	10762	NS	1	-33.856	24.113	0.567	-34.821	23.939	0.428	-13.794	32.654	8.757	-8.47	30.058	16.325	0.116	235.5	1.611	0.116	294.111	1.29	0.116	2.412	0.005	0.116	0.774	0.0
94	10761	10762	NS	1	-33.65	24.113	0.567	-33.472	23.937	0.428	-13.794	32.654	8.701	-8.47	30.058	16.285	0.116	224.621	1.611	0.116	215.606	1.289	0.116	2.412	0.005	0.116	0.774	0.0
95	10762	10763	SN	1	-34.854	24.701	0.081	-34.637	24.421	1.688	-21.113	32.857	10.748	-34.581	32.076	11.612	0.116	296.373	9.581	0.116	281.896	8.284	0.116	12.611	0.018	0.116	278.305	0.009
96	10762	10763	NS	1	-34.038	27.528	0.637	-34.348	26.636	0.742	5.102	29.553	13.599	7.548	28.86	22.651	0.116	245.611	1.375	0.116	263.783	1.389	0.116	0.14	0.0	0.116	0.129	0.0
97	10762	10763	SN	1	-34.854	24.701	0.018	-34.637	24.079	0.016	-21.286	32.857	11.2	-34.581	32.076	11.547	0.116	296.373	10.274	0.116	281.896	9.231	0.116	13.12	0.019	0.116	278.305	0.009
98	10762	10763	NS	1	-34.021	27.529	0.637	-34.456	26.636	0.742	5.102	29.553	13.643	7.548	28.86	22.797	0.116	244.686	1.375	0.116	270.4	1.389	0.116	0.14	0.0	0.116	0.129	0.0
99	10763	10764	NS	1	-34.232	24.647	0.707	-34.502	25.004	0.397	-7.498	29.896	17.999	-1.463	30.516	30.169	0.116	256.844	1.737	0.116	273.369	1.674	0.116	0.638	0.0	0.116	0.237	0.0
100	10763	10764	SN	1	-34.119	24.967	0.019	-34.951	24.639	0.035	-32.74	30.326	17.774	-11.492	30.029	21.417	0.116	250.226	3.098	0.116	303.089	2.473	0.116	182.202	0.006	0.116	1.457	0.002
101	10763	10764	SN	1	-34.119	24.967	0.253	-34.951	24.926	2.372	-22.068	30.326	16.703	-11.474	30.029	21.336	0.116	250.226	3.071	0.116	303.089	2.464	0.116	15.688	0.004	0.116	1.451	0.002
102	10763	10764	NS	1	-34.205	24.647	0.708	-34.044	25.004	0.398	-7.496	29.896	17.999	-1.445	30.516	30.165	0.116	255.315	1.737	0.116	245.959	1.67	0.116	0.638	0.0	0.116	0.236	0.0
103	10764	10765	NS	1	-33.24	29.7	0.755	-34.99	29.051	0.448	-3.542	29.661	26.044	-11.958	30.94	40.055	0.116	204.428	1.692	0.116	305.789	1.062	0.116	0.317	0.0	0.116	1.612	0.005
104	10764	10765	SN	2	-34.728	24.994	0.319	-34.27	25.28	1.952	-18.692	28.56	16.696	-5.342	32.297	17.806	0.116	287.944	2.26	0.116	259.108	1.708	0.116	7.261	0.005	0.116	0.427	0.0
105	10764	10765	SN	1	-34.728	24.994	0.319	-34.27	25.28	1.952	-18.692	28.56	16.696	-5.342	32.297	17.806	0.116	287.944	2.26	0.116	259.108	1.708	0.116	7.261	0.005	0.116	0.427	0.0
106	10764	10765	NS	1	-34.919	29.7	0.755	-34.164	29.051	0.448	-3.528	29.661	26.016	-11.958	30.94	40.044	0.116	300.834	1.69	0.116	252.86	1.059	0.116	0.316	0.0	0.116	1.612	0.005
107	10765	10766	NS	1	-34.699	28.052	0.986	-34.298	26.93	0.601	-13.763	36.383	13.781	-24.575	35.252	26.02	0.116	286.03	1.272	0.116	260.823	1.64	0.116	2.395	0.005	0.116	27.873	0.002
108	10765	10766	SN	1	-34.943	26.358	0.104	-34.922	26.932	1.832	-10.592	32.8	17.357	-9.931	31.304	17.79	0.116	302.533	1.866	0.116	301.014	1.54	0.116	1.202	0.006	0.116	1.045	0.002
109	10765	10766	NS	1	-34.994	28.052	0.995	-34.979	26.932	0.601	-13.763	36.383	13.909	-24.546	35.252	26.041	0.116	306.099	1.274	0.116	305.021	1.641	0.116	2.395	0.005	0.116	27.692	0.002
110	10766	10767	SN	1	-34.71	23.806	0.555	-33.774	26.108	3.185	-11.956	29.115	14.689	-13.049	30.448	13.96	0.116	286.746	2.66	0.116	231.131	2.151	0.116	1.611	0.006	0.116	2.046	0.004
111	10766	10767	NS	1	-34.396	27.851	2.256	-34.894	27.727	1.775	-11.52	30.648	18.992	-7.275	31.344	26.943	0.116	266.725	2.757	0.116	299.163	2.653	0.116	1.466	0.003	0.116	0.611	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

112	10767	10768	SN	1	-33.661	24.758	0.692	-31.818	27.149	4.151	-3.312	31.146	18.352	-6.454	29.953	20.589	0.116	225.235	1.232	0.116	147.369	1.064	0.116	0.306	0.0	0.116	0.522	0.0
113	10767	10768	NS	1	-34.482	25.792	2.96	-34.472	27.025	2.787	1.931	28.098	28.227	7.048	29.576	39.856	0.116	272.056	3.197	0.116	271.41	2.855	0.116	0.168	0.0	0.116	0.131	0.0
114	10768	10769	NS	1	-34.922	27.071	3.343	-34.909	28.505	2.537	8.541	28.459	26.84	8.609	29.45	37.735	0.116	301.054	6.505	0.116	300.162	6.231	0.116	0.126	0.0	0.116	0.126	0.0
115	10768	10769	SN	1	-34.161	23.614	0.184	-34.652	26.65	3.439	-3.68	29.434	39.989	-6.282	30.222	48.514	0.116	252.695	2.22	0.116	282.926	1.981	0.116	0.324	0.0	0.116	0.506	0.0
116	10769	10770	NS	1	-34.688	26.225	3.963	-34.911	26.864	1.697	9.208	29.78	3.719	9.199	26.273	3.177	0.116	285.24	8.246	0.116	300.233	7.983	0.116	0.125	0.0	0.116	0.125	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10741	10742	SN	1	57.48	58.441	0.0	0.0	286.868	3.465	1208.496	1293.96	21.543	-93.568	-91.948	0.0
2	10741	10742	SN	1	57.48	58.441	0.0	0.0	286.868	3.845	1208.496	1293.96	20.761	-93.653	-91.934	0.0
3	10741	10742	NS	1	57.376	58.271	0.0	0.0	299.641	3.823	1195.12	1291.952	47.707	-93.855	-91.785	0.0
4	10741	10742	SN	1	57.48	58.441	0.0	0.0	286.868	3.848	1208.496	1293.96	20.783	-93.653	-91.934	0.0
5	10741	10742	NS	2	57.371	58.268	0.0	0.0	299.707	3.824	1195.056	1292.016	47.686	-93.855	-91.785	0.0
6	10742	10743	NS	1	57.374	58.269	0.0	0.0	294.314	3.79	1195.792	1291.968	46.759	-93.357	-91.788	0.0
7	10742	10743	SN	1	57.48	58.426	0.0	0.0	296.74	3.611	1208.336	1293.896	21.041	-93.208	-91.936	0.0
8	10742	10743	SN	1	57.48	58.426	0.0	0.0	296.74	3.704	1208.336	1293.896	20.791	-94.432	-91.934	0.0
9	10742	10743	SN	1	57.48	58.434	0.0	0.0	296.74	3.753	1208.336	1293.896	20.871	-94.432	-91.934	0.0
10	10743	10744	SN	1	57.451	58.436	0.0	0.0	294.915	3.487	1207.416	1294.04	20.928	-93.639	-91.929	0.0
11	10743	10744	SN	2	57.451	58.425	0.0	0.0	294.926	3.486	1207.416	1294.056	20.934	-93.639	-91.929	0.0
12	10743	10744	NS	2	57.371	58.273	0.0	0.0	299.779	3.534	1195.976	1292.224	47.657	-93.64	-91.724	0.0
13	10743	10744	NS	1	57.371	58.273	0.0	0.0	299.779	3.534	1195.976	1292.224	47.657	-93.64	-91.724	0.0
14	10743	10744	SN	1	57.373	58.436	0.0	0.0	294.887	3.59	1205.944	1294.04	20.714	-95.384	-91.929	0.0
15	10744	10745	SN	1	57.476	58.413	0.0	0.0	298.852	3.611	1207.824	1293.968	21.487	-94.316	-91.932	0.0
16	10744	10745	SN	1	57.476	58.413	0.0	0.0	298.852	3.483	1207.824	1293.968	21.787	-93.208	-91.932	0.0
17	10744	10745	NS	1	57.378	58.273	0.0	0.0	295.466	3.608	1195.64	1292.16	47.51	-93.355	-91.773	0.0
18	10744	10745	NS	1	57.378	58.273	0.0	0.0	295.466	3.605	1195.64	1292.16	47.544	-93.355	-91.773	0.0
19	10744	10745	SN	2	57.476	58.413	0.0	0.0	298.852	3.611	1207.824	1293.968	21.487	-94.316	-91.932	0.0
20	10745	10746	NS	1	57.377	58.273	0.0	0.0	295.714	3.667	1196.304	1292.048	45.798	-93.106	-91.789	0.0
21	10745	10746	SN	2	57.463	58.411	0.0	0.0	298.345	3.627	1207.208	1293.824	21.621	-93.157	-91.931	0.0
22	10745	10746	SN	1	57.463	58.411	0.0	0.0	298.345	3.428	1207.208	1293.824	22.096	-93.157	-91.94	0.0
23	10745	10746	SN	1	57.463	58.411	0.0	0.0	298.378	3.626	1207.2	1293.808	21.641	-93.157	-91.931	0.0
24	10745	10746	NS	1	57.377	58.273	0.0	0.0	295.714	3.671	1196.304	1292.048	45.766	-93.118	-91.789	0.0
25	10746	10747	SN	1	57.474	58.411	0.0	0.0	292.118	3.243	1207.52	1293.728	22.593	-93.061	-91.94	0.0
26	10746	10747	NS	1	57.343	58.272	0.0	0.0	297.126	3.739	1196.2	1291.976	45.539	-94.507	-91.795	0.0
27	10746	10747	SN	1	57.474	58.411	0.0	0.0	292.378	3.584	1207.52	1293.728	21.807	-95.205	-91.931	0.0
28	10746	10747	SN	1	57.473	58.411	0.0	0.0	292.378	3.579	1207.376	1293.728	21.786	-95.205	-91.931	0.0
29	10746	10747	NS	2	57.343	58.272	0.0	0.0	297.126	3.734	1196.2	1291.976	45.533	-93.753	-91.795	0.0
30	10747	10748	SN	1	57.286	58.409	0.0	0.0	287.502	3.678	1203.704	1293.648	21.307	-96.468	-91.93	0.0
31	10747	10748	NS	2	57.359	58.281	0.0	0.0	286.085	3.854	1195.888	1291.936	44.536	-93.81	-91.798	0.0
32	10747	10748	SN	1	57.474	58.411	0.0	0.0	287.442	3.496	1207.576	1293.68	21.735	-93.13	-91.94	0.0
33	10747	10748	SN	1	57.286	58.411	0.0	0.0	287.442	3.681	1203.704	1293.68	21.236	-96.468	-91.93	0.0
34	10747	10748	NS	1	57.359	58.281	0.0	0.0	286.085	3.86	1195.888	1291.936	44.544	-93.81	-91.798	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10748	10749	SN	1	57.476	58.412	0.0	0.0	297.347	3.782	1207.896	1293.896	22.195	-93.862	-91.928	0.0
36	10748	10749	SN	1	57.476	58.412	0.0	0.0	285.296	2.808	1207.896	1293.896	23.961	-93.862	-91.938	0.0
37	10748	10749	NS	1	57.344	58.276	0.0	0.0	297.248	3.663	1195.456	1292.088	47.724	-93.355	-91.808	0.0
38	10749	10750	NS	1	57.349	58.285	0.0	0.0	299.084	3.822	1195.344	1292.176	46.719	-93.496	-91.809	0.0
39	10749	10750	SN	2	57.462	58.413	0.0	0.0	294.402	3.666	1207.44	1293.968	20.468	-94.846	-91.896	0.0
40	10749	10750	SN	1	57.462	58.413	0.0	0.0	294.413	3.666	1207.416	1293.96	20.519	-94.846	-91.896	0.0
41	10749	10750	NS	2	57.349	58.285	0.0	0.0	299.084	3.822	1195.344	1292.176	46.719	-93.496	-91.809	0.0
42	10750	10751	SN	1	57.48	58.413	0.0	0.0	293.652	3.672	1208.104	1293.896	20.584	-94.274	-91.914	0.0
43	10750	10751	NS	1	57.363	58.272	0.0	0.0	294.744	3.897	1195.608	1292.12	45.433	-93.498	-91.79	0.0
44	10750	10751	NS	1	57.363	58.272	0.0	0.0	294.744	3.9	1195.608	1292.12	45.483	-93.498	-91.79	0.0
45	10751	10752	SN	1	57.454	58.413	0.0	0.0	294.633	3.802	1206.984	1293.84	21.746	-93.629	-91.915	0.0
46	10751	10752	NS	1	57.38	58.271	0.0	0.0	294.54	3.709	1196.52	1292.064	46.249	-93.49	-91.778	0.0
47	10751	10752	SN	2	57.454	58.412	0.0	0.0	294.584	3.801	1206.976	1293.824	21.76	-93.629	-91.915	0.0
48	10751	10752	NS	1	57.38	58.271	0.0	0.0	294.54	3.706	1196.52	1292.064	46.265	-93.49	-91.778	0.0
49	10752	10753	NS	1	57.378	58.272	0.0	0.0	296.106	3.628	1196.384	1292.184	46.916	-93.686	-91.811	0.0
50	10752	10753	NS	1	57.357	58.292	0.0	0.0	296.106	3.621	1196.384	1292.184	46.901	-93.686	-91.811	0.0
51	10752	10753	SN	1	57.467	58.413	0.0	0.0	294.981	3.757	1207.264	1293.936	22.753	-93.75	-91.919	0.0
52	10752	10753	NS	1	57.357	58.272	0.0	0.003	296.106	2.918	1196.384	1290.736	45.866	-93.686	-91.811	0.0
53	10752	10753	SN	2	57.466	58.412	0.0	0.0	295.069	3.76	1207.248	1293.912	22.812	-93.75	-91.92	0.0
54	10753	10754	NS	1	57.346	58.273	0.0	0.0	299.067	3.743	1196.16	1292.248	47.838	-93.354	-91.809	0.0
55	10753	10754	SN	1	57.465	58.413	0.0	0.0	290.232	3.658	1207.104	1293.984	23.137	-93.217	-91.915	0.0
56	10753	10754	NS	1	57.37	58.272	0.0	0.0	299.1	3.728	1196.24	1292.248	47.829	-93.354	-91.808	0.0
57	10753	10754	NS	1	57.37	58.272	0.0	0.003	299.1	2.787	1196.24	1289.272	45.04	-93.354	-91.808	0.0
58	10753	10754	SN	1	57.464	58.413	0.0	0.0	290.232	3.654	1206.84	1293.984	23.115	-93.217	-91.915	0.0
59	10754	10755	NS	1	57.357	58.274	0.0	0.0	290.894	3.652	1195.272	1292.328	47.991	-93.132	-91.808	0.0
60	10754	10755	NS	1	57.357	58.274	0.0	0.003	290.894	2.033	1195.272	1286.816	42.625	-93.111	-91.808	0.0
61	10754	10755	NS	2	57.357	58.274	0.0	0.0	290.894	3.65	1195.272	1292.328	47.992	-93.132	-91.808	0.0
62	10754	10755	SN	1	57.475	58.414	0.0	0.0	299.387	3.636	1207.072	1294.12	23.035	-93.083	-91.927	0.0
63	10755	10756	NS	1	57.351	58.274	0.0	0.0	297.562	3.904	1195.288	1292.392	47.538	-93.086	-91.809	0.0
64	10755	10756	SN	1	57.458	58.415	0.0	0.0	285.997	3.084	1206.992	1294.168	24.874	-93.194	-91.944	0.0
65	10755	10756	NS	1	57.351	58.282	0.0	0.0	297.562	3.898	1195.296	1292.392	47.479	-93.068	-91.809	0.0
66	10755	10756	NS	1	57.351	58.274	0.0	0.0	296.961	2.036	1195.288	1281.104	40.017	-93.068	-91.809	0.0
67	10755	10756	SN	1	57.275	58.415	0.0	0.0	296.282	3.866	1203.368	1294.168	23.609	-95.273	-91.931	0.0
68	10756	10757	SN	1	57.475	58.412	0.0	0.0	299.343	3.812	1207.496	1293.944	24.277	-93.197	-91.936	0.0
69	10756	10757	NS	1	57.378	58.274	0.0	0.0	296.823	3.849	1196.424	1292.216	44.931	-93.354	-91.781	0.0
70	10756	10757	SN	1	57.431	58.412	0.0	0.0	299.343	3.947	1207.2	1293.944	23.805	-94.502	-91.93	0.0
71	10756	10757	SN	2	57.431	58.412	0.0	0.0	299.343	3.947	1207.2	1293.944	23.805	-94.502	-91.93	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	10756	10757	NS	1	57.378	58.28	0.0	0.0	296.823	3.853	1196.424	1292.216	44.878	-93.354	-91.781	0.0
73	10757	10758	SN	1	57.474	58.412	0.0	0.0	294.782	3.584	1207.224	1294.176	22.425	-93.068	-91.915	0.0
74	10757	10758	SN	2	57.473	58.411	0.0	0.0	294.843	3.584	1207.2	1294.176	22.468	-93.068	-91.915	0.0
75	10757	10758	NS	1	57.379	58.277	0.0	0.0	295.626	3.635	1196.632	1292.496	46.045	-93.494	-91.746	0.0
76	10757	10758	SN	1	57.335	58.411	0.0	0.0	294.843	3.691	1204.712	1294.176	22.253	-95.379	-91.915	0.0
77	10757	10758	NS	1	57.379	58.277	0.0	0.0	295.626	3.632	1196.632	1292.496	46.098	-93.494	-91.746	0.0
78	10758	10759	NS	1	57.38	58.278	0.0	0.0	296.404	3.544	1196.808	1292.6	45.979	-93.352	-91.744	0.0
79	10758	10759	SN	1	57.459	58.412	0.0	0.0	298.279	3.497	1206.48	1294.2	23.607	-93.222	-91.926	0.0
80	10758	10759	SN	1	57.459	58.412	0.0	0.0	298.279	3.601	1206.48	1294.2	23.355	-93.758	-91.926	0.0
81	10759	10760	SN	1	57.464	58.41	0.0	0.0	293.387	3.593	1206.256	1294.048	23.759	-93.615	-91.929	0.0
82	10759	10760	SN	1	57.456	58.41	0.0	0.0	293.387	3.453	1206.016	1294.048	24.173	-93.133	-91.936	0.0
83	10759	10760	NS	1	57.374	58.3	0.0	0.0	299.067	3.854	1196.344	1292.504	45.03	-94.623	-91.782	0.0
84	10759	10760	SN	1	57.456	58.41	0.0	0.0	293.387	3.597	1206.016	1294.048	23.784	-93.615	-91.929	0.0
85	10759	10760	NS	2	57.374	58.3	0.0	0.0	299.123	3.855	1196.352	1292.496	45.043	-94.622	-91.782	0.0
86	10760	10761	NS	1	57.351	58.293	0.0	0.0	297.192	3.839	1196.72	1292.44	43.652	-94.801	-91.804	0.0
87	10760	10761	SN	1	57.469	58.41	0.0	0.0	299.575	3.551	1206.24	1293.96	23.597	-93.777	-91.93	0.0
88	10760	10761	SN	1	57.469	58.41	0.0	0.0	289.03	3.322	1206.576	1293.96	24.278	-93.116	-91.94	0.0
89	10760	10761	NS	2	57.351	58.293	0.0	0.0	297.192	3.837	1196.736	1292.424	43.682	-94.801	-91.804	0.0
90	10760	10761	SN	1	57.469	58.41	0.0	0.0	299.542	3.556	1206.576	1293.96	23.621	-93.777	-91.93	0.0
91	10761	10762	SN	1	57.444	58.409	0.0	0.0	297.33	3.648	1206.0	1293.816	22.968	-95.443	-91.931	0.0
92	10761	10762	SN	1	57.431	58.409	0.0	0.0	285.953	3.196	1205.656	1293.816	24.01	-95.443	-91.931	0.0
93	10761	10762	NS	1	57.352	58.284	0.0	0.0	296.122	3.746	1197.112	1292.216	42.038	-93.199	-91.802	0.0
94	10761	10762	NS	1	57.351	58.283	0.0	0.0	296.144	3.709	1197.08	1292.248	41.958	-93.199	-91.802	0.0
95	10762	10763	SN	1	57.273	58.41	0.0	0.0	296.045	3.784	1203.104	1293.896	23.65	-93.782	-91.93	0.0
96	10762	10763	NS	1	57.346	58.277	0.0	0.0	298.053	3.623	1196.336	1292.32	44.246	-93.494	-91.815	0.0
97	10762	10763	SN	1	57.459	58.41	0.0	0.0	284.927	2.985	1206.312	1293.896	25.279	-93.225	-91.932	0.0
98	10762	10763	NS	1	57.348	58.279	0.0	0.0	299.884	3.658	1196.688	1292.272	44.322	-93.494	-91.815	0.0
99	10763	10764	NS	1	57.376	58.28	0.0	0.0	296.768	3.664	1196.248	1292.464	45.73	-93.352	-91.816	0.0
100	10763	10764	SN	1	57.473	58.411	0.0	0.0	287.089	2.595	1206.92	1294.096	25.856	-93.166	-91.9	0.0
101	10763	10764	SN	1	57.459	58.411	0.0	0.0	295.179	3.72	1206.512	1294.096	23.743	-93.745	-91.9	0.0
102	10763	10764	NS	1	57.372	58.286	0.0	0.0	296.685	3.669	1196.176	1292.512	45.626	-93.352	-91.816	0.0
103	10764	10765	NS	1	57.357	58.279	0.0	0.0	296.542	4.029	1197.064	1292.528	42.639	-93.712	-91.819	0.0
104	10764	10765	SN	2	57.476	58.412	0.0	0.0	299.078	3.635	1207.016	1294.088	23.221	-94.11	-91.881	0.0
105	10764	10765	SN	1	57.476	58.412	0.0	0.0	299.078	3.635	1207.016	1294.088	23.221	-94.11	-91.881	0.0
106	10764	10765	NS	1	57.346	58.279	0.0	0.0	296.542	4.025	1196.976	1292.528	42.689	-93.712	-91.819	0.0
107	10765	10766	NS	1	57.372	58.276	0.0	0.0	297.849	3.756	1197.112	1292.384	43.111	-93.496	-91.788	0.0
108	10765	10766	SN	1	57.473	58.41	0.0	0.0	294.964	3.757	1206.872	1293.92	23.032	-95.201	-91.911	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	10765	10766	NS	1	57.383	58.297	0.0	0.0	297.849	3.771	1196.744	1292.384	43.108	-93.496	-91.788	0.0
110	10766	10767	SN	1	57.442	58.41	0.0	0.0	291.148	3.777	1205.656	1294.0	24.371	-95.284	-91.916	0.0
111	10766	10767	NS	1	57.357	58.294	0.0	0.0	287.447	3.673	1196.52	1292.456	43.69	-93.086	-91.79	0.0
112	10767	10768	SN	1	57.47	58.41	0.0	0.0	298.24	3.665	1206.416	1294.072	24.776	-93.171	-91.917	0.0
113	10767	10768	NS	1	57.357	58.278	0.0	0.0	293.078	3.623	1197.12	1292.552	44.214	-93.71	-91.813	0.0
114	10768	10769	NS	1	57.35	58.279	0.0	0.0	299.106	3.807	1196.256	1292.584	45.59	-93.24	-91.816	0.0
115	10768	10769	SN	1	57.446	58.411	0.0	0.0	297.192	3.676	1205.624	1294.168	25.748	-93.184	-91.914	0.0
116	10769	10770	NS	1	57.356	58.287	0.0	0.003	297.926	1.769	1196.024	1285.216	38.866	-93.49	-91.816	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10741	10742	SN	1	-33.972	20.645	0.0	-33.941	21.007	0.0	-11.646	22.036	0.002	-9.989	22.798	0.014	0.086	184.863	3.656	0.086	183.568	2.918	0.086	1.147	0.002	0.086	0.804	0.0
2	10741	10742	SN	1	-34.558	20.645	0.0	-33.413	21.007	0.0	-11.644	22.036	0.002	-9.989	22.8	0.014	0.086	211.629	3.519	0.086	162.617	2.816	0.086	1.146	0.002	0.086	0.804	0.0
3	10741	10742	NS	1	-34.801	20.623	0.0	-34.889	20.175	0.0	0.679	23.136	0.177	0.523	23.433	0.36	0.086	223.794	5.016	0.086	228.367	5.379	0.086	0.139	0.0	0.086	0.141	0.0
4	10741	10742	SN	1	-33.972	20.645	0.0	-33.941	21.007	0.0	-11.646	22.036	0.002	-9.989	22.8	0.014	0.086	184.863	3.52	0.086	183.568	2.825	0.086	1.147	0.002	0.086	0.804	0.0
5	10741	10742	NS	2	-34.869	20.623	0.0	-34.945	20.175	0.0	0.679	23.136	0.177	0.523	23.433	0.36	0.086	227.354	5.015	0.086	231.306	5.379	0.086	0.139	0.0	0.086	0.141	0.0
6	10742	10743	NS	1	-34.513	19.526	0.0	-34.178	20.766	0.0	-0.459	22.545	0.005	0.404	23.536	0.074	0.086	209.417	2.589	0.086	193.852	2.74	0.086	0.157	0.0	0.086	0.143	0.0
7	10742	10743	SN	1	-34.158	20.633	0.0	-34.111	20.411	0.0	-9.845	21.793	0.0	-5.082	22.591	0.021	0.086	192.979	3.54	0.086	190.929	3.373	0.086	0.78	0.0	0.086	0.308	0.0
8	10742	10743	SN	1	-34.158	20.633	0.0	-34.111	20.411	0.0	-9.845	21.793	0.0	-5.082	22.591	0.021	0.086	192.979	3.515	0.086	190.929	3.311	0.086	0.78	0.0	0.086	0.308	0.0
9	10742	10743	SN	1	-34.82	20.631	0.0	-34.923	20.411	0.0	-9.834	21.793	0.0	-5.078	22.588	0.021	0.086	224.763	3.521	0.086	230.141	3.312	0.086	0.779	0.0	0.086	0.308	0.0
10	10743	10744	SN	1	-34.871	19.605	0.0	-34.662	19.986	0.0	-4.692	21.996	0.0	-3.982	22.18	0.004	0.086	227.389	1.33	0.086	216.736	1.346	0.086	0.288	0.0	0.086	0.255	0.0
11	10743	10744	SN	2	-34.871	19.605	0.0	-34.662	19.986	0.0	-4.692	21.996	0.0	-3.982	22.18	0.004	0.086	227.389	1.329	0.086	216.736	1.346	0.086	0.288	0.0	0.086	0.255	0.0
12	10743	10744	NS	2	-34.304	19.08	0.0	-33.935	17.679	0.0	-7.716	21.572	0.0	-17.513	22.916	0.045	0.086	199.58	2.686	0.086	183.301	2.717	0.086	0.505	0.0	0.086	4.242	0.022
13	10743	10744	NS	1	-34.304	19.08	0.0	-33.935	17.679	0.0	-7.716	21.572	0.0	-17.513	22.916	0.045	0.086	199.58	2.686	0.086	183.301	2.717	0.086	0.505	0.0	0.086	4.242	0.022
14	10743	10744	SN	1	-34.871	19.605	0.0	-34.662	19.986	0.0	-4.692	21.996	0.0	-3.982	22.18	0.004	0.086	227.389	1.356	0.086	216.736	1.352	0.086	0.288	0.0	0.086	0.255	0.0
15	10744	10745	SN	1	-34.385	19.106	0.0	-34.79	19.421	0.0	1.448	21.502	0.0	1.328	21.977	0.0	0.086	203.365	1.885	0.086	223.198	1.951	0.086	0.13	0.0	0.086	0.131	0.0
16	10744	10745	SN	1	-34.385	18.752	0.0	-34.79	19.423	0.0	1.448	21.502	0.0	1.328	21.977	0.0	0.086	203.365	1.884	0.086	223.198	1.937	0.086	0.13	0.0	0.086	0.131	0.0
17	10744	10745	NS	1	-34.8	18.7	0.0	-34.184	17.59	0.0	-24.142	21.468	0.0	-26.667	22.794	0.048	0.086	223.726	2.001	0.087	194.172	2.062	0.086	19.286	0.133	0.086	34.443	0.082
18	10744	10745	NS	1	-33.758	18.7	0.0	-34.81	17.59	0.0	-26.678	21.468	0.0	-26.627	22.794	0.048	0.086	176.06	2.007	0.087	224.258	2.057	0.086	34.531	0.133	0.086	34.129	0.082
19	10744	10745	SN	2	-34.385	19.106	0.0	-34.79	19.421	0.0	1.448	21.502	0.0	1.328	21.977	0.0	0.086	203.365	1.885	0.086	223.198	1.951	0.086	0.13	0.0	0.086	0.131	0.0
20	10745	10746	NS	1	-34.806	18.256	0.0	-33.814	17.204	0.0	-19.671	22.418	0.016	-10.253	22.812	0.045	0.086	224.044	2.023	0.087	178.283	2.234	0.086	6.929	0.001	0.086	0.851	0.0
21	10745	10746	SN	2	-34.891	19.033	0.0	-34.705	18.973	0.0	0.853	21.81	0.0	1.317	22.121	0.053	0.086	228.484	5.3	0.086	218.862	4.942	0.086	0.137	0.0	0.086	0.132	0.0
22	10745	10746	SN	1	-34.891	18.999	0.0	-34.625	18.988	0.0	0.853	21.81	0.0	1.317	22.121	0.057	0.086	228.484	5.402	0.086	214.894	5.039	0.086	0.137	0.0	0.086	0.132	0.0
23	10745	10746	SN	1	-34.891	19.033	0.0	-34.705	18.973	0.0	0.853	21.81	0.0	1.317	22.121	0.053	0.086	228.484	5.297	0.086	218.862	4.943	0.086	0.137	0.0	0.086	0.132	0.0
24	10745	10746	NS	1	-33.483	18.256	0.0	-34.165	17.204	0.0	-19.795	22.418	0.016	-10.25	22.812	0.045	0.086	165.235	2.031	0.087	193.339	2.243	0.086	7.129	0.001	0.086	0.85	0.0
25	10746	10747	SN	1	-34.998	17.099	0.0	-34.83	18.229	0.0	0.305	21.197	0.0	1.962	21.903	0.0	0.087	234.148	6.142	0.086	225.296	5.775	0.086	0.144	0.0	0.086	0.125	0.0
26	10746	10747	NS	1	-34.738	18.42	0.0	-33.989	17.392	0.0	-17.779	22.146	0.002	-17.069	22.839	0.037	0.086	220.538	4.03	0.087	185.648	3.905	0.086	4.505	0.008	0.086	3.835	0.009
27	10746	10747	SN	1	-34.998	17.65	0.0	-34.83	18.213	0.0	0.305	21.197	0.0	1.962	21.903	0.0	0.087	234.148	6.0	0.086	225.296	5.596	0.086	0.144	0.0	0.086	0.125	0.0
28	10746	10747	SN	1	-34.998	17.647	0.0	-34.83	18.213	0.0	0.305	21.197	0.0	1.962	21.903	0.0	0.087	234.148	5.993	0.086	225.296	5.591	0.086	0.144	0.0	0.086	0.125	0.0
29	10746	10747	NS	2	-34.738	18.43	0.0	-33.989	17.384	0.0	-17.779	22.146	0.002	-17.069	22.839	0.037	0.086	220.538	4.027	0.087	185.648	3.908	0.086	4.505	0.008	0.086	3.835	0.009
30	10747	10748	SN	1	-34.95	17.166	0.0	-34.962	17.927	0.0	-4.812	23.054	0.079	1.269	23.162	0.277	0.087	231.578	7.101	0.086	233.572	5.925	0.086	0.294	0.0	0.086	0.132	0.0
31	10747	10748	NS	2	-34.948	20.105	0.0	-34.793	21.527	0.0	-25.886	22.324	0.004	-29.973	22.254	0.045	0.086	231.466	2.576	0.086	223.368	2.331	0.086	28.778	0.162	0.086	73.664	0.179
32	10747	10748	SN	1	-34.895	15.486	0.0	-34.812	17.939	0.0	-4.806	23.054	0.08	1.264	23.162	0.277	0.087	228.686	7.156	0.086	224.324	6.005	0.086	0.293	0.0	0.086	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

33	10747	10748	SN	1	-34.895	17.166	0.0	-34.812	17.927	0.0	-4.806	23.054	0.079	1.264	23.162	0.277	0.087	228.686	7.063	0.086	224.324	5.933	0.086	0.293	0.0	0.086	0.132	0.0
34	10747	10748	NS	1	-34.841	20.105	0.0	-34.759	21.527	0.0	-25.886	22.324	0.004	-29.973	22.254	0.045	0.086	225.887	2.576	0.086	221.634	2.332	0.086	28.778	0.162	0.086	73.664	0.18
35	10748	10749	SN	1	-34.193	17.331	0.0	-34.816	18.007	0.0	-13.412	23.621	0.171	-7.701	23.738	0.714	0.087	194.538	4.021	0.086	224.562	3.603	0.086	1.689	0.001	0.086	0.503	0.0
36	10748	10749	SN	1	-34.193	17.331	0.0	-34.816	17.848	0.0	-13.545	23.621	0.183	-7.701	23.738	0.715	0.087	194.538	4.13	0.086	224.562	4.036	0.086	1.74	0.002	0.086	0.503	0.0
37	10748	10749	NS	1	-34.742	20.402	0.0	-34.932	21.207	0.0	2.236	22.337	0.018	1.686	22.978	0.211	0.086	220.757	2.239	0.086	230.678	2.224	0.086	0.122	0.0	0.086	0.128	0.0
38	10749	10750	NS	1	-34.998	22.463	0.003	-34.713	21.881	0.0	0.924	22.89	0.147	-18.376	23.693	0.657	0.086	234.123	2.741	0.086	219.321	2.571	0.086	0.136	0.0	0.086	5.161	0.002
39	10749	10750	SN	2	-34.796	17.508	0.0	-34.458	18.417	0.0	-25.641	22.293	0.019	-14.676	23.832	0.352	0.087	223.514	4.227	0.086	206.775	3.35	0.086	27.206	0.034	0.086	2.238	0.002
40	10749	10750	SN	1	-34.991	17.508	0.0	-34.413	18.417	0.0	-25.641	22.293	0.019	-14.678	23.832	0.352	0.087	233.819	4.229	0.086	204.611	3.35	0.086	27.206	0.034	0.086	2.239	0.002
41	10749	10750	NS	2	-34.998	22.463	0.003	-34.713	21.881	0.0	0.924	22.89	0.147	-18.376	23.693	0.657	0.086	234.123	2.741	0.086	219.321	2.571	0.086	0.136	0.0	0.086	5.161	0.002
42	10750	10751	SN	1	-34.504	19.769	0.0	-34.36	20.086	0.0	-6.929	22.61	0.011	-1.392	23.754	0.12	0.086	208.978	2.893	0.086	202.151	2.635	0.086	0.433	0.0	0.086	0.175	0.0
43	10750	10751	NS	1	-34.566	21.824	0.0	-34.606	18.883	0.0	-13.012	22.873	0.238	-18.032	23.788	1.01	0.086	211.978	2.51	0.086	213.985	2.221	0.086	1.546	0.003	0.086	4.77	0.003
44	10750	10751	NS	1	-34.567	21.824	0.0	-34.606	18.883	0.0	-13.012	22.873	0.238	-18.032	23.788	1.01	0.086	212.093	2.516	0.086	213.985	2.223	0.086	1.546	0.003	0.086	4.77	0.003
45	10751	10752	SN	1	-32.652	17.57	0.0	-33.989	20.882	0.0	-24.992	22.228	0.003	-20.012	23.102	0.111	0.087	136.487	2.044	0.086	185.601	1.911	0.086	23.442	0.092	0.086	7.491	0.023
46	10751	10752	NS	1	-33.864	20.303	0.0	-34.882	20.02	0.0	-9.288	22.509	0.005	-8.534	23.601	0.725	0.086	180.357	1.574	0.086	227.928	1.445	0.086	0.695	0.0	0.086	0.595	0.0
47	10751	10752	SN	2	-32.652	17.57	0.0	-33.865	20.882	0.0	-24.998	22.228	0.003	-20.012	23.102	0.111	0.087	136.487	2.044	0.086	180.403	1.911	0.086	23.471	0.092	0.086	7.491	0.023
48	10751	10752	NS	1	-34.914	20.303	0.0	-34.882	20.02	0.0	-9.288	22.509	0.005	-8.513	23.6	0.726	0.086	229.708	1.571	0.086	227.928	1.442	0.086	0.695	0.0	0.086	0.592	0.0
49	10752	10753	NS	1	-34.374	19.489	0.0	-34.965	20.359	0.0	-25.521	22.279	0.028	-23.205	23.572	0.686	0.086	202.8	2.338	0.086	232.356	2.363	0.086	26.468	0.014	0.086	15.557	0.031
50	10752	10753	NS	1	-33.486	19.489	0.0	-34.442	20.359	0.0	-22.17	22.279	0.028	-23.11	23.572	0.689	0.086	165.337	2.343	0.086	206.014	2.367	0.086	12.27	0.014	0.086	15.22	0.024
51	10752	10753	SN	1	-34.979	17.095	0.0	-34.702	20.317	0.0	-31.342	22.348	0.026	-24.719	23.275	0.157	0.087	233.107	2.583	0.086	218.772	2.177	0.086	100.951	0.064	0.086	22.018	0.042
52	10752	10753	NS	1	-33.486	19.489	0.0	-34.442	20.359	0.0	-22.17	22.279	0.031	-23.11	23.572	0.765	0.086	165.337	2.348	0.086	206.014	2.367	0.086	12.27	0.015	0.086	15.22	0.027
53	10752	10753	SN	2	-34.979	17.095	0.0	-34.736	20.317	0.0	-31.296	22.348	0.026	-24.719	23.275	0.157	0.087	233.107	2.583	0.086	220.494	2.177	0.086	99.875	0.064	0.086	22.018	0.042
54	10753	10754	NS	1	-34.97	20.56	0.0	-34.971	20.713	0.0	-15.216	22.047	0.006	-27.836	23.27	0.708	0.086	232.642	4.028	0.086	232.742	3.787	0.086	2.525	0.024	0.086	45.065	0.033
55	10753	10754	SN	1	-34.852	18.255	0.0	-34.781	20.453	0.0	-28.113	22.378	0.02	-28.448	23.522	0.425	0.086	226.446	4.304	0.086	222.771	3.904	0.086	48.025	0.08	0.086	51.862	0.114
56	10753	10754	NS	1	-34.96	20.562	0.0	-34.53	20.716	0.0	-15.207	22.047	0.006	-22.001	23.27	0.708	0.086	232.179	4.025	0.086	210.225	3.793	0.086	2.521	0.024	0.086	11.807	0.033
57	10753	10754	NS	1	-34.96	20.562	0.0	-34.53	20.716	0.0	-15.207	22.047	0.01	-22.001	23.27	0.974	0.086	232.179	4.039	0.086	210.225	3.793	0.086	2.521	0.038	0.086	11.807	0.046
58	10753	10754	SN	1	-34.99	18.255	0.0	-34.864	20.453	0.0	-28.03	22.378	0.02	-28.143	23.522	0.424	0.086	233.744	4.296	0.086	227.045	3.903	0.086	47.108	0.08	0.086	48.352	0.114
59	10754	10755	NS	1	-34.974	20.359	0.0	-34.977	20.359	0.0	2.236	22.19	0.02	3.003	23.874	1.004	0.086	232.887	5.125	0.086	233.085	4.784	0.086	0.122	0.0	0.086	0.116	0.0
60	10754	10755	NS	1	-34.974	20.359	0.0	-34.977	20.359	0.0	6.283	21.957	0.0	3.336	23.522	0.39	0.086	232.887	5.199	0.086	233.085	4.786	0.086	0.099	0.0	0.086	0.114	0.0
61	10754	10755	NS	2	-34.974	20.359	0.0	-34.977	20.359	0.0	2.236	22.19	0.02	3.003	23.874	1.004	0.086	232.887	5.125	0.086	233.085	4.784	0.086	0.122	0.0	0.086	0.116	0.0
62	10754	10755	SN	1	-34.693	17.61	0.0	-34.86	20.568	0.0	1.932	22.446	0.073	4.06	24.018	2.058	0.087	218.296	2.395	0.086	226.869	2.175	0.086	0.125	0.0	0.086	0.109	0.0
63	10755	10756	NS	1	-34.928	19.307	0.0	-34.996	20.401	0.0	-26.617	22.984	0.205	0.946	23.587	0.71	0.086	232.423	9.077	0.086	234.078	8.463	0.086	34.052	0.016	0.086	0.136	0.0
64	10755	10756	SN	1	-34.974	15.005	0.0	-34.926	20.764	0.0	0.481	21.818	0.0	0.83	22.825	0.046	0.087	232.875	2.528	0.086	230.324	2.518	0.086	0.142	0.0	0.086	0.137	0.0
65	10755	10756	NS	1	-34.782	19.307	0.0	-34.892	20.401	0.0	-26.617	22.981	0.204	0.946	23.587	0.709	0.086	222.839	9.08	0.086	228.552	8.458	0.086	34.052	0.016	0.086	0.136	0.0
66	10755	10756	NS	1	-34.928	19.307	0.0	-34.996	20.401	0.0	-26.617	21.31	0.0	0.925	20.578	0.0	0.086	232.423	9.887	0.086	234.078	8.542	0.086	34.052	0.024	0.086	0.136	0.0
67	10755	10756	SN	1	-34.974	18.249	0.0	-34.926	20.752	0.0	0.469	22.607	0.031	0.83	22.984	0.132	0.086	232.875	2.498	0.086	230.324	2.451	0.086	0.142	0.0	0.086	0.137	0.0
68	10756	10757	SN	1	-34.485	20.466	0.0	-34.694	20.332	0.0	-26.873	22.02	0.003	-30.878	22.888	0.015	0.086	208.071	3.781	0.086	234.428	3.565	0.086	37.027	0.043	0.086	97.417	0.044
69	10756	10757	NS	1	-34.939	20.125	0.0	-34.945	19.89	0.0	1.892	30.502	0.021	2.341	23.863	0.118	0.086	231.02	5.563	0.086	231.34	6.221	0.086	0.125	0.0	0.086	0.121	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	10756	10757	SN	1	-34.485	20.466	0.0	-33.901	20.332	0.0	-26.52	22.02	0.003	-27.515	22.888	0.015	0.086	208.071	3.711	0.086	181.9	3.759	0.086	36.863	0.042	0.086	44.944	0.044
71	10756	10757	SN	2	-34.485	20.466	0.0	-33.901	20.332	0.0	-26.52	22.02	0.003	-27.515	22.888	0.015	0.086	208.071	3.711	0.086	181.9	3.759	0.086	36.863	0.042	0.086	44.944	0.044
72	10756	10757	NS	1	-34.747	20.125	0.0	-34.945	19.89	0.0	1.892	30.502	0.021	2.341	23.863	0.118	0.086	221.003	5.572	0.086	231.34	6.232	0.086	0.125	0.0	0.086	0.121	0.0
73	10757	10758	SN	1	-34.578	20.009	0.0	-33.539	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	212.586	1.221	0.086	167.341	1.22	0.086	68.658	0.008	0.086	2.61	0.007
74	10757	10758	SN	2	-34.578	20.009	0.0	-33.539	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	212.586	1.221	0.086	167.341	1.22	0.086	68.658	0.008	0.086	2.61	0.007
75	10757	10758	NS	1	-34.773	19.601	0.0	-34.332	20.19	0.0	-8.856	21.938	0.0	-7.469	23.04	0.043	0.086	222.372	2.082	0.086	200.913	1.452	0.086	0.635	0.0	0.086	0.481	0.0
76	10757	10758	SN	1	-34.994	20.009	0.0	-34.261	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	234.0	1.351	0.086	197.604	1.198	0.086	68.658	0.008	0.086	2.61	0.007
77	10757	10758	NS	1	-33.169	19.601	0.0	-33.772	20.19	0.0	-8.856	21.938	0.0	-7.469	23.04	0.043	0.086	153.713	2.081	0.086	176.58	1.459	0.086	0.636	0.0	0.086	0.481	0.0
78	10758	10759	NS	1	-34.583	18.742	0.0	-34.968	17.678	0.0	-5.634	21.604	0.0	-18.434	22.814	0.04	0.086	212.828	1.646	0.086	232.564	1.568	0.086	0.34	0.0	0.086	5.228	0.016
79	10758	10759	SN	1	-34.226	18.673	0.0	-34.614	19.536	0.0	1.948	21.634	0.0	2.126	22.251	0.015	0.086	196.024	1.856	0.086	214.352	1.543	0.086	0.125	0.0	0.086	0.123	0.0
80	10758	10759	SN	1	-34.058	18.911	0.0	-34.614	19.536	0.0	1.948	21.634	0.0	2.126	22.251	0.015	0.086	188.645	1.887	0.086	214.352	1.544	0.086	0.125	0.0	0.086	0.123	0.0
81	10759	10760	SN	1	-34.974	19.282	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.1	0.086	232.899	3.238	0.086	230.493	2.995	0.086	0.141	0.0	0.086	0.126	0.0
82	10759	10760	SN	1	-34.936	19.291	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.103	0.086	230.831	3.253	0.086	230.493	3.045	0.086	0.141	0.0	0.086	0.126	0.0
83	10759	10760	NS	1	-34.994	18.922	0.0	-34.694	18.026	0.0	-24.394	21.983	0.0	-28.744	22.873	0.03	0.086	234.007	1.881	0.086	218.351	1.938	0.086	20.436	0.01	0.086	55.536	0.047
84	10759	10760	SN	1	-34.623	19.284	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.1	0.086	214.824	3.243	0.086	230.493	3.0	0.086	0.141	0.0	0.086	0.126	0.0
85	10759	10760	NS	2	-34.994	18.922	0.0	-34.81	18.026	0.0	-24.394	21.983	0.0	-28.744	22.873	0.03	0.086	234.007	1.881	0.086	224.266	1.939	0.086	20.436	0.01	0.086	55.536	0.047
86	10760	10761	NS	1	-34.984	17.913	0.0	-34.346	18.06	0.0	-17.843	24.628	0.011	-17.696	22.71	0.012	0.086	233.384	4.662	0.086	201.551	4.606	0.086	4.571	0.009	0.086	4.422	0.008
87	10760	10761	SN	1	-34.912	18.224	0.0	-34.928	18.142	0.0	0.443	21.354	0.0	1.34	22.761	0.066	0.086	229.616	5.562	0.086	230.374	5.019	0.086	0.143	0.0	0.086	0.131	0.0
88	10760	10761	SN	1	-34.951	18.236	0.0	-34.974	18.153	0.0	0.443	21.354	0.0	1.34	22.761	0.069	0.086	231.606	5.633	0.086	232.914	5.142	0.086	0.143	0.0	0.086	0.131	0.0
89	10760	10761	NS	2	-34.984	17.913	0.0	-34.342	18.06	0.0	-17.843	24.628	0.011	-17.697	22.71	0.012	0.086	233.384	4.662	0.086	201.349	4.604	0.086	4.571	0.009	0.086	4.422	0.008
90	10760	10761	SN	1	-34.951	18.224	0.0	-34.878	18.14	0.0	0.443	21.354	0.0	1.34	22.761	0.066	0.086	231.606	5.547	0.086	227.768	5.012	0.086	0.143	0.0	0.086	0.131	0.0
91	10761	10762	SN	1	-34.968	17.52	0.0	-34.923	18.075	0.0	-0.394	22.141	0.014	4.935	21.872	0.0	0.087	232.582	7.106	0.086	230.128	6.625	0.086	0.156	0.0	0.086	0.104	0.0
92	10761	10762	SN	1	-34.98	14.796	0.0	-34.923	17.577	0.0	-0.394	22.141	0.016	4.935	21.872	0.0	0.087	233.248	7.299	0.087	230.128	6.954	0.086	0.156	0.0	0.086	0.104	0.0
93	10761	10762	NS	1	-34.998	21.084	0.0	-34.988	20.922	0.0	-26.113	21.566	0.0	-26.455	22.602	0.039	0.086	234.144	2.153	0.086	233.602	2.232	0.086	30.321	0.195	0.086	32.808	0.037
94	10761	10762	NS	1	-34.998	21.084	0.0	-34.085	20.922	0.0	-26.102	21.566	0.0	-26.455	22.602	0.037	0.086	234.144	2.152	0.086	189.779	2.231	0.086	30.255	0.195	0.086	32.808	0.037
95	10762	10763	SN	1	-34.668	16.841	0.0	-34.857	18.391	0.0	-28.316	22.993	0.156	-7.888	23.358	0.459	0.087	217.032	6.838	0.086	226.698	6.428	0.086	50.316	0.003	0.086	0.522	0.0
96	10762	10763	NS	1	-34.95	20.433	0.0	-34.936	21.278	0.0	2.851	22.242	0.063	1.054	31.104	0.223	0.086	231.565	2.131	0.086	230.784	2.12	0.086	0.117	0.0	0.086	0.135	0.0
97	10762	10763	SN	1	-34.668	16.004	0.0	-34.857	18.25	0.0	-15.842	22.993	0.167	-7.888	23.358	0.461	0.087	217.032	7.282	0.086	226.698	6.962	0.086	3.009	0.004	0.086	0.522	0.0
98	10762	10763	NS	1	-34.95	20.433	0.0	-34.998	21.278	0.0	2.851	22.242	0.062	1.054	31.104	0.222	0.086	231.565	2.129	0.086	234.163	2.12	0.086	0.117	0.0	0.086	0.135	0.0
99	10763	10764	NS	1	-34.544	20.812	0.0	-34.866	20.676	0.0	-7.124	23.035	0.143	1.27	23.496	0.406	0.086	210.916	1.771	0.086	227.192	1.679	0.086	0.449	0.0	0.086	0.132	0.0
100	10763	10764	SN	1	-34.54	17.602	0.0	-34.716	17.682	0.0	-11.585	22.868	0.055	-9.755	23.601	0.424	0.087	210.689	2.402	0.086	219.414	2.319	0.086	1.132	0.002	0.086	0.766	0.0
101	10763	10764	SN	1	-34.54	17.602	0.0	-34.716	18.54	0.0	-9.41	22.868	0.05	-9.749	23.601	0.485	0.087	210.689	2.249	0.086	219.414	2.244	0.086	0.712	0.0	0.086	0.765	0.0
102	10763	10764	NS	1	-34.492	20.814	0.0	-34.702	20.676	0.0	-7.124	23.035	0.143	1.269	23.498	0.406	0.086	208.392	1.772	0.086	218.72	1.677	0.086	0.449	0.0	0.086	0.132	0.0
103	10764	10765	NS	1	-34.847	21.366	0.0	-34.461	21.32	0.0	-10.25	23.273	0.316	-19.815	23.736	0.993	0.086	226.183	1.376	0.086	206.934	1.083	0.086	0.85	0.0	0.086	7.161	0.006
104	10764	10765	SN	2	-34.509	18.055	0.0	-34.837	18.976	0.0	-22.58	22.535	0.017	-4.203	23.17	0.17	0.086	209.187	2.054	0.086	225.609	1.968	0.086	13.477	0.007	0.086	0.265	0.0
105	10764	10765	SN	1	-34.509	18.055	0.0	-34.837	18.976	0.0	-22.58	22.535	0.017	-4.203	23.17	0.17	0.086	209.187	2.054	0.086	225.609	1.968	0.086	13.477	0.007	0.086	0.265	0.0
106	10764	10765	NS	1	-34.849	21.366	0.0	-34.574	21.32	0.0	-10.256	23.273	0.315	-19.815	23.736	0.992	0.086	226.3	1.377	0.086	212.333	1.082	0.086	0.851	0.0	0.086	7.161	0.006

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

107	10765	10766	NS	1	-34.739	22.056	0.001	-33.983	19.152	0.0	-10.652	22.317	0.008	-11.02	23.44	0.75	0.086	220.633	1.296	0.086	185.387	1.487	0.086	0.926	0.0	0.086	1.002	0.002
108	10765	10766	SN	1	-34.718	18.473	0.0	-34.889	20.357	0.0	-31.469	23.153	0.017	-23.008	23.338	0.084	0.086	219.526	1.854	0.086	228.358	1.766	0.086	103.92	0.105	0.086	14.87	0.103
109	10765	10766	NS	1	-34.253	22.056	0.001	-34.772	19.152	0.0	-10.66	22.317	0.008	-11.017	23.439	0.747	0.086	197.244	1.292	0.086	222.245	1.494	0.086	0.928	0.0	0.086	1.002	0.002
110	10766	10767	SN	1	-34.688	20.17	0.0	-34.657	20.196	0.0	-18.612	22.283	0.009	-21.166	23.323	0.107	0.086	218.028	2.2	0.086	216.485	2.205	0.086	5.444	0.009	0.086	9.752	0.01
111	10766	10767	NS	1	-34.501	21.253	0.0	-34.985	20.082	0.0	-22.221	22.232	0.003	-10.162	23.444	0.719	0.086	208.867	2.644	0.086	233.488	2.542	0.086	12.414	0.007	0.086	0.835	0.0
112	10767	10768	SN	1	-34.792	17.986	0.0	-34.765	20.374	0.0	-21.715	22.638	0.021	-18.26	23.705	0.219	0.086	223.267	1.387	0.086	221.945	1.329	0.086	11.057	0.006	0.086	5.026	0.005
113	10767	10768	NS	1	-34.767	20.277	0.0	-34.32	20.088	0.0	-1.448	22.504	0.023	-2.056	23.584	0.736	0.086	222.053	2.399	0.086	200.354	2.041	0.086	0.177	0.0	0.086	0.199	0.0
114	10768	10769	NS	1	-34.963	20.424	0.0	-34.857	20.906	0.0	1.192	22.115	0.007	2.349	23.722	0.894	0.086	232.323	4.77	0.086	226.666	4.76	0.086	0.133	0.0	0.086	0.121	0.0
115	10768	10769	SN	1	-34.201	18.718	0.0	-34.267	20.729	0.0	-17.914	22.786	0.037	-25.785	23.436	0.917	0.086	194.875	1.801	0.086	197.899	1.53	0.086	4.645	0.047	0.086	28.12	0.12
116	10769	10770	NS	1	-34.968	19.4	0.0	-34.928	20.045	0.0	-2.987	21.742	0.0	3.108	20.931	0.0	0.086	232.558	7.236	0.086	230.41	7.072	0.086	0.219	0.0	0.086	0.115	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors