

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 08-OCT-2018 To 09-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 08-OCT-2018 To 09-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10755	10756	SN	1	48.685	49.523	0.0	0.003	6.822	1.741	1030.264	1100.368	11.764	-91.82	-89.893	0.0
2	10755	10756	SN	1	48.685	49.523	0.0	0.0	92.746	2.76	1030.264	1100.368	11.234	-91.978	-89.878	0.0
3	10756	10757	SN	2	48.553	49.525	0.0	0.003	6.822	2.744	1028.792	1100.192	11.082	-92.402	-89.876	0.0
4	10756	10757	SN	1	48.553	49.525	0.0	0.003	6.822	2.744	1028.792	1100.192	11.082	-92.402	-89.876	0.0
5	10756	10757	NS	1	48.576	49.385	0.0	0.003	17.472	2.729	1021.432	1099.208	13.187	-91.683	-89.739	0.0
6	10756	10757	SN	1	48.739	49.525	0.0	0.003	6.822	2.499	1031.248	1100.192	11.318	-91.844	-89.882	0.0
7	10756	10757	NS	1	48.576	49.385	0.0	0.003	17.472	2.726	1021.608	1099.208	13.214	-91.735	-89.739	0.0
8	10757	10758	NS	1	48.639	49.386	0.0	0.0	267.621	2.67	1022.112	1099.432	13.934	-91.785	-89.699	0.0
9	10757	10758	NS	1	48.639	49.386	0.0	0.0	267.621	2.668	1022.112	1099.432	13.952	-91.785	-89.699	0.0
10	10757	10758	SN	1	48.738	49.519	0.0	0.003	282.048	2.542	1031.008	1100.376	10.103	-92.074	-89.853	0.0
11	10757	10758	SN	1	48.738	49.52	0.0	0.003	282.048	2.427	1031.024	1100.368	10.196	-91.457	-89.854	0.0
12	10757	10758	SN	2	48.738	49.519	0.0	0.003	282.048	2.426	1031.008	1100.376	10.207	-91.457	-89.853	0.0
13	10758	10759	SN	1	48.678	49.533	0.0	0.003	6.822	2.51	1029.704	1100.416	9.73	-91.792	-89.869	0.0
14	10758	10759	NS	1	48.64	49.388	0.0	0.003	210.59	2.584	1022.264	1099.52	13.598	-91.692	-89.696	0.0
15	10758	10759	SN	1	48.678	49.533	0.0	0.003	6.822	2.364	1029.704	1100.416	9.842	-91.792	-89.869	0.0
16	10759	10760	SN	1	48.69	49.519	0.0	0.003	6.828	2.546	1029.632	1100.304	9.655	-91.815	-89.873	0.0
17	10759	10760	SN	1	48.728	49.519	0.0	0.003	6.828	2.548	1030.272	1100.304	9.665	-91.815	-89.873	0.0
18	10759	10760	NS	2	48.6	49.388	0.0	0.0	264.77	2.77	1021.88	1099.432	12.638	-91.736	-89.729	0.0
19	10759	10760	NS	1	48.6	49.388	0.0	0.0	267.158	2.77	1021.872	1099.44	12.638	-91.736	-89.729	0.0
20	10759	10760	SN	1	48.728	49.519	0.0	0.003	6.828	2.29	1030.272	1100.304	9.836	-91.815	-89.88	0.0
21	10760	10761	SN	1	48.735	49.534	0.0	0.003	6.828	2.517	1030.616	1100.24	9.832	-91.719	-89.879	0.0
22	10760	10761	SN	1	48.735	49.534	0.0	0.003	6.828	2.086	1030.616	1100.24	10.122	-91.719	-89.884	0.0
23	10760	10761	NS	2	48.587	49.431	0.0	0.003	210.458	2.688	1021.592	1099.376	12.495	-91.698	-89.759	0.0
24	10760	10761	SN	1	48.704	49.534	0.0	0.003	6.828	2.514	1030.024	1100.24	9.822	-91.854	-89.88	0.0
25	10760	10761	NS	1	48.586	49.43	0.0	0.003	210.458	2.691	1021.584	1099.384	12.522	-91.698	-89.759	0.0
26	10761	10762	SN	1	48.688	49.517	0.0	0.003	6.822	1.878	1029.584	1100.128	10.326	-91.686	-89.875	0.0
27	10761	10762	NS	1	48.584	49.389	0.0	0.003	265.564	2.601	1022.488	1099.24	12.739	-91.793	-89.747	0.0
28	10761	10762	SN	1	48.688	49.517	0.0	0.003	6.822	2.58	1029.584	1100.128	9.869	-91.686	-89.875	0.0
29	10761	10762	NS	1	48.585	49.388	0.0	0.003	42.375	2.615	1022.504	1099.216	12.791	-91.793	-89.748	0.0
30	10762	10763	SN	1	48.722	49.538	0.0	0.003	6.816	2.659	1030.448	1100.192	10.377	-93.748	-89.873	0.0
31	10762	10763	SN	1	48.722	49.538	0.0	0.003	6.816	1.657	1030.448	1100.192	11.056	-91.818	-89.873	0.0
32	10762	10763	NS	1	48.581	49.387	0.0	0.003	206.945	2.623	1022.416	1099.288	12.566	-91.664	-89.763	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	10762	10763	NS	1	48.582	49.388	0.0	0.003	267.18	2.633	1022.448	1099.256	12.595	-91.55	-89.763	0.0
34	10763	10764	SN	1	48.676	49.534	0.0	0.003	6.816	2.6	1030.744	1100.336	10.121	-91.819	-89.846	0.0
35	10763	10764	NS	1	48.616	49.389	0.0	0.003	264.659	2.612	1021.616	1099.408	12.87	-91.569	-89.765	0.0
36	10763	10764	SN	1	48.737	49.534	0.0	0.003	6.816	1.57	1030.768	1100.336	10.987	-91.819	-89.846	0.0
37	10763	10764	NS	1	48.623	49.387	0.0	0.003	264.306	2.614	1021.712	1099.44	12.894	-91.686	-89.765	0.0
38	10764	10765	NS	1	48.589	49.388	0.0	0.0	210.59	2.798	1022.416	1099.456	12.756	-91.694	-89.768	0.0
39	10764	10765	SN	2	48.74	49.52	0.0	0.003	282.142	2.542	1030.84	1100.336	10.458	-91.954	-89.822	0.0
40	10764	10765	SN	1	48.74	49.52	0.0	0.003	282.142	2.542	1030.84	1100.336	10.458	-91.954	-89.822	0.0
41	10764	10765	NS	1	48.597	49.388	0.0	0.0	210.59	2.8	1022.184	1099.456	12.727	-91.497	-89.768	0.0
42	10765	10766	NS	1	48.642	49.386	0.0	0.003	210.452	2.647	1022.648	1099.336	12.814	-91.5	-89.738	0.0
43	10765	10766	SN	1	48.738	49.518	0.0	0.0	215.157	2.619	1030.72	1100.2	10.543	-91.724	-89.858	0.0
44	10765	10766	NS	1	48.642	49.386	0.0	0.003	210.452	2.66	1022.648	1099.336	12.806	-91.515	-89.738	0.0
45	10766	10767	NS	1	48.586	49.386	0.0	0.003	207.094	2.681	1021.696	1099.4	12.697	-91.7	-89.753	0.0
46	10766	10767	SN	1	48.678	49.519	0.0	0.003	279.737	2.654	1029.408	1100.264	10.929	-91.741	-89.858	0.0
47	10767	10768	NS	1	48.617	49.386	0.0	0.003	267.29	2.59	1022.528	1099.472	13.27	-91.8	-89.766	0.0
48	10767	10768	SN	1	48.672	49.519	0.0	0.003	6.833	2.578	1029.536	1100.328	10.779	-91.627	-89.859	0.0
49	10768	10769	SN	2	48.688	49.519	0.0	0.003	281.149	2.589	1029.312	1100.4	10.605	-91.615	-89.856	0.0
50	10768	10769	NS	1	48.576	49.45	0.0	0.0	210.502	2.755	1021.576	1099.512	14.107	-91.778	-89.766	0.0
51	10768	10769	SN	1	48.688	49.519	0.0	0.003	281.149	2.589	1029.312	1100.416	10.605	-91.615	-89.856	0.0
52	10768	10769	NS	1	48.576	49.387	0.0	0.0	210.502	2.752	1021.576	1099.512	14.092	-91.679	-89.766	0.0
53	10769	10770	SN	1	48.729	49.535	0.0	0.003	215.736	1.558	1030.232	1100.496	11.369	-91.853	-89.875	0.0
54	10769	10770	NS	1	48.602	49.398	0.0	0.003	15.944	1.585	1021.44	1092.896	7.662	-91.622	-89.764	0.0
55	10769	10770	NS	1	48.602	49.398	0.0	0.003	15.944	2.666	1021.44	1099.6	14.473	-92.58	-89.764	0.0
56	10769	10770	NS	1	48.602	49.398	0.0	0.003	15.944	2.669	1021.44	1099.624	14.484	-91.618	-89.764	0.0
57	10769	10770	SN	2	48.731	49.535	0.0	0.003	215.736	2.649	1030.288	1100.496	10.791	-91.853	-89.871	0.0
58	10769	10770	SN	1	48.731	49.535	0.0	0.003	215.736	2.649	1030.288	1100.496	10.791	-91.853	-89.871	0.0
59	10770	10771	NS	1	48.613	49.39	0.0	0.003	267.345	2.726	1021.928	1099.544	13.712	-92.267	-89.738	0.0
60	10770	10771	NS	1	48.59	49.388	0.0	0.003	16.17	2.727	1021.472	1099.576	13.761	-91.719	-89.738	0.0
61	10770	10771	SN	2	48.7	49.53	0.0	0.0	90.716	2.752	1029.536	1100.448	11.068	-91.855	-89.872	0.0
62	10770	10771	SN	1	48.7	49.53	0.0	0.0	90.716	2.752	1029.536	1100.448	11.068	-91.855	-89.872	0.0
63	10770	10771	SN	1	48.7	49.53	0.0	0.003	35.472	2.078	1029.536	1100.448	11.505	-91.855	-89.883	0.0
64	10771	10772	SN	1	48.734	49.518	0.0	0.003	281.447	2.596	1030.208	1100.4	10.333	-91.7	-89.873	0.0
65	10771	10772	SN	1	48.734	49.518	0.0	0.003	281.447	2.476	1030.208	1100.4	10.449	-91.7	-89.877	0.0
66	10771	10772	SN	1	48.734	49.518	0.0	0.003	281.447	2.594	1030.208	1100.4	10.322	-91.7	-89.873	0.0
67	10771	10772	NS	1	48.634	49.389	0.0	0.003	266.86	2.613	1022.368	1099.576	12.589	-91.624	-89.752	0.0
68	10772	10773	SN	1	48.711	49.518	0.0	0.003	6.844	2.516	1029.44	1100.552	9.496	-91.784	-89.863	0.0
69	10772	10773	SN	1	48.734	49.518	0.0	0.003	6.844	2.515	1029.912	1100.544	9.477	-91.783	-89.863	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

70	10772	10773	NS	1	48.643	49.391	0.0	0.003	267.466	2.548	1022.904	1099.776	12.609	-91.678	-89.696	0.0
71	10772	10773	NS	2	48.643	49.391	0.0	0.003	267.466	2.548	1022.904	1099.776	12.607	-91.678	-89.696	0.0
72	10772	10773	SN	2	48.734	49.518	0.0	0.003	6.844	2.515	1029.912	1100.544	9.477	-91.783	-89.863	0.0
73	10773	10774	NS	2	48.624	49.426	0.0	0.0	48.67	2.69	1022.48	1099.672	12.089	-91.67	-89.74	0.0
74	10773	10774	SN	2	48.731	49.517	0.0	0.003	6.844	2.338	1029.752	1100.464	9.734	-91.761	-89.877	0.0
75	10773	10774	SN	3	48.731	49.517	0.0	0.003	6.844	2.338	1029.752	1100.464	9.734	-91.761	-89.877	0.0
76	10773	10774	SN	1	48.731	49.517	0.0	0.003	6.844	2.338	1029.752	1100.464	9.734	-91.761	-89.877	0.0
77	10773	10774	NS	1	48.624	49.426	0.0	0.0	48.67	2.69	1022.48	1099.672	12.089	-91.67	-89.74	0.0
78	10774	10775	SN	1	48.694	49.516	0.0	0.003	38.481	2.534	1028.872	1100.328	9.698	-91.742	-89.873	0.0
79	10774	10775	SN	2	48.693	49.516	0.0	0.003	6.839	2.534	1028.864	1100.328	9.704	-91.742	-89.873	0.0
80	10774	10775	SN	1	48.694	49.516	0.0	0.003	38.481	2.175	1028.872	1100.328	9.937	-91.742	-89.881	0.0
81	10774	10775	NS	1	48.621	49.391	0.0	0.003	267.207	2.645	1023.128	1099.568	11.903	-91.495	-89.747	0.0
82	10775	10776	SN	2	48.532	49.516	0.0	0.003	280.78	2.549	1028.112	1100.248	9.426	-92.26	-89.872	0.0
83	10775	10776	NS	1	48.586	49.391	0.0	0.003	264.814	2.654	1022.544	1099.496	11.794	-91.832	-89.761	0.0
84	10775	10776	SN	1	48.532	49.516	0.0	0.003	280.78	2.549	1028.112	1100.248	9.426	-92.26	-89.872	0.0
85	10775	10776	NS	1	48.577	49.396	0.0	0.003	264.814	2.652	1022.312	1099.496	11.797	-91.665	-89.761	0.0
86	10776	10777	SN	1	48.707	49.519	0.0	0.003	215.344	2.252	1029.064	1100.208	10.031	-91.819	-89.864	0.0
87	10776	10777	SN	1	48.707	49.519	0.0	0.003	215.344	2.607	1029.064	1100.208	9.797	-91.819	-89.864	0.0
88	10776	10777	SN	2	48.705	49.518	0.0	0.003	281.794	2.606	1029.04	1100.192	9.82	-91.819	-89.864	0.0
89	10776	10777	NS	1	48.583	49.447	0.0	0.0	210.508	2.716	1022.2	1099.448	11.07	-91.816	-89.77	0.0
90	10776	10777	NS	1	48.612	49.452	0.0	0.0	210.508	2.714	1022.968	1099.448	11.075	-91.871	-89.77	0.0
91	10777	10778	NS	1	48.593	49.43	0.0	0.003	206.763	2.578	1022.192	1099.6	11.55	-91.812	-89.77	0.0
92	10777	10778	SN	1	48.732	49.516	0.0	0.003	33.636	2.666	1029.816	1100.368	10.485	-91.742	-89.862	0.0
93	10777	10778	SN	1	48.732	49.516	0.0	0.003	33.636	1.602	1029.816	1100.368	11.279	-91.742	-89.862	0.0
94	10778	10779	SN	1	48.736	49.517	0.0	0.003	6.844	2.573	1029.936	1100.432	10.288	-92.224	-89.818	0.0
95	10778	10779	SN	2	48.736	49.517	0.0	0.003	6.844	2.573	1029.952	1100.432	10.273	-92.224	-89.818	0.0
96	10778	10779	NS	1	48.578	49.392	0.0	0.003	42.303	2.688	1023.088	1099.664	12.105	-91.907	-89.771	0.0
97	10779	10780	NS	2	48.645	49.392	0.0	0.003	13.501	2.686	1023.296	1099.6	11.762	-91.873	-89.758	0.0
98	10779	10780	NS	1	48.645	49.392	0.0	0.003	13.501	2.686	1023.296	1099.6	11.762	-91.873	-89.758	0.0
99	10779	10780	SN	1	48.712	49.517	0.0	0.003	6.844	2.549	1029.92	1100.36	10.34	-91.656	-89.849	0.0
100	10780	10781	SN	1	48.69	49.516	0.0	0.003	6.844	2.633	1028.888	1100.464	10.813	-91.771	-89.851	0.0
101	10780	10781	NS	1	48.614	49.411	0.0	0.0	46.332	2.781	1022.528	1099.488	11.32	-91.695	-89.74	0.0
102	10781	10782	NS	1	48.645	49.397	0.0	0.003	15.436	2.662	1023.272	1099.584	11.896	-91.8	-89.771	0.0
103	10781	10782	SN	1	48.693	49.516	0.0	0.003	28.846	2.602	1028.872	1100.376	10.513	-91.685	-89.853	0.0
104	10781	10782	NS	1	48.645	49.406	0.0	0.003	15.436	2.46	1023.272	1098.848	10.191	-91.702	-89.771	0.0
105	10782	10783	NS	1	48.639	49.391	0.0	0.003	41.707	1.953	1022.864	1097.44	7.591	-91.937	-89.773	0.0
106	10782	10783	SN	1	48.687	49.517	0.0	0.003	276.064	2.558	1028.592	1100.408	10.504	-91.703	-89.848	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

107	10782	10783	NS	1	48.639	49.391	0.0	0.003	41.707	2.599	1022.864	1099.616	12.289	-91.841	-89.773	0.0
108	10783	10784	NS	1	48.633	49.392	0.0	0.0	44.809	1.626	1022.624	1095.464	5.274	-91.593	-89.77	0.0
109	10783	10784	SN	1	48.732	49.56	0.0	0.003	6.822	2.556	1029.424	1100.496	10.35	-92.184	-89.854	0.0
110	10783	10784	NS	1	48.633	49.392	0.0	0.0	44.809	2.729	1022.624	1099.72	12.965	-91.593	-89.77	0.0
111	10784	10785	NS	1	48.587	49.392	0.0	0.003	266.948	1.525	1022.344	1090.744	5.605	-91.672	-89.769	0.0
112	10784	10785	NS	1	48.587	49.392	0.0	0.003	266.948	2.562	1022.344	1099.768	12.987	-91.77	-89.769	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors




Inner																												
SNR																		Kp										
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10755	10756	SN	1	-34.753	21.672	0.0	-34.601	25.869	0.235	3.238	28.867	14.661	4.324	29.464	16.027	0.116	289.62	3.414	0.116	279.607	3.027	0.116	0.154	0.0	0.116	0.145	0.0
2	10755	10756	SN	1	-34.753	24.848	1.394	-33.905	27.082	5.611	3.243	28.867	15.561	4.318	29.464	16.349	0.116	289.62	3.356	0.116	238.245	2.793	0.116	0.154	0.0	0.116	0.145	0.0
3	10756	10757	SN	2	-34.866	25.92	4.597	-34.512	26.709	8.902	-15.85	36.383	12.852	-14.874	30.072	16.868	0.116	297.236	4.266	0.116	273.971	3.914	0.116	3.817	0.011	0.116	3.067	0.011
4	10756	10757	SN	1	-34.866	25.92	4.597	-34.512	26.709	8.902	-15.85	36.383	12.852	-14.874	30.072	16.868	0.116	297.236	4.266	0.116	273.971	3.914	0.116	3.817	0.011	0.116	3.067	0.011
5	10756	10757	NS	1	-34.888	26.541	3.301	-34.832	26.657	0.325	-0.654	32.481	15.88	3.863	32.924	27.23	0.116	298.642	5.323	0.116	294.833	5.66	0.116	0.215	0.0	0.116	0.148	0.0
6	10756	10757	SN	1	-34.866	25.92	2.31	-34.39	26.703	8.394	-15.85	36.383	12.848	-14.874	30.072	16.868	0.116	297.236	4.367	0.116	266.309	3.689	0.116	3.817	0.011	0.116	3.067	0.011
7	10756	10757	NS	1	-34.829	26.542	3.298	-34.652	26.657	0.324	-0.654	32.481	15.878	3.863	32.924	27.233	0.116	294.637	5.314	0.116	282.979	5.651	0.116	0.215	0.0	0.116	0.148	0.0
8	10757	10758	NS	1	-34.789	26.111	1.944	-34.26	26.145	0.074	-2.8	31.417	14.19	-1.599	30.945	25.581	0.116	291.969	2.081	0.116	258.52	1.621	0.116	0.283	0.0	0.116	0.241	0.0
9	10757	10758	NS	1	-33.848	26.109	1.944	-33.605	26.143	0.074	-2.798	31.415	14.195	-1.599	30.945	25.654	0.116	235.14	2.084	0.116	222.298	1.622	0.116	0.283	0.0	0.116	0.241	0.0
10	10757	10758	SN	1	-33.735	26.132	3.307	-34.536	26.896	5.329	-14.173	30.58	9.426	-24.312	32.883	5.688	0.116	229.116	2.012	0.116	275.48	1.727	0.116	2.623	0.02	0.116	26.241	0.027
11	10757	10758	SN	1	-33.808	26.132	2.824	-34.996	26.896	5.328	-14.173	30.58	9.427	-24.354	32.883	5.688	0.116	232.95	1.872	0.116	306.21	1.753	0.116	2.623	0.02	0.116	26.501	0.027
12	10757	10758	SN	2	-33.735	26.132	2.824	-34.996	26.896	5.328	-14.173	30.58	9.426	-24.312	32.883	5.688	0.116	229.116	1.873	0.116	306.21	1.753	0.116	2.623	0.02	0.116	26.241	0.027
13	10758	10759	SN	1	-34.487	25.148	1.159	-33.956	25.97	2.06	5.559	28.1	15.589	7.339	28.27	9.591	0.116	272.344	1.591	0.116	241.087	1.04	0.116	0.138	0.0	0.116	0.13	0.0
14	10758	10759	NS	1	-33.682	25.334	1.038	-33.506	23.362	0.106	-10.79	28.638	10.908	-6.462	29.341	19.833	0.116	226.352	1.711	0.116	217.324	1.567	0.116	1.253	0.002	0.116	0.523	0.0
15	10758	10759	SN	1	-34.487	25.031	0.828	-34.181	25.97	1.976	5.559	28.1	15.589	7.339	28.27	9.597	0.116	272.344	1.611	0.116	253.786	1.054	0.116	0.138	0.0	0.116	0.13	0.0
16	10759	10760	SN	1	-34.62	25.27	0.572	-34.625	25.52	1.107	6.208	27.484	12.312	6.68	27.772	8.237	0.116	280.848	3.749	0.116	281.102	3.084	0.116	0.134	0.0	0.116	0.132	0.0
17	10759	10760	SN	1	-34.874	25.274	0.575	-34.625	25.52	1.109	6.208	27.484	12.312	6.665	27.772	8.237	0.116	297.735	3.75	0.116	281.102	3.074	0.116	0.134	0.0	0.116	0.132	0.0
18	10759	10760	NS	2	-34.784	24.698	0.796	-34.507	24.112	0.415	-8.117	30.42	6.388	-8.726	32.708	12.293	0.116	291.594	2.456	0.116	273.653	2.855	0.116	0.721	0.0	0.116	0.815	0.0
19	10759	10760	NS	1	-34.784	24.698	0.796	-34.507	24.112	0.415	-8.117	30.42	6.388	-8.726	32.708	12.293	0.116	291.594	2.456	0.116	273.653	2.857	0.116	0.721	0.0	0.116	0.815	0.0
20	10759	10760	SN	1	-34.62	25.322	0.32	-34.625	25.513	0.86	6.208	27.484	12.325	6.727	27.772	8.324	0.116	280.848	3.808	0.116	281.102	3.13	0.116	0.134	0.0	0.116	0.132	0.0
21	10760	10761	SN	1	-34.922	23.461	0.124	-34.824	24.369	0.718	5.432	27.774	14.272	7.967	28.408	16.689	0.116	301.061	6.614	0.116	294.366	5.738	0.116	0.138	0.0	0.116	0.128	0.0
22	10760	10761	SN	1	-34.922	23.459	0.101	-34.824	24.369	0.219	5.432	27.774	14.621	7.967	28.408	17.037	0.116	301.061	6.781	0.116	294.366	5.908	0.116	0.138	0.0	0.116	0.128	0.0
23	10760	10761	NS	2	-34.188	23.843	0.621	-34.219	24.277	0.462	-3.833	29.085	8.978	-3.965	30.382	17.52	0.116	254.273	5.038	0.116	256.119	4.526	0.116	0.332	0.0	0.116	0.339	0.0
24	10760	10761	SN	1	-34.858	23.461	0.123	-34.468	24.369	0.717	5.432	27.774	14.272	7.967	28.408	16.689	0.116	296.658	6.647	0.116	271.178	5.747	0.116	0.138	0.0	0.116	0.128	0.0
25	10760	10761	NS	1	-34.188	23.843	0.621	-34.925	24.277	0.462	-3.833	29.085	8.98	-3.965	30.382	17.522	0.116	254.273	5.036	0.116	301.229	4.53	0.116	0.332	0.0	0.116	0.339	0.0
26	10761	10762	SN	1	-34.878	19.769	0.0	-34.991	21.199	0.0	5.624	28.326	13.846	6.4	29.698	12.236	0.116	298.0	8.41	0.116	305.922	7.465	0.116	0.137	0.0	0.116	0.134	0.0
27	10761	10762	NS	1	-33.65	24.113	0.567	-33.472	23.937	0.428	-13.794	32.654	8.701	-8.47	30.058	16.285	0.116	224.621	1.611	0.116	215.606	1.289	0.116	2.412	0.005	0.116	0.774	0.0
28	10761	10762	SN	1	-34.878	23.171	0.033	-34.991	24.271	0.774	5.624	28.341	13.042	6.4	29.698	12.118	0.116	298.0	8.08	0.116	305.922	7.095	0.116	0.137	0.0	0.116	0.134	0.0
29	10761	10762	NS	1	-33.856	24.113	0.567	-34.821	23.939	0.428	-13.794	32.654	8.757	-8.47	30.058	16.325	0.116	235.5	1.611	0.116	294.111	1.29	0.116	2.412	0.005	0.116	0.774	0.0
30	10762	10763	SN	1	-34.854	24.701	0.081	-34.637	24.421	1.688	-21.113	32.857	10.748	-34.581	32.076	11.612	0.116	296.373	9.581	0.116	281.896	8.284	0.116	12.611	0.018	0.116	278.305	0.009
31	10762	10763	SN	1	-34.854	24.701	0.018	-34.637	24.079	0.016	-21.286	32.857	11.2	-34.581	32.076	11.547	0.116	296.373	10.274	0.116	281.896	9.231	0.116	13.12	0.019	0.116	278.305	0.009
32	10762	10763	NS	1	-34.038	27.528	0.637	-34.348	26.636	0.742	5.102	29.553	13.599	7.548	28.86	22.651	0.116	245.611	1.375	0.116	263.783	1.389	0.116	0.14	0.0	0.116	0.129	0.0
33	10762	10763	NS	1	-34.021	27.529	0.637	-34.456	26.636	0.742	5.102	29.553	13.643	7.548	28.86	22.797	0.116	244.686	1.375	0.116	270.4	1.389	0.116	0.14	0.0	0.116	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

112	10784	10785	NS	1	-34.823	27.32	3.673	-34.498	24.898	0.995	7.0	29.69	15.887	6.45	29.463	25.419	0.116	294.268	4.796	0.116	273.018	4.593	0.116	0.131	0.0	0.116	0.133	0.0
-----	-------	-------	----	---	---------	-------	-------	---------	--------	-------	-----	-------	--------	------	--------	--------	-------	---------	-------	-------	---------	-------	-------	-------	-----	-------	-------	-----

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10755	10756	SN	1	57.458	58.415	0.0	0.0	285.997	3.084	1206.992	1294.168	24.874	-93.194	-91.944	0.0
2	10755	10756	SN	1	57.275	58.415	0.0	0.0	296.282	3.866	1203.368	1294.168	23.609	-95.273	-91.931	0.0
3	10756	10757	SN	2	57.431	58.412	0.0	0.0	299.343	3.947	1207.2	1293.944	23.805	-94.502	-91.93	0.0
4	10756	10757	SN	1	57.431	58.412	0.0	0.0	299.343	3.947	1207.2	1293.944	23.805	-94.502	-91.93	0.0
5	10756	10757	NS	1	57.378	58.28	0.0	0.0	296.823	3.853	1196.424	1292.216	44.878	-93.354	-91.781	0.0
6	10756	10757	SN	1	57.475	58.412	0.0	0.0	299.343	3.812	1207.496	1293.944	24.277	-93.197	-91.936	0.0
7	10756	10757	NS	1	57.378	58.274	0.0	0.0	296.823	3.849	1196.424	1292.216	44.931	-93.354	-91.781	0.0
8	10757	10758	NS	1	57.379	58.277	0.0	0.0	295.626	3.635	1196.632	1292.496	46.045	-93.494	-91.746	0.0
9	10757	10758	NS	1	57.379	58.277	0.0	0.0	295.626	3.632	1196.632	1292.496	46.098	-93.494	-91.746	0.0
10	10757	10758	SN	1	57.335	58.411	0.0	0.0	294.843	3.691	1204.712	1294.176	22.253	-95.379	-91.915	0.0
11	10757	10758	SN	1	57.474	58.412	0.0	0.0	294.782	3.584	1207.224	1294.176	22.425	-93.068	-91.915	0.0
12	10757	10758	SN	2	57.473	58.411	0.0	0.0	294.843	3.584	1207.2	1294.176	22.468	-93.068	-91.915	0.0
13	10758	10759	SN	1	57.459	58.412	0.0	0.0	298.279	3.601	1206.48	1294.2	23.355	-93.758	-91.926	0.0
14	10758	10759	NS	1	57.38	58.278	0.0	0.0	296.404	3.544	1196.808	1292.6	45.979	-93.352	-91.744	0.0
15	10758	10759	SN	1	57.459	58.412	0.0	0.0	298.279	3.497	1206.48	1294.2	23.607	-93.222	-91.926	0.0
16	10759	10760	SN	1	57.464	58.41	0.0	0.0	293.387	3.593	1206.256	1294.048	23.759	-93.615	-91.929	0.0
17	10759	10760	SN	1	57.456	58.41	0.0	0.0	293.387	3.597	1206.016	1294.048	23.784	-93.615	-91.929	0.0
18	10759	10760	NS	2	57.374	58.3	0.0	0.0	299.123	3.855	1196.352	1292.496	45.043	-94.622	-91.782	0.0
19	10759	10760	NS	1	57.374	58.3	0.0	0.0	299.067	3.854	1196.344	1292.504	45.03	-94.623	-91.782	0.0
20	10759	10760	SN	1	57.456	58.41	0.0	0.0	293.387	3.453	1206.016	1294.048	24.173	-93.133	-91.936	0.0
21	10760	10761	SN	1	57.469	58.41	0.0	0.0	299.542	3.556	1206.576	1293.96	23.621	-93.777	-91.93	0.0
22	10760	10761	SN	1	57.469	58.41	0.0	0.0	289.03	3.322	1206.576	1293.96	24.278	-93.116	-91.94	0.0
23	10760	10761	NS	2	57.351	58.293	0.0	0.0	297.192	3.837	1196.736	1292.424	43.682	-94.801	-91.804	0.0
24	10760	10761	SN	1	57.469	58.41	0.0	0.0	299.575	3.551	1206.24	1293.96	23.597	-93.777	-91.93	0.0
25	10760	10761	NS	1	57.351	58.293	0.0	0.0	297.192	3.839	1196.72	1292.44	43.652	-94.801	-91.804	0.0
26	10761	10762	SN	1	57.431	58.409	0.0	0.0	285.953	3.196	1205.656	1293.816	24.01	-95.443	-91.931	0.0
27	10761	10762	NS	1	57.351	58.283	0.0	0.0	296.144	3.709	1197.08	1292.248	41.958	-93.199	-91.802	0.0
28	10761	10762	SN	1	57.444	58.409	0.0	0.0	297.33	3.648	1206.0	1293.816	22.968	-95.443	-91.931	0.0
29	10761	10762	NS	1	57.352	58.284	0.0	0.0	296.122	3.746	1197.112	1292.216	42.038	-93.199	-91.802	0.0
30	10762	10763	SN	1	57.273	58.41	0.0	0.0	296.045	3.784	1203.104	1293.896	23.65	-93.782	-91.93	0.0
31	10762	10763	SN	1	57.459	58.41	0.0	0.0	284.927	2.985	1206.312	1293.896	25.279	-93.225	-91.932	0.0
32	10762	10763	NS	1	57.346	58.277	0.0	0.0	298.053	3.623	1196.336	1292.32	44.246	-93.494	-91.815	0.0
33	10762	10763	NS	1	57.348	58.279	0.0	0.0	299.884	3.658	1196.688	1292.272	44.322	-93.494	-91.815	0.0
34	10763	10764	SN	1	57.459	58.411	0.0	0.0	295.179	3.72	1206.512	1294.096	23.743	-93.745	-91.9	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10763	10764	NS	1	57.376	58.28	0.0	0.0	296.768	3.664	1196.248	1292.464	45.73	-93.352	-91.816	0.0
36	10763	10764	SN	1	57.473	58.411	0.0	0.0	287.089	2.595	1206.92	1294.096	25.856	-93.166	-91.9	0.0
37	10763	10764	NS	1	57.372	58.286	0.0	0.0	296.685	3.669	1196.176	1292.512	45.626	-93.352	-91.816	0.0
38	10764	10765	NS	1	57.346	58.279	0.0	0.0	296.542	4.025	1196.976	1292.528	42.689	-93.712	-91.819	0.0
39	10764	10765	SN	2	57.476	58.412	0.0	0.0	299.078	3.635	1207.016	1294.088	23.221	-94.11	-91.881	0.0
40	10764	10765	SN	1	57.476	58.412	0.0	0.0	299.078	3.635	1207.016	1294.088	23.221	-94.11	-91.881	0.0
41	10764	10765	NS	1	57.357	58.279	0.0	0.0	296.542	4.029	1197.064	1292.528	42.639	-93.712	-91.819	0.0
42	10765	10766	NS	1	57.372	58.276	0.0	0.0	297.849	3.756	1197.112	1292.384	43.111	-93.496	-91.788	0.0
43	10765	10766	SN	1	57.473	58.41	0.0	0.0	294.964	3.757	1206.872	1293.92	23.032	-95.201	-91.911	0.0
44	10765	10766	NS	1	57.383	58.297	0.0	0.0	297.849	3.771	1196.744	1292.384	43.108	-93.496	-91.788	0.0
45	10766	10767	NS	1	57.357	58.294	0.0	0.0	287.447	3.673	1196.52	1292.456	43.69	-93.086	-91.79	0.0
46	10766	10767	SN	1	57.442	58.41	0.0	0.0	291.148	3.777	1205.656	1294.0	24.371	-95.284	-91.916	0.0
47	10767	10768	NS	1	57.357	58.278	0.0	0.0	293.078	3.623	1197.12	1292.552	44.214	-93.71	-91.813	0.0
48	10767	10768	SN	1	57.47	58.41	0.0	0.0	298.24	3.665	1206.416	1294.072	24.776	-93.171	-91.917	0.0
49	10768	10769	SN	2	57.446	58.411	0.0	0.0	297.192	3.678	1205.624	1294.168	25.748	-93.184	-91.914	0.0
50	10768	10769	NS	1	57.35	58.279	0.0	0.0	299.106	3.807	1196.256	1292.584	45.59	-93.24	-91.816	0.0
51	10768	10769	SN	1	57.446	58.411	0.0	0.0	297.192	3.676	1205.624	1294.168	25.748	-93.184	-91.914	0.0
52	10768	10769	NS	1	57.35	58.279	0.0	0.0	299.106	3.803	1196.256	1292.584	45.545	-93.222	-91.816	0.0
53	10769	10770	SN	1	57.46	58.412	0.0	0.0	286.488	2.778	1206.416	1294.28	27.139	-93.243	-91.932	0.0
54	10769	10770	NS	1	57.356	58.287	0.0	0.003	297.926	1.769	1196.024	1285.216	38.866	-93.49	-91.816	0.0
55	10769	10770	NS	1	57.356	58.287	0.0	0.0	297.926	3.669	1196.024	1292.68	46.376	-93.49	-91.816	0.0
56	10769	10770	NS	1	57.356	58.287	0.0	0.0	297.926	3.673	1196.024	1292.72	46.421	-93.49	-91.816	0.0
57	10769	10770	SN	2	57.351	58.412	0.0	0.0	297.292	3.76	1204.784	1294.28	25.609	-95.349	-91.926	0.0
58	10769	10770	SN	1	57.351	58.412	0.0	0.0	297.292	3.76	1204.784	1294.28	25.609	-95.349	-91.926	0.0
59	10770	10771	NS	1	57.356	58.282	0.0	0.0	298.003	3.788	1196.472	1292.616	44.574	-93.35	-91.793	0.0
60	10770	10771	NS	1	57.354	58.28	0.0	0.0	297.986	3.797	1196.416	1292.664	44.479	-93.35	-91.793	0.0
61	10770	10771	SN	2	57.469	58.413	0.0	0.0	299.9	3.946	1206.416	1294.192	25.179	-94.374	-91.927	0.0
62	10770	10771	SN	1	57.469	58.413	0.0	0.0	299.9	3.946	1206.416	1294.192	25.177	-94.374	-91.927	0.0
63	10770	10771	SN	1	57.469	58.413	0.0	0.0	299.9	3.5	1206.416	1294.192	26.122	-93.23	-91.94	0.0
64	10771	10772	SN	1	57.195	58.423	0.0	0.0	295.378	3.731	1201.112	1294.12	25.522	-95.313	-91.927	0.0
65	10771	10772	SN	1	57.47	58.423	0.0	0.0	295.378	3.635	1206.248	1294.12	25.806	-93.252	-91.927	0.0
66	10771	10772	SN	1	57.195	58.423	0.0	0.0	295.378	3.727	1201.112	1294.12	25.497	-95.313	-91.927	0.0
67	10771	10772	NS	1	57.382	58.282	0.0	0.0	299.878	3.628	1197.344	1292.672	42.895	-95.495	-91.803	0.0
68	10772	10773	SN	1	57.467	58.432	0.0	0.0	299.409	3.569	1205.912	1294.312	25.229	-93.182	-91.915	0.0
69	10772	10773	SN	1	57.467	58.432	0.0	0.0	299.409	3.565	1205.912	1294.296	25.197	-93.181	-91.915	0.0
70	10772	10773	NS	1	57.383	58.283	0.0	0.0	288.832	3.539	1197.568	1292.912	43.189	-95.421	-91.739	0.0
71	10772	10773	NS	2	57.383	58.283	0.0	0.0	288.832	3.532	1197.568	1292.912	43.172	-93.644	-91.739	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	10772	10773	SN	2	57.467	58.432	0.0	0.0	299.409	3.565	1205.912	1294.296	25.197	-93.181	-91.915	0.0
73	10773	10774	NS	2	57.385	58.288	0.0	0.0	295.019	3.77	1197.656	1292.776	42.771	-93.491	-91.787	0.0
74	10773	10774	SN	2	57.464	58.418	0.0	0.0	290.155	3.494	1205.688	1294.184	26.257	-93.822	-91.924	0.0
75	10773	10774	SN	3	57.464	58.418	0.0	0.0	290.155	3.494	1205.688	1294.184	26.257	-93.822	-91.924	0.0
76	10773	10774	SN	1	57.464	58.418	0.0	0.0	290.155	3.494	1205.688	1294.184	26.257	-93.822	-91.924	0.0
77	10773	10774	NS	1	57.385	58.288	0.0	0.0	295.019	3.77	1197.656	1292.776	42.771	-93.491	-91.787	0.0
78	10774	10775	SN	1	57.462	58.407	0.0	0.0	296.834	3.649	1205.28	1294.008	26.116	-93.732	-91.927	0.0
79	10774	10775	SN	2	57.462	58.407	0.0	0.0	296.834	3.652	1205.272	1294.008	26.133	-93.732	-91.927	0.0
80	10774	10775	SN	1	57.462	58.407	0.0	0.0	287.376	3.448	1205.28	1294.008	26.699	-93.127	-91.93	0.0
81	10774	10775	NS	1	57.386	58.284	0.0	0.0	297.518	3.595	1197.864	1292.64	41.457	-93.06	-91.8	0.0
82	10775	10776	SN	2	57.386	58.406	0.0	0.0	297.937	3.622	1203.376	1293.912	26.33	-94.243	-91.928	0.0
83	10775	10776	NS	1	57.35	58.284	0.0	0.0	296.961	3.707	1197.24	1292.552	40.954	-93.35	-91.808	0.0
84	10775	10776	SN	1	57.386	58.406	0.0	0.0	297.937	3.622	1203.376	1293.912	26.33	-94.243	-91.928	0.0
85	10775	10776	NS	1	57.358	58.284	0.0	0.0	296.961	3.704	1197.256	1292.552	40.984	-93.35	-91.808	0.0
86	10776	10777	SN	1	57.442	58.406	0.0	0.0	286.51	3.53	1204.864	1293.864	25.937	-93.185	-91.922	0.0
87	10776	10777	SN	1	57.44	58.406	0.0	0.0	294.71	3.713	1204.864	1293.864	25.34	-95.251	-91.922	0.0
88	10776	10777	SN	2	57.439	58.405	0.0	0.0	294.71	3.715	1204.84	1293.84	25.404	-95.251	-91.923	0.0
89	10776	10777	NS	1	57.359	58.283	0.0	0.0	298.124	3.835	1197.552	1292.504	39.875	-93.491	-91.809	0.0
90	10776	10777	NS	1	57.368	58.283	0.0	0.0	298.124	3.832	1197.664	1292.504	39.908	-93.491	-91.809	0.0
91	10777	10778	NS	1	57.357	58.297	0.0	0.0	290.31	3.614	1197.216	1292.696	43.047	-94.103	-91.821	0.0
92	10777	10778	SN	1	57.467	58.408	0.0	0.0	295.957	3.769	1205.76	1294.08	26.497	-95.365	-91.919	0.0
93	10777	10778	SN	1	57.467	58.408	0.0	0.0	295.957	2.811	1205.76	1294.08	28.56	-93.127	-91.919	0.0
94	10778	10779	SN	1	57.446	58.408	0.0	0.0	298.852	3.662	1205.264	1294.144	25.161	-94.414	-91.873	0.0
95	10778	10779	SN	2	57.446	58.409	0.0	0.0	298.836	3.661	1205.288	1294.144	25.115	-94.414	-91.873	0.0
96	10778	10779	NS	1	57.207	58.284	0.0	0.0	288.694	3.73	1197.768	1292.776	42.402	-95.409	-91.822	0.0
97	10779	10780	NS	2	57.356	58.292	0.0	0.0	293.74	3.837	1198.032	1292.696	40.669	-94.025	-91.806	0.0
98	10779	10780	NS	1	57.356	58.292	0.0	0.0	293.74	3.837	1198.032	1292.696	40.669	-94.025	-91.806	0.0
99	10779	10780	SN	1	57.468	58.408	0.0	0.0	296.812	3.632	1205.904	1294.064	24.604	-93.069	-91.906	0.0
100	10780	10781	SN	1	57.441	58.409	0.0	0.0	296.52	3.823	1204.704	1294.248	26.058	-93.124	-91.911	0.0
101	10780	10781	NS	1	57.388	58.282	0.0	0.0	296.144	3.847	1198.136	1292.544	41.494	-93.04	-91.787	0.0
102	10781	10782	NS	1	57.387	58.287	0.0	0.0	299.156	3.616	1198.008	1292.664	41.972	-93.181	-91.824	0.0
103	10781	10782	SN	1	57.46	58.425	0.0	0.0	297.826	3.768	1205.128	1294.088	26.988	-93.223	-91.911	0.0
104	10781	10782	NS	1	57.387	58.287	0.0	0.003	296.062	2.924	1198.008	1291.608	40.889	-93.14	-91.824	0.0
105	10782	10783	NS	1	57.386	58.283	0.0	0.003	297.678	2.696	1197.856	1290.176	39.759	-93.35	-91.824	0.0
106	10782	10783	SN	1	57.444	58.433	0.0	0.0	299.784	3.683	1204.608	1294.12	27.944	-93.56	-91.903	0.0
107	10782	10783	NS	1	57.386	58.283	0.0	0.0	297.678	3.649	1197.856	1292.704	42.825	-93.35	-91.824	0.0
108	10783	10784	NS	1	57.373	58.284	0.0	0.0	295.659	2.267	1197.056	1288.168	37.083	-94.042	-91.821	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	10783	10784	SN	1	57.464	58.408	0.0	0.0	298.968	3.621	1205.328	1294.24	27.888	-93.165	-91.911	0.0
110	10783	10784	NS	1	57.373	58.284	0.0	0.0	295.659	3.864	1197.056	1292.824	42.944	-94.042	-91.821	0.0
111	10784	10785	NS	1	57.179	58.285	0.0	0.006	290.955	1.839	1196.976	1282.792	33.869	-94.537	-91.82	0.0
112	10784	10785	NS	1	57.179	58.285	0.0	0.0	290.955	3.725	1196.976	1292.888	42.993	-94.537	-91.82	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10755	10756	SN	1	-34.974	15.005	0.0	-34.926	20.764	0.0	0.481	21.818	0.0	0.83	22.825	0.046	0.087	232.875	2.528	0.086	230.324	2.518	0.086	0.142	0.0	0.086	0.137	0.0
2	10755	10756	SN	1	-34.974	18.249	0.0	-34.926	20.752	0.0	0.469	22.607	0.031	0.83	22.984	0.132	0.086	232.875	2.498	0.086	230.324	2.451	0.086	0.142	0.0	0.086	0.137	0.0
3	10756	10757	SN	2	-34.485	20.466	0.0	-33.901	20.332	0.0	-26.52	22.02	0.003	-27.515	22.888	0.015	0.086	208.071	3.711	0.086	181.9	3.759	0.086	36.863	0.042	0.086	44.944	0.044
4	10756	10757	SN	1	-34.485	20.466	0.0	-33.901	20.332	0.0	-26.52	22.02	0.003	-27.515	22.888	0.015	0.086	208.071	3.711	0.086	181.9	3.759	0.086	36.863	0.042	0.086	44.944	0.044
5	10756	10757	NS	1	-34.747	20.125	0.0	-34.945	19.89	0.0	1.892	30.502	0.021	2.341	23.863	0.118	0.086	221.003	5.572	0.086	231.34	6.232	0.086	0.125	0.0	0.086	0.121	0.0
6	10756	10757	SN	1	-34.485	20.466	0.0	-34.694	20.332	0.0	-26.873	22.02	0.003	-30.878	22.888	0.015	0.086	208.071	3.781	0.086	234.428	3.565	0.086	37.027	0.043	0.086	97.417	0.044
7	10756	10757	NS	1	-34.939	20.125	0.0	-34.945	19.89	0.0	1.892	30.502	0.021	2.341	23.863	0.118	0.086	231.02	5.563	0.086	231.34	6.221	0.086	0.125	0.0	0.086	0.121	0.0
8	10757	10758	NS	1	-34.773	19.601	0.0	-34.332	20.19	0.0	-8.856	21.938	0.0	-7.469	23.04	0.043	0.086	222.372	2.082	0.086	200.913	1.452	0.086	0.635	0.0	0.086	0.481	0.0
9	10757	10758	NS	1	-33.169	19.601	0.0	-33.772	20.19	0.0	-8.856	21.938	0.0	-7.469	23.04	0.043	0.086	153.713	2.081	0.086	176.58	1.459	0.086	0.636	0.0	0.086	0.481	0.0
10	10757	10758	SN	1	-34.994	20.009	0.0	-34.261	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	234.0	1.351	0.086	197.604	1.198	0.086	68.658	0.008	0.086	2.61	0.007
11	10757	10758	SN	1	-34.578	20.009	0.0	-33.539	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	212.586	1.221	0.086	167.341	1.22	0.086	68.658	0.008	0.086	2.61	0.007
12	10757	10758	SN	2	-34.578	20.009	0.0	-33.539	20.678	0.0	-29.666	21.677	0.0	-15.363	22.288	0.012	0.086	212.586	1.221	0.086	167.341	1.22	0.086	68.658	0.008	0.086	2.61	0.007
13	10758	10759	SN	1	-34.058	18.911	0.0	-34.614	19.536	0.0	1.948	21.634	0.0	2.126	22.251	0.015	0.086	188.645	1.887	0.086	214.352	1.544	0.086	0.125	0.0	0.086	0.123	0.0
14	10758	10759	NS	1	-34.583	18.742	0.0	-34.968	17.678	0.0	-5.634	21.604	0.0	-18.434	22.814	0.04	0.086	212.828	1.646	0.086	232.564	1.568	0.086	0.34	0.0	0.086	5.228	0.016
15	10758	10759	SN	1	-34.226	18.673	0.0	-34.614	19.536	0.0	1.948	21.634	0.0	2.126	22.251	0.015	0.086	196.024	1.856	0.086	214.352	1.543	0.086	0.125	0.0	0.086	0.123	0.0
16	10759	10760	SN	1	-34.974	19.282	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.1	0.086	232.899	3.238	0.086	230.493	2.995	0.086	0.141	0.0	0.086	0.126	0.0
17	10759	10760	SN	1	-34.623	19.284	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.1	0.086	214.824	3.243	0.086	230.493	3.0	0.086	0.141	0.0	0.086	0.126	0.0
18	10759	10760	NS	2	-34.994	18.922	0.0	-34.81	18.026	0.0	-24.394	21.983	0.0	-28.744	22.873	0.03	0.086	234.007	1.881	0.086	224.266	1.939	0.086	20.436	0.01	0.086	55.536	0.047
19	10759	10760	NS	1	-34.994	18.922	0.0	-34.694	18.026	0.0	-24.394	21.983	0.0	-28.744	22.873	0.03	0.086	234.007	1.881	0.086	218.351	1.938	0.086	20.436	0.01	0.086	55.536	0.047
20	10759	10760	SN	1	-34.936	19.291	0.0	-34.929	19.423	0.0	0.562	22.183	0.028	1.793	22.695	0.103	0.086	230.831	3.253	0.086	230.493	3.045	0.086	0.141	0.0	0.086	0.126	0.0
21	10760	10761	SN	1	-34.951	18.224	0.0	-34.878	18.14	0.0	0.443	21.354	0.0	1.34	22.761	0.066	0.086	231.606	5.547	0.086	227.768	5.012	0.086	0.143	0.0	0.086	0.131	0.0
22	10760	10761	SN	1	-34.951	18.236	0.0	-34.974	18.153	0.0	0.443	21.354	0.0	1.34	22.761	0.069	0.086	231.606	5.633	0.086	232.914	5.142	0.086	0.143	0.0	0.086	0.131	0.0
23	10760	10761	NS	2	-34.984	17.913	0.0	-34.342	18.06	0.0	-17.843	24.628	0.011	-17.697	22.71	0.012	0.086	233.384	4.662	0.086	201.349	4.604	0.086	4.571	0.009	0.086	4.422	0.008
24	10760	10761	SN	1	-34.912	18.224	0.0	-34.928	18.142	0.0	0.443	21.354	0.0	1.34	22.761	0.066	0.086	229.616	5.562	0.086	230.374	5.019	0.086	0.143	0.0	0.086	0.131	0.0
25	10760	10761	NS	1	-34.984	17.913	0.0	-34.346	18.06	0.0	-17.843	24.628	0.011	-17.696	22.71	0.012	0.086	233.384	4.662	0.086	201.551	4.606	0.086	4.571	0.009	0.086	4.422	0.008
26	10761	10762	SN	1	-34.98	14.796	0.0	-34.923	17.577	0.0	-0.394	22.141	0.016	4.935	21.872	0.0	0.087	233.248	7.299	0.087	230.128	6.954	0.086	0.156	0.0	0.086	0.104	0.0
27	10761	10762	NS	1	-34.998	21.084	0.0	-34.085	20.922	0.0	-26.102	21.566	0.0	-26.455	22.602	0.037	0.086	234.144	2.152	0.086	189.779	2.231	0.086	30.255	0.195	0.086	32.808	0.037
28	10761	10762	SN	1	-34.968	17.52	0.0	-34.923	18.075	0.0	-0.394	22.141	0.014	4.935	21.872	0.0	0.087	232.582	7.106	0.086	230.128	6.625	0.086	0.156	0.0	0.086	0.104	0.0
29	10761	10762	NS	1	-34.998	21.084	0.0	-34.988	20.922	0.0	-26.113	21.566	0.0	-26.455	22.602	0.039	0.086	234.144	2.153	0.086	233.602	2.232	0.086	30.321	0.195	0.086	32.808	0.037
30	10762	10763	SN	1	-34.668	16.841	0.0	-34.857	18.391	0.0	-28.316	22.993	0.156	-7.888	23.358	0.459	0.087	217.032	6.838	0.086	226.698	6.428	0.086	50.316	0.003	0.086	0.522	0.0
31	10762	10763	SN	1	-34.668	16.004	0.0	-34.857	18.25	0.0	-15.842	22.993	0.167	-7.888	23.358	0.461	0.087	217.032	7.282	0.086	226.698	6.962	0.086	3.009	0.004	0.086	0.522	0.0
32	10762	10763	NS	1	-34.95	20.433	0.0	-34.936	21.278	0.0	2.851	22.242	0.063	1.054	31.104	0.223	0.086	231.565	2.131	0.086	230.784	2.12	0.086	0.117	0.0	0.086	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0		
				Alarming	High Errors

107	10782	10783	NS	1	-34.269	19.61	0.0	-34.979	19.868	0.0	-1.731	22.868	0.012	1.847	23.56	0.719	0.086	197.98	2.88	0.086	233.143	2.425	0.086	0.183	0.0	0.086	0.126	0.0
108	10783	10784	NS	1	-34.956	20.02	0.0	-34.844	20.806	0.0	6.498	21.83	0.0	3.275	22.958	0.32	0.086	231.87	4.468	0.086	226.048	4.446	0.086	0.099	0.0	0.086	0.114	0.0
109	10783	10784	SN	1	-34.346	20.66	0.0	-34.768	20.478	0.0	-2.874	22.432	0.116	1.207	24.01	2.113	0.086	201.526	2.377	0.086	222.151	2.237	0.086	0.215	0.0	0.086	0.138	0.0
110	10783	10784	NS	1	-34.956	20.02	0.0	-34.844	20.806	0.0	3.182	22.729	0.015	3.175	23.532	0.763	0.086	231.87	4.407	0.086	226.048	4.445	0.086	0.115	0.0	0.086	0.115	0.0
111	10784	10785	NS	1	-34.943	20.005	0.0	-34.984	17.752	0.0	3.354	21.211	0.0	-0.386	19.898	0.0	0.086	231.24	4.883	0.086	233.357	4.52	0.086	0.122	0.0	0.086	0.156	0.0
112	10784	10785	NS	1	-34.943	20.005	0.0	-34.984	17.752	0.0	1.843	23.089	0.148	-0.454	23.459	0.588	0.086	231.24	4.476	0.086	233.357	4.476	0.086	0.126	0.0	0.086	0.157	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors