

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-OCT-2018 To 28-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-OCT-2018 To 28-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11031	11032	SN	1	48.632	49.462	0.0	0.003	6.728	2.079	1017.616	1094.8	24.704	-91.684	-89.758	0.0
2	11031	11032	NS	2	48.685	49.427	0.0	0.003	206.438	2.666	1037.744	1095.688	0.0	-91.811	-89.902	0.0
3	11031	11032	NS	1	48.685	49.43	0.0	0.003	206.438	2.674	1037.744	1095.608	0.0	-91.811	-89.902	0.0
4	11031	11032	SN	1	48.632	49.462	0.0	0.0	176.85	2.774	1017.616	1094.8	23.76	-91.684	-89.758	0.0
5	11031	11032	SN	1	48.658	49.462	0.0	0.0	176.85	2.771	1017.96	1094.784	23.742	-91.684	-89.758	0.0
6	11032	11033	SN	1	48.655	49.437	0.0	0.003	6.712	2.474	1017.448	1094.728	23.634	-91.619	-89.727	0.0
7	11032	11033	SN	1	48.655	49.437	0.0	0.003	6.712	2.615	1017.448	1094.728	23.327	-91.619	-89.727	0.0
8	11032	11033	SN	1	48.655	49.437	0.0	0.003	6.712	2.613	1017.448	1094.728	23.373	-91.619	-89.727	0.0
9	11033	11034	SN	1	48.638	49.438	0.0	0.003	6.712	2.529	1017.776	1094.872	23.96	-91.524	-89.748	0.0
10	11033	11034	NS	1	48.736	49.424	0.0	0.0	264.262	2.648	1037.976	1095.776	0.195	-91.743	-89.866	0.0
11	11033	11034	SN	1	48.638	49.438	0.0	0.003	6.712	2.401	1017.776	1094.872	24.215	-91.524	-89.748	0.0
12	11033	11034	SN	2	48.638	49.438	0.0	0.003	6.712	2.401	1017.776	1094.872	24.215	-91.524	-89.748	0.0
13	11033	11034	NS	1	48.736	49.425	0.0	0.0	264.262	2.66	1037.984	1095.776	0.189	-91.742	-89.866	0.0
14	11034	11035	SN	1	48.666	49.436	0.0	0.003	6.706	2.341	1017.888	1094.736	25.819	-91.532	-89.752	0.0
15	11034	11035	NS	1	48.726	49.442	0.0	0.003	266.849	2.608	1037.968	1095.76	0.1	-91.811	-89.905	0.0
16	11034	11035	NS	1	48.726	49.442	0.0	0.003	266.849	2.595	1037.968	1095.76	0.1	-91.811	-89.905	0.0
17	11034	11035	SN	1	48.666	49.436	0.0	0.003	6.706	2.564	1017.888	1094.736	25.43	-91.532	-89.752	0.0
18	11035	11036	SN	1	48.682	49.435	0.0	0.003	28.394	2.186	1017.872	1094.552	25.923	-91.741	-89.75	0.0
19	11035	11036	NS	1	48.739	49.429	0.0	0.003	42.474	2.602	1037.944	1095.6	0.0	-91.895	-89.903	0.0
20	11035	11036	SN	1	48.682	49.435	0.0	0.003	28.394	2.554	1017.872	1094.552	25.275	-91.741	-89.75	0.0
21	11036	11037	SN	2	48.615	49.457	0.0	0.003	6.723	2.566	1016.992	1094.4	25.356	-91.733	-89.75	0.0
22	11036	11037	NS	1	48.74	49.425	0.0	0.003	17.582	2.681	1038.128	1095.456	0.0	-91.987	-89.918	0.0
23	11036	11037	SN	1	48.615	49.457	0.0	0.003	6.723	2.566	1016.992	1094.4	25.356	-91.733	-89.75	0.0
24	11036	11037	SN	1	48.615	49.457	0.0	0.003	6.723	2.515	1016.992	1094.4	25.451	-91.733	-89.75	0.0
25	11036	11037	NS	1	48.74	49.425	0.0	0.003	17.582	2.679	1038.128	1095.456	0.0	-91.799	-89.918	0.0
26	11037	11038	SN	1	48.672	49.433	0.0	0.0	174.092	2.664	1017.976	1094.288	24.346	-93.663	-89.744	0.0
27	11037	11038	NS	1	48.727	49.424	0.0	0.003	264.356	2.632	1038.216	1095.336	0.0	-91.83	-89.92	0.0
28	11038	11039	NS	1	48.691	49.435	0.0	0.0	54.036	2.71	1038.208	1095.352	0.0	-91.776	-89.922	0.0
29	11038	11039	SN	1	48.683	49.434	0.0	0.003	28.554	1.614	1018.144	1094.36	24.042	-91.609	-89.744	0.0
30	11039	11040	SN	1	48.664	49.435	0.0	0.003	6.701	2.715	1017.456	1094.368	20.186	-91.56	-89.686	0.0
31	11039	11040	SN	1	48.675	49.435	0.0	0.003	6.701	2.718	1018.056	1094.368	20.209	-91.541	-89.686	0.0
32	11040	11041	SN	1	48.655	49.447	0.0	0.0	255.653	3.522	1017.456	1094.248	23.454	-93.776	-89.724	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	11040	11041	NS	1	48.741	49.422	0.0	0.003	264.29	2.645	1038.536	1095.208	0.0	-91.75	-89.897	0.0
34	11040	11041	SN	1	48.629	49.433	0.0	0.0	255.653	4.349	1017.184	1094.248	29.265	-93.776	-89.724	0.0
35	11041	11042	NS	1	48.743	49.442	0.0	0.003	42.802	2.676	1038.664	1095.128	0.0	-92.053	-89.903	0.0
36	11041	11042	NS	1	48.743	49.447	0.0	0.003	42.802	2.673	1038.664	1095.128	0.0	-92.053	-89.903	0.0
37	11041	11042	SN	2	48.676	49.433	0.0	0.003	282.969	2.656	1017.472	1094.112	22.704	-92.308	-89.73	0.0
38	11041	11042	SN	1	48.676	49.433	0.0	0.003	282.969	2.656	1017.472	1094.112	22.704	-92.308	-89.73	0.0
39	11042	11043	SN	1	48.63	49.437	0.0	0.003	215.19	2.632	1017.208	1094.12	24.363	-91.732	-89.724	0.0
40	11042	11043	NS	1	48.723	49.47	0.0	0.003	264.362	2.659	1038.536	1095.12	0.0	-91.893	-89.915	0.0
41	11043	11044	NS	1	48.706	49.459	0.0	0.0	228.613	2.147	1038.56	1095.088	0.0	-91.846	-89.914	0.0
42	11043	11044	NS	1	48.706	49.459	0.0	0.0	228.613	2.771	1038.56	1095.096	0.0	-91.846	-89.914	0.0
43	11043	11044	NS	2	48.706	49.459	0.0	0.0	228.613	2.771	1038.56	1095.096	0.0	-91.846	-89.914	0.0
44	11043	11044	SN	1	48.635	49.456	0.0	0.003	282.688	2.581	1016.824	1094.096	24.624	-91.961	-89.723	0.0
45	11043	11044	SN	1	48.642	49.456	0.0	0.003	282.688	2.579	1017.32	1094.096	24.6	-91.709	-89.723	0.0
46	11044	11045	SN	1	48.636	49.434	0.0	0.003	215.929	2.565	1016.92	1094.136	24.989	-92.036	-89.752	0.0
47	11044	11045	SN	1	48.636	49.433	0.0	0.003	215.923	2.569	1016.92	1094.128	25.006	-91.915	-89.752	0.0
48	11044	11045	NS	1	48.719	49.423	0.0	0.003	266.761	2.566	1038.44	1095.152	0.0	-91.8	-89.923	0.0
49	11044	11045	NS	1	48.719	49.423	0.0	0.003	266.761	1.468	1038.44	1095.056	0.0	-91.852	-89.923	0.0
50	11045	11046	NS	1	48.738	49.432	0.0	0.003	266.92	2.615	1038.328	1095.128	0.0	-91.874	-89.919	0.0
51	11045	11046	NS	2	48.738	49.432	0.0	0.003	266.92	2.615	1038.328	1095.128	0.0	-91.874	-89.919	0.0
52	11045	11046	SN	1	48.659	49.433	0.0	0.0	173.75	2.796	1017.392	1094.128	25.697	-91.632	-89.752	0.0
53	11045	11046	SN	1	48.659	49.433	0.0	0.003	6.684	1.744	1017.392	1094.128	26.928	-91.632	-89.752	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																Kp												
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11031	11032	SN	1	-34.92	23.697	0.031	-33.997	26.309	4.227	-9.149	28.109	12.54	-10.035	30.631	20.205	0.116	300.916	2.942	0.116	243.276	2.222	0.116	0.889	0.0	0.116	1.068	0.002
2	11031	11032	NS	2	-34.623	25.354	3.019	-34.53	24.5	0.268	1.659	29.868	12.713	3.449	29.789	22.533	0.116	281.088	2.776	0.116	275.107	1.893	0.116	0.172	0.0	0.116	0.152	0.0
3	11031	11032	NS	1	-34.558	25.354	3.022	-34.439	24.5	0.283	1.659	29.868	12.713	3.449	29.789	22.535	0.116	276.893	2.774	0.116	269.396	1.893	0.116	0.172	0.0	0.116	0.152	0.0
4	11031	11032	SN	1	-34.92	25.13	2.802	-33.997	26.312	6.608	-9.149	28.091	12.605	-10.035	30.631	20.205	0.116	317.004	2.79	0.116	243.276	2.016	0.116	0.889	0.0	0.116	1.068	0.002
5	11031	11032	SN	1	-34.92	25.127	2.807	-33.997	26.312	6.608	-9.149	28.091	12.597	-10.035	30.631	20.241	0.116	300.916	2.789	0.116	243.276	2.014	0.116	0.889	0.0	0.116	1.068	0.002
6	11032	11033	SN	1	-34.909	25.832	2.368	-34.912	26.98	5.315	-21.393	31.03	11.503	-22.276	30.317	9.306	0.116	300.202	4.072	0.116	300.362	3.28	0.116	13.443	0.022	0.116	16.459	0.019
7	11032	11033	SN	1	-34.909	25.832	3.024	-34.912	26.98	5.293	-21.393	31.03	11.503	-22.276	30.317	9.306	0.116	300.202	3.984	0.116	300.362	3.227	0.116	13.443	0.022	0.116	16.459	0.019
8	11032	11033	SN	1	-34.359	25.832	3.017	-34.912	26.98	5.29	-21.418	31.03	11.505	-22.315	30.317	9.345	0.116	278.078	3.974	0.116	300.362	3.245	0.116	13.518	0.022	0.116	16.604	0.019
9	11033	11034	SN	1	-34.792	24.956	2.054	-34.524	26.261	3.126	-4.517	27.882	12.219	-3.218	30.939	8.091	0.116	292.113	2.657	0.116	274.747	2.051	0.116	0.371	0.0	0.116	0.302	0.0
10	11033	11034	NS	1	-33.502	24.961	0.817	-34.216	23.631	0.038	-3.262	29.054	9.642	-5.688	29.902	18.424	0.116	217.12	2.435	0.116	255.916	2.431	0.116	0.304	0.0	0.116	0.454	0.0
11	11033	11034	SN	1	-34.792	24.956	1.772	-34.524	26.261	3.135	-4.517	27.882	12.219	-3.218	30.939	8.091	0.116	292.113	2.697	0.116	274.747	2.076	0.116	0.371	0.0	0.116	0.302	0.0
12	11033	11034	SN	2	-34.792	24.956	1.772	-34.524	26.261	3.135	-4.517	27.882	12.219	-3.218	30.939	8.091	0.116	292.113	2.697	0.116	274.747	2.076	0.116	0.371	0.0	0.116	0.302	0.0
13	11033	11034	NS	1	-33.502	24.961	0.817	-34.216	23.632	0.038	-3.262	29.054	9.677	-5.688	29.902	18.466	0.116	217.12	2.435	0.116	255.916	2.431	0.116	0.304	0.0	0.116	0.454	0.0
14	11034	11035	SN	1	-34.994	24.898	0.306	-34.555	25.085	0.745	7.137	27.146	12.904	6.979	27.472	6.274	0.116	306.17	2.75	0.116	276.655	2.54	0.116	0.131	0.0	0.116	0.131	0.0
15	11034	11035	NS	1	-34.898	24.91	0.224	-34.956	24.751	0.057	-4.19	29.482	8.526	-3.92	29.76	15.92	0.116	299.454	6.292	0.116	303.35	5.156	0.116	0.351	0.0	0.116	0.336	0.0
16	11034	11035	NS	1	-34.898	24.912	0.224	-34.956	24.751	0.057	-4.19	29.482	8.453	-3.92	29.76	15.861	0.116	299.454	6.292	0.116	303.35	5.159	0.116	0.351	0.0	0.116	0.336	0.0
17	11034	11035	SN	1	-34.994	24.899	0.465	-34.555	25.116	0.822	7.137	27.146	12.866	6.979	27.569	6.319	0.116	306.17	2.702	0.116	276.655	2.5	0.116	0.131	0.0	0.116	0.131	0.0
18	11035	11036	SN	1	-34.923	23.544	0.057	-34.756	24.698	0.179	6.167	28.521	16.931	7.582	28.606	19.065	0.116	301.14	3.033	0.116	289.809	2.088	0.116	0.135	0.0	0.116	0.129	0.0
19	11035	11036	NS	1	-34.055	23.719	0.381	-34.337	24.536	0.414	-18.344	28.524	5.069	-31.116	29.641	11.353	0.116	246.632	3.532	0.116	263.138	3.789	0.116	6.707	0.02	0.116	125.381	0.007
20	11035	11036	SN	1	-34.923	23.544	0.096	-34.756	24.698	0.458	6.167	28.521	16.8	7.582	28.606	18.463	0.116	301.14	2.958	0.116	289.809	2.04	0.116	0.135	0.0	0.116	0.129	0.0
21	11036	11037	SN	2	-34.335	22.085	0.002	-34.939	24.404	0.401	5.854	28.006	15.328	8.807	28.594	19.111	0.116	263.027	6.583	0.116	302.231	5.196	0.116	0.136	0.0	0.116	0.126	0.0
22	11036	11037	NS	1	-34.88	23.249	0.259	-34.388	23.929	0.226	-4.515	28.62	7.136	-6.55	29.548	12.907	0.116	298.199	6.214	0.116	266.239	5.284	0.116	0.37	0.0	0.116	0.532	0.0
23	11036	11037	SN	1	-34.335	22.085	0.002	-34.939	24.404	0.401	5.854	28.006	15.328	8.807	28.594	19.111	0.116	263.027	6.583	0.116	302.231	5.196	0.116	0.136	0.0	0.116	0.126	0.0
24	11036	11037	SN	1	-34.335	21.849	0.0	-34.939	24.404	0.357	5.854	28.006	15.331	8.807	28.594	19.111	0.116	263.027	6.606	0.116	302.231	5.223	0.116	0.136	0.0	0.116	0.126	0.0
25	11036	11037	NS	1	-34.718	23.249	0.259	-34.385	23.929	0.226	-4.514	28.62	7.134	-6.553	29.548	12.88	0.116	287.247	6.201	0.116	266.019	5.28	0.116	0.37	0.0	0.116	0.532	0.0
26	11037	11038	SN	1	-34.154	23.0	0.015	-34.922	24.072	0.753	5.488	28.238	11.141	9.172	30.812	12.213	0.116	252.266	4.712	0.116	301.011	4.776	0.116	0.138	0.0	0.116	0.125	0.0
27	11037	11038	NS	1	-34.974	26.723	0.519	-34.456	26.98	0.595	-8.329	29.505	10.978	-5.142	30.165	16.806	0.116	304.712	3.086	0.116	270.422	2.843	0.116	0.752	0.0	0.116	0.412	0.0
28	11038	11039	NS	1	-33.905	26.044	0.605	-34.936	26.414	0.886	6.488	31.321	10.677	7.845	29.432	18.325	0.116	238.232	2.451	0.116	302.002	2.29	0.116	0.133	0.0	0.116	0.128	0.0
29	11038	11039	SN	1	-34.659	22.334	0.003	-34.912	23.535	0.01	-19.275	35.566	12.524	-13.454	34.084	14.236	0.116	283.4	3.809	0.116	300.389	3.363	0.116	8.289	0.002	0.116	2.236	0.002
30	11039	11040	SN	1	-33.687	24.019	0.213	-34.42	25.048	1.907	-19.784	29.31	21.625	-14.741	29.808	25.054	0.116	226.557	3.677	0.116	268.248	3.033	0.116	9.309	0.005	0.116	2.977	0.002
31	11039	11040	SN	1	-34.241	24.019	0.212	-34.974	25.048	1.911	-19.817	29.311	21.633	-14.738	29.808	25.058	0.116	257.335	3.691	0.116	304.71	3.036	0.116	9.38	0.005	0.116	2.975	0.002
32	11040	11041	SN	1	-34.779	25.67	0.185	-34.911	27.006	1.925	-2.671	28.976	16.598	-3.213	30.456	16.402	0.116	291.346	3.244	0.116	300.232	2.267	0.116	0.278	0.0	0.116	0.301	0.0
33	11040	11041	NS	1	-34.173	27.436	0.922	-34.871	27.984	0.553	-21.204	31.205	14.552	-25.027	31.873	27.508	0.116	253.391	2.224	0.116	297.536	2.267	0.116	12.878	0.039	0.116	30.922	0.03

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	11040	11041	SN	1	-33.864	25.67	0.28	-34.532	27.011	2.871	-2.602	28.968	16.847	-3.462	30.458	16.4	0.116	235.988	4.337	0.116	275.179	2.03	0.116	0.276	0.0	0.116	0.313	0.0
35	11041	11042	NS	1	-34.345	27.733	1.646	-34.54	25.445	1.043	-19.787	28.826	14.962	-29.988	34.905	22.58	0.116	263.603	4.502	0.116	275.705	4.27	0.116	9.316	0.005	0.116	96.728	0.017
36	11041	11042	NS	1	-34.733	27.733	1.643	-34.52	25.445	1.042	-19.787	28.826	14.962	-29.988	34.905	22.58	0.116	288.2	4.503	0.116	274.431	4.292	0.116	9.316	0.005	0.116	96.728	0.017
37	11041	11042	SN	2	-34.645	25.235	0.345	-34.738	26.613	2.296	-26.361	30.052	16.696	-11.211	30.096	17.855	0.116	282.459	3.948	0.116	288.505	3.495	0.116	42.009	0.007	0.116	1.372	0.002
38	11041	11042	SN	1	-34.645	25.235	0.345	-34.738	26.613	2.296	-26.361	30.052	16.696	-11.211	30.096	17.855	0.116	282.459	3.948	0.116	288.505	3.495	0.116	42.009	0.007	0.116	1.372	0.002
39	11042	11043	SN	1	-34.9	24.18	1.08	-34.363	26.179	5.008	-18.259	29.726	16.817	-20.663	30.176	19.357	0.116	299.583	3.642	0.116	264.707	2.735	0.116	6.579	0.001	0.116	11.378	0.009
40	11042	11043	NS	1	-34.965	25.226	2.985	-34.781	26.664	2.837	-7.62	29.016	24.647	-5.159	29.498	35.965	0.116	304.051	2.99	0.116	291.487	2.819	0.116	0.654	0.0	0.116	0.414	0.0
41	11043	11044	NS	1	-34.767	27.244	2.692	-34.966	26.103	2.328	8.464	28.654	11.9	9.974	29.144	30.87	0.116	290.48	2.998	0.116	304.146	3.093	0.116	0.127	0.0	0.116	0.123	0.0
42	11043	11044	NS	1	-34.767	27.244	2.689	-34.966	26.103	2.328	8.464	28.654	23.358	9.974	29.183	36.885	0.116	290.48	2.994	0.116	304.146	3.094	0.116	0.127	0.0	0.116	0.123	0.0
43	11043	11044	NS	2	-34.767	27.244	2.689	-34.966	26.103	2.328	8.464	28.654	23.358	9.974	29.183	36.885	0.116	290.48	2.994	0.116	304.146	3.094	0.116	0.127	0.0	0.116	0.123	0.0
44	11043	11044	SN	1	-34.909	25.563	0.146	-34.946	26.814	3.368	-9.393	30.004	26.104	-7.993	30.178	30.221	0.116	300.156	5.767	0.116	302.794	4.795	0.116	0.935	0.0	0.116	0.703	0.0
45	11043	11044	SN	1	-34.866	25.563	0.146	-34.946	26.811	3.363	-9.39	30.004	26.104	-7.993	30.178	30.223	0.116	297.239	5.792	0.116	302.794	4.812	0.116	0.934	0.0	0.116	0.703	0.0
46	11044	11045	SN	1	-34.292	24.101	0.366	-34.965	26.47	3.564	7.879	29.297	43.703	8.725	30.933	55.098	0.116	260.417	2.631	0.116	304.074	2.349	0.116	0.128	0.0	0.116	0.126	0.0
47	11044	11045	SN	1	-34.9	24.104	0.366	-34.618	26.471	3.571	7.879	29.297	43.7	8.725	30.933	55.116	0.116	299.516	2.618	0.116	280.709	2.35	0.116	0.128	0.0	0.116	0.126	0.0
48	11044	11045	NS	1	-34.835	25.821	2.905	-34.991	25.789	1.637	3.23	28.682	26.664	2.132	30.473	38.362	0.116	295.13	7.271	0.116	305.88	6.782	0.116	0.154	0.0	0.116	0.166	0.0
49	11044	11045	NS	1	-34.835	25.821	2.91	-34.991	25.789	1.638	3.23	27.658	5.996	2.132	30.473	13.264	0.116	295.13	7.292	0.116	305.88	6.782	0.116	0.154	0.0	0.116	0.166	0.0
50	11045	11046	NS	1	-34.908	25.277	2.972	-34.23	26.036	0.509	7.084	29.124	14.942	6.247	29.474	25.14	0.116	300.112	4.665	0.116	256.768	3.924	0.116	0.131	0.0	0.116	0.134	0.0
51	11045	11046	NS	2	-34.908	25.277	2.972	-34.23	26.036	0.509	7.084	29.124	14.942	6.247	29.474	25.14	0.116	300.112	4.663	0.116	256.768	3.923	0.116	0.131	0.0	0.116	0.134	0.0
52	11045	11046	SN	1	-34.923	24.573	1.212	-34.793	26.115	4.872	6.258	29.963	15.987	10.105	31.316	20.539	0.116	301.121	3.092	0.116	292.227	2.253	0.116	0.134	0.0	0.116	0.123	0.0
53	11045	11046	SN	1	-34.923	20.145	0.0	-34.793	25.405	0.22	6.258	29.963	15.114	10.105	31.316	20.257	0.116	301.121	3.185	0.116	292.227	2.468	0.116	0.134	0.0	0.116	0.123	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11031	11032	SN	1	57.402	58.306	0.0	0.0	294.115	3.512	1191.784	1286.808	51.847	-93.019	-91.804	0.0
2	11031	11032	NS	2	57.484	58.326	0.0	0.0	296.056	3.729	1215.992	1288.32	18.733	-93.401	-91.953	0.0
3	11031	11032	NS	1	57.484	58.321	0.0	0.0	296.056	3.744	1215.992	1288.32	18.726	-93.401	-91.953	0.0
4	11031	11032	SN	1	57.402	58.306	0.0	0.0	294.115	4.03	1191.784	1286.808	49.969	-93.656	-91.804	0.0
5	11031	11032	SN	1	57.412	58.306	0.0	0.0	294.043	4.027	1192.224	1286.792	49.999	-93.656	-91.804	0.0
6	11032	11033	SN	1	57.413	58.305	0.0	0.0	291.903	3.647	1192.224	1286.72	50.516	-93.208	-91.788	0.0
7	11032	11033	SN	1	57.413	58.305	0.0	0.0	299.988	3.795	1192.224	1286.72	49.861	-93.208	-91.788	0.0
8	11032	11033	SN	1	57.413	58.305	0.0	0.0	299.988	3.791	1191.968	1286.72	49.913	-93.208	-91.788	0.0
9	11033	11034	SN	1	57.382	58.306	0.0	0.0	293.062	3.666	1191.832	1286.904	48.789	-93.314	-91.79	0.0
10	11033	11034	NS	1	57.508	58.324	0.0	0.0	298.036	3.542	1216.472	1288.536	17.6	-93.404	-91.903	0.0
11	11033	11034	SN	1	57.382	58.306	0.0	0.0	293.062	3.516	1191.832	1286.904	49.298	-93.314	-91.79	0.0
12	11033	11034	SN	2	57.382	58.306	0.0	0.0	293.062	3.516	1191.832	1286.904	49.298	-93.314	-91.79	0.0
13	11033	11034	NS	1	57.508	58.324	0.0	0.0	298.025	3.55	1216.48	1288.536	17.67	-93.404	-91.904	0.0
14	11034	11035	SN	1	57.373	58.313	0.0	0.0	299.156	3.485	1191.616	1286.736	49.561	-93.128	-91.809	0.0
15	11034	11035	NS	1	57.511	58.324	0.0	0.0	299.696	3.539	1216.472	1288.496	17.912	-93.403	-91.947	0.0
16	11034	11035	NS	1	57.511	58.324	0.0	0.0	299.696	3.533	1216.472	1288.496	17.829	-93.403	-91.947	0.0
17	11034	11035	SN	1	57.373	58.313	0.0	0.0	299.156	3.668	1191.616	1286.736	48.84	-93.17	-91.809	0.0
18	11035	11036	SN	1	57.407	58.301	0.0	0.0	294.909	3.448	1191.608	1286.504	49.95	-93.084	-91.808	0.0
19	11035	11036	NS	1	57.512	58.336	0.0	0.0	294.639	3.588	1216.544	1288.304	18.634	-93.34	-91.947	0.0
20	11035	11036	SN	1	57.407	58.301	0.0	0.0	294.909	3.711	1191.608	1286.504	48.82	-93.084	-91.808	0.0
21	11036	11037	SN	2	57.37	58.3	0.0	0.0	292.449	3.665	1190.8	1286.32	48.373	-92.992	-91.808	0.0
22	11036	11037	NS	1	57.509	58.335	0.0	0.0	295.356	3.735	1216.672	1288.136	18.361	-93.404	-91.967	0.0
23	11036	11037	SN	1	57.37	58.3	0.0	0.0	292.449	3.664	1190.8	1286.32	48.373	-92.992	-91.808	0.0
24	11036	11037	SN	1	57.37	58.3	0.0	0.0	292.449	3.563	1190.8	1286.32	48.558	-92.992	-91.808	0.0
25	11036	11037	NS	1	57.512	58.33	0.0	0.0	295.356	3.731	1216.672	1288.136	18.344	-93.424	-91.967	0.0
26	11037	11038	SN	1	57.39	58.3	0.0	0.0	291.12	3.822	1191.584	1286.184	47.312	-94.495	-91.795	0.0
27	11037	11038	NS	1	57.513	58.323	0.0	0.0	298.02	3.6	1216.768	1287.984	16.813	-93.713	-91.97	0.0
28	11038	11039	NS	1	57.468	58.322	0.0	0.0	298.13	3.72	1212.944	1288.0	17.011	-93.447	-91.969	0.0
29	11038	11039	SN	1	57.408	58.301	0.0	0.0	290.591	2.814	1191.952	1286.28	50.393	-93.191	-91.795	0.0
30	11039	11040	SN	1	57.39	58.302	0.0	0.0	290.723	3.922	1191.296	1286.296	45.104	-93.227	-91.737	0.0
31	11039	11040	SN	1	57.395	58.302	0.0	0.0	290.723	3.926	1191.352	1286.296	45.155	-93.227	-91.737	0.0
32	11040	11041	SN	1	57.392	58.311	0.0	0.0	298.356	4.69	1191.712	1286.128	47.988	-93.675	-91.779	0.0
33	11040	11041	NS	1	57.514	58.32	0.0	0.003	298.042	3.736	1217.16	1287.808	18.8	-93.469	-91.945	0.0
34	11040	11041	SN	1	57.398	58.303	0.0	0.0	298.356	5.815	1191.992	1286.128	60.076	-93.675	-91.779	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	11041	11042	NS	1	57.516	58.321	0.0	0.0	295.444	3.601	1217.368	1287.72	18.265	-93.179	-91.945	0.0
36	11041	11042	NS	1	57.516	58.321	0.0	0.0	295.444	3.598	1217.368	1287.72	18.246	-93.194	-91.945	0.0
37	11041	11042	SN	2	57.403	58.298	0.0	0.0	295.174	3.863	1191.152	1285.96	46.205	-93.596	-91.783	0.0
38	11041	11042	SN	1	57.403	58.298	0.0	0.0	295.174	3.863	1191.152	1285.96	46.205	-93.596	-91.783	0.0
39	11042	11043	SN	1	57.401	58.299	0.0	0.0	292.438	3.832	1191.024	1285.96	47.997	-93.04	-91.781	0.0
40	11042	11043	NS	1	57.501	58.344	0.0	0.0	296.144	3.648	1217.136	1287.72	17.814	-95.693	-91.963	0.0
41	11043	11044	NS	1	57.482	58.318	0.0	0.0	296.139	3.012	1216.992	1287.664	13.751	-93.187	-91.959	0.0
42	11043	11044	NS	1	57.482	58.318	0.0	0.0	296.564	3.816	1216.992	1287.672	18.018	-93.187	-91.959	0.0
43	11043	11044	NS	2	57.482	58.318	0.0	0.0	296.564	3.816	1216.992	1287.672	18.018	-93.187	-91.959	0.0
44	11043	11044	SN	1	57.407	58.299	0.0	0.0	291.043	3.734	1191.624	1285.944	48.801	-93.026	-91.784	0.0
45	11043	11044	SN	1	57.407	58.299	0.0	0.0	291.043	3.73	1191.608	1285.944	48.752	-93.13	-91.784	0.0
46	11044	11045	SN	1	57.41	58.3	0.0	0.0	299.222	3.674	1191.64	1286.0	49.995	-92.924	-91.809	0.0
47	11044	11045	SN	1	57.41	58.299	0.0	0.0	299.31	3.678	1191.64	1285.984	50.038	-92.924	-91.809	0.0
48	11044	11045	NS	1	57.506	58.32	0.0	0.0	297.716	3.582	1216.92	1287.736	17.713	-93.405	-91.977	0.0
49	11044	11045	NS	1	57.506	58.332	0.0	0.003	297.716	2.083	1216.92	1287.712	9.3	-93.405	-91.977	0.0
50	11045	11046	NS	1	57.498	58.319	0.0	0.0	297.683	3.663	1216.912	1287.728	18.102	-93.408	-91.968	0.0
51	11045	11046	NS	2	57.498	58.319	0.0	0.0	297.683	3.663	1216.912	1287.728	18.101	-93.408	-91.968	0.0
52	11045	11046	SN	1	57.409	58.299	0.0	0.0	291.137	3.977	1191.784	1285.984	48.686	-93.796	-91.809	0.0
53	11045	11046	SN	1	57.409	58.299	0.0	0.0	284.381	3.111	1191.784	1285.984	51.302	-93.138	-91.809	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11031	11032	SN	1	-33.625	21.391	0.0	-34.566	20.77	0.0	-4.096	22.238	0.018	-1.52	22.525	0.011	0.086	170.731	2.62	0.086	219.334	2.062	0.086	0.26	0.0	0.086	0.178	0.0
2	11031	11032	NS	2	-34.487	20.181	0.0	-34.241	19.582	0.0	-0.11	23.369	0.184	-0.102	23.295	0.32	0.086	208.171	1.808	0.086	196.749	1.481	0.086	0.151	0.0	0.086	0.151	0.0
3	11031	11032	NS	1	-34.854	20.181	0.0	-34.241	19.582	0.0	-0.11	23.369	0.184	-0.102	23.295	0.32	0.086	226.47	1.809	0.086	196.749	1.479	0.086	0.151	0.0	0.086	0.151	0.0
4	11031	11032	SN	1	-34.057	21.391	0.0	-34.566	20.77	0.0	-4.096	22.238	0.018	-1.52	22.525	0.011	0.086	188.521	2.525	0.086	219.334	1.87	0.086	0.26	0.0	0.086	0.178	0.0
5	11031	11032	SN	1	-34.496	21.391	0.0	-33.52	20.77	0.0	-4.096	22.238	0.018	-1.52	22.525	0.01	0.086	208.634	2.529	0.086	166.653	1.869	0.086	0.26	0.0	0.086	0.178	0.0
6	11032	11033	SN	1	-34.963	20.701	0.0	-34.57	20.226	0.0	-19.407	22.105	0.007	-18.035	23.086	0.019	0.086	232.273	4.005	0.086	212.188	3.282	0.086	6.524	0.012	0.086	4.775	0.01
7	11032	11033	SN	1	-34.963	20.701	0.0	-34.57	20.226	0.0	-19.407	22.105	0.007	-18.035	23.086	0.019	0.086	232.273	3.913	0.086	212.188	3.215	0.086	6.524	0.012	0.086	4.775	0.01
8	11032	11033	SN	1	-34.92	20.701	0.0	-34.815	20.226	0.0	-19.413	22.105	0.007	-17.926	23.086	0.019	0.086	230.034	3.908	0.086	224.512	3.225	0.086	6.533	0.012	0.086	4.659	0.01
9	11033	11034	SN	1	-34.261	19.593	0.0	-34.498	19.844	0.0	-23.513	22.532	0.037	-28.885	22.469	0.027	0.086	197.616	2.179	0.086	208.661	1.947	0.086	16.69	0.067	0.086	57.362	0.129
10	11033	11034	NS	1	-33.964	18.92	0.0	-34.841	17.342	0.0	-9.071	21.92	0.0	-26.43	23.001	0.039	0.086	184.536	1.959	0.087	225.824	2.029	0.086	0.664	0.0	0.086	32.623	0.027
11	11033	11034	SN	1	-34.261	19.593	0.0	-34.498	19.844	0.0	-23.513	22.532	0.037	-28.885	22.469	0.027	0.086	197.616	2.213	0.086	208.661	1.968	0.086	16.69	0.067	0.086	57.362	0.129
12	11033	11034	SN	2	-34.261	19.593	0.0	-34.498	19.844	0.0	-23.513	22.532	0.037	-28.885	22.469	0.027	0.086	197.616	2.213	0.086	208.661	1.968	0.086	16.69	0.067	0.086	57.362	0.129
13	11033	11034	NS	1	-33.964	18.92	0.0	-34.841	17.342	0.0	-9.071	21.92	0.0	-26.44	23.001	0.039	0.086	184.536	1.959	0.087	225.824	2.028	0.086	0.664	0.0	0.086	32.686	0.027
14	11034	11035	SN	1	-34.171	18.931	0.0	-34.951	19.209	0.0	1.178	22.09	0.011	1.076	21.726	0.0	0.086	193.618	2.729	0.086	231.609	2.617	0.086	0.133	0.0	0.086	0.134	0.0
15	11034	11035	NS	1	-34.946	18.827	0.0	-34.9	17.563	0.0	-32.532	21.924	0.0	-27.273	22.655	0.022	0.086	231.422	4.807	0.087	228.937	4.136	0.086	132.712	0.226	0.086	39.594	0.154
16	11034	11035	NS	1	-34.946	18.827	0.0	-34.9	17.563	0.0	-32.532	21.926	0.0	-27.273	22.655	0.022	0.086	231.422	4.807	0.087	228.937	4.139	0.086	132.712	0.226	0.086	39.594	0.154
17	11034	11035	SN	1	-34.171	18.917	0.0	-34.951	19.208	0.0	1.178	22.09	0.011	1.076	21.726	0.0	0.086	193.618	2.676	0.086	231.609	2.585	0.086	0.133	0.0	0.086	0.134	0.0
18	11035	11036	SN	1	-34.287	18.953	0.0	-34.773	18.79	0.0	0.962	22.189	0.012	1.654	22.862	0.154	0.086	198.793	2.405	0.086	222.315	2.075	0.086	0.136	0.0	0.086	0.128	0.0
19	11035	11036	NS	1	-34.662	19.706	0.0	-34.317	17.435	0.0	-30.77	22.421	0.014	-19.464	22.729	0.033	0.086	216.688	4.499	0.087	200.15	5.08	0.086	88.493	0.015	0.086	6.611	0.003
20	11035	11036	SN	1	-34.287	18.95	0.0	-34.773	18.796	0.0	0.962	22.189	0.012	1.654	22.862	0.144	0.086	198.793	2.352	0.086	222.315	2.032	0.086	0.136	0.0	0.086	0.128	0.0
21	11036	11037	SN	2	-34.976	17.709	0.0	-34.951	17.853	0.0	0.472	22.234	0.009	2.024	22.477	0.034	0.086	232.965	5.359	0.086	231.632	4.502	0.086	0.142	0.0	0.086	0.124	0.0
22	11036	11037	NS	1	-34.529	21.131	0.0	-34.782	17.401	0.0	-13.434	22.008	0.002	-24.43	22.559	0.018	0.086	210.163	5.575	0.087	222.836	5.554	0.086	1.698	0.008	0.086	20.606	0.014
23	11036	11037	SN	1	-34.976	17.709	0.0	-34.951	17.853	0.0	0.472	22.234	0.009	2.024	22.477	0.034	0.086	232.965	5.359	0.086	231.632	4.502	0.086	0.142	0.0	0.086	0.124	0.0
24	11036	11037	SN	1	-34.976	16.453	0.0	-34.951	17.853	0.0	0.472	22.234	0.009	2.024	22.477	0.034	0.087	232.965	5.376	0.086	231.632	4.522	0.086	0.142	0.0	0.086	0.124	0.0
25	11036	11037	NS	1	-34.916	21.131	0.0	-34.745	17.401	0.0	-13.429	22.008	0.002	-25.924	22.559	0.017	0.086	229.716	5.574	0.087	220.93	5.556	0.086	1.696	0.008	0.086	29.041	0.014
26	11037	11038	SN	1	-33.97	17.262	0.0	-33.989	18.26	0.0	0.56	23.382	0.175	7.116	23.171	0.368	0.087	184.81	3.423	0.086	185.64	3.318	0.086	0.141	0.0	0.086	0.103	0.0
27	11037	11038	NS	1	-34.382	20.339	0.0	-34.923	20.708	0.0	-32.808	21.893	0.0	-27.536	22.48	0.042	0.086	203.221	2.481	0.086	230.184	2.697	0.086	141.449	0.185	0.086	42.066	0.144
28	11038	11039	NS	1	-34.977	20.275	0.0	-34.974	21.493	0.0	1.114	22.424	0.021	1.28	23.205	0.239	0.086	233.028	2.305	0.086	232.854	2.324	0.086	0.134	0.0	0.086	0.132	0.0
29	11038	11039	SN	1	-34.137	16.92	0.0	-34.708	18.026	0.0	-10.307	23.439	0.358	-8.712	24.737	0.894	0.087	192.058	2.689	0.086	219.038	2.607	0.086	0.965	0.0	0.086	0.693	0.0
30	11039	11040	SN	1	-34.823	18.117	0.0	-34.34	19.169	0.0	-29.769	23.055	0.17	-12.475	23.583	0.595	0.086	224.865	3.164	0.086	201.227	2.967	0.086	70.284	0.086	0.086	1.54	0.006
31	11039	11040	SN	1	-34.837	18.117	0.0	-34.713	19.169	0.0	-27.246	23.055	0.17	-12.521	23.583	0.595	0.086	225.608	3.169	0.086	219.262	2.973	0.086	39.346	0.084	0.086	1.556	0.006
32	11040	11041	SN	1	-34.649	19.212	0.0	-33.618	19.842	0.0	-5.159	23.297	0.148	-5.832	23.198	0.243	0.086	223.553	1.956	0.086	170.41	1.586	0.086	0.336	0.0	0.086	0.365	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	11040	11041	NS	1	-34.046	22.378	0.003	-33.582	21.01	0.0	-21.571	23.128	0.488	-17.02	24.279	1.67	0.086	188.06	1.918	0.086	169.046	1.887	0.086	10.697	0.021	0.086	3.793	0.013
34	11040	11041	SN	1	-34.704	18.583	0.0	-34.999	19.841	0.0	-5.123	23.298	0.153	-5.945	23.201	0.243	0.086	218.797	2.834	0.086	234.227	1.393	0.086	0.334	0.0	0.086	0.372	0.0
35	11041	11042	NS	1	-34.679	20.801	0.0	-34.782	21.374	0.0	-3.191	22.737	0.055	-13.813	23.813	0.752	0.086	217.57	3.231	0.086	222.788	3.244	0.086	0.226	0.0	0.086	1.846	0.002
36	11041	11042	NS	1	-34.776	20.801	0.0	-34.939	21.374	0.0	-3.191	22.737	0.055	-13.813	23.813	0.752	0.086	222.532	3.219	0.086	230.996	3.259	0.086	0.226	0.0	0.086	1.846	0.002
37	11041	11042	SN	2	-34.218	18.977	0.0	-34.304	20.65	0.0	-34.188	22.836	0.113	-16.201	23.176	0.154	0.086	195.638	3.0	0.086	199.599	2.809	0.086	194.363	0.13	0.086	3.152	0.023
38	11041	11042	SN	1	-34.218	18.977	0.0	-34.304	20.65	0.0	-34.188	22.836	0.113	-16.201	23.176	0.154	0.086	195.638	3.0	0.086	199.599	2.809	0.086	194.363	0.13	0.086	3.152	0.023
39	11042	11043	SN	1	-34.178	17.93	0.0	-34.281	20.036	0.0	-23.947	22.78	0.077	-22.945	23.13	0.174	0.086	193.829	3.326	0.086	203.592	2.834	0.086	19.082	0.037	0.086	15.158	0.053
40	11042	11043	NS	1	-34.673	22.481	0.001	-34.994	20.594	0.0	-6.556	22.43	0.078	-5.869	23.657	0.713	0.086	217.24	2.36	0.086	233.927	2.255	0.086	0.403	0.0	0.086	0.354	0.0
41	11043	11044	NS	1	-34.841	21.479	0.0	-34.648	19.536	0.0	-13.21	22.744	0.153	-6.254	23.321	1.046	0.086	231.645	2.538	0.086	216.064	2.723	0.086	1.615	0.01	0.086	0.381	0.0
42	11043	11044	NS	1	-34.841	21.479	0.0	-34.648	19.536	0.0	-13.21	22.744	0.104	-6.254	23.324	0.739	0.086	231.645	2.529	0.086	216.064	2.724	0.086	1.615	0.006	0.086	0.381	0.0
43	11043	11044	NS	2	-34.841	21.479	0.0	-34.648	19.536	0.0	-13.21	22.744	0.104	-6.254	23.324	0.739	0.086	231.645	2.529	0.086	216.064	2.724	0.086	1.615	0.006	0.086	0.381	0.0
44	11043	11044	SN	1	-34.988	18.385	0.0	-34.252	20.523	0.0	-25.001	23.447	0.113	-26.514	23.324	0.399	0.086	233.622	5.645	0.086	197.214	4.707	0.086	23.492	0.046	0.086	33.257	0.069
45	11043	11044	SN	1	-34.906	18.385	0.0	-34.041	20.523	0.0	-24.425	23.447	0.113	-27.296	23.324	0.399	0.086	229.269	5.661	0.086	187.884	4.711	0.086	20.584	0.046	0.086	39.805	0.069
46	11044	11045	SN	1	-33.803	17.469	0.0	-34.646	20.387	0.0	3.065	22.692	0.315	3.501	23.838	2.019	0.087	177.869	2.293	0.086	215.96	2.31	0.086	0.115	0.0	0.086	0.112	0.0
47	11044	11045	SN	1	-34.535	17.466	0.0	-33.577	20.387	0.0	3.065	22.69	0.315	3.501	23.84	2.019	0.087	210.455	2.286	0.086	168.847	2.313	0.086	0.115	0.0	0.086	0.112	0.0
48	11044	11045	NS	1	-34.85	21.702	0.0	-34.786	19.596	0.0	-3.923	22.902	0.148	-20.289	23.508	0.849	0.086	226.325	6.051	0.086	222.952	6.186	0.086	0.253	0.0	0.086	7.979	0.004
49	11044	11045	NS	1	-34.85	21.702	0.0	-34.786	19.596	0.0	-3.923	22.902	0.073	-20.289	23.072	0.321	0.086	226.325	6.141	0.086	222.952	6.187	0.086	0.253	0.0	0.086	7.979	0.007
50	11045	11046	NS	1	-34.656	19.041	0.0	-34.764	21.29	0.0	2.527	23.228	0.333	0.644	23.505	0.704	0.086	216.379	4.1	0.086	221.888	3.814	0.086	0.12	0.0	0.086	0.14	0.0
51	11045	11046	NS	2	-34.656	19.041	0.0	-34.764	21.29	0.0	2.527	23.228	0.333	0.642	23.505	0.704	0.086	216.379	4.1	0.086	221.888	3.814	0.086	0.12	0.0	0.086	0.14	0.0
52	11045	11046	SN	1	-34.991	18.238	0.0	-32.442	20.492	0.0	0.93	22.976	0.091	4.536	22.939	0.171	0.086	233.77	1.807	0.086	129.993	1.452	0.086	0.136	0.0	0.086	0.113	0.0
53	11045	11046	SN	1	-34.3	15.294	0.0	-32.442	20.492	0.0	0.93	22.58	0.021	4.536	22.939	0.078	0.087	199.391	1.848	0.086	129.993	1.598	0.086	0.136	0.0	0.086	0.106	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors