

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JAN-2020 To 02-JAN-2020





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JAN-2020 To 02-JAN-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17281	17282	SN	1	48.731	49.447	0.0	0.003	215.703	2.449	1032.832	1086.168	0.0	-91.887	-90.002	0.0
2	17281	17282	SN	1	48.731	49.447	0.0	0.003	215.703	2.71	1032.832	1086.168	0.0	-91.887	-90.002	0.0
3	17281	17282	NS	1	48.72	49.335	0.0	0.0	264.538	2.84	1033.752	1085.904	0.0	-91.676	-89.986	0.0
4	17281	17282	SN	1	48.773	49.447	0.0	0.003	215.703	2.707	1032.568	1086.168	0.0	-91.887	-90.002	0.0
5	17282	17283	SN	1	48.736	49.429	0.0	0.003	6.695	2.53	1031.688	1086.336	0.0	-91.938	-89.992	0.0
6	17282	17283	NS	2	48.721	49.395	0.0	0.0	42.074	2.645	1033.936	1086.072	0.0	-91.925	-89.958	0.0
7	17282	17283	SN	1	48.736	49.429	0.0	0.003	6.695	2.406	1031.688	1086.336	0.0	-91.938	-89.992	0.0
8	17282	17283	NS	1	48.721	49.403	0.0	0.0	42.074	2.646	1033.944	1086.072	0.0	-91.925	-89.958	0.0
9	17282	17283	SN	1	48.736	49.429	0.0	0.003	6.695	2.394	1031.688	1086.336	0.0	-91.938	-89.992	0.0
10	17283	17284	SN	1	48.717	49.458	0.0	0.003	6.701	2.514	1032.456	1086.392	0.0	-91.965	-90.024	0.0
11	17283	17284	NS	1	48.723	49.39	0.0	0.0	210.645	2.543	1034.104	1086.128	0.0	-91.952	-89.959	0.0
12	17283	17284	SN	2	48.717	49.458	0.0	0.003	6.701	2.514	1032.456	1086.392	0.0	-91.965	-90.024	0.0
13	17283	17284	SN	1	48.717	49.458	0.0	0.003	6.701	2.338	1032.456	1086.392	0.0	-91.965	-90.024	0.0
14	17283	17284	NS	1	48.906	49.403	0.0	0.0	210.645	3.06	1045.168	1086.128	0.0	-91.935	-90.138	0.0
15	17284	17285	NS	1	48.719	49.405	0.0	0.003	267.147	2.672	1033.688	1086.032	0.0	-92.813	-89.988	0.0
16	17284	17285	SN	1	48.721	49.485	0.0	0.0	181.074	2.703	1031.296	1086.248	0.0	-92.126	-89.996	0.0
17	17284	17285	NS	1	48.719	49.389	0.0	0.003	267.147	2.669	1033.656	1086.032	0.0	-91.948	-89.988	0.0
18	17284	17285	SN	1	48.721	49.485	0.0	0.003	6.695	2.271	1031.296	1086.248	0.0	-92.126	-89.996	0.0
19	17284	17285	SN	1	48.721	49.485	0.0	0.0	181.074	2.615	1031.296	1086.248	0.0	-92.126	-89.996	0.0
20	17285	17286	SN	1	48.707	49.49	0.0	0.003	29.453	2.081	1032.376	1086.176	0.0	-91.864	-90.022	0.0
21	17285	17286	SN	1	48.707	49.49	0.0	0.003	29.453	2.52	1032.376	1086.176	0.0	-91.864	-90.022	0.0
22	17285	17286	NS	1	48.722	49.394	0.0	0.0	210.563	3.147	1034.2	1085.944	0.0	-91.932	-90.0	0.0
23	17285	17286	NS	1	48.722	49.382	0.0	0.0	210.563	2.65	1034.2	1085.944	0.0	-91.918	-90.0	0.0
24	17285	17286	SN	1	48.704	49.489	0.0	0.003	6.69	2.517	1032.216	1086.16	0.0	-91.863	-90.022	0.0
25	17286	17287	SN	2	48.766	49.49	0.0	0.003	6.673	2.616	1031.96	1086.032	0.0	-91.957	-90.022	0.0
26	17286	17287	SN	1	48.766	49.49	0.0	0.003	6.673	2.616	1031.96	1086.032	0.0	-91.957	-90.022	0.0
27	17286	17287	NS	1	48.661	49.402	0.0	0.0	210.607	2.74	1034.208	1085.768	0.0	-91.952	-90.006	0.0
28	17286	17287	SN	1	48.766	49.49	0.0	0.003	6.673	1.901	1031.96	1086.032	0.0	-91.957	-90.022	0.0
29	17286	17287	NS	1	48.668	49.404	0.0	0.0	206.945	2.753	1034.24	1085.736	0.0	-91.966	-90.006	0.0
30	17287	17288	SN	1	48.71	49.459	0.0	0.003	6.684	2.67	1032.544	1086.04	0.0	-92.097	-90.024	0.0
31	17287	17288	NS	1	48.722	49.386	0.0	0.003	206.928	2.569	1034.112	1085.8	0.0	-91.881	-90.01	0.0
32	17287	17288	SN	1	48.712	49.461	0.0	0.003	281.16	1.662	1032.56	1086.08	0.0	-91.925	-90.024	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

33	17287	17288	NS	1	48.722	49.386	0.0	0.003	206.928	2.554	1034.112	1085.8	0.0	-91.825	-90.01	0.0
34	17287	17288	SN	2	48.712	49.461	0.0	0.003	281.16	2.671	1032.56	1086.08	0.0	-91.925	-90.024	0.0
35	17288	17289	SN	1	48.771	49.43	0.0	0.003	28.896	2.596	1032.704	1086.704	0.0	-91.932	-89.982	0.0
36	17288	17289	SN	1	48.771	49.43	0.0	0.003	28.896	1.551	1032.704	1086.704	0.0	-91.932	-89.982	0.0
37	17288	17289	NS	1	48.672	49.37	0.0	0.003	267.246	2.656	1033.2	1085.928	0.0	-91.966	-90.01	0.0
38	17288	17289	SN	2	48.771	49.43	0.0	0.003	28.896	2.596	1032.704	1086.704	0.0	-91.932	-89.982	0.0
39	17288	17289	NS	1	48.672	49.386	0.0	0.003	267.246	2.653	1033.2	1085.928	0.0	-91.966	-90.01	0.0
40	17289	17290	NS	1	48.689	49.397	0.0	0.003	267.124	2.683	1033.168	1086.128	0.0	-93.039	-90.006	0.0
41	17289	17290	SN	1	48.768	49.454	0.0	0.003	6.701	2.527	1032.68	1086.504	0.0	-91.879	-89.962	0.0
42	17290	17291	SN	1	48.742	49.635	0.0	0.003	6.684	2.557	1031.72	1091.824	0.0	-94.778	-90.0	0.0
43	17290	17291	NS	1	48.724	49.338	0.0	0.0	45.107	2.797	1033.592	1086.192	0.0	-93.526	-89.982	0.0
44	17291	17292	NS	1	48.724	49.351	0.0	0.003	267.124	2.533	1034.2	1086.032	0.0	-91.988	-90.01	0.0
45	17291	17292	SN	1	48.712	49.441	0.0	0.003	6.684	2.653	1032.504	1086.096	0.0	-91.708	-90.01	0.0
46	17291	17292	NS	1	48.724	49.351	0.0	0.003	268.884	2.591	1034.2	1086.032	0.0	-91.988	-90.01	0.0
47	17292	17293	SN	1	48.718	49.428	0.0	0.003	6.69	2.591	1032.416	1086.136	0.0	-91.95	-90.0	0.0
48	17292	17293	NS	1	48.723	49.377	0.0	0.003	206.956	2.246	1034.064	1085.224	0.0	-91.93	-90.011	0.0
49	17292	17293	NS	1	48.723	49.377	0.0	0.003	206.956	2.613	1034.064	1085.816	0.0	-91.931	-90.011	0.0
50	17292	17293	NS	1	48.723	49.383	0.0	0.003	206.956	2.61	1034.064	1085.8	0.0	-91.931	-90.011	0.0
51	17292	17293	SN	1	48.718	49.429	0.0	0.003	6.684	2.577	1032.416	1086.152	0.0	-91.92	-90.0	0.0
52	17293	17294	NS	1	48.723	49.402	0.0	0.003	13.468	2.614	1033.936	1085.864	0.0	-91.877	-90.01	0.0
53	17293	17294	SN	1	48.752	49.469	0.0	0.003	6.684	2.576	1032.264	1086.2	0.0	-91.968	-90.025	0.0
54	17293	17294	NS	1	48.722	49.38	0.0	0.003	13.468	1.688	1033.912	1084.288	0.0	-91.94	-90.01	0.0
55	17293	17294	NS	2	48.722	49.4	0.0	0.003	13.468	2.616	1033.912	1085.888	0.0	-91.878	-90.01	0.0
56	17293	17294	SN	1	48.752	49.469	0.0	0.003	6.684	2.59	1032.264	1086.2	0.0	-91.968	-90.025	0.0
57	17294	17295	NS	1	48.692	49.363	0.0	0.0	264.626	2.74	1033.832	1085.944	0.0	-91.853	-90.009	0.0
58	17294	17295	NS	2	48.692	49.39	0.0	0.0	264.626	2.739	1033.832	1085.912	0.0	-91.87	-90.009	0.0
59	17294	17295	NS	1	48.692	49.397	0.0	0.0	264.626	1.692	1033.832	1082.336	0.0	-91.889	-90.009	0.0
60	17294	17295	SN	1	48.742	49.449	0.0	0.003	6.684	2.658	1032.192	1086.28	0.0	-91.867	-90.025	0.0
61	17294	17295	SN	1	48.719	49.449	0.0	0.003	6.684	2.656	1032.088	1086.28	0.0	-91.909	-90.025	0.0
62	17295	17296	NS	1	48.677	49.349	0.0	0.0	68.254	2.713	1033.672	1085.864	0.0	-91.923	-90.004	0.0
63	17295	17296	NS	1	48.674	49.346	0.0	0.003	12.905	1.697	1033.624	1077.52	0.0	-91.788	-90.004	0.0
64	17295	17296	NS	2	48.674	49.346	0.0	0.0	68.254	2.715	1033.624	1085.864	0.0	-91.923	-90.004	0.0
65	17295	17296	SN	1	48.717	49.492	0.0	0.003	6.69	2.203	1031.984	1086.208	0.0	-92.361	-90.019	0.0
66	17295	17296	SN	1	48.717	49.492	0.0	0.003	6.69	2.717	1031.984	1086.208	0.0	-92.361	-90.019	0.0
67	17296	17297	NS	1	48.723	49.404	0.0	0.003	18.437	2.583	1034.152	1085.816	0.0	-91.618	-89.997	0.0
68	17296	17297	SN	1	48.731	49.428	0.0	0.003	282.065	2.432	1031.56	1086.168	0.0	-92.176	-89.986	0.0
69	17296	17297	SN	1	48.731	49.428	0.0	0.003	282.065	2.611	1031.56	1086.168	0.0	-92.176	-89.986	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17296	17297	NS	1	48.723	49.404	0.0	0.003	18.437	2.586	1034.152	1085.816	0.0	-91.854	-89.997	0.0
71	17296	17297	SN	2	48.731	49.428	0.0	0.003	282.065	2.611	1031.56	1086.168	0.0	-92.176	-89.986	0.0
72	17297	17298	NS	1	48.724	49.364	0.0	0.003	13.252	2.493	1033.6	1085.976	0.0	-91.812	-89.941	0.0
73	17297	17298	SN	1	48.713	49.463	0.0	0.003	280.625	2.508	1032.264	1086.288	0.0	-91.948	-90.021	0.0
74	17297	17298	NS	1	48.724	49.368	0.0	0.003	13.252	2.491	1033.6	1085.976	0.0	-91.841	-89.941	0.0
75	17297	17298	SN	1	48.713	49.463	0.0	0.003	280.625	2.37	1032.264	1086.288	0.0	-91.948	-90.021	0.0
76	17297	17298	SN	1	48.713	49.481	0.0	0.003	215.284	2.362	1032.264	1086.304	0.0	-91.948	-90.021	0.0
77	17298	17299	SN	1	48.768	49.444	0.0	0.003	6.695	2.517	1032.096	1086.216	0.0	-91.846	-90.019	0.0
78	17298	17299	SN	1	48.768	49.444	0.0	0.003	6.695	2.316	1032.096	1086.216	0.0	-91.846	-90.019	0.0
79	17298	17299	SN	1	48.768	49.444	0.0	0.003	6.695	2.52	1032.096	1086.216	0.0	-91.846	-90.019	0.0
80	17298	17299	NS	1	48.693	49.404	0.0	0.0	44.352	2.682	1033.488	1085.904	0.0	-91.96	-89.996	0.0
81	17299	17300	SN	1	48.705	49.49	0.0	0.003	6.673	2.51	1032.072	1086.096	0.0	-91.948	-90.019	0.0
82	17299	17300	SN	1	48.705	49.49	0.0	0.003	6.673	2.161	1032.072	1086.096	0.0	-91.948	-90.019	0.0
83	17299	17300	NS	1	48.708	49.406	0.0	0.003	210.596	2.599	1033.792	1085.784	0.0	-91.978	-90.0	0.0
84	17299	17300	NS	2	48.708	49.406	0.0	0.003	210.596	2.599	1033.792	1085.784	0.0	-91.978	-90.0	0.0
85	17299	17300	SN	1	48.767	49.483	0.0	0.003	6.673	2.51	1032.072	1086.088	0.0	-91.948	-90.019	0.0
86	17300	17301	SN	2	48.734	49.478	0.0	0.003	208.147	2.573	1032.08	1086.008	0.0	-91.918	-90.019	0.0
87	17300	17301	SN	1	48.734	49.476	0.0	0.003	213.998	2.576	1032.072	1085.992	0.0	-91.918	-90.02	0.0
88	17300	17301	SN	1	48.734	49.478	0.0	0.003	6.679	1.995	1032.08	1086.008	0.0	-91.918	-90.019	0.0
89	17300	17301	NS	1	48.724	49.402	0.0	0.003	266.954	2.582	1034.568	1085.688	0.0	-91.904	-89.999	0.0
90	17300	17301	NS	1	48.724	49.368	0.0	0.003	266.954	2.584	1034.568	1085.688	0.0	-92.457	-89.999	0.0
91	17301	17302	SN	1	48.732	49.487	0.0	0.003	6.684	1.794	1032.2	1085.944	0.0	-91.976	-90.019	0.0
92	17301	17302	NS	1	48.662	49.404	0.0	0.0	264.522	2.701	1034.52	1085.616	0.0	-91.943	-90.012	0.0
93	17301	17302	NS	1	48.67	49.404	0.0	0.0	264.522	2.699	1034.52	1085.616	0.0	-91.943	-90.012	0.0
94	17301	17302	SN	1	48.731	49.485	0.0	0.003	6.684	2.635	1032.184	1085.92	0.0	-92.132	-90.02	0.0
95	17301	17302	SN	1	48.732	49.487	0.0	0.003	6.684	2.636	1032.2	1085.944	0.0	-91.976	-90.019	0.0
96	17302	17303	SN	1	48.769	49.484	0.0	0.003	6.684	1.581	1032.376	1086.08	0.0	-91.915	-90.007	0.0
97	17302	17303	NS	1	48.692	49.362	0.0	0.003	206.471	2.586	1034.368	1085.744	0.0	-91.842	-90.014	0.0
98	17302	17303	SN	1	48.769	49.49	0.0	0.003	6.684	2.665	1032.376	1086.08	0.0	-91.915	-90.007	0.0
99	17302	17303	SN	1	48.769	49.484	0.0	0.003	6.684	2.667	1032.376	1086.08	0.0	-91.915	-90.007	0.0
100	17303	17304	SN	1	48.734	49.512	0.0	0.003	199.99	2.604	1032.4	1089.696	0.0	-93.585	-89.959	0.0
101	17303	17304	NS	2	48.683	49.362	0.0	0.0	266.783	2.786	1033.552	1085.8	0.0	-91.872	-90.005	0.0
102	17303	17304	NS	1	48.683	49.362	0.0	0.0	266.783	2.786	1033.552	1085.8	0.0	-91.872	-90.005	0.0
103	17304	17305	NS	1	48.727	49.34	0.0	0.003	266.799	2.673	1034.528	1085.904	0.0	-91.755	-89.987	0.0
104	17304	17305	NS	1	48.726	49.362	0.0	0.003	206.2	2.657	1034.52	1085.704	0.0	-91.755	-89.987	0.0
105	17304	17305	SN	1	48.725	49.488	0.0	0.003	214.881	2.554	1031.36	1086.04	0.0	-91.863	-89.999	0.0
106	17305	17306	SN	2	48.748	49.453	0.0	0.003	6.69	2.632	1031.552	1085.96	0.0	-91.912	-89.996	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17305	17306	SN	3	48.748	49.461	0.0	0.003	6.69	2.632	1031.552	1085.968	0.0	-91.912	-89.996	0.0
108	17305	17306	SN	1	48.748	49.453	0.0	0.003	6.69	2.632	1031.552	1085.96	0.0	-91.912	-89.996	0.0
109	17305	17306	NS	1	48.714	49.392	0.0	0.0	267.235	2.767	1033.712	1086.544	0.0	-92.522	-89.999	0.0
110	17305	17306	NS	1	48.706	49.401	0.0	0.0	267.235	2.769	1033.584	1085.656	0.0	-92.522	-89.999	0.0
111	17306	17307	NS	1	48.662	49.396	0.0	0.003	267.196	2.403	1034.448	1085.328	0.0	-91.942	-90.016	0.0
112	17306	17307	NS	1	48.662	49.396	0.0	0.003	267.196	2.594	1034.448	1085.72	0.0	-91.919	-90.016	0.0
113	17306	17307	NS	1	48.669	49.393	0.0	0.003	210.701	2.591	1034.464	1085.72	0.0	-91.982	-90.016	0.0
114	17306	17307	SN	1	48.711	49.486	0.0	0.003	6.684	2.6	1032.208	1086.024	0.0	-91.925	-89.994	0.0
115	17306	17307	SN	1	48.724	49.486	0.0	0.003	6.684	2.597	1032.208	1086.024	0.0	-91.925	-89.994	0.0
116	17307	17308	NS	2	48.716	49.405	0.0	0.0	50.495	2.732	1033.36	1085.72	0.0	-92.236	-90.013	0.0
117	17307	17308	NS	1	48.716	49.51	0.0	0.0	50.495	2.113	1033.36	1084.672	0.0	-91.953	-90.013	0.0
118	17307	17308	SN	1	48.753	49.429	0.0	0.003	281.508	2.584	1032.2	1086.048	0.0	-92.001	-89.998	0.0
119	17307	17308	SN	2	48.753	49.429	0.0	0.003	281.508	2.584	1032.2	1086.048	0.0	-92.001	-89.998	0.0
120	17307	17308	NS	1	48.716	49.405	0.0	0.0	50.495	2.732	1033.36	1085.72	0.0	-92.236	-90.013	0.0
121	17307	17308	SN	1	48.748	49.486	0.0	0.003	281.508	2.572	1032.2	1086.048	0.0	-92.033	-89.998	0.0
122	17308	17309	NS	1	48.706	49.402	0.0	0.003	210.601	2.595	1034.04	1085.808	0.0	-91.871	-90.012	0.0
123	17308	17309	SN	1	48.715	49.431	0.0	0.003	281.177	2.573	1031.296	1086.128	0.0	-91.852	-90.021	0.0
124	17308	17309	NS	1	48.706	49.401	0.0	0.003	210.601	2.596	1034.04	1085.824	0.0	-91.973	-90.012	0.0
125	17308	17309	SN	2	48.715	49.431	0.0	0.003	281.177	2.573	1031.296	1086.128	0.0	-91.852	-90.021	0.0
126	17308	17309	NS	1	48.706	49.389	0.0	0.003	210.601	1.494	1034.04	1083.656	0.0	-91.91	-90.012	0.0
127	17309	17310	SN	1	48.725	49.483	0.0	0.003	6.69	1.718	1031.2	1086.16	0.0	-91.944	-90.024	0.0
128	17309	17310	SN	2	48.725	49.483	0.0	0.0	159.406	2.808	1031.2	1086.16	0.0	-91.944	-90.024	0.0
129	17309	17310	NS	1	48.673	49.35	0.0	0.003	210.463	2.649	1033.368	1085.856	0.0	-91.873	-90.011	0.0
130	17309	17310	NS	1	48.664	49.372	0.0	0.003	210.463	1.627	1033.368	1080.608	0.0	-91.817	-90.011	0.0
131	17309	17310	SN	1	48.725	49.483	0.0	0.0	159.406	2.807	1031.2	1086.16	0.0	-91.944	-90.024	0.0
132	17309	17310	NS	1	48.664	49.372	0.0	0.003	210.463	2.651	1033.368	1085.856	0.0	-91.938	-90.011	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Table with 26 columns and 49 rows containing numerical data points for various parameters and SNR values. The table is color-coded with green and yellow backgrounds for different data states.

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

112	17306	17307	NS	1	-33.84	25.602	0.129	-34.69	28.335	0.439	10.237	28.945	22.509	10.6	29.056	33.891	0.116	234.732	1.636	0.116	285.373	1.55	0.116	0.123	0.0	0.116	0.122	0.0
113	17306	17307	NS	1	-32.556	25.606	0.129	-34.581	28.335	0.439	10.237	28.945	22.507	10.599	29.056	33.889	0.116	174.667	1.635	0.116	278.347	1.557	0.116	0.123	0.0	0.116	0.122	0.0
114	17306	17307	SN	1	-33.833	23.086	0.053	-32.986	24.072	0.944	-17.032	29.706	11.993	-14.693	30.711	12.051	0.116	234.28	3.508	0.116	192.808	3.011	0.116	4.983	0.005	0.116	2.945	0.004
115	17306	17307	SN	1	-33.833	23.086	0.053	-32.986	24.072	0.94	-17.032	29.707	11.988	-14.693	30.711	12.039	0.116	234.28	3.521	0.116	192.808	3.014	0.116	4.983	0.005	0.116	2.945	0.004
116	17307	17308	NS	2	-34.547	24.69	0.242	-34.526	27.077	0.383	9.296	28.838	23.041	11.663	29.308	33.31	0.116	276.226	3.758	0.116	274.801	3.135	0.116	0.125	0.0	0.116	0.121	0.0
117	17307	17308	NS	1	-34.801	24.69	0.243	-34.526	27.077	0.383	9.296	28.838	15.01	11.685	29.29	31.098	0.116	292.737	3.736	0.116	274.801	3.137	0.116	0.125	0.0	0.116	0.121	0.0
118	17307	17308	SN	1	-34.874	22.788	0.018	-34.618	24.082	0.919	-8.437	29.534	21.106	-7.043	30.165	23.547	0.116	297.73	3.518	0.116	280.749	3.183	0.116	0.769	0.0	0.116	0.584	0.0
119	17307	17308	SN	2	-34.874	22.788	0.018	-34.618	24.082	0.919	-8.437	29.534	21.106	-7.043	30.165	23.547	0.116	297.73	3.518	0.116	280.749	3.183	0.116	0.769	0.0	0.116	0.584	0.0
120	17307	17308	NS	1	-34.547	24.69	0.242	-34.526	27.077	0.383	9.296	28.838	23.041	11.663	29.308	33.31	0.116	276.226	3.758	0.116	274.801	3.135	0.116	0.125	0.0	0.116	0.121	0.0
121	17307	17308	SN	1	-34.968	22.794	0.019	-34.523	24.082	0.919	-8.442	29.534	20.982	-7.043	30.165	23.548	0.116	304.219	3.511	0.116	274.592	3.185	0.116	0.77	0.0	0.116	0.584	0.0
122	17308	17309	NS	1	-34.77	23.145	0.163	-34.953	22.972	0.04	6.444	28.535	26.897	7.749	28.722	35.826	0.116	290.721	4.179	0.116	303.185	3.647	0.116	0.133	0.0	0.116	0.129	0.0
123	17308	17309	SN	1	-34.734	23.504	0.075	-33.37	23.999	0.791	6.809	29.056	35.667	7.514	30.454	49.412	0.116	288.289	2.164	0.116	210.636	1.997	0.116	0.132	0.0	0.116	0.129	0.0
124	17308	17309	NS	1	-34.584	23.145	0.163	-34.953	22.972	0.04	6.442	28.535	26.892	7.751	28.722	35.822	0.116	278.554	4.185	0.116	303.185	3.649	0.116	0.133	0.0	0.116	0.129	0.0
125	17308	17309	SN	2	-34.734	23.504	0.075	-33.37	23.999	0.791	6.809	29.056	35.667	7.514	30.454	49.412	0.116	288.289	2.164	0.116	210.636	1.997	0.116	0.132	0.0	0.116	0.129	0.0
126	17308	17309	NS	1	-34.584	23.145	0.163	-34.953	22.972	0.04	9.852	28.434	10.065	7.726	28.244	16.713	0.116	278.554	4.185	0.116	303.185	3.649	0.116	0.124	0.0	0.116	0.129	0.0
127	17309	17310	SN	1	-34.526	22.13	0.001	-34.734	23.156	0.017	6.03	29.508	9.691	8.597	30.586	11.934	0.116	274.759	3.652	0.116	288.366	3.217	0.116	0.135	0.0	0.116	0.126	0.0
128	17309	17310	SN	2	-34.841	22.914	0.051	-34.734	24.232	1.022	6.03	29.508	10.695	8.597	30.586	12.285	0.116	295.557	3.549	0.116	288.366	2.934	0.116	0.135	0.0	0.116	0.126	0.0
129	17309	17310	NS	1	-34.266	24.106	0.171	-34.837	25.028	0.008	5.749	29.223	12.194	6.215	28.696	21.068	0.116	258.822	3.697	0.116	295.213	3.53	0.116	0.137	0.0	0.116	0.134	0.0
130	17309	17310	NS	1	-34.883	24.106	0.183	-34.589	25.026	0.008	7.116	26.852	3.088	6.19	25.507	6.629	0.116	298.405	3.398	0.116	278.852	3.482	0.116	0.131	0.0	0.116	0.134	0.0
131	17309	17310	SN	1	-34.868	22.914	0.053	-34.734	24.232	1.022	6.03	29.508	10.695	8.597	30.586	12.285	0.116	297.266	3.549	0.116	288.366	2.934	0.116	0.135	0.0	0.116	0.126	0.0
132	17309	17310	NS	1	-34.939	24.106	0.171	-34.589	25.026	0.008	5.749	29.223	12.225	6.215	28.696	21.095	0.116	302.24	3.698	0.116	278.852	3.53	0.116	0.137	0.0	0.116	0.134	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17281	17282	SN	1	57.494	58.291	0.0	0.0	297.953	3.705	1209.896	1276.52	0.016	-93.284	-92.051	0.0
2	17281	17282	SN	1	57.494	58.291	0.0	0.0	298.135	4.036	1209.896	1276.52	0.016	-93.284	-92.051	0.0
3	17281	17282	NS	1	57.489	58.203	0.0	0.0	299.873	4.046	1211.016	1275.872	0.0	-93.202	-92.024	0.0
4	17281	17282	SN	1	57.506	58.291	0.0	0.0	298.163	4.033	1209.864	1276.52	0.016	-93.284	-92.051	0.0
5	17282	17283	SN	1	57.492	58.32	0.0	0.0	294.38	3.82	1208.96	1276.728	0.684	-93.271	-92.039	0.0
6	17282	17283	NS	2	57.489	58.24	0.0	0.0	290.674	3.792	1211.24	1276.064	0.0	-93.26	-91.998	0.0
7	17282	17283	SN	1	57.492	58.32	0.0	0.0	294.38	3.517	1208.96	1276.728	0.691	-93.271	-92.039	0.0
8	17282	17283	NS	1	57.49	58.24	0.0	0.0	290.69	3.793	1211.24	1276.064	0.0	-93.26	-91.998	0.0
9	17282	17283	SN	1	57.492	58.32	0.0	0.0	294.38	3.516	1208.96	1276.728	0.692	-93.271	-92.039	0.0
10	17283	17284	SN	1	57.487	58.317	0.0	0.0	292.212	3.766	1209.328	1276.752	1.303	-93.28	-92.072	0.0
11	17283	17284	NS	1	57.455	58.24	0.0	0.0	292.063	3.676	1210.944	1276.128	0.0	-93.26	-91.999	0.0
12	17283	17284	SN	2	57.487	58.317	0.0	0.0	292.212	3.766	1209.328	1276.752	1.303	-93.28	-92.072	0.0
13	17283	17284	SN	1	57.487	58.317	0.0	0.0	292.212	3.455	1209.328	1276.752	1.32	-93.28	-92.072	0.0
14	17283	17284	NS	1	57.733	58.239	0.0	0.0	290.436	4.781	1225.992	1276.128	0.0	-93.275	-92.188	0.0
15	17284	17285	NS	1	57.491	58.239	0.0	0.0	297.485	3.822	1210.96	1276.016	0.0	-93.577	-92.029	0.0
16	17284	17285	SN	1	57.48	58.305	0.0	0.0	291.192	3.903	1208.576	1276.648	1.51	-93.253	-92.037	0.0
17	17284	17285	NS	1	57.492	58.237	0.0	0.0	297.485	3.818	1210.656	1276.016	0.0	-93.286	-92.029	0.0
18	17284	17285	SN	1	57.48	58.305	0.0	0.003	291.198	3.42	1208.576	1276.656	1.525	-93.248	-92.037	0.0
19	17284	17285	SN	1	57.48	58.305	0.0	0.0	291.198	3.758	1208.576	1276.656	1.509	-93.248	-92.037	0.0
20	17285	17286	SN	1	57.477	58.286	0.0	0.0	285.754	3.297	1209.224	1276.504	1.575	-93.221	-92.071	0.0
21	17285	17286	SN	1	57.477	58.286	0.0	0.0	299.288	3.717	1209.224	1276.504	1.531	-93.221	-92.071	0.0
22	17285	17286	NS	1	57.457	58.221	0.0	0.0	296.133	4.361	1211.56	1275.92	0.0	-93.3	-92.042	0.0
23	17285	17286	NS	1	57.477	58.23	0.0	0.0	296.133	3.755	1211.56	1275.92	0.0	-93.244	-92.042	0.0
24	17285	17286	SN	1	57.488	58.285	0.0	0.0	299.288	3.716	1209.216	1276.48	1.539	-93.221	-92.071	0.0
25	17286	17287	SN	2	57.503	58.314	0.0	0.0	296.277	3.844	1208.48	1276.32	1.49	-93.249	-92.072	0.0
26	17286	17287	SN	1	57.503	58.314	0.0	0.0	296.277	3.844	1208.48	1276.32	1.49	-93.249	-92.072	0.0
27	17286	17287	NS	1	57.466	58.24	0.0	0.0	290.652	3.982	1211.568	1275.68	0.0	-93.43	-92.05	0.0
28	17286	17287	SN	1	57.503	58.314	0.0	0.0	295.069	3.195	1208.48	1276.32	1.56	-93.249	-92.072	0.0
29	17286	17287	NS	1	57.468	58.241	0.0	0.0	296.178	3.993	1211.616	1275.64	0.0	-93.43	-92.05	0.0
30	17287	17288	SN	1	57.309	58.312	0.0	0.0	290.326	3.934	1209.416	1276.336	1.046	-94.736	-92.073	0.0
31	17287	17288	NS	1	57.483	58.217	0.0	0.006	299.641	3.729	1211.448	1275.736	0.0	-93.461	-92.054	0.0
32	17287	17288	SN	1	57.502	58.315	0.0	0.0	290.348	2.96	1209.432	1276.392	1.08	-93.311	-92.072	0.0
33	17287	17288	NS	1	57.483	58.217	0.0	0.006	299.641	3.72	1211.448	1275.848	0.0	-93.461	-92.054	0.0
34	17287	17288	SN	2	57.309	58.315	0.0	0.0	290.348	3.939	1209.432	1276.392	1.01	-94.736	-92.072	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17288	17289	SN	1	57.518	58.308	0.0	0.003	299.536	3.838	1209.632	1276.64	0.666	-93.308	-92.023	0.0
36	17288	17289	SN	1	57.518	58.308	0.0	0.003	291.021	2.538	1209.632	1276.64	0.725	-93.308	-92.023	0.0
37	17288	17289	NS	1	57.459	58.228	0.0	0.0	298.29	3.86	1210.536	1275.888	0.0	-93.278	-92.054	0.0
38	17288	17289	SN	2	57.518	58.308	0.0	0.003	299.536	3.838	1209.632	1276.64	0.666	-93.308	-92.023	0.0
39	17288	17289	NS	1	57.476	58.23	0.0	0.0	298.29	3.857	1210.536	1275.888	0.0	-93.273	-92.054	0.0
40	17289	17290	NS	1	57.479	58.232	0.0	0.0	298.422	3.982	1210.648	1275.856	0.0	-94.868	-92.039	0.0
41	17289	17290	SN	1	57.514	58.319	0.0	0.0	297.385	3.751	1209.552	1276.88	0.702	-93.3	-92.007	0.0
42	17290	17291	SN	1	57.498	58.314	0.0	0.0	298.45	3.819	1208.6	1276.992	0.89	-95.474	-92.045	0.0
43	17290	17291	NS	1	57.494	58.21	0.0	0.0	283.962	4.023	1210.256	1275.656	0.0	-93.197	-92.021	0.0
44	17291	17292	NS	1	57.484	58.233	0.0	0.0	290.442	3.506	1211.568	1275.8	0.0	-93.274	-92.045	0.0
45	17291	17292	SN	1	57.503	58.286	0.0	0.0	292.664	3.917	1209.352	1276.6	1.24	-93.322	-92.061	0.0
46	17291	17292	NS	1	57.484	58.233	0.0	0.0	290.442	3.763	1211.568	1275.808	0.0	-93.299	-92.045	0.0
47	17292	17293	SN	1	57.484	58.32	0.0	0.0	290.635	3.811	1209.216	1276.448	1.419	-93.493	-92.048	0.0
48	17292	17293	NS	1	57.466	58.233	0.0	0.003	298.185	3.11	1211.4	1275.216	0.0	-93.264	-92.042	0.0
49	17292	17293	NS	1	57.466	58.233	0.0	0.0	298.185	3.76	1211.4	1275.792	0.0	-93.629	-92.042	0.0
50	17292	17293	NS	1	57.466	58.233	0.0	0.0	298.185	3.755	1211.4	1275.704	0.0	-93.268	-92.042	0.0
51	17292	17293	SN	1	57.485	58.321	0.0	0.0	290.618	3.797	1209.224	1276.48	1.39	-93.493	-92.047	0.0
52	17293	17294	NS	1	57.492	58.227	0.0	0.0	299.304	3.779	1211.256	1275.784	0.0	-93.453	-92.053	0.0
53	17293	17294	SN	1	57.489	58.317	0.0	0.0	299.795	3.782	1209.24	1276.568	1.315	-93.262	-92.074	0.0
54	17293	17294	NS	1	57.49	58.225	0.0	0.0	299.327	2.634	1210.64	1274.224	0.0	-93.477	-92.053	0.0
55	17293	17294	NS	2	57.49	58.225	0.0	0.0	299.327	3.776	1210.64	1275.824	0.0	-93.278	-92.053	0.0
56	17293	17294	SN	1	57.491	58.317	0.0	0.0	299.795	3.795	1209.24	1276.568	1.314	-93.262	-92.074	0.0
57	17294	17295	NS	1	57.487	58.239	0.0	0.0	299.713	3.968	1211.144	1275.888	0.0	-93.248	-92.053	0.0
58	17294	17295	NS	2	57.487	58.239	0.0	0.0	299.68	3.968	1211.144	1275.832	0.0	-93.269	-92.053	0.0
59	17294	17295	NS	1	57.487	58.231	0.0	0.0	281.998	2.205	1211.144	1272.248	0.0	-93.226	-92.053	0.0
60	17294	17295	SN	1	57.484	58.313	0.0	0.0	299.906	3.882	1208.352	1276.632	1.303	-93.352	-92.075	0.0
61	17294	17295	SN	1	57.484	58.313	0.0	0.0	299.906	3.878	1208.88	1276.632	1.302	-93.355	-92.075	0.0
62	17295	17296	NS	1	57.473	58.208	0.0	0.0	291.512	3.997	1210.608	1275.776	0.0	-93.157	-92.047	0.0
63	17295	17296	NS	1	57.47	58.224	0.0	0.003	291.738	2.236	1210.536	1266.792	0.0	-93.174	-92.046	0.0
64	17295	17296	NS	2	57.47	58.225	0.0	0.0	291.738	3.995	1210.536	1275.776	0.0	-93.165	-92.046	0.0
65	17295	17296	SN	1	57.5	58.319	0.0	0.0	293.073	3.586	1209.416	1276.544	0.711	-93.278	-92.061	0.0
66	17295	17296	SN	1	57.5	58.319	0.0	0.0	293.073	4.081	1209.416	1276.544	0.69	-93.278	-92.061	0.0
67	17296	17297	NS	1	57.491	58.232	0.0	0.0	298.262	3.758	1211.512	1275.72	0.0	-93.228	-92.039	0.0
68	17296	17297	SN	1	57.518	58.304	0.0	0.0	291.705	3.589	1208.72	1276.472	1.068	-93.219	-92.04	0.0
69	17296	17297	SN	1	57.518	58.304	0.0	0.0	291.705	3.917	1208.72	1276.472	1.052	-93.219	-92.04	0.0
70	17296	17297	NS	1	57.491	58.228	0.0	0.0	298.262	3.761	1211.512	1275.72	0.0	-93.226	-92.039	0.0
71	17296	17297	SN	2	57.518	58.304	0.0	0.0	291.705	3.917	1208.72	1276.472	1.052	-93.219	-92.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17297	17298	NS	1	57.493	58.211	0.0	0.0	297.336	3.605	1211.0	1275.904	0.0	-93.582	-91.985	0.0
73	17297	17298	SN	1	57.477	58.32	0.0	0.0	298.532	3.729	1209.096	1276.608	1.797	-93.269	-92.056	0.0
74	17297	17298	NS	1	57.493	58.211	0.0	0.0	297.336	3.601	1211.64	1275.904	0.0	-93.582	-91.985	0.0
75	17297	17298	SN	1	57.477	58.32	0.0	0.0	298.544	3.449	1209.096	1276.608	1.818	-93.269	-92.056	0.0
76	17297	17298	SN	1	57.492	58.32	0.0	0.0	298.566	3.437	1209.104	1276.632	1.812	-93.27	-92.056	0.0
77	17298	17299	SN	1	57.493	58.308	0.0	0.0	298.549	3.72	1208.856	1276.696	2.223	-93.242	-92.069	0.0
78	17298	17299	SN	1	57.482	58.299	0.0	0.0	285.638	3.418	1208.096	1276.696	2.258	-93.134	-92.069	0.0
79	17298	17299	SN	1	57.482	58.299	0.0	0.0	298.549	3.724	1208.096	1276.696	2.226	-93.134	-92.069	0.0
80	17298	17299	NS	1	57.494	58.236	0.0	0.0	299.773	3.892	1211.16	1275.808	0.0	-93.296	-92.037	0.0
81	17299	17300	SN	1	57.485	58.307	0.0	0.0	295.08	3.742	1208.856	1276.344	2.284	-93.509	-92.068	0.0
82	17299	17300	SN	1	57.485	58.307	0.0	0.0	295.08	3.369	1208.856	1276.344	2.335	-93.509	-92.068	0.0
83	17299	17300	NS	1	57.494	58.237	0.0	0.0	287.74	3.774	1211.24	1275.664	0.0	-93.286	-92.046	0.0
84	17299	17300	NS	2	57.494	58.237	0.0	0.0	287.74	3.774	1211.24	1275.664	0.0	-93.286	-92.046	0.0
85	17299	17300	SN	1	57.484	58.306	0.0	0.0	295.091	3.739	1208.848	1276.336	2.301	-93.234	-92.068	0.0
86	17300	17301	SN	2	57.476	58.32	0.0	0.0	290.679	3.769	1208.416	1276.224	2.218	-93.263	-92.069	0.0
87	17300	17301	SN	1	57.475	58.318	0.0	0.0	290.707	3.77	1208.408	1276.2	2.252	-93.264	-92.069	0.0
88	17300	17301	SN	1	57.476	58.32	0.0	0.0	290.679	3.239	1208.416	1276.224	2.301	-93.263	-92.069	0.0
89	17300	17301	NS	1	57.478	58.218	0.0	0.0	287.425	3.789	1211.272	1275.544	0.0	-93.364	-92.044	0.0
90	17300	17301	NS	1	57.478	58.225	0.0	0.0	287.425	3.793	1211.272	1275.544	0.0	-93.3	-92.044	0.0
91	17301	17302	SN	1	57.485	58.309	0.0	0.0	289.642	3.107	1208.928	1276.16	2.108	-93.275	-92.066	0.0
92	17301	17302	NS	1	57.461	58.236	0.0	0.0	298.086	3.929	1211.144	1275.472	0.0	-93.264	-92.053	0.0
93	17301	17302	NS	1	57.463	58.236	0.0	0.0	298.086	3.939	1211.2	1275.472	0.0	-93.264	-92.053	0.0
94	17301	17302	SN	1	57.484	58.307	0.0	0.0	299.74	3.885	1208.896	1276.12	2.052	-93.274	-92.067	0.0
95	17301	17302	SN	1	57.485	58.309	0.0	0.0	299.74	3.886	1208.928	1276.16	2.0	-93.275	-92.066	0.0
96	17302	17303	SN	1	57.504	58.313	0.0	0.003	285.048	2.755	1209.216	1276.344	1.504	-93.29	-92.055	0.0
97	17302	17303	NS	1	57.456	58.215	0.0	0.0	294.617	3.717	1211.312	1275.64	0.0	-93.228	-92.058	0.0
98	17302	17303	SN	1	57.505	58.313	0.0	0.0	297.86	3.897	1208.616	1276.344	1.392	-93.487	-92.055	0.0
99	17302	17303	SN	1	57.504	58.313	0.0	0.0	297.86	3.9	1209.216	1276.344	1.394	-93.29	-92.055	0.0
100	17303	17304	SN	1	57.495	58.283	0.0	0.0	295.714	3.801	1209.0	1276.4	1.409	-93.251	-92.003	0.0
101	17303	17304	NS	2	57.477	58.232	0.0	0.0	288.01	4.035	1211.6	1275.704	0.0	-93.293	-92.045	0.0
102	17303	17304	NS	1	57.477	58.232	0.0	0.0	288.01	4.035	1211.6	1275.704	0.0	-93.61	-92.045	0.0
103	17304	17305	NS	1	57.485	58.209	0.0	0.0	293.663	3.887	1211.992	1275.576	0.0	-93.204	-92.026	0.0
104	17304	17305	NS	1	57.484	58.208	0.0	0.0	293.58	3.881	1211.984	1275.576	0.0	-93.212	-92.026	0.0
105	17304	17305	SN	1	57.495	58.291	0.0	0.0	292.725	3.796	1208.568	1276.36	1.32	-95.37	-92.044	0.0
106	17305	17306	SN	2	57.496	58.302	0.0	0.0	291.021	3.923	1208.912	1276.192	1.391	-93.414	-92.04	0.0
107	17305	17306	SN	3	57.496	58.303	0.0	0.0	291.032	3.923	1209.056	1276.208	1.388	-93.414	-92.04	0.0
108	17305	17306	SN	1	57.496	58.302	0.0	0.0	291.021	3.923	1208.912	1276.192	1.391	-93.414	-92.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17305	17306	NS	1	57.477	58.239	0.0	0.0	295.549	3.937	1211.336	1275.52	0.0	-93.278	-92.04	0.0
110	17305	17306	NS	1	57.492	58.234	0.0	0.0	295.549	3.941	1211.272	1275.52	0.0	-93.278	-92.04	0.0
111	17306	17307	NS	1	57.462	58.236	0.0	0.0	297.192	3.087	1211.888	1275.44	0.0	-93.3	-92.059	0.0
112	17306	17307	NS	1	57.462	58.228	0.0	0.0	297.192	3.683	1211.888	1275.608	0.0	-93.445	-92.059	0.0
113	17306	17307	NS	1	57.461	58.234	0.0	0.0	297.192	3.679	1211.416	1275.608	0.0	-93.295	-92.06	0.0
114	17306	17307	SN	1	57.481	58.285	0.0	0.0	298.687	3.865	1208.48	1276.288	1.912	-93.239	-92.035	0.0
115	17306	17307	SN	1	57.482	58.285	0.0	0.0	298.687	3.862	1209.008	1276.288	1.91	-93.239	-92.035	0.0
116	17307	17308	NS	2	57.485	58.237	0.0	0.0	297.28	3.936	1210.896	1275.616	0.0	-93.285	-92.057	0.0
117	17307	17308	NS	1	57.485	58.232	0.0	0.0	280.956	3.101	1210.896	1274.384	0.0	-93.278	-92.057	0.0
118	17307	17308	SN	1	57.487	58.317	0.0	0.0	297.507	3.78	1208.992	1276.336	1.88	-93.214	-92.045	0.0
119	17307	17308	SN	2	57.487	58.317	0.0	0.0	297.507	3.78	1208.992	1276.336	1.88	-93.214	-92.045	0.0
120	17307	17308	NS	1	57.485	58.237	0.0	0.0	297.28	3.936	1210.896	1275.616	0.0	-93.285	-92.057	0.0
121	17307	17308	SN	1	57.491	58.313	0.0	0.0	297.507	3.768	1208.992	1276.336	1.884	-93.266	-92.045	0.0
122	17308	17309	NS	1	57.483	58.24	0.0	0.0	295.769	3.752	1210.976	1275.72	0.0	-93.282	-92.056	0.0
123	17308	17309	SN	1	57.49	58.311	0.0	0.0	292.141	3.796	1208.72	1276.448	1.913	-93.393	-92.07	0.0
124	17308	17309	NS	1	57.483	58.236	0.0	0.0	295.769	3.757	1210.976	1275.744	0.0	-93.281	-92.056	0.0
125	17308	17309	SN	2	57.49	58.311	0.0	0.0	292.141	3.796	1208.72	1276.448	1.913	-93.393	-92.07	0.0
126	17308	17309	NS	1	57.483	58.238	0.0	0.0	295.769	2.255	1210.976	1273.688	0.0	-93.273	-92.056	0.0
127	17309	17310	SN	1	57.495	58.316	0.0	0.003	290.464	3.038	1208.376	1276.456	1.413	-93.263	-92.072	0.0
128	17309	17310	SN	2	57.495	58.316	0.0	0.0	290.464	4.072	1208.376	1276.456	1.338	-93.263	-92.072	0.0
129	17309	17310	NS	1	57.463	58.206	0.0	0.0	298.593	3.875	1210.664	1275.784	0.0	-93.363	-92.055	0.0
130	17309	17310	NS	1	57.471	58.216	0.0	0.0	298.593	2.072	1210.664	1270.344	0.0	-93.196	-92.055	0.0
131	17309	17310	SN	1	57.495	58.316	0.0	0.0	290.464	4.075	1208.376	1276.456	1.338	-93.263	-92.072	0.0
132	17309	17310	NS	1	57.471	58.228	0.0	0.0	298.593	3.878	1210.664	1275.784	0.0	-93.206	-92.055	0.0





Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17281	17282	SN	1	-34.636	15.659	0.0	-34.786	17.338	0.0	-2.142	21.559	0.0	-3.799	21.27	0.0	0.087	215.42	5.194	0.087	222.954	4.614	0.086	0.194	0.0	0.086	0.248	0.0
2	17281	17282	SN	1	-34.636	16.374	0.0	-34.786	17.341	0.0	-2.142	21.559	0.0	-3.799	21.267	0.0	0.087	215.42	4.984	0.087	222.954	4.4	0.086	0.194	0.0	0.086	0.248	0.0
3	17281	17282	NS	1	-34.934	17.729	0.0	-34.317	18.343	0.0	1.574	21.924	0.0	1.453	23.199	0.016	0.086	230.743	2.417	0.086	200.177	2.245	0.086	0.129	0.0	0.086	0.13	0.0
4	17281	17282	SN	1	-34.796	16.38	0.0	-34.786	17.341	0.0	-2.142	21.559	0.0	-3.799	21.268	0.0	0.087	223.512	4.979	0.087	222.954	4.401	0.086	0.194	0.0	0.086	0.248	0.0
5	17282	17283	SN	1	-34.883	16.6	0.0	-34.816	17.402	0.0	-0.991	21.774	0.0	-0.518	19.502	0.0	0.087	228.078	7.382	0.087	224.57	6.226	0.086	0.167	0.0	0.086	0.158	0.0
6	17282	17283	NS	2	-34.515	17.853	0.0	-34.962	17.845	0.0	-16.395	21.259	0.0	-9.664	22.136	0.001	0.086	209.544	4.072	0.086	232.243	4.051	0.086	3.293	0.002	0.086	0.751	0.0
7	17282	17283	SN	1	-34.883	16.6	0.0	-34.816	17.402	0.0	-0.991	21.774	0.0	-0.518	19.502	0.0	0.087	228.078	7.518	0.087	224.57	6.317	0.086	0.167	0.0	0.086	0.158	0.0
8	17282	17283	NS	1	-34.541	17.853	0.0	-34.962	17.845	0.0	-16.395	21.259	0.0	-9.664	22.136	0.001	0.086	210.815	4.073	0.086	232.243	4.051	0.086	3.293	0.002	0.086	0.751	0.0
9	17282	17283	SN	1	-34.883	16.6	0.0	-34.816	17.402	0.0	-0.991	21.774	0.0	-0.518	19.502	0.0	0.087	228.078	7.529	0.087	224.57	6.324	0.086	0.167	0.0	0.086	0.158	0.0
10	17283	17284	SN	1	-34.368	16.892	0.0	-34.801	17.257	0.0	0.48	21.476	0.0	0.864	19.892	0.0	0.087	202.515	2.191	0.087	223.812	1.987	0.086	0.142	0.0	0.086	0.137	0.0
11	17283	17284	NS	1	-34.844	16.657	0.0	-34.171	16.665	0.0	-7.838	20.665	0.0	-29.846	21.901	0.0	0.087	226.02	6.001	0.087	193.619	5.349	0.086	0.517	0.0	0.086	71.551	0.048
12	17283	17284	SN	2	-34.368	16.892	0.0	-34.801	17.257	0.0	0.48	21.476	0.0	0.864	19.892	0.0	0.087	202.515	2.191	0.087	223.812	1.987	0.086	0.142	0.0	0.086	0.137	0.0
13	17283	17284	SN	1	-34.368	16.892	0.0	-34.801	17.257	0.0	0.48	21.476	0.0	0.864	19.892	0.0	0.087	202.515	2.231	0.087	223.812	2.011	0.086	0.142	0.0	0.086	0.137	0.0
14	17283	17284	NS	1	-34.874	15.826	0.0	-34.914	15.18	0.0	1.204	20.64	0.0	1.994	21.9	0.0	0.087	227.524	5.45	0.087	229.661	3.861	0.086	0.133	0.0	0.086	0.124	0.0
15	17284	17285	NS	1	-34.92	15.63	0.0	-34.151	15.569	0.0	-20.774	21.954	0.0	-34.538	21.861	0.0	0.087	229.978	5.367	0.087	192.699	5.887	0.086	8.916	0.062	0.086	210.612	0.11
16	17284	17285	SN	1	-34.342	15.223	0.0	-34.657	15.58	0.0	-0.52	21.284	0.0	0.553	21.33	0.0	0.087	201.306	2.528	0.087	216.523	2.002	0.086	0.158	0.0	0.086	0.141	0.0
17	17284	17285	NS	1	-34.079	15.63	0.0	-34.88	15.569	0.0	-20.708	21.957	0.0	-33.658	21.859	0.0	0.087	189.463	5.376	0.087	227.895	5.89	0.086	8.781	0.061	0.086	171.986	0.11
18	17284	17285	SN	1	-34.342	14.867	0.0	-34.6	15.394	0.0	-0.52	21.284	0.0	0.553	21.33	0.0	0.087	201.306	2.574	0.087	213.687	2.033	0.086	0.158	0.0	0.086	0.141	0.0
19	17284	17285	SN	1	-34.342	15.221	0.0	-34.6	15.449	0.0	-0.52	21.284	0.0	0.553	21.33	0.0	0.087	201.306	2.543	0.087	213.687	2.013	0.086	0.158	0.0	0.086	0.141	0.0
20	17285	17286	SN	1	-34.849	14.873	0.0	-33.724	15.328	0.0	-0.359	21.032	0.0	1.634	21.731	0.0	0.087	226.297	2.01	0.087	174.668	1.797	0.086	0.155	0.0	0.086	0.128	0.0
21	17285	17286	SN	1	-34.849	14.873	0.0	-33.724	15.648	0.0	-0.359	21.032	0.0	1.634	21.731	0.0	0.087	226.297	1.958	0.087	174.668	1.749	0.086	0.155	0.0	0.086	0.128	0.0
22	17285	17286	NS	1	-34.205	17.345	0.0	-34.284	15.716	0.0	-23.913	21.805	0.0	-17.023	21.689	0.0	0.087	195.12	3.216	0.087	198.697	3.209	0.086	18.298	0.021	0.086	3.795	0.017
23	17285	17286	NS	1	-34.895	15.781	0.0	-34.216	15.716	0.0	-23.579	21.833	0.0	-17.042	21.686	0.0	0.087	228.711	3.587	0.087	195.609	3.374	0.086	16.948	0.026	0.086	3.811	0.018
24	17285	17286	SN	1	-34.366	14.873	0.0	-33.946	15.648	0.0	-0.359	21.032	0.0	1.634	21.731	0.0	0.087	202.439	1.956	0.087	183.796	1.75	0.086	0.155	0.0	0.086	0.128	0.0
25	17286	17287	SN	2	-34.911	14.342	0.0	-34.999	15.874	0.0	-1.83	21.172	0.0	3.744	21.762	0.0	0.088	229.528	6.094	0.087	234.212	4.711	0.086	0.186	0.0	0.086	0.111	0.0
26	17286	17287	SN	1	-34.911	14.342	0.0	-34.999	15.874	0.0	-1.83	21.172	0.0	3.744	21.762	0.0	0.088	229.528	6.094	0.087	234.212	4.711	0.086	0.186	0.0	0.086	0.111	0.0
27	17286	17287	NS	1	-34.962	18.156	0.0	-34.796	15.843	0.0	-28.242	21.832	0.0	-15.781	21.88	0.0	0.086	232.182	6.714	0.087	223.511	6.566	0.086	49.466	0.198	0.086	2.868	0.019
28	17286	17287	SN	1	-34.911	14.342	0.0	-34.999	14.428	0.0	-1.83	21.172	0.0	3.744	21.5	0.0	0.088	229.528	6.3	0.088	234.212	4.96	0.086	0.186	0.0	0.086	0.111	0.0
29	17286	17287	NS	1	-34.882	18.157	0.0	-34.928	15.843	0.0	-28.027	21.832	0.0	-15.781	21.88	0.0	0.086	227.971	6.711	0.087	230.388	6.569	0.086	47.082	0.198	0.086	2.868	0.019
30	17287	17288	SN	1	-33.907	23.499	0.001	-34.807	16.194	0.0	-0.761	22.928	0.014	1.574	22.689	0.049	0.086	182.17	4.118	0.087	224.095	3.595	0.086	0.162	0.0	0.086	0.129	0.0
31	17287	17288	NS	1	-34.973	16.966	0.0	-34.919	15.704	0.0	0.492	22.415	0.153	0.769	24.78	0.107	0.087	232.832	2.47	0.087	229.878	2.379	0.086	0.142	0.0	0.086	0.138	0.0
32	17287	17288	SN	1	-34.184	23.499	0.002	-34.92	14.267	0.0	-0.761	22.928	0.014	1.574	22.689	0.049	0.086	194.123	4.389	0.088	230.038	3.897	0.086	0.162	0.0	0.086	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

70	17296	17297	NS	1	-34.298	17.788	0.0	-32.986	18.335	0.0	-5.28	22.172	0.002	-5.314	22.806	0.014	0.086	199.35	3.255	0.086	147.375	2.664	0.086	0.319	0.0	0.086	0.321	0.0
71	17296	17297	SN	2	-34.614	16.774	0.0	-34.778	17.316	0.0	-3.522	21.876	0.0	-0.696	20.835	0.0	0.087	214.375	6.218	0.087	222.597	4.212	0.086	0.237	0.0	0.086	0.161	0.0
72	17297	17298	NS	1	-34.906	17.106	0.0	-34.936	17.175	0.0	-14.798	21.454	0.0	-22.786	22.597	0.005	0.087	229.259	3.18	0.087	230.832	2.742	0.086	2.3	0.005	0.086	14.131	0.069
73	17297	17298	SN	1	-34.909	16.844	0.0	-34.973	17.378	0.0	1.024	21.717	0.0	0.689	21.745	0.0	0.087	229.417	5.036	0.087	232.842	4.698	0.086	0.135	0.0	0.086	0.139	0.0
74	17297	17298	NS	1	-34.158	17.106	0.0	-34.645	17.175	0.0	-14.803	21.454	0.0	-22.716	22.597	0.005	0.087	192.985	3.186	0.087	215.906	2.74	0.086	2.302	0.005	0.086	13.907	0.068
75	17297	17298	SN	1	-34.909	16.558	0.0	-34.973	17.378	0.0	1.024	21.717	0.0	0.689	21.745	0.0	0.087	229.417	5.12	0.087	232.842	4.758	0.086	0.135	0.0	0.086	0.139	0.0
76	17297	17298	SN	1	-34.909	16.561	0.0	-34.973	17.379	0.0	1.024	21.717	0.0	0.689	21.745	0.0	0.087	229.417	5.121	0.087	232.842	4.765	0.086	0.135	0.0	0.086	0.139	0.0
77	17298	17299	SN	1	-34.049	16.276	0.0	-33.989	16.436	0.0	0.297	21.719	0.0	0.953	20.747	0.0	0.087	188.203	0.895	0.087	185.59	0.883	0.086	0.145	0.0	0.086	0.136	0.0
78	17298	17299	SN	1	-34.39	16.222	0.0	-34.391	16.437	0.0	0.297	21.719	0.0	0.953	20.747	0.0	0.087	203.587	0.912	0.087	203.662	0.887	0.086	0.145	0.0	0.086	0.136	0.0
79	17298	17299	SN	1	-34.39	16.279	0.0	-34.391	16.436	0.0	0.297	21.719	0.0	0.953	20.747	0.0	0.087	203.587	0.895	0.087	203.662	0.876	0.086	0.145	0.0	0.086	0.136	0.0
80	17298	17299	NS	1	-34.979	16.422	0.0	-34.849	15.9	0.0	-34.979	21.202	0.0	-30.352	22.322	0.003	0.087	233.095	6.716	0.087	226.257	7.065	0.086	233.169	0.223	0.086	80.388	0.143
81	17299	17300	SN	1	-34.787	16.046	0.0	-34.052	16.781	0.0	-0.499	21.254	0.0	1.634	21.651	0.0	0.087	223.031	2.082	0.087	188.338	1.626	0.086	0.158	0.0	0.086	0.128	0.0
82	17299	17300	SN	1	-34.787	16.046	0.0	-34.052	16.781	0.0	-0.499	21.254	0.0	1.634	21.651	0.0	0.087	223.031	2.131	0.087	188.338	1.659	0.086	0.158	0.0	0.086	0.128	0.0
83	17299	17300	NS	1	-34.998	17.101	0.0	-34.734	15.644	0.0	-23.878	21.917	0.0	-30.265	22.023	0.001	0.087	234.092	2.703	0.087	220.392	3.329	0.086	18.151	0.016	0.086	78.785	0.015
84	17299	17300	NS	2	-34.998	17.112	0.0	-34.734	15.642	0.0	-23.878	21.917	0.0	-30.265	22.023	0.001	0.087	234.092	2.701	0.087	220.392	3.329	0.086	18.151	0.016	0.086	78.785	0.015
85	17299	17300	SN	1	-34.297	16.046	0.0	-34.959	16.781	0.0	-0.499	21.254	0.0	1.634	21.651	0.0	0.087	199.24	2.083	0.087	232.057	1.63	0.086	0.158	0.0	0.086	0.128	0.0
86	17300	17301	SN	2	-34.188	16.395	0.0	-34.996	16.866	0.0	0.09	21.4	0.0	1.671	21.004	0.0	0.087	194.336	4.82	0.087	234.023	3.988	0.086	0.148	0.0	0.086	0.128	0.0
87	17300	17301	SN	1	-34.745	16.395	0.0	-34.939	16.866	0.0	0.09	21.4	0.0	1.671	21.004	0.0	0.087	220.91	4.822	0.087	231.017	3.987	0.086	0.148	0.0	0.086	0.128	0.0
88	17300	17301	SN	1	-34.188	16.395	0.0	-34.996	16.866	0.0	0.09	21.4	0.0	1.671	21.004	0.0	0.087	194.336	4.962	0.087	234.023	4.142	0.086	0.148	0.0	0.086	0.128	0.0
89	17300	17301	NS	1	-34.615	15.787	0.0	-34.987	16.21	0.0	-24.622	20.97	0.0	-15.368	22.088	0.002	0.087	214.397	4.568	0.087	233.574	4.994	0.086	21.53	0.021	0.086	2.613	0.007
90	17300	17301	NS	1	-34.813	15.787	0.0	-34.987	16.21	0.0	-24.622	20.97	0.0	-15.368	22.088	0.002	0.087	224.438	4.567	0.087	233.574	4.986	0.086	21.53	0.021	0.086	2.613	0.007
91	17301	17302	SN	1	-34.902	15.296	0.0	-34.807	15.204	0.0	0.373	22.435	0.008	6.394	22.328	0.015	0.087	229.036	5.938	0.087	224.087	5.645	0.086	0.144	0.0	0.086	0.099	0.0
92	17301	17302	NS	1	-34.937	15.634	0.0	-34.318	17.916	0.0	-24.517	21.083	0.0	-24.656	22.02	0.003	0.087	230.932	2.715	0.086	200.256	2.772	0.086	21.016	0.121	0.086	21.697	0.138
93	17301	17302	NS	1	-34.914	15.634	0.0	-34.625	17.918	0.0	-24.58	21.084	0.0	-24.168	22.02	0.003	0.087	229.664	2.711	0.086	214.854	2.769	0.086	21.323	0.126	0.086	19.404	0.138
94	17301	17302	SN	1	-34.891	15.296	0.0	-34.807	16.002	0.0	0.373	22.435	0.007	6.394	22.328	0.015	0.087	228.438	5.682	0.087	224.098	5.248	0.086	0.144	0.0	0.086	0.099	0.0
95	17301	17302	SN	1	-34.902	15.296	0.0	-34.807	16.009	0.0	0.373	22.435	0.007	6.394	22.328	0.015	0.087	229.036	5.685	0.087	224.087	5.25	0.086	0.144	0.0	0.086	0.099	0.0
96	17302	17303	SN	1	-34.611	13.397	0.0	-34.742	13.719	0.0	-10.833	22.876	0.022	-7.66	25.244	0.124	0.088	214.162	5.429	0.088	220.81	4.992	0.086	0.963	0.0	0.086	0.499	0.0
97	17302	17303	NS	1	-34.263	19.83	0.0	-34.875	16.821	0.0	1.343	22.223	0.018	1.037	22.834	0.119	0.086	197.698	1.432	0.087	227.632	1.176	0.086	0.131	0.0	0.086	0.135	0.0
98	17302	17303	SN	1	-34.768	13.397	0.0	-34.798	16.878	0.0	-10.809	22.876	0.021	-7.664	25.244	0.123	0.088	222.09	5.046	0.087	223.617	4.262	0.086	0.958	0.0	0.086	0.499	0.0
99	17302	17303	SN	1	-34.611	13.397	0.0	-34.742	16.886	0.0	-10.833	22.876	0.021	-7.66	25.244	0.123	0.088	214.162	5.035	0.087	220.81	4.268	0.086	0.963	0.0	0.086	0.499	0.0
100	17303	17304	SN	1	-34.768	13.625	0.0	-34.037	17.296	0.0	-30.961	22.274	0.005	-18.954	22.944	0.113	0.088	222.119	3.383	0.087	187.651	2.957	0.086	92.462	0.113	0.086	5.884	0.024
101	17303	17304	NS	2	-34.662	17.7	0.0	-34.671	22.887	0.006	-3.982	23.004	0.116	-3.366	23.802	0.706	0.086	216.715	3.638	0.086	217.177	3.446	0.086	0.255	0.0	0.086	0.232	0.0
102	17303	17304	NS	1	-34.662	17.672	0.0	-34.671	22.887	0.006	-3.982	23.004	0.116	-3.366	23.802	0.704	0.087	216.715	3.638	0.086	217.177	3.447	0.086	0.255	0.0	0.086	0.232	0.0
103	17304	17305	NS	1	-34.994	23.385	0.001	-34.515	19.316	0.0	-7.384	23.15	0.187	-1.653	23.417	0.463	0.086	233.936	4.25	0.086	209.48	4.165	0.086	0.473	0.0	0.086	0.181	0.0
104	17304	17305	NS	1	-34.929	23.383	0.001	-34.495	19.316	0.0	-7.385	23.15	0.187	-1.653	23.417	0.462	0.086	230.478	4.252	0.086	208.562	4.163	0.086	0.473	0.0	0.086	0.181	0.0
105	17304	17305	SN	1	-34.874	16.234	0.0	-34.348	17.229	0.0	-12.711	22.472	0.007	-6.164	23.31	0.138	0.087	227.58	2.583	0.087	201.63	2.297	0.086	1.448	0.002	0.086	0.374	0.0
106	17305	17306	SN	2	-34.936	15.972	0.0	-34.841	17.523	0.0	-33.22	22.265	0.005	-24.687	23.754	0.12	0.087	230.862	6.297	0.087	225.831	4.885	0.086	155.497	0.194	0.086	21.857	0.082

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	

107	17305	17306	SN	3	-34.931	15.972	0.0	-34.841	17.523	0.0	-33.22	22.265	0.005	-24.687	23.754	0.12	0.087	230.602	6.299	0.087	225.831	4.885	0.086	155.497	0.194	0.086	21.857	0.082
108	17305	17306	SN	1	-34.936	15.972	0.0	-34.841	17.523	0.0	-33.22	22.265	0.005	-24.687	23.754	0.12	0.087	230.862	6.297	0.087	225.831	4.885	0.086	155.497	0.194	0.086	21.857	0.082
109	17305	17306	NS	1	-34.588	20.934	0.0	-34.524	17.141	0.0	0.198	22.71	0.027	-0.925	22.945	0.072	0.086	213.078	2.756	0.087	209.927	2.471	0.086	0.146	0.0	0.086	0.166	0.0
110	17305	17306	NS	1	-34.306	20.934	0.0	-34.456	17.141	0.0	0.197	22.71	0.027	-0.925	22.945	0.072	0.086	199.703	2.759	0.087	206.675	2.472	0.086	0.146	0.0	0.086	0.166	0.0
111	17306	17307	NS	1	-34.222	18.304	0.0	-34.524	21.663	0.0	4.548	22.754	0.04	5.076	22.822	0.065	0.086	195.889	1.821	0.086	209.982	1.723	0.086	0.106	0.0	0.086	0.104	0.0
112	17306	17307	NS	1	-34.886	18.304	0.0	-34.648	21.663	0.0	4.562	22.754	0.037	5.082	22.82	0.059	0.086	228.178	1.848	0.086	216.062	1.719	0.086	0.106	0.0	0.086	0.104	0.0
113	17306	17307	NS	1	-33.777	18.304	0.0	-34.686	21.663	0.0	4.562	22.754	0.037	5.081	22.82	0.059	0.086	176.804	1.846	0.086	217.932	1.727	0.086	0.106	0.0	0.086	0.104	0.0
114	17306	17307	SN	1	-34.813	16.083	0.0	-34.374	17.986	0.0	-32.493	22.3	0.006	-32.737	23.181	0.121	0.087	224.438	3.22	0.086	202.845	2.732	0.086	131.539	0.123	0.086	139.176	0.126
115	17306	17307	SN	1	-34.804	16.083	0.0	-34.374	17.986	0.0	-32.122	22.3	0.006	-31.97	23.181	0.121	0.087	223.928	3.219	0.086	202.845	2.732	0.086	120.782	0.124	0.086	116.618	0.126
116	17307	17308	NS	2	-34.623	19.845	0.0	-34.126	20.478	0.0	2.499	22.857	0.078	3.012	22.458	0.054	0.086	214.793	3.267	0.086	191.603	2.813	0.086	0.12	0.0	0.086	0.116	0.0
117	17307	17308	NS	1	-34.603	19.845	0.0	-34.126	20.478	0.0	2.373	22.857	0.121	2.957	22.432	0.069	0.086	213.794	3.219	0.086	191.603	2.818	0.086	0.121	0.0	0.086	0.116	0.0
118	17307	17308	SN	1	-34.963	15.665	0.0	-34.996	17.632	0.0	-29.645	22.664	0.024	-19.76	23.411	0.26	0.087	232.276	3.526	0.087	234.044	3.066	0.086	68.307	0.078	0.086	7.07	0.054
119	17307	17308	SN	2	-34.963	15.665	0.0	-34.996	17.632	0.0	-29.645	22.664	0.024	-19.76	23.411	0.26	0.087	232.276	3.526	0.087	234.044	3.066	0.086	68.307	0.078	0.086	7.07	0.054
120	17307	17308	NS	1	-34.623	19.845	0.0	-34.126	20.478	0.0	2.499	22.857	0.078	3.012	22.458	0.054	0.086	214.793	3.267	0.086	191.603	2.813	0.086	0.12	0.0	0.086	0.116	0.0
121	17307	17308	SN	1	-34.923	15.665	0.0	-34.99	17.632	0.0	-29.498	22.664	0.024	-19.755	23.411	0.26	0.087	230.124	3.525	0.087	233.742	3.063	0.086	66.044	0.078	0.086	7.065	0.054
122	17308	17309	NS	1	-34.946	21.29	0.0	-34.767	17.345	0.0	1.739	22.928	0.036	2.717	22.789	0.084	0.086	231.375	3.876	0.087	222.015	3.771	0.086	0.127	0.0	0.086	0.118	0.0
123	17308	17309	SN	1	-34.379	16.665	0.0	-34.748	17.877	0.0	2.152	23.266	0.197	1.076	23.502	1.308	0.087	203.035	2.056	0.086	221.049	2.228	0.086	0.123	0.0	0.086	0.134	0.0
124	17308	17309	NS	1	-34.946	21.29	0.0	-34.767	17.345	0.0	1.742	22.928	0.036	2.717	22.789	0.084	0.086	231.375	3.874	0.087	222.015	3.761	0.086	0.127	0.0	0.086	0.118	0.0
125	17308	17309	SN	2	-34.379	16.665	0.0	-34.748	17.877	0.0	2.152	23.266	0.197	1.076	23.502	1.308	0.087	203.035	2.056	0.086	221.049	2.228	0.086	0.123	0.0	0.086	0.134	0.0
126	17308	17309	NS	1	-34.946	21.29	0.0	-34.767	17.345	0.0	6.205	22.928	0.074	2.828	22.242	0.007	0.086	231.375	3.812	0.087	222.015	3.765	0.086	0.1	0.0	0.086	0.117	0.0
127	17309	17310	SN	1	-34.422	15.415	0.0	-34.841	17.576	0.0	1.153	21.524	0.0	3.654	23.261	0.087	0.087	205.078	3.32	0.087	225.884	2.986	0.086	0.133	0.0	0.086	0.111	0.0
128	17309	17310	SN	2	-34.422	17.033	0.0	-34.841	17.585	0.0	1.153	22.768	0.045	3.654	23.264	0.109	0.087	205.078	3.234	0.087	225.884	2.704	0.086	0.133	0.0	0.086	0.111	0.0
129	17309	17310	NS	1	-34.721	17.109	0.0	-34.614	19.089	0.0	1.331	22.758	0.028	-0.513	22.74	0.069	0.087	219.68	3.765	0.086	214.379	3.421	0.086	0.131	0.0	0.086	0.158	0.0
130	17309	17310	NS	1	-34.704	16.894	0.0	-34.835	19.087	0.0	1.402	21.408	0.0	-0.934	18.798	0.0	0.087	218.803	3.383	0.086	225.54	3.425	0.086	0.13	0.0	0.086	0.166	0.0
131	17309	17310	SN	1	-34.422	17.033	0.0	-34.841	17.587	0.0	1.153	22.768	0.045	3.654	23.264	0.109	0.087	205.078	3.234	0.087	225.884	2.704	0.086	0.133	0.0	0.086	0.111	0.0
132	17309	17310	NS	1	-33.751	17.107	0.0	-34.835	19.087	0.0	1.331	22.758	0.028	-0.51	22.74	0.069	0.087	175.734	3.763	0.086	225.54	3.421	0.086	0.131	0.0	0.086	0.158	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors