

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 25-AUG-2019 To 26-AUG-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 25-AUG-2019 To 26-AUG-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15410	15411	SN	1	48.767	49.482	0.0	0.003	28.179	2.035	1035.632	1086.888	0.0	-91.731	-90.054	0.0
2	15410	15411	SN	1	48.767	49.482	0.0	0.0	77.756	2.771	1035.632	1086.888	0.0	-91.788	-90.054	0.0
3	15410	15411	SN	1	48.767	49.482	0.0	0.0	77.756	2.759	1035.632	1086.888	0.0	-91.731	-90.054	0.0
4	15411	15412	SN	1	48.584	49.54	0.0	0.003	31.289	2.592	1036.288	1086.832	0.0	-92.679	-90.022	0.0
5	15411	15412	SN	1	48.769	49.54	0.0	0.003	31.289	2.44	1036.288	1086.832	0.0	-91.84	-90.022	0.0
6	15411	15412	NS	1	48.669	49.324	0.0	0.003	266.965	2.535	1029.864	1086.12	0.0	-91.83	-89.959	0.0
7	15411	15412	SN	1	48.585	49.48	0.0	0.003	31.289	2.594	1036.288	1086.832	0.0	-92.679	-90.022	0.0
8	15412	15413	SN	1	48.775	49.48	0.0	0.003	6.618	2.515	1035.608	1087.016	0.0	-92.26	-90.052	0.0
9	15412	15413	SN	2	48.775	49.48	0.0	0.003	6.618	2.515	1035.608	1087.016	0.0	-92.26	-90.052	0.0
10	15412	15413	NS	1	48.641	49.326	0.0	0.0	43.684	2.65	1029.512	1086.328	0.0	-91.664	-89.913	0.0
11	15412	15413	SN	1	48.775	49.48	0.0	0.003	6.618	2.377	1035.608	1087.016	0.0	-92.26	-90.052	0.0
12	15412	15413	NS	1	48.642	49.325	0.0	0.0	43.679	2.648	1029.536	1086.296	0.0	-91.664	-89.913	0.0
13	15413	15414	SN	1	48.772	49.48	0.0	0.003	6.612	2.305	1036.136	1086.944	0.0	-92.227	-90.053	0.0
14	15413	15414	SN	1	48.772	49.48	0.0	0.003	208.064	2.523	1036.136	1086.944	0.0	-92.427	-90.053	0.0
15	15413	15414	NS	1	48.64	49.326	0.0	0.003	209.768	2.534	1030.608	1086.28	0.0	-92.996	-89.967	0.0
16	15413	15414	SN	1	48.772	49.48	0.0	0.003	208.064	2.525	1036.136	1086.944	0.0	-92.427	-90.053	0.0
17	15414	15415	SN	1	48.776	49.479	0.0	0.003	215.559	2.504	1035.192	1086.824	0.0	-91.635	-90.054	0.0
18	15414	15415	NS	1	48.639	49.326	0.0	0.003	267.042	2.68	1029.688	1086.168	0.0	-92.214	-89.97	0.0
19	15414	15415	NS	2	48.639	49.326	0.0	0.003	267.042	2.679	1029.688	1086.168	0.0	-91.578	-89.97	0.0
20	15414	15415	SN	1	48.776	49.48	0.0	0.003	281.96	2.166	1035.192	1086.832	0.0	-91.621	-90.054	0.0
21	15414	15415	SN	1	48.776	49.48	0.0	0.003	281.96	2.506	1035.192	1086.832	0.0	-91.66	-90.054	0.0
22	15415	15416	SN	1	48.786	49.524	0.0	0.003	215.035	1.97	1035.952	1086.744	0.0	-92.439	-90.053	0.0
23	15415	15416	SN	1	48.786	49.524	0.0	0.003	215.035	2.538	1035.952	1086.744	0.0	-92.439	-90.053	0.0
24	15415	15416	NS	1	48.614	49.346	0.0	0.003	41.718	2.604	1030.648	1086.08	0.0	-92.143	-89.962	0.0
25	15415	15416	NS	2	48.614	49.346	0.0	0.003	41.718	2.604	1030.648	1086.08	0.0	-92.143	-89.962	0.0
26	15416	15417	SN	1	48.572	49.478	0.0	0.003	215.532	2.604	1036.208	1086.688	0.0	-92.276	-90.051	0.0
27	15416	15417	SN	1	48.809	49.48	0.0	0.003	281.122	1.751	1036.216	1086.712	0.0	-91.681	-90.051	0.0
28	15416	15417	NS	1	48.614	49.37	0.0	0.003	13.385	2.573	1029.616	1086.032	0.0	-91.808	-89.976	0.0
29	15416	15417	SN	2	48.572	49.48	0.0	0.003	281.122	2.601	1036.216	1086.712	0.0	-92.276	-90.051	0.0
30	15416	15417	NS	2	48.614	49.37	0.0	0.003	13.385	2.573	1029.616	1086.032	0.0	-91.808	-89.976	0.0
31	15417	15418	NS	1	48.619	49.332	0.0	0.0	267.119	2.711	1029.632	1086.184	0.0	-91.893	-89.976	0.0
32	15417	15418	SN	1	48.795	49.52	0.0	0.003	279.031	1.594	1036.384	1086.872	0.0	-91.82	-90.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	15417	15418	SN	1	48.704	49.52	0.0	0.003	279.031	2.691	1036.384	1086.872	0.0	-93.181	-90.04	0.0
34	15417	15418	NS	1	48.619	49.332	0.0	0.0	267.119	2.714	1029.632	1086.184	0.0	-91.795	-89.976	0.0
35	15418	15419	SN	1	48.786	49.482	0.0	0.003	279.743	2.585	1036.408	1086.928	0.0	-91.79	-89.992	0.0
36	15418	15419	NS	1	48.614	49.328	0.0	0.003	264.494	2.612	1029.656	1086.248	0.0	-92.1	-89.968	0.0
37	15418	15419	SN	2	48.786	49.482	0.0	0.003	279.743	2.585	1036.408	1086.928	0.0	-91.79	-89.992	0.0
38	15418	15419	NS	1	48.629	49.329	0.0	0.003	206.934	2.614	1030.336	1086.264	0.0	-92.1	-89.968	0.0
39	15418	15419	SN	1	48.786	49.482	0.0	0.003	279.743	2.571	1036.408	1086.928	0.0	-91.79	-89.992	0.0
40	15419	15420	SN	1	48.771	49.482	0.0	0.003	29.282	2.564	1036.496	1086.896	0.0	-91.78	-90.03	0.0
41	15419	15420	NS	2	48.619	49.327	0.0	0.003	269.298	2.728	1029.808	1086.184	0.0	-91.593	-89.951	0.0
42	15419	15420	NS	1	48.619	49.327	0.0	0.003	269.298	2.728	1029.808	1086.184	0.0	-91.593	-89.951	0.0
43	15420	15421	SN	1	48.78	49.482	0.0	0.003	214.352	2.604	1035.448	1086.816	0.0	-91.733	-90.03	0.0
44	15420	15421	NS	1	48.646	49.327	0.0	0.003	264.516	2.633	1029.712	1086.128	0.0	-91.808	-89.971	0.0
45	15421	15422	NS	1	48.633	49.358	0.0	0.0	210.397	2.716	1029.728	1086.176	0.0	-91.902	-89.981	0.0
46	15421	15422	SN	1	48.788	49.482	0.0	0.003	279.925	2.594	1036.224	1086.888	0.0	-91.636	-90.025	0.0
47	15421	15422	NS	1	48.633	49.358	0.0	0.0	210.397	2.714	1029.728	1086.176	0.0	-91.902	-89.981	0.0
48	15421	15422	SN	2	48.788	49.482	0.0	0.003	279.925	2.594	1036.224	1086.888	0.0	-91.636	-90.025	0.0
49	15421	15422	NS	1	48.633	49.358	0.0	0.0	210.397	2.523	1029.728	1085.488	0.0	-91.874	-89.981	0.0
50	15422	15423	SN	1	48.782	49.482	0.0	0.003	278.099	2.589	1036.192	1086.912	0.0	-91.699	-90.033	0.0
51	15422	15423	NS	1	48.621	49.328	0.0	0.003	206.95	2.564	1030.328	1086.216	0.0	-91.794	-89.978	0.0
52	15422	15423	NS	1	48.621	49.328	0.0	0.003	206.95	2.562	1030.328	1086.216	0.0	-91.864	-89.978	0.0
53	15423	15424	NS	1	48.619	49.367	0.0	0.003	266.794	2.622	1029.824	1086.32	0.0	-91.668	-89.978	0.0
54	15423	15424	NS	1	48.624	49.367	0.0	0.003	266.794	2.624	1029.464	1086.32	0.0	-91.72	-89.978	0.0
55	15423	15424	SN	1	48.793	49.483	0.0	0.003	31.78	2.566	1035.968	1087.016	0.0	-91.563	-90.056	0.0
56	15423	15424	SN	1	48.793	49.483	0.0	0.003	31.78	2.568	1035.968	1087.016	0.0	-91.633	-90.056	0.0
57	15424	15425	NS	2	48.612	49.352	0.0	0.003	206.774	1.602	1029.584	1077.92	0.0	-91.708	-89.976	0.0
58	15424	15425	NS	1	48.612	49.352	0.0	0.003	206.774	1.602	1029.584	1077.92	0.0	-91.708	-89.976	0.0
59	15424	15425	NS	1	48.612	49.352	0.0	0.003	206.774	2.599	1029.584	1086.376	0.0	-91.798	-89.976	0.0
60	15424	15425	SN	1	48.792	49.484	0.0	0.003	29.908	2.697	1035.824	1087.056	0.0	-91.542	-90.057	0.0
61	15425	15426	NS	1	48.64	49.326	0.0	0.003	12.166	2.642	1029.744	1086.16	0.0	-91.676	-89.957	0.0
62	15425	15426	SN	1	48.779	49.533	0.0	0.003	28.295	2.74	1036.216	1086.856	0.0	-91.896	-90.029	0.0
63	15426	15427	SN	2	48.788	49.479	0.0	0.003	6.624	2.406	1035.616	1087.048	0.0	-91.994	-90.024	0.0
64	15426	15427	SN	1	48.788	49.479	0.0	0.003	6.624	2.406	1035.616	1087.048	0.0	-91.994	-90.024	0.0
65	15426	15427	NS	1	48.671	49.327	0.0	0.0	36.145	2.652	1030.56	1086.392	0.0	-91.844	-89.932	0.0
66	15426	15427	NS	1	48.67	49.328	0.0	0.0	36.145	2.648	1030.552	1086.384	0.0	-91.824	-89.932	0.0
67	15426	15427	SN	1	48.788	49.479	0.0	0.003	6.624	2.543	1035.616	1087.048	0.0	-91.994	-90.024	0.0
68	15427	15428	SN	1	48.771	49.48	0.0	0.0	134.434	2.558	1035.152	1087.096	0.0	-91.595	-90.052	0.0
69	15427	15428	NS	1	48.671	49.328	0.0	0.0	233.136	3.969	1030.456	1086.464	0.0	-92.096	-89.935	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	15427	15428	SN	1	48.771	49.48	0.0	0.0	134.434	2.387	1035.152	1087.096	0.0	-91.595	-90.052	0.0
71	15427	15428	NS	1	48.674	49.328	0.0	0.0	233.136	4.368	1030.808	1086.464	0.0	-91.628	-89.977	0.0
72	15428	15429	SN	1	48.767	49.48	0.0	0.003	6.607	2.53	1035.648	1086.984	0.0	-91.672	-90.02	0.0
73	15428	15429	SN	1	48.767	49.48	0.0	0.003	6.607	2.533	1035.648	1086.984	0.0	-91.64	-90.02	0.0
74	15428	15429	NS	1	48.628	49.327	0.0	0.003	264.45	2.687	1030.104	1086.36	0.0	-91.657	-89.96	0.0
75	15428	15429	NS	2	48.636	49.328	0.0	0.003	264.45	2.689	1030.088	1086.384	0.0	-91.657	-89.96	0.0
76	15428	15429	SN	1	48.767	49.48	0.0	0.003	6.607	2.262	1035.648	1086.984	0.0	-91.623	-90.02	0.0
77	15429	15430	NS	1	48.621	49.372	0.0	0.003	264.56	2.596	1030.808	1086.328	0.0	-94.466	-89.97	0.0
78	15429	15430	SN	1	48.797	49.479	0.0	0.003	6.607	2.501	1035.472	1086.92	0.0	-91.953	-90.051	0.0
79	15429	15430	SN	1	48.797	49.479	0.0	0.003	6.607	2.069	1035.832	1086.92	0.0	-91.953	-90.051	0.0
80	15429	15430	SN	1	48.797	49.479	0.0	0.003	6.607	2.503	1035.832	1086.92	0.0	-91.953	-90.051	0.0
81	15429	15430	NS	2	48.621	49.328	0.0	0.003	264.56	2.595	1030.808	1086.328	0.0	-91.632	-89.97	0.0
82	15430	15431	NS	2	48.629	49.341	0.0	0.003	264.334	2.576	1030.824	1086.144	0.0	-91.734	-89.974	0.0
83	15430	15431	NS	1	48.628	49.327	0.0	0.003	264.555	2.576	1030.792	1086.184	0.0	-91.735	-89.974	0.0
84	15430	15431	SN	1	48.782	49.511	0.0	0.003	6.607	1.874	1035.856	1086.824	0.0	-91.856	-90.051	0.0
85	15430	15431	SN	1	48.579	49.511	0.0	0.003	6.607	2.562	1035.856	1086.824	0.0	-92.199	-90.051	0.0
86	15430	15431	SN	2	48.58	49.511	0.0	0.003	6.607	2.562	1035.856	1086.824	0.0	-92.199	-90.051	0.0
87	15431	15432	NS	1	48.639	49.327	0.0	0.0	45.206	2.702	1029.824	1086.192	0.0	-91.893	-89.978	0.0
88	15431	15432	NS	1	48.626	49.327	0.0	0.0	264.488	2.707	1029.808	1086.208	0.0	-91.907	-89.978	0.0
89	15431	15432	SN	1	48.775	49.48	0.0	0.003	281.43	1.666	1035.992	1086.856	0.0	-91.557	-90.052	0.0
90	15431	15432	SN	1	48.775	49.48	0.0	0.003	281.43	2.669	1035.992	1086.856	0.0	-91.557	-90.052	0.0
91	15432	15433	SN	1	48.772	49.482	0.0	0.003	280.978	1.564	1036.152	1087.032	0.0	-91.755	-90.008	0.0
92	15432	15433	NS	1	48.615	49.342	0.0	0.003	209.129	2.596	1030.304	1086.344	0.0	-91.866	-89.978	0.0
93	15432	15433	SN	1	48.772	49.482	0.0	0.003	280.978	2.611	1036.152	1087.032	0.0	-91.755	-90.008	0.0
94	15432	15433	SN	2	48.772	49.482	0.0	0.003	280.978	2.611	1036.152	1087.032	0.0	-91.755	-90.008	0.0
95	15432	15433	NS	1	48.612	49.341	0.0	0.003	13.434	2.596	1029.536	1086.384	0.0	-91.866	-89.978	0.0
96	15433	15434	SN	1	48.77	49.482	0.0	0.003	6.607	2.547	1036.12	1087.024	0.0	-91.66	-89.991	0.0
97	15433	15434	NS	1	48.633	49.34	0.0	0.003	42.579	2.72	1030.168	1086.392	0.0	-91.96	-89.977	0.0
98	15434	15435	NS	1	48.67	49.33	0.0	0.003	13.236	2.641	1029.928	1086.272	0.0	-91.864	-89.953	0.0
99	15434	15435	SN	1	48.778	49.483	0.0	0.003	6.618	2.557	1035.728	1086.92	0.0	-91.746	-90.027	0.0
100	15435	15436	NS	1	48.615	49.348	0.0	0.0	267.555	2.687	1029.64	1086.12	0.0	-91.701	-89.983	0.0
101	15435	15436	SN	2	48.764	49.484	0.0	0.003	215.35	2.631	1035.968	1086.992	0.0	-91.709	-90.039	0.0
102	15435	15436	NS	1	48.615	49.348	0.0	0.0	267.555	2.745	1029.64	1086.304	0.0	-91.701	-89.983	0.0
103	15435	15436	NS	1	48.63	49.33	0.0	0.0	267.555	2.743	1029.64	1086.304	0.0	-91.808	-89.983	0.0
104	15435	15436	SN	1	48.766	49.483	0.0	0.003	282.004	2.63	1035.96	1086.984	0.0	-91.709	-90.039	0.0
105	15436	15437	SN	1	48.777	49.485	0.0	0.003	208.908	2.59	1035.872	1087.064	0.0	-91.613	-90.026	0.0
106	15436	15437	NS	1	48.637	49.349	0.0	0.003	13.319	2.552	1030.16	1086.376	0.0	-91.99	-89.978	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	15436	15437	SN	2	48.777	49.485	0.0	0.003	208.908	2.59	1035.872	1087.064	0.0	-91.613	-90.026	0.0
108	15436	15437	NS	1	48.636	49.35	0.0	0.003	13.324	2.553	1030.152	1086.376	0.0	-91.75	-89.978	0.0
109	15436	15437	NS	1	48.636	49.35	0.0	0.003	13.324	2.184	1030.152	1085.072	0.0	-91.798	-89.978	0.0
110	15437	15438	NS	1	48.601	49.351	0.0	0.003	206.956	1.735	1029.68	1082.92	0.0	-91.711	-89.976	0.0
111	15437	15438	NS	1	48.601	49.351	0.0	0.003	206.956	2.664	1029.68	1086.48	0.0	-91.727	-89.976	0.0
112	15437	15438	SN	1	48.775	49.485	0.0	0.003	280.984	2.596	1035.08	1087.128	0.0	-91.58	-90.052	0.0
113	15437	15438	SN	2	48.775	49.486	0.0	0.003	215.62	2.599	1035.08	1087.144	0.0	-91.58	-90.052	0.0
114	15437	15438	NS	2	48.601	49.351	0.0	0.003	206.956	2.664	1029.68	1086.48	0.0	-91.727	-89.976	0.0
115	15438	15439	SN	1	48.788	49.488	0.0	0.003	6.607	1.54	1035.28	1087.24	0.0	-91.785	-90.053	0.0
116	15438	15439	SN	1	48.788	49.488	0.0	0.003	6.607	2.644	1035.28	1087.24	0.0	-91.785	-90.053	0.0
117	15438	15439	SN	1	48.76	49.488	0.0	0.003	6.607	2.641	1034.8	1087.24	0.0	-91.787	-90.053	0.0
118	15438	15439	NS	1	48.615	49.357	0.0	0.003	264.455	2.571	1030.344	1086.576	0.0	-91.626	-89.978	0.0
119	15438	15439	NS	2	48.614	49.358	0.0	0.003	264.455	2.571	1030.32	1086.576	0.0	-91.626	-89.978	0.0
120	15438	15439	NS	1	48.614	49.358	0.0	0.003	264.455	1.514	1030.32	1080.112	0.0	-91.626	-89.978	0.0
121	15439	15440	NS	1	48.609	49.371	0.0	0.0	47.523	2.788	1029.472	1086.344	0.0	-91.708	-89.98	0.0
122	15439	15440	NS	1	48.607	49.372	0.0	0.0	267.069	2.782	1029.44	1086.376	0.0	-91.709	-89.979	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	15410	15411	SN	1	-33.761	24.881	0.047	-34.734	24.522	0.437	-23.924	28.364	7.46	-30.253	30.373	6.923	0.116	230.492	2.445	0.116	288.303	2.198	0.116	24.005	0.072	0.116	102.798	0.066
2	15410	15411	SN	1	-34.456	24.882	0.045	-33.481	24.554	0.949	-23.892	28.366	7.542	-28.045	30.373	6.926	0.116	270.45	2.324	0.116	216.062	1.982	0.116	23.83	0.071	0.116	61.871	0.066
3	15410	15411	SN	1	-34.942	24.881	0.045	-34.734	24.554	0.951	-23.924	28.364	7.478	-30.253	30.373	6.923	0.116	302.413	2.327	0.116	288.303	1.989	0.116	24.005	0.071	0.116	102.798	0.066
4	15411	15412	SN	1	-34.826	26.463	0.116	-34.894	27.364	0.832	-22.094	30.648	8.744	-19.49	30.39	5.253	0.116	294.43	6.181	0.116	299.091	5.156	0.116	15.782	0.049	0.116	8.706	0.033
5	15411	15412	SN	1	-34.826	26.463	0.055	-34.894	27.364	0.833	-22.097	30.648	8.744	-19.489	30.39	5.253	0.116	294.43	6.33	0.116	299.091	4.961	0.116	15.791	0.049	0.116	8.702	0.033
6	15411	15412	NS	1	-34.321	25.81	0.199	-34.882	26.814	0.057	0.839	33.665	8.76	-1.434	36.123	21.187	0.116	262.203	2.675	0.116	298.226	2.787	0.116	0.184	0.0	0.116	0.236	0.0
7	15411	15412	SN	1	-34.356	26.465	0.116	-34.894	27.365	0.837	-22.055	30.646	8.738	-19.5	30.39	5.264	0.116	264.295	6.161	0.116	299.091	5.157	0.116	15.644	0.049	0.116	8.723	0.033
8	15412	15413	SN	1	-34.524	23.566	0.171	-34.752	24.596	0.665	-25.788	27.783	9.783	-20.862	28.06	4.952	0.116	274.733	5.706	0.116	289.521	4.984	0.116	36.823	0.069	0.116	11.909	0.076
9	15412	15413	SN	2	-34.524	23.566	0.171	-34.752	24.596	0.665	-25.788	27.783	9.783	-20.862	28.06	4.952	0.116	274.733	5.706	0.116	289.521	4.984	0.116	36.823	0.069	0.116	11.909	0.076
10	15412	15413	NS	1	-34.834	23.365	0.094	-34.382	22.922	0.034	-6.347	28.637	8.543	-9.899	29.287	17.207	0.116	294.977	2.613	0.116	265.858	2.02	0.116	0.512	0.0	0.116	1.038	0.002
11	15412	15413	SN	1	-34.524	23.566	0.172	-34.844	24.596	0.66	-25.788	27.783	9.783	-20.862	28.06	4.952	0.116	274.733	5.608	0.116	295.677	4.941	0.116	36.823	0.069	0.116	11.909	0.076
12	15412	15413	NS	1	-34.834	23.365	0.094	-34.984	22.922	0.034	-6.347	28.637	8.542	-9.899	29.288	17.205	0.116	294.977	2.615	0.116	305.319	2.012	0.116	0.512	0.0	0.116	1.038	0.002
13	15413	15414	SN	1	-34.92	22.822	0.009	-34.688	25.493	0.291	6.236	26.347	9.237	0.101	27.051	2.738	0.116	300.932	3.469	0.116	285.23	3.276	0.116	0.134	0.0	0.116	0.198	0.0
14	15413	15414	SN	1	-34.882	22.948	0.031	-34.688	25.493	0.416	-1.308	26.347	9.214	0.169	27.051	2.735	0.116	298.22	3.59	0.116	285.23	3.32	0.116	0.232	0.0	0.116	0.197	0.0
15	15413	15414	NS	1	-34.222	23.284	0.087	-34.932	24.44	0.086	-4.764	28.682	7.025	-31.845	29.611	13.472	0.116	256.236	1.811	0.116	301.78	1.374	0.116	0.386	0.0	0.116	148.258	0.002
16	15413	15414	SN	1	-34.92	22.948	0.031	-34.688	25.493	0.416	-1.301	26.347	9.214	0.178	27.051	2.735	0.116	300.932	3.597	0.116	285.23	3.324	0.116	0.232	0.0	0.116	0.196	0.0
17	15414	15415	SN	1	-34.359	23.17	0.088	-34.885	25.012	0.734	6.215	27.52	13.663	2.039	27.873	15.393	0.116	264.413	4.102	0.116	298.477	3.151	0.116	0.134	0.0	0.116	0.167	0.0
18	15414	15415	NS	1	-33.516	24.794	1.137	-34.858	25.124	1.294	-24.749	27.801	4.164	-23.169	29.163	8.667	0.116	217.828	4.342	0.116	296.637	3.559	0.116	29.011	0.004	0.116	20.193	0.01
19	15414	15415	NS	2	-33.516	24.794	1.137	-34.858	25.122	1.3	-24.749	27.801	4.164	-23.169	29.163	8.667	0.116	217.828	4.354	0.116	296.637	3.567	0.116	29.011	0.004	0.116	20.193	0.01
20	15414	15415	SN	1	-34.697	23.181	0.082	-34.343	24.293	0.286	6.215	27.52	13.762	1.963	27.873	15.932	0.116	285.844	3.742	0.116	263.498	3.206	0.116	0.134	0.0	0.116	0.168	0.0
21	15414	15415	SN	1	-34.636	23.168	0.089	-34.721	25.011	0.735	6.215	27.52	13.662	2.032	27.873	15.392	0.116	281.865	4.102	0.116	287.386	3.155	0.116	0.134	0.0	0.116	0.167	0.0
22	15415	15416	SN	1	-34.303	21.751	0.0	-34.94	23.436	0.021	5.737	27.093	13.885	1.722	28.371	15.033	0.116	261.092	5.41	0.116	302.305	5.235	0.116	0.137	0.0	0.116	0.171	0.0
23	15415	15416	SN	1	-34.578	23.082	0.013	-34.94	25.978	0.945	5.737	27.093	13.317	2.024	28.371	14.753	0.116	278.112	5.563	0.116	302.305	5.071	0.116	0.137	0.0	0.116	0.167	0.0
24	15415	15416	NS	1	-34.951	24.571	1.335	-34.657	25.302	1.117	-29.51	27.836	5.287	-23.155	29.175	10.635	0.116	303.117	6.099	0.116	283.285	5.484	0.116	86.659	0.035	0.116	20.125	0.025
25	15415	15416	NS	2	-34.951	24.571	1.335	-34.657	25.302	1.117	-29.51	27.836	5.287	-23.155	29.175	10.635	0.116	303.117	6.099	0.116	283.285	5.484	0.116	86.659	0.035	0.116	20.125	0.025
26	15416	15417	SN	1	-34.996	23.598	0.042	-34.894	25.512	1.305	-16.03	27.653	8.661	-10.437	28.92	8.545	0.116	306.273	4.188	0.116	299.071	3.906	0.116	3.973	0.005	0.116	1.163	0.003
27	15416	15417	SN	1	-34.996	21.655	0.0	-34.894	22.427	0.002	-16.042	27.653	9.174	-10.437	28.922	8.569	0.116	306.273	4.215	0.116	299.071	3.683	0.116	3.984	0.005	0.116	1.163	0.003
28	15416	15417	NS	1	-34.98	26.649	0.882	-34.628	27.436	0.343	-5.838	28.816	8.407	-11.615	28.903	13.562	0.116	305.165	4.651	0.116	281.302	4.081	0.116	0.466	0.0	0.116	1.496	0.003
29	15416	15417	SN	2	-34.996	23.598	0.042	-34.894	25.512	1.305	-16.042	27.653	8.661	-10.437	28.922	8.546	0.116	306.273	4.187	0.116	299.071	3.907	0.116	3.984	0.005	0.116	1.163	0.003
30	15416	15417	NS	2	-34.98	26.649	0.882	-34.628	27.436	0.343	-5.838	28.816	8.407	-11.615	28.903	13.562	0.116	305.165	4.651	0.116	281.302	4.081	0.116	0.466	0.0	0.116	1.496	0.003
31	15417	15418	NS	1	-34.34	27.416	0.845	-34.773	28.306	0.202	6.187	31.684	10.013	7.346	29.607	15.829	0.116	263.322	4.42	0.116	290.932	3.251	0.116	0.134	0.0	0.116	0.13	0.0
32	15417	15418	SN	1	-34.931	22.862	0.003	-34.945	23.216	0.01	-9.43	33.473	11.199	-12.614	32.11	12.673	0.116	301.706	4.317	0.116	302.697	4.438	0.116	0.942	0.0	0.116	1.859	0.002
33	15417	15418	SN	1	-34.931	23.64	0.182	-34.945	25.682	1.994	-9.438	33.473	10.541	-12.614	32.11	12.631	0.116	301.706	4.8	0.116	302.697	5.419	0.116	0.943	0.0	0.116	1.859	0.002

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	15417	15418	NS	1	-34.337	27.415	0.846	-34.773	28.303	0.202	6.187	31.686	10.004	7.346	29.607	15.876	0.116	263.115	4.429	0.116	290.932	3.248	0.116	0.134	0.0	0.116	0.13	0.0
35	15418	15419	SN	1	-34.586	24.31	0.526	-34.204	24.734	1.615	-17.216	28.013	14.044	-11.466	28.988	15.864	0.116	278.608	3.093	0.116	255.145	3.039	0.116	5.195	0.005	0.116	1.449	0.002
36	15418	15419	NS	1	-34.863	24.503	0.659	-34.916	23.577	0.152	-11.064	29.242	15.466	-11.706	30.778	29.536	0.116	296.966	4.278	0.116	300.588	3.134	0.116	1.329	0.002	0.116	1.526	0.002
37	15418	15419	SN	2	-34.586	24.31	0.526	-34.204	24.734	1.615	-17.216	28.013	14.044	-11.466	28.988	15.864	0.116	278.608	3.093	0.116	255.145	3.039	0.116	5.195	0.005	0.116	1.449	0.002
38	15418	15419	NS	1	-34.809	24.503	0.658	-34.8	23.577	0.152	-11.076	29.242	15.517	-11.717	30.778	29.524	0.116	293.356	4.27	0.116	292.718	3.132	0.116	1.332	0.002	0.116	1.53	0.002
39	15418	15419	SN	1	-33.584	24.31	0.518	-34.912	24.732	1.582	-17.216	28.013	14.044	-11.466	28.988	15.864	0.116	221.245	3.05	0.116	300.423	3.037	0.116	5.195	0.005	0.116	1.449	0.002
40	15419	15420	SN	1	-34.923	26.333	0.756	-34.708	26.108	1.278	-9.362	28.399	13.953	-9.531	29.59	13.261	0.116	301.194	2.164	0.116	286.635	1.914	0.116	0.928	0.0	0.116	0.962	0.0
41	15419	15420	NS	2	-33.884	27.323	0.426	-34.403	24.454	0.078	-18.74	30.632	12.739	-20.504	29.624	23.668	0.116	237.023	2.893	0.116	267.208	2.56	0.116	7.34	0.067	0.116	10.971	0.029
42	15419	15420	NS	1	-33.884	27.323	0.426	-34.403	24.454	0.078	-18.74	30.632	12.739	-20.504	29.624	23.668	0.116	237.023	2.893	0.116	267.208	2.56	0.116	7.34	0.067	0.116	10.971	0.029
43	15420	15421	SN	1	-33.509	25.342	0.269	-34.139	27.014	0.608	-17.656	29.141	14.465	-10.88	29.785	14.798	0.116	217.447	2.585	0.116	251.436	2.599	0.116	5.736	0.007	0.116	1.278	0.004
44	15420	15421	NS	1	-33.994	29.17	0.05	-34.662	27.339	0.021	-19.988	28.595	14.055	-12.953	32.716	21.707	0.116	243.124	3.538	0.116	283.519	3.749	0.116	9.754	0.016	0.116	2.003	0.002
45	15421	15422	NS	1	-33.743	25.95	0.026	-34.181	26.654	0.066	-27.569	28.926	22.099	-22.598	29.082	33.702	0.116	229.491	3.106	0.116	253.784	2.84	0.116	55.44	0.128	0.116	17.716	0.064
46	15421	15422	SN	1	-33.633	23.297	0.019	-34.846	24.245	0.175	-13.961	32.413	13.2	-25.369	30.948	13.753	0.116	223.788	3.265	0.116	295.805	2.865	0.116	2.503	0.008	0.116	33.453	0.004
47	15421	15422	NS	1	-34.569	25.95	0.026	-34.181	26.654	0.066	-27.569	28.926	22.099	-22.598	29.082	33.709	0.116	277.522	3.103	0.116	253.784	2.836	0.116	55.44	0.128	0.116	17.716	0.064
48	15421	15422	SN	2	-33.633	23.297	0.019	-34.846	24.245	0.175	-13.961	32.413	13.2	-25.369	30.948	13.753	0.116	223.788	3.265	0.116	295.805	2.865	0.116	2.503	0.008	0.116	33.453	0.004
49	15421	15422	NS	1	-33.743	25.95	0.026	-34.181	26.654	0.066	-27.569	28.926	18.544	-22.598	29.084	30.701	0.116	229.491	3.107	0.116	253.784	2.84	0.116	55.44	0.143	0.116	17.716	0.071
50	15422	15423	SN	1	-34.263	23.854	0.003	-33.45	24.338	0.657	-17.716	29.7	23.31	-10.341	30.04	25.139	0.116	258.686	2.206	0.116	214.591	1.847	0.116	5.816	0.011	0.116	1.14	0.002
51	15422	15423	NS	1	-34.242	24.697	0.615	-34.813	25.965	0.939	8.954	28.795	20.603	10.136	28.716	32.47	0.116	257.424	2.324	0.116	293.668	1.599	0.116	0.126	0.0	0.116	0.123	0.0
52	15422	15423	NS	1	-34.242	24.697	0.614	-34.813	25.965	0.938	8.954	28.795	20.604	10.136	28.714	32.466	0.116	257.424	2.323	0.116	293.668	1.597	0.116	0.126	0.0	0.116	0.123	0.0
53	15423	15424	NS	1	-34.878	24.347	0.601	-34.485	24.969	0.377	7.195	28.406	25.406	7.649	31.028	36.368	0.116	298.059	5.133	0.116	272.234	4.124	0.116	0.13	0.0	0.116	0.129	0.0
54	15423	15424	NS	1	-34.974	24.347	0.601	-34.75	24.969	0.377	7.195	28.406	25.42	7.649	31.03	36.48	0.116	304.715	5.128	0.116	289.375	4.126	0.116	0.13	0.0	0.116	0.129	0.0
55	15423	15424	SN	1	-34.931	22.248	0.002	-34.366	25.139	0.894	6.614	29.709	39.761	8.156	30.351	50.774	0.116	301.731	3.449	0.116	264.914	2.446	0.116	0.133	0.0	0.116	0.128	0.0
56	15423	15424	SN	1	-34.931	22.248	0.002	-34.366	25.139	0.895	6.614	29.709	39.77	8.156	30.351	50.702	0.116	301.731	3.449	0.116	264.914	2.445	0.116	0.133	0.0	0.116	0.128	0.0
57	15424	15425	NS	2	-34.642	24.084	0.668	-34.86	24.553	0.203	3.973	26.93	3.342	6.459	25.899	6.236	0.116	282.196	6.493	0.116	296.762	5.364	0.116	0.148	0.0	0.116	0.133	0.0
58	15424	15425	NS	1	-34.642	24.084	0.666	-34.86	24.553	0.203	3.973	26.93	3.342	6.459	25.899	6.236	0.116	282.196	6.492	0.116	296.762	5.364	0.116	0.148	0.0	0.116	0.133	0.0
59	15424	15425	NS	1	-34.642	24.084	0.638	-34.86	24.548	0.201	3.973	28.496	13.317	6.454	29.062	22.814	0.116	282.196	6.167	0.116	296.762	5.329	0.116	0.148	0.0	0.116	0.133	0.0
60	15424	15425	SN	1	-34.473	23.521	0.025	-34.917	25.037	1.301	3.07	29.008	12.119	4.273	29.559	10.485	0.116	271.533	4.845	0.116	300.663	4.269	0.116	0.156	0.0	0.116	0.145	0.0
61	15425	15426	NS	1	-34.603	26.008	0.645	-34.406	26.553	0.087	-7.823	30.55	11.928	-4.546	32.606	23.316	0.116	279.747	4.25	0.116	267.385	4.233	0.116	0.68	0.0	0.116	0.372	0.0
62	15425	15426	SN	1	-34.634	26.435	0.308	-34.922	27.257	2.092	-22.6	35.157	8.723	-26.384	28.92	9.71	0.116	281.701	5.582	0.116	301.022	3.493	0.116	17.723	0.011	0.116	42.232	0.02
63	15426	15427	SN	2	-33.859	24.314	0.092	-34.722	25.23	1.262	-33.636	29.696	7.782	-24.263	28.417	3.952	0.116	235.684	4.447	0.116	287.486	4.045	0.116	223.888	0.027	0.116	25.95	0.015
64	15426	15427	SN	1	-33.859	24.314	0.092	-34.722	25.23	1.262	-33.636	29.696	7.782	-24.263	28.417	3.952	0.116	235.684	4.447	0.116	287.486	4.045	0.116	223.888	0.027	0.116	25.95	0.015
65	15426	15427	NS	1	-33.894	26.327	0.555	-33.273	25.67	0.039	-8.074	31.114	7.817	-4.652	30.102	18.478	0.116	237.645	0.66	0.116	205.97	0.629	0.116	0.715	0.0	0.116	0.379	0.0
66	15426	15427	NS	1	-33.894	26.327	0.554	-33.273	25.67	0.039	-8.074	31.114	7.817	-4.652	30.102	18.478	0.116	237.645	0.657	0.116	205.97	0.628	0.116	0.715	0.0	0.116	0.379	0.0
67	15426	15427	SN	1	-33.859	24.486	0.388	-34.722	25.23	1.274	-33.636	29.696	7.782	-24.263	28.417	3.952	0.116	235.684	4.36	0.116	287.486	3.971	0.116	223.888	0.027	0.116	25.95	0.015
68	15427	15428	SN	1	-34.909	24.57	0.552	-34.461	25.37	0.957	3.781	27.012	12.249	5.542	27.073	5.837	0.116	300.228	6.949	0.116	270.682	6.063	0.116	0.149	0.0	0.116	0.138	0.0
69	15427	15428	NS	1	-34.659	24.025	0.167	-33.647	25.455	0.053	-4.418	30.284	7.762	-7.988	30.171	15.193	0.116	283.304	1.333	0.116	224.462	0.992	0.116	0.365	0.0	0.116	0.703	0.0
70	15427	15428	SN	1	-34.909	24.57	0.483	-34.461	25.37	0.932	3.781	27.012	12.249	5.542	27.073	5.841	0.116	300.228	7.059	0.116	270.682	6.126	0.116	0.149	0.0	0.116	0.138	0.0
71	15427	15428	NS	1	-33.536	22.223	0.001	-34.165	25.455	0.002	-1.366	28.196	21.645	5.877	28.547	33.293	0.116	218.811	1.442	0.116	252.908	0.947	0.116	0.234	0.0	0.116	0.136	0.0
72	15428	15429	SN	1	-34.495	22.894	0.022	-34.756	25.496	0.324	-1.677	26.278	9.632	-1.493	26.906	5.925	0.116	272.835	2.827	0.116	289.743	2.73	0.116	0.243	0.0	0.116	0.238	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

112	15437	15438	SN	1	-34.748	22.121	0.003	-34.73	25.062	0.459	-2.05	29.582	35.227	-4.263	30.428	43.5	0.116	289.26	2.731	0.116	288.08	2.12	0.116	0.255	0.0	0.116	0.355	0.0
113	15437	15438	SN	2	-34.609	22.121	0.003	-34.73	25.062	0.459	-2.05	29.582	35.223	-4.263	30.428	43.488	0.116	280.157	2.731	0.116	288.08	2.119	0.116	0.255	0.0	0.116	0.355	0.0
114	15437	15438	NS	2	-34.652	27.877	0.419	-34.648	25.34	0.497	6.45	28.42	24.18	8.527	28.943	34.606	0.116	282.916	4.335	0.116	282.627	3.703	0.116	0.133	0.0	0.116	0.126	0.0
115	15438	15439	SN	1	-34.725	19.192	0.0	-34.438	18.611	0.0	6.413	29.56	26.208	7.839	30.167	31.124	0.117	287.756	4.627	0.117	269.304	4.182	0.116	0.134	0.0	0.116	0.128	0.0
116	15438	15439	SN	1	-34.71	23.179	0.009	-34.438	24.936	0.626	6.406	29.54	28.969	7.839	30.164	32.893	0.116	286.719	4.812	0.116	269.304	3.93	0.116	0.134	0.0	0.116	0.128	0.0
117	15438	15439	SN	1	-34.731	23.179	0.009	-34.438	24.936	0.625	6.4	29.539	28.961	7.839	30.164	32.851	0.116	288.134	4.808	0.116	269.304	3.926	0.116	0.134	0.0	0.116	0.128	0.0
118	15438	15439	NS	1	-34.807	25.204	0.54	-34.546	24.576	0.395	6.606	29.474	17.282	7.941	28.747	27.013	0.116	293.188	5.379	0.116	276.106	4.799	0.116	0.133	0.0	0.116	0.128	0.0
119	15438	15439	NS	2	-34.66	25.204	0.54	-34.485	24.576	0.394	6.606	29.474	17.285	7.941	28.745	27.015	0.116	283.402	5.379	0.116	272.256	4.799	0.116	0.133	0.0	0.116	0.128	0.0
120	15438	15439	NS	1	-34.66	25.204	0.533	-34.485	24.576	0.394	6.829	29.474	2.625	7.941	27.118	2.394	0.116	283.402	5.518	0.116	272.256	4.801	0.116	0.132	0.0	0.116	0.128	0.0
121	15439	15440	NS	1	-34.544	24.578	0.58	-34.987	24.941	0.288	-2.37	29.033	10.572	-1.027	28.73	19.338	0.116	276.003	5.506	0.116	305.552	4.892	0.116	0.267	0.0	0.116	0.224	0.0
122	15439	15440	NS	1	-34.544	24.578	0.58	-34.987	24.941	0.288	-2.37	29.033	10.581	-1.027	28.73	19.208	0.116	276.003	5.507	0.116	305.552	4.894	0.116	0.267	0.0	0.116	0.224	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15410	15411	SN	1	57.576	58.366	0.0	0.0	283.675	3.367	1214.312	1277.784	0.0	-93.146	-92.096	0.0
2	15410	15411	SN	1	57.402	58.345	0.0	0.0	283.675	4.047	1214.6	1277.784	0.0	-94.513	-92.096	0.0
3	15410	15411	SN	1	57.402	58.366	0.0	0.0	283.675	4.033	1214.312	1277.784	0.0	-94.513	-92.096	0.0
4	15411	15412	SN	1	57.288	58.342	0.0	0.0	281.921	3.809	1213.952	1277.704	0.0	-94.885	-92.07	0.0
5	15411	15412	SN	1	57.571	58.342	0.0	0.0	281.921	3.521	1213.952	1277.704	0.0	-93.236	-92.07	0.0
6	15411	15412	NS	1	57.43	58.187	0.0	0.0	299.073	3.697	1206.336	1276.384	5.466	-93.238	-92.003	0.0
7	15411	15412	SN	1	57.288	58.351	0.0	0.0	281.921	3.821	1214.032	1277.704	0.0	-94.886	-92.07	0.0
8	15412	15413	SN	1	57.574	58.344	0.0	0.003	293.47	3.687	1213.6	1277.928	0.0	-95.462	-92.086	0.0
9	15412	15413	SN	2	57.574	58.344	0.0	0.003	293.47	3.687	1213.6	1277.928	0.0	-95.462	-92.086	0.0
10	15412	15413	NS	1	57.431	58.19	0.0	0.0	295.301	3.74	1206.872	1276.64	5.319	-93.123	-91.952	0.0
11	15412	15413	SN	1	57.574	58.344	0.0	0.003	293.459	3.411	1213.6	1277.928	0.0	-93.162	-92.086	0.0
12	15412	15413	NS	1	57.432	58.189	0.0	0.0	295.119	3.731	1206.904	1276.6	5.261	-93.122	-91.952	0.0
13	15413	15414	SN	1	57.584	58.342	0.0	0.0	295.223	3.367	1213.912	1277.808	0.0	-93.236	-92.101	0.0
14	15413	15414	SN	1	57.584	58.342	0.0	0.0	295.223	3.66	1213.92	1277.808	0.0	-93.254	-92.101	0.0
15	15413	15414	NS	1	57.418	58.19	0.0	0.0	290.552	3.706	1206.664	1276.592	5.11	-93.29	-92.009	0.0
16	15413	15414	SN	1	57.584	58.342	0.0	0.0	295.223	3.664	1213.912	1277.808	0.0	-93.236	-92.101	0.0
17	15414	15415	SN	1	57.583	58.341	0.0	0.0	287.828	3.655	1213.888	1277.656	0.0	-93.163	-92.102	0.0
18	15414	15415	NS	1	57.416	58.258	0.0	0.0	293.045	3.807	1207.112	1276.456	5.004	-95.884	-92.007	0.0
19	15414	15415	NS	2	57.416	58.189	0.0	0.0	293.045	3.805	1207.112	1276.456	5.003	-93.118	-92.007	0.0
20	15414	15415	SN	1	57.573	58.342	0.0	0.0	287.778	3.316	1213.632	1277.672	0.0	-93.163	-92.102	0.0
21	15414	15415	SN	1	57.573	58.342	0.0	0.0	287.778	3.659	1213.632	1277.672	0.0	-93.163	-92.102	0.0
22	15415	15416	SN	1	57.582	58.342	0.0	0.0	282.6	3.16	1213.808	1277.592	0.0	-93.189	-92.102	0.0
23	15415	15416	SN	1	57.582	58.342	0.0	0.0	282.6	3.661	1213.808	1277.592	0.0	-93.189	-92.102	0.0
24	15415	15416	NS	1	57.404	58.188	0.0	0.0	299.029	3.767	1207.104	1276.336	5.203	-93.222	-92.008	0.0
25	15415	15416	NS	2	57.404	58.188	0.0	0.0	299.029	3.767	1207.104	1276.336	5.203	-93.222	-92.008	0.0
26	15416	15417	SN	1	57.514	58.343	0.0	0.0	299.646	3.794	1213.976	1277.512	0.0	-95.459	-92.095	0.0
27	15416	15417	SN	1	57.581	58.345	0.0	0.003	280.195	2.999	1213.992	1277.552	0.0	-93.204	-92.095	0.0
28	15416	15417	NS	1	57.415	58.189	0.0	0.0	297.766	3.718	1206.288	1276.288	5.221	-93.189	-92.019	0.0
29	15416	15417	SN	2	57.514	58.345	0.0	0.003	299.646	3.791	1213.992	1277.552	0.0	-95.459	-92.095	0.0
30	15416	15417	NS	2	57.415	58.189	0.0	0.0	297.766	3.718	1206.288	1276.288	5.221	-93.189	-92.019	0.0
31	15417	15418	NS	1	57.403	58.192	0.0	0.0	283.311	3.826	1205.912	1276.488	5.812	-93.233	-92.02	0.0
32	15417	15418	SN	1	57.576	58.369	0.0	0.0	297.512	2.739	1214.024	1277.768	0.0	-93.157	-92.085	0.0
33	15417	15418	SN	1	57.576	58.369	0.0	0.0	297.512	3.897	1214.024	1277.768	0.0	-95.796	-92.085	0.0
34	15417	15418	NS	1	57.403	58.192	0.0	0.0	283.311	3.83	1205.912	1276.488	5.817	-93.181	-92.02	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	15418	15419	SN	1	57.577	58.344	0.0	0.0	291.231	3.738	1214.192	1277.832	0.0	-93.141	-92.033	0.0
36	15418	15419	NS	1	57.398	58.192	0.0	0.0	290.64	3.767	1205.912	1276.568	5.653	-93.278	-92.006	0.0
37	15418	15419	SN	2	57.577	58.344	0.0	0.0	291.231	3.738	1214.192	1277.832	0.0	-93.141	-92.033	0.0
38	15418	15419	NS	1	57.397	58.192	0.0	0.0	290.685	3.762	1206.368	1276.584	5.664	-93.148	-92.006	0.0
39	15418	15419	SN	1	57.577	58.344	0.0	0.0	291.231	3.734	1214.192	1277.832	0.0	-93.141	-92.033	0.0
40	15419	15420	SN	1	57.584	58.349	0.0	0.0	287.21	3.729	1214.344	1277.752	0.0	-93.232	-92.072	0.0
41	15419	15420	NS	2	57.41	58.191	0.0	0.0	297.689	3.973	1206.384	1276.48	4.988	-93.287	-91.99	0.0
42	15419	15420	NS	1	57.41	58.191	0.0	0.0	297.689	3.973	1206.384	1276.48	4.988	-93.287	-91.99	0.0
43	15420	15421	SN	1	57.582	58.344	0.0	0.0	283.576	3.805	1214.152	1277.688	0.0	-93.806	-92.072	0.0
44	15420	15421	NS	1	57.42	58.191	0.0	0.0	290.315	3.774	1206.144	1276.416	5.201	-93.199	-92.012	0.0
45	15421	15422	NS	1	57.408	58.191	0.0	0.0	298.714	3.754	1206.432	1276.472	5.613	-93.237	-92.023	0.0
46	15421	15422	SN	1	57.564	58.345	0.0	0.0	299.873	3.794	1213.608	1277.776	0.0	-93.157	-92.07	0.0
47	15421	15422	NS	1	57.408	58.191	0.0	0.0	298.714	3.75	1206.432	1276.472	5.607	-93.26	-92.023	0.0
48	15421	15422	SN	2	57.564	58.345	0.0	0.0	299.873	3.794	1213.608	1277.776	0.0	-93.157	-92.07	0.0
49	15421	15422	NS	1	57.408	58.163	0.0	0.0	289.184	3.173	1206.432	1275.456	5.712	-93.263	-92.023	0.0
50	15422	15423	SN	1	57.575	58.344	0.0	0.0	298.306	3.759	1213.928	1277.808	0.0	-93.382	-92.077	0.0
51	15422	15423	NS	1	57.394	58.192	0.0	0.0	296.757	3.684	1206.12	1276.528	5.912	-93.442	-92.022	0.0
52	15422	15423	NS	1	57.394	58.192	0.0	0.0	296.757	3.682	1206.12	1276.528	5.906	-93.26	-92.022	0.0
53	15423	15424	NS	1	57.401	58.192	0.0	0.0	291.402	3.696	1205.712	1276.648	6.177	-93.176	-92.021	0.0
54	15423	15424	NS	1	57.402	58.192	0.0	0.0	291.402	3.688	1205.712	1276.648	6.184	-93.158	-92.021	0.0
55	15423	15424	SN	1	57.568	58.346	0.0	0.0	289.306	3.718	1213.488	1277.92	0.0	-93.075	-92.104	0.0
56	15423	15424	SN	1	57.568	58.346	0.0	0.0	289.306	3.708	1213.488	1277.92	0.0	-93.075	-92.104	0.0
57	15424	15425	NS	2	57.397	58.166	0.0	0.003	290.844	2.076	1206.216	1266.784	7.52	-93.089	-92.019	0.0
58	15424	15425	NS	1	57.397	58.166	0.0	0.003	290.844	2.076	1206.216	1266.784	7.519	-93.089	-92.019	0.0
59	15424	15425	NS	1	57.397	58.193	0.0	0.0	290.844	3.813	1206.216	1276.72	6.384	-93.23	-92.019	0.0
60	15424	15425	SN	1	57.579	58.347	0.0	0.0	284.64	3.872	1214.128	1278.008	0.0	-93.123	-92.105	0.0
61	15425	15426	NS	1	57.398	58.189	0.0	0.0	299.492	3.829	1206.016	1276.448	4.808	-93.219	-91.996	0.0
62	15425	15426	SN	1	57.589	58.362	0.0	0.0	282.219	4.025	1214.328	1277.736	0.0	-93.244	-92.077	0.0
63	15426	15427	SN	2	57.558	58.342	0.0	0.0	294.203	3.503	1213.152	1277.952	0.0	-93.201	-92.072	0.0
64	15426	15427	SN	1	57.558	58.342	0.0	0.0	294.203	3.503	1213.152	1277.952	0.0	-93.201	-92.072	0.0
65	15426	15427	NS	1	57.431	58.192	0.0	0.0	295.212	3.671	1206.992	1276.728	4.889	-93.186	-91.972	0.0
66	15426	15427	NS	1	57.431	58.192	0.0	0.0	295.218	3.67	1206.984	1276.72	4.893	-93.518	-91.972	0.0
67	15426	15427	SN	1	57.558	58.342	0.0	0.0	294.203	3.792	1213.152	1277.952	0.0	-93.447	-92.072	0.0
68	15427	15428	SN	1	57.565	58.36	0.0	0.0	297.529	3.723	1213.16	1277.984	0.0	-93.309	-92.099	0.0
69	15427	15428	NS	1	57.312	58.193	0.0	0.0	286.791	5.083	1203.456	1276.824	4.589	-94.356	-91.975	0.0
70	15427	15428	SN	1	57.565	58.36	0.0	0.0	297.529	3.446	1213.16	1277.984	0.0	-93.309	-92.099	0.0
71	15427	15428	NS	1	57.312	58.193	0.0	0.0	286.791	5.504	1203.456	1276.824	2.68	-94.356	-92.016	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	15428	15429	SN	1	57.581	58.343	0.0	0.0	290.387	3.669	1213.552	1277.864	0.0	-93.199	-92.064	0.0
73	15428	15429	SN	1	57.581	58.343	0.0	0.0	290.387	3.673	1213.552	1277.864	0.0	-93.199	-92.064	0.0
74	15428	15429	NS	1	57.412	58.191	0.0	0.0	292.074	3.734	1206.44	1276.696	4.287	-93.132	-91.999	0.0
75	15428	15429	NS	2	57.421	58.193	0.0	0.0	292.229	3.733	1206.416	1276.728	4.326	-93.133	-91.999	0.0
76	15428	15429	SN	1	57.581	58.343	0.0	0.003	290.387	3.355	1213.552	1277.864	0.0	-93.199	-92.064	0.0
77	15429	15430	NS	1	57.398	58.192	0.0	0.0	282.445	3.772	1207.272	1276.664	4.894	-93.251	-92.011	0.0
78	15429	15430	SN	1	57.561	58.376	0.0	0.0	284.767	3.628	1212.8	1277.784	0.0	-93.258	-92.099	0.0
79	15429	15430	SN	1	57.58	58.376	0.0	0.0	284.767	3.226	1213.536	1277.784	0.0	-93.258	-92.099	0.0
80	15429	15430	SN	1	57.58	58.376	0.0	0.0	284.767	3.631	1213.536	1277.784	0.0	-93.258	-92.099	0.0
81	15429	15430	NS	2	57.398	58.192	0.0	0.0	282.445	3.771	1207.272	1276.664	4.893	-93.101	-92.011	0.0
82	15430	15431	NS	2	57.4	58.189	0.0	0.0	298.483	3.771	1207.288	1276.424	4.92	-93.299	-92.016	0.0
83	15430	15431	NS	1	57.398	58.191	0.0	0.0	298.483	3.774	1207.24	1276.48	4.984	-93.135	-92.016	0.0
84	15430	15431	SN	1	57.569	58.342	0.0	0.0	281.304	3.101	1213.2	1277.656	0.0	-93.796	-92.099	0.0
85	15430	15431	SN	1	57.276	58.342	0.0	0.0	281.304	3.718	1213.2	1277.656	0.0	-94.728	-92.099	0.0
86	15430	15431	SN	2	57.277	58.342	0.0	0.0	281.304	3.719	1213.2	1277.656	0.0	-94.729	-92.099	0.0
87	15431	15432	NS	1	57.4	58.19	0.0	0.0	299.542	3.848	1206.568	1276.488	5.118	-93.224	-92.022	0.0
88	15431	15432	NS	1	57.399	58.191	0.0	0.0	299.542	3.851	1206.2	1276.512	5.133	-93.221	-92.022	0.0
89	15431	15432	SN	1	57.578	58.343	0.0	0.003	298.097	2.916	1213.736	1277.712	0.0	-93.168	-92.1	0.0
90	15431	15432	SN	1	57.578	58.343	0.0	0.0	298.097	3.878	1213.736	1277.712	0.0	-93.493	-92.1	0.0
91	15432	15433	SN	1	57.58	58.346	0.0	0.0	292.984	2.495	1213.896	1277.952	0.0	-93.218	-92.048	0.0
92	15432	15433	NS	1	57.394	58.192	0.0	0.0	289.19	3.73	1206.136	1276.68	5.508	-93.198	-92.022	0.0
93	15432	15433	SN	1	57.58	58.346	0.0	0.0	292.984	3.788	1213.896	1277.952	0.0	-93.218	-92.048	0.0
94	15432	15433	SN	2	57.58	58.346	0.0	0.0	292.984	3.788	1213.896	1277.952	0.0	-93.218	-92.048	0.0
95	15432	15433	NS	1	57.396	58.195	0.0	0.0	289.344	3.732	1206.088	1276.744	5.551	-93.22	-92.021	0.0
96	15433	15434	SN	1	57.575	58.345	0.0	0.0	288.473	3.706	1213.832	1277.936	0.0	-93.108	-92.033	0.0
97	15433	15434	NS	1	57.406	58.195	0.0	0.0	297.098	4.0	1206.832	1276.752	4.763	-93.448	-92.005	0.0
98	15434	15435	NS	1	57.431	58.194	0.0	0.0	281.998	3.817	1206.32	1276.616	4.881	-93.26	-91.991	0.0
99	15434	15435	SN	1	57.557	58.346	0.0	0.0	285.065	3.729	1213.224	1277.832	0.0	-93.066	-92.07	0.0
100	15435	15436	NS	1	57.417	58.185	0.0	0.0	299.58	3.598	1206.52	1276.368	5.141	-93.233	-92.021	0.0
101	15435	15436	SN	2	57.552	58.355	0.0	0.0	282.291	3.837	1213.08	1277.912	0.0	-93.185	-92.088	0.0
102	15435	15436	NS	1	57.417	58.194	0.0	0.0	299.58	3.848	1206.52	1276.64	5.113	-93.233	-92.021	0.0
103	15435	15436	NS	1	57.417	58.194	0.0	0.0	299.58	3.843	1206.52	1276.64	5.107	-93.237	-92.021	0.0
104	15435	15436	SN	1	57.552	58.354	0.0	0.0	282.335	3.835	1213.08	1277.904	0.0	-93.185	-92.088	0.0
105	15436	15437	SN	1	57.574	58.366	0.0	0.0	292.642	3.766	1213.536	1277.992	0.0	-93.146	-92.073	0.0
106	15436	15437	NS	1	57.395	58.195	0.0	0.0	299.994	3.655	1206.448	1276.744	5.365	-93.416	-92.014	0.0
107	15436	15437	SN	2	57.574	58.366	0.0	0.0	292.642	3.766	1213.536	1277.992	0.0	-93.146	-92.073	0.0
108	15436	15437	NS	1	57.394	58.195	0.0	0.0	299.994	3.658	1206.432	1276.744	5.398	-93.416	-92.014	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	15436	15437	NS	1	57.394	58.145	0.0	0.003	299.961	3.012	1206.432	1274.84	5.568	-93.416	-92.014	0.0
110	15437	15438	NS	1	57.387	58.137	0.0	0.003	290.354	2.664	1206.36	1271.976	6.294	-94.982	-92.02	0.0
111	15437	15438	NS	1	57.387	58.197	0.0	0.0	290.354	3.799	1206.36	1276.872	5.854	-94.982	-92.02	0.0
112	15437	15438	SN	1	57.551	58.348	0.0	0.0	291.804	3.755	1212.896	1278.072	0.0	-93.032	-92.1	0.0
113	15437	15438	SN	2	57.551	58.35	0.0	0.0	291.677	3.755	1212.904	1278.104	0.0	-93.032	-92.1	0.0
114	15437	15438	NS	2	57.387	58.197	0.0	0.0	290.354	3.799	1206.36	1276.872	5.854	-94.982	-92.02	0.0
115	15438	15439	SN	1	57.532	58.356	0.0	0.0	286.091	2.665	1212.376	1278.216	0.0	-93.113	-92.1	0.0
116	15438	15439	SN	1	57.532	58.356	0.0	0.0	286.091	3.801	1212.376	1278.216	0.0	-93.113	-92.1	0.0
117	15438	15439	SN	1	57.545	58.356	0.0	0.0	286.091	3.797	1212.928	1278.216	0.0	-93.228	-92.1	0.0
118	15438	15439	NS	1	57.41	58.198	0.0	0.0	299.619	3.706	1206.144	1277.0	5.956	-93.37	-92.022	0.0
119	15438	15439	NS	2	57.408	58.198	0.0	0.0	299.619	3.706	1206.104	1277.0	6.023	-93.37	-92.021	0.0
120	15438	15439	NS	1	57.408	58.148	0.0	0.0	282.092	1.959	1206.104	1269.2	6.86	-93.37	-92.021	0.0
121	15439	15440	NS	1	57.395	58.187	0.0	0.0	287.282	3.997	1206.776	1276.64	5.837	-93.073	-92.022	0.0
122	15439	15440	NS	1	57.393	58.189	0.0	0.0	287.403	3.985	1206.728	1276.688	5.905	-93.073	-92.022	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	15410	15411	SN	1	-34.371	20.353	0.0	-34.478	20.305	0.0	-27.993	22.319	0.008	-23.361	22.337	0.002	0.086	202.677	2.373	0.086	207.722	2.238	0.086	46.72	0.056	0.086	16.124	0.046
2	15410	15411	SN	1	-34.96	20.353	0.0	-34.427	20.305	0.0	-28.378	22.319	0.007	-23.372	22.337	0.002	0.086	232.15	2.282	0.086	205.329	2.076	0.086	51.042	0.055	0.086	16.16	0.046
3	15410	15411	SN	1	-34.25	20.353	0.0	-34.478	20.305	0.0	-27.993	22.319	0.008	-23.361	22.337	0.002	0.086	197.157	2.28	0.086	207.722	2.082	0.086	46.72	0.056	0.086	16.124	0.046
4	15411	15412	SN	1	-34.117	20.173	0.0	-34.886	20.17	0.0	-22.43	22.095	0.004	-27.225	22.723	0.006	0.086	191.207	5.418	0.086	228.244	4.792	0.086	13.023	0.021	0.086	39.163	0.006
5	15411	15412	SN	1	-34.117	20.173	0.0	-34.886	20.17	0.0	-22.43	22.095	0.004	-27.225	22.723	0.006	0.086	191.207	5.556	0.086	228.244	4.531	0.086	13.023	0.021	0.086	39.163	0.006
6	15411	15412	NS	1	-32.867	19.449	0.0	-34.81	20.175	0.0	-1.239	22.116	0.002	-1.032	23.068	0.035	0.086	143.376	2.019	0.086	224.259	2.175	0.086	0.172	0.0	0.086	0.168	0.0
7	15411	15412	SN	1	-34.959	20.175	0.0	-34.561	20.17	0.0	-22.492	22.095	0.004	-27.077	22.723	0.006	0.086	232.036	5.416	0.086	211.768	4.785	0.086	13.209	0.021	0.086	37.841	0.006
8	15412	15413	SN	1	-34.991	16.968	0.0	-34.676	17.757	0.0	-29.091	21.96	0.0	-32.646	22.238	0.004	0.087	233.775	5.122	0.086	217.393	4.811	0.086	60.145	0.095	0.086	136.253	0.136
9	15412	15413	SN	2	-34.991	16.968	0.0	-34.676	17.757	0.0	-29.091	21.96	0.0	-32.646	22.238	0.004	0.087	233.775	5.122	0.086	217.393	4.811	0.086	60.145	0.095	0.086	136.253	0.136
10	15412	15413	NS	1	-34.317	17.028	0.0	-34.125	17.115	0.0	-24.254	22.187	0.002	-26.665	22.421	0.02	0.087	200.146	2.032	0.087	201.795	1.364	0.086	19.788	0.005	0.086	34.429	0.051
11	15412	15413	SN	1	-34.991	16.917	0.0	-34.676	17.757	0.0	-29.091	21.96	0.0	-32.646	22.238	0.004	0.087	233.775	5.078	0.086	217.393	4.803	0.086	60.145	0.095	0.086	136.253	0.136
12	15412	15413	NS	1	-34.965	17.028	0.0	-34.125	17.115	0.0	-24.252	22.187	0.002	-26.696	22.421	0.02	0.087	232.397	2.053	0.087	201.795	1.368	0.086	19.78	0.005	0.086	34.675	0.051
13	15413	15414	SN	1	-34.787	16.985	0.0	-34.594	17.387	0.0	0.613	22.724	0.017	1.303	21.409	0.0	0.087	223.1	2.751	0.087	213.343	2.797	0.086	0.14	0.0	0.086	0.132	0.0
14	15413	15414	SN	1	-34.787	16.99	0.0	-34.908	18.083	0.0	0.613	22.724	0.017	1.303	21.409	0.0	0.087	223.1	2.92	0.086	235.152	2.857	0.086	0.14	0.0	0.086	0.132	0.0
15	15413	15414	NS	1	-34.804	18.544	0.0	-34.625	18.063	0.0	-31.223	22.054	0.002	-31.009	22.526	0.009	0.086	223.928	2.198	0.086	214.9	1.453	0.086	98.216	0.177	0.086	93.493	0.113
16	15413	15414	SN	1	-34.787	16.99	0.0	-34.765	18.082	0.0	0.613	22.724	0.017	1.303	21.409	0.0	0.087	223.1	2.924	0.086	221.987	2.848	0.086	0.14	0.0	0.086	0.132	0.0
17	15414	15415	SN	1	-34.708	17.297	0.0	-34.95	18.171	0.0	1.145	21.85	0.0	2.558	22.064	0.03	0.087	219.06	3.39	0.086	231.534	2.754	0.086	0.134	0.0	0.086	0.119	0.0
18	15414	15415	NS	1	-34.195	17.585	0.0	-34.67	18.255	0.0	-27.357	22.279	0.009	-25.951	22.594	0.023	0.087	194.639	4.085	0.086	217.108	3.298	0.086	40.361	0.032	0.086	29.214	0.02
19	15414	15415	NS	2	-34.8	17.585	0.0	-34.67	18.26	0.0	-27.357	22.279	0.009	-25.951	22.594	0.023	0.087	223.686	4.071	0.086	217.108	3.298	0.086	40.361	0.032	0.086	29.214	0.02
20	15414	15415	SN	1	-34.982	16.23	0.0	-34.987	17.579	0.0	1.145	21.85	0.0	2.558	22.064	0.032	0.087	233.279	3.2	0.087	233.573	2.795	0.086	0.134	0.0	0.086	0.119	0.0
21	15414	15415	SN	1	-34.648	17.296	0.0	-34.987	18.171	0.0	1.145	21.85	0.0	2.558	22.064	0.03	0.087	216.031	3.391	0.086	233.573	2.755	0.086	0.134	0.0	0.086	0.119	0.0
22	15415	15416	SN	1	-34.377	16.963	0.0	-34.976	17.317	0.0	0.036	21.462	0.0	2.853	21.906	0.0	0.087	202.968	5.606	0.087	232.996	5.514	0.086	0.149	0.0	0.086	0.117	0.0
23	15415	15416	SN	1	-34.377	16.963	0.0	-34.957	18.294	0.0	0.036	21.462	0.0	2.853	21.906	0.0	0.087	202.968	5.802	0.086	231.945	5.476	0.086	0.149	0.0	0.086	0.117	0.0
24	15415	15416	NS	1	-34.765	17.949	0.0	-34.309	17.13	0.0	-23.655	21.423	0.0	-23.491	22.333	0.012	0.086	221.948	5.3	0.087	199.805	5.152	0.086	17.248	0.039	0.086	16.612	0.031
25	15415	15416	NS	2	-34.765	17.949	0.0	-34.309	17.13	0.0	-23.655	21.423	0.0	-23.491	22.333	0.012	0.086	221.948	5.3	0.087	199.805	5.152	0.086	17.248	0.039	0.086	16.612	0.031
26	15416	15417	SN	1	-34.86	16.088	0.0	-34.813	18.092	0.0	-7.283	22.771	0.053	-1.421	22.826	0.091	0.087	226.817	3.836	0.086	224.382	3.835	0.086	0.463	0.0	0.086	0.176	0.0
27	15416	15417	SN	1	-34.589	15.326	0.0	-34.761	15.427	0.0	-7.283	22.771	0.057	-1.431	22.826	0.091	0.087	213.116	3.621	0.087	221.754	3.451	0.086	0.463	0.0	0.086	0.176	0.0
28	15416	15417	NS	1	-34.846	19.819	0.0	-34.781	21.746	0.0	-23.33	22.07	0.004	-17.824	22.31	0.006	0.086	226.078	3.946	0.086	222.725	3.432	0.086	16.009	0.08	0.086	4.552	0.066
29	15416	15417	SN	2	-34.529	16.088	0.0	-34.761	18.092	0.0	-7.283	22.771	0.053	-1.42	22.826	0.091	0.087	210.18	3.839	0.086	221.754	3.838	0.086	0.463	0.0	0.086	0.176	0.0
30	15416	15417	NS	2	-34.846	19.819	0.0	-34.781	21.746	0.0	-23.33	22.07	0.004	-17.824	22.31	0.006	0.086	226.078	3.946	0.086	222.725	3.432	0.086	16.009	0.08	0.086	4.552	0.066
31	15417	15418	NS	1	-34.764	20.699	0.0	-34.403	20.928	0.0	-4.304	22.351	0.012	1.372	22.695	0.072	0.086	221.845	3.753	0.086	209.376	2.682	0.086	0.269	0.0	0.086	0.131	0.0
32	15417	15418	SN	1	-34.932	15.879	0.0	-34.953	15.814	0.0	-7.544	23.431	0.124	-5.635	25.434	0.454	0.087	230.655	3.304	0.087	231.72	3.543	0.086	0.488	0.0	0.086	0.34	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

33	15417	15418	SN	1	-34.932	16.57	0.0	-34.926	18.606	0.0	-7.544	23.431	0.116	-5.635	25.434	0.453	0.087	230.655	3.768	0.086	230.358	4.779	0.086	0.488	0.0	0.086	0.34	0.0
34	15417	15418	NS	1	-34.82	20.699	0.0	-34.993	20.928	0.0	-4.304	22.351	0.012	1.372	22.693	0.072	0.086	224.75	3.756	0.086	233.891	2.682	0.086	0.269	0.0	0.086	0.131	0.0
35	15418	15419	SN	1	-34.945	17.771	0.0	-34.694	18.44	0.0	-21.631	22.6	0.042	-32.04	22.922	0.151	0.086	231.33	2.015	0.086	218.345	2.505	0.086	10.846	0.077	0.086	118.503	0.016
36	15418	15419	NS	1	-34.963	21.371	0.0	-34.533	16.496	0.0	-0.922	22.665	0.015	-18.265	23.612	0.538	0.086	232.317	3.917	0.087	210.436	2.957	0.086	0.166	0.0	0.086	5.031	0.015
37	15418	15419	SN	2	-34.945	17.771	0.0	-34.694	18.44	0.0	-21.631	22.6	0.042	-32.04	22.922	0.151	0.086	231.33	2.015	0.086	218.345	2.505	0.086	10.846	0.077	0.086	118.503	0.016
38	15418	15419	NS	1	-34.578	21.371	0.0	-34.549	16.496	0.0	-0.956	22.662	0.015	-17.878	23.612	0.538	0.086	212.583	3.908	0.087	211.141	2.958	0.086	0.166	0.0	0.086	4.607	0.015
39	15418	15419	SN	1	-34.945	17.771	0.0	-34.634	18.44	0.0	-21.631	22.6	0.042	-32.04	22.922	0.151	0.086	231.33	2.007	0.086	215.312	2.5	0.086	10.846	0.077	0.086	118.503	0.016
40	15419	15420	SN	1	-33.545	19.935	0.0	-33.039	20.243	0.0	-10.154	22.488	0.042	-7.207	22.913	0.042	0.086	167.618	1.456	0.086	149.15	1.324	0.086	0.833	0.0	0.086	0.457	0.0
41	15419	15420	NS	2	-34.314	20.91	0.0	-34.597	20.807	0.0	-15.106	22.672	0.095	-27.187	23.727	0.634	0.086	200.038	2.785	0.086	213.532	2.476	0.086	2.464	0.024	0.086	38.82	0.042
42	15419	15420	NS	1	-34.314	20.91	0.0	-34.597	20.807	0.0	-15.106	22.672	0.095	-27.187	23.727	0.634	0.086	200.038	2.785	0.086	213.532	2.476	0.086	2.464	0.024	0.086	38.82	0.042
43	15420	15421	SN	1	-34.575	19.041	0.0	-33.619	20.302	0.0	-31.599	23.082	0.06	-21.345	23.088	0.063	0.086	212.472	3.259	0.086	170.505	2.903	0.086	107.1	0.156	0.086	10.161	0.032
44	15420	15421	NS	1	-34.303	18.372	0.0	-34.425	20.934	0.0	-30.533	22.272	0.014	-24.438	25.263	0.421	0.086	199.568	3.569	0.086	205.263	3.711	0.086	83.781	0.041	0.086	20.64	0.028
45	15421	15422	NS	1	-34.922	18.467	0.0	-34.88	19.932	0.0	-27.855	22.252	0.014	-21.187	23.453	0.351	0.086	230.076	3.433	0.086	227.877	3.175	0.086	45.256	0.046	0.086	9.798	0.028
46	15421	15422	SN	1	-34.666	16.742	0.0	-34.821	17.435	0.0	-22.821	22.786	0.041	-26.043	23.173	0.053	0.087	216.963	2.679	0.087	224.784	2.372	0.086	14.245	0.04	0.086	29.843	0.037
47	15421	15422	NS	1	-34.589	18.467	0.0	-34.803	19.932	0.0	-27.855	22.252	0.014	-21.187	23.453	0.351	0.086	213.134	3.426	0.086	223.874	3.169	0.086	45.256	0.046	0.086	9.798	0.028
48	15421	15422	SN	2	-34.666	16.742	0.0	-34.821	17.435	0.0	-22.821	22.786	0.041	-26.043	23.173	0.053	0.087	216.963	2.679	0.087	224.784	2.373	0.086	14.245	0.04	0.086	29.843	0.037
49	15421	15422	NS	1	-34.922	18.467	0.0	-34.88	19.932	0.0	-27.855	22.252	0.015	-21.187	23.453	0.392	0.086	230.076	3.439	0.086	227.877	3.175	0.086	45.256	0.05	0.086	9.798	0.03
50	15422	15423	SN	1	-34.841	16.507	0.0	-34.94	18.229	0.0	-31.75	23.044	0.078	-17.603	23.032	0.147	0.087	225.853	2.342	0.086	231.049	1.827	0.086	110.892	0.132	0.086	4.33	0.033
51	15422	15423	NS	1	-34.94	20.58	0.0	-33.644	19.042	0.0	-30.559	22.033	0.006	-27.751	23.184	0.475	0.086	231.052	2.351	0.086	171.431	2.372	0.086	84.298	0.047	0.086	44.197	0.029
52	15422	15423	NS	1	-34.86	20.58	0.0	-33.724	19.042	0.0	-30.559	22.033	0.006	-27.751	23.184	0.475	0.086	226.866	2.353	0.086	174.626	2.37	0.086	84.298	0.047	0.086	44.197	0.029
53	15423	15424	NS	1	-34.617	17.613	0.0	-34.536	20.093	0.0	0.946	22.696	0.081	2.745	23.182	0.476	0.087	214.466	4.574	0.086	215.893	3.547	0.086	0.136	0.0	0.086	0.118	0.0
54	15423	15424	NS	1	-34.965	17.613	0.0	-34.608	20.093	0.0	0.946	22.696	0.081	2.745	23.182	0.478	0.087	232.348	4.569	0.086	214.062	3.546	0.086	0.136	0.0	0.086	0.118	0.0
55	15423	15424	SN	1	-34.538	14.762	0.0	-33.481	18.136	0.0	-0.951	22.652	0.099	-0.524	23.176	0.735	0.088	210.64	3.245	0.086	169.374	2.413	0.086	0.166	0.0	0.086	0.158	0.0
56	15423	15424	SN	1	-34.538	14.762	0.0	-33.481	18.136	0.0	-0.96	22.652	0.099	-0.512	23.176	0.738	0.088	210.64	3.245	0.086	169.374	2.412	0.086	0.166	0.0	0.086	0.158	0.0
57	15424	15425	NS	2	-34.597	17.692	0.0	-34.974	18.694	0.0	1.708	20.837	0.0	-0.581	19.51	0.0	0.086	213.517	5.14	0.086	232.888	4.778	0.086	0.127	0.0	0.086	0.159	0.0
58	15424	15425	NS	1	-34.597	17.692	0.0	-34.974	18.694	0.0	1.708	20.837	0.0	-0.581	19.51	0.0	0.086	213.517	5.14	0.086	232.888	4.778	0.086	0.127	0.0	0.086	0.159	0.0
59	15424	15425	NS	1	-34.597	17.956	0.0	-34.974	18.694	0.0	1.708	22.981	0.238	-0.538	23.467	0.516	0.086	213.517	4.794	0.086	232.888	4.737	0.086	0.127	0.0	0.086	0.158	0.0
60	15424	15425	SN	1	-34.823	15.226	0.0	-34.993	18.679	0.0	-3.465	22.464	0.025	0.322	22.529	0.032	0.087	224.925	4.783	0.086	233.922	3.776	0.086	0.235	0.0	0.086	0.144	0.0
61	15425	15426	NS	1	-34.43	20.43	0.0	-34.868	20.308	0.0	-5.202	23.547	0.039	-2.181	23.444	0.089	0.086	205.483	4.513	0.086	227.194	5.277	0.086	0.314	0.0	0.086	0.195	0.0
62	15425	15426	SN	1	-34.752	21.056	0.0	-34.966	20.011	0.0	-30.51	22.183	0.004	-27.655	22.252	0.005	0.086	221.243	4.097	0.086	232.484	3.149	0.086	83.334	0.028	0.086	44.332	0.024
63	15426	15427	SN	2	-34.863	20.113	0.0	-34.823	20.427	0.0	-15.252	22.141	0.004	-17.086	22.042	0.002	0.086	226.962	4.174	0.086	224.899	4.15	0.086	2.546	0.01	0.086	3.85	0.007
64	15426	15427	SN	1	-34.863	20.113	0.0	-34.823	20.427	0.0	-15.252	22.141	0.004	-17.086	22.042	0.002	0.086	226.962	4.174	0.086	224.899	4.15	0.086	2.546	0.01	0.086	3.85	0.007
65	15426	15427	NS	1	-33.396	19.492	0.0	-34.352	19.799	0.0	-10.032	23.332	0.003	-5.694	23.167	0.022	0.086	161.976	0.748	0.086	201.792	0.634	0.086	0.812	0.0	0.086	0.343	0.0
66	15426	15427	NS	1	-33.396	19.492	0.0	-32.98	19.799	0.0	-10.032	23.332	0.003	-5.694	23.167	0.022	0.086	161.976	0.746	0.086	147.15	0.634	0.086	0.812	0.0	0.086	0.343	0.0
67	15426	15427	SN	1	-34.863	20.113	0.0	-34.823	20.427	0.0	-15.252	22.141	0.004	-17.086	22.042	0.002	0.086	226.962	4.22	0.086	224.899	4.108	0.086	2.546	0.01	0.086	3.85	0.007
68	15427	15428	SN	1	-34.974	17.416	0.0	-34.849	18.052	0.0	0.831	22.141	0.005	1.782	21.745	0.0	0.087	232.892	5.017	0.086	226.292	4.346	0.086	0.137	0.0	0.086	0.126	0.0
69	15427	15428	NS	1	-34.348	17.812	0.0	-34.413	17.647	0.0	-7.914	21.838	0.0	-24.006	22.345	0.005	0.086	201.601	1.533	0.087	204.633	1.252	0.086	0.525	0.0	0.086	18.694	0.024

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	15427	15428	SN	1	-34.974	17.0	0.0	-34.849	18.052	0.0	0.831	22.141	0.005	1.782	21.745	0.0	0.087	232.892	5.064	0.086	226.292	4.369	0.086	0.137	0.0	0.086	0.126	0.0
71	15427	15428	NS	1	-34.557	16.974	0.0	-33.806	14.988	0.0	-5.979	21.842	0.0	-0.702	22.345	0.014	0.087	211.545	1.406	0.087	177.968	1.255	0.086	0.362	0.0	0.086	0.161	0.0
72	15428	15429	SN	1	-34.994	18.075	0.0	-34.527	18.405	0.0	0.666	22.115	0.006	0.782	22.246	0.018	0.086	233.979	2.629	0.086	210.107	2.576	0.086	0.14	0.0	0.086	0.138	0.0
73	15428	15429	SN	1	-34.538	18.074	0.0	-34.527	18.406	0.0	0.666	22.115	0.006	0.782	22.246	0.018	0.086	210.646	2.629	0.086	210.107	2.583	0.086	0.14	0.0	0.086	0.138	0.0
74	15428	15429	NS	1	-34.475	18.348	0.0	-33.511	18.01	0.0	-21.116	22.464	0.004	-22.112	22.381	0.012	0.086	207.602	2.257	0.086	166.31	1.627	0.086	9.639	0.007	0.086	12.11	0.072
75	15428	15429	NS	2	-34.475	18.348	0.0	-33.511	18.01	0.0	-21.113	22.464	0.004	-22.054	22.381	0.012	0.086	207.602	2.255	0.086	166.31	1.627	0.086	9.632	0.007	0.086	11.947	0.072
76	15428	15429	SN	1	-34.776	17.621	0.0	-34.527	18.049	0.0	0.666	22.115	0.006	0.782	22.246	0.018	0.087	222.516	2.686	0.086	210.107	2.619	0.086	0.14	0.0	0.086	0.138	0.0
77	15429	15430	NS	1	-34.917	17.976	0.0	-33.406	17.814	0.0	-19.201	22.665	0.006	-25.717	22.395	0.011	0.086	229.818	4.166	0.086	162.325	4.186	0.086	6.226	0.018	0.086	27.692	0.022
78	15429	15430	SN	1	-34.956	17.022	0.0	-34.762	18.182	0.0	0.124	21.579	0.0	2.101	22.057	0.032	0.087	231.921	2.232	0.086	221.77	2.078	0.086	0.147	0.0	0.086	0.123	0.0
79	15429	15430	SN	1	-34.747	16.604	0.0	-34.181	17.359	0.0	0.124	21.579	0.0	2.101	22.057	0.034	0.087	221.012	2.241	0.087	193.998	2.117	0.086	0.147	0.0	0.086	0.123	0.0
80	15429	15430	SN	1	-34.523	17.02	0.0	-34.673	18.181	0.0	0.124	21.579	0.0	2.101	22.057	0.032	0.087	209.918	2.23	0.086	217.286	2.073	0.086	0.147	0.0	0.086	0.123	0.0
81	15429	15430	NS	2	-34.917	17.976	0.0	-33.602	17.817	0.0	-19.201	22.665	0.006	-25.717	22.395	0.011	0.086	229.818	4.164	0.086	169.808	4.188	0.086	6.226	0.018	0.086	27.692	0.022
82	15430	15431	NS	2	-34.232	17.645	0.0	-34.622	17.582	0.0	-25.208	21.923	0.0	-20.686	22.237	0.006	0.087	196.31	2.42	0.087	214.728	2.278	0.086	24.636	0.141	0.086	8.737	0.08
83	15430	15431	NS	1	-34.354	17.645	0.0	-34.521	17.582	0.0	-25.208	21.923	0.0	-20.686	22.237	0.006	0.087	201.922	2.42	0.087	209.803	2.278	0.086	24.636	0.141	0.086	8.737	0.08
84	15430	15431	SN	1	-34.843	15.832	0.0	-34.999	16.106	0.0	0.396	21.654	0.0	4.897	21.649	0.0	0.087	225.918	7.248	0.087	234.25	6.74	0.086	0.143	0.0	0.086	0.105	0.0
85	15430	15431	SN	1	-34.931	17.325	0.0	-34.999	18.1	0.0	0.396	21.654	0.0	4.897	21.649	0.0	0.087	230.542	7.133	0.086	234.25	6.536	0.086	0.143	0.0	0.086	0.105	0.0
86	15430	15431	SN	2	-34.931	17.325	0.0	-34.999	18.1	0.0	0.396	21.654	0.0	4.897	21.649	0.0	0.087	230.542	7.133	0.086	234.25	6.536	0.086	0.143	0.0	0.086	0.105	0.0
87	15431	15432	NS	1	-34.956	20.398	0.0	-34.762	20.645	0.0	2.622	22.044	0.008	1.303	24.327	0.051	0.086	231.873	2.802	0.086	221.823	2.606	0.086	0.119	0.0	0.086	0.132	0.0
88	15431	15432	NS	1	-34.883	20.398	0.0	-34.96	20.645	0.0	2.622	22.042	0.008	1.308	24.327	0.051	0.086	228.074	2.802	0.086	232.148	2.579	0.086	0.119	0.0	0.086	0.132	0.0
89	15431	15432	SN	1	-34.037	16.708	0.0	-33.958	16.214	0.0	-13.076	23.043	0.11	-7.104	23.256	0.291	0.087	187.686	2.626	0.087	184.293	2.835	0.086	1.569	0.002	0.086	0.448	0.0
90	15431	15432	SN	1	-34.037	16.708	0.0	-34.912	18.094	0.0	-13.076	23.043	0.103	-7.104	23.256	0.29	0.087	187.686	2.979	0.086	229.555	2.982	0.086	1.569	0.002	0.086	0.448	0.0
91	15432	15433	SN	1	-34.601	17.127	0.0	-33.88	16.637	0.0	-12.229	23.024	0.091	-18.802	23.474	0.268	0.087	213.711	2.832	0.087	181.083	3.183	0.086	1.302	0.002	0.086	5.83	0.005
92	15432	15433	NS	1	-34.81	18.328	0.0	-34.854	18.625	0.0	-5.536	22.517	0.018	-6.469	23.283	0.343	0.086	224.264	4.529	0.086	226.487	4.187	0.086	0.334	0.0	0.086	0.396	0.0
93	15432	15433	SN	1	-34.601	17.127	0.0	-33.88	18.533	0.0	-12.404	23.024	0.084	-19.076	23.474	0.294	0.087	213.711	2.972	0.086	181.083	2.898	0.086	1.353	0.001	0.086	6.05	0.005
94	15432	15433	SN	2	-34.601	17.127	0.0	-33.88	18.533	0.0	-12.404	23.024	0.084	-19.076	23.474	0.294	0.087	213.711	2.972	0.086	181.083	2.898	0.086	1.353	0.001	0.086	6.05	0.005
95	15432	15433	NS	1	-34.858	18.328	0.0	-34.996	18.622	0.0	-5.538	22.517	0.018	-6.463	23.283	0.343	0.086	226.752	4.504	0.086	234.032	4.186	0.086	0.334	0.0	0.086	0.396	0.0
96	15433	15434	SN	1	-34.009	17.2	0.0	-33.251	18.278	0.0	-23.676	22.659	0.04	-7.933	23.27	0.108	0.087	186.514	1.074	0.086	156.632	0.824	0.086	17.33	0.05	0.086	0.527	0.0
97	15433	15434	NS	1	-34.8	21.16	0.0	-34.366	20.592	0.0	-3.528	22.78	0.101	-4.454	24.533	0.905	0.086	223.724	2.504	0.086	202.454	2.191	0.086	0.238	0.0	0.086	0.276	0.0
98	15434	15435	NS	1	-34.105	21.581	0.0	-34.83	17.751	0.0	-7.5	22.28	0.008	-1.279	23.309	0.467	0.086	190.669	2.564	0.086	225.33	2.377	0.086	0.484	0.0	0.086	0.173	0.0
99	15434	15435	SN	1	-34.747	19.96	0.0	-34.895	19.878	0.0	-23.203	22.638	0.072	-27.132	23.109	0.063	0.086	220.975	1.976	0.086	228.681	1.646	0.086	15.547	0.134	0.086	38.337	0.129
100	15435	15436	NS	1	-34.985	17.935	0.0	-34.85	19.1	0.0	-10.396	22.011	0.004	-10.86	23.224	0.39	0.086	233.506	4.747	0.086	226.327	4.295	0.086	0.877	0.0	0.086	0.968	0.0
101	15435	15436	SN	2	-34.294	19.93	0.0	-34.448	19.66	0.0	-19.182	22.806	0.035	-20.33	22.952	0.037	0.086	199.143	4.345	0.086	206.292	3.592	0.086	6.2	0.017	0.086	8.057	0.008
102	15435	15436	NS	1	-34.985	17.935	0.0	-34.85	19.1	0.0	-10.396	22.011	0.003	-10.86	23.224	0.381	0.086	233.506	4.742	0.086	226.327	4.295	0.086	0.877	0.0	0.086	0.968	0.0
103	15435	15436	NS	1	-34.592	17.935	0.0	-34.861	19.1	0.0	-10.396	22.011	0.003	-10.86	23.225	0.378	0.086	213.292	4.741	0.086	226.897	4.293	0.086	0.877	0.0	0.086	0.968	0.0
104	15435	15436	SN	1	-34.294	19.93	0.0	-34.448	19.66	0.0	-19.189	22.806	0.035	-20.33	22.952	0.037	0.086	199.143	4.346	0.086	206.292	3.592	0.086	6.209	0.017	0.086	8.057	0.008
105	15436	15437	SN	1	-33.989	16.49	0.0	-34.806	18.131	0.0	-20.408	23.003	0.054	-17.583	22.662	0.073	0.087	185.627	4.631	0.086	224.039	3.891	0.086	8.198	0.022	0.086	4.309	0.016
106	15436	15437	NS	1	-34.12	18.606	0.0	-34.459	20.243	0.0	-14.18	22.203	0.011	-5.996	23.406	0.425	0.086	196.172	2.068	0.086	206.825	2.166	0.086	2.004	0.017	0.086	0.363	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	15436	15437	SN	2	-33.989	16.49	0.0	-34.806	18.131	0.0	-20.408	23.003	0.054	-17.583	22.662	0.073	0.087	185.627	4.631	0.086	224.039	3.891	0.086	8.198	0.022	0.086	4.309	0.016
108	15436	15437	NS	1	-34.566	18.606	0.0	-34.813	20.241	0.0	-14.178	22.203	0.011	-5.994	23.406	0.425	0.086	211.962	2.07	0.086	224.386	2.169	0.086	2.003	0.017	0.086	0.363	0.0
109	15436	15437	NS	1	-34.566	18.606	0.0	-34.813	20.241	0.0	-14.178	22.203	0.014	-5.994	23.406	0.514	0.086	211.962	2.073	0.086	224.386	2.169	0.086	2.003	0.022	0.086	0.363	0.0
110	15437	15438	NS	1	-34.371	20.306	0.0	-34.648	20.408	0.0	1.287	21.776	0.0	-8.364	23.83	0.825	0.086	202.694	4.355	0.086	216.028	3.996	0.086	0.132	0.0	0.086	0.575	0.0
111	15437	15438	NS	1	-34.371	20.306	0.0	-34.648	20.408	0.0	1.261	21.776	0.0	-8.364	23.847	0.583	0.086	202.694	4.34	0.086	216.028	3.996	0.086	0.132	0.0	0.086	0.575	0.0
112	15437	15438	SN	1	-34.589	16.589	0.0	-34.86	18.462	0.0	-18.016	22.789	0.134	-14.794	23.078	0.446	0.087	213.146	2.49	0.086	226.817	2.077	0.086	4.754	0.036	0.086	2.298	0.027
113	15437	15438	SN	2	-34.589	16.589	0.0	-34.86	18.462	0.0	-18.016	22.789	0.134	-14.798	23.078	0.446	0.087	213.146	2.49	0.086	226.817	2.078	0.086	4.754	0.036	0.086	2.3	0.027
114	15437	15438	NS	2	-34.371	20.306	0.0	-34.648	20.408	0.0	1.261	21.776	0.0	-8.364	23.847	0.583	0.086	202.694	4.34	0.086	216.028	3.996	0.086	0.132	0.0	0.086	0.575	0.0
115	15438	15439	SN	1	-34.711	13.037	0.0	-34.953	13.124	0.0	2.638	22.953	0.051	4.066	23.168	0.564	0.088	219.548	4.037	0.088	231.736	3.672	0.086	0.119	0.0	0.086	0.109	0.0
116	15438	15439	SN	1	-34.711	15.108	0.0	-34.923	18.329	0.0	2.638	22.944	0.062	4.066	23.168	0.546	0.087	219.548	4.221	0.086	230.146	3.41	0.086	0.119	0.0	0.086	0.109	0.0
117	15438	15439	SN	1	-34.857	15.108	0.0	-33.6	18.329	0.0	2.638	22.944	0.062	4.066	23.168	0.545	0.087	226.647	4.219	0.086	169.758	3.402	0.086	0.119	0.0	0.086	0.109	0.0
118	15438	15439	NS	1	-34.813	17.786	0.0	-34.549	17.367	0.0	1.586	22.702	0.159	-8.114	23.297	0.547	0.086	224.409	4.907	0.087	211.166	4.745	0.086	0.128	0.0	0.086	0.546	0.0
119	15438	15439	NS	2	-34.813	17.786	0.0	-34.496	17.367	0.0	1.586	22.702	0.159	-8.14	23.297	0.547	0.086	224.409	4.906	0.087	208.599	4.745	0.086	0.128	0.0	0.086	0.549	0.0
120	15438	15439	NS	1	-34.813	17.786	0.0	-34.496	17.367	0.0	2.257	21.951	0.0	-8.14	20.719	0.0	0.086	224.409	5.11	0.087	208.599	4.753	0.086	0.122	0.0	0.086	0.549	0.0
121	15439	15440	NS	1	-33.953	20.173	0.0	-34.951	19.559	0.0	-0.926	25.173	0.121	0.664	24.101	0.204	0.086	184.119	5.145	0.086	239.62	4.818	0.086	0.166	0.0	0.086	0.14	0.0
122	15439	15440	NS	1	-33.938	20.173	0.0	-34.996	19.558	0.0	-0.931	25.173	0.121	0.664	24.1	0.2	0.086	183.424	5.147	0.086	242.084	4.818	0.086	0.166	0.0	0.086	0.14	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors