

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JUL-2018 To 02-JUL-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JUL-2018 To 02-JUL-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9320	9321	SN	1	48.662	49.465	0.0	0.0	216.199	2.834	1019.016	1095.56	22.087	-91.771	-89.756	0.0
2	9320	9321	SN	1	48.676	49.465	0.0	0.0	216.199	2.135	1018.696	1095.56	22.976	-91.771	-89.756	0.0
3	9320	9321	SN	1	48.66	49.446	0.0	0.0	216.199	2.849	1018.808	1095.56	22.065	-91.682	-89.756	0.0
4	9321	9322	SN	1	48.723	49.475	0.0	0.003	282.6	2.702	1019.312	1095.488	20.37	-91.773	-89.729	0.0
5	9321	9322	SN	1	48.68	49.47	0.0	0.003	282.6	2.712	1019.416	1095.488	20.349	-91.705	-89.729	0.0
6	9321	9322	NS	1	48.728	49.428	0.0	0.003	14.025	2.564	1037.344	1096.088	1.695	-91.575	-89.896	0.0
7	9321	9322	SN	1	48.723	49.475	0.0	0.003	282.6	2.57	1019.312	1095.488	20.617	-91.773	-89.729	0.0
8	9322	9323	SN	2	48.678	49.496	0.0	0.003	214.693	2.413	1018.16	1095.632	23.405	-91.811	-89.742	0.0
9	9322	9323	NS	1	48.729	49.426	0.0	0.0	235.617	2.683	1037.408	1096.24	2.597	-91.96	-89.855	0.0
10	9322	9323	SN	1	48.678	49.496	0.0	0.003	214.693	2.413	1018.16	1095.632	23.405	-91.811	-89.742	0.0
11	9322	9323	NS	1	48.729	49.426	0.0	0.0	235.617	2.687	1037.4	1096.248	2.665	-91.793	-89.854	0.0
12	9322	9323	SN	1	48.678	49.496	0.0	0.003	214.693	2.541	1018.16	1095.632	23.161	-91.811	-89.742	0.0
13	9323	9324	NS	1	48.726	49.486	0.0	0.003	207.083	2.6	1037.376	1096.2	2.319	-91.852	-89.897	0.0
14	9323	9324	SN	2	48.725	49.443	0.0	0.003	6.684	2.559	1018.4	1095.512	24.574	-91.908	-89.751	0.0
15	9323	9324	SN	1	48.725	49.443	0.0	0.003	6.684	2.559	1018.4	1095.512	24.574	-91.908	-89.751	0.0
16	9323	9324	SN	1	48.695	49.443	0.0	0.003	6.684	2.336	1018.4	1095.512	24.94	-91.908	-89.751	0.0
17	9323	9324	NS	1	48.726	49.486	0.0	0.003	207.083	2.597	1037.376	1096.2	2.317	-91.93	-89.897	0.0
18	9324	9325	SN	1	48.682	49.483	0.0	0.003	6.668	2.178	1018.536	1095.344	25.12	-91.726	-89.751	0.0
19	9324	9325	NS	2	48.73	49.427	0.0	0.003	210.419	2.637	1037.4	1096.072	1.476	-91.755	-89.881	0.0
20	9324	9325	SN	1	48.671	49.483	0.0	0.003	6.668	2.533	1018.048	1095.344	24.595	-91.726	-89.751	0.0
21	9324	9325	NS	1	48.73	49.427	0.0	0.003	210.419	2.638	1037.408	1096.064	1.456	-91.755	-89.881	0.0
22	9324	9325	SN	1	48.682	49.483	0.0	0.003	6.668	2.536	1018.536	1095.344	24.517	-91.726	-89.751	0.0
23	9325	9326	NS	2	48.676	49.479	0.0	0.0	210.579	2.767	1037.512	1095.952	0.888	-91.897	-89.907	0.0
24	9325	9326	SN	1	48.684	49.441	0.0	0.003	6.657	1.99	1018.928	1095.208	25.527	-91.506	-89.75	0.0
25	9325	9326	SN	1	48.684	49.441	0.0	0.003	6.657	2.555	1018.928	1095.208	24.627	-91.615	-89.75	0.0
26	9325	9326	SN	1	48.698	49.441	0.0	0.003	6.657	2.552	1018.616	1095.208	24.705	-91.506	-89.75	0.0
27	9325	9326	NS	1	48.676	49.479	0.0	0.0	207.028	2.767	1037.52	1095.944	0.837	-91.897	-89.907	0.0
28	9326	9327	SN	1	48.656	49.441	0.0	0.003	282.092	2.616	1019.04	1095.112	23.484	-91.496	-89.747	0.0
29	9326	9327	NS	1	48.668	49.424	0.0	0.0	264.091	2.712	1037.584	1095.8	0.358	-91.836	-89.912	0.0
30	9326	9327	SN	1	48.656	49.441	0.0	0.003	282.092	1.782	1019.04	1095.112	24.78	-91.496	-89.747	0.0
31	9326	9327	NS	2	48.668	49.424	0.0	0.0	264.091	2.712	1037.624	1095.8	0.358	-91.532	-89.912	0.0
32	9326	9327	SN	1	48.667	49.441	0.0	0.003	282.092	2.614	1018.752	1095.112	23.557	-91.496	-89.747	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

33	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	2.944	1019.232	1095.152	15.445	-91.381	-89.743	0.0
34	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	1.77	1019.232	1095.152	16.768	-91.381	-89.743	0.0
35	9327	9328	NS	1	48.665	49.487	0.0	0.003	40.367	2.59	1037.56	1095.832	0.476	-91.834	-89.91	0.0
36	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	2.93	1019.232	1095.152	15.462	-91.381	-89.743	0.0
37	9328	9329	NS	2	48.671	49.49	0.0	0.003	266.97	2.675	1037.2	1095.816	0.448	-91.92	-89.882	0.0
38	9328	9329	SN	1	48.72	49.473	0.0	0.003	6.635	2.864	1019.24	1095.152	15.612	-91.738	-89.685	0.0
39	9328	9329	NS	1	48.671	49.49	0.0	0.003	266.97	2.675	1037.2	1095.816	0.448	-91.92	-89.882	0.0
40	9329	9330	NS	1	48.708	49.423	0.0	0.003	266.705	2.65	1037.944	1095.704	0.009	-91.841	-89.885	0.0
41	9329	9330	NS	1	48.708	49.423	0.0	0.003	266.705	2.661	1037.944	1095.704	0.009	-91.841	-89.885	0.0
42	9329	9330	SN	1	48.694	49.474	0.0	0.003	6.634	2.683	1018.192	1095.032	19.621	-91.599	-89.72	0.0
43	9330	9331	NS	1	48.716	49.457	0.0	0.0	34.882	2.771	1038.056	1095.624	0.0	-91.801	-89.895	0.0
44	9335	9336	NS	1	48.702	49.422	0.0	0.003	206.79	2.726	1038.04	1095.464	0.0	-91.537	-89.906	0.0
45	9335	9336	SN	1	48.674	49.49	0.0	0.003	35.574	2.79	1018.384	1094.664	22.484	-91.64	-89.745	0.0
46	9335	9336	SN	1	48.673	49.439	0.0	0.003	35.574	2.806	1018.152	1094.664	22.46	-91.513	-89.745	0.0
47	9335	9336	SN	1	48.674	49.49	0.0	0.003	35.574	2.545	1018.384	1094.664	22.975	-91.64	-89.745	0.0
48	9336	9337	NS	1	48.735	49.424	0.0	0.003	206.63	2.497	1038.112	1095.696	0.0	-92.137	-89.88	0.0
49	9336	9337	SN	1	48.679	49.457	0.0	0.003	6.673	2.534	1018.112	1094.84	22.384	-91.699	-89.714	0.0
50	9336	9337	SN	2	48.679	49.457	0.0	0.003	6.673	2.534	1018.112	1094.84	22.384	-91.699	-89.714	0.0
51	9336	9337	NS	1	48.734	49.424	0.0	0.003	206.63	2.497	1038.12	1095.672	0.0	-91.754	-89.88	0.0
52	9336	9337	SN	1	48.679	49.457	0.0	0.003	6.673	2.653	1018.112	1094.84	22.148	-91.699	-89.714	0.0
53	9337	9338	SN	1	48.69	49.464	0.0	0.003	6.673	2.542	1018.36	1094.848	25.131	-91.803	-89.75	0.0
54	9337	9338	NS	1	48.736	49.426	0.0	0.003	41.994	2.568	1038.104	1095.768	0.149	-91.741	-89.869	0.0
55	9338	9339	SN	1	48.657	49.436	0.0	0.003	274.697	2.572	1017.472	1094.688	25.678	-92.215	-89.722	0.0
56	9338	9339	NS	1	48.708	49.425	0.0	0.0	123.558	2.665	1038.112	1095.656	0.0	-91.754	-89.904	0.0
57	9338	9339	NS	1	48.737	49.425	0.0	0.0	123.558	2.598	1038.112	1095.656	0.0	-91.722	-89.904	0.0
58	9338	9339	SN	1	48.657	49.436	0.0	0.003	274.697	2.282	1017.472	1094.688	26.174	-92.215	-89.722	0.0
59	9339	9340	NS	1	48.686	49.425	0.0	0.0	44.727	2.761	1038.144	1095.528	0.0	-91.768	-89.916	0.0
60	9339	9340	NS	2	48.686	49.424	0.0	0.0	44.727	2.76	1038.144	1095.52	0.0	-91.768	-89.916	0.0
61	9339	9340	SN	1	48.667	49.442	0.0	0.003	6.646	2.093	1017.56	1094.56	26.376	-91.765	-89.747	0.0
62	9339	9340	SN	1	48.674	49.442	0.0	0.003	6.646	2.535	1017.488	1094.56	25.688	-91.765	-89.747	0.0
63	9339	9340	SN	1	48.667	49.442	0.0	0.003	6.646	2.537	1017.56	1094.56	25.612	-91.765	-89.747	0.0
64	9340	9341	SN	1	48.667	49.438	0.0	0.003	282.522	2.393	1018.008	1094.376	25.907	-91.61	-89.747	0.0
65	9340	9341	NS	2	48.684	49.428	0.0	0.003	210.215	2.658	1038.24	1095.352	0.0	-91.668	-89.907	0.0
66	9340	9341	SN	1	48.667	49.438	0.0	0.003	282.522	2.565	1018.008	1094.376	25.595	-91.61	-89.747	0.0
67	9340	9341	NS	1	48.684	49.428	0.0	0.003	210.215	2.659	1038.264	1095.352	0.0	-91.668	-89.907	0.0
68	9340	9341	SN	1	48.659	49.438	0.0	0.003	282.522	2.562	1017.688	1094.376	25.675	-91.61	-89.747	0.0
69	9341	9342	NS	2	48.69	49.454	0.0	0.003	266.882	2.579	1038.264	1095.28	0.0	-91.885	-89.916	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors



70	9341	9342	SN	2	48.679	49.435	0.0	0.003	271.994	2.724	1017.776	1094.376	21.129	-91.679	-89.75	0.0
71	9341	9342	NS	1	48.69	49.454	0.0	0.003	266.882	2.579	1038.256	1095.272	0.0	-91.885	-89.916	0.0
72	9341	9342	SN	1	48.679	49.435	0.0	0.003	271.994	1.719	1017.776	1094.376	22.53	-91.679	-89.75	0.0
73	9341	9342	SN	1	48.679	49.435	0.0	0.003	271.994	2.724	1017.776	1094.376	21.129	-91.679	-89.75	0.0
74	9342	9343	SN	1	48.705	49.436	0.0	0.003	279.064	1.861	1018.768	1094.416	13.471	-92.062	-89.729	0.0
75	9342	9343	NS	1	48.676	49.454	0.0	0.0	206.713	2.744	1037.88	1095.32	0.0	-91.908	-89.902	0.0
76	9342	9343	NS	2	48.676	49.454	0.0	0.0	206.713	2.744	1037.888	1095.32	0.0	-91.908	-89.902	0.0
77	9342	9343	SN	1	48.693	49.436	0.0	0.003	279.064	3.093	1018.768	1094.416	12.373	-91.531	-89.729	0.0
78	9342	9343	SN	1	48.693	49.436	0.0	0.003	279.064	3.081	1018.768	1094.416	12.388	-92.062	-89.729	0.0
79	9343	9344	NS	1	48.59	49.485	0.0	0.003	264.339	2.641	1037.424	1095.272	0.0	-91.915	-89.892	0.0
80	9343	9344	SN	2	48.726	49.445	0.0	0.0	281.905	2.769	1018.64	1094.376	20.652	-91.598	-89.684	0.0
81	9343	9344	NS	1	48.59	49.479	0.0	0.003	264.339	2.638	1037.424	1095.272	0.0	-91.908	-89.892	0.0
82	9343	9344	SN	1	48.726	49.445	0.0	0.0	281.905	2.769	1018.64	1094.376	20.652	-91.598	-89.684	0.0
83	9344	9345	NS	1	48.739	49.483	0.0	0.003	40.709	2.704	1038.768	1095.088	0.0	-91.855	-89.903	0.0
84	9344	9345	NS	1	48.703	49.423	0.0	0.003	40.709	2.707	1038.768	1095.088	0.0	-91.847	-89.903	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9320	9321	SN	1	-34.733	26.562	0.246	-34.98	26.135	0.356	-26.792	28.08	13.307	-17.714	29.379	20.448	0.116	288.236	5.447	0.116	305.084	4.727	0.116	46.378	0.097	0.116	5.814	0.033
2	9320	9321	SN	1	-34.88	26.562	0.26	-34.98	26.135	0.392	-26.792	28.08	13.331	-17.714	29.379	20.447	0.116	298.17	5.77	0.116	305.084	5.205	0.116	46.378	0.093	0.116	5.814	0.033
3	9320	9321	SN	1	-34.597	26.562	0.244	-34.813	26.135	0.356	-28.184	28.08	13.406	-17.671	29.379	20.452	0.116	279.373	5.452	0.116	293.622	4.725	0.116	63.887	0.097	0.116	5.757	0.033
4	9321	9322	SN	1	-33.884	26.609	0.158	-34.857	26.459	0.227	-19.319	33.126	12.18	-30.282	29.585	10.675	0.116	237.08	1.924	0.116	296.527	2.064	0.116	8.372	0.027	0.116	103.5	0.02
5	9321	9322	SN	1	-34.795	26.609	0.158	-34.476	26.459	0.227	-19.364	33.126	12.238	-30.745	29.587	10.718	0.116	292.344	1.919	0.116	271.676	2.061	0.116	8.457	0.027	0.116	115.121	0.02
6	9321	9322	NS	1	-34.931	26.519	0.021	-30.134	28.024	0.018	-27.508	32.229	15.653	-22.164	36.064	30.558	0.116	301.68	0.559	0.116	100.001	0.305	0.116	54.68	0.031	0.116	16.035	0.029
7	9321	9322	SN	1	-33.884	26.609	0.161	-34.857	26.459	0.231	-19.319	33.126	12.18	-30.282	29.585	10.675	0.116	237.08	1.963	0.116	296.527	2.104	0.116	8.372	0.027	0.116	103.5	0.02
8	9322	9323	SN	2	-34.883	24.893	0.015	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.428	0.116	259.394	1.752	0.116	0.976	0.0	0.116	12.373	0.018
9	9322	9323	NS	1	-34.9	22.839	0.004	-34.953	24.25	0.005	-7.78	29.457	10.15	-5.622	29.678	19.837	0.116	299.53	3.634	0.116	303.239	3.669	0.116	0.674	0.0	0.116	0.449	0.0
10	9322	9323	SN	1	-34.883	24.893	0.015	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.428	0.116	259.394	1.752	0.116	0.976	0.0	0.116	12.373	0.018
11	9322	9323	NS	1	-34.649	22.84	0.004	-34.959	24.25	0.005	-7.78	29.457	10.144	-5.622	29.676	19.834	0.116	282.754	3.644	0.116	303.568	3.576	0.116	0.674	0.0	0.116	0.449	0.0
12	9322	9323	SN	1	-34.883	24.893	0.014	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.393	0.116	259.394	1.731	0.116	0.976	0.0	0.116	12.373	0.018
13	9323	9324	NS	1	-34.988	24.279	0.01	-33.022	23.724	0.003	-12.902	28.858	8.865	-8.61	29.376	17.176	0.116	321.523	1.954	0.116	194.38	1.65	0.116	1.981	0.004	0.116	0.796	0.0
14	9323	9324	SN	2	-34.976	22.577	0.002	-34.762	23.423	0.012	1.379	28.088	13.377	0.24	28.334	6.082	0.116	304.782	3.208	0.116	290.146	2.816	0.116	0.176	0.0	0.116	0.195	0.0
15	9323	9324	SN	1	-34.976	22.577	0.002	-34.762	23.423	0.012	1.379	28.088	13.377	0.24	28.334	6.082	0.116	304.782	3.208	0.116	290.146	2.816	0.116	0.176	0.0	0.116	0.195	0.0
16	9323	9324	SN	1	-34.976	22.577	0.002	-34.778	23.423	0.012	6.986	28.088	13.41	0.188	28.334	6.088	0.116	304.782	3.268	0.116	291.253	2.849	0.116	0.131	0.0	0.116	0.196	0.0
17	9323	9324	NS	1	-34.454	24.279	0.01	-33.022	23.722	0.003	-12.902	28.86	8.861	-8.61	29.376	17.176	0.116	284.281	1.95	0.116	194.38	1.649	0.116	1.981	0.004	0.116	0.796	0.0
18	9324	9325	SN	1	-34.888	23.363	0.007	-34.923	23.372	0.016	6.142	28.535	18.446	0.136	28.931	19.533	0.116	298.699	2.79	0.116	301.144	2.804	0.116	0.135	0.0	0.116	0.197	0.0
19	9324	9325	NS	2	-34.844	20.554	0.0	-34.151	21.384	0.0	-5.925	29.314	7.234	-4.978	32.743	13.017	0.116	295.688	1.641	0.116	252.095	1.688	0.116	0.474	0.0	0.116	0.401	0.0
20	9324	9325	SN	1	-34.58	23.363	0.007	-34.67	23.372	0.015	-0.718	28.535	18.308	0.133	28.931	18.905	0.116	278.298	2.719	0.116	284.032	2.752	0.116	0.216	0.0	0.116	0.197	0.0
21	9324	9325	NS	1	-34.844	20.554	0.0	-34.151	21.384	0.0	-5.925	29.314	7.234	-4.978	32.743	13.018	0.116	295.688	1.641	0.116	252.095	1.688	0.116	0.474	0.0	0.116	0.401	0.0
22	9324	9325	SN	1	-34.922	23.363	0.007	-34.371	23.372	0.015	-0.713	28.535	18.308	0.135	28.931	18.905	0.116	300.986	2.714	0.116	265.227	2.748	0.116	0.216	0.0	0.116	0.197	0.0
23	9325	9326	NS	2	-33.695	20.674	0.0	-33.495	21.186	0.0	-5.406	28.284	8.16	-10.884	29.31	14.901	0.116	226.986	1.582	0.116	216.768	1.32	0.116	0.432	0.0	0.116	1.279	0.002
24	9325	9326	SN	1	-34.966	22.15	0.002	-34.287	22.71	0.002	6.239	28.046	16.302	3.24	28.962	17.659	0.116	304.178	4.482	0.116	260.154	4.317	0.116	0.134	0.0	0.116	0.154	0.0
25	9325	9326	SN	1	-34.966	22.15	0.002	-34.287	22.71	0.002	1.283	28.046	15.686	3.218	28.962	17.384	0.116	304.178	4.274	0.116	260.154	4.139	0.116	0.177	0.0	0.116	0.154	0.0
26	9325	9326	SN	1	-34.988	22.15	0.002	-34.111	22.71	0.002	1.283	28.046	15.69	3.215	28.962	17.377	0.116	305.71	4.288	0.116	249.785	4.135	0.116	0.177	0.0	0.116	0.154	0.0
27	9325	9326	NS	1	-33.695	20.674	0.0	-33.495	21.186	0.0	-5.406	28.284	8.16	-10.884	29.31	14.901	0.116	226.986	1.582	0.116	216.768	1.32	0.116	0.432	0.0	0.116	1.279	0.002
28	9326	9327	SN	1	-34.914	21.18	0.0	-34.213	22.251	0.001	5.817	28.33	12.416	3.116	31.587	13.454	0.116	300.545	3.772	0.116	255.736	3.42	0.116	0.136	0.0	0.116	0.155	0.0
29	9326	9327	NS	1	-33.998	25.035	0.114	-32.991	26.288	0.242	-7.077	29.172	11.874	-5.077	31.326	18.145	0.116	243.357	1.307	0.116	193.056	1.207	0.116	0.588	0.0	0.116	0.408	0.0
30	9326	9327	SN	1	-34.914	21.18	0.0	-34.295	22.251	0.001	6.205	28.33	13.096	3.116	31.587	13.488	0.116	300.545	3.954	0.116	260.575	3.666	0.116	0.134	0.0	0.116	0.155	0.0
31	9326	9327	NS	2	-33.998	25.035	0.114	-32.991	26.288	0.242	-7.077	29.172	11.874	-5.077	31.326	18.145	0.116	243.357	1.308	0.116	193.056	1.208	0.116	0.588	0.0	0.116	0.408	0.0
32	9326	9327	SN	1	-34.533	21.18	0.0	-34.665	22.251	0.001	5.832	28.324	12.408	3.116	31.587	13.499	0.116	275.275	3.772	0.116	283.721	3.437	0.116	0.136	0.0	0.116	0.155	0.0
33	9327	9328	SN	1	-34.337	24.144	0.01	-33.831	24.754	0.017	-16.598	33.355	12.939	-10.465	31.114	15.922	0.116	263.089	2.742	0.116	234.231	2.567	0.116	4.516	0.015	0.116	1.17	0.002

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	9327	9328	SN	1	-33.955	24.144	0.011	-34.917	24.754	0.019	-16.276	33.355	13.806	-10.468	31.118	15.907	0.116	241.01	2.969	0.116	300.697	2.925	0.116	4.2	0.016	0.116	1.171	0.002
35	9327	9328	NS	1	-34.86	25.371	0.094	-34.595	26.807	0.17	3.221	32.016	9.778	6.925	29.191	17.546	0.116	296.773	3.051	0.116	279.264	2.702	0.116	0.154	0.0	0.116	0.132	0.0
36	9327	9328	SN	1	-33.955	24.144	0.01	-34.917	24.754	0.017	-16.73	33.355	12.919	-10.468	31.118	15.835	0.116	241.01	2.756	0.116	300.697	2.576	0.116	4.653	0.017	0.116	1.171	0.002
37	9328	9329	NS	2	-34.963	24.228	0.006	-34.987	23.462	0.018	-6.401	28.92	22.458	1.357	29.933	39.435	0.116	303.932	5.461	0.116	305.59	4.535	0.116	0.517	0.0	0.116	0.176	0.0
38	9328	9329	SN	1	-33.291	25.411	0.037	-34.931	26.63	0.047	-11.627	29.232	23.204	-4.644	30.588	30.159	0.116	206.818	2.796	0.116	301.671	2.321	0.116	1.5	0.004	0.116	0.378	0.0
39	9328	9329	NS	1	-34.963	24.228	0.006	-34.987	23.462	0.018	-6.401	28.92	22.458	1.357	29.933	39.435	0.116	303.932	5.461	0.116	305.59	4.535	0.116	0.517	0.0	0.116	0.176	0.0
40	9329	9330	NS	1	-34.496	27.784	0.034	-34.563	27.967	0.035	-30.763	31.121	12.121	-25.275	29.913	26.549	0.116	272.914	3.252	0.116	277.203	2.688	0.116	115.601	0.197	0.116	32.736	0.091
41	9329	9330	NS	1	-34.496	27.784	0.034	-34.563	27.967	0.035	-30.763	31.121	12.119	-25.275	29.913	26.612	0.116	272.914	3.248	0.116	277.203	2.686	0.116	115.601	0.197	0.116	32.736	0.091
42	9329	9330	SN	1	-34.308	27.393	0.087	-34.982	27.837	0.1	-2.568	29.15	18.29	-1.852	30.634	17.187	0.116	261.379	2.757	0.116	305.279	2.424	0.116	0.274	0.0	0.116	0.249	0.0
43	9330	9331	NS	1	-34.193	28.077	0.029	-33.386	23.326	0.003	-28.791	29.318	13.63	-17.065	35.614	22.699	0.116	254.544	2.999	0.116	211.348	2.84	0.116	73.448	0.005	0.116	5.019	0.007
44	9335	9336	NS	1	-34.963	27.645	0.024	-34.472	28.343	0.022	-2.657	31.488	18.34	1.631	32.988	30.908	0.116	303.944	1.567	0.116	271.385	1.445	0.116	0.278	0.0	0.116	0.172	0.0
45	9335	9336	SN	1	-34.721	25.854	0.198	-34.748	26.237	0.475	-19.189	34.989	16.426	-19.374	29.413	22.067	0.116	287.462	6.068	0.116	289.306	4.967	0.116	8.127	0.034	0.116	8.48	0.027
46	9335	9336	SN	1	-34.648	25.854	0.198	-34.682	26.237	0.475	-19.156	34.989	16.508	-19.323	29.413	22.109	0.116	282.63	6.072	0.116	284.882	4.963	0.116	8.07	0.034	0.116	8.381	0.027
47	9335	9336	SN	1	-34.721	25.854	0.208	-34.748	26.237	0.496	-19.189	34.989	16.425	-19.374	29.413	22.068	0.116	287.462	6.371	0.116	289.306	5.193	0.116	8.127	0.034	0.116	8.48	0.027
48	9336	9337	NS	1	-34.738	26.423	0.029	-34.56	27.328	0.026	-12.885	33.66	12.7	-10.977	32.433	25.411	0.116	288.556	3.043	0.116	276.996	2.86	0.116	1.973	0.003	0.116	1.305	0.002
49	9336	9337	SN	1	-34.772	26.069	0.068	-34.872	25.664	0.077	-16.531	29.175	10.784	-11.214	29.865	7.213	0.116	290.834	1.527	0.116	297.662	1.442	0.116	4.448	0.013	0.116	1.372	0.005
50	9336	9337	SN	2	-34.772	26.069	0.068	-34.872	25.664	0.077	-16.531	29.175	10.784	-11.214	29.865	7.213	0.116	290.834	1.527	0.116	297.662	1.442	0.116	4.448	0.013	0.116	1.372	0.005
51	9336	9337	NS	1	-34.586	26.423	0.029	-34.929	27.328	0.027	-12.885	33.66	12.689	-10.976	32.433	25.403	0.116	278.644	3.045	0.116	301.534	2.84	0.116	1.973	0.003	0.116	1.304	0.002
52	9336	9337	SN	1	-34.772	26.069	0.067	-34.872	25.664	0.076	-16.531	29.175	10.784	-11.214	29.865	7.213	0.116	290.834	1.502	0.116	297.662	1.42	0.116	4.448	0.013	0.116	1.372	0.005
53	9337	9338	SN	1	-34.957	22.702	0.005	-34.916	23.948	0.01	-0.015	28.62	16.188	7.539	29.497	8.573	0.116	303.56	3.167	0.116	300.646	2.668	0.116	0.2	0.0	0.116	0.129	0.0
54	9337	9338	NS	1	-34.991	24.27	0.002	-34.956	23.468	0.004	-2.452	28.87	9.904	-7.376	29.076	18.732	0.116	305.908	2.763	0.116	303.384	2.782	0.116	0.27	0.0	0.116	0.623	0.0
55	9338	9339	SN	1	-34.747	22.228	0.001	-34.08	23.247	0.011	-0.281	27.788	13.868	0.492	27.65	8.857	0.116	289.127	0.78	0.116	248.039	0.884	0.116	0.206	0.0	0.116	0.19	0.0
56	9338	9339	NS	1	-34.425	25.979	0.003	-34.713	22.511	0.002	-10.095	29.854	6.338	-11.231	31.606	12.646	0.116	268.546	1.019	0.116	286.925	0.796	0.116	1.082	0.001	0.116	1.377	0.001
57	9338	9339	NS	1	-34.148	26.01	0.003	-33.757	22.514	0.002	-9.924	29.857	6.363	-11.273	31.606	12.731	0.116	251.95	1.025	0.116	230.225	0.804	0.116	1.044	0.001	0.116	1.39	0.001
58	9338	9339	SN	1	-34.42	22.228	0.001	-34.08	23.247	0.011	4.629	27.788	13.883	0.192	27.65	8.913	0.116	268.213	0.798	0.116	248.039	0.901	0.116	0.143	0.0	0.116	0.196	0.0
59	9339	9340	NS	1	-34.886	21.406	0.0	-34.892	21.838	0.0	-5.089	28.371	9.377	-4.082	29.192	16.908	0.116	298.588	2.118	0.116	298.97	2.212	0.116	0.408	0.0	0.116	0.345	0.0
60	9339	9340	NS	2	-34.886	21.406	0.0	-34.892	21.836	0.0	-5.089	28.371	9.376	-4.082	29.192	16.908	0.116	298.588	2.118	0.116	298.97	2.212	0.116	0.408	0.0	0.116	0.345	0.0
61	9339	9340	SN	1	-34.626	23.055	0.003	-34.393	23.372	0.005	5.413	28.552	15.714	0.424	28.788	17.735	0.116	281.257	2.561	0.116	266.551	2.102	0.116	0.138	0.0	0.116	0.192	0.0
62	9339	9340	SN	1	-34.679	23.055	0.003	-34.359	23.372	0.005	0.163	28.552	15.346	0.426	28.788	17.366	0.116	284.703	2.477	0.116	264.396	2.05	0.116	0.197	0.0	0.116	0.192	0.0
63	9339	9340	SN	1	-34.626	23.055	0.003	-34.804	23.372	0.005	0.15	28.552	15.346	0.426	28.788	17.373	0.116	281.257	2.485	0.116	293.016	2.041	0.116	0.197	0.0	0.116	0.192	0.0
64	9340	9341	SN	1	-34.656	19.745	0.0	-34.671	19.72	0.0	4.084	27.795	13.77	0.32	29.215	13.113	0.116	283.124	5.735	0.116	284.16	4.634	0.116	0.147	0.0	0.116	0.194	0.0
65	9340	9341	NS	2	-34.88	22.784	0.014	-34.699	22.995	0.024	-7.284	29.873	8.178	-5.365	29.741	15.061	0.116	298.153	2.032	0.116	285.963	1.661	0.116	0.612	0.0	0.116	0.429	0.0
66	9340	9341	SN	1	-34.656	19.745	0.0	-34.671	19.72	0.0	4.084	27.795	13.763	0.32	29.215	13.113	0.116	283.124	5.657	0.116	284.16	4.564	0.116	0.147	0.0	0.116	0.194	0.0
67	9340	9341	NS	1	-34.733	22.784	0.014	-34.782	22.995	0.024	-7.284	29.873	8.178	-5.365	29.741	15.061	0.116	288.277	2.034	0.116	291.534	1.662	0.116	0.612	0.0	0.116	0.429	0.0
68	9340	9341	SN	1	-34.806	19.745	0.0	-34.973	19.72	0.0	4.089	27.795	13.763	0.322	29.215	13.118	0.116	293.067	5.668	0.116	304.646	4.554	0.116	0.147	0.0	0.116	0.194	0.0
69	9341	9342	NS	2	-34.88	25.476	0.077	-34.28	27.112	0.235	6.99	28.329	14.877	7.902	30.032	24.098	0.116	298.11	3.1	0.116	259.703	3.018	0.116	0.131	0.0	0.116	0.128	0.0
70	9341	9342	SN	2	-34.818	23.253	0.015	-34.852	23.948	0.024	-23.169	32.291	12.238	-12.162	29.064	13.992	0.116	293.886	4.893	0.116	296.295	3.447	0.116	20.192	0.007	0.116	1.685	0.006
71	9341	9342	NS	1	-34.88	25.476	0.077	-34.28	27.112	0.235	6.99	28.329	14.877	7.902	30.032	24.094	0.116	298.11	3.1	0.116	259.703	3.018	0.116	0.131	0.0	0.116	0.128	0.0
72	9341	9342	SN	1	-34.818	23.253	0.016	-34.852	23.948	0.027	-23.175	32.291	12.83	-12.162	29.064	14.019	0.116	293.886	5.26	0.116	296.295	3.754	0.116	20.218	0.007	0.116	1.685	0.006

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	9341	9342	SN	1	-34.818	23.253	0.015	-34.852	23.948	0.024	-23.169	32.291	12.238	-12.162	29.064	13.992	0.116	293.886	4.893	0.116	296.295	3.447	0.116	20.192	0.007	0.116	1.685	0.006
74	9342	9343	SN	1	-34.69	25.888	0.049	-33.63	27.102	0.052	-18.502	29.304	18.61	-13.576	29.562	24.291	0.116	285.383	2.058	0.116	223.604	2.031	0.116	6.952	0.014	0.116	2.298	0.011
75	9342	9343	NS	1	-34.7	24.516	0.017	-34.932	24.369	0.029	3.998	31.064	16.322	6.411	31.913	28.901	0.116	286.068	5.415	0.116	301.79	4.816	0.116	0.148	0.0	0.116	0.134	0.0
76	9342	9343	NS	2	-34.7	24.516	0.017	-34.932	24.369	0.029	3.998	31.064	16.322	6.411	31.913	28.901	0.116	286.068	5.415	0.116	301.79	4.816	0.116	0.148	0.0	0.116	0.134	0.0
77	9342	9343	SN	1	-34.902	25.886	0.044	-34.657	27.102	0.045	-18.492	29.304	17.602	-13.562	29.562	24.313	0.116	299.696	1.917	0.116	283.278	2.244	0.116	6.936	0.013	0.116	2.29	0.013
78	9342	9343	SN	1	-34.69	25.888	0.044	-33.63	27.102	0.045	-18.502	29.304	17.633	-13.576	29.562	24.205	0.116	285.383	1.918	0.116	223.604	2.247	0.116	6.952	0.013	0.116	2.298	0.011
79	9343	9344	NS	1	-34.993	28.615	0.024	-34.773	23.374	0.014	-17.857	28.711	21.836	-18.935	29.929	35.938	0.116	305.998	5.846	0.116	290.879	5.042	0.116	6.006	0.045	0.116	7.671	0.005
80	9343	9344	SN	2	-34.688	25.959	0.086	-34.798	27.639	0.066	-6.053	28.705	19.068	0.359	30.908	21.797	0.116	285.252	3.966	0.116	292.623	3.965	0.116	0.485	0.0	0.116	0.193	0.0
81	9343	9344	NS	1	-34.993	28.615	0.024	-34.841	23.374	0.014	-17.857	28.711	21.816	-18.935	29.929	35.972	0.116	305.998	5.843	0.116	295.468	5.048	0.116	6.006	0.044	0.116	7.671	0.005
82	9343	9344	SN	1	-34.688	25.959	0.086	-34.798	27.639	0.066	-6.053	28.705	19.068	0.359	30.908	21.797	0.116	285.252	3.966	0.116	292.623	3.965	0.116	0.485	0.0	0.116	0.193	0.0
83	9344	9345	NS	1	-34.41	25.438	0.031	-34.077	25.728	0.015	-28.189	32.964	11.781	-22.408	34.0	22.529	0.116	267.596	1.908	0.116	247.823	1.477	0.116	63.956	0.19	0.116	16.96	0.123
84	9344	9345	NS	1	-34.001	25.438	0.031	-34.077	25.728	0.015	-28.177	32.962	11.823	-22.453	34.0	22.582	0.116	243.544	1.908	0.116	247.823	1.474	0.116	63.776	0.191	0.116	17.137	0.124

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9320	9321	SN	1	57.407	58.32	0.0	0.0	296.233	4.062	1192.944	1287.888	49.184	-93.107	-91.806	0.0
2	9320	9321	SN	1	57.417	58.32	0.0	0.0	296.233	3.561	1192.944	1287.888	51.045	-93.016	-91.806	0.0
3	9320	9321	SN	1	57.419	58.315	0.0	0.0	296.233	4.073	1192.944	1287.888	49.225	-93.107	-91.806	0.0
4	9321	9322	SN	1	57.44	58.314	0.0	0.003	296.729	3.878	1192.896	1287.808	48.895	-93.74	-91.79	0.0
5	9321	9322	SN	1	57.45	58.314	0.0	0.003	296.729	3.892	1193.584	1287.808	48.907	-93.74	-91.79	0.0
6	9321	9322	NS	1	57.498	58.325	0.0	0.0	291.639	3.54	1215.624	1288.848	18.426	-93.403	-91.946	0.0
7	9321	9322	SN	1	57.44	58.314	0.0	0.003	296.757	3.735	1192.896	1287.808	49.49	-93.74	-91.79	0.0
8	9322	9323	SN	2	57.416	58.314	0.0	0.0	292.924	3.495	1193.248	1287.984	49.996	-93.15	-91.785	0.0
9	9322	9323	NS	1	57.5	58.326	0.0	0.0	292.278	3.639	1215.696	1289.064	17.848	-93.409	-91.903	0.0
10	9322	9323	SN	1	57.416	58.314	0.0	0.0	292.924	3.495	1193.248	1287.984	49.996	-93.15	-91.785	0.0
11	9322	9323	NS	1	57.5	58.326	0.0	0.0	298.345	3.643	1215.688	1289.072	17.869	-93.409	-91.903	0.0
12	9322	9323	SN	1	57.342	58.314	0.0	0.0	292.924	3.634	1193.248	1287.984	49.487	-93.735	-91.785	0.0
13	9323	9324	NS	1	57.501	58.356	0.0	0.0	292.24	3.509	1215.648	1289.032	18.152	-93.409	-91.939	0.0
14	9323	9324	SN	2	57.43	58.313	0.0	0.0	290.177	3.619	1193.048	1287.832	49.7	-93.174	-91.808	0.0
15	9323	9324	SN	1	57.43	58.313	0.0	0.0	290.21	3.619	1193.048	1287.832	49.7	-93.174	-91.808	0.0
16	9323	9324	SN	1	57.43	58.313	0.0	0.0	287.712	3.459	1193.048	1287.832	50.409	-93.505	-91.808	0.0
17	9323	9324	NS	1	57.501	58.356	0.0	0.0	292.24	3.506	1215.648	1289.032	18.134	-93.409	-91.939	0.0
18	9324	9325	SN	1	57.418	58.319	0.0	0.0	284.668	3.413	1192.312	1287.624	50.588	-93.159	-91.808	0.0
19	9324	9325	NS	2	57.5	58.332	0.0	0.0	297.01	3.593	1215.768	1288.872	18.951	-93.148	-91.931	0.0
20	9324	9325	SN	1	57.429	58.319	0.0	0.0	288.093	3.641	1192.52	1287.624	49.542	-93.364	-91.808	0.0
21	9324	9325	NS	1	57.5	58.332	0.0	0.0	296.983	3.593	1215.776	1288.864	18.947	-93.148	-91.931	0.0
22	9324	9325	SN	1	57.418	58.319	0.0	0.0	288.093	3.645	1192.312	1287.624	49.489	-93.159	-91.808	0.0
23	9325	9326	NS	2	57.478	58.336	0.0	0.0	294.733	3.814	1215.304	1288.712	18.67	-93.73	-91.954	0.0
24	9325	9326	SN	1	57.43	58.309	0.0	0.0	282.688	3.245	1193.072	1287.464	50.93	-93.246	-91.808	0.0
25	9325	9326	SN	1	57.43	58.309	0.0	0.0	287.006	3.617	1193.072	1287.464	49.281	-93.748	-91.808	0.0
26	9325	9326	SN	1	57.439	58.309	0.0	0.0	287.006	3.613	1193.072	1287.464	49.331	-93.748	-91.808	0.0
27	9325	9326	NS	1	57.478	58.336	0.0	0.0	294.744	3.813	1215.304	1288.688	18.661	-93.73	-91.954	0.0
28	9326	9327	SN	1	57.42	58.309	0.0	0.0	286.637	3.763	1193.048	1287.36	47.636	-94.291	-91.799	0.0
29	9326	9327	NS	1	57.468	58.324	0.0	0.0	298.389	3.673	1215.816	1288.528	17.087	-93.71	-91.958	0.0
30	9326	9327	SN	1	57.429	58.309	0.0	0.0	282.489	3.129	1193.048	1287.36	50.193	-93.23	-91.799	0.0
31	9326	9327	NS	2	57.468	58.324	0.0	0.0	298.389	3.675	1215.688	1288.528	17.09	-93.71	-91.958	0.0
32	9326	9327	SN	1	57.425	58.308	0.0	0.0	286.637	3.76	1193.024	1287.36	47.703	-94.291	-91.799	0.0
33	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	4.162	1193.528	1287.392	42.668	-93.296	-91.796	0.0
34	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	3.08	1193.528	1287.392	46.298	-93.296	-91.796	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9327	9328	NS	1	57.482	58.347	0.0	0.003	291.484	3.528	1215.92	1288.568	17.313	-93.406	-91.958	0.0
36	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	4.158	1193.528	1287.392	42.602	-93.296	-91.796	0.0
37	9328	9329	NS	2	57.466	58.343	0.0	0.003	290.767	3.737	1215.752	1288.52	18.446	-93.406	-91.932	0.0
38	9328	9329	SN	1	57.436	58.311	0.0	0.0	295.516	4.077	1193.56	1287.4	42.861	-93.701	-91.74	0.0
39	9328	9329	NS	1	57.466	58.343	0.0	0.003	290.767	3.737	1215.752	1288.52	18.446	-93.406	-91.932	0.0
40	9329	9330	NS	1	57.504	58.34	0.0	0.0	296.178	3.687	1216.36	1288.384	19.113	-93.415	-91.936	0.0
41	9329	9330	NS	1	57.504	58.34	0.0	0.0	296.178	3.7	1216.36	1288.384	19.199	-93.415	-91.936	0.0
42	9329	9330	SN	1	57.45	58.31	0.0	0.003	291.81	3.82	1193.048	1287.248	46.422	-93.52	-91.773	0.0
43	9330	9331	NS	1	57.506	58.349	0.0	0.0	290.519	3.665	1216.488	1288.272	18.633	-93.347	-91.938	0.0
44	9335	9336	NS	1	57.482	58.335	0.0	0.0	289.697	3.805	1216.472	1288.12	18.76	-93.41	-91.952	0.0
45	9335	9336	SN	1	57.422	58.306	0.0	0.0	294.793	4.018	1192.392	1286.784	48.585	-93.207	-91.806	0.0
46	9335	9336	SN	1	57.428	58.306	0.0	0.003	294.898	4.026	1192.792	1286.784	48.643	-93.207	-91.806	0.0
47	9335	9336	SN	1	57.435	58.306	0.0	0.003	292.499	3.846	1192.392	1286.784	49.59	-93.207	-91.806	0.0
48	9336	9337	NS	1	57.507	58.324	0.0	0.0	290.321	3.438	1216.552	1288.392	17.535	-93.416	-91.925	0.0
49	9336	9337	SN	1	57.447	58.321	0.0	0.0	290.668	3.7	1192.28	1286.984	47.691	-93.286	-91.773	0.0
50	9336	9337	SN	2	57.447	58.321	0.0	0.0	290.668	3.7	1192.28	1286.984	47.691	-93.286	-91.773	0.0
51	9336	9337	NS	1	57.507	58.323	0.0	0.0	289.99	3.442	1216.56	1288.36	17.539	-93.417	-91.925	0.0
52	9336	9337	SN	1	57.447	58.321	0.0	0.0	290.668	3.851	1192.28	1286.984	47.214	-93.286	-91.773	0.0
53	9337	9338	SN	1	57.429	58.311	0.0	0.0	287.938	3.637	1192.456	1287.0	48.654	-93.49	-91.807	0.0
54	9337	9338	NS	1	57.508	58.325	0.0	0.0	290.271	3.439	1216.544	1288.488	17.669	-93.417	-91.914	0.0
55	9338	9339	SN	1	57.414	58.317	0.0	0.0	286.168	3.635	1192.248	1286.8	49.055	-93.189	-91.776	0.0
56	9338	9339	NS	1	57.503	58.352	0.0	0.0	293.806	3.588	1216.568	1288.36	18.482	-93.417	-91.952	0.0
57	9338	9339	NS	1	57.506	58.325	0.0	0.0	293.806	3.498	1216.568	1288.36	18.6	-93.417	-91.952	0.0
58	9338	9339	SN	1	57.414	58.317	0.0	0.0	284.094	3.44	1192.248	1286.8	49.946	-93.189	-91.776	0.0
59	9339	9340	NS	1	57.484	58.325	0.0	0.0	291.126	3.807	1216.592	1288.216	18.835	-93.164	-91.965	0.0
60	9339	9340	NS	2	57.484	58.325	0.0	0.0	291.098	3.806	1216.592	1288.208	18.831	-93.164	-91.965	0.0
61	9339	9340	SN	1	57.426	58.302	0.0	0.0	281.149	3.326	1191.888	1286.656	50.043	-93.192	-91.805	0.0
62	9339	9340	SN	1	57.444	58.302	0.0	0.0	284.795	3.611	1192.272	1286.656	48.64	-93.192	-91.805	0.0
63	9339	9340	SN	1	57.426	58.302	0.0	0.0	284.795	3.614	1191.888	1286.656	48.569	-93.192	-91.805	0.0
64	9340	9341	SN	1	57.411	58.301	0.0	0.003	279.677	3.521	1192.28	1286.44	48.515	-93.222	-91.805	0.0
65	9340	9341	NS	2	57.485	58.328	0.0	0.0	295.455	3.645	1216.72	1288.0	17.675	-93.088	-91.953	0.0
66	9340	9341	SN	1	57.411	58.301	0.0	0.003	284.26	3.666	1192.28	1286.44	47.945	-93.561	-91.805	0.0
67	9340	9341	NS	1	57.485	58.328	0.0	0.0	295.455	3.646	1216.736	1288.0	17.678	-93.088	-91.953	0.0
68	9340	9341	SN	1	57.403	58.301	0.0	0.003	284.265	3.663	1192.104	1286.44	48.004	-93.561	-91.805	0.0
69	9341	9342	NS	2	57.48	58.342	0.0	0.003	298.13	3.555	1216.296	1287.92	17.139	-93.414	-91.977	0.0
70	9341	9342	SN	2	57.445	58.301	0.0	0.0	299.922	3.943	1192.432	1286.376	44.757	-93.25	-91.806	0.0
71	9341	9342	NS	1	57.48	58.342	0.0	0.0	298.18	3.555	1216.296	1287.92	17.138	-93.414	-91.977	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9341	9342	SN	1	57.445	58.301	0.0	0.0	298.268	3.111	1192.432	1286.376	47.922	-93.25	-91.806	0.0
73	9341	9342	SN	1	57.445	58.301	0.0	0.0	299.922	3.943	1192.432	1286.376	44.757	-93.25	-91.806	0.0
74	9342	9343	SN	1	57.46	58.302	0.0	0.0	292.83	3.221	1193.248	1286.48	42.124	-93.718	-91.776	0.0
75	9342	9343	NS	1	57.484	58.354	0.0	0.0	289.515	3.78	1216.528	1287.952	17.091	-93.482	-91.953	0.0
76	9342	9343	NS	2	57.485	58.354	0.0	0.0	289.493	3.781	1216.56	1287.944	17.086	-93.481	-91.953	0.0
77	9342	9343	SN	1	57.225	58.302	0.0	0.0	293.734	4.409	1193.232	1286.48	38.647	-95.401	-91.776	0.0
78	9342	9343	SN	1	57.225	58.302	0.0	0.0	293.734	4.369	1193.248	1286.48	38.575	-95.401	-91.776	0.0
79	9343	9344	NS	1	57.481	58.351	0.0	0.0	290.31	3.735	1216.464	1287.896	19.125	-93.415	-91.942	0.0
80	9343	9344	SN	2	57.315	58.303	0.0	0.0	289.686	3.947	1192.912	1286.392	45.533	-95.634	-91.738	0.0
81	9343	9344	NS	1	57.481	58.351	0.0	0.0	290.31	3.731	1216.464	1287.896	19.107	-93.415	-91.942	0.0
82	9343	9344	SN	1	57.315	58.303	0.0	0.0	289.686	3.947	1192.912	1286.392	45.533	-95.634	-91.738	0.0
83	9344	9345	NS	1	57.487	58.339	0.0	0.0	288.341	3.629	1217.184	1287.664	18.547	-93.423	-91.955	0.0
84	9344	9345	NS	1	57.487	58.338	0.0	0.0	288.341	3.632	1217.184	1287.664	18.565	-93.423	-91.955	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9320	9321	SN	1	-34.946	19.412	0.0	-34.929	19.431	0.0	-27.784	22.73	0.019	-22.581	22.254	0.009	0.086	231.361	4.681	0.086	236.408	3.713	0.086	47.803	0.099	0.086	15.085	0.099
2	9320	9321	SN	1	-34.946	19.353	0.0	-34.622	19.431	0.0	-27.784	22.73	0.019	-22.581	22.254	0.009	0.086	231.361	4.87	0.086	214.751	4.09	0.086	47.803	0.1	0.086	15.085	0.099
3	9320	9321	SN	1	-34.942	19.353	0.0	-34.88	19.431	0.0	-27.512	22.73	0.018	-22.728	22.254	0.009	0.086	231.159	4.684	0.086	227.901	3.704	0.086	44.912	0.098	0.086	15.603	0.099
4	9321	9322	SN	1	-34.898	20.794	0.0	-34.648	20.698	0.0	-29.549	22.268	0.015	-29.192	23.391	0.086	0.086	228.835	2.099	0.086	216.052	2.135	0.086	66.83	0.1	0.086	61.553	0.135
5	9321	9322	SN	1	-34.015	20.795	0.0	-34.744	20.698	0.0	-29.861	22.268	0.015	-29.192	23.389	0.093	0.086	186.764	2.104	0.086	220.881	2.132	0.086	71.79	0.1	0.086	61.553	0.135
6	9321	9322	NS	1	-34.736	20.846	0.0	-31.34	21.505	0.0	-9.048	22.09	0.002	-14.497	23.993	0.085	0.086	220.495	0.87	0.086	100.915	0.633	0.086	0.661	0.0	0.086	2.15	0.005
7	9321	9322	SN	1	-34.898	20.794	0.0	-34.648	20.698	0.0	-29.549	22.268	0.015	-29.192	23.391	0.086	0.086	228.835	2.145	0.086	216.052	2.175	0.086	66.83	0.1	0.086	61.553	0.135
8	9322	9323	SN	2	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.231	0.086	201.46	1.725	0.086	22.182	0.043	0.086	2.034	0.023
9	9322	9323	NS	1	-34.888	16.188	0.0	-34.697	15.108	0.0	-14.883	21.821	0.0	-25.47	22.678	0.048	0.087	228.318	3.625	0.087	218.54	3.822	0.086	2.344	0.002	0.086	26.155	0.023
10	9322	9323	SN	1	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.231	0.086	201.46	1.725	0.086	22.182	0.043	0.086	2.034	0.023
11	9322	9323	NS	1	-34.015	16.194	0.0	-34.402	15.105	0.0	-14.882	21.821	0.0	-25.452	22.678	0.048	0.087	186.758	3.617	0.087	204.107	3.769	0.086	2.344	0.002	0.086	26.053	0.023
12	9322	9323	SN	1	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.201	0.086	201.46	1.708	0.086	22.182	0.043	0.086	2.034	0.023
13	9323	9324	NS	1	-33.209	17.126	0.0	-33.282	16.094	0.0	-28.435	21.83	0.0	-32.615	22.551	0.038	0.087	155.149	1.279	0.087	157.721	1.287	0.086	51.713	0.139	0.086	135.294	0.163
14	9323	9324	SN	2	-34.221	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.204	0.087	208.167	2.873	0.087	242.724	2.732	0.086	0.133	0.0	0.086	0.13	0.0
15	9323	9324	SN	1	-34.221	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.204	0.087	208.167	2.873	0.087	242.724	2.732	0.086	0.133	0.0	0.086	0.13	0.0
16	9323	9324	SN	1	-34.826	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.207	0.087	225.068	2.928	0.087	242.724	2.768	0.086	0.133	0.0	0.086	0.13	0.0
17	9323	9324	NS	1	-34.807	17.135	0.0	-34.857	16.095	0.0	-28.435	21.841	0.0	-32.617	22.551	0.038	0.087	224.137	1.282	0.087	226.704	1.286	0.086	51.713	0.139	0.086	135.333	0.163
18	9324	9325	SN	1	-34.987	17.313	0.0	-34.776	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.297	0.087	233.588	3.151	0.087	222.54	3.108	0.086	0.137	0.0	0.086	0.126	0.0
19	9324	9325	NS	2	-34.513	13.091	0.0	-34.8	15.39	0.0	-8.228	22.99	0.019	-5.628	22.924	0.046	0.088	209.429	2.058	0.087	223.662	2.056	0.086	0.559	0.0	0.086	0.339	0.0
20	9324	9325	SN	1	-34.946	17.313	0.0	-34.597	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.278	0.087	248.436	3.085	0.087	213.536	3.037	0.086	0.137	0.0	0.086	0.126	0.0
21	9324	9325	NS	1	-34.513	13.091	0.0	-34.8	15.39	0.0	-8.228	22.99	0.019	-5.628	22.924	0.046	0.088	209.429	2.058	0.087	223.662	2.056	0.086	0.559	0.0	0.086	0.339	0.0
22	9324	9325	SN	1	-34.987	17.313	0.0	-34.776	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.278	0.087	233.588	3.077	0.087	222.54	3.046	0.086	0.137	0.0	0.086	0.126	0.0
23	9325	9326	NS	2	-34.832	14.691	0.0	-34.645	14.472	0.0	-12.045	22.757	0.012	-15.282	22.86	0.058	0.088	225.414	1.451	0.088	215.885	1.612	0.086	1.251	0.002	0.086	2.564	0.019
24	9325	9326	SN	1	-34.987	17.024	0.0	-34.965	16.663	0.0	0.642	22.022	0.005	2.338	22.967	0.104	0.087	233.565	3.892	0.087	232.396	3.826	0.086	0.14	0.0	0.086	0.121	0.0
25	9325	9326	SN	1	-34.987	17.024	0.0	-34.965	16.663	0.0	0.642	22.022	0.004	2.338	22.967	0.102	0.087	233.565	3.781	0.087	232.396	3.674	0.086	0.14	0.0	0.086	0.121	0.0
26	9325	9326	SN	1	-34.925	17.024	0.0	-34.69	16.663	0.0	0.642	22.022	0.004	2.338	22.967	0.102	0.087	230.259	3.786	0.087	218.102	3.677	0.086	0.14	0.0	0.086	0.121	0.0
27	9325	9326	NS	1	-34.832	14.691	0.0	-34.645	14.472	0.0	-12.043	22.757	0.012	-15.282	22.86	0.058	0.088	225.414	1.451	0.088	215.885	1.612	0.086	1.251	0.002	0.086	2.564	0.019
28	9326	9327	SN	1	-34.795	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.247	3.308	23.397	0.445	0.087	223.458	3.713	0.087	218.353	3.45	0.086	0.137	0.0	0.086	0.114	0.0
29	9326	9327	NS	1	-34.086	20.161	0.0	-34.589	18.891	0.0	-28.427	22.523	0.009	-20.699	22.947	0.099	0.086	189.8	0.923	0.086	213.143	0.885	0.086	51.625	0.054	0.086	8.761	0.032
30	9326	9327	SN	1	-34.795	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.265	3.308	23.397	0.446	0.087	223.458	3.863	0.087	218.353	3.685	0.086	0.137	0.0	0.086	0.114	0.0
31	9326	9327	NS	2	-34.086	20.161	0.0	-34.963	18.891	0.0	-28.427	22.523	0.009	-20.699	22.947	0.099	0.086	189.8	0.923	0.086	232.273	0.886	0.086	51.625	0.054	0.086	8.761	0.032
32	9326	9327	SN	1	-34.988	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.247	3.308	23.397	0.445	0.087	233.656	3.704	0.087	218.353	3.46	0.086	0.137	0.0	0.086	0.114	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0		

Alarming High Errors

33	9327	9328	SN	1	-34.536	18.544	0.0	-33.616	18.69	0.0	-17.58	24.284	0.469	-17.588	24.444	1.29	0.086	210.542	2.174	0.086	170.379	1.932	0.086	4.307	0.003	0.086	4.314	0.002
34	9327	9328	SN	1	-34.71	18.543	0.0	-34.544	18.69	0.0	-17.47	24.287	0.506	-17.574	24.446	1.278	0.086	219.118	2.349	0.086	210.939	2.24	0.086	4.2	0.004	0.086	4.3	0.002
35	9327	9328	NS	1	-34.433	18.622	0.0	-34.547	20.586	0.0	0.333	22.325	0.009	1.662	23.272	0.231	0.086	205.578	2.061	0.086	211.11	1.996	0.086	0.144	0.0	0.086	0.128	0.0
36	9327	9328	SN	1	-34.71	18.543	0.0	-34.544	18.69	0.0	-17.566	24.287	0.47	-17.574	24.446	1.276	0.086	219.118	2.18	0.086	210.939	1.931	0.086	4.293	0.003	0.086	4.3	0.002
37	9328	9329	NS	2	-34.883	18.368	0.0	-34.973	21.808	0.0	-2.141	22.902	0.02	-5.385	23.926	0.803	0.086	228.013	4.639	0.086	232.827	4.362	0.086	0.194	0.0	0.086	0.325	0.0
38	9328	9329	SN	1	-33.437	19.703	0.0	-34.829	19.332	0.0	-26.385	23.099	0.198	-14.713	24.228	0.653	0.086	163.441	2.778	0.086	225.208	2.238	0.086	33.4	0.061	0.086	2.425	0.005
39	9328	9329	NS	1	-34.883	18.368	0.0	-34.973	21.808	0.0	-2.141	22.902	0.02	-5.385	23.926	0.803	0.086	228.013	4.639	0.086	232.827	4.362	0.086	0.194	0.0	0.086	0.325	0.0
40	9329	9330	NS	1	-34.566	21.703	0.0	-34.286	20.393	0.0	-20.205	22.393	0.012	-18.033	23.881	1.293	0.086	212.006	3.07	0.086	198.722	2.913	0.086	7.828	0.046	0.086	4.773	0.05
41	9329	9330	NS	1	-34.566	21.703	0.0	-34.286	20.393	0.0	-20.205	22.393	0.012	-18.033	23.88	1.29	0.086	212.006	3.065	0.086	198.722	2.912	0.086	7.828	0.046	0.086	4.773	0.05
42	9329	9330	SN	1	-34.718	20.885	0.0	-34.636	21.378	0.0	-4.944	23.212	0.164	-6.954	23.34	0.127	0.086	219.521	2.09	0.086	215.435	1.842	0.086	0.324	0.0	0.086	0.468	0.0
43	9330	9331	NS	1	-34.789	18.759	0.0	-34.922	20.473	0.0	-20.165	23.001	0.008	-26.249	23.948	0.979	0.086	223.161	2.756	0.086	230.093	2.683	0.086	7.758	0.005	0.086	31.287	0.028
44	9335	9336	NS	1	-34.691	20.95	0.0	-34.642	21.25	0.0	0.126	23.674	0.023	-0.057	24.449	0.162	0.086	218.19	1.932	0.086	215.757	2.236	0.086	0.147	0.0	0.086	0.15	0.0
45	9335	9336	SN	1	-34.897	21.912	0.0	-34.365	19.177	0.0	-27.05	22.93	0.046	-30.25	23.394	0.076	0.086	228.78	5.544	0.086	202.365	4.502	0.086	37.614	0.014	0.086	78.501	0.005
46	9335	9336	SN	1	-34.906	21.912	0.0	-34.916	19.177	0.0	-24.815	22.928	0.048	-30.845	23.394	0.076	0.086	229.23	5.537	0.086	229.72	4.501	0.086	22.506	0.012	0.086	90.036	0.005
47	9335	9336	SN	1	-34.897	21.912	0.0	-34.365	19.177	0.0	-27.05	22.93	0.046	-25.061	23.394	0.076	0.086	228.78	5.772	0.086	202.365	4.697	0.086	37.614	0.014	0.086	23.812	0.005
48	9336	9337	NS	1	-33.534	20.319	0.0	-34.314	20.138	0.0	-14.599	23.487	0.003	-11.28	23.08	0.057	0.086	167.146	2.039	0.086	200.017	2.156	0.086	2.2	0.002	0.086	1.06	0.001
49	9336	9337	SN	1	-34.798	19.938	0.0	-33.327	19.655	0.0	-16.308	22.823	0.024	-2.882	23.003	0.078	0.086	223.653	1.342	0.086	159.396	1.326	0.086	3.23	0.002	0.086	0.215	0.0
50	9336	9337	SN	2	-34.798	19.938	0.0	-33.327	19.655	0.0	-16.308	22.823	0.024	-2.882	23.003	0.078	0.086	223.653	1.342	0.086	159.396	1.326	0.086	3.23	0.002	0.086	0.215	0.0
51	9336	9337	NS	1	-34.212	20.008	0.0	-34.557	20.138	0.0	-14.599	23.487	0.003	-11.277	23.078	0.057	0.086	195.393	2.048	0.086	211.538	2.158	0.086	2.2	0.002	0.086	1.059	0.001
52	9336	9337	SN	1	-34.798	19.938	0.0	-33.327	19.655	0.0	-16.308	22.823	0.024	-2.882	23.003	0.078	0.086	223.653	1.32	0.086	159.396	1.309	0.086	3.23	0.002	0.086	0.215	0.0
53	9337	9338	SN	1	-34.103	16.988	0.0	-34.686	16.819	0.0	-6.398	22.545	0.029	2.424	22.789	0.159	0.087	194.587	2.684	0.087	217.995	2.623	0.086	0.405	0.0	0.086	0.12	0.0
54	9337	9338	NS	1	-34.207	16.125	0.0	-34.151	16.807	0.0	-6.992	21.316	0.0	-18.225	22.947	0.024	0.087	195.188	2.609	0.087	192.686	2.535	0.086	0.438	0.0	0.086	4.985	0.018
55	9338	9339	SN	1	-34.824	16.552	0.0	-34.765	17.302	0.0	1.13	22.866	0.133	1.284	22.749	0.395	0.087	224.974	1.04	0.087	221.948	1.064	0.086	0.134	0.0	0.086	0.132	0.0
56	9338	9339	NS	1	-34.213	16.282	0.0	-34.782	17.514	0.0	-15.374	22.498	0.007	-33.296	23.094	0.026	0.087	195.47	0.739	0.087	222.852	0.617	0.086	2.616	0.019	0.086	158.276	0.067
57	9338	9339	NS	1	-33.087	16.286	0.0	-34.462	17.515	0.0	-15.369	22.508	0.007	-33.791	23.097	0.026	0.087	150.804	0.741	0.087	206.964	0.62	0.086	2.614	0.017	0.086	177.323	0.069
58	9338	9339	SN	1	-34.824	16.552	0.0	-34.765	17.302	0.0	1.13	22.866	0.133	1.284	22.749	0.409	0.087	224.974	1.058	0.087	221.948	1.08	0.086	0.134	0.0	0.086	0.132	0.0
59	9339	9340	NS	1	-34.604	14.641	0.0	-33.494	14.766	0.0	-14.9	22.661	0.015	-20.864	22.283	0.015	0.088	213.919	1.519	0.088	165.634	1.556	0.086	2.353	0.03	0.086	9.1	0.019
60	9339	9340	NS	2	-34.604	14.641	0.0	-33.494	14.766	0.0	-14.9	22.661	0.015	-20.864	22.283	0.015	0.088	213.919	1.519	0.088	165.634	1.556	0.086	2.353	0.03	0.086	9.1	0.019
61	9339	9340	SN	1	-34.885	16.332	0.0	-34.256	17.322	0.0	1.153	22.396	0.021	1.778	22.981	0.271	0.087	228.145	2.565	0.087	197.412	2.16	0.086	0.133	0.0	0.086	0.126	0.0
62	9339	9340	SN	1	-34.659	16.332	0.0	-34.84	17.322	0.0	1.153	22.396	0.02	1.778	22.981	0.258	0.087	216.554	2.508	0.087	242.399	2.098	0.086	0.133	0.0	0.086	0.126	0.0
63	9339	9340	SN	1	-34.885	16.332	0.0	-34.256	17.322	0.0	1.153	22.396	0.02	1.778	22.981	0.258	0.087	228.145	2.505	0.087	197.412	2.105	0.086	0.133	0.0	0.086	0.126	0.0
64	9340	9341	SN	1	-34.945	17.156	0.0	-34.837	17.014	0.0	1.009	22.902	0.011	3.456	22.39	0.016	0.087	239.316	4.66	0.087	225.65	4.187	0.086	0.135	0.0	0.086	0.113	0.0
65	9340	9341	NS	2	-34.775	19.462	0.0	-34.793	18.151	0.0	-26.928	21.978	0.0	-22.156	23.0	0.072	0.086	228.094	2.403	0.086	223.371	2.492	0.086	36.577	0.08	0.086	12.232	0.027
66	9340	9341	SN	1	-34.946	17.156	0.0	-34.871	17.014	0.0	1.009	22.902	0.011	3.456	22.39	0.016	0.087	239.363	4.611	0.087	227.382	4.144	0.086	0.135	0.0	0.086	0.113	0.0
67	9340	9341	NS	1	-34.775	19.462	0.0	-34.793	18.151	0.0	-26.928	21.978	0.0	-22.156	23.0	0.072	0.086	228.094	2.403	0.086	223.371	2.493	0.086	36.577	0.08	0.086	12.232	0.027
68	9340	9341	SN	1	-34.988	17.156	0.0	-34.496	17.014	0.0	1.009	22.902	0.011	3.456	22.39	0.016	0.087	241.69	4.606	0.087	208.588	4.142	0.086	0.135	0.0	0.086	0.113	0.0
69	9341	9342	NS	2	-34.843	18.416	0.0	-34.909	21.78	0.0	-4.044	22.398	0.016	1.708	22.829	0.196	0.086	225.933	2.911	0.086	229.389	2.894	0.086	0.258	0.0	0.086	0.127	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors



70	9341	9342	SN	2	-34.727	16.685	0.0	-34.691	17.037	0.0	-14.463	23.634	0.345	-12.631	23.699	0.854	0.087	219.978	3.329	0.087	218.199	2.807	0.086	2.208	0.009	0.086	1.529	0.004
71	9341	9342	NS	1	-34.962	18.416	0.0	-34.909	21.78	0.0	-4.044	22.398	0.016	1.708	22.829	0.196	0.086	232.216	2.911	0.086	229.389	2.894	0.086	0.258	0.0	0.086	0.127	0.0
72	9341	9342	SN	1	-34.727	16.685	0.0	-34.691	17.037	0.0	-14.464	23.634	0.369	-12.631	23.699	0.857	0.087	219.978	3.551	0.087	218.199	2.891	0.086	2.209	0.009	0.086	1.529	0.004
73	9341	9342	SN	1	-34.727	16.685	0.0	-34.691	17.037	0.0	-14.463	23.634	0.345	-12.631	23.699	0.854	0.087	219.978	3.329	0.087	218.199	2.807	0.086	2.208	0.009	0.086	1.529	0.004
74	9342	9343	SN	1	-34.198	19.149	0.0	-34.244	18.295	0.0	-15.337	23.761	0.29	-24.001	24.266	1.017	0.086	194.79	1.323	0.086	196.866	1.426	0.086	2.595	0.004	0.086	18.672	0.014
75	9342	9343	NS	1	-34.8	18.558	0.0	-34.646	19.138	0.0	1.269	23.312	0.032	-22.318	23.611	0.421	0.086	223.678	5.892	0.086	215.923	5.297	0.086	0.132	0.0	0.086	12.693	0.002
76	9342	9343	NS	2	-34.8	18.558	0.0	-34.646	19.138	0.0	1.269	23.312	0.032	-22.283	23.611	0.421	0.086	223.678	5.892	0.086	215.923	5.297	0.086	0.132	0.0	0.086	12.593	0.002
77	9342	9343	SN	1	-34.47	19.148	0.0	-34.054	18.297	0.0	-15.434	23.761	0.269	-23.991	24.266	1.095	0.086	207.384	1.366	0.086	188.387	2.098	0.086	2.652	0.004	0.086	18.629	0.014
78	9342	9343	SN	1	-34.84	19.149	0.0	-34.727	18.295	0.0	-15.361	23.761	0.269	-24.001	24.266	1.072	0.086	225.806	1.366	0.086	219.989	2.103	0.086	2.61	0.004	0.086	18.672	0.014
79	9343	9344	NS	1	-34.999	20.905	0.0	-34.954	21.176	0.0	-19.144	22.388	0.042	-28.358	23.847	1.26	0.086	234.196	6.1	0.086	231.814	5.466	0.086	6.146	0.066	0.086	50.803	0.061
80	9343	9344	SN	2	-34.984	19.7	0.0	-34.883	19.321	0.0	-14.662	23.495	0.208	-4.333	23.408	0.382	0.086	233.385	2.806	0.086	228.044	3.628	0.086	2.231	0.006	0.086	0.271	0.0
81	9343	9344	NS	1	-34.999	20.905	0.0	-34.954	21.176	0.0	-19.144	22.388	0.042	-28.358	23.843	1.257	0.086	234.196	6.092	0.086	231.814	5.469	0.086	6.146	0.066	0.086	50.803	0.06
82	9343	9344	SN	1	-34.984	19.7	0.0	-34.883	19.321	0.0	-14.662	23.495	0.208	-4.333	23.408	0.382	0.086	233.385	2.806	0.086	228.044	3.628	0.086	2.231	0.006	0.086	0.271	0.0
83	9344	9345	NS	1	-34.674	21.836	0.0	-34.246	17.992	0.0	-22.575	22.153	0.008	-34.055	24.191	1.218	0.086	217.326	2.512	0.086	196.956	2.542	0.086	13.466	0.116	0.086	188.473	0.143
84	9344	9345	NS	1	-34.885	21.836	0.0	-34.792	17.992	0.0	-22.587	22.153	0.008	-28.466	24.192	1.224	0.086	228.151	2.513	0.086	223.33	2.54	0.086	13.502	0.116	0.086	52.093	0.137

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors