

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 19-APR-2018 To 20-APR-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 19-APR-2018 To 20-APR-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8262	8263	NS	1	48.758	49.401	0.0	0.0	264.908	2.859	1038.504	1075.944	0.0	-91.575	-89.918	0.0
2	8262	8263	SN	1	48.759	49.309	0.0	0.003	280.085	2.429	1035.352	1075.24	0.0	-91.49	-89.834	0.0
3	8262	8263	NS	2	48.758	49.401	0.0	0.0	264.908	2.86	1038.504	1075.944	0.0	-91.575	-89.918	0.0
4	8262	8263	SN	1	48.759	49.309	0.0	0.003	280.085	2.731	1035.352	1075.68	0.0	-91.49	-89.834	0.0
5	8262	8263	SN	1	48.759	49.309	0.0	0.003	281.723	2.728	1035.352	1075.68	0.0	-91.49	-89.833	0.0
6	8263	8264	SN	1	48.714	49.309	0.0	0.003	6.177	2.537	1035.56	1075.6	0.0	-91.458	-89.89	0.0
7	8263	8264	SN	1	48.714	49.309	0.0	0.003	5.874	2.382	1035.56	1075.4	0.0	-91.458	-89.89	0.0
8	8263	8264	SN	1	48.714	49.309	0.0	0.003	5.874	2.38	1035.56	1075.4	0.0	-91.458	-89.89	0.0
9	8263	8264	NS	2	48.79	49.402	0.0	0.0	265.321	2.669	1038.488	1076.0	0.0	-91.46	-89.927	0.0
10	8263	8264	NS	1	48.791	49.402	0.0	0.0	42.573	2.669	1038.496	1075.984	0.0	-91.467	-89.927	0.0
11	8264	8265	SN	1	48.709	49.314	0.0	0.003	6.166	2.503	1035.792	1075.576	0.0	-91.595	-89.891	0.0
12	8264	8265	SN	1	48.727	49.316	0.0	0.003	6.166	2.501	1035.792	1075.576	0.0	-91.551	-89.891	0.0
13	8264	8265	SN	1	48.709	49.314	0.0	0.003	5.868	2.319	1035.792	1075.24	0.0	-91.595	-89.891	0.0
14	8264	8265	NS	1	48.789	49.401	0.0	0.003	210.348	2.535	1039.216	1075.92	0.0	-91.491	-89.929	0.0
15	8265	8266	SN	1	48.701	49.372	0.0	0.003	29.061	2.557	1035.008	1075.536	0.0	-91.522	-89.889	0.0
16	8265	8266	NS	2	48.791	49.4	0.0	0.003	210.055	2.695	1038.72	1075.896	0.0	-91.538	-89.926	0.0
17	8265	8266	NS	1	48.791	49.4	0.0	0.003	210.055	2.695	1038.72	1075.896	0.0	-91.538	-89.926	0.0
18	8265	8266	SN	1	48.701	49.372	0.0	0.003	282.202	2.258	1035.128	1075.112	0.0	-91.526	-89.889	0.0
19	8265	8266	SN	1	48.701	49.372	0.0	0.003	282.202	2.555	1035.128	1075.536	0.0	-91.526	-89.889	0.0
20	8266	8267	SN	1	48.729	49.335	0.0	0.003	27.641	2.083	1035.136	1074.872	0.0	-91.863	-89.89	0.0
21	8266	8267	SN	2	48.729	49.335	0.0	0.003	27.641	2.559	1035.136	1075.592	0.0	-91.863	-89.89	0.0
22	8266	8267	SN	1	48.729	49.335	0.0	0.003	27.641	2.559	1035.136	1075.592	0.0	-91.863	-89.89	0.0
23	8266	8267	NS	1	48.774	49.4	0.0	0.003	210.756	2.61	1039.392	1075.856	0.0	-91.573	-89.908	0.0
24	8266	8267	NS	1	48.773	49.401	0.0	0.003	41.553	2.607	1039.392	1075.864	0.0	-91.521	-89.908	0.0
25	8267	8268	SN	1	48.7	49.307	0.0	0.003	6.188	2.62	1036.008	1075.608	0.0	-91.646	-89.891	0.0
26	8267	8268	SN	2	48.7	49.307	0.0	0.003	6.188	2.621	1036.008	1075.616	0.0	-91.646	-89.891	0.0
27	8267	8268	NS	1	48.824	49.463	0.0	0.0	211.859	2.724	1038.184	1075.896	0.0	-91.596	-89.926	0.0
28	8267	8268	SN	1	48.7	49.307	0.0	0.003	5.862	1.885	1036.008	1074.448	0.0	-91.621	-89.891	0.0
29	8267	8268	NS	1	48.824	49.463	0.0	0.0	211.859	2.726	1038.136	1075.896	0.0	-91.596	-89.926	0.0
30	8268	8269	SN	1	48.723	49.322	0.0	0.003	6.199	2.664	1035.312	1075.6	0.0	-91.594	-89.856	0.0
31	8268	8269	NS	1	48.781	49.442	0.0	0.003	267.522	2.598	1037.832	1075.912	0.0	-91.75	-89.922	0.0
32	8268	8269	SN	1	48.723	49.322	0.0	0.003	5.862	1.635	1035.896	1073.688	0.0	-91.594	-89.856	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	8268	8269	SN	1	48.723	49.322	0.0	0.003	6.199	2.666	1035.896	1075.6	0.0	-91.594	-89.856	0.0
34	8268	8269	NS	2	48.782	49.441	0.0	0.003	210.745	2.599	1037.816	1075.896	0.0	-92.259	-89.922	0.0
35	8269	8270	NS	1	48.775	49.4	0.0	0.0	267.555	2.764	1038.944	1075.872	0.0	-91.678	-89.919	0.0
36	8269	8270	SN	1	48.729	49.377	0.0	0.0	214.649	2.784	1035.552	1075.72	0.0	-91.508	-89.88	0.0
37	8269	8270	SN	1	48.729	49.377	0.0	0.003	214.649	1.508	1035.552	1073.28	0.0	-91.508	-89.88	0.0
38	8269	8270	SN	1	48.729	49.377	0.0	0.0	214.649	2.781	1035.552	1075.72	0.0	-91.508	-89.88	0.0
39	8269	8270	NS	2	48.776	49.399	0.0	0.0	210.811	2.761	1038.944	1075.864	0.0	-91.678	-89.919	0.0
40	8270	8271	SN	1	48.743	49.31	0.0	0.0	216.039	2.543	1035.864	1075.904	0.0	-92.813	-89.897	0.0
41	8270	8271	NS	1	48.574	49.434	0.0	0.0	233.125	2.833	1035.4	1076.024	0.0	-93.756	-89.904	0.0
42	8271	8272	NS	1	48.79	49.4	0.0	0.003	266.402	2.688	1038.856	1076.176	0.0	-91.651	-89.921	0.0
43	8271	8272	NS	1	48.79	49.4	0.0	0.003	266.402	2.675	1038.856	1076.176	0.0	-91.651	-89.921	0.0
44	8276	8277	SN	1	48.662	49.328	0.0	0.003	6.177	2.693	1037.04	1075.632	0.0	-91.432	-89.892	0.0
45	8276	8277	SN	1	48.662	49.328	0.0	0.003	5.862	1.992	1037.04	1074.696	0.0	-91.432	-89.892	0.0
46	8276	8277	SN	1	48.662	49.328	0.0	0.003	6.177	2.69	1037.04	1075.632	0.0	-91.432	-89.892	0.0
47	8277	8278	SN	1	48.706	49.337	0.0	0.003	280.096	2.588	1035.984	1075.632	0.0	-91.482	-89.9	0.0
48	8277	8278	NS	1	48.818	49.398	0.0	0.003	267.522	2.547	1037.408	1075.872	0.0	-91.514	-89.903	0.0
49	8277	8278	SN	1	48.706	49.337	0.0	0.003	280.096	2.389	1035.984	1075.424	0.0	-91.482	-89.9	0.0
50	8277	8278	SN	1	48.714	49.348	0.0	0.003	280.096	2.598	1036.08	1075.632	0.0	-91.457	-89.9	0.0
51	8278	8279	SN	1	48.704	49.313	0.0	0.003	215.328	2.354	1036.272	1075.384	0.0	-91.573	-89.898	0.0
52	8278	8279	SN	1	48.704	49.346	0.0	0.003	215.333	2.528	1036.208	1075.552	0.0	-91.586	-89.898	0.0
53	8278	8279	NS	2	48.811	49.398	0.0	0.0	150.466	2.649	1037.96	1075.944	0.0	-91.448	-89.917	0.0
54	8278	8279	SN	1	48.704	49.346	0.0	0.003	215.333	2.369	1036.208	1075.392	0.0	-91.586	-89.898	0.0
55	8278	8279	NS	1	48.811	49.398	0.0	0.0	150.466	2.649	1037.96	1075.944	0.0	-91.448	-89.917	0.0
56	8279	8280	SN	2	48.712	49.331	0.0	0.003	6.171	2.557	1036.76	1075.536	0.0	-91.552	-89.898	0.0
57	8279	8280	SN	1	48.712	49.331	0.0	0.003	5.868	2.315	1036.76	1075.296	0.0	-91.823	-89.898	0.0
58	8279	8280	SN	1	48.712	49.331	0.0	0.003	6.171	2.557	1036.76	1075.536	0.0	-91.552	-89.898	0.0
59	8279	8280	NS	1	48.793	49.397	0.0	0.0	257.81	2.593	1037.576	1075.816	0.0	-91.557	-89.918	0.0
60	8279	8280	NS	1	48.793	49.397	0.0	0.0	257.81	2.591	1037.576	1075.816	0.0	-91.557	-89.918	0.0
61	8280	8281	NS	1	48.819	49.398	0.0	0.0	264.279	2.765	1038.184	1075.784	0.0	-91.543	-89.879	0.0
62	8280	8281	SN	1	48.709	49.359	0.0	0.003	215.659	2.161	1036.168	1075.072	0.0	-91.645	-89.899	0.0
63	8280	8281	SN	1	48.709	49.359	0.0	0.003	215.659	2.548	1035.92	1075.568	0.0	-91.662	-89.899	0.0
64	8280	8281	SN	2	48.709	49.359	0.0	0.003	215.659	2.547	1036.168	1075.568	0.0	-91.662	-89.899	0.0
65	8280	8281	NS	1	48.819	49.398	0.0	0.0	264.279	2.762	1038.448	1075.784	0.0	-91.571	-89.879	0.0
66	8281	8282	SN	2	48.717	49.341	0.0	0.003	27.5	2.573	1036.136	1075.6	0.0	-91.923	-89.899	0.0
67	8281	8282	SN	1	48.717	49.341	0.0	0.003	27.5	2.504	1036.136	1075.576	0.0	-91.923	-89.899	0.0
68	8281	8282	NS	1	48.819	49.399	0.0	0.003	43.025	2.711	1037.552	1075.872	0.0	-91.654	-89.916	0.0
69	8281	8282	NS	1	48.819	49.399	0.0	0.003	43.025	2.708	1037.4	1075.872	0.0	-91.654	-89.916	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8281	8282	SN	1	48.717	49.341	0.0	0.003	27.5	2.573	1036.136	1075.6	0.0	-91.923	-89.899	0.0
71	8282	8283	SN	1	48.7	49.366	0.0	0.003	6.193	2.643	1036.592	1075.568	0.0	-91.515	-89.888	0.0
72	8282	8283	SN	1	48.7	49.366	0.0	0.003	6.193	2.645	1036.592	1075.568	0.0	-91.535	-89.888	0.0
73	8282	8283	NS	2	48.759	49.45	0.0	0.0	210.811	2.731	1037.28	1075.888	0.0	-91.806	-89.915	0.0
74	8282	8283	NS	1	48.759	49.45	0.0	0.0	210.811	2.731	1037.28	1075.888	0.0	-91.806	-89.915	0.0
75	8282	8283	SN	1	48.7	49.366	0.0	0.003	5.857	1.757	1036.592	1074.312	0.0	-91.535	-89.888	0.0
76	8283	8284	SN	1	48.706	49.377	0.0	0.003	6.177	2.652	1037.088	1075.616	0.0	-91.559	-89.891	0.0
77	8283	8284	SN	1	48.706	49.377	0.0	0.003	5.857	1.741	1036.52	1074.336	0.0	-91.559	-89.891	0.0
78	8283	8284	SN	1	48.706	49.377	0.0	0.003	6.182	2.654	1036.52	1075.632	0.0	-91.559	-89.891	0.0
79	8283	8284	NS	1	48.759	49.453	0.0	0.003	41.575	2.645	1037.92	1075.816	0.0	-91.74	-89.904	0.0
80	8284	8285	SN	1	48.729	49.372	0.0	0.003	6.177	2.566	1036.576	1075.824	0.0	-91.58	-89.888	0.0
81	8284	8285	NS	2	48.815	49.417	0.0	0.0	73.769	2.737	1037.936	1075.832	0.0	-91.703	-89.854	0.0
82	8284	8285	NS	1	48.816	49.417	0.0	0.0	73.769	2.738	1037.936	1075.84	0.0	-91.703	-89.854	0.0
83	8285	8286	SN	1	48.771	49.357	0.0	0.003	32.519	2.557	1036.832	1075.904	0.0	-91.653	-89.908	0.0
84	8285	8286	NS	1	48.757	49.396	0.0	0.003	210.359	2.743	1036.792	1076.128	0.0	-91.479	-89.912	0.0
85	8285	8286	NS	1	48.756	49.396	0.0	0.003	210.359	2.742	1036.8	1076.12	0.0	-91.48	-89.912	0.0
86	8286	8287	NS	1	48.813	49.396	0.0	0.0	53.997	2.78	1037.112	1076.168	0.0	-91.462	-89.91	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8262	8263	NS	1	-34.892	28.193	0.377	-34.815	28.527	0.072	4.188	30.962	18.735	7.512	35.385	31.991	0.116	299.003	4.805	0.116	293.742	4.29	0.116	0.146	0.0	0.116	0.129	0.0
2	8262	8263	SN	1	-34.914	26.23	1.35	-34.335	26.575	3.339	-31.311	36.383	16.907	-18.726	30.306	21.047	0.116	300.467	3.714	0.116	263.029	2.958	0.116	131.154	0.024	0.116	7.315	0.005
3	8262	8263	NS	2	-34.892	28.193	0.37	-34.815	28.527	0.072	4.188	30.962	18.735	7.512	35.385	31.991	0.116	299.003	4.805	0.116	293.742	4.295	0.116	0.146	0.0	0.116	0.129	0.0
4	8262	8263	SN	1	-34.914	26.23	2.139	-34.335	26.575	3.174	-31.311	36.383	16.907	-18.726	30.306	21.045	0.116	300.467	3.502	0.116	263.029	2.791	0.116	131.154	0.024	0.116	7.315	0.005
5	8262	8263	SN	1	-34.914	26.23	2.141	-34.335	26.575	3.172	-31.311	36.383	16.875	-18.762	30.306	21.025	0.116	300.467	3.502	0.116	263.029	2.789	0.116	131.154	0.026	0.116	7.374	0.005
6	8263	8264	SN	1	-34.38	25.322	0.846	-34.733	25.841	1.254	5.062	29.947	12.209	5.454	30.188	9.879	0.116	265.76	3.095	0.116	288.256	2.872	0.116	0.14	0.0	0.116	0.138	0.0
7	8263	8264	SN	1	-33.987	25.32	0.853	-33.88	25.841	1.284	5.064	29.947	12.21	5.454	30.188	9.877	0.116	242.781	3.164	0.116	236.916	2.939	0.116	0.14	0.0	0.116	0.138	0.0
8	8263	8264	SN	1	-34.38	25.322	0.866	-34.733	25.841	1.282	5.062	29.947	12.209	5.454	30.188	9.879	0.116	265.76	3.169	0.116	288.256	2.936	0.116	0.14	0.0	0.116	0.138	0.0
9	8263	8264	NS	2	-34.592	28.162	0.043	-34.857	28.14	0.042	-10.426	34.464	11.772	-3.313	31.019	24.621	0.116	279.073	6.118	0.116	296.529	6.23	0.116	1.16	0.002	0.116	0.306	0.0
10	8263	8264	NS	1	-34.999	28.162	0.043	-34.996	28.14	0.042	-10.426	34.464	11.772	-3.313	31.019	24.621	0.116	306.421	6.119	0.116	306.254	6.232	0.116	1.16	0.002	0.116	0.306	0.0
11	8264	8265	SN	1	-34.099	25.81	0.291	-34.742	26.197	0.336	7.806	29.423	21.338	8.532	29.584	16.726	0.116	249.076	1.936	0.116	288.847	1.741	0.116	0.128	0.0	0.116	0.126	0.0
12	8264	8265	SN	1	-33.582	25.81	0.291	-34.47	26.197	0.342	7.808	29.423	21.289	8.532	29.584	16.726	0.116	221.116	1.935	0.116	271.329	1.737	0.116	0.128	0.0	0.116	0.126	0.0
13	8264	8265	SN	1	-34.099	25.81	0.296	-34.742	26.197	0.339	7.806	29.423	21.347	8.532	29.584	16.761	0.116	249.076	1.973	0.116	288.847	1.77	0.116	0.128	0.0	0.116	0.126	0.0
14	8264	8265	NS	1	-34.704	25.212	0.009	-34.979	26.8	0.008	-3.468	31.364	12.685	-9.908	30.048	22.794	0.116	286.342	4.801	0.116	304.987	5.071	0.116	0.313	0.0	0.116	1.04	0.002
15	8265	8266	SN	1	-34.221	24.983	0.162	-34.895	26.2	0.278	5.87	27.93	15.999	7.737	28.739	9.752	0.116	256.221	3.455	0.116	299.179	2.38	0.116	0.136	0.0	0.116	0.129	0.0
16	8265	8266	NS	2	-34.64	26.766	0.007	-33.744	22.467	0.004	-7.841	30.284	7.851	-16.248	32.599	15.984	0.116	282.188	5.194	0.116	229.601	5.168	0.116	0.682	0.0	0.116	4.174	0.004
17	8265	8266	NS	1	-34.64	26.766	0.007	-33.744	22.467	0.004	-7.841	30.284	7.851	-16.248	32.599	15.984	0.116	282.188	5.194	0.116	229.601	5.168	0.116	0.682	0.0	0.116	4.174	0.004
18	8265	8266	SN	1	-34.114	24.983	0.166	-34.895	26.2	0.282	5.87	27.93	16.113	7.737	28.739	9.86	0.116	249.93	3.545	0.116	299.179	2.435	0.116	0.136	0.0	0.116	0.129	0.0
19	8265	8266	SN	1	-34.114	24.983	0.162	-34.895	26.2	0.279	5.87	27.93	16.095	7.737	28.739	9.753	0.116	249.93	3.457	0.116	299.179	2.388	0.116	0.136	0.0	0.116	0.129	0.0
20	8266	8267	SN	1	-34.987	24.989	0.061	-34.872	25.199	0.099	6.164	28.488	18.363	8.866	30.0	21.742	0.116	305.581	1.748	0.116	297.673	1.65	0.116	0.135	0.0	0.116	0.126	0.0
21	8266	8267	SN	2	-34.987	24.989	0.059	-34.872	25.199	0.096	6.164	28.488	17.914	8.866	30.0	21.172	0.116	305.581	1.692	0.116	297.673	1.597	0.116	0.135	0.0	0.116	0.126	0.0
22	8266	8267	SN	1	-34.987	24.989	0.059	-34.872	25.199	0.096	6.164	28.488	17.914	8.866	30.0	21.172	0.116	305.581	1.692	0.116	297.673	1.597	0.116	0.135	0.0	0.116	0.126	0.0
23	8266	8267	NS	1	-34.315	25.691	0.003	-33.536	22.604	0.007	-4.619	29.684	9.56	-5.331	31.095	17.143	0.116	261.771	2.247	0.116	218.776	1.75	0.116	0.377	0.0	0.116	0.426	0.0
24	8266	8267	NS	1	-34.649	25.693	0.003	-32.994	22.604	0.007	-4.619	29.684	9.562	-5.331	31.095	17.125	0.116	282.702	2.253	0.116	193.164	1.757	0.116	0.377	0.0	0.116	0.426	0.0
25	8267	8268	SN	1	-34.663	21.395	0.0	-34.21	22.308	0.001	5.755	28.38	16.496	8.428	29.594	20.135	0.116	283.702	3.097	0.116	255.52	2.807	0.116	0.136	0.0	0.116	0.127	0.0
26	8267	8268	SN	2	-34.803	21.395	0.0	-34.21	22.308	0.001	5.755	28.38	16.496	8.428	29.594	20.135	0.116	292.927	3.097	0.116	255.52	2.807	0.116	0.136	0.0	0.116	0.127	0.0
27	8267	8268	NS	1	-34.338	24.539	0.372	-33.802	26.349	0.433	-9.047	31.998	7.788	-8.746	30.362	13.057	0.116	263.172	2.442	0.116	232.64	2.146	0.116	0.87	0.0	0.116	0.818	0.0
28	8267	8268	SN	1	-34.472	21.395	0.0	-34.21	21.819	0.0	5.755	28.38	17.634	8.428	29.594	20.37	0.116	271.36	3.223	0.116	255.52	2.97	0.116	0.136	0.0	0.116	0.127	0.0
29	8267	8268	NS	1	-33.5	24.539	0.373	-34.527	26.349	0.434	-9.047	31.998	7.788	-8.746	30.363	13.055	0.116	216.994	2.446	0.116	274.936	2.148	0.116	0.87	0.0	0.116	0.818	0.0
30	8268	8269	SN	1	-33.978	25.306	0.16	-33.56	25.354	0.204	5.064	34.146	12.89	7.008	33.502	16.195	0.116	242.222	5.033	0.116	220.09	3.486	0.116	0.14	0.0	0.116	0.131	0.0
31	8268	8269	NS	1	-34.294	26.347	0.451	-34.359	26.886	0.642	8.602	29.138	18.478	8.124	30.94	28.16	0.116	260.494	2.063	0.116	264.429	1.902	0.116	0.126	0.0	0.116	0.128	0.0
32	8268	8269	SN	1	-34.009	25.306	0.172	-33.812	25.354	0.229	5.065	34.149	13.492	7.008	33.502	16.169	0.116	243.953	5.401	0.116	233.193	3.912	0.116	0.14	0.0	0.116	0.131	0.0
33	8268	8269	SN	1	-34.009	25.306	0.16	-33.812	25.354	0.204	5.065	34.149	12.889	7.008	33.502	16.207	0.116	243.953	5.037	0.116	233.193	3.48	0.116	0.14	0.0	0.116	0.131	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	8268	8269	NS	2	-34.294	26.347	0.451	-34.359	26.886	0.642	8.602	29.138	18.477	8.124	30.94	28.154	0.116	260.494	2.062	0.116	264.429	1.902	0.116	0.126	0.0	0.116	0.128	0.0
35	8269	8270	NS	1	-32.522	25.41	0.469	-34.294	26.118	0.602	-12.996	30.707	19.574	-5.683	30.24	33.989	0.116	173.316	0.742	0.116	260.552	0.689	0.116	2.022	0.002	0.116	0.454	0.0
36	8269	8270	SN	1	-34.617	26.889	0.258	-34.066	27.164	0.322	-4.812	35.652	16.789	-3.224	31.462	20.096	0.116	280.618	4.672	0.116	247.241	4.217	0.116	0.39	0.0	0.116	0.302	0.0
37	8269	8270	SN	1	-34.617	26.889	0.282	-34.066	27.164	0.373	-4.812	35.652	17.461	-3.224	31.462	20.043	0.116	280.618	5.093	0.116	247.241	4.852	0.116	0.39	0.0	0.116	0.302	0.0
38	8269	8270	SN	1	-34.617	26.889	0.258	-34.066	27.164	0.322	-4.816	35.652	16.758	-3.222	31.462	20.051	0.116	280.618	4.674	0.116	247.241	4.218	0.116	0.39	0.0	0.116	0.302	0.0
39	8269	8270	NS	2	-32.522	25.41	0.469	-34.294	26.118	0.602	-12.984	30.707	19.573	-5.688	30.24	33.993	0.116	173.316	0.742	0.116	260.552	0.69	0.116	2.016	0.002	0.116	0.454	0.0
40	8270	8271	SN	1	-34.728	27.534	0.175	-34.3	27.427	0.279	-15.962	29.376	18.678	-0.526	31.472	17.909	0.116	302.745	5.084	0.116	260.875	4.908	0.116	3.914	0.003	0.116	0.212	0.0
41	8270	8271	NS	1	-34.693	29.265	0.283	-34.578	25.906	0.439	2.386	28.745	25.426	0.545	31.986	39.358	0.116	285.621	2.781	0.116	278.137	2.167	0.116	0.163	0.0	0.116	0.19	0.0
42	8271	8272	NS	1	-34.482	27.28	0.263	-34.263	25.705	0.292	-25.336	33.097	13.9	-24.271	32.784	24.351	0.116	272.091	3.108	0.116	258.649	2.737	0.116	33.204	0.045	0.116	25.996	0.027
43	8271	8272	NS	1	-34.482	27.28	0.264	-34.263	25.705	0.292	-25.336	33.097	13.912	-24.271	32.784	24.207	0.116	272.091	3.112	0.116	258.649	2.739	0.116	33.204	0.045	0.116	25.996	0.027
44	8276	8277	SN	1	-33.297	25.496	2.084	-34.337	25.597	2.929	-14.388	29.35	15.609	-8.92	30.222	23.417	0.116	207.126	2.418	0.116	263.157	1.732	0.116	2.752	0.002	0.116	0.848	0.0
45	8276	8277	SN	1	-33.297	25.496	1.335	-34.337	25.597	3.107	-14.388	29.35	15.494	-8.92	30.222	23.415	0.116	207.126	2.543	0.116	263.157	1.928	0.116	2.752	0.002	0.116	0.848	0.0
46	8276	8277	SN	1	-33.297	25.496	2.085	-34.337	25.597	2.926	-14.388	29.35	15.605	-8.921	30.222	23.388	0.116	207.126	2.412	0.116	263.157	1.729	0.116	2.752	0.002	0.116	0.848	0.0
47	8277	8278	SN	1	-34.416	25.823	1.85	-34.091	27.251	2.523	-30.219	31.562	12.645	-26.446	32.927	8.986	0.116	267.899	3.65	0.116	248.667	2.973	0.116	102.008	0.044	0.116	42.827	0.054
48	8277	8278	NS	1	-33.99	28.153	0.137	-34.482	29.921	0.045	5.354	30.756	16.156	6.17	35.08	32.37	0.116	242.959	4.189	0.116	272.09	4.281	0.116	0.139	0.0	0.116	0.135	0.0
49	8277	8278	SN	1	-34.416	25.823	1.844	-34.091	27.251	2.585	-30.219	31.562	12.645	-26.446	32.927	8.988	0.116	267.899	3.764	0.116	248.667	3.063	0.116	102.008	0.044	0.116	42.827	0.054
50	8277	8278	SN	1	-34.532	25.823	1.852	-33.786	27.251	2.521	-29.114	31.562	12.683	-26.679	32.927	8.961	0.116	275.16	3.655	0.116	231.786	2.966	0.116	79.113	0.044	0.116	45.197	0.054
51	8278	8279	SN	1	-34.454	25.747	0.147	-34.772	25.875	0.266	5.35	29.772	15.601	5.916	30.052	12.794	0.116	270.334	2.362	0.116	290.839	2.325	0.116	0.139	0.0	0.116	0.136	0.0
52	8278	8279	SN	1	-34.161	25.749	0.144	-34.649	25.874	0.261	5.351	29.772	15.707	5.914	30.054	12.837	0.116	252.697	2.318	0.116	282.7	2.284	0.116	0.139	0.0	0.116	0.136	0.0
53	8278	8279	NS	2	-34.117	25.416	0.019	-32.128	26.479	0.021	-1.539	30.212	12.789	-9.619	30.54	23.78	0.116	250.169	2.911	0.116	158.249	2.737	0.116	0.239	0.0	0.116	0.98	0.0
54	8278	8279	SN	1	-34.161	25.749	0.146	-34.649	25.874	0.265	5.351	29.772	15.707	5.914	30.054	12.837	0.116	252.697	2.362	0.116	282.7	2.321	0.116	0.139	0.0	0.116	0.136	0.0
55	8278	8279	NS	1	-34.117	25.416	0.019	-32.128	26.479	0.021	-1.539	30.212	12.789	-9.619	30.54	23.78	0.116	250.169	2.911	0.116	158.249	2.737	0.116	0.239	0.0	0.116	0.98	0.0
56	8279	8280	SN	2	-34.352	25.068	0.148	-34.898	26.437	0.245	6.922	28.512	17.926	7.621	28.997	11.303	0.116	264.1	3.136	0.116	299.402	2.671	0.116	0.132	0.0	0.116	0.129	0.0
57	8279	8280	SN	1	-34.352	25.068	0.151	-34.898	26.437	0.249	6.922	28.512	17.957	7.621	28.997	11.261	0.116	264.1	3.198	0.116	299.402	2.72	0.116	0.132	0.0	0.116	0.129	0.0
58	8279	8280	SN	1	-34.352	25.068	0.148	-34.898	26.437	0.245	6.922	28.512	17.926	7.621	28.997	11.303	0.116	264.1	3.136	0.116	299.402	2.671	0.116	0.132	0.0	0.116	0.129	0.0
59	8279	8280	NS	1	-34.999	26.429	0.015	-34.815	26.568	0.021	-3.16	30.266	10.937	-4.802	30.908	20.619	0.116	306.396	8.041	0.116	293.746	7.609	0.116	0.299	0.0	0.116	0.389	0.0
60	8279	8280	NS	1	-34.988	26.431	0.015	-34.894	26.568	0.021	-3.16	30.266	10.937	-4.802	30.908	20.617	0.116	305.711	8.04	0.116	299.088	7.612	0.116	0.299	0.0	0.116	0.389	0.0
61	8280	8281	NS	1	-34.966	22.156	0.002	-34.906	22.795	0.018	-16.115	28.89	7.234	-8.335	34.696	14.558	0.116	304.143	2.513	0.116	299.969	2.06	0.116	4.051	0.011	0.116	0.753	0.0
62	8280	8281	SN	1	-34.86	25.006	0.321	-34.95	26.452	0.415	6.331	28.658	20.806	7.763	29.218	20.847	0.116	296.761	2.235	0.116	302.986	1.885	0.116	0.134	0.0	0.116	0.129	0.0
63	8280	8281	SN	1	-34.475	25.006	0.311	-34.95	26.452	0.407	6.331	28.658	20.66	7.763	29.218	20.062	0.116	271.568	2.168	0.116	302.986	1.839	0.116	0.134	0.0	0.116	0.129	0.0
64	8280	8281	SN	2	-34.86	25.006	0.311	-34.95	26.452	0.407	6.331	28.658	20.66	7.763	29.218	20.06	0.116	296.761	2.168	0.116	302.986	1.839	0.116	0.134	0.0	0.116	0.129	0.0
65	8280	8281	NS	1	-34.711	22.156	0.002	-34.242	22.797	0.018	-16.101	28.892	7.235	-8.332	34.696	14.595	0.116	286.797	2.513	0.116	257.51	2.06	0.116	4.038	0.011	0.116	0.753	0.0
66	8281	8282	SN	2	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.756	8.742	29.85	22.099	0.116	300.588	3.707	0.116	218.927	3.146	0.116	0.132	0.0	0.116	0.126	0.0
67	8281	8282	SN	1	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.775	8.742	29.85	22.099	0.116	300.588	3.724	0.116	218.927	3.165	0.116	0.132	0.0	0.116	0.126	0.0
68	8281	8282	NS	1	-34.902	21.534	0.0	-32.895	22.871	0.013	-3.938	29.512	8.482	-4.608	29.881	14.12	0.116	299.644	2.184	0.116	188.787	1.888	0.116	0.337	0.0	0.116	0.376	0.0
69	8281	8282	NS	1	-34.618	21.534	0.0	-32.895	22.871	0.013	-3.938	29.512	8.578	-4.608	29.881	14.15	0.116	280.735	2.185	0.116	188.787	1.884	0.116	0.337	0.0	0.116	0.376	0.0
70	8281	8282	SN	1	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.757	8.742	29.85	22.092	0.116	300.588	3.707	0.116	218.927	3.146	0.116	0.132	0.0	0.116	0.126	0.0
71	8282	8283	SN	1	-33.478	20.947	0.0	-34.628	23.137	0.003	6.683	29.11	15.564	6.061	29.686	20.265	0.116	215.961	2.944	0.116	281.319	2.362	0.116	0.132	0.0	0.116	0.135	0.0
72	8282	8283	SN	1	-34.598	20.947	0.0	-34.645	23.137	0.003	6.69	29.109	15.567	6.069	29.681	20.254	0.116	279.473	2.94	0.116	282.413	2.355	0.116	0.132	0.0	0.116	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	8282	8283	NS	2	-34.51	26.613	0.617	-34.581	26.845	0.881	-11.666	30.011	11.815	-6.658	30.317	16.675	0.116	273.796	3.423	0.116	278.365	2.997	0.116	1.513	0.008	0.116	0.543	0.0
74	8282	8283	NS	1	-34.51	26.613	0.617	-34.581	26.845	0.882	-11.666	30.011	11.815	-6.658	30.317	16.675	0.116	273.796	3.423	0.116	278.365	2.999	0.116	1.513	0.008	0.116	0.543	0.0
75	8282	8283	SN	1	-34.829	20.947	0.0	-34.645	22.814	0.002	6.69	29.109	16.55	6.069	29.681	20.296	0.116	294.62	3.102	0.116	282.413	2.548	0.116	0.132	0.0	0.116	0.135	0.0
76	8283	8284	SN	1	-34.976	24.208	0.112	-34.892	25.552	0.195	5.074	34.757	16.037	5.296	32.664	19.441	0.116	304.807	6.434	0.116	298.964	4.708	0.116	0.14	0.0	0.116	0.139	0.0
77	8283	8284	SN	1	-34.976	24.208	0.121	-34.892	25.552	0.221	5.074	34.757	16.401	5.293	32.664	19.387	0.116	304.807	6.982	0.116	298.964	5.314	0.116	0.14	0.0	0.116	0.139	0.0
78	8283	8284	SN	1	-34.976	24.208	0.112	-34.892	25.552	0.195	5.074	34.757	16.033	5.293	32.664	19.406	0.116	304.807	6.44	0.116	298.964	4.713	0.116	0.14	0.0	0.116	0.139	0.0
79	8283	8284	NS	1	-34.105	26.013	0.775	-34.041	27.627	0.891	6.096	33.804	13.314	7.512	30.164	23.672	0.116	249.419	2.042	0.116	245.821	1.756	0.116	0.135	0.0	0.116	0.129	0.0
80	8284	8285	SN	1	-34.787	26.677	0.081	-34.752	27.803	0.118	-9.198	29.197	19.411	-4.585	30.68	20.607	0.116	291.806	8.533	0.116	289.475	7.463	0.116	0.898	0.0	0.116	0.375	0.0
81	8284	8285	NS	2	-34.397	25.807	0.297	-34.52	25.631	0.458	-0.818	28.448	26.123	1.448	29.769	42.63	0.116	266.759	1.86	0.116	274.451	1.508	0.116	0.219	0.0	0.116	0.175	0.0
82	8284	8285	NS	1	-34.397	25.807	0.297	-34.52	25.631	0.458	-0.818	28.448	26.122	1.448	29.769	42.629	0.116	266.759	1.86	0.116	274.451	1.508	0.116	0.219	0.0	0.116	0.175	0.0
83	8285	8286	SN	1	-33.936	28.626	0.109	-35.001	29.109	0.234	-5.929	31.363	18.246	-9.973	30.62	17.811	0.116	239.9	3.203	0.116	306.503	2.092	0.116	0.474	0.0	0.116	1.055	0.002
84	8285	8286	NS	1	-34.631	27.684	0.429	-34.577	27.74	0.572	-29.716	30.588	14.323	-25.25	30.696	26.744	0.116	281.572	3.357	0.116	278.099	2.931	0.116	90.844	0.377	0.116	32.547	0.215
85	8285	8286	NS	1	-34.631	27.682	0.435	-34.577	27.738	0.572	-29.716	30.588	14.319	-25.25	30.696	26.713	0.116	281.572	3.352	0.116	278.099	2.929	0.116	90.844	0.377	0.116	32.547	0.215
86	8286	8287	NS	1	-33.961	26.282	0.514	-34.292	27.073	0.561	4.649	29.198	15.926	2.192	32.721	24.149	0.116	241.337	3.944	0.116	260.461	3.833	0.116	0.143	0.0	0.116	0.165	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8262	8263	NS	1	57.587	58.24	0.0	0.0	296.321	3.85	1217.296	1264.28	0.0	-93.745	-91.968	0.0
2	8262	8263	SN	1	57.543	58.144	0.0	0.0	296.205	3.347	1213.224	1263.24	0.0	-93.23	-91.888	0.0
3	8262	8263	NS	2	57.587	58.24	0.0	0.0	296.321	3.849	1217.296	1264.28	0.0	-93.745	-91.968	0.0
4	8262	8263	SN	1	57.543	58.144	0.0	0.0	296.205	3.87	1213.224	1263.8	0.0	-93.23	-91.888	0.0
5	8262	8263	SN	1	57.542	58.144	0.0	0.0	296.205	3.864	1213.224	1263.8	0.0	-93.23	-91.888	0.0
6	8263	8264	SN	1	57.505	58.136	0.0	0.0	299.779	3.644	1213.872	1263.696	0.0	-92.877	-91.944	0.0
7	8263	8264	SN	1	57.515	58.136	0.0	0.0	299.779	3.173	1213.76	1263.432	0.0	-92.785	-91.944	0.0
8	8263	8264	SN	1	57.505	58.136	0.0	0.0	299.779	3.175	1213.872	1263.432	0.0	-92.877	-91.944	0.0
9	8263	8264	NS	2	57.619	58.24	0.0	0.0	299.023	3.559	1217.808	1264.36	0.0	-93.746	-91.983	0.0
10	8263	8264	NS	1	57.62	58.24	0.0	0.0	299.062	3.559	1217.808	1264.344	0.0	-93.745	-91.983	0.0
11	8264	8265	SN	1	57.508	58.136	0.0	0.0	290.878	3.573	1213.824	1263.664	0.0	-92.947	-91.944	0.0
12	8264	8265	SN	1	57.513	58.136	0.0	0.0	290.878	3.581	1213.824	1263.664	0.0	-92.966	-91.944	0.0
13	8264	8265	SN	1	57.508	58.136	0.0	0.0	290.878	3.105	1213.824	1263.208	0.0	-93.11	-91.944	0.0
14	8264	8265	NS	1	57.61	58.239	0.0	0.0	297.154	3.472	1218.096	1264.264	0.0	-93.745	-91.985	0.0
15	8265	8266	SN	1	57.506	58.134	0.0	0.0	294.336	3.588	1213.12	1263.616	0.0	-92.914	-91.942	0.0
16	8265	8266	NS	2	57.593	58.239	0.0	0.003	294.848	3.648	1217.648	1264.232	0.0	-93.745	-91.982	0.0
17	8265	8266	NS	1	57.593	58.239	0.0	0.003	294.848	3.648	1217.648	1264.232	0.0	-93.745	-91.982	0.0
18	8265	8266	SN	1	57.513	58.134	0.0	0.0	294.407	3.068	1213.352	1263.088	0.0	-92.914	-91.942	0.0
19	8265	8266	SN	1	57.513	58.134	0.0	0.0	294.407	3.575	1213.352	1263.616	0.0	-92.914	-91.942	0.0
20	8266	8267	SN	1	57.507	58.147	0.0	0.0	299.668	2.986	1213.184	1262.784	0.0	-92.997	-91.944	0.0
21	8266	8267	SN	2	57.507	58.147	0.0	0.0	299.668	3.604	1213.184	1263.672	0.0	-93.017	-91.944	0.0
22	8266	8267	SN	1	57.507	58.147	0.0	0.0	299.668	3.604	1213.184	1263.672	0.0	-93.017	-91.944	0.0
23	8266	8267	NS	1	57.615	58.239	0.0	0.003	293.955	3.611	1218.432	1264.168	0.0	-93.745	-91.963	0.0
24	8266	8267	NS	1	57.615	58.24	0.0	0.003	293.911	3.608	1218.432	1264.184	0.0	-93.745	-91.962	0.0
25	8267	8268	SN	1	57.521	58.138	0.0	0.0	297.926	3.691	1213.376	1263.704	0.0	-92.99	-91.945	0.0
26	8267	8268	SN	2	57.521	58.138	0.0	0.0	297.926	3.691	1213.376	1263.712	0.0	-92.99	-91.945	0.0
27	8267	8268	NS	1	57.597	58.262	0.0	0.0	294.804	3.669	1217.448	1264.216	0.0	-94.415	-91.982	0.0
28	8267	8268	SN	1	57.521	58.138	0.0	0.0	297.926	2.849	1213.376	1262.336	0.0	-92.909	-91.945	0.0
29	8267	8268	NS	1	57.597	58.262	0.0	0.0	294.804	3.673	1217.368	1264.216	0.0	-94.415	-91.982	0.0
30	8268	8269	SN	1	57.528	58.185	0.0	0.0	294.7	3.76	1213.72	1265.2	0.0	-94.042	-91.907	0.0
31	8268	8269	NS	1	57.62	58.246	0.0	0.0	298.477	3.578	1217.752	1264.248	0.0	-93.746	-91.978	0.0
32	8268	8269	SN	1	57.528	58.145	0.0	0.0	294.093	2.583	1213.544	1262.064	0.0	-92.89	-91.907	0.0
33	8268	8269	SN	1	57.528	58.185	0.0	0.0	294.7	3.763	1213.544	1265.2	0.0	-94.042	-91.907	0.0
34	8268	8269	NS	2	57.621	58.245	0.0	0.0	298.521	3.578	1217.744	1264.224	0.0	-93.746	-91.978	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8269	8270	NS	1	57.608	58.249	0.0	0.0	296.459	3.797	1217.856	1264.2	0.0	-93.745	-91.96	0.0
36	8269	8270	SN	1	57.514	58.15	0.0	0.0	297.771	3.835	1214.232	1263.832	0.0	-93.071	-91.934	0.0
37	8269	8270	SN	1	57.514	58.15	0.0	0.0	297.771	2.299	1214.232	1261.12	0.0	-93.071	-91.934	0.0
38	8269	8270	SN	1	57.514	58.15	0.0	0.0	297.771	3.831	1214.232	1263.832	0.0	-93.071	-91.934	0.0
39	8269	8270	NS	2	57.609	58.242	0.0	0.0	296.437	3.796	1217.848	1264.184	0.0	-93.745	-91.96	0.0
40	8270	8271	SN	1	57.526	58.35	0.0	0.0	290.045	3.581	1214.344	1269.768	0.0	-95.747	-91.95	0.0
41	8270	8271	NS	1	57.342	58.238	0.0	0.0	299.365	3.865	1212.112	1264.352	0.0	-95.299	-91.936	0.0
42	8271	8272	NS	1	57.599	58.24	0.0	0.0	299.338	3.666	1217.328	1264.568	0.0	-93.748	-91.977	0.0
43	8271	8272	NS	1	57.599	58.24	0.0	0.0	299.338	3.653	1217.328	1264.568	0.0	-93.748	-91.977	0.0
44	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.838	1215.32	1263.728	0.0	-92.951	-91.94	0.0
45	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.023	1215.32	1262.608	0.0	-92.951	-91.94	0.0
46	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.834	1215.32	1263.728	0.0	-92.951	-91.94	0.0
47	8277	8278	SN	1	57.515	58.142	0.0	0.0	297.363	3.694	1214.504	1263.728	0.0	-92.868	-91.954	0.0
48	8277	8278	NS	1	57.583	58.235	0.0	0.0	297.341	3.561	1216.192	1264.184	0.0	-93.745	-91.958	0.0
49	8277	8278	SN	1	57.515	58.142	0.0	0.0	297.363	3.207	1214.504	1263.432	0.0	-92.868	-91.954	0.0
50	8277	8278	SN	1	57.516	58.142	0.0	0.0	297.363	3.704	1214.312	1263.728	0.0	-93.09	-91.954	0.0
51	8278	8279	SN	1	57.517	58.147	0.0	0.003	293.983	3.093	1214.944	1263.408	0.0	-92.944	-91.952	0.0
52	8278	8279	SN	1	57.514	58.149	0.0	0.0	293.966	3.57	1214.736	1263.632	0.0	-92.951	-91.952	0.0
53	8278	8279	NS	2	57.601	58.384	0.0	0.0	299.873	3.521	1216.384	1264.216	0.0	-94.53	-91.974	0.0
54	8278	8279	SN	1	57.514	58.149	0.0	0.0	293.966	3.103	1214.736	1263.416	0.0	-92.951	-91.952	0.0
55	8278	8279	NS	1	57.601	58.384	0.0	0.0	299.873	3.521	1216.384	1264.216	0.0	-94.53	-91.974	0.0
56	8279	8280	SN	2	57.513	58.166	0.0	0.0	297.159	3.597	1215.016	1263.608	0.0	-92.98	-91.952	0.0
57	8279	8280	SN	1	57.513	58.166	0.0	0.003	297.159	3.112	1215.016	1263.296	0.0	-93.007	-91.952	0.0
58	8279	8280	SN	1	57.513	58.166	0.0	0.0	297.159	3.597	1215.016	1263.608	0.0	-92.98	-91.952	0.0
59	8279	8280	NS	1	57.499	58.234	0.0	0.0	295.047	3.557	1216.368	1264.104	0.0	-94.947	-91.973	0.0
60	8279	8280	NS	1	57.499	58.234	0.0	0.0	295.047	3.554	1216.736	1264.104	0.0	-94.947	-91.973	0.0
61	8280	8281	NS	1	57.598	58.234	0.0	0.0	296.371	3.716	1217.28	1264.072	0.0	-93.265	-91.943	0.0
62	8280	8281	SN	1	57.516	58.143	0.0	0.0	294.959	3.065	1214.656	1263.008	0.0	-93.011	-91.953	0.0
63	8280	8281	SN	1	57.516	58.143	0.0	0.0	294.953	3.637	1214.656	1263.64	0.0	-93.008	-91.953	0.0
64	8280	8281	SN	2	57.516	58.143	0.0	0.0	294.959	3.638	1214.656	1263.648	0.0	-93.008	-91.953	0.0
65	8280	8281	NS	1	57.598	58.234	0.0	0.0	296.371	3.712	1217.28	1264.072	0.0	-93.265	-91.943	0.0
66	8281	8282	SN	2	57.518	58.149	0.0	0.0	299.376	3.607	1214.456	1263.68	0.0	-92.992	-91.953	0.0
67	8281	8282	SN	1	57.518	58.149	0.0	0.0	299.376	3.37	1214.456	1263.64	0.0	-92.992	-91.953	0.0
68	8281	8282	NS	1	57.594	58.235	0.0	0.0	298.163	3.625	1216.56	1264.12	0.0	-93.744	-91.972	0.0
69	8281	8282	NS	1	57.594	58.235	0.0	0.0	298.163	3.621	1216.528	1264.12	0.0	-93.744	-91.972	0.0
70	8281	8282	SN	1	57.518	58.149	0.0	0.0	294.545	3.607	1214.464	1263.68	0.0	-92.992	-91.953	0.0
71	8282	8283	SN	1	57.535	58.143	0.0	0.0	295.896	3.736	1215.456	1263.64	0.0	-92.954	-91.924	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8282	8283	SN	1	57.531	58.142	0.0	0.0	295.924	3.736	1215.44	1263.64	0.0	-92.912	-91.924	0.0
73	8282	8283	NS	2	57.598	58.245	0.0	0.0	295.328	3.791	1215.176	1264.136	0.0	-93.745	-91.971	0.0
74	8282	8283	NS	1	57.598	58.245	0.0	0.0	295.328	3.792	1215.176	1264.136	0.0	-93.745	-91.971	0.0
75	8282	8283	SN	1	57.531	58.142	0.0	0.0	295.924	2.724	1215.44	1262.216	0.0	-92.912	-91.924	0.0
76	8283	8284	SN	1	57.53	58.294	0.0	0.0	297.904	3.727	1215.08	1268.072	0.0	-94.682	-91.948	0.0
77	8283	8284	SN	1	57.53	58.153	0.0	0.0	297.904	2.709	1215.128	1262.248	0.0	-92.852	-91.948	0.0
78	8283	8284	SN	1	57.53	58.294	0.0	0.0	297.904	3.732	1215.128	1268.088	0.0	-94.682	-91.948	0.0
79	8283	8284	NS	1	57.603	58.261	0.0	0.0	296.238	3.626	1216.512	1264.048	0.0	-93.745	-91.958	0.0
80	8284	8285	SN	1	57.521	58.146	0.0	0.0	298.637	3.62	1215.256	1263.952	0.0	-93.008	-91.939	0.0
81	8284	8285	NS	2	57.584	58.233	0.0	0.0	295.025	3.77	1216.64	1264.096	0.0	-93.745	-91.906	0.0
82	8284	8285	NS	1	57.584	58.233	0.0	0.0	295.003	3.769	1216.64	1264.104	0.0	-93.745	-91.906	0.0
83	8285	8286	SN	1	57.553	58.146	0.0	0.0	297.992	3.624	1215.28	1264.048	0.0	-93.054	-91.961	0.0
84	8285	8286	NS	1	57.583	58.233	0.0	0.0	299.464	3.709	1215.92	1264.432	0.0	-93.746	-91.968	0.0
85	8285	8286	NS	1	57.583	58.233	0.0	0.0	299.481	3.719	1215.936	1264.424	0.0	-93.746	-91.968	0.0
86	8286	8287	NS	1	57.58	58.233	0.0	0.0	299.426	3.756	1216.376	1264.48	0.0	-92.906	-91.966	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																Kp												
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8262	8263	NS	1	-34.861	21.352	0.0	-34.614	22.002	0.001	0.409	22.995	0.132	-0.256	26.312	0.5	0.086	226.92	4.446	0.086	214.316	4.704	0.086	0.143	0.0	0.086	0.153	0.0
2	8262	8263	SN	1	-34.185	21.163	0.0	-34.67	20.105	0.0	-26.387	23.309	0.203	-8.51	23.71	0.217	0.086	194.232	3.967	0.086	217.127	3.321	0.086	32.292	0.003	0.086	0.592	0.0
3	8262	8263	NS	2	-34.861	21.352	0.0	-34.614	22.002	0.001	0.409	22.995	0.132	-0.256	26.312	0.5	0.086	226.92	4.447	0.086	214.316	4.709	0.086	0.143	0.0	0.086	0.153	0.0
4	8262	8263	SN	1	-34.185	21.163	0.0	-34.67	20.105	0.0	-26.364	23.309	0.203	-8.51	23.71	0.217	0.086	194.232	3.799	0.086	217.127	3.142	0.086	32.122	0.003	0.086	0.592	0.0
5	8262	8263	SN	1	-34.185	21.163	0.0	-34.67	20.105	0.0	-25.862	23.309	0.203	-8.51	23.71	0.217	0.086	194.232	3.799	0.086	217.127	3.14	0.086	28.63	0.003	0.086	0.592	0.0
6	8263	8264	SN	1	-34.372	19.788	0.0	-34.312	20.408	0.0	0.328	23.051	0.119	-0.328	23.577	0.191	0.086	202.728	2.845	0.086	199.965	2.656	0.086	0.144	0.0	0.086	0.154	0.0
7	8263	8264	SN	1	-34.623	19.788	0.0	-34.552	20.408	0.0	0.327	23.051	0.119	-0.315	23.577	0.191	0.086	214.822	2.915	0.086	211.295	2.707	0.086	0.144	0.0	0.086	0.154	0.0
8	8263	8264	SN	1	-34.372	19.788	0.0	-34.312	20.408	0.0	0.328	23.051	0.119	-0.328	23.577	0.191	0.086	202.728	2.914	0.086	199.965	2.706	0.086	0.144	0.0	0.086	0.154	0.0
9	8263	8264	NS	2	-34.957	21.511	0.0	-34.898	21.081	0.0	-8.432	23.294	0.08	-10.745	23.594	0.279	0.086	231.951	4.595	0.086	228.865	4.95	0.086	0.583	0.0	0.086	0.944	0.0
10	8263	8264	NS	1	-34.988	21.511	0.0	-34.898	21.081	0.0	-8.432	23.294	0.08	-10.747	23.594	0.279	0.086	233.614	4.595	0.086	228.865	4.95	0.086	0.583	0.0	0.086	0.945	0.0
11	8264	8265	SN	1	-34.255	19.421	0.0	-34.068	19.746	0.0	2.424	23.112	0.273	3.022	23.739	0.328	0.086	197.368	1.64	0.086	189.003	1.441	0.086	0.12	0.0	0.086	0.116	0.0
12	8264	8265	SN	1	-34.601	19.421	0.0	-34.151	19.746	0.0	2.424	23.111	0.276	3.02	23.739	0.328	0.086	213.731	1.638	0.086	192.704	1.441	0.086	0.12	0.0	0.086	0.116	0.0
13	8264	8265	SN	1	-34.255	19.421	0.0	-34.068	19.746	0.0	2.424	23.112	0.273	3.022	23.739	0.329	0.086	197.368	1.672	0.086	189.003	1.459	0.086	0.12	0.0	0.086	0.116	0.0
14	8264	8265	NS	1	-34.79	19.39	0.0	-34.567	17.265	0.0	-5.006	22.573	0.035	-30.503	23.445	0.212	0.086	223.214	5.06	0.087	212.09	5.465	0.086	0.304	0.0	0.086	83.24	0.043
15	8265	8266	SN	1	-34.832	19.124	0.0	-34.824	19.76	0.0	0.373	23.484	0.638	1.554	23.501	1.158	0.086	225.387	2.974	0.086	224.988	2.266	0.086	0.144	0.0	0.086	0.129	0.0
16	8265	8266	NS	2	-34.704	19.186	0.0	-34.977	20.633	0.0	-17.652	23.174	0.073	-23.734	23.262	0.162	0.086	218.804	3.952	0.086	233.067	4.702	0.086	4.377	0.006	0.086	17.559	0.047
17	8265	8266	NS	1	-34.704	19.186	0.0	-34.977	20.633	0.0	-17.652	23.174	0.073	-23.734	23.262	0.162	0.086	218.804	3.952	0.086	233.067	4.702	0.086	4.377	0.006	0.086	17.559	0.047
18	8265	8266	SN	1	-33.854	19.124	0.0	-34.916	19.76	0.0	0.373	23.484	0.642	1.555	23.501	1.202	0.086	179.968	3.048	0.086	229.781	2.308	0.086	0.144	0.0	0.086	0.129	0.0
19	8265	8266	SN	1	-33.854	19.124	0.0	-34.916	19.76	0.0	0.373	23.484	0.641	1.555	23.501	1.158	0.086	179.968	2.979	0.086	229.781	2.27	0.086	0.144	0.0	0.086	0.129	0.0
20	8266	8267	SN	1	-34.953	19.469	0.0	-34.632	19.893	0.0	0.364	22.737	0.234	2.804	23.19	0.905	0.086	237.673	1.756	0.086	215.278	1.803	0.086	0.144	0.0	0.086	0.117	0.0
21	8266	8267	SN	2	-34.953	19.469	0.0	-34.632	19.893	0.0	0.364	22.737	0.223	2.804	23.19	0.854	0.086	237.673	1.709	0.086	215.278	1.75	0.086	0.144	0.0	0.086	0.117	0.0
22	8266	8267	SN	1	-34.953	19.469	0.0	-34.632	19.893	0.0	0.364	22.737	0.223	2.804	23.19	0.854	0.086	237.673	1.709	0.086	215.278	1.75	0.086	0.144	0.0	0.086	0.117	0.0
23	8266	8267	NS	1	-32.988	19.542	0.0	-34.424	15.876	0.0	-22.682	22.706	0.039	-18.047	23.394	0.138	0.086	147.41	2.11	0.087	205.172	1.657	0.086	13.796	0.014	0.086	4.789	0.013
24	8266	8267	NS	1	-33.899	19.544	0.0	-34.586	15.876	0.0	-22.71	22.707	0.039	-18.047	23.394	0.138	0.086	181.809	2.107	0.087	212.998	1.655	0.086	13.887	0.014	0.086	4.789	0.013
25	8267	8268	SN	1	-34.532	17.712	0.0	-34.311	17.153	0.0	-2.504	22.67	0.101	3.86	22.88	0.036	0.086	210.311	2.418	0.087	199.918	2.014	0.086	0.204	0.0	0.086	0.11	0.0
26	8267	8268	SN	2	-34.532	17.712	0.0	-34.311	17.153	0.0	-2.504	22.67	0.101	3.86	22.88	0.036	0.086	210.311	2.418	0.087	199.918	2.014	0.086	0.204	0.0	0.086	0.11	0.0
27	8267	8268	NS	1	-34.424	19.256	0.0	-34.493	19.395	0.0	-22.813	23.634	0.125	-16.022	24.896	0.527	0.086	205.122	2.642	0.086	208.452	2.505	0.086	14.222	0.065	0.086	3.027	0.027
28	8267	8268	SN	1	-34.532	17.712	0.0	-34.311	17.153	0.0	-2.51	22.67	0.111	3.86	22.88	0.036	0.086	210.311	2.497	0.087	199.918	2.124	0.086	0.204	0.0	0.086	0.11	0.0
29	8267	8268	NS	1	-34.399	19.256	0.0	-34.493	19.395	0.0	-22.784	23.631	0.125	-16.022	24.896	0.527	0.086	203.978	2.646	0.086	208.452	2.506	0.086	14.124	0.065	0.086	3.027	0.027
30	8268	8269	SN	1	-34.781	18.439	0.0	-34.6	18.314	0.0	0.243	24.256	0.828	0.842	24.358	1.318	0.086	222.743	3.577	0.086	213.651	2.758	0.086	0.145	0.0	0.086	0.137	0.0
31	8268	8269	NS	1	-34.979	19.576	0.0	-34.082	20.685	0.0	3.357	22.989	0.281	1.761	23.617	1.153	0.086	233.12	2.081	0.086	189.635	2.099	0.086	0.113	0.0	0.086	0.127	0.0
32	8268	8269	SN	1	-34.929	18.439	0.0	-34.495	18.314	0.0	0.245	24.254	0.888	0.843	24.358	1.325	0.086	230.482	3.814	0.086	208.56	3.087	0.086	0.145	0.0	0.086	0.137	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	8268	8269	SN	1	-34.929	18.439	0.0	-34.495	18.314	0.0	0.245	24.254	0.828	0.843	24.358	1.321	0.086	230.482	3.578	0.086	208.56	2.755	0.086	0.145	0.0	0.086	0.137	0.0
34	8268	8269	NS	2	-34.979	19.576	0.0	-34.12	20.685	0.0	3.357	22.989	0.281	1.761	23.617	1.153	0.086	233.12	2.081	0.086	191.31	2.099	0.086	0.113	0.0	0.086	0.127	0.0
35	8269	8270	NS	1	-34.768	19.686	0.0	-34.332	19.82	0.0	-1.485	23.103	0.188	1.119	24.126	1.037	0.086	222.109	1.28	0.086	200.882	1.592	0.086	0.177	0.0	0.086	0.134	0.0
36	8269	8270	SN	1	-34.971	20.651	0.0	-34.796	20.455	0.0	-8.547	23.522	0.753	-7.467	24.625	1.312	0.086	232.755	5.046	0.086	223.529	4.318	0.086	0.596	0.0	0.086	0.48	0.0
37	8269	8270	SN	1	-34.971	20.651	0.0	-34.796	20.455	0.0	-8.547	23.522	0.797	-7.467	24.625	1.262	0.086	232.755	5.432	0.086	223.529	4.949	0.086	0.596	0.0	0.086	0.48	0.0
38	8269	8270	SN	1	-34.971	20.651	0.0	-34.966	20.455	0.0	-8.525	23.522	0.751	-7.469	24.625	1.308	0.086	232.755	5.052	0.086	232.446	4.318	0.086	0.594	0.0	0.086	0.48	0.0
39	8269	8270	NS	2	-34.919	19.686	0.0	-34.332	19.82	0.0	-1.485	23.103	0.188	1.119	24.126	1.035	0.086	229.886	1.281	0.086	200.882	1.592	0.086	0.177	0.0	0.086	0.134	0.0
40	8270	8271	SN	1	-34.6	20.39	0.0	-34.485	19.888	0.0	-22.918	23.604	0.616	-7.04	24.266	0.554	0.086	213.66	4.482	0.086	208.125	4.425	0.086	14.567	0.035	0.086	0.442	0.0
41	8270	8271	NS	1	-34.202	22.204	0.001	-34.937	19.878	0.0	-0.365	22.616	0.056	-1.033	24.728	2.519	0.086	195.002	2.605	0.086	230.893	2.363	0.086	0.155	0.0	0.086	0.168	0.0
42	8271	8272	NS	1	-34.755	21.896	0.0	-34.397	19.828	0.0	-19.824	22.602	0.04	-21.399	24.485	2.343	0.086	221.397	2.608	0.086	209.13	2.697	0.086	7.178	0.021	0.086	10.285	0.02
43	8271	8272	NS	1	-34.755	21.896	0.0	-34.397	19.828	0.0	-19.824	22.602	0.04	-21.399	24.485	2.348	0.086	221.397	2.611	0.086	209.13	2.699	0.086	7.178	0.021	0.086	10.285	0.021
44	8276	8277	SN	1	-34.699	20.111	0.0	-34.241	20.459	0.0	-16.598	23.493	0.071	-15.79	23.171	0.058	0.086	218.565	3.043	0.086	196.71	2.392	0.086	3.448	0.008	0.086	2.874	0.005
45	8276	8277	SN	1	-34.699	20.111	0.0	-34.241	20.459	0.0	-16.598	23.493	0.071	-15.79	23.171	0.058	0.086	218.565	3.164	0.086	196.71	2.667	0.086	3.448	0.008	0.086	2.874	0.005
46	8276	8277	SN	1	-34.445	20.111	0.0	-34.456	20.459	0.0	-16.608	23.493	0.071	-15.826	23.171	0.058	0.086	206.154	3.036	0.086	206.715	2.394	0.086	3.456	0.008	0.086	2.897	0.005
47	8277	8278	SN	1	-34.98	19.675	0.0	-34.597	20.232	0.0	-32.3	23.298	0.131	-29.657	23.846	0.189	0.086	233.218	3.395	0.086	213.478	2.777	0.086	125.846	0.108	0.086	68.513	0.172
48	8277	8278	NS	1	-34.931	21.869	0.0	-34.987	22.215	0.003	-3.346	23.142	0.035	-4.16	23.894	0.312	0.086	230.56	3.419	0.086	233.532	3.669	0.086	0.231	0.0	0.086	0.263	0.0
49	8277	8278	SN	1	-34.98	19.675	0.0	-34.597	20.232	0.0	-32.3	23.298	0.131	-29.657	23.846	0.189	0.086	233.218	3.504	0.086	213.478	2.86	0.086	125.846	0.108	0.086	68.513	0.172
50	8277	8278	SN	1	-34.745	19.677	0.0	-34.304	20.234	0.0	-31.579	23.298	0.134	-28.732	23.846	0.19	0.086	220.96	3.392	0.086	199.587	2.774	0.086	106.585	0.108	0.086	55.371	0.172
51	8278	8279	SN	1	-34.932	19.109	0.0	-34.778	18.994	0.0	0.447	23.563	0.338	0.266	23.396	0.488	0.086	230.653	2.252	0.086	222.619	2.158	0.086	0.142	0.0	0.086	0.145	0.0
52	8278	8279	SN	1	-34.759	19.109	0.0	-34.875	18.993	0.0	0.447	23.563	0.337	0.266	23.397	0.491	0.086	221.66	2.209	0.086	227.619	2.132	0.086	0.142	0.0	0.086	0.145	0.0
53	8278	8279	NS	2	-34.221	19.262	0.0	-34.648	18.591	0.0	-11.864	22.961	0.078	-27.071	24.229	0.295	0.086	195.811	2.935	0.086	216.0	3.243	0.086	1.203	0.002	0.086	37.793	0.068
54	8278	8279	SN	1	-34.759	19.109	0.0	-34.875	18.993	0.0	0.447	23.563	0.337	0.266	23.397	0.491	0.086	221.66	2.253	0.086	227.619	2.164	0.086	0.142	0.0	0.086	0.145	0.0
55	8278	8279	NS	1	-34.221	19.262	0.0	-34.648	18.591	0.0	-11.864	22.961	0.078	-27.071	24.229	0.295	0.086	195.811	2.935	0.086	216.0	3.243	0.086	1.203	0.002	0.086	37.793	0.068
56	8279	8280	SN	2	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.688	0.086	207.356	2.595	0.086	233.329	2.456	0.086	0.137	0.0	0.086	0.119	0.0
57	8279	8280	SN	1	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.701	0.086	207.356	2.653	0.086	233.329	2.489	0.086	0.137	0.0	0.086	0.119	0.0
58	8279	8280	SN	1	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.688	0.086	207.356	2.595	0.086	233.329	2.456	0.086	0.137	0.0	0.086	0.119	0.0
59	8279	8280	NS	1	-34.973	18.348	0.0	-34.702	18.488	0.0	-30.415	23.27	0.056	-31.61	23.826	0.208	0.086	232.779	6.646	0.086	218.768	6.488	0.086	81.546	0.15	0.086	107.344	0.136
60	8279	8280	NS	1	-34.789	18.346	0.0	-34.481	18.488	0.0	-30.415	23.275	0.056	-31.61	23.826	0.208	0.086	223.117	6.686	0.086	207.889	6.494	0.086	81.546	0.15	0.086	107.344	0.136
61	8280	8281	NS	1	-34.988	15.37	0.0	-34.956	15.838	0.0	-15.17	23.637	0.149	-9.228	23.58	0.243	0.087	233.627	2.327	0.087	231.917	2.436	0.086	2.5	0.003	0.086	0.686	0.0
62	8280	8281	SN	1	-34.956	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.385	3.071	23.444	1.465	0.086	231.916	2.163	0.086	223.971	1.918	0.086	0.129	0.0	0.086	0.115	0.0
63	8280	8281	SN	1	-34.818	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.379	3.071	23.444	1.358	0.086	224.647	2.107	0.086	223.971	1.875	0.086	0.129	0.0	0.086	0.115	0.0
64	8280	8281	SN	2	-34.818	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.379	3.071	23.444	1.358	0.086	224.647	2.107	0.086	223.971	1.875	0.086	0.129	0.0	0.086	0.115	0.0
65	8280	8281	NS	1	-34.178	15.37	0.0	-33.894	15.838	0.0	-15.18	23.637	0.148	-9.218	23.58	0.242	0.087	193.853	2.331	0.087	181.641	2.432	0.086	2.506	0.003	0.086	0.685	0.0
66	8281	8282	SN	2	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.097	2.834	23.038	0.425	0.087	226.802	3.543	0.086	196.426	3.058	0.086	0.143	0.0	0.086	0.117	0.0
67	8281	8282	SN	1	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.098	2.834	23.038	0.425	0.087	226.802	3.558	0.086	196.426	3.074	0.086	0.143	0.0	0.086	0.117	0.0
68	8281	8282	NS	1	-34.847	18.977	0.0	-33.59	15.938	0.0	-13.63	23.419	0.156	-15.074	23.535	0.324	0.086	226.21	2.188	0.087	169.357	2.113	0.086	1.773	0.002	0.086	2.446	0.005
69	8281	8282	NS	1	-34.657	18.977	0.0	-34.736	15.938	0.0	-13.63	23.419	0.156	-15.074	23.535	0.324	0.086	216.499	2.184	0.087	220.484	2.13	0.086	1.773	0.002	0.086	2.446	0.005

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	8281	8282	SN	1	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.097	2.834	23.038	0.425	0.087	226.802	3.543	0.086	196.426	3.058	0.086	0.143	0.0	0.086	0.117	0.0
71	8282	8283	SN	1	-33.802	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.585	6.249	23.911	0.833	0.086	177.79	2.696	0.086	220.569	2.403	0.086	0.125	0.0	0.086	0.099	0.0
72	8282	8283	SN	1	-34.789	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.585	6.249	23.911	0.833	0.086	223.155	2.687	0.086	220.569	2.392	0.086	0.125	0.0	0.086	0.099	0.0
73	8282	8283	NS	2	-34.95	19.766	0.0	-34.75	20.769	0.0	-19.933	22.941	0.345	-20.859	23.738	0.926	0.086	231.547	2.749	0.086	221.2	2.866	0.086	7.355	0.128	0.086	9.092	0.115
74	8282	8283	NS	1	-34.95	19.766	0.0	-34.75	20.769	0.0	-19.933	22.941	0.345	-20.859	23.738	0.926	0.086	231.547	2.749	0.086	221.2	2.867	0.086	7.355	0.128	0.086	9.092	0.115
75	8282	8283	SN	1	-34.789	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.632	6.249	23.911	0.835	0.086	223.155	2.805	0.086	220.569	2.58	0.086	0.125	0.0	0.086	0.099	0.0
76	8283	8284	SN	1	-34.906	19.301	0.0	-33.994	20.212	0.0	-11.09	24.217	1.242	-5.911	25.605	1.836	0.086	229.255	4.65	0.086	185.838	3.998	0.086	1.017	0.001	0.086	0.357	0.0
77	8283	8284	SN	1	-34.906	19.301	0.0	-34.406	20.212	0.0	-11.099	24.217	1.286	-5.911	25.605	1.842	0.086	229.255	4.988	0.086	204.342	4.487	0.086	1.019	0.002	0.086	0.357	0.0
78	8283	8284	SN	1	-34.906	19.301	0.0	-34.406	20.212	0.0	-11.099	24.217	1.243	-5.911	25.605	1.839	0.086	229.255	4.654	0.086	204.342	3.989	0.086	1.019	0.001	0.086	0.357	0.0
79	8283	8284	NS	1	-34.922	19.836	0.0	-34.034	20.605	0.0	0.763	22.986	0.121	2.525	23.86	0.759	0.086	230.119	2.035	0.086	187.563	1.944	0.086	0.138	0.0	0.086	0.12	0.0
80	8284	8285	SN	1	-34.963	20.572	0.0	-34.937	20.283	0.0	-30.008	23.792	0.611	-16.406	24.248	0.872	0.086	232.32	7.89	0.086	230.896	7.042	0.086	74.271	0.091	0.086	3.301	0.009
81	8284	8285	NS	2	-34.748	22.144	0.002	-34.417	19.743	0.0	-1.952	23.706	0.109	-6.674	24.435	1.554	0.086	221.073	1.478	0.086	204.878	1.263	0.086	0.189	0.0	0.086	0.412	0.0
82	8284	8285	NS	1	-34.748	22.144	0.002	-34.417	19.743	0.0	-1.952	23.706	0.109	-6.674	24.435	1.554	0.086	221.073	1.478	0.086	204.878	1.263	0.086	0.189	0.0	0.086	0.412	0.0
83	8285	8286	SN	1	-34.725	21.89	0.0	-34.13	22.645	0.001	-10.822	24.154	0.599	-11.519	23.524	0.29	0.086	219.921	3.61	0.086	191.763	2.454	0.086	0.96	0.0	0.086	1.116	0.002
84	8285	8286	NS	1	-34.996	22.702	0.002	-34.928	20.118	0.0	-30.315	22.797	0.083	-27.853	24.771	2.696	0.086	234.076	2.806	0.086	230.393	2.625	0.086	79.702	0.209	0.086	45.243	0.125
85	8285	8286	NS	1	-34.996	22.702	0.002	-34.863	20.118	0.0	-30.301	22.797	0.083	-27.853	24.769	2.69	0.086	234.076	2.802	0.086	226.988	2.625	0.086	79.435	0.209	0.086	45.243	0.124
86	8286	8287	NS	1	-34.94	20.736	0.0	-34.835	18.724	0.0	0.468	22.85	0.106	1.561	24.471	2.332	0.086	231.05	2.794	0.086	225.544	2.716	0.086	0.142	0.0	0.086	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors