

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-APR-2018 To 21-APR-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-APR-2018 To 21-APR-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8276	8277	SN	1	48.662	49.328	0.0	0.003	6.177	2.693	1037.04	1075.632	0.0	-91.432	-89.892	0.0
2	8276	8277	SN	1	48.662	49.328	0.0	0.003	6.177	2.69	1037.04	1075.632	0.0	-91.432	-89.892	0.0
3	8276	8277	SN	1	48.662	49.328	0.0	0.003	5.862	1.992	1037.04	1074.696	0.0	-91.432	-89.892	0.0
4	8277	8278	SN	1	48.714	49.348	0.0	0.003	280.096	2.598	1036.08	1075.632	0.0	-91.457	-89.9	0.0
5	8277	8278	NS	1	48.818	49.398	0.0	0.003	267.522	2.547	1037.408	1075.872	0.0	-91.514	-89.903	0.0
6	8277	8278	SN	1	48.706	49.337	0.0	0.003	280.096	2.588	1035.984	1075.632	0.0	-91.482	-89.9	0.0
7	8277	8278	SN	1	48.706	49.337	0.0	0.003	280.096	2.389	1035.984	1075.424	0.0	-91.482	-89.9	0.0
8	8278	8279	SN	1	48.704	49.346	0.0	0.003	215.333	2.528	1036.208	1075.552	0.0	-91.586	-89.898	0.0
9	8278	8279	NS	1	48.811	49.398	0.0	0.0	150.466	2.649	1037.96	1075.944	0.0	-91.448	-89.917	0.0
10	8278	8279	NS	2	48.811	49.398	0.0	0.0	150.466	2.649	1037.96	1075.944	0.0	-91.448	-89.917	0.0
11	8278	8279	SN	1	48.704	49.346	0.0	0.003	215.333	2.369	1036.208	1075.392	0.0	-91.586	-89.898	0.0
12	8278	8279	SN	1	48.704	49.313	0.0	0.003	215.328	2.354	1036.272	1075.384	0.0	-91.573	-89.898	0.0
13	8279	8280	SN	1	48.712	49.331	0.0	0.003	5.868	2.315	1036.76	1075.296	0.0	-91.823	-89.898	0.0
14	8279	8280	NS	1	48.793	49.397	0.0	0.0	257.81	2.591	1037.576	1075.816	0.0	-91.557	-89.918	0.0
15	8279	8280	SN	2	48.712	49.331	0.0	0.003	6.171	2.557	1036.76	1075.536	0.0	-91.552	-89.898	0.0
16	8279	8280	SN	1	48.712	49.331	0.0	0.003	6.171	2.557	1036.76	1075.536	0.0	-91.552	-89.898	0.0
17	8279	8280	NS	1	48.793	49.397	0.0	0.0	257.81	2.593	1037.576	1075.816	0.0	-91.557	-89.918	0.0
18	8280	8281	SN	1	48.709	49.359	0.0	0.003	215.659	2.548	1035.92	1075.568	0.0	-91.662	-89.899	0.0
19	8280	8281	SN	2	48.709	49.359	0.0	0.003	215.659	2.547	1036.168	1075.568	0.0	-91.662	-89.899	0.0
20	8280	8281	SN	1	48.709	49.359	0.0	0.003	215.659	2.161	1036.168	1075.072	0.0	-91.645	-89.899	0.0
21	8280	8281	NS	1	48.819	49.398	0.0	0.0	264.279	2.762	1038.448	1075.784	0.0	-91.571	-89.879	0.0
22	8280	8281	NS	1	48.819	49.398	0.0	0.0	264.279	2.765	1038.184	1075.784	0.0	-91.543	-89.879	0.0
23	8281	8282	SN	2	48.717	49.341	0.0	0.003	27.5	2.573	1036.136	1075.6	0.0	-91.923	-89.899	0.0
24	8281	8282	NS	1	48.819	49.399	0.0	0.003	43.025	2.708	1037.4	1075.872	0.0	-91.654	-89.916	0.0
25	8281	8282	SN	1	48.717	49.341	0.0	0.003	27.5	2.504	1036.136	1075.576	0.0	-91.923	-89.899	0.0
26	8281	8282	SN	1	48.717	49.341	0.0	0.003	27.5	2.573	1036.136	1075.6	0.0	-91.923	-89.899	0.0
27	8281	8282	NS	1	48.819	49.399	0.0	0.003	43.025	2.711	1037.552	1075.872	0.0	-91.654	-89.916	0.0
28	8282	8283	NS	2	48.759	49.45	0.0	0.0	210.811	2.731	1037.28	1075.888	0.0	-91.806	-89.915	0.0
29	8282	8283	SN	1	48.7	49.366	0.0	0.003	6.193	2.643	1036.592	1075.568	0.0	-91.515	-89.888	0.0
30	8282	8283	SN	1	48.7	49.366	0.0	0.003	5.857	1.757	1036.592	1074.312	0.0	-91.535	-89.888	0.0
31	8282	8283	SN	1	48.7	49.366	0.0	0.003	6.193	2.645	1036.592	1075.568	0.0	-91.535	-89.888	0.0
32	8282	8283	NS	1	48.759	49.45	0.0	0.0	210.811	2.731	1037.28	1075.888	0.0	-91.806	-89.915	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors





33	8283	8284	SN	1	48.706	49.377	0.0	0.003	5.857	1.741	1036.52	1074.336	0.0	-91.559	-89.891	0.0
34	8283	8284	NS	1	48.759	49.453	0.0	0.003	41.575	2.645	1037.92	1075.816	0.0	-91.74	-89.904	0.0
35	8283	8284	SN	1	48.706	49.377	0.0	0.003	6.177	2.652	1037.088	1075.616	0.0	-91.559	-89.891	0.0
36	8283	8284	SN	1	48.706	49.377	0.0	0.003	6.182	2.654	1036.52	1075.632	0.0	-91.559	-89.891	0.0
37	8284	8285	NS	1	48.816	49.417	0.0	0.0	73.769	2.738	1037.936	1075.84	0.0	-91.703	-89.854	0.0
38	8284	8285	NS	2	48.815	49.417	0.0	0.0	73.769	2.737	1037.936	1075.832	0.0	-91.703	-89.854	0.0
39	8284	8285	SN	1	48.729	49.372	0.0	0.003	6.177	2.566	1036.576	1075.824	0.0	-91.58	-89.888	0.0
40	8285	8286	NS	1	48.757	49.396	0.0	0.003	210.359	2.743	1036.792	1076.128	0.0	-91.479	-89.912	0.0
41	8285	8286	NS	1	48.756	49.396	0.0	0.003	210.359	2.742	1036.8	1076.12	0.0	-91.48	-89.912	0.0
42	8285	8286	SN	1	48.771	49.357	0.0	0.003	32.519	2.557	1036.832	1075.904	0.0	-91.653	-89.908	0.0
43	8286	8287	NS	1	48.813	49.396	0.0	0.0	53.997	2.78	1037.112	1076.168	0.0	-91.462	-89.91	0.0
44	8291	8292	SN	1	48.73	49.316	0.0	0.003	282.076	2.433	1038.0	1075.424	0.0	-91.602	-89.854	0.0
45	8291	8292	SN	1	48.73	49.316	0.0	0.003	282.076	2.748	1038.0	1075.68	0.0	-91.602	-89.854	0.0
46	8291	8292	NS	1	48.759	49.393	0.0	0.003	263.821	2.775	1036.056	1075.84	0.0	-91.508	-89.895	0.0
47	8291	8292	SN	2	48.73	49.316	0.0	0.003	282.076	2.748	1038.0	1075.68	0.0	-91.602	-89.854	0.0
48	8291	8292	NS	2	48.759	49.393	0.0	0.003	263.821	2.777	1036.056	1075.832	0.0	-91.508	-89.895	0.0
49	8292	8293	NS	2	48.788	49.394	0.0	0.003	210.761	2.569	1036.448	1075.976	0.0	-91.407	-89.906	0.0
50	8292	8293	SN	1	48.717	49.328	0.0	0.003	282.837	2.393	1037.728	1075.464	0.0	-91.503	-89.91	0.0
51	8292	8293	SN	2	48.717	49.328	0.0	0.003	282.837	2.393	1037.728	1075.464	0.0	-91.503	-89.91	0.0
52	8292	8293	SN	1	48.717	49.328	0.0	0.003	282.837	2.55	1037.728	1075.608	0.0	-91.503	-89.91	0.0
53	8292	8293	NS	1	48.788	49.394	0.0	0.003	267.549	2.568	1036.448	1075.976	0.0	-91.407	-89.906	0.0
54	8293	8294	SN	1	48.718	49.348	0.0	0.003	281.028	2.33	1037.608	1075.384	0.0	-91.569	-89.909	0.0
55	8293	8294	SN	1	48.718	49.348	0.0	0.003	281.028	2.528	1037.608	1075.56	0.0	-91.658	-89.909	0.0
56	8293	8294	SN	2	48.718	49.348	0.0	0.003	281.028	2.528	1037.608	1075.56	0.0	-91.658	-89.909	0.0
57	8293	8294	NS	1	48.793	49.393	0.0	0.0	52.448	2.664	1036.888	1075.872	0.0	-92.126	-89.908	0.0
58	8293	8294	NS	1	48.814	49.393	0.0	0.0	52.448	2.662	1036.416	1075.872	0.0	-92.142	-89.908	0.0
59	8294	8295	NS	1	48.775	49.393	0.0	0.003	18.773	2.69	1036.488	1075.768	0.0	-91.573	-89.904	0.0
60	8294	8295	SN	1	48.722	49.377	0.0	0.003	6.182	2.575	1037.392	1075.512	0.0	-91.643	-89.908	0.0
61	8294	8295	SN	2	48.722	49.377	0.0	0.003	6.182	2.573	1037.4	1075.512	0.0	-91.643	-89.908	0.0
62	8294	8295	NS	1	48.775	49.393	0.0	0.003	18.773	2.692	1036.48	1075.768	0.0	-91.518	-89.904	0.0
63	8294	8295	SN	1	48.722	49.377	0.0	0.003	5.868	2.267	1037.4	1075.264	0.0	-91.535	-89.908	0.0
64	8295	8296	SN	1	48.746	49.356	0.0	0.003	6.199	2.535	1036.944	1075.576	0.0	-91.659	-89.911	0.0
65	8295	8296	NS	1	48.813	49.393	0.0	0.0	64.481	2.76	1037.312	1075.792	0.0	-91.568	-89.882	0.0
66	8295	8296	SN	1	48.746	49.324	0.0	0.003	5.862	2.066	1036.888	1075.096	0.0	-91.581	-89.911	0.0
67	8295	8296	NS	2	48.814	49.393	0.0	0.0	267.549	2.762	1037.312	1075.784	0.0	-91.638	-89.882	0.0
68	8295	8296	SN	1	48.746	49.324	0.0	0.003	6.199	2.537	1036.888	1075.576	0.0	-91.566	-89.911	0.0
69	8296	8297	SN	1	48.723	49.374	0.0	0.003	5.857	2.403	1037.144	1075.424	0.0	-91.817	-89.909	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8296	8297	SN	1	48.723	49.374	0.0	0.003	6.188	2.607	1037.144	1075.568	0.0	-91.817	-89.909	0.0
71	8296	8297	NS	2	48.784	49.41	0.0	0.0	267.538	2.766	1036.576	1075.84	0.0	-91.72	-89.906	0.0
72	8296	8297	NS	1	48.784	49.41	0.0	0.0	267.538	2.766	1036.576	1075.84	0.0	-91.72	-89.906	0.0
73	8296	8297	SN	1	48.723	49.374	0.0	0.003	6.188	2.605	1037.144	1075.568	0.0	-91.817	-89.909	0.0
74	8297	8298	NS	1	48.791	49.428	0.0	0.003	16.396	2.652	1036.448	1075.848	0.0	-91.667	-89.903	0.0
75	8297	8298	NS	2	48.791	49.428	0.0	0.003	16.396	2.652	1036.448	1075.848	0.0	-91.624	-89.903	0.0
76	8297	8298	SN	1	48.743	49.328	0.0	0.003	280.978	2.018	1037.432	1074.856	0.0	-91.448	-89.877	0.0
77	8297	8298	SN	1	48.743	49.333	0.0	0.003	30.035	2.649	1037.416	1075.552	0.0	-91.57	-89.877	0.0
78	8297	8298	SN	1	48.743	49.328	0.0	0.003	280.978	2.652	1037.432	1075.552	0.0	-91.548	-89.877	0.0
79	8298	8299	NS	2	48.789	49.445	0.0	0.003	268.172	2.638	1036.856	1075.672	0.0	-91.592	-89.897	0.0
80	8298	8299	SN	1	48.747	49.377	0.0	0.003	5.868	1.523	1037.544	1073.368	0.0	-91.548	-89.899	0.0
81	8298	8299	SN	1	48.747	49.377	0.0	0.003	6.171	2.601	1037.544	1075.696	0.0	-91.548	-89.899	0.0
82	8298	8299	NS	1	48.789	49.445	0.0	0.003	211.142	2.636	1036.856	1075.656	0.0	-91.592	-89.897	0.0
83	8299	8300	SN	1	48.776	49.385	0.0	0.0	239.555	2.559	1038.68	1075.872	0.0	-91.713	-89.917	0.0
84	8299	8300	NS	1	48.807	49.392	0.0	0.003	263.788	2.777	1036.136	1075.864	0.0	-91.584	-89.885	0.0
85	8300	8301	NS	1	48.789	49.392	0.0	0.0	210.778	2.82	1036.528	1076.064	0.0	-91.563	-89.899	0.0
86	8300	8301	NS	1	48.789	49.392	0.0	0.0	210.778	2.822	1036.528	1076.064	0.0	-91.423	-89.899	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8276	8277	SN	1	-33.297	25.496	2.084	-34.337	25.597	2.929	-14.388	29.35	15.609	-8.92	30.222	23.417	0.116	207.126	2.418	0.116	263.157	1.732	0.116	2.752	0.002	0.116	0.848	0.0
2	8276	8277	SN	1	-33.297	25.496	2.085	-34.337	25.597	2.926	-14.388	29.35	15.605	-8.921	30.222	23.388	0.116	207.126	2.412	0.116	263.157	1.729	0.116	2.752	0.002	0.116	0.848	0.0
3	8276	8277	SN	1	-33.297	25.496	1.335	-34.337	25.597	3.107	-14.388	29.35	15.494	-8.92	30.222	23.415	0.116	207.126	2.543	0.116	263.157	1.928	0.116	2.752	0.002	0.116	0.848	0.0
4	8277	8278	SN	1	-34.532	25.823	1.852	-33.786	27.251	2.521	-29.114	31.562	12.683	-26.679	32.927	8.961	0.116	275.16	3.655	0.116	231.786	2.966	0.116	79.113	0.044	0.116	45.197	0.054
5	8277	8278	NS	1	-33.99	28.153	0.137	-34.482	29.921	0.045	5.354	30.756	16.156	6.17	35.08	32.37	0.116	242.959	4.189	0.116	272.09	4.281	0.116	0.139	0.0	0.116	0.135	0.0
6	8277	8278	SN	1	-34.416	25.823	1.85	-34.091	27.251	2.523	-30.219	31.562	12.645	-26.446	32.927	8.986	0.116	267.899	3.65	0.116	248.667	2.973	0.116	102.008	0.044	0.116	42.827	0.054
7	8277	8278	SN	1	-34.416	25.823	1.844	-34.091	27.251	2.585	-30.219	31.562	12.645	-26.446	32.927	8.988	0.116	267.899	3.764	0.116	248.667	3.063	0.116	102.008	0.044	0.116	42.827	0.054
8	8278	8279	SN	1	-34.161	25.749	0.144	-34.649	25.874	0.261	5.351	29.772	15.707	5.914	30.054	12.837	0.116	252.697	2.318	0.116	282.7	2.284	0.116	0.139	0.0	0.116	0.136	0.0
9	8278	8279	NS	1	-34.117	25.416	0.019	-32.128	26.479	0.021	-1.539	30.212	12.789	-9.619	30.54	23.78	0.116	250.169	2.911	0.116	158.249	2.737	0.116	0.239	0.0	0.116	0.98	0.0
10	8278	8279	NS	2	-34.117	25.416	0.019	-32.128	26.479	0.021	-1.539	30.212	12.789	-9.619	30.54	23.78	0.116	250.169	2.911	0.116	158.249	2.737	0.116	0.239	0.0	0.116	0.98	0.0
11	8278	8279	SN	1	-34.161	25.749	0.146	-34.649	25.874	0.265	5.351	29.772	15.707	5.914	30.054	12.837	0.116	252.697	2.362	0.116	282.7	2.321	0.116	0.139	0.0	0.116	0.136	0.0
12	8278	8279	SN	1	-34.454	25.747	0.147	-34.772	25.875	0.266	5.35	29.772	15.601	5.916	30.052	12.794	0.116	270.334	2.362	0.116	290.839	2.325	0.116	0.139	0.0	0.116	0.136	0.0
13	8279	8280	SN	1	-34.352	25.068	0.151	-34.898	26.437	0.249	6.922	28.512	17.957	7.621	28.997	11.261	0.116	264.1	3.198	0.116	299.402	2.72	0.116	0.132	0.0	0.116	0.129	0.0
14	8279	8280	NS	1	-34.988	26.431	0.015	-34.894	26.568	0.021	-3.16	30.266	10.937	-4.802	30.908	20.617	0.116	305.711	8.04	0.116	299.088	7.612	0.116	0.299	0.0	0.116	0.389	0.0
15	8279	8280	SN	2	-34.352	25.068	0.148	-34.898	26.437	0.245	6.922	28.512	17.926	7.621	28.997	11.303	0.116	264.1	3.136	0.116	299.402	2.671	0.116	0.132	0.0	0.116	0.129	0.0
16	8279	8280	SN	1	-34.352	25.068	0.148	-34.898	26.437	0.245	6.922	28.512	17.926	7.621	28.997	11.303	0.116	264.1	3.136	0.116	299.402	2.671	0.116	0.132	0.0	0.116	0.129	0.0
17	8279	8280	NS	1	-34.999	26.429	0.015	-34.815	26.568	0.021	-3.16	30.266	10.937	-4.802	30.908	20.619	0.116	306.396	8.041	0.116	293.746	7.609	0.116	0.299	0.0	0.116	0.389	0.0
18	8280	8281	SN	1	-34.475	25.006	0.311	-34.95	26.452	0.407	6.331	28.658	20.66	7.763	29.218	20.062	0.116	271.568	2.168	0.116	302.986	1.839	0.116	0.134	0.0	0.116	0.129	0.0
19	8280	8281	SN	2	-34.86	25.006	0.311	-34.95	26.452	0.407	6.331	28.658	20.66	7.763	29.218	20.06	0.116	296.761	2.168	0.116	302.986	1.839	0.116	0.134	0.0	0.116	0.129	0.0
20	8280	8281	SN	1	-34.86	25.006	0.321	-34.95	26.452	0.415	6.331	28.658	20.806	7.763	29.218	20.847	0.116	296.761	2.235	0.116	302.986	1.885	0.116	0.134	0.0	0.116	0.129	0.0
21	8280	8281	NS	1	-34.711	22.156	0.002	-34.242	22.797	0.018	-16.101	28.892	7.235	-8.332	34.696	14.595	0.116	286.797	2.513	0.116	257.51	2.06	0.116	4.038	0.011	0.116	0.753	0.0
22	8280	8281	NS	1	-34.966	22.156	0.002	-34.906	22.795	0.018	-16.115	28.89	7.234	-8.335	34.696	14.558	0.116	304.143	2.513	0.116	299.969	2.06	0.116	4.051	0.011	0.116	0.753	0.0
23	8281	8282	SN	2	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.756	8.742	29.85	22.099	0.116	300.588	3.707	0.116	218.927	3.146	0.116	0.132	0.0	0.116	0.126	0.0
24	8281	8282	NS	1	-34.618	21.534	0.0	-32.895	22.871	0.013	-3.938	29.512	8.578	-4.608	29.881	14.15	0.116	280.735	2.185	0.116	188.787	1.884	0.116	0.337	0.0	0.116	0.376	0.0
25	8281	8282	SN	1	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.775	8.742	29.85	22.099	0.116	300.588	3.724	0.116	218.927	3.165	0.116	0.132	0.0	0.116	0.126	0.0
26	8281	8282	SN	1	-34.916	24.081	0.005	-33.539	23.341	0.004	6.86	28.397	17.757	8.742	29.85	22.092	0.116	300.588	3.707	0.116	218.927	3.146	0.116	0.132	0.0	0.116	0.126	0.0
27	8281	8282	NS	1	-34.902	21.534	0.0	-32.895	22.871	0.013	-3.938	29.512	8.482	-4.608	29.881	14.12	0.116	299.644	2.184	0.116	188.787	1.888	0.116	0.337	0.0	0.116	0.376	0.0
28	8282	8283	NS	2	-34.51	26.613	0.617	-34.581	26.845	0.881	-11.666	30.011	11.815	-6.658	30.317	16.675	0.116	273.796	3.423	0.116	278.365	2.997	0.116	1.513	0.008	0.116	0.543	0.0
29	8282	8283	SN	1	-33.478	20.947	0.0	-34.628	23.137	0.003	6.683	29.11	15.564	6.061	29.686	20.265	0.116	215.961	2.944	0.116	281.319	2.362	0.116	0.132	0.0	0.116	0.135	0.0
30	8282	8283	SN	1	-34.829	20.947	0.0	-34.645	22.814	0.002	6.69	29.109	16.55	6.069	29.681	20.296	0.116	294.62	3.102	0.116	282.413	2.548	0.116	0.132	0.0	0.116	0.135	0.0
31	8282	8283	SN	1	-34.598	20.947	0.0	-34.645	23.137	0.003	6.69	29.109	15.567	6.069	29.681	20.254	0.116	279.473	2.94	0.116	282.413	2.355	0.116	0.132	0.0	0.116	0.135	0.0
32	8282	8283	NS	1	-34.51	26.613	0.617	-34.581	26.845	0.882	-11.666	30.011	11.815	-6.658	30.317	16.675	0.116	273.796	3.423	0.116	278.365	2.999	0.116	1.513	0.008	0.116	0.543	0.0
33	8283	8284	SN	1	-34.976	24.208	0.121	-34.892	25.552	0.221	5.074	34.757	16.401	5.293	32.664	19.387	0.116	304.807	6.982	0.116	298.964	5.314	0.116	0.14	0.0	0.116	0.139	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

34	8283	8284	NS	1	-34.105	26.013	0.775	-34.041	27.627	0.891	6.096	33.804	13.314	7.512	30.164	23.672	0.116	249.419	2.042	0.116	245.821	1.756	0.116	0.135	0.0	0.116	0.129	0.0
35	8283	8284	SN	1	-34.976	24.208	0.112	-34.892	25.552	0.195	5.074	34.757	16.037	5.296	32.664	19.441	0.116	304.807	6.434	0.116	298.964	4.708	0.116	0.14	0.0	0.116	0.139	0.0
36	8283	8284	SN	1	-34.976	24.208	0.112	-34.892	25.552	0.195	5.074	34.757	16.033	5.293	32.664	19.406	0.116	304.807	6.44	0.116	298.964	4.713	0.116	0.14	0.0	0.116	0.139	0.0
37	8284	8285	NS	1	-34.397	25.807	0.297	-34.52	25.631	0.458	-0.818	28.448	26.122	1.448	29.769	42.629	0.116	266.759	1.86	0.116	274.451	1.508	0.116	0.219	0.0	0.116	0.175	0.0
38	8284	8285	NS	2	-34.397	25.807	0.297	-34.52	25.631	0.458	-0.818	28.448	26.123	1.448	29.769	42.63	0.116	266.759	1.86	0.116	274.451	1.508	0.116	0.219	0.0	0.116	0.175	0.0
39	8284	8285	SN	1	-34.787	26.677	0.081	-34.752	27.803	0.118	-9.198	29.197	19.411	-4.585	30.68	20.607	0.116	291.806	8.533	0.116	289.475	7.463	0.116	0.898	0.0	0.116	0.375	0.0
40	8285	8286	NS	1	-34.631	27.684	0.429	-34.577	27.74	0.572	-29.716	30.588	14.323	-25.25	30.696	26.744	0.116	281.572	3.357	0.116	278.099	2.931	0.116	90.844	0.377	0.116	32.547	0.215
41	8285	8286	NS	1	-34.631	27.682	0.435	-34.577	27.738	0.572	-29.716	30.588	14.319	-25.25	30.696	26.713	0.116	281.572	3.352	0.116	278.099	2.929	0.116	90.844	0.377	0.116	32.547	0.215
42	8285	8286	SN	1	-33.936	28.626	0.109	-35.001	29.109	0.234	-5.929	31.363	18.246	-9.973	30.62	17.811	0.116	239.9	3.203	0.116	306.503	2.092	0.116	0.474	0.0	0.116	1.055	0.002
43	8286	8287	NS	1	-33.961	26.282	0.514	-34.292	27.073	0.561	4.649	29.198	15.926	2.192	32.721	24.149	0.116	241.337	3.944	0.116	260.461	3.833	0.116	0.143	0.0	0.116	0.165	0.0
44	8291	8292	SN	1	-33.949	26.355	1.39	-34.998	26.485	3.319	-26.501	36.279	16.547	-28.287	30.343	20.302	0.116	240.63	3.368	0.116	306.359	2.294	0.116	43.38	0.196	0.116	65.389	0.171
45	8291	8292	SN	1	-33.949	26.355	2.197	-34.998	26.485	3.149	-26.501	36.279	16.547	-28.287	30.343	20.304	0.116	240.63	3.169	0.116	306.359	2.162	0.116	43.38	0.196	0.116	65.389	0.171
46	8291	8292	NS	1	-34.994	28.27	0.366	-34.38	28.832	0.074	1.595	32.872	20.558	2.638	33.321	34.596	0.116	306.133	5.212	0.116	265.762	4.945	0.116	0.173	0.0	0.116	0.16	0.0
47	8291	8292	SN	2	-33.949	26.355	2.197	-34.998	26.485	3.149	-26.501	36.279	16.547	-28.287	30.343	20.304	0.116	240.63	3.169	0.116	306.359	2.162	0.116	43.38	0.196	0.116	65.389	0.171
48	8291	8292	NS	2	-34.994	28.27	0.367	-34.38	28.832	0.076	1.595	32.872	20.558	2.638	33.321	34.596	0.116	306.133	5.213	0.116	265.762	4.945	0.116	0.173	0.0	0.116	0.16	0.0
49	8292	8293	NS	2	-34.844	27.907	0.042	-34.775	28.604	0.046	-9.39	33.651	13.02	-3.262	31.137	27.133	0.116	295.736	4.675	0.116	291.011	4.063	0.116	0.934	0.0	0.116	0.304	0.0
50	8292	8293	SN	1	-34.897	25.365	0.786	-35.001	25.823	1.195	4.954	29.486	12.056	6.372	30.215	8.891	0.116	299.332	4.263	0.116	306.5	3.91	0.116	0.141	0.0	0.116	0.134	0.0
51	8292	8293	SN	2	-34.897	25.365	0.786	-35.001	25.823	1.195	4.954	29.486	12.056	6.372	30.215	8.891	0.116	299.332	4.263	0.116	306.5	3.91	0.116	0.141	0.0	0.116	0.134	0.0
52	8292	8293	SN	1	-34.897	25.365	0.769	-35.001	25.823	1.17	4.954	29.486	12.056	6.372	30.215	8.891	0.116	299.332	4.165	0.116	306.5	3.826	0.116	0.141	0.0	0.116	0.134	0.0
53	8292	8293	NS	1	-34.844	27.907	0.042	-34.775	28.604	0.046	-9.392	33.651	13.02	-3.262	31.137	27.131	0.116	295.736	4.675	0.116	291.011	4.061	0.116	0.934	0.0	0.116	0.304	0.0
54	8293	8294	SN	1	-33.605	25.379	0.279	-34.798	26.194	0.337	7.46	29.55	21.703	8.297	30.202	19.214	0.116	222.304	2.973	0.116	292.548	2.595	0.116	0.13	0.0	0.116	0.127	0.0
55	8293	8294	SN	1	-33.605	25.379	0.274	-34.798	26.194	0.333	7.46	29.55	21.695	8.297	30.202	19.173	0.116	222.304	2.917	0.116	292.548	2.553	0.116	0.13	0.0	0.116	0.127	0.0
56	8293	8294	SN	2	-33.605	25.379	0.274	-34.798	26.194	0.333	7.46	29.55	21.695	8.297	30.202	19.173	0.116	222.304	2.917	0.116	292.548	2.553	0.116	0.13	0.0	0.116	0.127	0.0
57	8293	8294	NS	1	-34.993	25.563	0.011	-34.651	26.646	0.011	-16.206	30.226	12.377	-7.343	30.134	22.04	0.116	305.954	4.204	0.116	282.822	4.455	0.116	4.135	0.005	0.116	0.619	0.0
58	8293	8294	NS	1	-34.076	25.564	0.011	-34.465	26.646	0.011	-16.206	30.226	12.368	-7.343	30.134	22.05	0.116	247.722	4.208	0.116	270.979	4.438	0.116	4.135	0.005	0.116	0.619	0.0
59	8294	8295	NS	1	-34.877	27.234	0.011	-34.646	22.478	0.004	-7.246	31.377	7.952	-23.106	30.882	16.285	0.116	297.928	6.47	0.116	282.591	6.753	0.116	0.607	0.0	0.116	19.896	0.001
60	8294	8295	SN	1	-34.028	24.895	0.154	-34.767	26.06	0.26	6.157	28.021	16.617	7.305	28.949	11.056	0.116	245.017	2.494	0.116	290.51	2.062	0.116	0.135	0.0	0.116	0.13	0.0
61	8294	8295	SN	2	-34.14	24.895	0.154	-34.767	26.06	0.26	6.157	28.021	16.624	7.305	28.949	11.056	0.116	251.478	2.494	0.116	290.51	2.062	0.116	0.135	0.0	0.116	0.13	0.0
62	8294	8295	NS	1	-34.984	27.234	0.011	-34.858	22.475	0.004	-7.241	31.377	7.94	-23.022	30.882	16.298	0.116	305.391	6.455	0.116	296.684	6.74	0.116	0.607	0.0	0.116	19.523	0.001
63	8294	8295	SN	1	-34.14	24.895	0.158	-34.767	26.06	0.266	6.157	28.021	16.64	7.305	28.949	11.2	0.116	251.478	2.557	0.116	290.51	2.105	0.116	0.135	0.0	0.116	0.13	0.0
64	8295	8296	SN	1	-34.914	23.708	0.048	-34.547	23.929	0.07	6.895	28.561	17.999	7.864	29.871	20.872	0.116	300.501	5.121	0.116	276.169	3.837	0.116	0.132	0.0	0.116	0.128	0.0
65	8295	8296	NS	1	-34.8	25.922	0.005	-34.92	22.449	0.005	-3.293	28.623	9.95	-4.214	30.028	17.552	0.116	292.72	5.026	0.116	300.957	4.849	0.116	0.305	0.0	0.116	0.352	0.0
66	8295	8296	SN	1	-34.858	23.708	0.05	-34.569	23.929	0.072	6.895	28.561	18.435	7.864	29.871	21.414	0.116	296.655	5.29	0.116	277.595	3.972	0.116	0.132	0.0	0.116	0.128	0.0
67	8295	8296	NS	2	-34.693	25.922	0.005	-34.92	22.449	0.005	-3.293	28.623	9.95	-4.214	30.028	17.552	0.116	285.571	5.025	0.116	300.957	4.849	0.116	0.305	0.0	0.116	0.352	0.0
68	8295	8296	SN	1	-34.858	23.708	0.048	-34.569	23.929	0.07	6.895	28.561	17.999	7.864	29.871	20.879	0.116	296.655	5.126	0.116	277.595	3.845	0.116	0.132	0.0	0.116	0.128	0.0
69	8296	8297	SN	1	-34.847	21.052	0.0	-34.396	22.13	0.001	-20.381	28.122	17.331	-3.886	29.738	22.473	0.116	295.981	3.66	0.116	266.687	2.806	0.116	10.668	0.011	0.116	0.334	0.0
70	8296	8297	SN	1	-34.847	21.052	0.0	-34.396	22.133	0.001	-20.381	28.122	17.289	-3.886	29.738	22.48	0.116	295.981	3.605	0.116	266.687	2.756	0.116	10.668	0.011	0.116	0.334	0.0
71	8296	8297	NS	2	-34.086	25.264	0.421	-33.7	25.828	0.51	-10.754	29.729	8.04	-6.404	29.771	13.467	0.116	248.374	4.944	0.116	227.243	4.39	0.116	1.244	0.002	0.116	0.518	0.0
72	8296	8297	NS	1	-34.086	25.236	0.421	-33.7	25.776	0.51	-10.754	29.729	8.04	-6.404	29.771	13.467	0.116	248.374	4.942	0.116	227.243	4.392	0.116	1.244	0.002	0.116	0.518	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	8296	8297	SN	1	-34.847	21.052	0.0	-34.396	22.133	0.001	-20.386	28.122	17.285	-3.89	29.738	22.475	0.116	295.981	3.602	0.116	266.687	2.751	0.116	10.68	0.011	0.116	0.335	0.0
74	8297	8298	NS	1	-34.515	26.796	0.477	-34.601	27.149	0.683	8.154	29.133	18.357	7.997	30.032	28.59	0.116	274.076	2.936	0.116	279.61	2.359	0.116	0.128	0.0	0.116	0.128	0.0
75	8297	8298	NS	2	-34.515	26.796	0.477	-34.601	27.149	0.683	8.154	29.133	18.357	7.997	30.032	28.602	0.116	274.076	2.936	0.116	279.61	2.361	0.116	0.128	0.0	0.116	0.128	0.0
76	8297	8298	SN	1	-33.921	25.037	0.222	-33.288	25.603	0.266	-2.43	36.383	13.865	-3.894	36.383	17.422	0.116	239.109	2.959	0.116	206.674	2.308	0.116	0.269	0.0	0.116	0.335	0.0
77	8297	8298	SN	1	-33.799	25.037	0.211	-33.424	25.603	0.247	-2.374	36.383	13.738	-3.895	36.383	17.476	0.116	232.457	2.82	0.116	213.264	2.166	0.116	0.267	0.0	0.116	0.335	0.0
78	8297	8298	SN	1	-33.921	25.037	0.211	-33.288	25.603	0.248	-2.43	36.383	13.737	-3.894	36.383	17.481	0.116	239.109	2.817	0.116	206.674	2.171	0.116	0.269	0.0	0.116	0.335	0.0
79	8298	8299	NS	2	-34.569	25.656	0.451	-34.405	26.624	0.507	-7.783	31.21	20.285	3.419	32.031	34.971	0.116	277.518	2.686	0.116	267.273	2.62	0.116	0.675	0.0	0.116	0.152	0.0
80	8298	8299	SN	1	-34.96	26.87	0.318	-34.028	27.121	0.46	-7.643	31.975	17.559	-6.63	30.458	19.661	0.116	303.712	6.721	0.116	245.054	5.689	0.116	0.656	0.0	0.116	0.54	0.0
81	8298	8299	SN	1	-34.96	26.87	0.288	-34.028	27.121	0.389	-7.643	31.975	16.439	-6.63	30.458	19.623	0.116	303.712	6.426	0.116	245.054	5.135	0.116	0.656	0.0	0.116	0.54	0.0
82	8298	8299	NS	1	-34.632	25.656	0.451	-34.346	26.624	0.507	-7.783	31.21	20.287	3.419	32.031	34.971	0.116	281.616	2.686	0.116	263.655	2.62	0.116	0.675	0.0	0.116	0.152	0.0
83	8299	8300	SN	1	-34.284	27.139	0.171	-34.923	27.907	0.268	-22.482	29.788	18.721	-7.762	31.183	18.579	0.116	259.988	3.58	0.116	301.161	3.846	0.116	17.253	0.003	0.116	0.672	0.0
84	8299	8300	NS	1	-34.402	28.621	0.265	-34.422	28.382	0.437	-16.704	28.334	25.745	-14.305	30.286	40.533	0.116	267.123	2.793	0.116	268.353	2.186	0.116	4.626	0.003	0.116	2.701	0.003
85	8300	8301	NS	1	-34.954	27.074	0.248	-34.708	25.529	0.296	-33.57	32.484	13.507	-30.273	34.667	23.355	0.116	303.325	5.038	0.116	286.611	4.813	0.116	220.506	0.359	0.116	103.256	0.256
86	8300	8301	NS	1	-34.954	27.074	0.248	-34.781	25.529	0.296	-33.57	32.484	13.51	-30.273	34.667	23.355	0.116	303.325	5.042	0.116	291.402	4.801	0.116	220.506	0.359	0.116	103.256	0.256

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.838	1215.32	1263.728	0.0	-92.951	-91.94	0.0
2	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.834	1215.32	1263.728	0.0	-92.951	-91.94	0.0
3	8276	8277	SN	1	57.532	58.141	0.0	0.0	289.262	3.023	1215.32	1262.608	0.0	-92.951	-91.94	0.0
4	8277	8278	SN	1	57.516	58.142	0.0	0.0	297.363	3.704	1214.312	1263.728	0.0	-93.09	-91.954	0.0
5	8277	8278	NS	1	57.583	58.235	0.0	0.0	297.341	3.561	1216.192	1264.184	0.0	-93.745	-91.958	0.0
6	8277	8278	SN	1	57.515	58.142	0.0	0.0	297.363	3.694	1214.504	1263.728	0.0	-92.868	-91.954	0.0
7	8277	8278	SN	1	57.515	58.142	0.0	0.0	297.363	3.207	1214.504	1263.432	0.0	-92.868	-91.954	0.0
8	8278	8279	SN	1	57.514	58.149	0.0	0.0	293.966	3.57	1214.736	1263.632	0.0	-92.951	-91.952	0.0
9	8278	8279	NS	1	57.601	58.384	0.0	0.0	299.873	3.521	1216.384	1264.216	0.0	-94.53	-91.974	0.0
10	8278	8279	NS	2	57.601	58.384	0.0	0.0	299.873	3.521	1216.384	1264.216	0.0	-94.53	-91.974	0.0
11	8278	8279	SN	1	57.514	58.149	0.0	0.0	293.966	3.103	1214.736	1263.416	0.0	-92.951	-91.952	0.0
12	8278	8279	SN	1	57.517	58.147	0.0	0.003	293.983	3.093	1214.944	1263.408	0.0	-92.944	-91.952	0.0
13	8279	8280	SN	1	57.513	58.166	0.0	0.003	297.159	3.112	1215.016	1263.296	0.0	-93.007	-91.952	0.0
14	8279	8280	NS	1	57.499	58.234	0.0	0.0	295.047	3.554	1216.736	1264.104	0.0	-94.947	-91.973	0.0
15	8279	8280	SN	2	57.513	58.166	0.0	0.0	297.159	3.597	1215.016	1263.608	0.0	-92.98	-91.952	0.0
16	8279	8280	SN	1	57.513	58.166	0.0	0.0	297.159	3.597	1215.016	1263.608	0.0	-92.98	-91.952	0.0
17	8279	8280	NS	1	57.499	58.234	0.0	0.0	295.047	3.557	1216.368	1264.104	0.0	-94.947	-91.973	0.0
18	8280	8281	SN	1	57.516	58.143	0.0	0.0	294.953	3.637	1214.656	1263.64	0.0	-93.008	-91.953	0.0
19	8280	8281	SN	2	57.516	58.143	0.0	0.0	294.959	3.638	1214.656	1263.648	0.0	-93.008	-91.953	0.0
20	8280	8281	SN	1	57.516	58.143	0.0	0.0	294.959	3.065	1214.656	1263.008	0.0	-93.011	-91.953	0.0
21	8280	8281	NS	1	57.598	58.234	0.0	0.0	296.371	3.712	1217.28	1264.072	0.0	-93.265	-91.943	0.0
22	8280	8281	NS	1	57.598	58.234	0.0	0.0	296.371	3.716	1217.28	1264.072	0.0	-93.265	-91.943	0.0
23	8281	8282	SN	2	57.518	58.149	0.0	0.0	299.376	3.607	1214.456	1263.68	0.0	-92.992	-91.953	0.0
24	8281	8282	NS	1	57.594	58.235	0.0	0.0	298.163	3.621	1216.528	1264.12	0.0	-93.744	-91.972	0.0
25	8281	8282	SN	1	57.518	58.149	0.0	0.0	299.376	3.37	1214.456	1263.64	0.0	-92.992	-91.953	0.0
26	8281	8282	SN	1	57.518	58.149	0.0	0.0	294.545	3.607	1214.464	1263.68	0.0	-92.992	-91.953	0.0
27	8281	8282	NS	1	57.594	58.235	0.0	0.0	298.163	3.625	1216.56	1264.12	0.0	-93.744	-91.972	0.0
28	8282	8283	NS	2	57.598	58.245	0.0	0.0	295.328	3.791	1215.176	1264.136	0.0	-93.745	-91.971	0.0
29	8282	8283	SN	1	57.535	58.143	0.0	0.0	295.896	3.736	1215.456	1263.64	0.0	-92.954	-91.924	0.0
30	8282	8283	SN	1	57.531	58.142	0.0	0.0	295.924	2.724	1215.44	1262.216	0.0	-92.912	-91.924	0.0
31	8282	8283	SN	1	57.531	58.142	0.0	0.0	295.924	3.736	1215.44	1263.64	0.0	-92.912	-91.924	0.0
32	8282	8283	NS	1	57.598	58.245	0.0	0.0	295.328	3.792	1215.176	1264.136	0.0	-93.745	-91.971	0.0
33	8283	8284	SN	1	57.53	58.153	0.0	0.0	297.904	2.709	1215.128	1262.248	0.0	-92.852	-91.948	0.0
34	8283	8284	NS	1	57.603	58.261	0.0	0.0	296.238	3.626	1216.512	1264.048	0.0	-93.745	-91.958	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors





35	8283	8284	SN	1	57.53	58.294	0.0	0.0	297.904	3.727	1215.08	1268.072	0.0	-94.682	-91.948	0.0
36	8283	8284	SN	1	57.53	58.294	0.0	0.0	297.904	3.732	1215.128	1268.088	0.0	-94.682	-91.948	0.0
37	8284	8285	NS	1	57.584	58.233	0.0	0.0	295.003	3.769	1216.64	1264.104	0.0	-93.745	-91.906	0.0
38	8284	8285	NS	2	57.584	58.233	0.0	0.0	295.025	3.77	1216.64	1264.096	0.0	-93.745	-91.906	0.0
39	8284	8285	SN	1	57.521	58.146	0.0	0.0	298.637	3.62	1215.256	1263.952	0.0	-93.008	-91.939	0.0
40	8285	8286	NS	1	57.583	58.233	0.0	0.0	299.464	3.709	1215.92	1264.432	0.0	-93.746	-91.968	0.0
41	8285	8286	NS	1	57.583	58.233	0.0	0.0	299.481	3.719	1215.936	1264.424	0.0	-93.746	-91.968	0.0
42	8285	8286	SN	1	57.553	58.146	0.0	0.0	297.992	3.624	1215.28	1264.048	0.0	-93.054	-91.961	0.0
43	8286	8287	NS	1	57.58	58.233	0.0	0.0	299.426	3.756	1216.376	1264.48	0.0	-92.906	-91.966	0.0
44	8291	8292	SN	1	57.548	58.146	0.0	0.003	297.644	3.354	1215.784	1263.464	0.0	-92.936	-91.906	0.0
45	8291	8292	SN	1	57.548	58.146	0.0	0.0	297.644	3.89	1215.784	1263.784	0.0	-92.936	-91.906	0.0
46	8291	8292	NS	1	57.572	58.23	0.0	0.0	294.341	3.803	1214.816	1264.056	0.0	-93.744	-91.945	0.0
47	8291	8292	SN	2	57.548	58.146	0.0	0.0	297.644	3.89	1215.784	1263.784	0.0	-92.936	-91.906	0.0
48	8291	8292	NS	2	57.572	58.23	0.0	0.0	294.358	3.803	1214.824	1264.056	0.0	-93.744	-91.945	0.0
49	8292	8293	NS	2	57.608	58.23	0.0	0.0	295.742	3.48	1214.928	1264.264	0.0	-93.745	-91.961	0.0
50	8292	8293	SN	1	57.536	58.152	0.0	0.0	296.917	3.174	1216.36	1263.504	0.0	-92.908	-91.964	0.0
51	8292	8293	SN	2	57.536	58.152	0.0	0.0	296.917	3.174	1216.36	1263.504	0.0	-92.908	-91.964	0.0
52	8292	8293	SN	1	57.536	58.152	0.0	0.0	296.917	3.655	1216.36	1263.696	0.0	-92.908	-91.964	0.0
53	8292	8293	NS	1	57.608	58.23	0.0	0.0	295.742	3.479	1214.936	1264.256	0.0	-93.745	-91.961	0.0
54	8293	8294	SN	1	57.518	58.145	0.0	0.003	296.117	3.125	1215.992	1263.392	0.0	-92.983	-91.963	0.0
55	8293	8294	SN	1	57.518	58.145	0.0	0.0	296.117	3.607	1215.992	1263.64	0.0	-92.983	-91.963	0.0
56	8293	8294	SN	2	57.518	58.145	0.0	0.0	296.117	3.607	1215.992	1263.64	0.0	-92.983	-91.963	0.0
57	8293	8294	NS	1	57.59	58.229	0.0	0.0	297.165	3.615	1215.4	1264.128	0.0	-93.743	-91.964	0.0
58	8293	8294	NS	1	57.59	58.229	0.0	0.0	297.165	3.611	1215.624	1264.128	0.0	-93.743	-91.964	0.0
59	8294	8295	NS	1	57.575	58.228	0.0	0.0	299.034	3.602	1215.224	1263.976	0.0	-93.001	-91.96	0.0
60	8294	8295	SN	1	57.538	58.148	0.0	0.0	295.433	3.592	1215.728	1263.576	0.0	-92.929	-91.962	0.0
61	8294	8295	SN	2	57.538	58.149	0.0	0.0	295.483	3.59	1215.736	1263.576	0.0	-92.994	-91.962	0.0
62	8294	8295	NS	1	57.575	58.228	0.0	0.0	299.034	3.606	1215.416	1263.976	0.0	-92.934	-91.96	0.0
63	8294	8295	SN	1	57.538	58.149	0.0	0.0	295.483	3.085	1215.736	1263.272	0.0	-93.013	-91.962	0.0
64	8295	8296	SN	1	57.543	58.158	0.0	0.0	298.554	3.574	1215.632	1263.656	0.0	-92.995	-91.965	0.0
65	8295	8296	NS	1	57.604	58.249	0.0	0.0	297.385	3.819	1215.912	1264.024	0.0	-93.742	-91.94	0.0
66	8295	8296	SN	1	57.543	58.162	0.0	0.0	296.315	2.966	1215.632	1263.08	0.0	-92.996	-91.965	0.0
67	8295	8296	NS	2	57.604	58.248	0.0	0.0	297.209	3.815	1215.912	1264.016	0.0	-93.742	-91.94	0.0
68	8295	8296	SN	1	57.543	58.162	0.0	0.0	298.554	3.578	1215.632	1263.656	0.0	-92.985	-91.965	0.0
69	8296	8297	SN	1	57.521	58.165	0.0	0.0	298.935	3.182	1215.704	1263.44	0.0	-93.128	-91.963	0.0
70	8296	8297	SN	1	57.521	58.275	0.0	0.0	298.935	3.675	1215.704	1267.512	0.0	-94.724	-91.963	0.0
71	8296	8297	NS	2	57.589	58.26	0.0	0.0	295.146	3.832	1214.944	1264.08	0.0	-93.743	-91.962	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8296	8297	NS	1	57.589	58.26	0.0	0.0	295.146	3.832	1214.944	1264.08	0.0	-93.743	-91.962	0.0
73	8296	8297	SN	1	57.521	58.275	0.0	0.0	298.935	3.671	1215.88	1267.512	0.0	-94.724	-91.963	0.0
74	8297	8298	NS	1	57.606	58.246	0.0	0.0	298.4	3.592	1214.784	1264.096	0.0	-93.745	-91.959	0.0
75	8297	8298	NS	2	57.606	58.246	0.0	0.0	298.4	3.592	1214.784	1264.096	0.0	-93.745	-91.959	0.0
76	8297	8298	SN	1	57.537	58.148	0.0	0.0	298.56	2.984	1216.472	1262.792	0.0	-93.066	-91.928	0.0
77	8297	8298	SN	1	57.537	58.147	0.0	0.0	298.538	3.72	1216.712	1263.624	0.0	-92.884	-91.928	0.0
78	8297	8298	SN	1	57.537	58.147	0.0	0.0	298.56	3.724	1216.472	1263.624	0.0	-93.066	-91.928	0.0
79	8298	8299	NS	2	57.578	58.249	0.0	0.0	294.462	3.625	1215.328	1263.92	0.0	-93.743	-91.94	0.0
80	8298	8299	SN	1	57.527	58.155	0.0	0.0	296.53	2.157	1216.8	1261.312	0.0	-92.902	-91.96	0.0
81	8298	8299	SN	1	57.527	58.155	0.0	0.0	296.53	3.668	1216.8	1263.8	0.0	-92.935	-91.96	0.0
82	8298	8299	NS	1	57.578	58.227	0.0	0.0	294.534	3.629	1215.328	1263.912	0.0	-93.743	-91.94	0.0
83	8299	8300	SN	1	57.56	58.151	0.0	0.0	295.885	3.597	1216.696	1264.016	0.0	-93.812	-91.971	0.0
84	8299	8300	NS	1	57.577	58.228	0.0	0.0	296.382	3.871	1215.032	1264.104	0.0	-93.744	-91.918	0.0
85	8300	8301	NS	1	57.576	58.228	0.0	0.0	298.069	3.738	1214.88	1264.344	0.0	-93.746	-91.955	0.0
86	8300	8301	NS	1	57.576	58.228	0.0	0.0	298.069	3.742	1214.88	1264.344	0.0	-93.746	-91.955	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8276	8277	SN	1	-34.699	20.111	0.0	-34.241	20.459	0.0	-16.598	23.493	0.071	-15.79	23.171	0.058	0.086	218.565	3.043	0.086	196.71	2.392	0.086	3.448	0.008	0.086	2.874	0.005
2	8276	8277	SN	1	-34.445	20.111	0.0	-34.456	20.459	0.0	-16.608	23.493	0.071	-15.826	23.171	0.058	0.086	206.154	3.036	0.086	206.715	2.394	0.086	3.456	0.008	0.086	2.897	0.005
3	8276	8277	SN	1	-34.699	20.111	0.0	-34.241	20.459	0.0	-16.598	23.493	0.071	-15.79	23.171	0.058	0.086	218.565	3.164	0.086	196.71	2.667	0.086	3.448	0.008	0.086	2.874	0.005
4	8277	8278	SN	1	-34.745	19.677	0.0	-34.304	20.234	0.0	-31.579	23.298	0.134	-28.732	23.846	0.19	0.086	220.96	3.392	0.086	199.587	2.774	0.086	106.585	0.108	0.086	55.371	0.172
5	8277	8278	NS	1	-34.931	21.869	0.0	-34.987	22.215	0.003	-3.346	23.142	0.035	-4.16	23.894	0.312	0.086	230.56	3.419	0.086	233.532	3.669	0.086	0.231	0.0	0.086	0.263	0.0
6	8277	8278	SN	1	-34.98	19.675	0.0	-34.597	20.232	0.0	-32.3	23.298	0.131	-29.657	23.846	0.189	0.086	233.218	3.395	0.086	213.478	2.777	0.086	125.846	0.108	0.086	68.513	0.172
7	8277	8278	SN	1	-34.98	19.675	0.0	-34.597	20.232	0.0	-32.3	23.298	0.131	-29.657	23.846	0.189	0.086	233.218	3.504	0.086	213.478	2.86	0.086	125.846	0.108	0.086	68.513	0.172
8	8278	8279	SN	1	-34.759	19.109	0.0	-34.875	18.993	0.0	0.447	23.563	0.337	0.266	23.397	0.491	0.086	221.66	2.209	0.086	227.619	2.132	0.086	0.142	0.0	0.086	0.145	0.0
9	8278	8279	NS	1	-34.221	19.262	0.0	-34.648	18.591	0.0	-11.864	22.961	0.078	-27.071	24.229	0.295	0.086	195.811	2.935	0.086	216.0	3.243	0.086	1.203	0.002	0.086	37.793	0.068
10	8278	8279	NS	2	-34.221	19.262	0.0	-34.648	18.591	0.0	-11.864	22.961	0.078	-27.071	24.229	0.295	0.086	195.811	2.935	0.086	216.0	3.243	0.086	1.203	0.002	0.086	37.793	0.068
11	8278	8279	SN	1	-34.759	19.109	0.0	-34.875	18.993	0.0	0.447	23.563	0.337	0.266	23.397	0.491	0.086	221.66	2.253	0.086	227.619	2.164	0.086	0.142	0.0	0.086	0.145	0.0
12	8278	8279	SN	1	-34.932	19.109	0.0	-34.778	18.994	0.0	0.447	23.563	0.338	0.266	23.396	0.488	0.086	230.653	2.252	0.086	222.619	2.158	0.086	0.142	0.0	0.086	0.145	0.0
13	8279	8280	SN	1	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.701	0.086	207.356	2.653	0.086	233.329	2.489	0.086	0.137	0.0	0.086	0.119	0.0
14	8279	8280	NS	1	-34.789	18.346	0.0	-34.481	18.488	0.0	-30.415	23.275	0.056	-31.61	23.826	0.208	0.086	223.117	6.686	0.086	207.889	6.494	0.086	81.546	0.15	0.086	107.344	0.136
15	8279	8280	SN	2	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.688	0.086	207.356	2.595	0.086	233.329	2.456	0.086	0.137	0.0	0.086	0.119	0.0
16	8279	8280	SN	1	-34.47	19.526	0.0	-34.982	19.898	0.0	0.836	23.394	0.393	2.559	23.471	0.688	0.086	207.356	2.595	0.086	233.329	2.456	0.086	0.137	0.0	0.086	0.119	0.0
17	8279	8280	NS	1	-34.973	18.348	0.0	-34.702	18.488	0.0	-30.415	23.27	0.056	-31.61	23.826	0.208	0.086	232.779	6.646	0.086	218.768	6.488	0.086	81.546	0.15	0.086	107.344	0.136
18	8280	8281	SN	1	-34.818	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.379	3.071	23.444	1.358	0.086	224.647	2.107	0.086	223.971	1.875	0.086	0.129	0.0	0.086	0.115	0.0
19	8280	8281	SN	2	-34.818	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.379	3.071	23.444	1.358	0.086	224.647	2.107	0.086	223.971	1.875	0.086	0.129	0.0	0.086	0.115	0.0
20	8280	8281	SN	1	-34.956	19.505	0.0	-34.804	19.7	0.0	1.57	23.399	0.385	3.071	23.444	1.465	0.086	231.916	2.163	0.086	223.971	1.918	0.086	0.129	0.0	0.086	0.115	0.0
21	8280	8281	NS	1	-34.178	15.37	0.0	-33.894	15.838	0.0	-15.18	23.637	0.148	-9.218	23.58	0.242	0.087	193.853	2.331	0.087	181.641	2.432	0.086	2.506	0.003	0.086	0.685	0.0
22	8280	8281	NS	1	-34.988	15.37	0.0	-34.956	15.838	0.0	-15.17	23.637	0.149	-9.228	23.58	0.243	0.087	233.627	2.327	0.087	231.917	2.436	0.086	2.5	0.003	0.086	0.686	0.0
23	8281	8282	SN	2	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.097	2.834	23.038	0.425	0.087	226.802	3.543	0.086	196.426	3.058	0.086	0.143	0.0	0.086	0.117	0.0
24	8281	8282	NS	1	-34.657	18.977	0.0	-34.736	15.938	0.0	-13.63	23.419	0.156	-15.074	23.535	0.324	0.086	216.499	2.184	0.087	220.484	2.13	0.086	1.773	0.002	0.086	2.446	0.005
25	8281	8282	SN	1	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.098	2.834	23.038	0.425	0.087	226.802	3.558	0.086	196.426	3.074	0.086	0.143	0.0	0.086	0.117	0.0
26	8281	8282	SN	1	-34.86	17.486	0.0	-34.235	18.884	0.0	0.441	22.749	0.097	2.834	23.038	0.425	0.087	226.802	3.543	0.086	196.426	3.058	0.086	0.143	0.0	0.086	0.117	0.0
27	8281	8282	NS	1	-34.847	18.977	0.0	-33.59	15.938	0.0	-13.63	23.419	0.156	-15.074	23.535	0.324	0.086	226.21	2.188	0.087	169.357	2.113	0.086	1.773	0.002	0.086	2.446	0.005
28	8282	8283	NS	2	-34.95	19.766	0.0	-34.75	20.769	0.0	-19.933	22.941	0.345	-20.859	23.738	0.926	0.086	231.547	2.749	0.086	221.2	2.866	0.086	7.355	0.128	0.086	9.092	0.115
29	8282	8283	SN	1	-33.802	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.585	6.249	23.911	0.833	0.086	177.79	2.696	0.086	220.569	2.403	0.086	0.125	0.0	0.086	0.099	0.0
30	8282	8283	SN	1	-34.789	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.632	6.249	23.911	0.835	0.086	223.155	2.805	0.086	220.569	2.58	0.086	0.125	0.0	0.086	0.099	0.0
31	8282	8283	SN	1	-34.789	18.318	0.0	-34.738	17.751	0.0	1.919	23.897	0.585	6.249	23.911	0.833	0.086	223.155	2.687	0.086	220.569	2.392	0.086	0.125	0.0	0.086	0.099	0.0
32	8282	8283	NS	1	-34.95	19.766	0.0	-34.75	20.769	0.0	-19.933	22.941	0.345	-20.859	23.738	0.926	0.086	231.547	2.749	0.086	221.2	2.867	0.086	7.355	0.128	0.086	9.092	0.115

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	8283	8284	SN	1	-34.906	19.301	0.0	-34.406	20.212	0.0	-11.099	24.217	1.286	-5.911	25.605	1.842	0.086	229.255	4.988	0.086	204.342	4.487	0.086	1.019	0.002	0.086	0.357	0.0
34	8283	8284	NS	1	-34.922	19.836	0.0	-34.034	20.605	0.0	0.763	22.986	0.121	2.525	23.86	0.759	0.086	230.119	2.035	0.086	187.563	1.944	0.086	0.138	0.0	0.086	0.12	0.0
35	8283	8284	SN	1	-34.906	19.301	0.0	-33.994	20.212	0.0	-11.09	24.217	1.242	-5.911	25.605	1.836	0.086	229.255	4.65	0.086	185.838	3.998	0.086	1.017	0.001	0.086	0.357	0.0
36	8283	8284	SN	1	-34.906	19.301	0.0	-34.406	20.212	0.0	-11.099	24.217	1.243	-5.911	25.605	1.839	0.086	229.255	4.654	0.086	204.342	3.989	0.086	1.019	0.001	0.086	0.357	0.0
37	8284	8285	NS	1	-34.748	22.144	0.002	-34.417	19.743	0.0	-1.952	23.706	0.109	-6.674	24.435	1.554	0.086	221.073	1.478	0.086	204.878	1.263	0.086	0.189	0.0	0.086	0.412	0.0
38	8284	8285	NS	2	-34.748	22.144	0.002	-34.417	19.743	0.0	-1.952	23.706	0.109	-6.674	24.435	1.554	0.086	221.073	1.478	0.086	204.878	1.263	0.086	0.189	0.0	0.086	0.412	0.0
39	8284	8285	SN	1	-34.963	20.572	0.0	-34.937	20.283	0.0	-30.008	23.792	0.611	-16.406	24.248	0.872	0.086	232.32	7.89	0.086	230.896	7.042	0.086	74.271	0.091	0.086	3.301	0.009
40	8285	8286	NS	1	-34.996	22.702	0.002	-34.928	20.118	0.0	-30.315	22.797	0.083	-27.853	24.771	2.696	0.086	234.076	2.806	0.086	230.393	2.625	0.086	79.702	0.209	0.086	45.243	0.125
41	8285	8286	NS	1	-34.996	22.702	0.002	-34.863	20.118	0.0	-30.301	22.797	0.083	-27.853	24.769	2.69	0.086	234.076	2.802	0.086	226.988	2.625	0.086	79.435	0.209	0.086	45.243	0.124
42	8285	8286	SN	1	-34.725	21.89	0.0	-34.13	22.645	0.001	-10.822	24.154	0.599	-11.519	23.524	0.29	0.086	219.921	3.61	0.086	191.763	2.454	0.086	0.96	0.0	0.086	1.116	0.002
43	8286	8287	NS	1	-34.94	20.736	0.0	-34.835	18.724	0.0	0.468	22.85	0.106	1.561	24.471	2.332	0.086	231.05	2.794	0.086	225.544	2.716	0.086	0.142	0.0	0.086	0.129	0.0
44	8291	8292	SN	1	-34.604	20.8	0.0	-34.023	20.323	0.0	-23.627	23.369	0.176	-32.273	23.42	0.209	0.086	213.906	3.831	0.086	187.059	2.831	0.086	17.135	0.129	0.086	125.051	0.11
45	8291	8292	SN	1	-34.604	20.8	0.0	-34.023	20.323	0.0	-23.627	23.369	0.176	-32.273	23.42	0.209	0.086	213.906	3.663	0.086	187.059	2.677	0.086	17.135	0.129	0.086	125.051	0.11
46	8291	8292	NS	1	-34.699	22.429	0.002	-34.772	22.61	0.001	1.611	23.792	0.121	1.996	25.541	0.556	0.086	218.59	5.454	0.086	222.296	5.481	0.086	0.128	0.0	0.086	0.124	0.0
47	8291	8292	SN	2	-34.604	20.8	0.0	-34.023	20.323	0.0	-23.627	23.369	0.176	-32.273	23.42	0.209	0.086	213.906	3.663	0.086	187.059	2.677	0.086	17.135	0.129	0.086	125.051	0.11
48	8291	8292	NS	2	-34.699	22.429	0.002	-34.772	22.61	0.001	1.611	23.792	0.121	1.996	25.541	0.556	0.086	218.59	5.455	0.086	222.296	5.482	0.086	0.128	0.0	0.086	0.124	0.0
49	8292	8293	NS	2	-34.906	21.38	0.0	-34.478	21.841	0.0	-18.581	23.479	0.062	-7.15	23.81	0.287	0.086	229.263	3.635	0.086	207.759	3.251	0.086	5.406	0.002	0.086	0.452	0.0
50	8292	8293	SN	1	-34.622	19.585	0.0	-34.97	20.134	0.0	2.01	23.12	0.136	1.422	23.716	0.203	0.086	214.704	3.99	0.086	232.673	3.629	0.086	0.124	0.0	0.086	0.13	0.0
51	8292	8293	SN	2	-34.622	19.585	0.0	-34.97	20.134	0.0	2.01	23.12	0.136	1.422	23.716	0.203	0.086	214.704	3.99	0.086	232.673	3.629	0.086	0.124	0.0	0.086	0.13	0.0
52	8292	8293	SN	1	-34.622	19.585	0.0	-34.97	20.134	0.0	2.01	23.12	0.136	1.422	23.716	0.203	0.086	214.704	3.897	0.086	232.673	3.563	0.086	0.124	0.0	0.086	0.13	0.0
53	8292	8293	NS	1	-34.906	21.38	0.0	-34.478	21.841	0.0	-18.581	23.479	0.062	-7.15	23.81	0.287	0.086	229.263	3.636	0.086	207.759	3.251	0.086	5.406	0.002	0.086	0.452	0.0
54	8293	8294	SN	1	-33.008	19.369	0.0	-34.996	19.981	0.0	1.71	23.317	0.267	3.131	23.454	0.392	0.086	148.131	2.173	0.086	234.038	2.001	0.086	0.127	0.0	0.086	0.115	0.0
55	8293	8294	SN	1	-33.008	19.369	0.0	-34.996	19.981	0.0	1.71	23.317	0.267	3.131	23.454	0.391	0.086	148.131	2.128	0.086	234.038	1.974	0.086	0.127	0.0	0.086	0.115	0.0
56	8293	8294	SN	2	-33.008	19.369	0.0	-34.996	19.981	0.0	1.71	23.317	0.267	3.131	23.454	0.391	0.086	148.131	2.128	0.086	234.038	1.974	0.086	0.127	0.0	0.086	0.115	0.0
57	8293	8294	NS	1	-34.759	18.342	0.0	-34.212	18.308	0.0	-6.758	23.109	0.039	-26.936	23.574	0.201	0.086	221.645	3.69	0.086	195.369	3.889	0.086	0.419	0.0	0.086	36.641	0.032
58	8293	8294	NS	1	-34.442	18.345	0.0	-34.324	18.309	0.0	-6.758	23.109	0.039	-26.936	23.574	0.201	0.086	206.044	3.696	0.086	200.568	3.887	0.086	0.419	0.0	0.086	36.641	0.032
59	8294	8295	NS	1	-34.645	19.667	0.0	-34.778	20.207	0.0	-30.77	23.433	0.073	-30.418	23.385	0.172	0.086	215.847	5.394	0.086	222.626	5.909	0.086	88.478	0.007	0.086	81.607	0.054
60	8294	8295	SN	1	-34.748	19.045	0.0	-34.643	20.096	0.0	0.502	23.284	0.595	2.197	23.334	0.976	0.086	221.057	1.951	0.086	215.813	1.568	0.086	0.142	0.0	0.086	0.122	0.0
61	8294	8295	SN	2	-34.748	19.045	0.0	-34.643	20.096	0.0	0.502	23.284	0.595	2.197	23.334	0.976	0.086	221.057	1.951	0.086	215.813	1.568	0.086	0.142	0.0	0.086	0.122	0.0
62	8294	8295	NS	1	-34.922	19.664	0.0	-34.023	20.207	0.0	-34.123	23.433	0.073	-30.491	23.385	0.172	0.086	230.077	5.365	0.086	187.085	5.887	0.086	191.455	0.007	0.086	83.005	0.054
63	8294	8295	SN	1	-34.748	19.045	0.0	-34.643	20.096	0.0	0.502	23.284	0.596	2.197	23.334	1.014	0.086	221.057	1.997	0.086	215.813	1.595	0.086	0.142	0.0	0.086	0.122	0.0
64	8295	8296	SN	1	-34.85	19.144	0.0	-34.561	19.571	0.0	0.978	22.633	0.163	2.268	23.058	0.773	0.086	226.38	4.826	0.086	211.8	4.036	0.086	0.136	0.0	0.086	0.122	0.0
65	8295	8296	NS	1	-34.863	19.274	0.0	-34.798	16.445	0.0	-23.964	23.762	0.044	-25.688	23.376	0.126	0.086	226.979	4.15	0.087	223.585	4.595	0.086	18.512	0.012	0.086	27.503	0.008
66	8295	8296	SN	1	-34.973	19.144	0.0	-34.987	19.571	0.0	0.978	22.633	0.171	2.268	23.058	0.819	0.086	232.793	4.964	0.086	233.541	4.162	0.086	0.136	0.0	0.086	0.122	0.0
67	8295	8296	NS	2	-34.798	19.278	0.0	-34.903	16.445	0.0	-23.964	23.762	0.044	-25.692	23.376	0.126	0.086	223.641	4.15	0.087	229.068	4.596	0.086	18.512	0.012	0.086	27.536	0.008
68	8295	8296	SN	1	-34.973	19.144	0.0	-34.987	19.571	0.0	0.978	22.633	0.163	2.268	23.058	0.773	0.086	232.793	4.833	0.086	233.541	4.038	0.086	0.136	0.0	0.086	0.122	0.0
69	8296	8297	SN	1	-34.649	17.101	0.0	-34.413	17.138	0.0	-4.919	22.614	0.074	1.151	22.56	0.046	0.087	216.106	3.153	0.087	204.627	2.975	0.086	0.299	0.0	0.086	0.133	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	8296	8297	SN	1	-34.649	17.101	0.0	-34.705	17.138	0.0	-4.919	22.614	0.072	1.151	22.56	0.046	0.087	216.106	3.113	0.087	218.921	2.94	0.086	0.299	0.0	0.086	0.133	0.0
71	8296	8297	NS	2	-34.286	19.356	0.0	-34.976	19.443	0.0	-31.476	23.1	0.134	-23.926	23.383	0.434	0.086	198.791	5.06	0.086	236.116	4.657	0.086	104.103	0.119	0.086	18.353	0.039
72	8296	8297	NS	1	-34.286	19.356	0.0	-34.976	19.443	0.0	-31.476	23.1	0.134	-23.926	23.383	0.434	0.086	198.791	5.059	0.086	236.116	4.66	0.086	104.103	0.119	0.086	18.353	0.039
73	8296	8297	SN	1	-34.649	17.101	0.0	-34.744	17.138	0.0	-4.919	22.614	0.072	1.151	22.56	0.046	0.087	216.106	3.112	0.087	220.875	2.946	0.086	0.299	0.0	0.086	0.133	0.0
74	8297	8298	NS	1	-34.894	19.533	0.0	-34.625	20.814	0.0	3.93	22.884	0.289	2.574	24.602	1.07	0.086	228.644	2.354	0.086	214.871	2.335	0.086	0.11	0.0	0.086	0.119	0.0
75	8297	8298	NS	2	-34.894	19.533	0.0	-34.625	20.814	0.0	3.93	22.884	0.289	2.574	24.602	1.07	0.086	228.644	2.352	0.086	214.871	2.335	0.086	0.11	0.0	0.086	0.119	0.0
76	8297	8298	SN	1	-34.755	18.798	0.0	-34.049	18.996	0.0	-0.431	23.931	0.859	0.8	24.392	1.349	0.086	221.365	2.653	0.086	188.25	2.378	0.086	0.156	0.0	0.086	0.138	0.0
77	8297	8298	SN	1	-34.144	18.798	0.0	-34.823	18.996	0.0	-0.433	23.931	0.84	0.796	24.392	1.349	0.086	192.351	2.544	0.086	224.901	2.35	0.086	0.156	0.0	0.086	0.138	0.0
78	8297	8298	SN	1	-34.892	18.798	0.0	-34.292	18.996	0.0	-0.431	23.931	0.84	0.8	24.392	1.349	0.086	228.547	2.551	0.086	199.062	2.352	0.086	0.156	0.0	0.086	0.138	0.0
79	8298	8299	NS	2	-34.736	19.375	0.0	-34.283	20.11	0.0	-2.705	23.584	0.177	-0.442	24.005	1.105	0.086	220.45	2.917	0.086	198.62	2.835	0.086	0.21	0.0	0.086	0.156	0.0
80	8298	8299	SN	1	-34.592	20.063	0.0	-34.588	19.667	0.0	-8.002	23.663	0.777	-7.018	24.763	1.244	0.086	213.246	5.845	0.086	213.036	5.061	0.086	0.534	0.0	0.086	0.44	0.0
81	8298	8299	SN	1	-34.592	20.063	0.0	-34.588	19.667	0.0	-8.001	23.663	0.709	-7.018	24.763	1.278	0.086	213.246	5.562	0.086	213.036	4.624	0.086	0.534	0.0	0.086	0.44	0.0
82	8298	8299	NS	1	-34.895	19.375	0.0	-33.653	20.11	0.0	-2.704	23.584	0.177	-0.442	24.005	1.105	0.086	228.732	2.918	0.086	171.824	2.835	0.086	0.21	0.0	0.086	0.156	0.0
83	8299	8300	SN	1	-34.902	21.122	0.0	-34.939	19.813	0.0	-15.538	23.645	0.584	-8.525	24.478	0.485	0.086	228.998	3.271	0.086	231.025	3.615	0.086	2.715	0.018	0.086	0.594	0.0
84	8299	8300	NS	1	-34.932	21.251	0.0	-33.958	21.912	0.0	-23.929	22.384	0.06	-24.523	24.56	2.413	0.086	230.659	2.726	0.086	184.33	2.42	0.086	18.366	0.246	0.086	21.049	0.142
85	8300	8301	NS	1	-34.905	20.671	0.0	-34.883	21.816	0.0	-26.865	22.678	0.034	-33.016	24.432	2.419	0.086	229.192	4.015	0.086	228.035	4.083	0.086	36.051	0.338	0.086	148.383	0.315
86	8300	8301	NS	1	-34.905	20.671	0.0	-34.883	21.816	0.0	-26.865	22.675	0.034	-33.016	24.432	2.419	0.086	229.192	4.027	0.086	228.035	4.058	0.086	36.051	0.338	0.086	148.383	0.315

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors