

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 08-NOV-2018 To 09-NOV-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 08-NOV-2018 To 09-NOV-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11205	11206	SN	1	48.651	49.362	0.0	0.0	77.772	2.77	1016.608	1083.824	28.813	-91.546	-89.71	0.0
2	11205	11206	NS	1	48.762	49.41	0.0	0.003	266.672	2.682	1048.584	1086.96	0.0	-92.096	-90.021	0.0
3	11206	11207	SN	2	48.663	49.36	0.0	0.003	6.469	2.642	1015.44	1083.752	27.557	-91.574	-89.69	0.0
4	11206	11207	NS	1	48.811	49.394	0.0	0.003	268.024	2.59	1048.832	1086.936	0.0	-91.785	-90.028	0.0
5	11206	11207	SN	1	48.663	49.36	0.0	0.003	6.469	2.642	1015.44	1083.752	27.557	-91.574	-89.69	0.0
6	11206	11207	NS	1	48.811	49.394	0.0	0.003	268.024	2.603	1048.832	1086.936	0.0	-91.785	-90.028	0.0
7	11207	11208	SN	1	48.671	49.361	0.0	0.003	6.469	2.392	1015.624	1083.864	28.439	-91.38	-89.723	0.0
8	11207	11208	SN	2	48.671	49.361	0.0	0.003	6.469	2.391	1015.616	1083.856	28.442	-91.38	-89.723	0.0
9	11208	11209	NS	1	48.813	49.396	0.0	0.0	49.845	2.669	1048.904	1087.056	0.0	-91.829	-90.02	0.0
10	11208	11209	SN	2	48.667	49.359	0.0	0.003	280.46	2.565	1015.44	1083.712	29.415	-91.486	-89.715	0.0
11	11208	11209	SN	1	48.667	49.359	0.0	0.003	280.46	2.565	1015.44	1083.712	29.415	-91.486	-89.715	0.0
12	11209	11210	NS	1	48.814	49.395	0.0	0.003	41.999	2.66	1048.976	1086.888	0.0	-91.773	-90.016	0.0
13	11209	11210	SN	1	48.651	49.358	0.0	0.003	6.453	2.557	1015.824	1083.504	29.181	-91.288	-89.715	0.0
14	11209	11210	NS	1	48.814	49.428	0.0	0.003	41.999	2.662	1048.976	1086.888	0.0	-91.805	-90.016	0.0
15	11210	11211	SN	2	48.63	49.357	0.0	0.003	6.452	2.574	1016.192	1083.328	29.383	-91.31	-89.718	0.0
16	11210	11211	NS	1	48.766	49.404	0.0	0.0	41.999	2.794	1049.104	1086.712	0.0	-91.768	-90.025	0.0
17	11210	11211	SN	1	48.63	49.357	0.0	0.003	6.452	2.574	1016.192	1083.328	29.383	-91.31	-89.718	0.0
18	11210	11211	SN	1	48.63	49.357	0.0	0.003	6.452	2.514	1016.192	1083.328	29.517	-91.31	-89.718	0.0
19	11211	11212	SN	1	48.684	49.394	0.0	0.003	6.453	2.288	1016.216	1083.184	28.654	-91.567	-89.719	0.0
20	11211	11212	SN	1	48.678	49.394	0.0	0.003	6.453	2.658	1016.344	1083.184	27.945	-91.567	-89.719	0.0
21	11211	11212	SN	1	48.684	49.394	0.0	0.003	6.453	2.66	1016.216	1083.184	27.955	-91.567	-89.719	0.0
22	11211	11212	NS	2	48.788	49.394	0.0	0.0	210.469	2.711	1046.8	1086.544	0.0	-91.692	-90.027	0.0
23	11211	11212	NS	1	48.788	49.395	0.0	0.0	266.728	2.711	1046.808	1086.576	0.0	-91.692	-90.027	0.0
24	11212	11213	NS	1	48.792	49.448	0.0	0.0	42.281	2.71	1049.208	1086.528	0.0	-91.764	-90.027	0.0
25	11212	11213	SN	1	48.679	49.397	0.0	0.003	26.899	1.79	1016.56	1083.256	26.738	-91.648	-89.712	0.0
26	11212	11213	SN	2	48.679	49.397	0.0	0.003	26.899	2.71	1016.56	1083.256	25.228	-91.648	-89.712	0.0
27	11212	11213	SN	1	48.679	49.397	0.0	0.003	26.899	2.71	1016.56	1083.256	25.228	-91.648	-89.712	0.0
28	11213	11214	NS	1	48.814	49.424	0.0	0.0	53.744	2.77	1048.48	1086.48	0.0	-91.803	-90.007	0.0
29	11213	11214	SN	1	48.671	49.418	0.0	0.0	216.221	2.692	1016.024	1083.232	25.221	-91.649	-89.669	0.0
30	11213	11214	NS	1	48.814	49.424	0.0	0.0	53.744	2.772	1048.48	1086.48	0.0	-91.762	-90.007	0.0
31	11213	11214	SN	2	48.671	49.418	0.0	0.0	216.221	2.691	1016.032	1083.224	25.213	-91.649	-89.669	0.0
32	11214	11215	NS	1	48.816	49.455	0.0	0.003	266.86	2.717	1049.608	1086.32	0.0	-91.925	-90.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	11214	11215	NS	1	48.816	49.458	0.0	0.003	266.86	2.72	1049.608	1086.32	0.0	-91.925	-90.004	0.0
34	11215	11216	NS	1	48.817	49.4	0.0	0.003	210.452	2.676	1049.744	1086.208	0.0	-91.802	-90.017	0.0
35	11215	11216	SN	1	48.636	49.356	0.0	0.003	215.168	2.662	1016.544	1082.936	27.295	-91.402	-89.694	0.0
36	11215	11216	NS	1	48.817	49.391	0.0	0.003	210.452	2.673	1049.744	1086.208	0.0	-91.718	-90.017	0.0
37	11216	11217	SN	2	48.687	49.356	0.0	0.003	6.447	2.652	1016.496	1082.92	28.394	-91.567	-89.698	0.0
38	11216	11217	NS	2	48.758	49.428	0.0	0.0	267.136	2.737	1049.568	1086.2	0.0	-91.66	-90.024	0.0
39	11216	11217	NS	1	48.757	49.428	0.0	0.0	206.812	2.737	1049.568	1086.2	0.0	-91.66	-90.023	0.0
40	11216	11217	SN	1	48.687	49.356	0.0	0.003	6.447	2.652	1016.496	1082.92	28.394	-91.567	-89.698	0.0
41	11217	11218	NS	1	48.815	49.434	0.0	0.003	17.008	2.643	1049.704	1086.104	0.0	-92.319	-90.032	0.0
42	11217	11218	NS	1	48.815	49.434	0.0	0.003	17.008	2.027	1049.704	1086.104	0.0	-92.319	-90.032	0.0
43	11217	11218	SN	1	48.674	49.399	0.0	0.003	6.442	2.601	1016.376	1082.856	28.051	-91.624	-89.719	0.0
44	11217	11218	SN	1	48.668	49.399	0.0	0.003	6.442	2.599	1016.28	1082.856	28.023	-91.624	-89.719	0.0
45	11218	11219	NS	1	48.814	49.414	0.0	0.003	209.145	2.626	1049.616	1086.128	0.0	-91.752	-90.033	0.0
46	11218	11219	NS	1	48.814	49.414	0.0	0.003	209.145	1.553	1049.616	1086.128	0.0	-91.795	-90.033	0.0
47	11218	11219	SN	1	48.663	49.357	0.0	0.003	6.442	2.576	1016.392	1082.872	28.425	-91.383	-89.723	0.0
48	11218	11219	SN	1	48.66	49.356	0.0	0.003	6.442	2.578	1016.256	1082.864	28.451	-91.364	-89.723	0.0
49	11219	11220	SN	1	48.703	49.357	0.0	0.0	85.179	2.81	1016.656	1082.872	29.45	-91.238	-89.726	0.0
50	11219	11220	NS	2	48.769	49.405	0.0	0.0	206.945	2.709	1049.48	1086.08	0.0	-91.77	-90.033	0.0
51	11219	11220	NS	1	48.769	49.405	0.0	0.0	65.094	1.726	1049.48	1085.712	0.0	-91.77	-90.033	0.0
52	11219	11220	NS	1	48.769	49.405	0.0	0.0	206.945	2.709	1049.48	1086.08	0.0	-91.77	-90.033	0.0
53	11220	11221	SN	1	48.636	49.355	0.0	0.003	215.394	2.494	1016.152	1082.6	28.053	-91.298	-89.682	0.0
54	11220	11221	NS	1	48.791	49.401	0.0	0.0	51.389	2.816	1049.808	1085.864	0.0	-91.709	-90.036	0.0
55	11220	11221	NS	1	48.791	49.401	0.0	0.0	51.389	2.814	1049.808	1085.864	0.0	-91.709	-90.036	0.0
56	11220	11221	SN	1	48.636	49.355	0.0	0.003	215.394	2.769	1016.152	1082.6	27.378	-91.298	-89.682	0.0
57	11220	11221	SN	2	48.636	49.355	0.0	0.003	215.394	2.768	1016.152	1082.6	27.378	-91.298	-89.682	0.0
58	11221	11222	NS	1	48.817	49.441	0.0	0.003	206.802	2.562	1049.928	1086.088	0.0	-91.803	-89.999	0.0
59	11221	11222	SN	1	48.659	49.354	0.0	0.003	213.066	2.571	1015.592	1082.712	27.725	-91.524	-89.705	0.0
60	11221	11222	SN	2	48.659	49.354	0.0	0.003	213.066	2.424	1015.592	1082.712	28.094	-91.524	-89.705	0.0
61	11221	11222	SN	1	48.659	49.354	0.0	0.003	213.066	2.424	1015.592	1082.712	28.094	-91.524	-89.705	0.0
62	11221	11222	NS	1	48.817	49.441	0.0	0.003	206.802	2.558	1049.912	1086.104	0.0	-92.16	-89.999	0.0
63	11222	11223	SN	1	48.656	49.354	0.0	0.003	28.036	2.53	1016.36	1082.712	28.619	-91.507	-89.719	0.0
64	11222	11223	NS	1	48.817	49.456	0.0	0.0	266.987	2.636	1049.92	1086.168	0.0	-91.812	-89.991	0.0
65	11222	11223	SN	2	48.656	49.354	0.0	0.003	28.036	2.53	1016.36	1082.712	28.62	-91.507	-89.719	0.0
66	11222	11223	NS	1	48.817	49.392	0.0	0.0	266.987	2.634	1049.92	1086.168	0.0	-91.698	-89.991	0.0
67	11222	11223	SN	1	48.656	49.354	0.0	0.003	28.036	2.358	1016.36	1082.712	29.022	-91.507	-89.719	0.0
68	11223	11224	NS	1	48.819	49.437	0.0	0.003	20.157	2.667	1049.912	1086.048	0.0	-91.838	-90.026	0.0
69	11223	11224	SN	1	48.663	49.369	0.0	0.003	6.442	2.578	1015.352	1082.512	29.229	-91.511	-89.688	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	11223	11224	SN	1	48.668	49.369	0.0	0.003	6.442	2.576	1016.28	1082.512	29.202	-91.511	-89.688	0.0
71	11224	11225	SN	1	48.681	49.351	0.0	0.003	6.436	2.558	1016.32	1082.336	29.013	-91.342	-89.72	0.0
72	11224	11225	NS	1	48.753	49.412	0.0	0.003	266.887	2.595	1049.984	1085.888	0.0	-91.788	-90.035	0.0
73	11225	11226	NS	2	48.776	49.39	0.0	0.0	264.008	2.751	1050.12	1085.688	0.0	-91.678	-90.038	0.0
74	11225	11226	NS	1	48.805	49.39	0.0	0.0	264.008	2.749	1050.12	1085.688	0.0	-91.678	-90.038	0.0
75	11225	11226	SN	1	48.663	49.416	0.0	0.003	213.502	2.418	1015.968	1082.16	29.502	-91.746	-89.72	0.0
76	11226	11227	NS	1	48.766	49.394	0.0	0.0	263.992	2.69	1050.2	1085.576	0.0	-91.707	-90.036	0.0
77	11226	11227	SN	1	48.635	49.35	0.0	0.003	6.408	2.687	1016.52	1082.104	26.163	-91.372	-89.717	0.0
78	11227	11228	SN	1	48.681	49.384	0.0	0.003	6.403	1.63	1016.072	1082.152	25.466	-91.564	-89.706	0.0
79	11227	11228	SN	1	48.681	49.384	0.0	0.003	6.403	2.741	1016.072	1082.152	23.581	-91.564	-89.706	0.0
80	11228	11229	NS	1	48.779	49.457	0.0	0.0	266.86	2.828	1050.48	1085.512	0.0	-91.84	-90.019	0.0
81	11228	11229	SN	1	48.697	49.352	0.0	0.003	6.436	2.565	1016.72	1082.072	27.195	-91.345	-89.688	0.0
82	11228	11229	SN	1	48.697	49.352	0.0	0.003	6.436	2.578	1016.72	1082.072	27.166	-91.396	-89.688	0.0
83	11229	11230	NS	1	48.821	49.386	0.0	0.0	266.904	2.803	1050.704	1085.28	0.0	-91.734	-90.018	0.0
84	11229	11230	SN	1	48.642	49.35	0.0	0.003	132.939	2.592	1015.592	1081.84	27.364	-91.305	-89.722	0.0
85	11229	11230	NS	2	48.821	49.386	0.0	0.0	266.904	2.803	1050.704	1085.28	0.0	-91.734	-90.018	0.0
86	11230	11231	NS	1	48.789	49.387	0.0	0.003	266.661	2.566	1050.688	1085.272	0.0	-91.664	-90.025	0.0
87	11230	11231	SN	1	48.654	49.35	0.0	0.003	29.627	2.681	1016.632	1081.816	27.968	-91.438	-89.7	0.0
88	11231	11232	NS	1	48.821	49.414	0.0	0.003	210.452	2.62	1050.568	1085.232	0.0	-91.743	-90.042	0.0
89	11233	11234	SN	1	48.647	49.35	0.0	0.003	31.91	2.697	1016.728	1081.776	29.037	-91.42	-89.724	0.0
90	11233	11234	NS	1	48.82	49.386	0.0	0.003	13.892	2.588	1050.496	1085.216	0.0	-91.762	-90.043	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																										
					SNR												Kp														
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore					
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)			
1	11205	11206	SN	1	-34.212	24.649	2.416	-32.377	25.965	5.625	-0.232	28.928	13.544	2.168	30.761	20.939	0.116	255.64	1.195	0.116	167.57	0.759	0.116	0.205	0.0	0.116	0.165	0.0			
2	11205	11206	NS	1	-34.84	25.755	2.216	-34.895	24.672	0.16	-1.54	28.84	12.696	-1.358	29.683	22.69	0.116	295.407	5.453	0.116	299.23	4.857	0.116	0.239	0.0	0.116	0.234	0.0			
3	11206	11207	SN	2	-34.996	26.449	2.918	-34.739	27.016	4.96	-2.701	31.299	11.916	-3.233	30.286	9.427	0.116	306.17	3.512	0.116	288.652	2.826	0.116	0.279	0.0	0.116	0.302	0.0			
4	11206	11207	NS	1	-33.025	24.953	1.23	-34.711	27.136	0.071	-9.656	33.886	13.401	-5.802	36.383	27.243	0.116	194.545	2.153	0.116	286.818	1.815	0.116	0.987	0.0	0.116	0.464	0.0			
5	11206	11207	SN	1	-34.996	26.449	2.918	-34.739	27.016	4.96	-2.701	31.299	11.916	-3.233	30.286	9.427	0.116	306.17	3.512	0.116	288.652	2.826	0.116	0.279	0.0	0.116	0.302	0.0			
6	11206	11207	NS	1	-33.025	24.953	1.23	-34.711	27.136	0.071	-9.656	33.886	13.403	-5.802	36.383	27.34	0.116	194.545	2.153	0.116	286.818	1.815	0.116	0.987	0.0	0.116	0.464	0.0			
7	11207	11208	SN	1	-34.074	24.916	1.901	-34.567	25.654	3.465	-4.825	28.159	13.986	-2.136	30.383	11.856	0.116	247.65	2.752	0.116	277.5	2.419	0.116	0.39	0.0	0.116	0.258	0.0			
8	11207	11208	SN	2	-34.074	24.916	1.901	-34.567	25.654	3.465	-4.825	28.159	13.986	-2.136	30.383	11.856	0.116	247.65	2.752	0.116	277.5	2.419	0.116	0.39	0.0	0.116	0.258	0.0			
9	11208	11209	NS	1	-34.939	23.934	0.092	-34.905	24.477	0.012	-7.32	28.742	8.655	-5.062	30.985	16.916	0.116	302.217	8.277	0.116	299.849	8.432	0.116	0.616	0.0	0.116	0.406	0.0			
10	11208	11209	SN	2	-34.728	24.226	0.634	-34.408	24.94	1.098	7.089	27.554	14.709	7.633	28.53	9.212	0.116	287.967	1.817	0.116	267.5	1.39	0.116	0.131	0.0	0.116	0.129	0.0			
11	11208	11209	SN	1	-34.728	24.226	0.634	-34.408	24.94	1.098	7.089	27.554	14.709	7.633	28.53	9.212	0.116	287.967	1.817	0.116	267.5	1.39	0.116	0.131	0.0	0.116	0.129	0.0			
12	11209	11210	NS	1	-34.113	23.324	0.126	-34.179	23.623	0.236	-19.08	28.6	5.331	-25.714	30.244	11.79	0.116	249.906	1.481	0.116	253.765	1.194	0.116	7.931	0.009	0.116	36.202	0.009			
13	11209	11210	SN	1	-34.425	23.267	0.02	-34.665	23.725	0.204	6.501	27.975	17.335	7.594	28.665	18.958	0.116	268.484	1.041	0.116	283.738	0.87	0.116	0.133	0.0	0.116	0.129	0.0			
14	11209	11210	NS	1	-33.133	23.324	0.126	-34.428	23.623	0.236	-19.077	28.6	5.337	-25.711	30.244	11.803	0.116	199.486	1.487	0.116	268.699	1.194	0.116	7.924	0.009	0.116	36.175	0.009			
15	11210	11211	SN	2	-34.67	23.111	0.008	-32.773	23.796	0.251	5.634	27.744	16.383	8.198	28.781	23.088	0.116	284.056	0.864	0.116	183.568	0.728	0.116	0.137	0.0	0.116	0.127	0.0			
16	11210	11211	NS	1	-34.79	26.5	0.062	-34.8	22.936	0.071	-11.335	27.792	6.92	-19.602	29.61	12.405	0.116	292.009	4.574	0.116	292.71	4.088	0.116	1.408	0.002	0.116	8.929	0.007			
17	11210	11211	SN	1	-34.67	23.111	0.008	-32.773	23.796	0.251	5.634	27.744	16.383	8.198	28.781	23.088	0.116	284.056	0.864	0.116	183.568	0.728	0.116	0.137	0.0	0.116	0.127	0.0			
18	11210	11211	SN	1	-34.67	23.111	0.008	-32.773	23.796	0.226	5.634	27.744	16.391	8.198	28.781	23.088	0.116	284.056	0.868	0.116	183.568	0.73	0.116	0.137	0.0	0.116	0.127	0.0			
19	11211	11212	SN	1	-34.885	21.712	0.0	-34.92	23.608	0.117	-1.307	30.212	11.257	-1.366	29.087	14.088	0.116	298.444	3.692	0.116	300.973	3.21	0.116	0.232	0.0	0.116	0.234	0.0			
20	11211	11212	SN	1	-33.828	22.752	0.007	-34.34	23.679	0.375	-1.307	30.212	11.229	-1.376	29.087	14.12	0.116	234.062	3.588	0.116	263.349	3.115	0.116	0.232	0.0	0.116	0.234	0.0			
21	11211	11212	SN	1	-34.885	22.752	0.007	-34.92	23.677	0.378	-1.307	30.212	11.244	-1.366	29.087	14.124	0.116	298.444	3.582	0.116	300.973	3.116	0.116	0.232	0.0	0.116	0.234	0.0			
22	11211	11212	NS	2	-34.625	26.29	0.126	-34.044	26.998	0.162	-9.359	29.222	11.159	-9.856	30.733	16.587	0.116	281.173	1.949	0.116	245.984	1.822	0.116	0.928	0.0	0.116	1.029	0.003			
23	11211	11212	NS	1	-34.625	26.29	0.126	-34.044	26.998	0.162	-9.359	29.222	11.153	-9.856	30.733	16.588	0.116	281.173	1.949	0.116	245.984	1.822	0.116	0.928	0.0	0.116	1.029	0.003			
24	11212	11213	NS	1	-34.784	25.388	0.769	-33.768	26.658	1.363	7.28	31.437	10.675	7.808	30.38	18.715	0.116	291.6	0.967	0.116	230.779	0.781	0.116	0.13	0.0	0.116	0.128	0.0			
25	11212	11213	SN	1	-33.955	23.495	0.007	-34.639	24.802	0.01	-15.522	34.424	12.771	-1.936	35.396	15.586	0.116	240.958	5.433	0.116	282.057	5.135	0.116	3.546	0.005	0.116	0.251	0.0			
26	11212	11213	SN	2	-33.955	23.495	0.03	-34.639	24.802	0.833	-15.428	34.424	12.498	-1.936	35.396	15.603	0.116	240.958	4.999	0.116	282.057	4.615	0.116	3.472	0.005	0.116	0.251	0.0			
27	11212	11213	SN	1	-33.955	23.495	0.03	-34.639	24.802	0.833	-15.428	34.424	12.498	-1.936	35.396	15.603	0.116	240.958	4.999	0.116	282.057	4.615	0.116	3.472	0.005	0.116	0.251	0.0			
28	11213	11214	NS	1	-34.734	24.912	0.695	-34.051	25.176	1.26	-8.991	29.409	19.482	-1.602	30.719	36.152	0.116	288.291	2.16	0.116	246.334	1.977	0.116	0.86	0.0	0.116	0.241	0.0			
29	11213	11214	SN	1	-33.891	24.502	0.113	-33.678	25.572	0.957	-8.917	29.573	21.588	-4.808	30.844	25.836	0.116	237.509	0.933	0.116	226.084	0.832	0.116	0.847	0.0	0.116	0.389	0.0			
30	11213	11214	NS	1	-34.734	24.912	0.693	-34.051	25.176	1.261	-8.991	29.409	19.482	-1.602	30.719	36.171	0.116	288.291	2.163	0.116	246.334	1.979	0.116	0.86	0.0	0.116	0.241	0.0			
31	11213	11214	SN	2	-33.891	24.502	0.113	-33.678	25.572	0.957	-8.917	29.573	21.589	-4.808	30.844	25.838	0.116	237.509	0.933	0.116	226.084	0.832	0.116	0.847	0.0	0.116	0.389	0.0			
32	11214	11215	NS	1	-34.869	27.067	0.491	-34.827	27.88	0.454	-6.194	31.486	13.819	-10.508	29.952	25.551	0.116	297.453	3.787	0.116	294.524	3.855	0.116	0.498	0.0	0.116	1.181	0.002			
33	11214	11215	NS	1	-34.869	27.067	0.491	-34.827	27.88	0.455	-6.194	31.486	13.819	-10.508	29.953	25.551	0.116	297.453	3.783	0.116	294.524	3.848	0.116	0.498	0.0	0.116	1.181	0.002			

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

34	11215	11216	NS	1	-34.122	27.947	1.17	-34.179	24.998	1.074	-21.226	28.597	14.835	-8.833	34.543	22.658	0.116	250.45	2.551	0.116	253.777	2.627	0.116	12.94	0.008	0.116	0.833	0.0
35	11215	11216	SN	1	-34.762	28.077	0.056	-34.063	27.531	1.498	-19.772	31.333	17.503	-16.087	30.583	18.733	0.116	290.232	6.782	0.116	247.076	5.736	0.116	9.284	0.007	0.116	4.026	0.004
36	11215	11216	NS	1	-34.413	27.947	1.168	-34.55	24.998	1.072	-21.226	28.597	14.835	-8.833	34.543	22.658	0.116	267.749	2.554	0.116	276.421	2.634	0.116	12.94	0.008	0.116	0.833	0.0
37	11216	11217	SN	2	-34.136	24.598	0.179	-33.497	25.804	3.77	-21.053	30.41	16.989	-20.587	30.201	19.943	0.116	251.226	1.991	0.116	216.847	1.807	0.116	12.436	0.004	0.116	11.182	0.006
38	11216	11217	NS	2	-33.992	25.161	2.426	-34.56	26.793	2.489	3.08	28.436	25.517	7.342	29.976	37.417	0.116	243.066	1.441	0.116	276.96	1.09	0.116	0.155	0.0	0.116	0.13	0.0
39	11216	11217	NS	1	-33.992	25.161	2.426	-34.56	26.793	2.489	3.08	28.436	25.518	7.342	29.976	37.419	0.116	243.066	1.441	0.116	276.96	1.09	0.116	0.155	0.0	0.116	0.13	0.0
40	11216	11217	SN	1	-34.136	24.598	0.179	-33.497	25.804	3.77	-21.053	30.41	16.989	-20.587	30.201	19.943	0.116	251.226	1.991	0.116	216.847	1.807	0.116	12.436	0.004	0.116	11.182	0.006
41	11217	11218	NS	1	-32.388	24.944	2.104	-34.727	26.882	1.984	9.33	28.836	25.177	6.553	29.537	38.762	0.116	167.988	0.973	0.116	287.853	0.845	0.116	0.125	0.0	0.116	0.133	0.0
42	11217	11218	NS	1	-32.388	24.944	2.106	-34.727	26.882	1.984	9.33	28.612	13.823	6.553	29.54	33.112	0.116	167.988	0.974	0.116	287.853	0.845	0.116	0.125	0.0	0.116	0.133	0.0
43	11217	11218	SN	1	-33.709	25.693	0.113	-34.642	26.318	3.243	-13.884	30.365	26.839	-6.687	30.521	29.848	0.116	227.702	2.057	0.116	282.233	1.848	0.116	2.46	0.002	0.116	0.546	0.0
44	11217	11218	SN	1	-34.782	25.693	0.113	-34.475	26.322	3.236	-13.873	30.365	26.841	-6.689	30.521	29.853	0.116	291.508	2.072	0.116	271.555	1.848	0.116	2.454	0.002	0.116	0.546	0.0
45	11218	11219	NS	1	-33.048	25.054	2.11	-34.988	25.823	1.065	7.991	28.959	27.06	8.541	30.495	39.057	0.116	195.605	1.207	0.116	305.726	1.003	0.116	0.128	0.0	0.116	0.126	0.0
46	11218	11219	NS	1	-33.048	25.054	2.111	-34.988	25.823	1.065	10.5	28.225	6.012	8.53	30.495	14.055	0.116	195.605	1.213	0.116	305.726	1.003	0.116	0.122	0.0	0.116	0.126	0.0
47	11218	11219	SN	1	-34.133	24.123	0.302	-34.442	26.482	3.115	7.118	29.088	45.743	8.804	31.615	56.547	0.116	251.025	2.359	0.116	269.596	1.629	0.116	0.131	0.0	0.116	0.126	0.0
48	11218	11219	SN	1	-34.032	24.126	0.304	-33.37	26.482	3.118	7.118	29.088	45.743	8.804	31.615	56.556	0.116	245.328	2.362	0.116	210.612	1.614	0.116	0.131	0.0	0.116	0.126	0.0
49	11219	11220	SN	1	-34.931	24.472	1.064	-31.606	25.919	4.048	6.376	28.629	17.074	10.141	29.772	23.496	0.116	301.704	0.595	0.116	140.354	0.587	0.116	0.134	0.0	0.116	0.123	0.0
50	11219	11220	NS	2	-34.968	25.059	2.146	-34.352	25.018	0.239	7.044	29.039	15.644	6.877	29.755	25.919	0.116	304.31	6.065	0.116	264.028	5.931	0.116	0.131	0.0	0.116	0.132	0.0
51	11219	11220	NS	1	-34.968	25.059	2.283	-34.352	24.998	0.241	7.568	26.861	5.394	7.129	26.349	8.681	0.116	304.31	6.482	0.116	264.028	5.973	0.116	0.129	0.0	0.116	0.131	0.0
52	11219	11220	NS	1	-34.968	25.059	2.146	-34.352	25.02	0.239	7.044	29.039	15.646	6.875	29.755	25.919	0.116	304.31	6.065	0.116	264.028	5.931	0.116	0.131	0.0	0.116	0.132	0.0
53	11220	11221	SN	1	-34.82	26.319	1.199	-33.611	26.87	6.037	-22.555	36.072	15.721	-22.541	29.567	19.933	0.116	294.061	3.493	0.116	222.648	2.569	0.116	17.541	0.088	0.116	17.482	0.059
54	11220	11221	NS	1	-34.948	26.957	1.677	-34.844	26.361	0.089	7.868	31.438	15.924	7.089	33.445	29.058	0.116	302.865	5.298	0.116	295.713	4.617	0.116	0.128	0.0	0.116	0.131	0.0
55	11220	11221	NS	1	-34.948	26.957	1.674	-34.844	26.363	0.089	7.868	31.438	15.924	7.089	33.445	29.036	0.116	302.865	5.29	0.116	295.713	4.612	0.116	0.128	0.0	0.116	0.131	0.0
56	11220	11221	SN	1	-34.82	26.319	3.184	-33.611	26.87	6.07	-22.555	36.072	15.724	-22.541	29.567	19.933	0.116	294.061	3.306	0.116	222.648	2.44	0.116	17.541	0.088	0.116	17.482	0.059
57	11220	11221	SN	2	-34.82	26.319	3.184	-33.611	26.87	6.07	-22.555	36.072	15.724	-22.541	29.567	19.933	0.116	294.061	3.306	0.116	222.648	2.44	0.116	17.541	0.088	0.116	17.482	0.059
58	11221	11222	NS	1	-34.079	26.61	0.761	-33.692	25.817	0.052	-11.704	33.106	9.946	-4.201	30.834	20.78	0.116	247.937	2.508	0.116	226.813	2.575	0.116	1.525	0.002	0.116	0.352	0.0
59	11221	11222	SN	1	-34.778	26.474	2.463	-34.911	26.556	4.21	1.448	30.504	10.284	2.352	29.587	6.606	0.116	291.239	3.256	0.116	300.328	2.864	0.116	0.175	0.0	0.116	0.163	0.0
60	11221	11222	SN	2	-34.778	26.474	2.143	-34.911	26.556	4.25	1.448	30.504	10.284	2.352	29.587	6.606	0.116	291.239	3.325	0.116	300.328	2.922	0.116	0.175	0.0	0.116	0.163	0.0
61	11221	11222	SN	1	-34.778	26.474	2.143	-34.911	26.556	4.25	1.448	30.504	10.284	2.352	29.587	6.606	0.116	291.239	3.325	0.116	300.328	2.922	0.116	0.175	0.0	0.116	0.163	0.0
62	11221	11222	NS	1	-34.894	26.609	0.761	-34.062	25.82	0.052	-11.704	33.105	9.926	-4.203	30.834	20.739	0.116	299.162	2.504	0.116	246.997	2.579	0.116	1.525	0.002	0.116	0.352	0.0
63	11222	11223	SN	1	-34.588	24.653	0.744	-34.823	25.085	1.291	3.984	27.972	17.466	6.976	28.962	12.846	0.116	278.751	3.058	0.116	294.2	2.531	0.116	0.148	0.0	0.116	0.131	0.0
64	11222	11223	NS	1	-34.9	24.112	0.189	-34.113	23.747	0.016	-4.687	29.933	10.228	-4.67	29.45	19.259	0.116	299.526	2.606	0.116	249.902	2.621	0.116	0.381	0.0	0.116	0.38	0.0
65	11222	11223	SN	2	-34.588	24.653	0.744	-34.823	25.085	1.291	3.984	27.972	17.466	6.976	28.962	12.846	0.116	278.751	3.058	0.116	294.2	2.531	0.116	0.148	0.0	0.116	0.131	0.0
66	11222	11223	NS	1	-33.707	24.112	0.19	-34.803	23.747	0.016	-4.634	29.93	10.199	-4.67	29.449	19.232	0.116	227.614	2.608	0.116	292.918	2.623	0.116	0.378	0.0	0.116	0.38	0.0
67	11222	11223	SN	1	-34.588	24.653	0.637	-34.823	25.085	1.302	3.982	27.972	17.466	6.976	28.962	12.858	0.116	278.751	3.109	0.116	294.2	2.57	0.116	0.148	0.0	0.116	0.131	0.0
68	11223	11224	NS	1	-33.067	23.714	0.095	-34.472	25.362	0.077	-18.646	36.067	6.322	-8.685	32.132	13.267	0.116	196.428	3.633	0.116	271.444	2.562	0.116	7.184	0.001	0.116	0.808	0.0
69	11223	11224	SN	1	-32.23	23.703	0.184	-34.574	23.945	0.412	1.253	27.26	12.843	4.928	27.76	7.965	0.116	161.995	1.007	0.116	277.872	0.855	0.116	0.178	0.0	0.116	0.141	0.0
70	11223	11224	SN	1	-32.306	23.703	0.184	-34.11	23.943	0.41	1.255	27.26	12.843	4.926	27.76	7.965	0.116	164.864	1.007	0.116	249.67	0.854	0.116	0.178	0.0	0.116	0.141	0.0
71	11224	11225	SN	1	-32.875	23.366	0.032	-33.714	23.542	0.264	6.307	28.166	15.675	8.36	28.962	21.534	0.116	187.975	0.956	0.116	227.927	0.615	0.116	0.134	0.0	0.116	0.127	0.0
72	11224	11225	NS	1	-32.629	25.393	0.094	-34.572	23.295	0.149	-22.923	29.248	7.314	-13.83	31.624	15.542	0.116	177.624	2.589	0.116	277.782	2.505	0.116	19.082	0.009	0.116	2.43	0.003

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	11225	11226	NS	2	-34.668	23.061	0.049	-34.179	27.638	0.04	-9.34	29.427	7.585	-10.679	30.331	13.505	0.116	283.97	2.222	0.116	253.751	1.833	0.116	0.924	0.0	0.116	1.224	0.004
74	11225	11226	NS	1	-34.527	23.061	0.049	-34.179	27.638	0.04	-9.34	29.427	7.588	-10.679	30.331	13.503	0.116	274.933	2.223	0.116	253.751	1.833	0.116	0.924	0.0	0.116	1.224	0.004
75	11225	11226	SN	1	-34.62	20.77	0.0	-33.994	23.609	0.139	5.689	27.975	14.369	8.854	29.016	17.912	0.116	280.842	1.73	0.116	243.102	1.27	0.116	0.137	0.0	0.116	0.126	0.0
76	11226	11227	NS	1	-34.942	26.636	0.362	-34.538	27.079	0.677	7.348	28.38	14.432	8.616	29.537	23.255	0.116	302.461	1.009	0.116	275.595	1.025	0.116	0.13	0.0	0.116	0.126	0.0
77	11226	11227	SN	1	-34.651	24.342	0.042	-33.641	24.8	0.566	-19.69	33.272	11.758	-10.224	31.386	13.395	0.116	282.868	2.885	0.116	224.201	2.235	0.116	9.111	0.007	0.116	1.112	0.002
78	11227	11228	SN	1	-34.543	24.582	0.021	-34.815	25.08	0.028	-10.806	29.922	16.273	-3.807	31.046	21.092	0.116	275.847	3.851	0.116	293.759	3.71	0.116	1.258	0.002	0.116	0.33	0.0
79	11227	11228	SN	1	-34.543	24.582	0.059	-34.815	25.08	0.834	-10.806	29.922	15.586	-3.807	31.046	21.163	0.116	275.847	3.584	0.116	293.759	3.252	0.116	1.258	0.002	0.116	0.33	0.0
80	11228	11229	NS	1	-33.854	29.082	0.405	-34.507	27.515	0.501	0.228	29.936	24.158	2.92	31.244	37.298	0.116	235.443	3.673	0.116	273.588	2.98	0.116	0.196	0.0	0.116	0.157	0.0
81	11228	11229	SN	1	-34.759	25.714	0.092	-33.981	25.275	0.859	-12.756	28.972	18.24	-0.608	30.996	21.903	0.116	289.984	1.89	0.116	242.395	1.424	0.116	1.919	0.003	0.116	0.214	0.0
82	11228	11229	SN	1	-34.759	25.714	0.093	-33.981	25.275	0.884	-12.756	28.972	18.24	-0.608	30.996	21.903	0.116	289.984	1.886	0.116	242.395	1.421	0.116	1.919	0.003	0.116	0.214	0.0
83	11229	11230	NS	1	-34.014	28.334	0.648	-34.796	26.448	0.666	-16.392	36.378	12.975	-15.918	34.3	22.774	0.116	244.233	2.758	0.116	292.508	3.096	0.116	4.311	0.013	0.116	3.876	0.002
84	11229	11230	SN	1	-34.719	25.772	0.03	-34.792	26.941	1.077	-12.359	31.188	17.932	-13.774	29.482	19.429	0.116	287.318	5.263	0.116	292.175	4.285	0.116	1.758	0.006	0.116	2.401	0.006
85	11229	11230	NS	2	-34.014	28.334	0.637	-34.796	26.448	0.649	-16.392	36.378	12.975	-15.918	34.3	22.774	0.116	244.233	2.759	0.116	292.508	3.096	0.116	4.311	0.013	0.116	3.876	0.002
86	11230	11231	NS	1	-33.718	25.906	1.788	-33.311	26.256	1.732	-5.707	28.4	18.042	-18.318	29.678	25.67	0.116	228.222	1.386	0.116	207.828	1.475	0.116	0.456	0.0	0.116	6.668	0.003
87	11230	11231	SN	1	-33.904	22.866	0.059	-34.657	25.405	2.333	-25.695	29.297	15.502	-15.29	29.724	14.793	0.116	238.139	1.804	0.116	283.274	1.411	0.116	36.056	0.023	0.116	3.366	0.001
88	11231	11232	NS	1	-34.091	24.731	2.021	-34.589	27.684	2.143	1.756	28.273	28.248	3.705	30.224	41.971	0.116	248.661	1.242	0.116	278.875	1.186	0.116	0.17	0.0	0.116	0.15	0.0
89	11233	11234	SN	1	-34.13	24.783	0.556	-34.258	26.395	3.377	6.58	30.42	34.681	10.209	30.535	39.375	0.116	250.826	1.441	0.116	258.363	1.271	0.116	0.133	0.0	0.116	0.123	0.0
90	11233	11234	NS	1	-34.716	25.544	2.194	-33.389	24.966	0.596	7.093	29.421	18.958	7.991	29.678	29.607	0.116	287.087	2.048	0.116	211.503	1.904	0.116	0.131	0.0	0.116	0.128	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11205	11206	SN	1	57.39	58.2	0.0	0.0	299.238	4.013	1190.288	1273.312	44.554	-92.953	-91.763	0.0
2	11205	11206	NS	1	57.575	58.304	0.0	0.0	290.232	3.753	1229.432	1277.936	0.0	-93.509	-92.068	0.0
3	11206	11207	SN	2	57.418	58.214	0.0	0.0	299.878	3.841	1189.688	1273.216	43.275	-93.095	-91.744	0.0
4	11206	11207	NS	1	57.609	58.303	0.0	0.0	284.453	3.554	1229.728	1277.928	0.0	-93.515	-92.076	0.0
5	11206	11207	SN	1	57.418	58.214	0.0	0.0	299.878	3.841	1189.688	1273.216	43.275	-93.095	-91.744	0.0
6	11206	11207	NS	1	57.609	58.303	0.0	0.0	284.453	3.566	1229.728	1277.928	0.0	-93.515	-92.076	0.0
7	11207	11208	SN	1	57.392	58.2	0.0	0.0	291.6	3.416	1189.528	1273.36	43.408	-92.942	-91.779	0.0
8	11207	11208	SN	2	57.392	58.199	0.0	0.0	291.595	3.415	1189.52	1273.344	43.411	-92.942	-91.779	0.0
9	11208	11209	NS	1	57.612	58.31	0.0	0.0	290.056	3.679	1229.816	1278.104	0.0	-93.516	-92.063	0.0
10	11208	11209	SN	2	57.407	58.197	0.0	0.0	295.924	3.683	1189.128	1273.168	43.929	-92.912	-91.773	0.0
11	11208	11209	SN	1	57.407	58.197	0.0	0.0	295.924	3.681	1189.128	1273.168	43.929	-92.912	-91.773	0.0
12	11209	11210	NS	1	57.614	58.31	0.0	0.0	292.736	3.559	1229.928	1277.912	0.0	-93.468	-92.064	0.0
13	11209	11210	SN	1	57.413	58.195	0.0	0.0	289.786	3.731	1189.832	1272.912	44.364	-92.884	-91.774	0.0
14	11209	11210	NS	1	57.614	58.306	0.0	0.0	292.72	3.561	1229.936	1277.904	0.0	-93.468	-92.064	0.0
15	11210	11211	SN	2	57.382	58.194	0.0	0.0	298.466	3.684	1189.968	1272.704	43.272	-93.002	-91.774	0.0
16	11210	11211	NS	1	57.582	58.282	0.0	0.0	299.007	3.751	1230.096	1277.696	0.0	-93.514	-92.082	0.0
17	11210	11211	SN	1	57.382	58.194	0.0	0.0	298.466	3.685	1189.968	1272.704	43.271	-93.002	-91.774	0.0
18	11210	11211	SN	1	57.382	58.194	0.0	0.003	298.466	3.519	1189.968	1272.704	43.474	-93.002	-91.774	0.0
19	11211	11212	SN	1	57.4	58.204	0.0	0.003	296.668	3.473	1189.416	1272.528	42.073	-92.853	-91.776	0.0
20	11211	11212	SN	1	57.387	58.204	0.0	0.0	296.867	3.819	1189.416	1272.528	41.139	-92.97	-91.776	0.0
21	11211	11212	SN	1	57.4	58.204	0.0	0.0	296.867	3.824	1189.416	1272.528	41.077	-92.97	-91.776	0.0
22	11211	11212	NS	2	57.615	58.304	0.0	0.0	296.668	3.681	1230.232	1277.472	0.0	-93.296	-92.084	0.0
23	11211	11212	NS	1	57.602	58.306	0.0	0.0	296.641	3.678	1230.232	1277.512	0.0	-93.296	-92.084	0.0
24	11212	11213	NS	1	57.613	58.308	0.0	0.0	295.339	3.591	1230.2	1277.456	0.0	-93.515	-92.083	0.0
25	11212	11213	SN	1	57.418	58.195	0.0	0.0	297.705	3.056	1190.272	1272.616	41.827	-92.974	-91.763	0.0
26	11212	11213	SN	2	57.418	58.195	0.0	0.0	297.705	3.888	1190.272	1272.616	39.504	-92.974	-91.763	0.0
27	11212	11213	SN	1	57.418	58.195	0.0	0.0	297.705	3.888	1190.272	1272.616	39.504	-92.974	-91.763	0.0
28	11213	11214	NS	1	57.585	58.288	0.0	0.0	299.873	3.816	1229.984	1277.504	0.0	-93.517	-92.057	0.0
29	11213	11214	SN	1	57.401	58.195	0.0	0.0	299.183	3.91	1190.008	1272.584	40.007	-93.143	-91.724	0.0
30	11213	11214	NS	1	57.585	58.288	0.0	0.0	299.873	3.808	1229.984	1277.408	0.0	-93.517	-92.057	0.0
31	11213	11214	SN	2	57.401	58.195	0.0	0.0	299.227	3.908	1190.016	1272.568	40.0	-93.143	-91.724	0.0
32	11214	11215	NS	1	57.613	58.298	0.0	0.0	285.611	3.769	1230.68	1277.184	0.0	-93.52	-92.055	0.0
33	11214	11215	NS	1	57.613	58.296	0.0	0.0	285.611	3.773	1230.68	1277.184	0.0	-93.52	-92.055	0.0
34	11215	11216	NS	1	57.615	58.274	0.0	0.0	288.87	3.574	1230.848	1277.064	0.0	-93.11	-92.06	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	11215	11216	SN	1	57.393	58.193	0.0	0.0	287.778	3.863	1190.44	1272.216	40.293	-93.011	-91.744	0.0
36	11215	11216	NS	1	57.615	58.274	0.0	0.0	288.87	3.57	1230.848	1277.064	0.0	-93.109	-92.06	0.0
37	11216	11217	SN	2	57.418	58.193	0.0	0.0	297.926	3.838	1190.2	1272.184	42.843	-92.862	-91.752	0.0
38	11216	11217	NS	2	57.592	58.299	0.0	0.0	295.003	3.694	1230.68	1277.064	0.0	-93.714	-92.083	0.0
39	11216	11217	NS	1	57.591	58.299	0.0	0.0	295.08	3.693	1230.68	1277.064	0.0	-93.714	-92.083	0.0
40	11216	11217	SN	1	57.418	58.193	0.0	0.0	297.926	3.838	1190.2	1272.184	42.843	-92.862	-91.752	0.0
41	11217	11218	NS	1	57.598	58.282	0.0	0.003	294.981	3.641	1230.856	1276.936	0.0	-93.14	-92.079	0.0
42	11217	11218	NS	1	57.598	58.282	0.0	0.003	281.855	2.95	1230.856	1276.936	0.0	-93.14	-92.079	0.0
43	11217	11218	SN	1	57.414	58.193	0.0	0.0	297.076	3.721	1190.288	1272.128	42.69	-92.882	-91.775	0.0
44	11217	11218	SN	1	57.402	58.193	0.0	0.0	297.076	3.717	1190.288	1272.128	42.675	-92.882	-91.775	0.0
45	11218	11219	NS	1	57.587	58.277	0.0	0.0	299.233	3.632	1230.536	1276.968	0.0	-93.125	-92.087	0.0
46	11218	11219	NS	1	57.587	58.277	0.0	0.0	281.96	2.279	1230.536	1276.968	0.0	-93.374	-92.087	0.0
47	11218	11219	SN	1	57.395	58.194	0.0	0.0	295.951	3.701	1190.168	1272.144	43.852	-92.81	-91.779	0.0
48	11218	11219	SN	1	57.414	58.194	0.0	0.0	295.929	3.704	1190.28	1272.136	43.872	-92.81	-91.779	0.0
49	11219	11220	SN	1	57.409	58.193	0.0	0.0	296.166	3.981	1190.408	1272.144	43.592	-92.886	-91.782	0.0
50	11219	11220	NS	2	57.586	58.272	0.0	0.0	298.411	3.85	1230.52	1276.928	0.0	-93.518	-92.088	0.0
51	11219	11220	NS	1	57.586	58.302	0.0	0.0	283.708	2.243	1230.52	1276.584	0.0	-93.518	-92.088	0.0
52	11219	11220	NS	1	57.586	58.272	0.0	0.0	298.411	3.85	1230.52	1276.928	0.0	-93.518	-92.088	0.0
53	11220	11221	SN	1	57.384	58.191	0.0	0.0	289.3	3.693	1190.296	1271.792	44.641	-92.961	-91.746	0.0
54	11220	11221	NS	1	57.617	58.298	0.0	0.0	298.742	3.878	1230.928	1276.672	0.0	-93.522	-92.078	0.0
55	11220	11221	NS	1	57.617	58.298	0.0	0.0	298.742	3.874	1230.928	1276.672	0.0	-93.522	-92.078	0.0
56	11220	11221	SN	1	57.394	58.191	0.0	0.0	289.3	4.025	1190.296	1271.792	43.651	-93.4	-91.746	0.0
57	11220	11221	SN	2	57.394	58.191	0.0	0.0	289.3	4.025	1190.296	1271.792	43.651	-93.4	-91.746	0.0
58	11221	11222	NS	1	57.618	58.304	0.0	0.0	289.946	3.48	1231.072	1276.944	0.0	-93.527	-92.044	0.0
59	11221	11222	SN	1	57.384	58.209	0.0	0.003	286.488	3.779	1190.2	1271.928	42.452	-92.993	-91.757	0.0
60	11221	11222	SN	2	57.384	58.209	0.0	0.003	286.488	3.482	1190.2	1271.928	42.989	-92.993	-91.757	0.0
61	11221	11222	SN	1	57.384	58.209	0.0	0.003	286.488	3.482	1190.2	1271.928	42.989	-92.993	-91.757	0.0
62	11221	11222	NS	1	57.618	58.301	0.0	0.0	290.028	3.477	1231.048	1276.96	0.0	-93.526	-92.044	0.0
63	11222	11223	SN	1	57.416	58.192	0.0	0.0	299.321	3.68	1190.08	1271.928	43.453	-92.915	-91.776	0.0
64	11222	11223	NS	1	57.584	58.291	0.0	0.0	295.626	3.604	1231.056	1277.04	0.0	-93.527	-92.036	0.0
65	11222	11223	SN	2	57.416	58.192	0.0	0.0	299.321	3.679	1190.08	1271.928	43.454	-92.915	-91.776	0.0
66	11222	11223	NS	1	57.618	58.282	0.0	0.0	295.626	3.6	1231.056	1277.04	0.0	-93.527	-92.036	0.0
67	11222	11223	SN	1	57.416	58.192	0.0	0.0	299.222	3.4	1190.08	1271.928	44.04	-92.915	-91.776	0.0
68	11223	11224	NS	1	57.621	58.309	0.0	0.0	293.707	3.659	1231.032	1276.896	0.0	-93.524	-92.072	0.0
69	11223	11224	SN	1	57.416	58.198	0.0	0.003	295.576	3.687	1189.752	1271.696	43.558	-93.075	-91.745	0.0
70	11223	11224	SN	1	57.416	58.198	0.0	0.003	295.576	3.684	1189.752	1271.696	43.516	-93.075	-91.745	0.0
71	11224	11225	SN	1	57.414	58.186	0.0	0.0	294.385	3.66	1189.912	1271.464	43.463	-92.903	-91.776	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	11224	11225	NS	1	57.621	58.298	0.0	0.003	297.369	3.627	1231.096	1276.704	0.0	-93.524	-92.089	0.0
73	11225	11226	NS	2	57.621	58.272	0.0	0.0	296.078	3.733	1231.296	1276.456	0.0	-93.056	-92.08	0.0
74	11225	11226	NS	1	57.621	58.272	0.0	0.0	296.133	3.732	1231.296	1276.448	0.0	-93.056	-92.08	0.0
75	11225	11226	SN	1	57.416	58.204	0.0	0.0	293.238	3.48	1189.704	1271.24	42.797	-92.906	-91.777	0.0
76	11226	11227	NS	1	57.606	58.272	0.0	0.0	296.26	3.702	1231.392	1276.312	0.0	-93.526	-92.098	0.0
77	11226	11227	SN	1	57.418	58.185	0.0	0.0	286.824	3.89	1190.352	1271.176	38.915	-92.92	-91.779	0.0
78	11227	11228	SN	1	57.42	58.199	0.0	0.0	297.457	2.732	1190.192	1271.24	41.184	-93.212	-91.746	0.0
79	11227	11228	SN	1	57.42	58.199	0.0	0.0	297.457	3.951	1190.192	1271.24	38.027	-93.212	-91.746	0.0
80	11228	11229	NS	1	57.599	58.291	0.0	0.0	294.573	3.843	1231.728	1276.56	0.0	-93.529	-92.066	0.0
81	11228	11229	SN	1	57.418	58.186	0.0	0.0	296.751	3.683	1189.92	1271.144	41.955	-93.072	-91.737	0.0
82	11228	11229	SN	1	57.418	58.186	0.0	0.0	296.751	3.69	1189.92	1271.144	41.913	-93.072	-91.737	0.0
83	11229	11230	NS	1	57.611	58.273	0.0	0.0	292.907	3.753	1232.016	1275.936	0.0	-93.531	-92.07	0.0
84	11229	11230	SN	1	57.394	58.185	0.0	0.0	294.336	3.759	1190.016	1270.872	41.344	-92.864	-91.774	0.0
85	11229	11230	NS	2	57.611	58.273	0.0	0.0	292.968	3.753	1232.016	1275.936	0.0	-93.531	-92.07	0.0
86	11230	11231	NS	1	57.607	58.268	0.0	0.0	295.797	3.383	1231.952	1275.928	0.0	-93.49	-92.075	0.0
87	11230	11231	SN	1	57.404	58.185	0.0	0.0	293.106	3.824	1190.384	1270.832	40.883	-93.002	-91.757	0.0
88	11231	11232	NS	1	57.597	58.271	0.0	0.0	295.279	3.592	1231.808	1275.872	0.0	-93.53	-92.092	0.0
89	11233	11234	SN	1	57.401	58.216	0.0	0.0	296.084	3.876	1190.152	1270.76	43.361	-92.885	-91.78	0.0
90	11233	11234	NS	1	57.592	58.268	0.0	0.0	297.86	3.566	1231.728	1275.856	0.0	-93.1	-92.097	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11205	11206	SN	1	-34.337	20.882	0.0	-33.455	21.188	0.0	0.859	22.648	0.032	4.552	22.65	0.012	0.086	201.132	1.036	0.086	164.158	0.725	0.086	0.137	0.0	0.086	0.11	0.0
2	11205	11206	NS	1	-34.971	20.36	0.0	-34.875	19.756	0.0	0.508	23.798	0.278	0.268	23.788	0.558	0.086	232.744	4.537	0.086	227.633	4.609	0.086	0.142	0.0	0.086	0.145	0.0
3	11206	11207	SN	2	-34.594	20.285	0.0	-33.421	20.973	0.0	-3.442	22.825	0.043	-4.285	22.704	0.023	0.086	214.288	3.216	0.086	162.888	2.603	0.086	0.234	0.0	0.086	0.268	0.0
4	11206	11207	NS	1	-34.739	19.367	0.0	-34.984	19.251	0.0	-4.039	24.478	0.011	-5.23	24.624	0.095	0.086	220.593	1.78	0.086	233.387	1.78	0.086	0.258	0.0	0.086	0.316	0.0
5	11206	11207	SN	1	-34.594	20.285	0.0	-33.421	20.973	0.0	-3.442	22.825	0.043	-4.285	22.704	0.023	0.086	214.288	3.216	0.086	162.888	2.603	0.086	0.234	0.0	0.086	0.268	0.0
6	11206	11207	NS	1	-34.739	19.367	0.0	-34.984	19.251	0.0	-4.039	24.478	0.011	-5.23	24.624	0.099	0.086	220.593	1.78	0.086	233.387	1.78	0.086	0.258	0.0	0.086	0.316	0.0
7	11207	11208	SN	1	-34.281	19.217	0.0	-34.866	19.559	0.0	1.609	22.435	0.07	-1.958	22.515	0.066	0.086	198.532	3.167	0.086	227.142	2.663	0.086	0.128	0.0	0.086	0.189	0.0
8	11207	11208	SN	2	-34.281	19.217	0.0	-34.866	19.559	0.0	1.609	22.435	0.07	-1.958	22.515	0.066	0.086	198.532	3.167	0.086	227.142	2.663	0.086	0.128	0.0	0.086	0.189	0.0
9	11208	11209	NS	1	-34.484	18.315	0.0	-34.977	17.087	0.0	-24.079	22.064	0.004	-26.518	22.58	0.055	0.086	207.993	6.71	0.087	233.088	7.314	0.086	19.006	0.152	0.086	33.286	0.133
10	11208	11209	SN	2	-34.82	18.256	0.0	-34.776	18.721	0.0	1.574	22.438	0.023	1.685	22.642	0.028	0.086	224.762	2.192	0.086	222.488	1.913	0.086	0.129	0.0	0.086	0.128	0.0
11	11208	11209	SN	1	-34.82	18.256	0.0	-34.776	18.721	0.0	1.574	22.438	0.023	1.685	22.642	0.028	0.086	224.762	2.192	0.086	222.488	1.913	0.086	0.129	0.0	0.086	0.128	0.0
12	11209	11210	NS	1	-34.504	18.086	0.0	-34.523	16.841	0.0	-17.792	23.126	0.043	-14.368	22.887	0.081	0.086	209.016	1.569	0.087	215.235	1.576	0.086	4.518	0.004	0.086	2.09	0.001
13	11209	11210	SN	1	-33.648	18.36	0.0	-34.98	18.122	0.0	0.905	22.331	0.054	2.084	22.548	0.303	0.086	177.566	1.157	0.086	241.286	1.038	0.086	0.136	0.0	0.086	0.124	0.0
14	11209	11210	NS	1	-33.293	18.086	0.0	-32.081	16.841	0.0	-17.829	23.128	0.043	-14.368	22.887	0.082	0.086	158.16	1.57	0.087	119.668	1.568	0.086	4.556	0.004	0.086	2.09	0.001
15	11210	11211	SN	2	-32.795	16.935	0.0	-33.497	17.624	0.0	0.307	22.337	0.035	2.225	22.56	0.027	0.087	141.012	0.652	0.087	165.761	0.514	0.086	0.144	0.0	0.086	0.122	0.0
16	11210	11211	NS	1	-34.671	21.029	0.0	-34.889	16.737	0.0	-19.416	22.368	0.002	-19.05	23.468	0.035	0.086	217.166	3.404	0.087	228.376	3.137	0.086	6.539	0.01	0.086	6.014	0.025
17	11210	11211	SN	1	-32.795	16.935	0.0	-33.497	17.624	0.0	0.307	22.337	0.035	2.225	22.56	0.027	0.087	141.012	0.652	0.087	165.761	0.514	0.086	0.144	0.0	0.086	0.122	0.0
18	11210	11211	SN	1	-32.795	16.853	0.0	-33.497	17.624	0.0	0.307	22.337	0.035	2.225	22.56	0.027	0.087	141.026	0.654	0.087	165.761	0.517	0.086	0.144	0.0	0.086	0.122	0.0
19	11211	11212	SN	1	-34.718	14.528	0.0	-34.646	17.276	0.0	-5.266	23.315	0.277	0.345	23.782	0.535	0.088	219.479	3.087	0.087	215.957	2.844	0.086	0.318	0.0	0.086	0.144	0.0
20	11211	11212	SN	1	-34.301	16.9	0.0	-34.854	17.447	0.0	-5.266	23.315	0.272	0.345	23.782	0.535	0.087	206.342	3.014	0.087	226.541	2.767	0.086	0.318	0.0	0.086	0.144	0.0
21	11211	11212	SN	1	-34.718	16.901	0.0	-34.646	17.447	0.0	-5.266	23.315	0.273	0.345	23.782	0.535	0.087	219.479	3.009	0.087	215.957	2.77	0.086	0.318	0.0	0.086	0.144	0.0
22	11211	11212	NS	2	-34.462	20.393	0.0	-33.466	21.032	0.0	-23.844	22.393	0.032	-25.678	22.664	0.08	0.086	206.961	1.378	0.086	164.56	1.375	0.086	18.012	0.19	0.086	27.445	0.151
23	11211	11212	NS	1	-34.462	20.393	0.0	-33.466	21.032	0.0	-23.844	22.393	0.032	-25.705	22.664	0.08	0.086	206.961	1.378	0.086	164.56	1.375	0.086	18.012	0.19	0.086	27.61	0.151
24	11212	11213	NS	1	-34.92	20.86	0.0	-33.898	20.603	0.0	2.095	22.34	0.015	1.628	23.538	0.258	0.086	230.008	1.025	0.086	181.757	0.864	0.086	0.124	0.0	0.086	0.128	0.0
25	11212	11213	SN	1	-34.977	17.164	0.0	-34.722	17.87	0.0	-23.935	23.624	0.515	-10.655	23.892	1.219	0.087	233.02	3.795	0.086	219.737	3.838	0.086	19.745	0.003	0.086	0.996	0.0
26	11212	11213	SN	2	-34.977	17.164	0.0	-34.722	17.87	0.0	-23.935	23.624	0.499	-10.655	23.892	1.217	0.087	233.02	3.541	0.086	219.737	3.487	0.086	19.745	0.003	0.086	0.996	0.0
27	11212	11213	SN	1	-34.977	17.164	0.0	-34.722	17.87	0.0	-23.935	23.624	0.499	-10.655	23.892	1.217	0.087	233.02	3.541	0.086	219.737	3.487	0.086	19.745	0.003	0.086	0.996	0.0
28	11213	11214	NS	1	-34.26	17.769	0.0	-34.948	22.399	0.004	-3.637	23.078	0.124	-6.916	23.931	1.225	0.086	197.566	1.657	0.086	231.453	1.736	0.086	0.242	0.0	0.086	0.432	0.0
29	11213	11214	SN	1	-33.571	17.149	0.0	-34.372	18.269	0.0	-25.728	23.492	0.267	-11.882	23.849	0.675	0.087	168.607	0.879	0.086	202.751	0.847	0.086	27.756	0.05	0.086	1.25	0.004
30	11213	11214	NS	1	-34.778	17.769	0.0	-34.948	22.399	0.004	-3.637	23.078	0.124	-6.916	23.931	1.231	0.086	222.561	1.661	0.086	231.453	1.737	0.086	0.242	0.0	0.086	0.432	0.0
31	11213	11214	SN	2	-33.635	17.149	0.0	-34.372	18.269	0.0	-25.723	23.492	0.267	-11.882	23.849	0.675	0.087	171.066	0.879	0.086	202.751	0.847	0.086	27.729	0.05	0.086	1.25	0.004
32	11214	11215	NS	1	-34.857	22.059	0.001	-34.888	22.115	0.001	-8.238	23.198	0.333	-7.701	24.254	1.844	0.086	226.646	3.477	0.086	228.322	3.641	0.086	0.56	0.0	0.086	0.503	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0	Alarming	High Errors

33	11214	11215	NS	1	-34.838	22.059	0.001	-34.509	22.115	0.001	-8.238	23.198	0.333	-7.701	24.254	1.846	0.086	225.674	3.48	0.086	209.198	3.638	0.086	0.56	0.0	0.086	0.503	0.0
34	11215	11216	NS	1	-34.945	20.92	0.0	-34.948	21.374	0.0	0.652	22.429	0.033	0.666	24.404	1.091	0.086	231.297	1.792	0.086	231.448	2.004	0.086	0.14	0.0	0.086	0.14	0.0
35	11215	11216	SN	1	-34.979	19.31	0.0	-34.911	21.316	0.0	-16.763	24.989	0.287	-31.696	23.615	0.247	0.086	233.171	6.102	0.086	229.532	5.668	0.086	3.579	0.052	0.086	109.528	0.039
36	11215	11216	NS	1	-34.945	20.92	0.0	-34.948	21.374	0.0	0.652	22.429	0.033	0.666	24.406	1.094	0.086	231.297	1.791	0.086	231.448	2.015	0.086	0.14	0.0	0.086	0.14	0.0
37	11216	11217	SN	2	-34.544	16.972	0.0	-34.906	19.816	0.0	-18.83	23.377	0.226	-16.37	23.467	0.231	0.087	210.936	1.906	0.086	229.258	1.606	0.086	5.721	0.018	0.086	3.275	0.007
38	11216	11217	NS	2	-33.234	20.413	0.0	-33.652	20.705	0.0	1.068	22.399	0.128	0.434	23.867	1.099	0.086	156.041	0.902	0.086	171.754	0.841	0.086	0.134	0.0	0.086	0.143	0.0
39	11216	11217	NS	1	-33.154	20.411	0.0	-33.652	20.705	0.0	1.068	22.399	0.128	0.434	23.867	1.102	0.086	153.155	0.902	0.086	171.754	0.841	0.086	0.134	0.0	0.086	0.143	0.0
40	11216	11217	SN	1	-34.544	16.972	0.0	-34.906	19.816	0.0	-18.83	23.377	0.226	-16.37	23.467	0.231	0.087	210.936	1.906	0.086	229.258	1.606	0.086	5.721	0.018	0.086	3.275	0.007
41	11217	11218	NS	1	-34.136	20.76	0.0	-34.187	21.511	0.0	3.784	22.436	0.055	3.902	23.512	1.098	0.086	191.978	0.899	0.086	194.266	0.873	0.086	0.111	0.0	0.086	0.11	0.0
42	11217	11218	NS	1	-34.136	20.76	0.0	-34.187	21.511	0.0	3.572	22.436	0.085	3.925	23.501	1.525	0.086	191.978	0.903	0.086	194.266	0.873	0.086	0.112	0.0	0.086	0.11	0.0
43	11217	11218	SN	1	-34.905	17.729	0.0	-34.936	19.8	0.0	-20.572	23.448	0.394	-21.416	23.59	0.532	0.086	229.193	1.979	0.086	230.827	1.876	0.086	8.513	0.069	0.086	10.324	0.065
44	11217	11218	SN	1	-34.834	17.729	0.0	-32.842	19.802	0.0	-20.443	23.448	0.394	-21.452	23.59	0.532	0.086	225.469	1.995	0.086	142.557	1.872	0.086	8.266	0.069	0.086	10.409	0.065
45	11218	11219	NS	1	-34.495	21.191	0.0	-34.897	22.124	0.001	2.644	23.417	0.368	2.619	24.318	1.45	0.086	208.549	0.809	0.086	228.767	0.924	0.086	0.119	0.0	0.086	0.119	0.0
46	11218	11219	NS	1	-34.495	21.191	0.0	-34.897	22.124	0.001	3.628	22.147	0.031	3.046	24.318	0.418	0.086	208.549	0.818	0.086	228.767	0.923	0.086	0.112	0.0	0.086	0.116	0.0
47	11218	11219	SN	1	-34.348	17.652	0.0	-34.385	19.759	0.0	3.359	23.28	0.585	3.753	24.214	2.113	0.087	201.582	1.523	0.086	203.315	1.201	0.086	0.113	0.0	0.086	0.111	0.0
48	11218	11219	SN	1	-33.666	17.647	0.0	-34.883	19.759	0.0	3.359	23.28	0.585	3.753	24.214	2.12	0.087	172.318	1.511	0.086	235.928	1.185	0.086	0.113	0.0	0.086	0.111	0.0
49	11219	11220	SN	1	-30.884	17.713	0.0	-32.807	19.742	0.0	2.686	23.085	0.12	5.41	22.945	0.172	0.086	90.83	0.567	0.086	141.398	0.531	0.086	0.118	0.0	0.086	0.102	0.0
50	11219	11220	NS	2	-34.991	22.526	0.001	-34.665	18.159	0.0	2.242	23.555	0.833	0.749	24.237	1.185	0.086	233.773	4.872	0.086	216.845	4.872	0.086	0.122	0.0	0.086	0.138	0.0
51	11219	11220	NS	1	-34.727	22.526	0.001	-34.665	18.159	0.0	2.991	21.333	0.0	0.723	22.747	0.016	0.086	219.958	5.308	0.086	216.845	4.917	0.086	0.116	0.0	0.086	0.139	0.0
52	11219	11220	NS	1	-34.727	22.526	0.001	-34.665	18.159	0.0	2.242	23.555	0.836	0.749	24.237	1.185	0.086	219.958	4.871	0.086	216.845	4.872	0.086	0.122	0.0	0.086	0.138	0.0
53	11220	11221	SN	1	-34.345	20.756	0.0	-34.304	20.911	0.0	-22.922	22.837	0.039	-28.697	23.012	0.024	0.086	201.471	3.254	0.086	199.604	2.51	0.086	14.578	0.051	0.086	54.931	0.049
54	11220	11221	NS	1	-34.744	19.757	0.0	-34.001	19.906	0.0	-0.908	24.854	0.03	-0.134	23.392	0.168	0.086	220.867	4.313	0.086	186.146	4.396	0.086	0.165	0.0	0.086	0.151	0.0
55	11220	11221	NS	1	-34.744	19.757	0.0	-34.001	19.907	0.0	-0.908	24.854	0.03	-0.134	23.392	0.168	0.086	220.867	4.307	0.086	186.146	4.393	0.086	0.165	0.0	0.086	0.151	0.0
56	11220	11221	SN	1	-34.345	20.756	0.0	-34.304	20.911	0.0	-22.922	22.837	0.039	-28.697	23.012	0.024	0.086	201.471	3.119	0.086	199.604	2.389	0.086	14.578	0.051	0.086	54.931	0.049
57	11220	11221	SN	2	-34.345	20.756	0.0	-34.304	20.911	0.0	-22.922	22.837	0.039	-28.697	23.012	0.024	0.086	201.471	3.119	0.086	199.604	2.389	0.086	14.578	0.051	0.086	54.931	0.049
58	11221	11222	NS	1	-34.43	19.24	0.0	-34.874	19.635	0.0	-13.477	22.918	0.01	-8.938	23.071	0.072	0.086	205.458	2.362	0.086	227.595	2.744	0.086	1.714	0.005	0.086	0.646	0.0
59	11221	11222	SN	1	-34.979	20.982	0.0	-34.648	20.678	0.0	0.064	22.588	0.035	0.503	22.556	0.036	0.086	233.116	3.163	0.086	216.019	2.923	0.086	0.148	0.0	0.086	0.142	0.0
60	11221	11222	SN	2	-34.979	20.982	0.0	-34.648	20.678	0.0	0.064	22.588	0.035	0.503	22.556	0.036	0.086	233.116	3.232	0.086	216.019	2.973	0.086	0.148	0.0	0.086	0.142	0.0
61	11221	11222	SN	1	-34.979	20.982	0.0	-34.648	20.678	0.0	0.064	22.588	0.035	0.503	22.556	0.036	0.086	233.116	3.232	0.086	216.019	2.973	0.086	0.148	0.0	0.086	0.142	0.0
62	11221	11222	NS	1	-33.577	19.24	0.0	-34.637	19.635	0.0	-13.477	22.919	0.01	-8.941	23.071	0.072	0.086	168.857	2.367	0.086	215.466	2.738	0.086	1.714	0.005	0.086	0.647	0.0
63	11222	11223	SN	1	-34.902	18.219	0.0	-34.934	18.755	0.0	0.534	22.741	0.049	2.415	22.772	0.044	0.086	229.041	2.246	0.086	230.742	1.912	0.086	0.141	0.0	0.086	0.121	0.0
64	11222	11223	NS	1	-34.682	18.315	0.0	-34.622	17.511	0.0	-10.524	21.686	0.0	-20.118	22.845	0.045	0.086	217.689	3.236	0.087	214.694	2.816	0.086	0.901	0.0	0.086	7.676	0.024
65	11222	11223	SN	2	-34.902	18.219	0.0	-34.934	18.755	0.0	0.534	22.741	0.049	2.415	22.772	0.044	0.086	229.041	2.246	0.086	230.742	1.912	0.086	0.141	0.0	0.086	0.121	0.0
66	11222	11223	NS	1	-34.113	18.315	0.0	-34.838	17.511	0.0	-10.53	21.686	0.0	-20.136	22.845	0.045	0.086	190.956	3.234	0.087	225.673	2.82	0.086	0.902	0.0	0.086	7.705	0.024
67	11222	11223	SN	1	-34.902	18.219	0.0	-34.934	18.755	0.0	0.534	22.741	0.049	2.415	22.772	0.044	0.086	229.041	2.287	0.086	230.742	1.936	0.086	0.141	0.0	0.086	0.121	0.0
68	11223	11224	NS	1	-34.991	17.912	0.0	-34.922	17.678	0.0	-19.913	22.497	0.016	-34.329	23.17	0.049	0.086	233.832	4.67	0.086	230.082	4.551	0.086	7.324	0.036	0.086	200.735	0.067
69	11223	11224	SN	1	-34.238	18.193	0.0	-34.569	18.318	0.0	0.554	22.721	0.072	2.001	22.702	0.192	0.086	196.559	0.839	0.086	212.177	0.808	0.086	0.141	0.0	0.086	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

70	11223	11224	SN	1	-33.516	18.193	0.0	-34.679	18.318	0.0	0.554	22.721	0.072	2.001	22.702	0.192	0.086	166.461	0.837	0.086	217.535	0.807	0.086	0.141	0.0	0.086	0.124	0.0
71	11224	11225	SN	1	-33.455	17.518	0.0	-33.955	17.566	0.0	0.495	22.376	0.02	2.81	22.566	0.152	0.087	164.168	0.878	0.087	184.145	0.706	0.086	0.142	0.0	0.086	0.117	0.0
72	11224	11225	NS	1	-34.137	18.677	0.0	-34.618	16.81	0.0	-25.381	22.41	0.017	-24.824	22.754	0.029	0.086	192.101	2.712	0.087	214.537	2.989	0.086	25.638	0.032	0.086	22.558	0.015
73	11225	11226	NS	2	-33.975	20.65	0.0	-33.958	20.625	0.0	-27.881	22.29	0.008	-19.353	22.953	0.069	0.086	185.005	2.235	0.086	184.318	2.105	0.086	45.532	0.164	0.086	6.446	0.067
74	11225	11226	NS	1	-34.0	20.65	0.0	-34.023	20.625	0.0	-27.881	22.29	0.008	-19.353	22.953	0.069	0.086	186.085	2.235	0.086	187.079	2.104	0.086	45.536	0.164	0.086	6.444	0.067
75	11225	11226	SN	1	-34.908	15.9	0.0	-33.777	17.436	0.0	0.135	22.501	0.011	3.483	22.246	0.005	0.087	229.342	1.658	0.087	176.781	1.167	0.086	0.147	0.0	0.086	0.112	0.0
76	11226	11227	NS	1	-34.572	20.326	0.0	-34.227	20.727	0.0	2.666	22.337	0.038	2.253	23.541	0.173	0.086	212.264	0.913	0.086	196.09	0.832	0.086	0.118	0.0	0.086	0.122	0.0
77	11226	11227	SN	1	-34.072	18.032	0.0	-34.872	17.752	0.0	-11.93	23.621	0.381	-3.779	23.943	0.835	0.086	189.244	2.326	0.086	227.445	2.064	0.086	1.22	0.002	0.086	0.247	0.0
78	11227	11228	SN	1	-34.996	17.939	0.0	-33.437	17.135	0.0	-14.21	23.258	0.328	-7.973	23.931	0.812	0.086	234.053	2.704	0.087	163.437	2.628	0.086	2.017	0.003	0.086	0.531	0.0
79	11227	11228	SN	1	-34.996	17.939	0.0	-33.437	17.766	0.0	-14.21	23.258	0.308	-7.973	23.931	0.903	0.086	234.053	2.537	0.086	163.437	2.272	0.086	2.017	0.003	0.086	0.531	0.0
80	11228	11229	NS	1	-34.953	21.734	0.0	-34.645	22.392	0.001	-0.731	22.758	0.313	-0.622	24.152	1.862	0.086	231.708	3.325	0.086	215.857	3.225	0.086	0.162	0.0	0.086	0.16	0.0
81	11228	11229	SN	1	-34.837	18.911	0.0	-34.286	18.405	0.0	-19.905	23.264	0.305	-7.835	24.305	0.432	0.086	225.621	1.77	0.086	205.629	1.415	0.086	7.311	0.025	0.086	0.517	0.0
82	11228	11229	SN	1	-34.837	18.911	0.0	-34.286	18.405	0.0	-19.905	23.264	0.305	-7.835	24.305	0.437	0.086	225.621	1.77	0.086	205.629	1.413	0.086	7.311	0.025	0.086	0.517	0.0
83	11229	11230	NS	1	-34.649	22.01	0.001	-34.798	21.951	0.0	-22.42	22.52	0.024	-19.769	24.328	1.283	0.086	216.129	2.624	0.086	223.632	2.497	0.086	12.996	0.008	0.086	7.087	0.007
84	11229	11230	SN	1	-34.926	19.799	0.0	-34.83	20.02	0.0	-27.23	26.94	0.361	-24.625	25.079	0.252	0.086	230.359	4.405	0.086	225.337	3.744	0.086	40.562	0.125	0.086	21.547	0.103
85	11229	11230	NS	2	-34.649	22.01	0.001	-34.798	21.951	0.0	-22.42	22.52	0.024	-19.769	24.328	1.283	0.086	216.129	2.625	0.086	223.632	2.497	0.086	12.996	0.008	0.086	7.087	0.007
86	11230	11231	NS	1	-34.54	19.115	0.0	-34.854	21.935	0.0	-5.82	22.446	0.035	-7.088	24.086	1.11	0.086	210.683	1.235	0.086	226.512	1.043	0.086	0.351	0.0	0.086	0.446	0.0
87	11230	11231	SN	1	-34.498	19.768	0.0	-34.066	19.805	0.0	-20.685	23.343	0.222	-30.176	23.56	0.218	0.086	208.725	2.409	0.086	188.946	2.012	0.086	8.734	0.013	0.086	77.176	0.002
88	11231	11232	NS	1	-33.891	19.875	0.0	-33.95	21.272	0.0	1.442	22.416	0.08	4.787	23.866	1.177	0.086	181.474	1.008	0.086	184.009	0.945	0.086	0.13	0.0	0.086	0.105	0.0
89	11233	11234	SN	1	-34.292	17.424	0.0	-34.885	19.655	0.0	2.82	23.29	0.451	5.139	23.778	1.472	0.087	202.368	1.206	0.086	228.134	1.0	0.086	0.117	0.0	0.086	0.104	0.0
90	11233	11234	NS	1	-34.832	19.189	0.0	-34.14	17.633	0.0	2.127	23.365	0.752	1.889	24.217	1.459	0.086	225.399	1.876	0.087	192.18	1.776	0.086	0.123	0.0	0.086	0.125	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors