

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-NOV-2018 To 12-NOV-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-NOV-2018 To 12-NOV-2018





					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11248	11249	SN	1	48.67	49.345	0.0	0.003	283.284	1.631	1016.168	1080.696	30.854	-91.329	-89.726	0.0
2	11248	11249	SN	1	48.67	49.345	0.0	0.0	283.284	2.811	1016.168	1080.696	28.683	-91.213	-89.726	0.0
3	11249	11250	SN	1	48.67	49.355	0.0	0.003	6.386	2.773	1016.616	1080.48	26.589	-91.477	-89.682	0.0
4	11249	11250	NS	1	48.777	49.435	0.0	0.003	266.898	2.682	1051.92	1083.96	0.0	-91.842	-90.043	0.0
5	11250	11251	SN	1	48.645	49.342	0.0	0.003	6.392	2.569	1016.536	1080.616	27.002	-91.489	-89.706	0.0
6	11250	11251	SN	1	48.645	49.342	0.0	0.003	6.392	2.434	1016.536	1080.616	27.327	-91.489	-89.706	0.0
7	11251	11252	NS	1	48.827	49.384	0.0	0.003	43.152	2.57	1052.04	1084.288	0.0	-91.758	-90.007	0.0
8	11251	11252	SN	1	48.65	49.342	0.0	0.003	216.425	2.531	1016.656	1080.6	27.866	-91.446	-89.719	0.0
9	11252	11253	SN	1	48.676	49.341	0.0	0.003	6.392	2.579	1016.384	1080.4	28.451	-91.417	-89.696	0.0
10	11252	11253	NS	1	48.817	49.383	0.0	0.003	264.08	2.612	1052.048	1084.12	0.0	-91.673	-90.04	0.0
11	11253	11254	SN	1	48.699	49.34	0.0	0.003	280.085	2.561	1016.64	1080.232	28.246	-91.719	-89.72	0.0
12	11254	11255	NS	1	48.808	49.383	0.0	0.003	12.199	2.587	1052.272	1083.744	0.0	-92.235	-90.053	0.0
13	11254	11255	SN	1	48.651	49.338	0.0	0.003	6.375	2.625	1015.664	1080.064	28.338	-91.448	-89.721	0.0
14	11255	11256	NS	1	48.79	49.383	0.0	0.008	207.028	2.623	1052.328	1083.624	0.0	-91.746	-90.057	0.0
15	11256	11257	SN	1	48.677	49.339	0.0	0.0	140.098	1.634	1016.336	1080.064	26.007	-91.508	-89.707	0.0
16	11257	11258	SN	1	48.705	49.339	0.0	0.003	6.381	2.56	1017.072	1079.992	26.455	-91.382	-89.694	0.0
17	11257	11258	NS	1	48.788	49.424	0.0	0.003	14.311	2.695	1052.304	1083.552	0.0	-91.75	-90.042	0.0
18	11258	11259	NS	1	48.795	49.434	0.0	0.0	266.926	2.79	1052.848	1083.344	0.0	-91.752	-90.036	0.0
19	11259	11260	NS	1	48.777	49.407	0.0	0.003	266.507	2.586	1052.472	1083.328	0.0	-92.014	-90.047	0.0
20	11259	11260	SN	1	48.648	49.338	0.0	0.003	281.822	2.68	1016.992	1079.744	27.301	-91.451	-89.698	0.0
21	11260	11261	SN	1	48.666	49.338	0.0	0.003	6.364	2.594	1016.48	1079.704	27.196	-91.44	-89.702	0.0
22	11261	11262	NS	1	48.797	49.414	0.0	0.003	43.29	2.619	1052.416	1083.28	0.0	-91.764	-90.065	0.0
23	11262	11263	SN	1	48.668	49.339	0.0	0.003	6.364	2.694	1016.56	1079.736	28.041	-91.356	-89.726	0.0
24	11262	11263	NS	1	48.797	49.392	0.0	0.0	46.69	2.72	1052.136	1083.272	0.0	-91.632	-90.064	0.0
25	11263	11264	NS	1	48.8	49.411	0.0	0.003	16.209	2.745	1052.832	1083.136	0.0	-91.825	-90.048	0.0
26	11263	11264	SN	1	48.666	49.336	0.0	0.003	27.986	2.753	1017.232	1079.584	27.233	-91.491	-89.709	0.0
27	11263	11264	SN	2	48.667	49.337	0.0	0.003	282.958	2.753	1017.224	1079.608	27.247	-91.491	-89.709	0.0
28	11264	11265	SN	1	48.676	49.336	0.0	0.003	28.058	2.636	1016.248	1079.512	26.308	-91.336	-89.69	0.0
29	11265	11266	SN	1	48.643	49.337	0.0	0.003	6.375	2.518	1016.912	1079.6	26.802	-91.421	-89.719	0.0
30	11265	11266	SN	1	48.65	49.337	0.0	0.003	6.375	2.521	1015.904	1079.6	26.828	-91.421	-89.719	0.0
31	11265	11266	SN	1	48.65	49.337	0.0	0.003	6.375	2.382	1015.904	1079.6	27.141	-91.421	-89.719	0.0
32	11265	11266	NS	1	48.833	49.423	0.0	0.003	43.141	2.514	1053.112	1083.272	0.0	-91.764	-90.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	11266	11267	SN	1	48.644	49.336	0.0	0.003	6.37	2.565	1015.776	1079.504	27.897	-91.404	-89.72	0.0
34	11267	11268	NS	1	48.819	49.433	0.0	0.003	266.92	2.671	1053.096	1083.048	0.0	-91.683	-90.052	0.0
35	11268	11269	NS	2	48.835	49.433	0.0	0.003	13.854	2.636	1053.328	1082.872	0.0	-91.739	-90.061	0.0
36	11268	11269	NS	1	48.835	49.433	0.0	0.003	13.854	2.636	1053.328	1082.872	0.0	-91.739	-90.061	0.0
37	11268	11269	SN	1	48.698	49.333	0.0	0.003	6.348	2.584	1016.872	1079.12	27.807	-91.471	-89.72	0.0
38	11269	11270	SN	1	48.647	49.334	0.0	0.003	216.453	2.293	1016.016	1078.968	27.356	-91.446	-89.721	0.0
39	11269	11270	NS	1	48.774	49.434	0.0	0.003	43.086	2.618	1053.488	1082.688	0.0	-92.154	-90.07	0.0
40	11270	11271	SN	1	48.667	49.334	0.0	0.003	282.583	2.701	1016.448	1079.024	24.073	-91.457	-89.717	0.0
41	11270	11271	NS	1	48.802	49.429	0.0	0.003	210.86	2.625	1052.816	1082.64	0.0	-91.737	-90.07	0.0
42	11270	11271	SN	1	48.671	49.334	0.0	0.003	282.583	1.787	1016.448	1079.024	25.431	-91.457	-89.717	0.0
43	11270	11271	SN	1	48.671	49.334	0.0	0.003	282.583	2.703	1016.448	1079.024	24.007	-91.57	-89.717	0.0
44	11271	11272	NS	1	48.834	49.387	0.0	0.003	206.846	2.698	1053.616	1082.632	0.0	-91.739	-90.051	0.0
45	11271	11272	SN	1	48.68	49.334	0.0	0.003	6.364	2.625	1017.36	1079.0	24.483	-91.576	-89.686	0.0
46	11272	11273	NS	1	48.836	49.408	0.0	0.003	210.469	2.66	1053.848	1082.456	0.0	-91.686	-90.045	0.0
47	11272	11273	SN	1	48.649	49.333	0.0	0.003	282.517	2.566	1016.448	1078.84	26.101	-91.515	-89.728	0.0
48	11273	11274	NS	1	48.836	49.44	0.0	0.003	18.337	2.676	1053.76	1082.328	0.0	-91.983	-90.051	0.0
49	11273	11274	NS	1	48.836	49.44	0.0	0.003	18.337	2.679	1053.76	1082.328	0.0	-91.983	-90.051	0.0
50	11274	11275	SN	1	48.71	49.333	0.0	0.003	6.337	2.646	1017.272	1078.72	26.982	-91.517	-89.707	0.0
51	11274	11275	SN	2	48.71	49.333	0.0	0.003	6.337	2.646	1017.272	1078.72	26.982	-91.517	-89.707	0.0
52	11275	11276	SN	1	48.681	49.332	0.0	0.003	6.337	2.61	1017.312	1078.656	26.39	-92.243	-89.722	0.0
53	11275	11276	NS	1	48.804	49.408	0.0	0.0	210.519	2.712	1052.704	1082.224	0.0	-92.004	-90.072	0.0
54	11275	11276	NS	1	48.804	49.408	0.0	0.0	210.519	2.094	1052.704	1082.224	0.0	-92.004	-90.072	0.0
55	11276	11277	NS	1	48.834	49.387	0.0	0.003	210.27	1.551	1053.008	1082.224	0.0	-91.619	-90.07	0.0
56	11276	11277	SN	1	48.576	49.333	0.0	0.003	216.436	2.58	1015.104	1078.68	26.682	-91.481	-89.725	0.0
57	11276	11277	NS	1	48.834	49.399	0.0	0.003	267.522	2.632	1053.264	1082.224	0.0	-91.618	-90.07	0.0
58	11277	11278	NS	1	48.808	49.42	0.0	0.003	43.213	1.976	1052.672	1082.168	0.0	-91.637	-90.071	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11248	11249	SN	1	-33.536	22.82	0.004	-31.189	23.273	0.069	6.971	28.694	16.942	10.399	29.007	23.654	0.116	218.84	0.955	0.116	127.492	0.619	0.116	0.131	0.0	0.116	0.123	0.0
2	11248	11249	SN	1	-34.849	24.254	1.021	-31.189	26.784	4.122	6.971	28.694	17.449	10.399	29.007	24.629	0.116	296.053	0.912	0.116	127.492	0.554	0.116	0.131	0.0	0.116	0.123	0.0
3	11249	11250	SN	1	-33.924	25.97	3.202	-33.543	26.914	5.993	-25.366	35.53	16.037	-28.112	30.532	20.847	0.116	239.289	2.363	0.116	219.163	1.907	0.116	33.426	0.014	0.116	62.833	0.008
4	11249	11250	NS	1	-34.502	26.634	1.669	-34.227	26.539	0.061	0.857	31.278	15.787	5.562	36.264	28.352	0.116	273.386	2.276	0.116	256.579	2.144	0.116	0.184	0.0	0.116	0.138	0.0
5	11250	11251	SN	1	-34.501	26.423	2.302	-34.082	26.649	3.715	-0.953	31.593	10.285	4.819	29.373	6.667	0.116	273.225	3.058	0.116	248.07	2.331	0.116	0.222	0.0	0.116	0.142	0.0
6	11250	11251	SN	1	-34.501	26.423	2.001	-34.082	26.649	3.75	-0.953	31.593	10.285	4.819	29.373	6.667	0.116	273.225	3.116	0.116	248.07	2.374	0.116	0.222	0.0	0.116	0.142	0.0
7	11251	11252	NS	1	-34.905	23.762	0.246	-34.838	22.136	0.001	-7.026	28.866	10.348	-5.241	30.196	20.842	0.116	299.843	5.603	0.116	295.292	5.294	0.116	0.582	0.0	0.116	0.419	0.0
8	11251	11252	SN	1	-33.265	24.348	0.69	-34.673	24.983	1.364	7.055	27.395	17.735	7.704	28.621	12.476	0.116	205.616	1.897	0.116	284.283	1.492	0.116	0.131	0.0	0.116	0.129	0.0
9	11252	11253	SN	1	-33.5	24.242	0.388	-33.894	25.052	0.842	6.386	27.633	13.25	6.12	28.43	8.041	0.116	217.009	1.002	0.116	237.652	1.102	0.116	0.134	0.0	0.116	0.135	0.0
10	11252	11253	NS	1	-34.875	23.283	0.073	-34.625	24.025	0.042	-6.434	35.49	6.097	-8.706	31.737	12.675	0.116	297.845	5.181	0.116	281.174	4.865	0.116	0.52	0.0	0.116	0.812	0.0
11	11253	11254	SN	1	-34.153	23.478	0.037	-33.848	23.852	0.259	6.233	28.635	15.793	8.362	28.706	21.281	0.116	252.201	1.539	0.116	235.086	1.119	0.116	0.134	0.0	0.116	0.127	0.0
12	11254	11255	NS	1	-34.007	22.704	0.054	-33.817	26.383	0.135	-17.077	30.804	8.143	-9.755	31.686	14.035	0.116	243.932	2.147	0.116	233.448	1.969	0.116	5.033	0.005	0.116	1.008	0.002
13	11254	11255	SN	1	-34.179	21.963	0.0	-34.816	23.456	0.183	5.837	28.295	14.193	8.416	28.419	15.871	0.116	253.754	2.733	0.116	293.87	2.089	0.116	0.136	0.0	0.116	0.127	0.0
14	11255	11256	NS	1	-33.905	26.267	0.216	-31.476	26.293	0.474	-4.885	28.134	14.364	8.131	29.423	22.971	0.116	238.208	0.559	0.116	136.228	0.41	0.116	0.394	0.0	0.116	0.128	0.0
15	11256	11257	SN	1	-34.809	25.187	0.023	-34.076	25.263	0.029	-18.027	29.482	17.296	-5.711	30.634	23.906	0.116	293.276	3.531	0.116	247.773	2.792	0.116	6.242	0.002	0.116	0.456	0.0
16	11257	11258	SN	1	-34.946	25.202	0.104	-34.734	24.927	1.035	-7.769	29.573	17.848	-1.146	30.156	20.107	0.116	302.734	2.431	0.116	288.335	1.854	0.116	0.673	0.0	0.116	0.228	0.0
17	11257	11258	NS	1	-34.966	28.782	0.647	-34.911	25.199	1.137	-11.816	29.749	24.016	-14.576	30.448	37.346	0.116	304.165	2.117	0.116	300.323	2.126	0.116	1.563	0.003	0.116	2.869	0.005
18	11258	11259	NS	1	-34.219	26.861	0.771	-34.66	25.12	0.757	-9.939	33.48	12.888	-1.663	33.699	22.518	0.116	256.104	1.785	0.116	283.464	1.733	0.116	1.047	0.003	0.116	0.243	0.0
19	11259	11260	NS	1	-34.75	26.552	1.92	-34.844	26.504	1.74	1.097	28.465	18.889	-0.713	31.474	26.619	0.116	289.34	3.901	0.116	295.711	3.308	0.116	0.18	0.0	0.116	0.216	0.0
20	11259	11260	SN	1	-34.561	23.314	0.091	-32.974	25.679	2.507	-26.842	28.915	15.54	-34.122	29.599	15.156	0.116	277.081	1.489	0.116	192.276	1.421	0.116	46.922	0.083	0.116	250.424	0.097
21	11260	11261	SN	1	-34.636	23.832	0.229	-34.738	26.686	4.095	-5.028	32.192	20.354	-3.326	31.66	23.711	0.116	281.89	1.704	0.116	288.559	1.753	0.116	0.404	0.0	0.116	0.306	0.0
22	11261	11262	NS	1	-34.963	27.036	2.063	-34.024	25.128	1.419	-11.259	28.787	27.776	8.874	29.752	39.517	0.116	303.916	2.094	0.116	244.843	1.828	0.116	1.386	0.006	0.116	0.126	0.0
23	11262	11263	SN	1	-33.16	24.044	0.585	-33.831	25.976	3.487	7.308	29.842	34.95	9.828	30.577	39.131	0.116	201.208	0.809	0.116	234.227	0.748	0.116	0.13	0.0	0.116	0.124	0.0
24	11262	11263	NS	1	-34.598	26.59	2.174	-34.637	25.625	0.582	7.879	28.985	19.136	8.048	29.712	29.66	0.116	279.456	3.128	0.116	281.923	3.154	0.116	0.128	0.0	0.116	0.128	0.0
25	11263	11264	NS	1	-34.326	25.38	1.99	-34.943	24.779	0.114	4.163	29.644	12.884	2.708	28.985	22.587	0.116	262.503	4.318	0.116	302.542	3.717	0.116	0.146	0.0	0.116	0.159	0.0
26	11263	11264	SN	1	-31.865	24.632	2.347	-34.329	26.258	5.535	-1.852	28.374	13.132	-8.841	31.182	21.13	0.116	148.959	1.044	0.116	262.699	0.842	0.116	0.249	0.0	0.116	0.834	0.0
27	11263	11264	SN	2	-31.97	24.632	2.345	-34.164	26.258	5.533	-1.852	28.374	13.132	-8.841	31.182	21.13	0.116	152.59	1.044	0.116	252.817	0.842	0.116	0.249	0.0	0.116	0.834	0.0
28	11264	11265	SN	1	-34.956	25.442	2.549	-34.741	26.338	4.314	-6.708	31.356	12.0	-3.788	29.636	9.381	0.116	303.425	2.683	0.116	288.7	2.224	0.116	0.548	0.0	0.116	0.329	0.0
29	11265	11266	SN	1	-34.878	24.434	1.679	-34.905	25.153	2.767	1.557	27.87	13.678	2.958	32.817	10.35	0.116	298.039	1.957	0.116	299.821	1.433	0.116	0.173	0.0	0.116	0.157	0.0
30	11265	11266	SN	1	-34.382	24.434	1.68	-34.818	25.153	2.772	1.557	27.87	13.675	2.957	32.817	10.35	0.116	265.816	1.961	0.116	293.924	1.433	0.116	0.173	0.0	0.116	0.157	0.0
31	11265	11266	SN	1	-34.382	24.434	1.516	-34.818	25.153	2.803	1.557	27.87	13.675	2.957	32.817	10.35	0.116	265.816	1.993	0.116	293.924	1.453	0.116	0.173	0.0	0.116	0.157	0.0
32	11265	11266	NS	1	-34.165	24.293	0.478	-34.957	23.199	0.005	-3.31	28.952	10.138	-6.339	29.724	20.216	0.116	252.952	2.25	0.116	303.486	2.458	0.116	0.306	0.0	0.116	0.512	0.0
33	11266	11267	SN	1	-34.351	24.042	0.397	-34.482	25.646	0.892	6.45	27.435	14.565	7.458	28.64	8.24	0.116	263.999	1.892	0.116	272.12	1.677	0.116	0.133	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

34	11267	11268	NS	1	-32.498	23.159	0.06	-32.389	23.15	0.163	-22.801	27.9	5.01	-8.182	29.771	11.35	0.116	172.292	1.142	0.116	168.082	1.379	0.116	18.559	0.006	0.116	0.73	0.0
35	11268	11269	NS	2	-34.062	26.117	0.087	-34.892	23.232	0.179	-5.17	28.6	7.069	-6.172	29.437	12.598	0.116	246.939	4.152	0.116	299.056	3.181	0.116	0.414	0.0	0.116	0.496	0.0
36	11268	11269	NS	1	-34.062	26.117	0.087	-34.892	23.232	0.179	-5.17	28.6	7.069	-6.172	29.437	12.598	0.116	246.939	4.153	0.116	299.056	3.181	0.116	0.414	0.0	0.116	0.496	0.0
37	11268	11269	SN	1	-34.705	22.2	0.002	-33.477	23.508	0.146	6.354	28.349	16.125	8.778	29.016	21.168	0.116	286.368	3.0	0.116	215.896	2.512	0.116	0.134	0.0	0.116	0.126	0.0
38	11269	11270	SN	1	-34.215	22.339	0.002	-34.402	23.512	0.067	2.947	31.086	11.076	8.919	28.88	12.03	0.116	255.862	3.532	0.116	267.08	2.859	0.116	0.157	0.0	0.116	0.126	0.0
39	11269	11270	NS	1	-34.697	25.998	0.16	-34.544	26.698	0.297	-10.74	30.574	11.997	-6.988	36.383	17.575	0.116	285.903	2.521	0.116	275.991	1.99	0.116	1.24	0.004	0.116	0.578	0.0
40	11270	11271	SN	1	-34.662	22.738	0.03	-33.98	24.149	0.709	-0.985	34.588	13.051	5.416	33.68	18.396	0.116	283.539	3.791	0.116	242.346	3.496	0.116	0.223	0.0	0.116	0.138	0.0
41	11270	11271	NS	1	-33.46	26.033	0.329	-33.641	26.917	0.763	6.037	32.438	10.457	4.19	29.341	18.111	0.116	215.039	1.83	0.116	224.184	2.062	0.116	0.135	0.0	0.116	0.146	0.0
42	11270	11271	SN	1	-34.662	22.738	0.005	-34.634	24.149	0.008	-0.982	34.588	13.331	5.416	33.68	18.351	0.116	283.539	4.119	0.116	281.728	3.949	0.116	0.223	0.0	0.116	0.138	0.0
43	11270	11271	SN	1	-34.662	22.738	0.03	-34.634	24.149	0.717	-0.984	34.588	13.048	5.416	33.68	18.367	0.116	283.539	3.797	0.116	281.728	3.497	0.116	0.223	0.0	0.116	0.138	0.0
44	11271	11272	NS	1	-34.555	24.004	0.409	-34.554	25.807	0.904	-9.255	29.404	20.537	0.874	30.192	37.954	0.116	276.679	1.312	0.116	276.552	0.938	0.116	0.908	0.0	0.116	0.184	0.0
45	11271	11272	SN	1	-32.629	25.173	0.066	-34.96	25.028	0.977	-19.246	29.887	21.046	-4.333	29.864	24.682	0.116	177.577	1.522	0.116	303.779	1.327	0.116	8.235	0.002	0.116	0.36	0.0
46	11272	11273	NS	1	-32.683	28.496	0.714	-34.646	27.285	0.891	-22.201	31.271	14.004	-27.979	30.309	26.031	0.116	179.803	1.125	0.116	282.571	1.159	0.116	16.174	0.006	0.116	60.936	0.002
47	11272	11273	SN	1	-34.676	26.604	0.086	-34.346	26.197	1.165	-2.551	29.989	17.08	-2.821	30.529	17.393	0.116	284.45	5.148	0.116	263.711	4.126	0.116	0.274	0.0	0.116	0.284	0.0
48	11273	11274	NS	1	-34.657	27.271	1.277	-33.522	25.091	1.107	3.49	28.394	14.948	4.522	35.451	22.593	0.116	283.227	3.164	0.116	218.074	2.467	0.116	0.152	0.0	0.116	0.144	0.0
49	11273	11274	NS	1	-34.603	27.271	1.279	-33.55	25.091	1.109	3.49	28.394	14.948	4.522	35.451	22.593	0.116	279.696	3.165	0.116	219.544	2.471	0.116	0.152	0.0	0.116	0.144	0.0
50	11274	11275	SN	1	-34.716	23.852	0.197	-33.604	26.118	4.03	-20.974	31.785	17.25	-17.888	30.767	19.664	0.116	287.107	2.142	0.116	222.285	1.523	0.116	12.216	0.009	0.116	6.047	0.012
51	11274	11275	SN	2	-34.716	23.852	0.197	-33.604	26.118	4.03	-20.974	31.785	17.25	-17.888	30.767	19.664	0.116	287.107	2.142	0.116	222.285	1.523	0.116	12.216	0.009	0.116	6.047	0.012
52	11275	11276	SN	1	-34.83	25.257	0.134	-34.747	26.174	3.396	-7.809	30.046	26.928	-5.776	30.456	29.653	0.116	294.782	5.421	0.116	289.158	4.078	0.116	0.678	0.0	0.116	0.461	0.0
53	11275	11276	NS	1	-34.419	26.688	2.093	-34.73	26.021	1.816	8.1	29.058	25.17	11.228	29.432	38.732	0.116	268.175	3.489	0.116	288.006	3.175	0.116	0.128	0.0	0.116	0.121	0.0
54	11275	11276	NS	1	-34.447	26.688	2.095	-34.73	26.021	1.816	8.1	29.058	13.095	11.228	29.404	32.649	0.116	269.823	3.496	0.116	288.006	3.172	0.116	0.128	0.0	0.116	0.121	0.0
55	11276	11277	NS	1	-34.128	24.833	2.076	-34.408	25.441	0.987	11.442	27.381	5.923	8.951	31.353	14.824	0.116	250.761	1.833	0.116	267.496	1.826	0.116	0.121	0.0	0.116	0.126	0.0
56	11276	11277	SN	1	-34.323	23.999	0.318	-33.967	26.179	3.12	7.947	29.502	45.83	8.271	30.646	57.441	0.116	262.293	2.592	0.116	241.645	2.646	0.116	0.128	0.0	0.116	0.127	0.0
57	11276	11277	NS	1	-33.676	24.833	2.09	-34.298	25.442	1.008	8.427	28.815	27.363	8.964	31.353	39.415	0.116	226.045	1.824	0.116	260.764	1.827	0.116	0.127	0.0	0.116	0.125	0.0
58	11277	11278	NS	1	-34.47	26.759	2.056	-34.827	24.348	0.221	7.11	29.379	6.99	6.386	29.486	18.397	0.116	271.271	2.503	0.116	294.553	1.882	0.116	0.131	0.0	0.116	0.134	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11248	11249	SN	1	57.395	58.177	0.0	0.003	289.659	2.368	1190.808	1269.456	47.016	-92.78	-91.783	0.0
2	11248	11249	SN	1	57.395	58.177	0.0	0.0	289.659	3.954	1190.808	1269.456	43.364	-92.78	-91.783	0.0
3	11249	11250	SN	1	57.411	58.174	0.0	0.0	297.777	4.039	1190.832	1269.184	42.803	-93.097	-91.74	0.0
4	11249	11250	NS	1	57.598	58.288	0.0	0.0	298.935	3.695	1232.952	1274.328	0.0	-93.545	-92.087	0.0
5	11250	11251	SN	1	57.394	58.175	0.0	0.0	297.589	3.776	1190.392	1269.352	41.964	-92.924	-91.76	0.0
6	11250	11251	SN	1	57.394	58.175	0.0	0.003	297.589	3.462	1190.392	1269.352	42.444	-92.924	-91.76	0.0
7	11251	11252	NS	1	57.61	58.285	0.0	0.0	294.484	3.47	1233.616	1274.808	0.0	-93.545	-92.053	0.0
8	11251	11252	SN	1	57.397	58.202	0.0	0.003	297.507	3.682	1189.92	1269.336	42.72	-92.967	-91.776	0.0
9	11252	11253	SN	1	57.424	58.172	0.0	0.0	291.562	3.684	1190.344	1269.096	42.872	-92.883	-91.748	0.0
10	11252	11253	NS	1	57.634	58.261	0.0	0.0	296.249	3.578	1233.648	1274.544	0.0	-93.546	-92.09	0.0
11	11253	11254	SN	1	57.425	58.17	0.0	0.0	287.398	3.664	1190.48	1268.888	42.836	-92.887	-91.776	0.0
12	11254	11255	NS	1	57.628	58.26	0.0	0.003	298.367	3.637	1233.912	1274.112	0.0	-93.079	-92.099	0.0
13	11254	11255	SN	1	57.412	58.168	0.0	0.0	286.179	3.792	1190.392	1268.672	41.595	-92.832	-91.777	0.0
14	11255	11256	NS	1	57.623	58.261	0.0	0.0	298.345	3.534	1233.968	1273.952	0.0	-93.548	-92.115	0.0
15	11256	11257	SN	1	57.427	58.213	0.0	0.0	294.302	2.694	1190.904	1268.68	41.7	-95.469	-91.752	0.0
16	11257	11258	SN	1	57.423	58.17	0.0	0.0	294.992	3.684	1190.688	1268.6	41.232	-92.89	-91.743	0.0
17	11257	11258	NS	1	57.475	58.257	0.0	0.0	293.332	3.786	1227.656	1273.856	0.0	-94.222	-92.087	0.0
18	11258	11259	NS	1	57.617	58.26	0.0	0.0	295.725	3.833	1234.248	1273.592	0.0	-93.553	-92.085	0.0
19	11259	11260	NS	1	57.616	58.266	0.0	0.0	298.913	3.579	1234.064	1274.272	0.0	-93.512	-92.09	0.0
20	11259	11260	SN	1	57.4	58.168	0.0	0.0	286.068	3.827	1190.832	1268.296	40.363	-92.837	-91.755	0.0
21	11260	11261	SN	1	57.425	58.168	0.0	0.0	285.142	3.724	1190.824	1268.248	41.545	-92.812	-91.762	0.0
22	11261	11262	NS	1	57.632	58.272	0.0	0.0	297.043	3.561	1234.224	1273.48	0.0	-93.544	-92.116	0.0
23	11262	11263	SN	1	57.422	58.168	0.0	0.0	292.802	3.882	1190.184	1268.28	42.942	-92.879	-91.782	0.0
24	11262	11263	NS	1	57.615	58.261	0.0	0.0	298.698	3.743	1233.608	1273.504	0.0	-93.077	-92.117	0.0
25	11263	11264	NS	1	57.599	58.285	0.0	0.0	295.819	3.732	1233.824	1273.376	0.0	-93.553	-92.098	0.0
26	11263	11264	SN	1	57.401	58.176	0.0	0.0	293.133	4.007	1191.104	1268.096	43.676	-92.903	-91.76	0.0
27	11263	11264	SN	2	57.401	58.176	0.0	0.0	293.133	4.005	1191.104	1268.128	43.687	-92.903	-91.76	0.0
28	11264	11265	SN	1	57.42	58.176	0.0	0.0	286.681	3.813	1190.344	1268.016	41.822	-92.896	-91.744	0.0
29	11265	11266	SN	1	57.407	58.166	0.0	0.0	285.903	3.659	1190.216	1268.128	41.668	-92.817	-91.776	0.0
30	11265	11266	SN	1	57.395	58.166	0.0	0.0	285.903	3.662	1190.192	1268.128	41.678	-93.08	-91.776	0.0
31	11265	11266	SN	1	57.395	58.166	0.0	0.0	285.903	3.353	1190.192	1268.128	42.155	-93.08	-91.776	0.0
32	11265	11266	NS	1	57.64	58.268	0.0	0.0	296.646	3.451	1234.808	1273.52	0.0	-93.555	-92.044	0.0
33	11266	11267	SN	1	57.408	58.164	0.0	0.0	285.341	3.678	1190.52	1268.008	42.536	-92.993	-91.776	0.0
34	11267	11268	NS	1	57.641	58.254	0.0	0.003	294.87	3.574	1234.864	1273.256	0.0	-93.228	-92.098	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	11268	11269	NS	2	57.613	58.273	0.0	0.0	296.933	3.628	1235.216	1273.024	0.0	-93.557	-92.11	0.0
36	11268	11269	NS	1	57.613	58.273	0.0	0.0	296.933	3.628	1235.216	1273.024	0.0	-93.557	-92.11	0.0
37	11268	11269	SN	1	57.411	58.161	0.0	0.0	291.975	3.715	1190.584	1267.52	41.91	-92.871	-91.777	0.0
38	11269	11270	SN	1	57.402	58.161	0.0	0.0	286.422	3.441	1190.64	1267.352	40.982	-92.81	-91.778	0.0
39	11269	11270	NS	1	57.629	58.262	0.0	0.0	288.898	3.644	1234.984	1272.8	0.0	-93.083	-92.111	0.0
40	11270	11271	SN	1	57.429	58.162	0.0	0.0	284.491	3.87	1190.68	1267.416	37.938	-92.921	-91.768	0.0
41	11270	11271	NS	1	57.61	58.265	0.0	0.0	294.093	3.533	1234.664	1273.088	0.0	-93.559	-92.124	0.0
42	11270	11271	SN	1	57.429	58.162	0.0	0.0	283.852	2.991	1191.088	1267.416	40.095	-92.921	-91.768	0.0
43	11270	11271	SN	1	57.429	58.162	0.0	0.0	284.491	3.874	1191.088	1267.416	37.881	-92.921	-91.768	0.0
44	11271	11272	NS	1	57.636	58.275	0.0	0.0	293.817	3.663	1234.712	1272.736	0.0	-94.085	-92.098	0.0
45	11271	11272	SN	1	57.406	58.162	0.0	0.0	283.769	3.801	1190.952	1267.392	39.556	-93.092	-91.736	0.0
46	11272	11273	NS	1	57.644	58.249	0.0	0.0	295.968	3.707	1235.624	1272.512	0.0	-93.562	-92.094	0.0
47	11272	11273	SN	1	57.405	58.161	0.0	0.0	299.255	3.696	1190.392	1267.192	40.073	-92.883	-91.784	0.0
48	11273	11274	NS	1	57.645	58.27	0.0	0.0	291.948	3.642	1235.696	1272.352	0.0	-93.095	-92.091	0.0
49	11273	11274	NS	1	57.645	58.276	0.0	0.0	291.948	3.646	1235.696	1272.352	0.0	-93.113	-92.091	0.0
50	11274	11275	SN	1	57.399	58.161	0.0	0.0	291.126	3.836	1191.168	1267.048	41.574	-92.822	-91.76	0.0
51	11274	11275	SN	2	57.399	58.161	0.0	0.0	291.126	3.836	1191.168	1267.048	41.574	-92.822	-91.76	0.0
52	11275	11276	SN	1	57.411	58.16	0.0	0.0	292.521	3.755	1191.272	1266.968	41.154	-93.012	-91.776	0.0
53	11275	11276	NS	1	57.626	58.247	0.0	0.0	298.064	3.731	1234.392	1272.216	0.0	-93.293	-92.12	0.0
54	11275	11276	NS	1	57.626	58.247	0.0	0.0	298.064	3.056	1234.392	1272.216	0.0	-93.293	-92.12	0.0
55	11276	11277	NS	1	57.629	58.245	0.0	0.0	295.984	2.3	1234.352	1272.224	0.0	-93.068	-92.121	0.0
56	11276	11277	SN	1	57.414	58.16	0.0	0.003	299.74	3.712	1190.68	1267.0	42.274	-92.849	-91.782	0.0
57	11276	11277	NS	1	57.624	58.245	0.0	0.0	295.984	3.598	1234.728	1272.224	0.0	-93.068	-92.121	0.0
58	11277	11278	NS	1	57.608	58.267	0.0	0.003	293.541	3.026	1234.328	1272.152	0.0	-93.561	-92.121	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11248	11249	SN	1	-33.402	16.145	0.0	-32.94	16.382	0.0	1.767	22.832	0.044	4.9	22.279	0.015	0.087	162.184	1.251	0.087	145.804	1.12	0.086	0.127	0.0	0.086	0.105	0.0
2	11248	11249	SN	1	-34.894	17.952	0.0	-32.94	19.78	0.0	1.767	22.832	0.094	4.9	22.684	0.146	0.086	228.644	1.224	0.086	145.804	1.008	0.086	0.127	0.0	0.086	0.105	0.0
3	11249	11250	SN	1	-34.597	20.337	0.0	-33.836	20.608	0.0	-19.958	23.03	0.049	-11.144	22.851	0.022	0.086	213.523	1.878	0.086	185.389	1.548	0.086	7.398	0.003	0.086	1.029	0.002
4	11249	11250	NS	1	-34.164	19.431	0.0	-33.245	19.066	0.0	-0.651	23.564	0.04	-0.142	28.326	0.215	0.086	193.23	2.104	0.086	156.389	2.334	0.086	0.16	0.0	0.086	0.151	0.0
5	11250	11251	SN	1	-34.549	21.015	0.0	-34.193	20.801	0.0	0.579	22.786	0.039	1.032	22.979	0.022	0.086	211.153	2.439	0.086	194.57	1.892	0.086	0.141	0.0	0.086	0.135	0.0
6	11250	11251	SN	1	-34.549	21.015	0.0	-34.193	20.801	0.0	0.579	22.786	0.039	1.032	22.979	0.022	0.086	211.153	2.486	0.086	194.57	1.922	0.086	0.141	0.0	0.086	0.135	0.0
7	11251	11252	NS	1	-34.71	18.075	0.0	-34.868	16.883	0.0	-11.361	22.268	0.002	-30.525	22.802	0.062	0.086	219.14	5.453	0.087	227.197	5.632	0.086	1.078	0.002	0.086	83.634	0.029
8	11251	11252	SN	1	-34.51	18.284	0.0	-34.538	18.775	0.0	1.137	22.798	0.063	2.344	22.286	0.015	0.086	209.302	1.984	0.086	210.611	1.641	0.086	0.134	0.0	0.086	0.121	0.0
9	11252	11253	SN	1	-34.765	17.987	0.0	-34.232	18.533	0.0	0.8	22.893	0.116	1.646	22.659	0.174	0.086	221.978	0.863	0.086	196.323	0.866	0.086	0.138	0.0	0.086	0.128	0.0
10	11252	11253	NS	1	-34.752	18.165	0.0	-34.939	18.451	0.0	-25.917	22.531	0.017	-28.802	22.814	0.045	0.086	221.232	4.872	0.086	231.02	5.697	0.086	28.985	0.027	0.086	56.26	0.079
11	11253	11254	SN	1	-33.976	17.593	0.0	-33.814	17.384	0.0	0.577	22.501	0.04	1.19	22.701	0.2	0.087	185.123	1.33	0.087	178.315	1.023	0.086	0.141	0.0	0.086	0.133	0.0
12	11254	11255	NS	1	-34.806	20.933	0.0	-34.256	20.892	0.0	-22.714	22.761	0.003	-25.142	23.112	0.067	0.086	223.985	2.105	0.086	197.424	2.042	0.086	13.902	0.146	0.086	24.26	0.046
13	11254	11255	SN	1	-34.885	17.155	0.0	-34.301	17.537	0.0	0.796	22.252	0.007	3.575	22.314	0.005	0.087	228.089	2.492	0.087	199.433	2.255	0.086	0.138	0.0	0.086	0.112	0.0
14	11255	11256	NS	1	-34.589	21.196	0.0	-34.94	20.544	0.0	2.745	22.554	0.053	1.998	22.862	0.218	0.086	213.09	0.94	0.086	231.105	0.805	0.086	0.118	0.0	0.086	0.124	0.0
15	11256	11257	SN	1	-33.947	17.693	0.0	-34.965	17.819	0.0	-13.189	23.261	0.313	-6.59	24.271	0.829	0.086	183.84	2.903	0.086	232.354	2.361	0.086	1.608	0.002	0.086	0.406	0.0
16	11257	11258	SN	1	-34.193	18.038	0.0	-33.271	18.414	0.0	-14.647	23.445	0.235	-9.834	23.343	0.429	0.086	201.265	1.912	0.086	157.357	1.569	0.086	2.224	0.017	0.086	0.778	0.0
17	11257	11258	NS	1	-34.275	22.076	0.001	-34.866	20.911	0.0	-8.853	22.921	0.282	-7.554	23.838	1.853	0.086	198.264	2.456	0.086	227.187	2.508	0.086	0.635	0.0	0.086	0.489	0.0
18	11258	11259	NS	1	-34.617	20.243	0.0	-34.444	20.404	0.0	-8.604	22.432	0.053	-3.162	24.195	1.307	0.086	214.492	1.359	0.086	206.09	1.156	0.086	0.604	0.0	0.086	0.224	0.0
19	11259	11260	NS	1	-34.538	20.0	0.0	-34.929	22.467	0.001	-0.079	22.531	0.077	-1.472	23.611	1.063	0.086	210.659	2.227	0.086	230.474	2.118	0.086	0.15	0.0	0.086	0.177	0.0
20	11259	11260	SN	1	-34.609	20.221	0.0	-33.28	20.574	0.0	-30.152	23.434	0.184	-22.366	23.318	0.18	0.086	214.145	1.806	0.086	157.669	1.644	0.086	76.774	0.062	0.086	12.833	0.039
21	11260	11261	SN	1	-34.821	18.148	0.0	-33.32	19.683	0.0	-10.358	23.426	0.288	-15.052	23.402	0.339	0.086	224.842	1.575	0.086	159.17	1.825	0.086	0.87	0.0	0.086	2.434	0.003
22	11261	11262	NS	1	-34.882	19.885	0.0	-34.589	18.184	0.0	-22.88	22.474	0.059	1.759	23.72	1.472	0.086	227.928	2.504	0.086	213.14	2.605	0.086	14.44	0.033	0.086	0.127	0.0
23	11262	11263	SN	1	-31.025	17.741	0.0	-34.122	19.706	0.0	2.132	23.19	0.457	4.743	23.731	1.416	0.086	93.82	0.775	0.086	191.409	0.653	0.086	0.123	0.0	0.086	0.105	0.0
24	11262	11263	NS	1	-34.068	19.57	0.0	-34.642	18.427	0.0	2.096	23.555	0.731	2.629	24.264	1.383	0.086	189.045	2.773	0.086	215.71	2.791	0.086	0.123	0.0	0.086	0.119	0.0
25	11263	11264	NS	1	-34.419	20.402	0.0	-34.965	20.393	0.0	0.729	23.608	0.337	-0.164	23.962	0.602	0.086	204.956	3.087	0.086	232.406	2.893	0.086	0.139	0.0	0.086	0.152	0.0
26	11263	11264	SN	1	-34.598	21.171	0.0	-34.212	20.752	0.0	-5.199	22.866	0.045	-6.537	24.41	0.019	0.086	213.563	0.795	0.086	195.399	0.654	0.086	0.314	0.0	0.086	0.402	0.0
27	11263	11264	SN	2	-34.598	21.171	0.0	-34.241	21.012	0.0	-5.199	22.866	0.045	-6.537	24.41	0.019	0.086	213.563	0.795	0.086	196.733	0.654	0.086	0.314	0.0	0.086	0.402	0.0
28	11264	11265	SN	1	-34.796	20.794	0.0	-34.837	21.304	0.0	-6.03	22.953	0.039	-4.856	23.006	0.056	0.086	223.517	1.901	0.086	242.294	1.444	0.086	0.365	0.0	0.086	0.296	0.0
29	11265	11266	SN	1	-34.523	19.29	0.0	-33.978	19.177	0.0	-9.942	22.907	0.07	-11.409	22.693	0.058	0.086	209.849	2.275	0.086	185.139	2.2	0.086	0.797	0.0	0.086	1.09	0.004
30	11265	11266	SN	1	-34.939	19.288	0.0	-34.49	19.177	0.0	-9.947	22.907	0.07	-11.404	22.693	0.058	0.086	230.961	2.274	0.086	208.302	2.206	0.086	0.797	0.0	0.086	1.088	0.004
31	11265	11266	SN	1	-34.939	19.288	0.0	-34.49	19.177	0.0	-9.947	22.907	0.07	-11.404	22.693	0.058	0.086	230.961	2.312	0.086	208.302	2.235	0.086	0.797	0.0	0.086	1.088	0.004
32	11265	11266	NS	1	-34.846	18.792	0.0	-34.642	17.099	0.0	-23.816	22.537	0.011	-24.105	22.744	0.075	0.086	226.083	2.611	0.087	215.695	2.838	0.086	17.894	0.014	0.086	19.125	0.044

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	11266	11267	SN	1	-34.652	18.018	0.0	-34.762	18.66	0.0	1.116	23.116	0.034	1.594	22.404	0.009	0.086	216.278	1.524	0.086	221.825	1.147	0.086	0.134	0.0	0.086	0.128	0.0
34	11267	11268	NS	1	-33.498	17.611	0.0	-33.215	16.658	0.0	-24.546	23.058	0.047	-9.288	23.672	0.103	0.087	165.811	1.939	0.087	155.362	1.802	0.086	21.158	0.009	0.086	0.695	0.0
35	11268	11269	NS	2	-34.895	17.311	0.0	-34.863	20.789	0.0	-10.88	22.597	0.014	-29.472	22.689	0.047	0.087	228.718	4.506	0.086	227.022	4.274	0.086	0.972	0.0	0.086	65.647	0.011
36	11268	11269	NS	1	-34.895	17.311	0.0	-34.863	20.789	0.0	-10.88	22.597	0.014	-29.472	22.689	0.047	0.087	228.718	4.508	0.086	227.022	4.275	0.086	0.972	0.0	0.086	65.647	0.011
37	11268	11269	SN	1	-34.968	16.955	0.0	-34.485	17.72	0.0	0.597	22.283	0.017	2.002	22.633	0.1	0.087	232.575	2.593	0.086	208.079	2.179	0.086	0.14	0.0	0.086	0.124	0.0
38	11269	11270	SN	1	-34.818	15.136	0.0	-34.92	17.065	0.0	-0.116	23.12	0.251	6.198	23.467	0.453	0.087	224.676	2.919	0.087	230.022	2.597	0.086	0.151	0.0	0.086	0.1	0.0
39	11269	11270	NS	1	-34.657	20.237	0.0	-34.543	20.9	0.0	-21.891	22.469	0.058	-22.775	23.178	0.087	0.086	216.51	1.913	0.086	210.894	1.799	0.086	11.51	0.193	0.086	14.096	0.151
40	11270	11271	SN	1	-33.992	17.333	0.0	-34.105	18.682	0.0	-16.797	23.553	0.552	-9.002	24.768	1.183	0.087	185.786	2.239	0.086	190.653	2.193	0.086	3.731	0.004	0.086	0.678	0.0
41	11270	11271	NS	1	-34.73	21.887	0.0	-33.845	20.736	0.0	2.092	22.285	0.006	1.852	23.388	0.236	0.086	220.174	1.841	0.086	179.563	1.731	0.086	0.124	0.0	0.086	0.126	0.0
42	11270	11271	SN	1	-34.584	17.333	0.0	-34.021	18.682	0.0	-16.796	23.553	0.569	-9.002	24.769	1.181	0.087	212.928	2.381	0.086	187.02	2.411	0.086	3.73	0.005	0.086	0.678	0.0
43	11270	11271	SN	1	-34.584	17.333	0.0	-34.021	18.682	0.0	-16.796	23.553	0.552	-9.002	24.769	1.184	0.087	212.928	2.238	0.086	187.02	2.19	0.086	3.73	0.004	0.086	0.678	0.0
44	11271	11272	NS	1	-34.738	22.115	0.002	-34.049	20.521	0.0	-2.343	23.057	0.146	-0.516	24.0	1.178	0.086	220.533	1.253	0.086	188.206	1.057	0.086	0.199	0.0	0.086	0.158	0.0
45	11271	11272	SN	1	-34.936	17.729	0.0	-31.982	18.208	0.0	-27.69	23.332	0.297	-25.021	24.0	0.66	0.086	230.835	1.855	0.086	116.961	1.696	0.086	43.567	0.065	0.086	24.414	0.011
46	11272	11273	NS	1	-33.198	22.419	0.002	-34.041	20.456	0.0	-11.941	23.181	0.299	-6.641	24.061	1.862	0.086	154.738	0.958	0.086	187.883	1.129	0.086	1.223	0.003	0.086	0.41	0.0
47	11272	11273	SN	1	-34.032	20.066	0.0	-34.403	20.79	0.0	-7.289	23.479	0.296	-4.003	23.459	0.232	0.086	187.494	4.42	0.086	204.215	4.027	0.086	0.464	0.0	0.086	0.266	0.0
48	11273	11274	NS	1	-34.939	21.049	0.0	-34.943	21.426	0.0	0.379	23.004	0.041	-4.256	23.818	1.143	0.086	230.952	2.061	0.086	231.274	1.994	0.086	0.144	0.0	0.086	0.267	0.0
49	11273	11274	NS	1	-33.632	21.049	0.0	-33.197	21.426	0.0	0.378	23.004	0.041	-4.256	23.818	1.145	0.086	170.986	2.062	0.086	154.686	1.998	0.086	0.144	0.0	0.086	0.267	0.0
50	11274	11275	SN	1	-33.641	17.027	0.0	-33.692	19.675	0.0	-31.562	23.428	0.23	-29.427	23.389	0.217	0.087	171.322	1.803	0.086	173.335	1.554	0.086	106.172	0.073	0.086	64.971	0.099
51	11274	11275	SN	2	-33.641	17.027	0.0	-33.692	19.675	0.0	-31.562	23.428	0.23	-29.427	23.389	0.217	0.087	171.322	1.803	0.086	173.335	1.554	0.086	106.172	0.073	0.086	64.971	0.099
52	11275	11276	SN	1	-34.634	18.0	0.0	-34.929	19.93	0.0	-25.217	23.242	0.518	-27.32	23.41	0.697	0.086	215.347	4.487	0.086	230.469	3.562	0.086	24.682	0.037	0.086	40.025	0.057
53	11275	11276	NS	1	-34.162	21.302	0.0	-34.311	20.36	0.0	3.136	22.822	0.074	2.07	23.612	1.357	0.086	193.2	3.126	0.086	199.866	3.078	0.086	0.115	0.0	0.086	0.124	0.0
54	11275	11276	NS	1	-34.162	21.302	0.0	-34.311	20.36	0.0	3.128	22.822	0.114	2.07	23.586	1.897	0.086	193.2	3.14	0.086	199.866	3.078	0.086	0.115	0.0	0.086	0.124	0.0
55	11276	11277	NS	1	-33.188	21.539	0.0	-34.841	22.135	0.001	4.183	22.512	0.093	2.271	23.391	0.503	0.086	154.356	1.697	0.086	225.841	1.806	0.086	0.108	0.0	0.086	0.122	0.0
56	11276	11277	SN	1	-34.801	17.785	0.0	-34.86	19.847	0.0	2.783	23.388	0.652	3.277	23.945	1.847	0.086	223.743	2.13	0.086	226.86	1.861	0.086	0.118	0.0	0.086	0.114	0.0
57	11276	11277	NS	1	-34.346	21.538	0.0	-34.512	22.138	0.001	2.782	23.572	0.505	2.274	24.158	1.554	0.086	201.525	1.675	0.086	209.397	1.807	0.086	0.118	0.0	0.086	0.122	0.0
58	11277	11278	NS	1	-34.618	18.837	0.0	-34.849	21.463	0.0	1.193	22.763	0.01	0.932	24.37	0.963	0.086	214.555	2.204	0.086	226.274	1.903	0.086	0.133	0.0	0.086	0.136	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors