

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 15-NOV-2016 To 16-NOV-2016





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 15-NOV-2016 To 16-NOV-2016

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	723	724	SN	1	48.935	49.386	0.0	0.003	1.291	0.382	1034.632	1096.96	3.258	-92.1	-90.087	0.0
2	724	725	SN	2	48.941	49.385	0.0	0.003	1.291	0.39	1034.72	1096.8	2.88	-91.386	-90.077	0.0
3	724	725	NS	1	48.951	49.385	0.0	0.003	1.291	0.384	1036.032	1096.824	3.04	-91.408	-90.078	0.0
4	725	726	SN	1	48.94	49.386	0.0	0.003	1.291	0.371	1035.224	1096.952	3.017	-91.434	-90.072	0.0
5	725	726	NS	1	48.95	49.386	0.0	0.003	1.291	0.363	1036.208	1097.008	3.343	-91.381	-90.08	0.0
6	726	727	SN	1	48.937	49.387	0.0	0.003	1.291	0.364	1034.688	1097.08	3.149	-91.308	-90.069	0.0
7	726	727	NS	2	48.948	49.387	0.0	0.003	1.291	0.363	1036.36	1097.136	3.649	-91.078	-90.082	0.0
8	727	728	SN	1	48.943	49.386	0.0	0.003	1.291	0.365	1034.856	1096.976	2.844	-91.315	-90.083	0.0
9	727	728	NS	2	48.953	49.386	0.0	0.003	1.291	0.377	1035.888	1097.024	3.597	-91.404	-90.083	0.0
10	728	729	SN	1	48.941	49.386	0.0	0.003	1.291	0.367	1034.256	1096.896	2.681	-91.417	-90.083	0.0
11	728	729	NS	1	48.954	49.386	0.0	0.003	1.291	0.373	1036.312	1096.952	3.333	-91.251	-90.084	0.0
12	729	730	SN	1	48.967	49.385	0.0	0.003	1.291	0.37	1034.832	1096.776	2.446	-91.797	-90.084	0.0
13	729	730	NS	1	48.967	49.385	0.0	0.003	1.291	0.375	1036.584	1096.84	3.04	-91.303	-90.098	0.0
14	730	731	NS	1	48.954	49.385	0.0	0.003	1.291	0.368	1036.52	1096.832	2.953	-91.323	-90.098	0.0
15	730	731	SN	1	48.934	49.396	0.0	0.003	1.291	0.375	1034.456	1096.776	2.477	-91.423	-90.083	0.0
16	731	732	SN	1	48.943	49.386	0.0	0.003	1.291	0.377	1034.776	1096.912	2.812	-91.377	-90.088	0.0
17	731	732	NS	1	48.963	49.391	0.0	0.003	1.291	0.374	1036.376	1096.96	3.289	-91.339	-90.096	0.0
18	732	733	SN	1	48.947	49.386	0.0	0.003	1.291	0.365	1034.928	1096.912	2.745	-91.38	-90.085	0.0
19	732	733	NS	1	48.941	49.407	0.0	0.003	1.291	0.381	1035.848	1096.944	3.415	-91.434	-90.098	0.0
20	733	734	SN	1	48.932	49.385	0.0	0.003	1.291	0.367	1034.336	1096.8	2.46	-91.386	-90.084	0.0
21	733	734	NS	1	48.949	49.385	0.0	0.003	1.291	0.378	1036.632	1096.848	3.12	-91.598	-90.1	0.0
22	734	735	NS	1	48.949	49.385	0.0	0.003	1.291	0.372	1036.656	1096.856	3.151	-91.325	-90.099	0.0
23	734	735	SN	1	48.938	49.385	0.0	0.003	1.291	0.379	1034.696	1096.792	2.579	-91.425	-90.084	0.0
24	735	736	SN	1	48.962	49.385	0.0	0.003	1.291	0.375	1034.816	1096.824	2.709	-91.728	-90.083	0.0
25	735	736	NS	1	48.952	49.394	0.0	0.003	1.291	0.37	1036.552	1096.904	3.231	-91.763	-90.098	0.0
26	736	737	SN	1	48.936	49.386	0.0	0.003	202.538	0.368	1034.784	1096.856	2.786	-91.298	-90.083	0.0
27	736	737	NS	1	48.94	49.386	0.0	0.003	197.812	0.37	1035.608	1096.944	3.354	-91.383	-90.097	0.0
28	737	738	SN	1	48.94	49.386	0.0	0.003	1.291	0.377	1034.76	1096.952	3.012	-91.268	-90.083	0.0
29	737	738	NS	1	48.969	49.386	0.0	0.003	206.564	0.371	1036.344	1097.032	3.589	-91.395	-90.096	0.0
30	738	739	SN	1	48.936	49.386	0.0	0.003	1.291	0.387	1034.512	1096.92	3.068	-91.165	-90.083	0.0
31	738	739	NS	1	48.949	49.377	0.0	0.003	215.322	0.382	1036.344	1089.408	0.0	-91.629	-90.098	0.0
32	739	740	NS	1	48.956	49.386	0.0	0.003	1.291	0.366	1036.632	1096.912	3.29	-91.381	-90.084	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	739	740	SN	1	48.933	49.386	0.0	0.003	1.291	0.381	1034.192	1096.832	2.707	-91.543	-90.068	0.0
34	740	741	NS	1	48.956	49.387	0.0	0.003	1.291	0.363	1036.848	1097.128	3.815	-91.136	-90.086	0.0
35	740	741	SN	1	48.928	49.387	0.0	0.003	1.291	0.365	1033.712	1097.032	2.968	-91.317	-90.079	0.0
36	741	742	SN	1	48.936	49.387	0.0	0.003	1.291	0.364	1034.272	1097.016	2.825	-91.939	-90.078	0.0
37	741	742	NS	1	48.959	49.387	0.0	0.003	1.291	0.364	1036.8	1097.112	3.785	-91.76	-90.087	0.0
38	742	743	SN	1	48.928	49.386	0.0	0.003	1.291	0.362	1033.512	1096.88	2.496	-91.256	-90.078	0.0
39	742	743	NS	2	48.984	49.386	0.0	0.003	1.291	0.373	1037.104	1096.984	3.579	-91.387	-90.1	0.0
40	743	744	NS	1	48.96	49.385	0.0	0.003	1.291	0.376	1036.576	1096.896	3.379	-91.252	-90.104	0.0
41	743	744	SN	1	48.945	49.388	0.0	0.003	1.291	0.365	1034.272	1096.8	2.27	-91.388	-90.078	0.0
42	744	745	NS	1	48.959	49.385	0.0	0.003	1.291	0.373	1037.112	1096.792	3.042	-91.436	-90.104	0.0
43	744	745	SN	1	48.929	49.387	0.0	0.003	1.291	0.375	1033.72	1096.696	2.09	-91.429	-90.078	0.0
44	745	746	NS	1	48.963	49.393	0.0	0.003	1.291	0.367	1037.0	1096.872	3.14	-91.266	-90.102	0.0
45	745	746	SN	1	48.929	49.385	0.0	0.003	1.291	0.382	1034.464	1096.776	2.363	-91.543	-90.079	0.0
46	746	747	SN	1	48.931	49.394	0.0	0.003	1.291	0.367	1034.584	1096.84	2.688	-91.4	-90.084	0.0
47	746	747	NS	1	48.945	49.385	0.0	0.003	1.291	0.377	1036.224	1096.912	3.369	-91.283	-90.102	0.0
48	748	749	SN	1	48.945	49.384	0.0	0.003	1.291	0.374	1034.32	1096.656	2.06	-91.699	-90.079	0.0
49	749	750	NS	1	48.96	49.388	0.0	0.003	1.291	0.373	1037.176	1096.784	3.087	-91.439	-90.108	0.0
50	749	750	SN	1	48.972	49.385	0.0	0.003	1.291	0.376	1034.368	1096.752	2.194	-91.323	-90.078	0.0
51	750	751	SN	2	48.949	49.385	0.0	0.003	183.528	0.374	1034.344	1096.752	2.187	-91.177	-90.081	0.0
52	750	751	NS	1	48.96	49.385	0.0	0.003	1.291	0.369	1036.504	1096.808	3.066	-91.381	-90.103	0.0
53	751	752	NS	1	48.924	49.385	0.0	0.003	188.558	0.367	1036.96	1096.864	3.267	-91.413	-90.102	0.0
54	751	752	SN	1	48.927	49.385	0.0	0.003	1.291	0.369	1033.616	1096.784	2.35	-91.295	-90.078	0.0
55	752	753	NS	1	48.955	49.392	0.0	0.003	1.291	0.369	1036.936	1096.928	3.357	-91.313	-90.087	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	723	724	SN	1	-33.096	25.518	1.009	-33.825	25.619	2.907	7.601	30.467	38.456	10.611	31.599	43.555	0.103	172.327	0.698	0.103	203.82	0.571	0.103	0.114	0.0	0.102	0.108	0.0
2	724	725	SN	2	-34.408	26.725	3.472	-34.75	27.076	4.491	-21.472	30.742	32.492	-30.686	30.922	33.364	0.103	233.068	1.077	0.103	252.169	0.97	0.103	11.93	0.063	0.103	98.974	0.056
3	724	725	NS	1	-34.997	27.582	1.542	-34.984	27.947	0.231	8.875	34.72	29.837	8.387	35.128	40.582	0.103	266.944	4.807	0.103	266.135	4.543	0.102	0.111	0.0	0.102	0.112	0.0
4	725	726	SN	1	-34.776	27.111	2.596	-34.942	28.103	3.027	-14.068	30.583	15.531	-7.606	31.831	11.058	0.103	253.725	2.849	0.103	263.612	2.655	0.103	2.235	0.004	0.102	0.57	0.0
5	725	726	NS	1	-34.693	26.429	0.196	-33.946	27.429	0.164	-2.664	32.876	29.913	-6.451	31.955	43.584	0.103	248.872	0.564	0.103	209.59	0.555	0.102	0.244	0.0	0.102	0.457	0.0
6	726	727	SN	1	-34.844	27.359	0.576	-34.315	27.933	0.923	7.723	29.727	23.386	9.046	29.826	15.999	0.103	257.708	1.728	0.103	228.207	1.598	0.103	0.114	0.0	0.103	0.111	0.0
7	726	727	NS	2	-34.668	23.614	0.056	-33.666	24.924	0.007	-3.188	29.308	22.86	-5.43	30.402	35.676	0.103	247.434	1.749	0.103	196.467	1.715	0.103	0.264	0.0	0.103	0.38	0.0
8	727	728	SN	1	-34.925	24.044	0.345	-34.083	25.385	0.634	7.907	28.575	23.195	8.11	27.956	17.335	0.103	262.569	1.83	0.103	216.273	1.539	0.103	0.113	0.0	0.103	0.113	0.0
9	727	728	NS	2	-33.328	25.283	0.104	-34.351	25.292	0.066	-2.778	36.268	15.568	-64.411	35.891	24.743	0.103	181.79	2.787	0.103	230.035	2.776	0.102	0.248	0.0	0.102	0.469	0.0
10	728	729	SN	1	-34.799	24.639	0.21	-34.835	25.397	0.433	7.672	29.721	29.367	8.854	29.749	37.846	0.103	255.031	2.265	0.103	257.168	1.916	0.103	0.114	0.0	0.103	0.111	0.0
11	728	729	NS	1	-34.889	24.271	0.37	-34.829	23.427	0.108	-2.302	28.403	20.16	-3.64	29.485	28.073	0.103	260.44	1.41	0.103	256.76	1.471	0.103	0.232	0.0	0.103	0.283	0.0
12	729	730	SN	1	-34.427	24.851	0.679	-34.753	25.798	1.02	7.534	29.717	25.881	9.027	30.184	36.485	0.103	234.083	3.136	0.103	252.319	2.697	0.103	0.114	0.0	0.103	0.111	0.0
13	729	730	NS	1	-34.54	25.189	0.617	-33.33	25.175	0.63	-3.024	31.11	16.557	-4.754	33.621	22.488	0.103	240.244	1.67	0.103	181.866	1.543	0.103	0.258	0.0	0.102	0.338	0.0
14	730	731	NS	1	-34.467	27.461	1.923	-33.938	27.6	2.404	8.759	30.215	27.67	8.682	30.813	32.962	0.103	236.294	0.842	0.103	209.194	0.85	0.103	0.111	0.0	0.103	0.112	0.0
15	730	731	SN	1	-34.524	25.776	1.584	-34.003	26.691	2.707	7.608	32.15	20.831	8.65	31.412	26.231	0.103	239.399	2.478	0.103	212.307	2.335	0.102	0.114	0.0	0.103	0.112	0.0
16	731	732	SN	1	-34.507	25.399	0.943	-34.79	27.062	3.31	-3.066	33.596	29.013	-2.025	32.235	34.186	0.103	238.446	3.822	0.103	254.533	3.528	0.102	0.259	0.0	0.102	0.224	0.0
17	731	732	NS	1	-34.88	27.088	2.244	-34.325	28.063	2.423	-2.625	31.494	34.335	0.698	31.879	43.86	0.103	259.878	1.818	0.103	228.679	1.446	0.103	0.243	0.0	0.102	0.165	0.0
18	732	733	SN	1	-33.607	26.033	0.07	-34.666	27.763	2.6	-9.232	31.386	30.352	0.693	32.062	34.345	0.103	193.85	1.457	0.103	247.367	1.143	0.103	0.79	0.0	0.102	0.165	0.0
19	732	733	NS	1	-34.671	27.183	2.295	-32.962	26.052	1.495	7.463	31.406	42.775	4.415	32.104	55.288	0.103	247.638	2.006	0.103	167.109	1.718	0.103	0.115	0.0	0.102	0.128	0.0
20	733	734	SN	1	-34.506	27.899	0.479	-34.08	28.085	2.834	-2.868	30.257	27.543	-1.915	31.878	28.643	0.103	238.416	4.086	0.103	216.122	3.03	0.103	0.252	0.0	0.102	0.221	0.0
21	733	734	NS	1	-34.83	26.521	2.751	-33.121	25.215	1.072	-24.303	34.474	18.453	-20.095	31.544	29.625	0.103	256.87	1.887	0.103	173.336	1.577	0.102	22.825	0.097	0.103	8.713	0.048
22	734	735	NS	1	-32.165	26.883	4.045	-33.659	26.03	2.782	-3.717	30.982	22.019	-4.706	33.921	30.87	0.103	139.1	1.511	0.103	196.195	1.328	0.103	0.286	0.0	0.102	0.336	0.0
23	734	735	SN	1	-34.752	26.794	1.927	-32.315	27.35	4.575	-21.153	30.798	22.485	-17.813	31.641	24.501	0.103	252.263	1.161	0.103	143.981	1.175	0.103	11.095	0.006	0.102	5.184	0.002
24	735	736	SN	1	-34.55	26.788	1.852	-34.864	26.683	6.401	-7.979	31.906	32.866	-1.712	32.179	34.465	0.103	240.861	2.189	0.103	258.946	1.666	0.102	0.614	0.0	0.102	0.215	0.0
25	735	736	NS	1	-34.586	26.174	3.452	-34.468	26.42	2.492	0.542	30.567	37.713	-0.903	30.249	48.316	0.103	242.853	2.378	0.103	236.349	2.395	0.103	0.167	0.0	0.103	0.195	0.0
26	736	737	SN	1	-33.52	26.083	0.584	-34.665	26.592	2.953	-7.739	31.073	50.673	-5.143	31.759	53.919	0.103	190.02	1.615	0.103	247.286	1.374	0.103	0.585	0.0	0.102	0.362	0.0
27	736	737	NS	1	-34.945	25.589	2.843	-34.773	26.486	1.295	10.347	30.184	34.281	10.928	30.159	45.38	0.103	263.744	2.431	0.103	253.517	2.561	0.103	0.109	0.0	0.103	0.108	0.0
28	737	738	SN	1	-34.575	25.17	0.716	-32.429	25.747	2.537	6.925	31.236	51.61	9.986	32.175	55.113	0.103	242.233	1.358	0.103	147.848	1.313	0.103	0.116	0.0	0.102	0.109	0.0
29	737	738	NS	1	-34.515	25.487	1.942	-33.975	24.882	0.22	8.504	30.222	27.021	8.944	30.707	39.399	0.103	238.908	1.461	0.103	210.983	1.316	0.103	0.112	0.0	0.103	0.111	0.0
30	738	739	SN	1	-32.802	24.834	1.987	-34.439	25.896	3.458	-18.712	30.331	36.042	-14.804	33.501	40.698	0.103	161.082	1.247	0.103	234.739	1.117	0.103	6.358	0.013	0.102	2.634	0.006
31	738	739	NS	1	-33.191	24.871	1.949	-34.481	23.21	0.071	9.387	33.965	11.101	12.712	31.844	16.671	0.103	176.145	2.142	0.103	237.042	2.752	0.102	0.11	0.0	0.102	0.106	0.0
32	739	740	NS	1	-33.489	27.548	0.805	-34.892	26.875	0.282	8.436	35.673	35.423	-64.878	36.353	47.394	0.103	188.641	1.202	0.103	260.543	1.207	0.102	0.112	0.0	0.102	0.114	0.0
33	739	740	SN	1	-34.818	27.879	2.965	-34.026	27.63	3.428	-25.352	30.031	21.25	-18.807	33.431	17.698	0.103	256.162	2.42	0.103	213.48	1.678	0.103	29.034	0.03	0.102	6.496	0.025

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

█ Normal █ Deviations
█ Alarming █ High Errors

34	740	741	NS	1	-31.678	24.649	0.072	-31.764	25.507	0.085	-6.503	30.295	26.291	-9.412	30.81	38.102	0.103	124.33	0.413	0.103	126.832	0.573	0.103	0.462	0.0	0.103	0.82	0.0
35	740	741	SN	1	-34.487	27.302	1.112	-33.964	27.662	1.555	0.22	31.742	18.475	0.859	30.724	13.912	0.103	237.406	2.506	0.103	210.452	2.061	0.102	0.173	0.0	0.103	0.162	0.0
36	741	742	SN	1	-34.965	25.187	0.588	-32.644	25.591	0.862	7.97	28.612	22.188	8.073	28.925	13.796	0.103	265.02	0.858	0.103	155.345	0.902	0.103	0.113	0.0	0.103	0.113	0.0
37	741	742	NS	1	-34.402	24.373	0.053	-34.922	24.797	0.008	-8.285	29.277	20.413	-2.837	29.611	31.08	0.103	232.802	4.127	0.103	262.37	4.071	0.103	0.652	0.0	0.103	0.251	0.0
38	742	743	SN	1	-34.034	24.304	0.15	-33.628	26.288	0.404	7.943	30.028	31.323	8.411	29.757	35.737	0.103	213.838	2.081	0.103	194.79	1.94	0.103	0.113	0.0	0.103	0.112	0.0
39	742	743	NS	2	-29.15	23.739	0.197	-33.723	24.709	0.114	-8.87	29.025	14.86	-8.703	29.536	22.864	0.103	69.507	0.448	0.103	199.104	0.619	0.103	0.734	0.0	0.103	0.709	0.0
40	743	744	NS	1	-33.63	24.548	0.54	-33.297	24.8	0.459	-2.761	29.497	19.324	-4.455	30.829	26.284	0.103	194.867	1.039	0.103	180.524	0.834	0.103	0.248	0.0	0.103	0.322	0.0
41	743	744	SN	1	-34.281	24.118	0.449	-34.014	25.009	0.803	6.36	29.862	26.938	8.9	30.105	36.931	0.103	226.395	2.777	0.103	212.842	2.249	0.103	0.118	0.0	0.103	0.111	0.0
42	744	745	NS	1	-34.674	26.49	1.589	-32.822	26.731	1.746	-10.354	31.344	21.774	-15.006	31.107	28.043	0.103	258.005	0.737	0.103	161.843	0.694	0.103	0.998	0.0	0.103	2.755	0.003
43	744	745	SN	1	-34.263	25.479	1.238	-33.124	26.756	2.053	6.937	31.282	22.156	9.015	32.746	29.047	0.103	225.46	2.073	0.103	173.437	1.803	0.103	0.116	0.0	0.102	0.111	0.0
44	745	746	NS	1	-32.759	26.932	2.087	-33.206	28.276	2.214	9.081	30.417	25.019	8.826	30.922	36.941	0.103	159.458	0.854	0.103	176.729	0.803	0.103	0.111	0.0	0.103	0.111	0.0
45	745	746	SN	1	-34.436	26.18	1.78	-33.777	26.658	3.677	-10.518	33.53	21.583	1.586	35.428	25.767	0.103	234.572	3.764	0.103	201.609	2.997	0.102	1.033	0.002	0.102	0.153	0.0
46	746	747	SN	1	-33.726	23.583	0.016	-34.801	25.11	0.028	-16.475	30.411	37.529	-4.987	31.412	39.989	0.103	199.211	2.729	0.103	255.197	2.318	0.103	3.831	0.002	0.103	0.352	0.0
47	746	747	NS	1	-33.466	27.444	2.685	-34.519	28.01	2.354	-6.336	31.203	44.595	3.64	32.325	53.741	0.103	187.633	1.898	0.103	239.129	1.553	0.103	0.448	0.0	0.102	0.133	0.0
48	748	749	SN	1	-33.862	26.488	1.208	-34.615	28.128	3.227	-9.573	33.06	28.317	-1.838	31.421	31.406	0.103	205.551	4.626	0.103	244.446	4.464	0.102	0.848	0.0	0.103	0.219	0.0
49	749	750	NS	1	-33.799	26.884	3.802	-34.277	25.56	2.859	4.132	30.665	30.037	3.552	30.634	40.325	0.103	202.584	1.263	0.103	226.126	1.248	0.103	0.13	0.0	0.103	0.134	0.0
50	749	750	SN	1	-34.523	26.898	2.267	-29.263	26.657	5.945	-26.265	30.56	29.599	-18.465	31.285	30.189	0.103	239.333	1.019	0.103	71.333	0.794	0.103	35.807	0.003	0.103	6.01	0.005
51	750	751	SN	2	-33.602	27.116	1.25	-34.614	27.025	4.253	-10.174	30.912	36.123	-7.764	31.74	37.041	0.103	193.627	0.451	0.103	244.393	0.613	0.103	0.961	0.0	0.102	0.588	0.0
52	750	751	NS	1	-34.08	25.883	3.177	-34.877	27.384	2.048	12.008	30.329	35.928	10.234	30.414	48.407	0.103	216.138	1.842	0.103	259.638	2.068	0.103	0.107	0.0	0.103	0.109	0.0
53	751	752	NS	1	-34.176	26.055	2.229	-34.758	26.29	0.753	7.943	29.972	36.966	7.822	30.532	48.459	0.103	220.936	1.756	0.103	252.612	1.736	0.103	0.113	0.0	0.103	0.114	0.0
54	751	752	SN	1	-34.601	25.957	0.606	-33.819	26.149	2.473	8.571	31.428	65.354	8.953	32.042	75.006	0.103	243.745	1.24	0.103	203.512	1.137	0.103	0.112	0.0	0.102	0.111	0.0
55	752	753	NS	1	-34.41	25.128	1.59	-33.706	24.472	0.037	4.069	30.51	25.362	7.873	32.985	36.04	0.103	233.204	1.687	0.103	198.291	1.739	0.103	0.13	0.0	0.102	0.114	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	723	724	SN	1	57.686	58.266	0.0	0.003	1.291	0.383	1211.952	1289.16	13.538	-93.064	-92.021	0.0
2	724	725	SN	2	57.691	58.264	0.0	0.003	1.291	0.394	1212.088	1288.96	13.285	-93.087	-92.015	0.0
3	724	725	NS	1	57.696	58.264	0.0	0.003	1.291	0.386	1213.016	1289.024	13.897	-93.091	-92.014	0.0
4	725	726	SN	1	57.69	58.266	0.0	0.003	1.291	0.374	1212.6	1289.152	12.736	-93.602	-92.009	0.0
5	725	726	NS	1	57.706	58.266	0.0	0.003	1.291	0.367	1213.736	1289.264	13.061	-93.471	-92.016	0.0
6	726	727	SN	1	57.687	58.269	0.0	0.003	1.291	0.366	1212.12	1289.32	12.338	-93.095	-92.006	0.0
7	726	727	NS	2	57.7	58.267	0.0	0.003	1.291	0.363	1213.912	1289.424	13.183	-92.975	-92.018	0.0
8	727	728	SN	1	57.7	58.266	0.0	0.003	1.291	0.366	1212.152	1289.184	12.227	-92.987	-92.017	0.0
9	727	728	NS	2	57.699	58.266	0.0	0.003	1.291	0.371	1213.608	1289.288	13.617	-93.009	-92.018	0.0
10	728	729	SN	1	57.681	58.265	0.0	0.003	1.291	0.365	1211.272	1289.088	11.988	-93.092	-92.016	0.0
11	728	729	NS	1	57.726	58.271	0.0	0.003	1.291	0.374	1214.12	1289.184	13.78	-93.254	-92.021	0.0
12	729	730	SN	1	57.7	58.264	0.0	0.003	1.291	0.373	1212.12	1288.944	12.225	-93.114	-92.02	0.0
13	729	730	NS	1	57.721	58.264	0.0	0.003	1.291	0.38	1214.192	1289.064	13.191	-93.047	-92.032	0.0
14	730	731	NS	1	57.699	58.264	0.0	0.003	1.291	0.375	1213.568	1289.048	12.676	-93.112	-92.031	0.0
15	730	731	SN	1	57.689	58.264	0.0	0.003	1.291	0.381	1211.816	1288.952	12.759	-93.1	-92.017	0.0
16	731	732	SN	1	57.693	58.265	0.0	0.003	1.291	0.379	1212.44	1289.12	12.925	-93.099	-92.021	0.0
17	731	732	NS	1	57.708	58.265	0.0	0.003	1.291	0.373	1213.944	1289.2	12.86	-93.104	-92.029	0.0
18	732	733	SN	1	57.712	58.265	0.0	0.003	1.291	0.37	1212.488	1289.096	12.556	-93.412	-92.019	0.0
19	732	733	NS	1	57.702	58.265	0.0	0.003	1.291	0.386	1213.744	1289.168	14.141	-93.114	-92.031	0.0
20	733	734	SN	1	57.689	58.264	0.0	0.003	1.291	0.37	1211.968	1288.96	12.488	-93.059	-92.019	0.0
21	733	734	NS	1	57.699	58.268	0.0	0.003	1.291	0.379	1213.648	1289.088	13.785	-93.032	-92.034	0.0
22	734	735	NS	1	57.706	58.265	0.0	0.003	1.291	0.374	1214.288	1289.08	13.801	-93.16	-92.032	0.0
23	734	735	SN	1	57.697	58.264	0.0	0.003	1.291	0.381	1212.216	1288.944	12.913	-93.051	-92.017	0.0
24	735	736	SN	1	57.707	58.265	0.0	0.003	1.291	0.379	1212.128	1289.0	12.683	-93.095	-92.017	0.0
25	735	736	NS	1	57.716	58.265	0.0	0.003	1.291	0.369	1214.152	1289.12	13.527	-93.418	-92.032	0.0
26	736	737	SN	1	57.686	58.265	0.0	0.003	201.976	0.372	1211.792	1289.032	12.911	-92.952	-92.016	0.0
27	736	737	NS	1	57.697	58.265	0.0	0.003	198.523	0.371	1213.544	1289.176	13.489	-93.112	-92.03	0.0
28	737	738	SN	1	57.687	58.266	0.0	0.003	1.291	0.377	1212.008	1289.152	12.892	-92.97	-92.016	0.0
29	737	738	NS	1	57.722	58.266	0.0	0.003	207.276	0.371	1213.896	1289.288	13.836	-93.11	-92.03	0.0
30	738	739	SN	1	57.685	58.266	0.0	0.003	326.648	0.392	1211.648	1289.104	13.484	-92.956	-92.017	0.0
31	738	739	NS	1	57.696	58.202	0.0	0.003	214.76	0.388	1213.312	1280.416	0.029	-93.251	-92.031	0.0
32	739	740	NS	1	57.708	58.265	0.0	0.003	1.291	0.375	1214.24	1289.168	13.851	-93.263	-92.019	0.0
33	739	740	SN	1	57.684	58.265	0.0	0.003	1.291	0.384	1211.64	1289.0	12.857	-93.057	-92.006	0.0
34	740	741	NS	1	57.722	58.267	0.0	0.003	1.291	0.361	1214.504	1289.44	13.291	-93.076	-92.021	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	740	741	SN	1	57.681	58.276	0.0	0.003	1.291	0.365	1211.096	1289.256	11.906	-93.13	-92.013	0.0
36	741	742	SN	1	57.687	58.266	0.0	0.003	1.291	0.364	1211.528	1289.24	12.049	-93.042	-92.013	0.0
37	741	742	NS	1	57.709	58.267	0.0	0.003	1.291	0.366	1214.088	1289.432	13.24	-93.376	-92.022	0.0
38	742	743	SN	1	57.678	58.265	0.0	0.003	1.291	0.369	1210.76	1289.064	11.901	-93.097	-92.013	0.0
39	742	743	NS	2	57.706	58.266	0.0	0.003	1.291	0.372	1214.552	1289.28	13.996	-93.056	-92.037	0.0
40	743	744	NS	1	57.708	58.265	0.0	0.003	1.291	0.383	1214.856	1289.16	14.025	-92.988	-92.037	0.0
41	743	744	SN	1	57.678	58.264	0.0	0.003	1.291	0.367	1211.232	1288.976	11.934	-93.107	-92.011	0.0
42	744	745	NS	1	57.715	58.264	0.0	0.003	1.291	0.378	1214.528	1289.04	12.45	-93.118	-92.038	0.0
43	744	745	SN	1	57.683	58.263	0.0	0.003	1.291	0.377	1210.8	1288.856	12.122	-93.093	-92.012	0.0
44	745	746	NS	1	57.708	58.264	0.0	0.003	1.291	0.37	1214.368	1289.12	13.02	-93.087	-92.036	0.0
45	745	746	SN	1	57.684	58.264	0.0	0.003	1.291	0.389	1211.0	1288.944	12.811	-93.368	-92.013	0.0
46	746	747	SN	1	57.685	58.264	0.0	0.003	1.291	0.37	1211.856	1289.016	13.309	-93.341	-92.02	0.0
47	746	747	NS	1	57.676	58.272	0.0	0.003	1.291	0.377	1213.992	1289.184	13.563	-93.124	-92.035	0.0
48	748	749	SN	1	57.689	58.263	0.0	0.003	1.291	0.379	1211.44	1288.792	12.655	-93.298	-92.013	0.0
49	749	750	NS	1	57.711	58.264	0.0	0.003	1.291	0.367	1214.912	1289.008	13.741	-93.087	-92.044	0.0
50	749	750	SN	1	57.692	58.263	0.0	0.003	1.291	0.38	1211.328	1288.92	12.632	-93.08	-92.012	0.0
51	750	751	SN	2	57.68	58.263	0.0	0.003	182.966	0.374	1211.376	1288.92	12.497	-93.051	-92.014	0.0
52	750	751	NS	1	57.702	58.264	0.0	0.003	1.291	0.372	1213.936	1289.056	13.822	-93.118	-92.038	0.0
53	751	752	NS	1	57.705	58.265	0.0	0.003	187.995	0.373	1214.096	1289.144	13.59	-93.118	-92.036	0.0
54	751	752	SN	1	57.683	58.264	0.0	0.003	1.291	0.37	1210.968	1288.936	12.232	-92.97	-92.011	0.0
55	752	753	NS	1	57.7	58.265	0.0	0.003	1.291	0.375	1213.92	1289.192	13.953	-93.092	-92.024	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	723	724	SN	1	-31.763	19.85	0.0	-34.902	20.025	0.0	2.677	24.642	2.077	5.276	25.37	2.768	0.08	100.348	0.464	0.08	206.693	0.341	0.08	0.11	0.0	0.08	0.096	0.0
2	724	725	SN	2	-34.563	20.376	0.0	-33.368	20.043	0.0	-25.893	24.854	0.663	-30.466	24.712	0.397	0.08	191.132	0.908	0.08	145.237	0.823	0.08	26.021	0.033	0.08	74.47	0.036
3	724	725	NS	1	-34.809	21.471	0.0	-34.832	19.118	0.0	3.462	25.79	1.396	3.43	24.52	1.605	0.08	202.268	3.554	0.08	203.341	3.682	0.08	0.105	0.0	0.08	0.105	0.0
4	725	726	SN	1	-33.837	20.596	0.0	-34.895	20.741	0.0	-9.738	24.339	0.602	-5.711	24.251	0.342	0.08	161.764	2.74	0.08	206.395	2.481	0.08	0.692	0.0	0.08	0.314	0.0
5	725	726	NS	1	-32.425	19.694	0.0	-34.668	20.422	0.0	-10.765	25.636	0.145	-7.292	23.827	0.342	0.08	116.847	0.503	0.08	195.871	0.661	0.08	0.86	0.0	0.08	0.423	0.0
6	726	727	SN	1	-34.937	20.1	0.0	-33.907	20.125	0.0	2.944	24.147	0.854	3.461	22.966	0.106	0.08	208.333	1.3	0.08	164.393	1.294	0.08	0.108	0.0	0.08	0.105	0.0
7	726	727	NS	2	-34.586	17.871	0.0	-34.553	16.18	0.0	-9.104	23.213	0.203	-16.724	23.819	0.41	0.081	192.161	1.481	0.081	190.746	1.547	0.08	0.607	0.0	0.08	3.205	0.021
8	727	728	SN	1	-34.987	17.995	0.0	-34.54	18.829	0.0	1.919	23.923	2.018	3.193	23.535	1.988	0.081	210.72	1.595	0.08	190.108	1.555	0.08	0.116	0.0	0.08	0.106	0.0
9	727	728	NS	2	-32.185	17.989	0.0	-34.379	18.125	0.0	-15.431	23.812	0.216	-24.071	23.632	0.314	0.081	110.582	2.124	0.081	183.213	2.201	0.08	2.396	0.002	0.08	17.123	0.022
10	728	729	SN	1	-34.453	18.937	0.0	-34.973	18.448	0.0	2.477	23.844	1.845	2.851	23.787	2.702	0.08	186.392	1.646	0.081	210.093	1.488	0.08	0.111	0.0	0.08	0.109	0.0
11	728	729	NS	1	-33.006	17.664	0.0	-34.827	17.584	0.0	-8.621	24.763	0.227	-10.074	24.294	0.291	0.081	133.591	1.439	0.081	203.127	1.574	0.08	0.55	0.0	0.08	0.743	0.0
12	729	730	SN	1	-34.744	19.629	0.0	-34.371	19.373	0.0	0.864	23.741	1.133	3.193	23.16	0.339	0.08	199.323	2.355	0.08	182.875	2.28	0.08	0.127	0.0	0.08	0.106	0.0
13	729	730	NS	1	-33.096	18.833	0.0	-34.622	19.288	0.0	-33.621	26.103	0.198	-23.806	27.9	0.637	0.08	136.408	1.413	0.08	193.79	1.47	0.08	153.875	0.074	0.08	16.116	0.021
14	730	731	NS	1	-31.873	20.311	0.0	-34.612	20.518	0.0	0.29	24.342	2.163	0.916	24.576	2.609	0.08	102.929	0.793	0.08	193.335	0.811	0.08	0.134	0.0	0.08	0.126	0.0
15	730	731	SN	1	-34.784	19.383	0.0	-34.895	20.659	0.0	-1.658	24.907	2.461	1.219	25.405	2.433	0.08	201.122	2.492	0.08	206.399	2.284	0.08	0.167	0.0	0.08	0.123	0.0
16	731	732	SN	1	-34.178	19.612	0.0	-34.936	20.664	0.0	-7.676	24.769	2.386	-7.939	25.482	2.507	0.08	174.959	4.182	0.08	208.322	4.064	0.08	0.456	0.0	0.08	0.48	0.0
17	731	732	NS	1	-33.938	20.764	0.0	-34.985	19.943	0.0	0.288	24.737	2.584	-0.747	25.396	4.393	0.08	165.57	1.641	0.08	210.669	1.541	0.08	0.134	0.0	0.08	0.15	0.0
18	732	733	SN	1	-34.765	19.403	0.0	-34.017	21.501	0.0	-26.724	24.859	2.125	-5.055	25.413	2.276	0.08	200.267	1.5	0.08	168.554	1.287	0.08	31.489	0.035	0.08	0.28	0.0
19	732	733	NS	1	-34.14	20.317	0.0	-34.267	19.539	0.0	-16.556	25.014	3.443	-16.144	25.974	7.123	0.08	173.44	1.595	0.08	178.586	1.514	0.08	3.086	0.01	0.08	2.812	0.003
20	733	734	SN	1	-33.944	21.7	0.0	-34.905	21.482	0.0	-21.942	24.596	2.437	-24.554	25.594	2.272	0.08	165.762	3.85	0.08	206.785	3.346	0.08	10.514	0.08	0.08	19.128	0.051
21	733	734	NS	1	-34.99	20.504	0.0	-34.976	18.946	0.0	-34.25	24.675	1.843	-28.43	25.396	4.659	0.08	210.873	1.442	0.08	210.25	1.381	0.08	177.865	0.039	0.08	46.624	0.031
22	734	735	NS	1	-34.439	20.653	0.0	-34.536	19.38	0.0	-0.456	25.012	2.569	-2.747	24.78	3.975	0.08	185.756	1.61	0.08	189.997	1.639	0.08	0.145	0.0	0.08	0.194	0.0
23	734	735	SN	1	-34.902	19.923	0.0	-33.184	20.583	0.0	-18.124	24.828	1.599	-9.529	25.674	1.797	0.08	206.659	1.559	0.08	139.173	1.296	0.08	4.401	0.009	0.08	0.663	0.0
24	735	736	SN	1	-33.758	19.622	0.0	-34.151	20.722	0.0	-13.016	25.295	1.922	-12.278	25.346	2.229	0.08	158.866	1.409	0.08	173.904	1.232	0.08	1.401	0.003	0.08	1.192	0.001
25	735	736	NS	1	-34.946	20.462	0.0	-34.909	19.27	0.0	1.439	24.972	4.527	1.1	24.319	4.162	0.08	208.795	2.142	0.08	207.044	2.311	0.08	0.121	0.0	0.08	0.124	0.0
26	736	737	SN	1	-33.296	20.391	0.0	-34.478	20.575	0.0	-31.155	25.189	4.993	-22.043	25.569	7.078	0.08	142.777	1.217	0.08	187.441	1.114	0.08	87.257	0.062	0.08	10.757	0.079
27	736	737	NS	1	-34.821	20.388	0.0	-34.632	19.304	0.0	3.312	24.619	2.557	2.584	24.644	4.648	0.08	202.898	2.573	0.08	194.223	2.781	0.08	0.106	0.0	0.08	0.111	0.0
28	737	738	SN	1	-34.588	19.684	0.0	-34.829	19.837	0.0	2.785	24.666	4.91	5.173	25.575	8.281	0.08	192.236	1.202	0.08	203.262	1.169	0.08	0.109	0.0	0.08	0.096	0.0
29	737	738	NS	1	-34.734	19.872	0.0	-34.971	18.915	0.0	3.487	24.551	4.956	3.367	24.632	4.708	0.08	198.881	1.471	0.08	210.013	1.303	0.08	0.105	0.0	0.08	0.105	0.0
30	738	739	SN	1	-34.917	19.359	0.0	-32.986	19.556	0.0	-22.108	24.772	0.635	-32.287	24.977	0.425	0.08	207.397	1.142	0.08	133.608	1.015	0.08	10.919	0.075	0.08	115.877	0.078
31	738	739	NS	1	-34.875	18.717	0.0	-34.789	17.61	0.0	4.658	23.843	0.047	5.045	23.962	0.022	0.08	205.378	1.864	0.081	201.352	3.071	0.08	0.098	0.0	0.08	0.097	0.0
32	739	740	NS	1	-34.173	20.676	0.0	-33.893	18.741	0.0	1.294	24.437	0.346	2.619	24.079	0.609	0.08	174.767	1.168	0.08	163.837	1.263	0.08	0.122	0.0	0.08	0.11	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	739	740	SN	1	-33.543	20.449	0.0	-33.754	20.421	0.0	-30.274	28.211	0.587	-14.557	24.355	0.297	0.08	151.163	2.36	0.08	162.42	1.873	0.08	71.245	0.008	0.08	1.97	0.002
34	740	741	NS	1	-34.547	19.788	0.0	-33.105	20.1	0.0	-17.02	23.668	0.133	-25.063	23.867	0.361	0.08	190.448	0.537	0.08	136.674	0.598	0.08	3.426	0.016	0.08	21.499	0.029
35	740	741	SN	1	-34.498	19.932	0.0	-34.719	20.5	0.0	2.26	24.154	0.817	-0.111	23.637	0.636	0.08	188.305	2.288	0.08	198.18	2.186	0.08	0.113	0.0	0.08	0.14	0.0
36	741	742	SN	1	-34.651	20.068	0.0	-34.3	19.598	0.0	1.67	23.56	0.891	1.967	22.651	0.054	0.08	195.046	0.615	0.08	179.916	0.617	0.08	0.118	0.0	0.08	0.116	0.0
37	741	742	NS	1	-34.745	18.247	0.0	-34.871	18.256	0.0	-11.373	23.199	0.105	-25.445	23.642	0.433	0.081	199.388	2.96	0.081	205.196	3.346	0.08	0.98	0.0	0.08	23.473	0.003
38	742	743	SN	1	-34.881	18.027	0.0	-33.857	18.656	0.0	2.126	24.028	3.131	3.294	23.937	4.03	0.081	205.705	1.429	0.08	162.531	1.427	0.08	0.114	0.0	0.08	0.106	0.0
39	742	743	NS	2	-33.214	17.517	0.0	-31.175	17.669	0.0	-11.115	24.07	0.37	-12.182	24.155	0.396	0.081	140.133	0.647	0.081	87.66	0.696	0.08	0.927	0.0	0.08	1.167	0.001
40	743	744	NS	1	-34.717	19.008	0.0	-32.309	19.093	0.0	-16.113	23.73	0.093	-19.678	23.683	0.375	0.08	198.115	0.786	0.08	113.784	0.859	0.08	2.793	0.002	0.08	6.267	0.016
41	743	744	SN	1	-34.739	17.967	0.0	-34.75	19.542	0.0	2.291	23.772	1.209	3.391	23.423	1.13	0.081	199.055	2.347	0.08	199.592	2.199	0.08	0.113	0.0	0.08	0.105	0.0
42	744	745	NS	1	-34.14	19.536	0.0	-32.083	20.162	0.0	-29.827	24.178	0.954	-22.591	23.84	1.241	0.08	173.455	0.691	0.08	108.011	0.604	0.08	64.294	0.056	0.08	12.196	0.053
43	744	745	SN	1	-34.673	19.121	0.0	-34.694	19.932	0.0	1.765	24.494	2.402	4.369	24.615	2.07	0.08	196.05	1.84	0.08	196.997	1.715	0.08	0.118	0.0	0.08	0.1	0.0
44	745	746	NS	1	-34.475	20.042	0.0	-33.857	20.396	0.0	4.101	24.53	2.277	2.26	24.74	3.6	0.08	187.317	0.744	0.08	162.489	0.825	0.08	0.101	0.0	0.08	0.113	0.0
45	745	746	SN	1	-34.892	18.898	0.0	-34.454	20.77	0.0	-0.807	25.094	2.844	1.281	25.032	2.883	0.08	206.209	2.943	0.08	186.48	2.578	0.08	0.151	0.0	0.08	0.122	0.0
46	746	747	SN	1	-33.706	18.27	0.0	-34.821	17.121	0.0	-23.178	24.525	2.304	-21.457	24.782	1.649	0.081	156.928	2.348	0.081	202.845	2.302	0.08	13.956	0.049	0.08	9.408	0.034
47	746	747	NS	1	-33.107	20.125	0.0	-34.362	19.899	0.0	0.101	24.638	2.567	2.545	25.86	5.35	0.08	136.73	1.204	0.08	182.533	1.112	0.08	0.137	0.0	0.08	0.111	0.0
48	748	749	SN	1	-34.97	20.634	0.0	-34.69	22.396	0.001	-26.959	24.803	2.078	-12.424	25.745	2.181	0.08	209.888	4.334	0.08	196.819	4.109	0.08	33.24	0.056	0.08	1.23	0.002
49	749	750	NS	1	-34.193	20.405	0.0	-34.168	19.675	0.0	2.288	24.568	4.277	2.324	24.772	4.199	0.08	175.555	0.992	0.08	174.563	1.163	0.08	0.113	0.0	0.08	0.113	0.0
50	749	750	SN	1	-31.644	19.01	0.0	-31.06	21.18	0.0	-17.448	24.828	1.715	-30.602	25.65	1.888	0.08	97.634	0.955	0.08	85.368	0.72	0.08	3.775	0.01	0.08	76.826	0.008
51	750	751	SN	2	-31.818	20.001	0.0	-33.172	20.647	0.0	-28.469	24.427	3.127	-24.201	25.736	4.218	0.08	101.63	0.399	0.08	138.786	0.414	0.08	47.039	0.036	0.08	17.641	0.022
52	750	751	NS	1	-34.861	20.198	0.0	-33.426	19.769	0.0	0.568	24.296	2.576	4.041	24.517	3.882	0.08	204.764	1.387	0.08	147.122	1.624	0.08	0.13	0.0	0.08	0.101	0.0
53	751	752	NS	1	-34.697	19.582	0.0	-34.891	18.939	0.0	3.659	24.681	4.11	2.553	24.469	5.025	0.08	197.179	1.749	0.08	206.126	1.74	0.08	0.104	0.0	0.08	0.111	0.0
54	751	752	SN	1	-34.606	19.514	0.0	-34.427	20.179	0.0	4.176	24.571	7.423	4.125	25.578	13.298	0.08	193.086	0.99	0.08	185.254	0.999	0.08	0.101	0.0	0.08	0.101	0.0
55	752	753	NS	1	-34.781	19.347	0.0	-34.601	17.41	0.0	3.603	24.608	3.889	2.672	24.878	3.484	0.08	200.974	1.476	0.081	192.886	1.498	0.08	0.104	0.0	0.08	0.11	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors