

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 28-NOV-2016 To 29-NOV-2016





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 28-NOV-2016 To 29-NOV-2016

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	912	913	NS	1	48.995	49.371	0.0	0.003	1.291	0.382	1043.44	1094.592	0.0	-91.313	-90.165	0.0
2	912	913	SN	1	48.91	49.366	0.0	0.003	1.291	0.386	1030.392	1093.656	0.0	-91.286	-90.043	0.0
3	912	913	NS	2	48.995	49.371	0.0	0.003	1.291	0.382	1043.44	1094.592	0.0	-91.313	-90.165	0.0
4	913	914	SN	1	48.9	49.365	0.0	0.003	1.291	0.379	1029.864	1093.6	0.0	-91.311	-90.04	0.0
5	913	914	NS	2	49.014	49.371	0.0	0.003	1.291	0.364	1044.088	1094.592	0.0	-91.274	-90.168	0.0
6	913	914	NS	1	49.014	49.371	0.0	0.003	1.291	0.364	1044.088	1094.592	0.0	-91.274	-90.168	0.0
7	914	915	NS	3	48.998	49.384	0.0	0.003	1.302	0.362	1044.048	1094.8	0.0	-91.776	-90.169	0.0
8	914	915	NS	2	48.997	49.386	0.0	0.003	1.302	0.362	1044.28	1094.792	0.0	-91.776	-90.169	0.0
9	914	915	SN	2	48.905	49.366	0.0	0.003	1.291	0.364	1029.976	1093.752	0.0	-91.369	-90.038	0.0
10	914	915	SN	3	48.919	49.366	0.0	0.003	1.291	0.364	1029.984	1093.76	0.0	-91.376	-90.038	0.0
11	914	915	NS	1	48.997	49.386	0.0	0.003	1.302	0.362	1044.28	1094.792	0.0	-91.776	-90.169	0.0
12	914	915	SN	1	48.919	49.366	0.0	0.003	1.291	0.364	1029.984	1093.76	0.0	-91.376	-90.038	0.0
13	915	916	SN	3	48.85	49.375	0.0	0.003	1.291	0.364	1029.824	1093.704	0.0	-91.419	-90.037	0.0
14	915	916	NS	3	48.992	49.393	0.0	0.003	1.291	0.365	1043.728	1094.76	0.0	-91.435	-90.171	0.0
15	915	916	NS	1	48.992	49.393	0.0	0.003	1.291	0.365	1043.728	1094.76	0.0	-91.435	-90.171	0.0
16	915	916	SN	1	48.85	49.375	0.0	0.003	1.291	0.364	1029.824	1093.704	0.0	-91.419	-90.037	0.0
17	915	916	SN	2	48.85	49.375	0.0	0.003	1.291	0.364	1029.824	1093.704	0.0	-91.419	-90.037	0.0
18	915	916	NS	2	48.992	49.393	0.0	0.003	1.291	0.365	1043.728	1094.76	0.0	-91.435	-90.171	0.0
19	916	917	SN	1	48.905	49.365	0.0	0.003	1.291	0.363	1029.808	1093.576	0.0	-91.362	-90.046	0.0
20	916	917	NS	1	49.025	49.371	0.0	0.003	1.291	0.372	1044.52	1094.624	0.0	-91.334	-90.173	0.0
21	916	917	NS	2	49.025	49.371	0.0	0.003	1.291	0.372	1044.52	1094.624	0.0	-91.334	-90.173	0.0
22	917	918	SN	1	48.917	49.364	0.0	0.003	1.291	0.365	1029.808	1093.464	0.0	-91.378	-90.037	0.0
23	917	918	NS	1	49.01	49.37	0.0	0.003	1.291	0.376	1044.496	1094.504	0.0	-91.323	-90.173	0.0
24	917	918	NS	2	49.01	49.37	0.0	0.003	1.291	0.376	1044.496	1094.504	0.0	-91.323	-90.173	0.0
25	918	919	NS	1	48.999	49.172	0.0	0.003	276.213	0.376	1043.96	1061.552	0.0	-91.123	-90.173	0.0
26	918	919	NS	2	48.999	49.172	0.0	0.003	276.213	0.376	1043.96	1061.552	0.0	-91.123	-90.173	0.0
27	919	920	SN	1	49.031	49.146	0.0	0.025	1.285	0.437	1043.552	1051.576	0.0	-90.881	-90.174	0.0
28	919	920	SN	2	49.031	49.146	0.0	0.025	1.285	0.437	1043.552	1051.576	0.0	-90.881	-90.174	0.0
29	920	921	NS	2	49.019	49.399	0.0	0.003	295.036	0.377	1044.44	1094.472	0.0	-91.385	-90.171	0.0
30	920	921	NS	1	49.019	49.399	0.0	0.003	295.036	0.377	1044.44	1094.472	0.0	-91.385	-90.171	0.0
31	920	921	SN	1	48.906	49.364	0.0	0.003	1.291	0.369	1029.656	1093.488	0.0	-91.197	-90.041	0.0
32	921	922	NS	1	49.001	49.393	0.0	0.003	181.973	0.38	1044.624	1094.344	0.0	-91.433	-90.175	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	921	922	NS	2	49.001	49.393	0.0	0.003	181.973	0.38	1044.624	1094.344	0.0	-91.433	-90.175	0.0
34	921	922	SN	3	48.901	49.364	0.0	0.003	185.436	0.368	1029.456	1093.384	0.0	-91.435	-90.041	0.0
35	922	923	NS	2	49.003	49.395	0.0	0.003	1.291	0.374	1044.696	1094.232	0.0	-91.476	-90.181	0.0
36	922	923	NS	1	49.003	49.395	0.0	0.003	1.291	0.374	1044.696	1094.232	0.0	-91.476	-90.181	0.0
37	922	923	SN	1	48.905	49.363	0.0	0.003	1.291	0.374	1030.112	1093.224	0.0	-91.541	-90.039	0.0
38	923	924	NS	1	49.003	49.378	0.0	0.003	1.291	0.372	1044.616	1094.264	0.0	-91.336	-90.173	0.0
39	923	924	SN	2	48.922	49.363	0.0	0.003	1.291	0.374	1030.032	1093.264	0.0	-91.286	-90.038	0.0
40	923	924	SN	1	48.922	49.363	0.0	0.003	1.291	0.374	1030.032	1093.264	0.0	-91.286	-90.038	0.0
41	923	924	NS	3	49.003	49.378	0.0	0.003	1.291	0.372	1044.616	1094.264	0.0	-91.336	-90.173	0.0
42	924	925	NS	2	49.009	49.383	0.0	0.008	1.291	0.37	1044.504	1094.216	0.0	-91.416	-90.173	0.0
43	924	925	NS	1	49.009	49.383	0.0	0.008	1.291	0.37	1044.504	1094.216	0.0	-91.416	-90.173	0.0
44	925	926	NS	2	49.012	49.369	0.0	0.003	1.291	0.37	1044.408	1094.288	0.0	-91.605	-90.171	0.0
45	925	926	NS	1	49.012	49.369	0.0	0.003	1.291	0.37	1044.408	1094.288	0.0	-91.605	-90.171	0.0
46	926	927	SN	1	48.901	49.369	0.0	0.003	1.291	0.38	1029.6	1093.232	0.0	-91.332	-90.04	0.0
47	927	928	SN	1	48.925	49.362	0.0	0.003	1.291	0.394	1030.136	1093.048	0.0	-91.272	-90.04	0.0
48	927	928	NS	1	49.01	49.368	0.0	0.003	1.291	0.38	1044.64	1094.104	0.0	-91.316	-90.174	0.0
49	928	929	NS	1	49.013	49.382	0.0	0.008	1.291	0.364	1044.808	1094.32	0.0	-91.472	-90.174	0.0
50	928	929	SN	1	48.904	49.373	0.0	0.003	1.291	0.367	1029.552	1093.216	0.0	-91.402	-90.04	0.0
51	929	930	SN	1	48.924	49.364	0.0	0.003	1.291	0.362	1029.696	1093.288	0.0	-91.404	-90.035	0.0
52	929	930	NS	1	49.006	49.37	0.0	0.003	1.291	0.362	1044.944	1094.416	0.0	-91.31	-90.177	0.0
53	930	931	NS	1	49.022	49.389	0.0	0.003	255.896	0.373	1045.088	1094.312	0.0	-91.323	-90.178	0.0
54	930	931	SN	1	48.908	49.363	0.0	0.003	1.291	0.364	1029.6	1093.184	0.0	-91.908	-90.037	0.0
55	931	932	SN	1	48.904	49.362	0.0	0.003	1.291	0.363	1029.608	1093.096	0.0	-91.461	-90.035	0.0
56	931	932	NS	1	49.028	49.399	0.0	0.003	264.692	0.372	1045.12	1094.208	0.0	-91.189	-90.178	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	912	913	NS	1	-34.982	25.701	1.535	-33.972	26.053	0.181	9.808	34.491	22.778	9.021	33.146	32.587	0.103	265.975	4.39	0.103	210.825	4.376	0.102	0.109	0.0	0.102	0.111	0.0
2	912	913	SN	1	-33.477	24.777	1.933	-34.224	25.182	3.144	-18.465	29.616	37.889	-8.92	35.266	43.418	0.103	188.141	1.189	0.103	223.398	0.95	0.103	6.01	0.003	0.102	0.741	0.0
3	912	913	NS	2	-34.982	25.701	1.535	-33.972	26.053	0.181	9.808	34.491	22.778	9.021	33.146	32.587	0.103	265.975	4.39	0.103	210.825	4.376	0.102	0.109	0.0	0.102	0.111	0.0
4	913	914	SN	1	-34.584	27.258	2.205	-34.25	27.391	2.905	1.314	30.515	20.376	-0.874	30.654	18.134	0.103	242.782	1.638	0.103	234.027	1.382	0.103	0.156	0.0	0.103	0.194	0.0
5	913	914	NS	2	-34.903	26.486	0.713	-34.984	27.555	0.48	8.158	35.278	30.532	-63.19	35.187	45.488	0.103	261.221	1.426	0.103	266.103	1.406	0.102	0.113	0.0	0.102	0.113	0.0
6	913	914	NS	1	-34.903	26.486	0.713	-34.984	27.555	0.48	8.158	35.278	30.532	-63.19	35.187	45.488	0.103	261.221	1.426	0.103	266.103	1.406	0.102	0.113	0.0	0.102	0.113	0.0
7	914	915	NS	3	-34.824	25.916	0.095	-33.573	25.998	0.082	-1.315	30.122	21.293	-3.595	30.549	32.188	0.103	256.53	2.573	0.103	192.306	2.622	0.103	0.205	0.0	0.103	0.281	0.0
8	914	915	NS	2	-34.004	25.917	0.095	-34.058	26.001	0.082	-1.324	30.123	21.3	-3.595	30.55	32.19	0.103	212.445	2.571	0.103	215.081	2.627	0.103	0.205	0.0	0.103	0.281	0.0
9	914	915	SN	2	-33.911	27.698	0.44	-34.847	27.478	0.98	-0.269	35.185	21.882	-1.261	34.669	19.624	0.103	207.95	1.141	0.103	257.893	1.043	0.102	0.182	0.0	0.102	0.203	0.0
10	914	915	SN	3	-34.205	27.696	0.44	-34.007	27.478	0.979	-0.269	35.185	21.879	-1.261	34.669	19.621	0.103	222.485	1.142	0.103	212.586	1.041	0.102	0.182	0.0	0.102	0.203	0.0
11	914	915	NS	1	-34.004	25.917	0.095	-34.058	26.001	0.082	-1.324	30.123	21.3	-3.595	30.55	32.19	0.103	212.445	2.571	0.103	215.081	2.627	0.103	0.205	0.0	0.103	0.281	0.0
12	914	915	SN	1	-34.205	27.696	0.44	-34.007	27.478	0.979	-0.269	35.185	21.879	-1.261	34.669	19.621	0.103	222.485	1.142	0.103	212.586	1.041	0.102	0.182	0.0	0.102	0.203	0.0
13	915	916	SN	3	-34.727	24.857	0.521	-34.741	25.814	0.93	8.416	28.903	24.218	8.247	28.184	18.669	0.103	250.881	1.535	0.103	251.606	1.65	0.103	0.112	0.0	0.103	0.113	0.0
14	915	916	NS	3	-34.482	25.025	0.098	-34.649	25.185	0.028	-1.556	29.143	14.586	-0.554	29.525	23.971	0.103	237.084	4.224	0.103	246.438	4.376	0.103	0.211	0.0	0.103	0.187	0.0
15	915	916	NS	1	-34.482	25.025	0.098	-34.649	25.185	0.028	-1.556	29.143	14.586	-0.554	29.525	23.971	0.103	237.084	4.224	0.103	246.438	4.376	0.103	0.211	0.0	0.103	0.187	0.0
16	915	916	SN	1	-34.727	24.857	0.521	-34.741	25.814	0.93	8.416	28.903	24.218	8.247	28.184	18.669	0.103	250.881	1.535	0.103	251.606	1.65	0.103	0.112	0.0	0.103	0.113	0.0
17	915	916	SN	2	-34.727	24.857	0.521	-34.741	25.814	0.93	8.416	28.903	24.218	8.247	28.184	18.669	0.103	250.881	1.535	0.103	251.606	1.65	0.103	0.112	0.0	0.103	0.113	0.0
18	915	916	NS	2	-34.482	25.025	0.098	-34.649	25.185	0.028	-1.556	29.143	14.586	-0.554	29.525	23.971	0.103	237.084	4.224	0.103	246.438	4.376	0.103	0.211	0.0	0.103	0.187	0.0
19	916	917	SN	1	-33.467	25.094	0.032	-33.119	25.629	0.258	7.704	30.32	31.065	8.865	30.054	35.638	0.103	187.747	1.592	0.103	180.407	1.474	0.103	0.114	0.0	0.103	0.111	0.0
20	916	917	NS	1	-33.016	24.059	0.412	-34.759	23.512	0.167	-5.802	29.376	16.405	-7.577	33.16	24.86	0.103	169.16	0.4	0.103	252.762	0.379	0.103	0.406	0.0	0.102	0.567	0.0
21	916	917	NS	2	-33.016	24.059	0.412	-34.759	23.512	0.167	-5.802	29.376	16.405	-7.577	33.16	24.86	0.103	169.16	0.4	0.103	252.762	0.379	0.103	0.406	0.0	0.102	0.567	0.0
22	917	918	SN	1	-34.574	25.051	0.174	-35.001	24.765	0.591	7.412	29.46	29.242	9.145	30.213	38.895	0.103	242.128	2.605	0.103	267.117	2.256	0.103	0.115	0.0	0.103	0.111	0.0
23	917	918	NS	1	-33.557	24.955	0.744	-33.959	24.915	0.592	-2.708	30.736	18.189	-4.579	32.452	25.612	0.103	191.662	1.043	0.103	210.234	0.712	0.103	0.246	0.0	0.102	0.329	0.0
24	917	918	NS	2	-33.557	24.955	0.744	-33.959	24.915	0.592	-2.708	30.736	18.189	-4.579	32.452	25.612	0.103	191.662	1.043	0.103	210.234	0.712	0.103	0.246	0.0	0.102	0.329	0.0
25	918	919	NS	1	-34.781	26.072	1.852	-34.224	26.254	1.529	-8.686	30.385	16.266	-11.46	32.376	26.149	0.103	254.025	2.959	0.103	223.447	2.556	0.103	0.707	0.0	0.102	1.264	0.005
26	918	919	NS	2	-34.781	26.072	1.852	-34.224	26.254	1.529	-8.686	30.385	16.266	-11.46	32.376	26.149	0.103	254.025	2.959	0.103	223.447	2.556	0.103	0.707	0.0	0.102	1.264	0.005
27	919	920	SN	1	-31.074	22.984	0.108	-32.665	27.769	12.151	14.462	27.77	5.829	14.369	29.048	11.52	0.103	108.23	0.705	0.103	156.073	0.649	0.103	0.105	0.0	0.103	0.105	0.0
28	919	920	SN	2	-31.074	22.984	0.108	-32.665	27.769	12.151	14.462	27.77	5.829	14.369	29.048	11.52	0.103	108.23	0.705	0.103	156.073	0.649	0.103	0.105	0.0	0.103	0.105	0.0
29	920	921	NS	2	-34.892	27.769	2.5	-34.12	27.409	2.13	-2.552	30.773	46.265	1.6	32.166	54.989	0.103	260.601	1.627	0.103	218.181	1.437	0.103	0.241	0.0	0.102	0.153	0.0
30	920	921	NS	1	-34.892	27.769	2.5	-34.12	27.409	2.13	-2.552	30.773	46.265	1.6	32.166	54.989	0.103	260.601	1.627	0.103	218.181	1.437	0.103	0.241	0.0	0.102	0.153	0.0
31	920	921	SN	1	-34.837	23.334	0.046	-34.871	27.786	2.546	-6.033	31.556	30.637	-2.657	31.76	33.378	0.103	257.25	1.297	0.103	259.309	1.27	0.103	0.424	0.0	0.102	0.244	0.0
32	921	922	NS	1	-34.628	26.313	2.202	-33.492	26.412	0.986	1.779	31.064	27.388	3.162	31.705	41.641	0.103	245.176	2.059	0.103	188.82	1.886	0.103	0.15	0.0	0.102	0.137	0.0
33	921	922	NS	2	-34.628	26.313	2.202	-33.492	26.412	0.986	1.779	31.064	27.388	3.162	31.705	41.641	0.103	245.176	2.059	0.103	188.82	1.886	0.103	0.15	0.0	0.102	0.137	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	921	922	SN	3	-34.504	27.848	0.431	-34.541	27.693	3.083	-0.883	30.912	26.138	1.665	31.629	27.297	0.103	238.3	3.52	0.103	240.345	2.91	0.103	0.194	0.0	0.102	0.152	0.0
35	922	923	NS	2	-34.431	26.753	3.975	-33.695	25.382	2.711	5.673	34.389	19.086	6.642	33.903	28.61	0.103	234.357	1.897	0.103	197.812	1.604	0.102	0.121	0.0	0.102	0.117	0.0
36	922	923	NS	1	-34.431	26.753	3.975	-33.695	25.382	2.711	5.673	34.389	19.086	6.642	33.903	28.61	0.103	234.357	1.897	0.103	197.812	1.604	0.102	0.121	0.0	0.102	0.117	0.0
37	922	923	SN	1	-34.747	26.867	1.273	-34.588	28.451	3.342	-64.904	36.177	28.162	-4.808	31.148	32.399	0.103	251.998	4.767	0.103	252.91	4.438	0.102	0.751	0.0	0.103	0.342	0.0
38	923	924	NS	1	-32.53	26.618	3.389	-33.679	25.64	2.865	-4.05	30.84	30.163	-2.634	30.524	43.247	0.103	151.278	0.962	0.103	197.13	0.87	0.103	0.301	0.0	0.103	0.243	0.0
39	923	924	SN	2	-33.415	26.893	1.986	-29.079	27.696	5.79	-7.605	31.211	30.001	-5.583	31.425	31.508	0.103	185.462	0.647	0.103	68.38	0.498	0.103	0.57	0.0	0.103	0.391	0.0
40	923	924	SN	1	-33.415	26.893	1.986	-29.079	27.696	5.79	-7.605	31.211	30.001	-5.583	31.425	31.508	0.103	185.462	0.647	0.103	68.38	0.498	0.103	0.57	0.0	0.103	0.391	0.0
41	923	924	NS	3	-32.53	26.618	3.388	-33.679	25.64	2.865	-4.05	30.84	34.664	-2.634	30.524	45.828	0.103	151.278	0.962	0.103	197.13	0.87	0.103	0.301	0.0	0.103	0.243	0.0
42	924	925	NS	2	-34.776	25.979	1.932	-34.642	25.469	0.652	11.295	30.52	37.546	11.713	30.742	51.201	0.103	253.671	1.396	0.103	246.0	1.424	0.103	0.107	0.0	0.103	0.107	0.0
43	924	925	NS	1	-34.776	25.979	1.932	-34.642	25.469	0.652	11.295	30.52	37.546	11.713	30.742	51.201	0.103	253.671	1.396	0.103	246.0	1.424	0.103	0.107	0.0	0.103	0.107	0.0
44	925	926	NS	2	-32.921	25.806	1.574	-34.266	25.373	0.078	8.818	29.09	19.313	8.467	30.485	39.744	0.103	165.545	1.264	0.103	225.563	1.357	0.103	0.111	0.0	0.103	0.112	0.0
45	925	926	NS	1	-32.921	25.806	1.574	-34.266	25.373	0.078	8.818	29.09	19.313	8.467	30.485	39.744	0.103	165.545	1.264	0.103	225.563	1.357	0.103	0.111	0.0	0.103	0.112	0.0
46	926	927	SN	1	-34.787	23.23	0.011	-34.583	24.404	0.13	8.111	29.273	37.316	10.828	30.049	43.576	0.103	254.346	0.901	0.103	242.691	0.696	0.103	0.113	0.0	0.103	0.108	0.0
47	927	928	SN	1	-32.006	26.353	0.65	-32.895	25.329	3.445	3.744	34.013	33.731	-64.867	35.391	35.667	0.103	134.111	0.785	0.103	164.55	0.467	0.102	0.132	0.0	0.102	0.145	0.0
48	927	928	NS	1	-34.567	27.565	1.208	-33.938	28.657	0.351	9.114	34.955	31.888	8.561	35.813	44.474	0.103	241.771	3.387	0.103	209.211	3.279	0.102	0.111	0.0	0.102	0.112	0.0
49	928	929	NS	1	-34.752	26.491	0.186	-34.779	28.544	0.242	-2.504	31.109	24.106	-1.182	30.985	36.546	0.103	252.254	2.599	0.103	253.858	2.696	0.103	0.239	0.0	0.103	0.201	0.0
50	928	929	SN	1	-32.974	26.997	1.745	-33.959	27.797	2.299	-11.152	31.01	16.86	-4.28	31.524	14.732	0.103	167.58	2.941	0.103	210.242	2.828	0.103	1.183	0.002	0.103	0.313	0.0
51	929	930	SN	1	-33.285	27.081	0.417	-34.343	28.125	0.81	8.362	28.894	28.086	8.554	29.577	25.928	0.103	179.998	1.643	0.103	229.648	1.662	0.103	0.112	0.0	0.103	0.112	0.0
52	929	930	NS	1	-34.563	23.991	0.075	-34.656	25.818	0.017	-0.195	30.86	19.232	-8.024	31.216	29.252	0.103	241.517	3.013	0.103	246.775	3.627	0.103	0.18	0.0	0.103	0.619	0.0
53	930	931	NS	1	-33.955	25.586	0.178	-34.608	25.478	0.184	-8.032	31.903	11.214	-9.741	30.826	18.893	0.103	209.992	2.01	0.103	244.082	2.061	0.102	0.62	0.0	0.103	0.878	0.0
54	930	931	SN	1	-34.597	24.59	0.786	-34.946	25.286	1.2	7.629	28.047	25.131	8.356	27.945	21.55	0.103	243.42	1.095	0.103	263.81	1.045	0.103	0.114	0.0	0.103	0.112	0.0
55	931	932	SN	1	-34.3	24.919	1.318	-34.699	25.588	1.832	7.66	29.766	28.609	8.93	30.017	36.09	0.103	227.394	3.094	0.103	249.237	2.561	0.103	0.114	0.0	0.103	0.111	0.0
56	931	932	NS	1	-34.233	24.33	0.573	-34.017	24.28	0.411	-2.254	29.808	21.927	-2.845	29.195	29.442	0.103	223.909	1.365	0.103	213.038	0.942	0.103	0.231	0.0	0.103	0.251	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	912	913	NS	1	57.762	58.247	0.0	0.003	1.291	0.388	1222.208	1286.544	13.768	-93.12	-92.099	0.0
2	912	913	SN	1	57.648	58.239	0.0	0.003	1.291	0.396	1206.288	1285.08	14.063	-93.034	-91.979	0.0
3	912	913	NS	2	57.762	58.247	0.0	0.003	1.291	0.388	1222.208	1286.544	13.768	-93.12	-92.099	0.0
4	913	914	SN	1	57.643	58.238	0.0	0.003	1.291	0.381	1206.232	1285.024	13.93	-92.988	-91.976	0.0
5	913	914	NS	2	57.778	58.247	0.0	0.003	1.291	0.37	1223.24	1286.568	13.429	-93.093	-92.102	0.0
6	913	914	NS	1	57.778	58.247	0.0	0.003	1.291	0.37	1223.24	1286.568	13.429	-93.093	-92.102	0.0
7	914	915	NS	3	57.766	58.248	0.0	0.003	1.302	0.364	1223.416	1286.84	13.136	-93.124	-92.103	0.0
8	914	915	NS	2	57.766	58.248	0.0	0.003	1.302	0.364	1223.416	1286.816	13.129	-93.124	-92.103	0.0
9	914	915	SN	2	57.653	58.239	0.0	0.003	1.291	0.365	1206.44	1285.208	14.777	-93.173	-91.974	0.0
10	914	915	SN	3	57.659	58.239	0.0	0.003	1.291	0.365	1206.44	1285.224	14.789	-93.254	-91.974	0.0
11	914	915	NS	1	57.766	58.248	0.0	0.003	1.302	0.364	1223.416	1286.816	13.129	-93.124	-92.103	0.0
12	914	915	SN	1	57.659	58.239	0.0	0.003	1.291	0.365	1206.44	1285.224	14.789	-93.254	-91.974	0.0
13	915	916	SN	3	57.663	58.238	0.0	0.003	1.291	0.364	1206.248	1285.168	15.182	-93.093	-91.974	0.0
14	915	916	NS	3	57.766	58.248	0.0	0.003	1.291	0.368	1223.24	1286.776	13.168	-93.257	-92.105	0.0
15	915	916	NS	1	57.766	58.248	0.0	0.003	1.291	0.368	1223.24	1286.776	13.168	-93.257	-92.105	0.0
16	915	916	SN	1	57.663	58.238	0.0	0.003	1.291	0.364	1206.248	1285.168	15.182	-93.093	-91.974	0.0
17	915	916	SN	2	57.663	58.238	0.0	0.003	1.291	0.364	1206.248	1285.168	15.182	-93.093	-91.974	0.0
18	915	916	NS	2	57.766	58.248	0.0	0.003	1.291	0.368	1223.24	1286.776	13.168	-93.257	-92.105	0.0
19	916	917	SN	1	57.652	58.237	0.0	0.003	1.291	0.367	1206.232	1285.016	14.838	-93.177	-91.985	0.0
20	916	917	NS	1	57.799	58.247	0.0	0.003	1.291	0.371	1223.744	1286.608	13.677	-93.053	-92.106	0.0
21	916	917	NS	2	57.799	58.247	0.0	0.003	1.291	0.371	1223.744	1286.608	13.678	-93.053	-92.106	0.0
22	917	918	SN	1	57.658	58.236	0.0	0.003	1.291	0.365	1206.232	1284.888	14.952	-93.07	-91.974	0.0
23	917	918	NS	1	57.769	58.246	0.0	0.003	1.291	0.381	1223.792	1286.464	13.502	-93.172	-92.106	0.0
24	917	918	NS	2	57.769	58.246	0.0	0.003	1.291	0.381	1223.792	1286.464	13.502	-93.172	-92.106	0.0
25	918	919	NS	1	57.771	57.95	0.0	0.003	276.925	0.384	1223.36	1246.688	0.0	-92.81	-92.106	0.0
26	918	919	NS	2	57.771	57.95	0.0	0.003	276.925	0.384	1223.36	1246.688	0.0	-92.81	-92.106	0.0
27	919	920	SN	1	57.806	57.891	0.0	0.008	1.285	0.406	1222.824	1233.944	0.0	-92.634	-92.109	0.0
28	919	920	SN	2	57.806	57.891	0.0	0.008	1.285	0.406	1222.824	1233.944	0.0	-92.634	-92.109	0.0
29	920	921	NS	2	57.771	58.248	0.0	0.003	295.747	0.381	1223.6	1286.44	13.182	-93.124	-92.105	0.0
30	920	921	NS	1	57.771	58.248	0.0	0.003	295.747	0.381	1223.6	1286.44	13.182	-93.124	-92.105	0.0
31	920	921	SN	1	57.642	58.236	0.0	0.003	1.291	0.374	1205.992	1284.92	13.086	-93.037	-91.975	0.0
32	921	922	NS	1	57.768	58.253	0.0	0.003	181.41	0.385	1223.32	1286.28	13.536	-93.141	-92.108	0.0
33	921	922	NS	2	57.768	58.253	0.0	0.003	181.41	0.385	1223.32	1286.28	13.536	-93.141	-92.108	0.0
34	921	922	SN	3	57.651	58.235	0.0	0.003	186.148	0.368	1206.168	1284.784	13.087	-93.274	-91.976	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	922	923	NS	2	57.765	58.244	0.0	0.003	1.291	0.374	1223.456	1286.144	13.16	-93.122	-92.113	0.0
36	922	923	NS	1	57.765	58.244	0.0	0.003	1.291	0.374	1223.456	1286.144	13.16	-93.122	-92.113	0.0
37	922	923	SN	1	57.646	58.234	0.0	0.003	1.291	0.381	1206.528	1284.568	13.31	-93.156	-91.974	0.0
38	923	924	NS	1	57.782	58.244	0.0	0.003	1.291	0.37	1223.888	1286.184	11.503	-93.289	-92.107	0.0
39	923	924	SN	2	57.654	58.235	0.0	0.003	1.291	0.38	1206.472	1284.624	14.58	-93.032	-91.975	0.0
40	923	924	SN	1	57.654	58.235	0.0	0.003	1.291	0.38	1206.472	1284.624	14.58	-93.032	-91.975	0.0
41	923	924	NS	3	57.782	58.244	0.0	0.003	1.291	0.37	1223.888	1286.184	12.906	-93.289	-92.107	0.0
42	924	925	NS	2	57.766	58.244	0.0	0.003	1.291	0.373	1223.464	1286.136	13.063	-93.105	-92.106	0.0
43	924	925	NS	1	57.766	58.244	0.0	0.003	1.291	0.373	1223.464	1286.136	13.063	-93.105	-92.106	0.0
44	925	926	NS	2	57.762	58.244	0.0	0.003	1.291	0.375	1222.992	1286.224	6.995	-93.304	-92.105	0.0
45	925	926	NS	1	57.762	58.244	0.0	0.003	1.291	0.375	1222.992	1286.224	6.995	-93.304	-92.105	0.0
46	926	927	SN	1	57.647	58.235	0.0	0.003	278.899	0.381	1206.056	1284.56	15.132	-93.092	-91.975	0.0
47	927	928	SN	1	57.647	58.233	0.0	0.003	1.291	0.397	1206.128	1284.336	13.734	-93.302	-91.975	0.0
48	927	928	NS	1	57.796	58.243	0.0	0.003	1.291	0.383	1223.92	1285.976	13.212	-93.249	-92.108	0.0
49	928	929	NS	1	57.771	58.244	0.0	0.003	1.291	0.363	1224.12	1286.256	12.637	-93.084	-92.109	0.0
50	928	929	SN	1	57.644	58.235	0.0	0.003	1.291	0.376	1205.864	1284.552	14.264	-93.091	-91.974	0.0
51	929	930	SN	1	57.655	58.235	0.0	0.003	1.291	0.365	1206.096	1284.648	15.103	-93.08	-91.971	0.0
52	929	930	NS	1	57.769	58.245	0.0	0.003	1.291	0.364	1224.128	1286.384	12.796	-93.102	-92.112	0.0
53	930	931	NS	1	57.772	58.244	0.0	0.003	255.339	0.373	1223.968	1286.256	13.123	-93.101	-92.112	0.0
54	930	931	SN	1	57.653	58.234	0.0	0.003	326.725	0.366	1205.976	1284.536	15.07	-93.492	-91.971	0.0
55	931	932	SN	1	57.645	58.233	0.0	0.003	1.291	0.364	1205.984	1284.432	14.781	-93.092	-91.971	0.0
56	931	932	NS	1	57.788	58.243	0.0	0.003	264.135	0.379	1224.28	1286.12	13.219	-93.083	-92.112	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	912	913	NS	1	-34.475	20.84	0.0	-34.519	20.681	0.0	2.346	25.031	2.943	1.799	24.913	3.012	0.08	187.332	3.256	0.08	189.246	3.341	0.08	0.113	0.0	0.08	0.117	0.0
2	912	913	SN	1	-34.699	19.605	0.0	-33.539	19.933	0.0	-6.005	24.118	0.476	-2.599	23.934	0.239	0.08	197.219	1.114	0.08	151.014	0.942	0.08	0.332	0.0	0.08	0.19	0.0
3	912	913	NS	2	-34.475	20.84	0.0	-34.519	20.681	0.0	2.346	25.031	2.943	1.799	24.913	3.012	0.08	187.332	3.256	0.08	189.246	3.341	0.08	0.113	0.0	0.08	0.117	0.0
4	913	914	SN	1	-34.014	19.441	0.0	-34.946	19.81	0.0	1.308	25.272	0.541	0.198	24.666	0.249	0.08	168.461	1.782	0.08	208.796	1.418	0.08	0.122	0.0	0.08	0.135	0.0
5	913	914	NS	2	-33.492	20.725	0.0	-33.274	20.367	0.0	-2.217	24.379	0.212	-2.673	24.573	0.525	0.08	149.424	1.318	0.08	142.102	1.539	0.08	0.18	0.0	0.08	0.192	0.0
6	913	914	NS	1	-33.492	20.725	0.0	-33.274	20.367	0.0	-2.217	24.379	0.212	-2.673	24.573	0.525	0.08	149.424	1.318	0.08	142.102	1.539	0.08	0.18	0.0	0.08	0.192	0.0
7	914	915	NS	3	-34.397	18.49	0.0	-34.962	20.614	0.0	-26.947	23.731	0.165	-30.508	23.767	0.346	0.081	184.014	2.493	0.08	209.535	2.711	0.08	33.154	0.009	0.08	75.193	0.047
8	914	915	NS	2	-34.362	18.49	0.0	-33.218	20.614	0.0	-26.987	23.731	0.165	-31.067	23.767	0.344	0.081	182.49	2.492	0.08	140.282	2.706	0.08	33.454	0.009	0.08	85.49	0.047
9	914	915	SN	2	-34.541	19.022	0.0	-34.495	19.166	0.0	0.584	24.126	1.018	-0.937	24.356	0.907	0.08	190.173	1.286	0.08	188.183	1.064	0.08	0.13	0.0	0.08	0.153	0.0
10	914	915	SN	3	-34.877	19.022	0.0	-34.598	19.166	0.0	0.584	24.126	1.018	-0.939	24.356	0.907	0.08	205.467	1.285	0.08	192.734	1.06	0.08	0.13	0.0	0.08	0.153	0.0
11	914	915	NS	1	-34.362	18.49	0.0	-33.218	20.614	0.0	-26.987	23.731	0.165	-31.067	23.767	0.344	0.081	182.49	2.492	0.08	140.282	2.706	0.08	33.454	0.009	0.08	85.49	0.047
12	914	915	SN	1	-34.877	19.022	0.0	-34.598	19.166	0.0	0.584	24.126	1.018	-0.939	24.356	0.907	0.08	205.467	1.285	0.08	192.734	1.06	0.08	0.13	0.0	0.08	0.153	0.0
13	915	916	SN	3	-34.861	19.454	0.0	-33.89	19.491	0.0	2.697	23.77	0.653	3.036	22.362	0.092	0.08	204.762	1.261	0.08	163.721	1.227	0.08	0.11	0.0	0.08	0.107	0.0
14	915	916	NS	3	-34.535	17.683	0.0	-34.891	17.334	0.0	-24.195	23.312	0.073	-22.765	23.66	0.329	0.081	189.956	3.796	0.081	206.128	3.866	0.08	17.616	0.052	0.08	12.696	0.044
15	915	916	NS	1	-34.535	17.683	0.0	-34.891	17.334	0.0	-24.195	23.312	0.073	-22.765	23.66	0.329	0.081	189.956	3.796	0.081	206.128	3.866	0.08	17.616	0.052	0.08	12.696	0.044
16	915	916	SN	1	-34.861	19.454	0.0	-33.89	19.491	0.0	2.697	23.77	0.653	3.036	22.362	0.092	0.08	204.762	1.261	0.08	163.721	1.227	0.08	0.11	0.0	0.08	0.107	0.0
17	915	916	SN	2	-34.861	19.454	0.0	-33.89	19.491	0.0	2.697	23.77	0.653	3.036	22.362	0.092	0.08	204.762	1.261	0.08	163.721	1.227	0.08	0.11	0.0	0.08	0.107	0.0
18	915	916	NS	2	-34.535	17.683	0.0	-34.891	17.334	0.0	-24.195	23.312	0.073	-22.765	23.66	0.329	0.081	189.956	3.796	0.081	206.128	3.866	0.08	17.616	0.052	0.08	12.696	0.044
19	916	917	SN	1	-32.573	17.913	0.0	-34.526	18.397	0.0	2.472	23.827	2.622	3.144	23.697	4.433	0.081	120.912	1.178	0.081	189.508	1.241	0.08	0.112	0.0	0.08	0.107	0.0
20	916	917	NS	1	-34.515	17.743	0.0	-32.089	17.874	0.0	-9.017	23.935	0.376	-8.903	24.008	0.441	0.081	189.027	0.296	0.081	108.161	0.301	0.08	0.596	0.0	0.08	0.583	0.0
21	916	917	NS	2	-34.515	17.743	0.0	-32.089	17.874	0.0	-9.017	23.935	0.376	-8.903	24.008	0.441	0.081	189.027	0.296	0.081	108.161	0.301	0.08	0.596	0.0	0.08	0.583	0.0
22	917	918	SN	1	-34.847	17.795	0.0	-34.911	18.62	0.0	2.115	23.51	1.113	2.814	23.792	0.876	0.081	204.087	2.165	0.081	207.138	2.107	0.08	0.114	0.0	0.08	0.109	0.0
23	917	918	NS	1	-34.343	19.4	0.0	-34.804	19.598	0.0	-24.003	23.256	0.083	-21.689	23.778	0.389	0.08	181.728	0.863	0.08	202.09	0.857	0.08	16.859	0.002	0.08	9.922	0.01
24	917	918	NS	2	-34.343	19.4	0.0	-34.804	19.598	0.0	-24.003	23.256	0.083	-21.689	23.778	0.389	0.08	181.728	0.863	0.08	202.09	0.857	0.08	16.859	0.002	0.08	9.922	0.01
25	918	919	NS	1	-31.823	20.416	0.0	-34.973	20.297	0.0	-19.76	22.503	0.042	-28.899	22.744	0.029	0.08	101.737	2.36	0.08	210.094	1.982	0.08	6.385	0.089	0.08	51.936	0.083
26	918	919	NS	2	-31.823	20.416	0.0	-34.973	20.297	0.0	-19.76	22.503	0.042	-28.899	22.744	0.029	0.08	101.737	2.36	0.08	210.094	1.982	0.08	6.385	0.089	0.08	51.936	0.083
27	919	920	SN	1	-24.371	16.183	0.0	-28.564	21.038	0.0	8.435	19.963	0.0	8.281	23.363	0.601	0.081	18.346	0.188	0.08	48.074	0.541	0.08	0.087	0.0	0.08	0.088	0.0
28	919	920	SN	2	-24.371	16.183	0.0	-28.564	21.038	0.0	8.435	19.963	0.0	8.281	23.363	0.601	0.081	18.346	0.188	0.08	48.074	0.541	0.08	0.087	0.0	0.08	0.088	0.0
29	920	921	NS	2	-34.589	20.464	0.0	-34.974	20.394	0.0	2.564	24.502	2.315	-0.391	25.682	5.116	0.08	192.327	1.341	0.08	210.12	1.538	0.08	0.111	0.0	0.08	0.144	0.0
30	920	921	NS	1	-34.589	20.464	0.0	-34.974	20.394	0.0	2.564	24.502	2.315	-0.391	25.682	5.116	0.08	192.327	1.341	0.08	210.12	1.538	0.08	0.111	0.0	0.08	0.144	0.0
31	920	921	SN	1	-34.637	17.443	0.0	-34.594	20.801	0.0	-29.461	24.726	2.008	-27.592	26.132	2.453	0.081	194.46	1.391	0.08	192.488	1.38	0.08	59.091	0.063	0.08	38.451	0.02
32	921	922	NS	1	-34.589	20.493	0.0	-33.922	19.899	0.0	-0.445	24.791	3.323	2.093	25.393	6.764	0.08	192.326	1.813	0.08	164.979	1.817	0.08	0.145	0.0	0.08	0.115	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	921	922	NS	2	-34.589	20.493	0.0	-33.922	19.899	0.0	-0.445	24.791	3.323	2.093	25.393	6.764	0.08	192.326	1.813	0.08	164.979	1.817	0.08	0.145	0.0	0.08	0.115	0.0
34	921	922	SN	3	-33.975	19.599	0.0	-34.092	22.042	0.001	-4.375	24.647	2.033	0.961	25.823	1.94	0.08	166.987	2.632	0.08	171.516	2.254	0.08	0.25	0.0	0.08	0.126	0.0
35	922	923	NS	2	-34.193	20.38	0.0	-34.014	18.823	0.0	-4.933	24.61	1.821	-6.061	24.754	3.751	0.08	175.55	1.487	0.08	168.45	1.458	0.08	0.274	0.0	0.08	0.335	0.0
36	922	923	NS	1	-34.193	20.38	0.0	-34.014	18.823	0.0	-4.933	24.61	1.821	-6.061	24.754	3.751	0.08	175.55	1.487	0.08	168.45	1.458	0.08	0.274	0.0	0.08	0.335	0.0
37	922	923	SN	1	-34.994	18.888	0.0	-34.843	21.904	0.0	-30.211	30.176	1.987	-15.731	25.829	2.144	0.08	211.127	4.293	0.08	203.894	4.111	0.08	70.23	0.057	0.08	2.563	0.007
38	923	924	NS	1	-33.463	21.108	0.0	-34.527	19.033	0.0	-4.412	24.695	4.324	-5.948	24.844	4.897	0.08	148.406	1.29	0.08	189.591	1.279	0.08	0.251	0.0	0.08	0.328	0.0
39	923	924	SN	2	-31.387	19.782	0.0	-32.015	20.93	0.0	-28.783	25.175	1.717	-30.364	25.999	1.886	0.08	92.039	0.559	0.08	106.359	0.527	0.08	50.557	0.044	0.08	72.725	0.04
40	923	924	SN	1	-31.387	19.782	0.0	-32.015	20.93	0.0	-28.783	25.175	1.717	-30.364	25.999	1.886	0.08	92.039	0.559	0.08	106.359	0.527	0.08	50.557	0.044	0.08	72.725	0.04
41	923	924	NS	3	-33.463	21.108	0.0	-34.527	19.033	0.0	-4.412	24.695	4.415	-5.948	24.844	4.52	0.08	148.406	1.287	0.08	189.591	1.279	0.08	0.251	0.0	0.08	0.328	0.0
42	924	925	NS	2	-33.98	20.345	0.0	-34.665	19.35	0.0	0.259	24.636	2.373	0.0	25.255	4.142	0.08	167.154	1.166	0.08	195.7	1.482	0.08	0.134	0.0	0.08	0.138	0.0
43	924	925	NS	1	-33.98	20.345	0.0	-34.665	19.35	0.0	0.259	24.636	2.373	0.0	25.255	4.142	0.08	167.154	1.166	0.08	195.7	1.482	0.08	0.134	0.0	0.08	0.138	0.0
44	925	926	NS	2	-34.264	19.717	0.0	-32.648	16.498	0.0	3.784	24.229	1.484	4.074	24.613	5.53	0.08	178.464	1.021	0.081	122.998	1.19	0.08	0.103	0.0	0.08	0.101	0.0
45	925	926	NS	1	-34.264	19.717	0.0	-32.648	16.498	0.0	3.784	24.229	1.484	4.074	24.613	5.53	0.08	178.464	1.021	0.081	122.998	1.19	0.08	0.103	0.0	0.08	0.101	0.0
46	926	927	SN	1	-34.021	16.046	0.0	-34.088	19.277	0.0	3.585	24.293	0.986	5.842	25.982	1.804	0.081	172.751	1.069	0.08	171.34	1.02	0.08	0.104	0.0	0.08	0.094	0.0
47	927	928	SN	1	-34.278	17.976	0.0	-34.897	19.098	0.0	-5.365	27.467	0.539	-4.218	24.353	0.298	0.081	179.03	1.17	0.08	206.439	1.136	0.08	0.296	0.0	0.08	0.243	0.0
48	927	928	NS	1	-33.845	21.921	0.0	-34.652	19.609	0.0	2.445	23.914	0.967	2.995	27.419	1.31	0.08	162.053	2.323	0.08	195.178	2.66	0.08	0.112	0.0	0.08	0.108	0.0
49	928	929	NS	1	-33.542	20.777	0.0	-34.397	20.964	0.0	-8.833	24.093	0.121	-8.974	24.181	0.343	0.08	151.115	1.969	0.08	184.009	2.262	0.08	0.574	0.0	0.08	0.591	0.0
50	928	929	SN	1	-34.377	19.001	0.0	-34.81	20.165	0.0	-10.006	24.127	0.538	-5.29	24.242	0.318	0.08	183.187	2.412	0.08	202.395	2.348	0.08	0.75	0.0	0.08	0.292	0.0
51	929	930	SN	1	-34.441	20.066	0.0	-34.714	19.745	0.0	3.227	23.99	0.781	3.145	22.542	0.061	0.08	185.871	1.418	0.08	197.93	1.375	0.08	0.106	0.0	0.08	0.107	0.0
52	929	930	NS	1	-34.662	17.483	0.0	-34.581	18.411	0.0	-5.962	22.88	0.043	-23.113	23.454	0.342	0.081	195.556	3.202	0.081	191.991	3.438	0.08	0.329	0.0	0.08	13.75	0.026
53	930	931	NS	1	-34.032	17.684	0.0	-34.041	17.69	0.0	-16.67	23.612	0.222	-32.315	23.863	0.302	0.081	169.153	2.177	0.081	169.567	2.476	0.08	3.166	0.007	0.08	113.944	0.046
54	930	931	SN	1	-34.597	18.256	0.0	-34.827	18.725	0.0	2.692	24.147	2.035	3.083	24.335	2.91	0.081	192.641	0.943	0.08	203.192	0.862	0.08	0.11	0.0	0.08	0.107	0.0
55	931	932	SN	1	-34.98	18.147	0.0	-34.863	18.498	0.0	2.299	23.505	1.431	3.107	24.011	2.228	0.081	210.471	2.184	0.081	209.632	2.113	0.08	0.113	0.0	0.08	0.107	0.0
56	931	932	NS	1	-31.33	19.027	0.0	-31.75	19.407	0.0	-29.882	23.909	0.173	-16.441	24.067	0.296	0.08	90.826	1.63	0.08	100.054	1.271	0.08	65.096	0.006	0.08	3.007	0.005

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors