









SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 27-FEB-2020 To 28-FEB-2020



176	18131	18132	SN	1	0.0	50.015	1.209	0.0	44.236	1.339	0.0	47.841	1.112	0.0	37.871	1.589	0.0	51.367	1.164	0.0	42.95	1.201	0.0	47.257	1.016	0.0	37.204	1.222
177	18132	18133	NS	1	0.0	47.997	2.474	0.0	46.339	3.389	0.0	41.487	3.44	0.0	45.655	4.287	0.0	46.454	2.464	0.0	47.263	3.562	0.0	41.143	3.469	0.0	45.765	4.095
178	18132	18133	SN	1	0.0	45.881	1.047	0.0	52.654	1.47	0.0	39.43	0.916	0.0	42.753	1.424	0.0	45.396	1.076	0.0	51.854	1.318	0.0	38.762	0.852	0.0	40.573	1.216
179	18132	18133	NS	1	0.0	41.885	0.767	0.0	45.395	0.987	0.0	40.844	1.032	0.0	43.065	1.557	0.0	42.783	0.751	0.0	44.408	0.944	0.0	37.277	1.004	0.0	40.154	1.386
180	18132	18133	NS	1	0.0	47.997	2.496	0.0	46.339	3.406	0.0	41.487	3.443	0.0	45.655	4.309	0.0	46.454	2.486	0.0	47.263	3.58	0.0	41.143	3.472	0.0	45.765	4.116
181	18132	18133	SN	1	0.0	53.659	3.414	0.0	51.111	4.507	0.0	45.392	3.626	0.0	48.618	4.687	0.0	55.789	3.485	0.0	49.477	4.222	0.0	46.891	3.527	0.0	46.142	4.161
182	18132	18133	NS	1	0.0	41.885	0.763	0.0	45.395	0.983	0.0	40.844	1.027	0.0	43.065	1.551	0.0	42.783	0.747	0.0	44.408	0.94	0.0	37.277	0.999	0.0	40.154	1.381
183	18133	18134	NS	1	0.0	35.48	0.764	0.0	37.57	1.22	0.0	36.454	1.011	0.0	39.67	1.487	0.0	34.848	0.762	0.0	35.518	1.127	0.0	37.352	0.941	0.0	38.531	1.22
184	18133	18134	SN	1	0.0	53.406	3.191	0.0	46.947	4.486	0.0	46.334	3.243	0.0	42.201	4.324	0.0	54.69	3.08	0.0	46.679	4.263	0.0	45.399	2.966	0.0	40.007	3.94
185	18133	18134	NS	1	0.0	35.48	0.754	0.0	37.57	1.167	0.0	36.454	0.986	0.0	39.67	1.431	0.0	34.848	0.75	0.0	35.518	1.076	0.0	37.352	0.918	0.0	36.528	1.181
186	18133	18134	NS	1	0.0	42.027	1.906	0.0	38.887	3.086	0.0	41.04	3.013	0.0	42.338	3.918	0.0	42.366	1.906	0.0	39.002	2.832	0.0	40.296	2.92	0.0	38.677	3.463
187	18133	18134	SN	1	0.0	47.258	0.744	0.0	42.239	1.296	0.0	44.368	0.948	0.0	41.706	1.232	0.0	48.294	0.749	0.0	41.985	1.196	0.0	46.647	0.884	0.0	37.431	1.094
188	18133	18134	NS	1	0.0	42.027	1.894	0.0	38.887	3.183	0.0	41.04	3.081	0.0	42.338	4.013	0.0	42.366	1.873	0.0	39.002	2.91	0.0	40.296	2.956	0.0	38.677	3.587
189	18134	18135	NS	1	0.0	43.471	1.493	0.0	41.689	1.812	0.0	44.244	1.701	0.0	40.982	1.954	0.0	43.303	1.532	0.0	41.867	1.666	0.0	41.4	1.712	0.0	40.266	1.72
190	18134	18135	NS	1	0.0	43.471	1.384	0.0	41.718	1.679	0.0	43.7	1.571	0.0	40.982	1.826	0.0	43.303	1.407	0.0	41.867	1.552	0.0	40.855	1.598	0.0	40.266	1.606
191	18134	18135	NS	1	0.0	50.537	5.038	0.0	46.945	6.37	0.0	45.968	5.394	0.0	37.587	5.85	0.0	51.108	5.092	0.0	44.129	5.934	0.0	43.424	5.433	0.0	37.413	5.582
192	18134	18135	SN	1	0.0	45.076	4.165	0.0	44.848	4.468	0.0	41.769	4.751	0.0	42.595	5.301	0.0	44.553	4.246	0.0	43.62	4.224	0.0	42.922	4.779	0.0	42.464	4.867
193	18134	18135	NS	1	0.0	50.537	4.796	0.0	46.945	6.005	0.0	45.968	5.13	0.0	37.587	5.431	0.0	51.108	4.816	0.0	44.129	5.548	0.0	43.424	5.187	0.0	37.413	5.182
194	18134	18135	SN	1	0.0	45.869	1.275	0.0	46.302	1.622	0.0	35.963	1.504	0.0	39.591	2.048	0.0	45.213	1.286	0.0	45.984	1.493	0.0	37.067	1.465	0.0	38.143	1.808
195	18135	18136	NS	1	0.0	55.14	6.623	0.0	51.045	8.206	0.0	50.165	5.644	0.0	47.439	6.411	0.0	56.837	6.674	0.0	49.113	8.419	0.0	47.592	5.652	0.0	48.346	6.468
196	18135	18136	SN	1	0.0	40.739	1.2	0.0	46.453	1.739	0.0	39.489	1.718	0.0	42.08	2.389	0.0	40.647	1.25	0.0	44.437	1.601	0.0	39.845	1.654	0.0	37.08	2.161
197	18135	18136	NS	1	0.0	55.14	7.273	0.0	51.045	9.235	0.0	50.165	6.209	0.0	47.439	7.222	0.0	56.837	7.307	0.0	49.113	9.466	0.0	47.592	6.258	0.0	48.346	7.287
198	18135	18136	SN	1	0.0	47.054	4.255	0.0	45.601	5.35	0.0	40.103	5.154	0.0	38.689	6.26	0.0	47.511	4.194	0.0	42.277	5.065	0.0	41.46	5.168	0.0	40.744	6.068
199	18135	18136	NS	1	0.0	54.697	2.041	0.0	46.481	2.65	0.0	42.431	1.919	0.0	42.303	2.388	0.0	56.014	2.046	0.0	47.681	2.586	0.0	41.819	1.854	0.0	43.466	2.273
200	18135	18136	NS	1	0.0	54.697	1.836	0.0	46.481	2.352	0.0	42.431	1.719	0.0	42.303	2.12	0.0	56.014	1.846	0.0	47.681	2.282	0.0	41.819	1.659	0.0	43.466	2.028
201	18136	18137	NS	1	0.0	47.793	1.229	0.0	43.437	1.743	0.0	44.934	1.169	0.0	41.033	1.528	0.0	48.847	1.183	0.0	41.795	1.521	0.0	45.158	1.084	0.0	42.626	1.191
202	18136	18137	NS	1	0.0	47.793	1.465	0.0	43.437	2.085	0.0	44.934	1.372	0.0	41.033	1.817	0.0	48.847	1.39	0.0	41.795	1.819	0.0	45.158	1.285	0.0	42.626	1.436
203	18136	18137	NS	1	0.0	49.643	4.805	0.0	58.961	6.657	0.0	46.812	4.421	0.0	44.151	5.36	0.0	49.32	4.968	0.0	57.02	6.16	0.0	48.008	4.194	0.0	42.958	4.358
204	18136	18137	NS	1	0.0	49.643	5.621	0.0	58.961	7.81	0.0	46.812	5.175	0.0	44.151	6.336	0.0	49.32	5.82	0.0	57.02	7.251	0.0	48.008	4.931	0.0	42.958	5.237

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

32	18111	18112	NS	1	0.0	209.016	10.213	0.0	32.064	14.376	0.0	136.797	10.756	0.0	78.925	13.056	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.833	0.0	0.0	2.138	0.0
33	18111	18112	SN	1	0.0	28.496	12.895	0.0	25.595	12.948	0.0	156.069	10.957	0.0	71.645	13.603	0.0	1.429	0.0	0.0	1.773	0.0	0.0	1.826	0.0	0.0	2.126	0.0
34	18111	18112	SN	1	0.0	23.373	5.833	0.0	24.801	6.946	0.0	144.945	2.26	0.0	49.596	3.603	0.0	1.42	0.0	0.0	1.771	0.0	0.0	1.833	0.0	0.0	2.126	0.0
35	18111	18112	SN	1	0.0	23.373	5.833	0.0	24.801	6.946	0.0	144.945	2.26	0.0	49.596	3.603	0.0	1.42	0.0	0.0	1.771	0.0	0.0	1.833	0.0	0.0	2.126	0.0
36	18111	18112	NS	1	0.0	209.016	10.223	0.0	32.064	14.386	0.0	136.808	10.756	0.0	78.925	13.063	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.833	0.0	0.0	2.138	0.0
37	18111	18112	SN	1	0.0	28.496	12.908	0.0	25.595	12.569	0.0	156.069	11.159	0.0	14.946	12.97	0.0	1.429	0.0	0.0	1.773	0.0	0.0	1.826	0.0	0.0	2.126	0.0
38	18111	18112	NS	1	0.0	159.26	6.421	0.0	24.68	7.053	0.0	135.589	2.464	0.0	50.716	3.198	0.0	1.422	0.0	0.0	1.781	0.0	0.0	1.845	0.0	0.0	2.136	0.0
39	18111	18112	NS	1	0.0	159.248	6.423	0.0	24.68	7.057	0.0	135.606	2.466	0.0	50.716	3.196	0.0	1.422	0.0	0.0	1.781	0.0	0.0	1.845	0.0	0.0	2.136	0.0
40	18111	18112	SN	1	0.0	23.373	5.893	0.0	24.801	6.926	0.0	144.945	2.308	0.0	12.927	3.453	0.0	1.42	0.0	0.0	1.771	0.0	0.0	1.833	0.0	0.0	2.126	0.0
41	18112	18113	SN	1	0.0	23.384	5.834	0.0	24.784	6.916	0.0	136.86	2.261	0.0	271.967	3.622	0.0	1.426	0.0	0.0	1.771	0.0	0.0	1.832	0.0	0.0	2.125	0.0
42	18112	18113	NS	1	0.0	119.51	6.412	0.0	24.674	7.064	0.0	343.212	2.456	0.0	62.088	3.2	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.848	0.0	0.0	2.138	0.0
43	18112	18113	SN	1	0.0	28.551	12.941	0.0	25.363	12.471	0.0	135.035	11.266	0.0	14.367	12.861	0.0	1.427	0.0	0.0	1.773	0.0	0.0	1.824	0.0	0.0	2.126	0.0
44	18112	18113	NS	1	0.0	160.517	10.243	0.0	30.211	14.335	0.0	214.47	10.834	0.0	74.342	13.078	0.0	1.406	0.0	0.0	1.782	0.0	0.0	1.833	0.0	0.0	2.138	0.0
45	18112	18113	SN	1	0.0	28.551	12.893	0.0	25.363	12.927	0.0	135.057	10.93	0.0	152.683	13.66	0.0	1.426	0.0	0.0	1.773	0.0	0.0	1.824	0.0	0.0	2.126	0.0
46	18112	18113	SN	1	0.0	28.551	12.893	0.0	25.363	12.948	0.0	135.035	10.923	0.0	72.368	13.653	0.0	1.427	0.0	0.0	1.773	0.0	0.0	1.824	0.0	0.0	2.126	0.0
47	18112	18113	NS	1	0.0	91.475	10.248	0.667	30.04	14.332	0.0	271.854	10.846	0.0	60.693	13.089	0.0	1.406	0.0	0.001	1.783	0.0	0.0	1.839	0.0	0.0	2.136	0.0
48	18112	18113	SN	1	0.0	23.389	5.91	0.0	24.784	6.878	0.0	136.816	2.364	0.0	12.922	3.467	0.0	1.427	0.0	0.0	1.771	0.0	0.0	1.832	0.0	0.0	2.126	0.0
49	18112	18113	NS	1	0.0	217.677	6.419	0.0	24.674	7.069	0.0	348.849	2.439	0.0	62.088	3.207	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.846	0.0	0.0	2.138	0.0
50	18112	18113	SN	1	0.0	23.389	5.841	0.0	24.784	6.916	0.0	136.816	2.277	0.0	60.902	3.617	0.0	1.427	0.0	0.0	1.771	0.0	0.0	1.832	0.0	0.0	2.126	0.0
51	18113	18114	SN	1	0.0	28.485	12.883	0.0	25.347	12.742	0.0	148.64	10.739	0.0	75.346	13.645	0.0	1.43	0.0	0.0	1.772	0.0	0.0	1.827	0.0	0.0	2.124	0.0
52	18113	18114	NS	1	0.0	54.938	10.279	0.656	30.051	14.241	0.0	349.996	10.832	0.0	71.033	13.068	0.0	1.406	0.0	0.001	1.783	0.0	0.0	1.84	0.0	0.0	2.136	0.0
53	18113	18114	NS	1	0.0	122.077	10.279	0.656	30.051	14.251	0.0	349.985	10.796	0.0	71.011	13.054	0.0	1.405	0.0	0.001	1.782	0.0	0.0	1.847	0.0	0.0	2.136	0.0
54	18113	18114	SN	1	0.0	28.485	12.883	0.0	25.347	12.742	0.0	148.64	10.739	0.0	75.346	13.645	0.0	1.43	0.0	0.0	1.772	0.0	0.0	1.827	0.0	0.0	2.124	0.0
55	18113	18114	SN	1	0.0	23.384	5.925	0.0	24.801	6.782	0.0	142.017	2.4	0.0	12.955	3.511	0.0	1.421	0.0	0.0	1.77	0.0	0.0	1.831	0.0	0.0	2.125	0.0
56	18113	18114	SN	1	0.0	23.384	5.823	0.0	24.801	6.854	0.0	142.017	2.269	0.0	59.551	3.607	0.0	1.421	0.0	0.0	1.77	0.0	0.0	1.831	0.0	0.0	2.125	0.0
57	18113	18114	SN	1	0.0	23.384	5.823	0.0	24.801	6.854	0.0	142.017	2.269	0.0	59.551	3.607	0.0	1.421	0.0	0.0	1.77	0.0	0.0	1.831	0.0	0.0	2.125	0.0
58	18113	18114	NS	1	0.0	95.801	6.421	0.0	24.68	7.112	0.0	349.615	2.44	0.0	65.094	3.208	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.848	0.0	0.0	2.138	0.0
59	18113	18114	SN	1	0.0	28.485	12.954	0.0	25.347	12.175	0.0	148.64	11.209	0.0	14.367	12.755	0.0	1.43	0.0	0.0	1.772	0.0	0.0	1.827	0.0	0.0	2.124	0.0
60	18113	18114	NS	1	0.0	217.931	6.424	0.0	24.68	7.109	0.0	349.604	2.44	0.0	65.083	3.199	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.848	0.0	0.0	2.138	0.0
61	18114	18115	SN	1	0.0	28.055	12.987	0.667	25.33	12.018	0.0	137.572	11.286	0.0	168.095	12.664	0.0	1.426	0.0	0.002	1.768	0.0	0.0	1.825	0.0	0.0	2.121	0.0
62	18114	18115	SN	1	0.0	28.055	12.9	0.667	25.33	12.646	0.0	137.572	10.686	0.0	168.095	13.642	0.0	1.426	0.0	0.002	1.768	0.0	0.0	1.825	0.0	0.0	2.121	0.0
63	18114	18115	SN	1	0.0	23.389	5.817	0.0	24.79	6.858	0.0	157.839	2.275	0.0	143.531	3.577	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.833	0.0	0.0	2.125	0.0
64	18114	18115	NS	1	0.0	24.305	6.431	0.0	24.685	7.195	0.0	138.97	2.461	0.0	52.63	3.225	0.0	1.423	0.0	0.0	1.782	0.0	0.0	1.849	0.0	0.0	2.139	0.0
65	18114	18115	NS	1	0.0	269.333	10.174	0.0	30.051	14.096	0.0	138.97	10.973	0.0	70.752	13.139	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.842	0.0	0.0	2.138	0.0
66	18114	18115	SN	1	0.0	28.055	12.9	0.667	25.33	12.646	0.0	137.572	10.686	0.0	168.095	13.642	0.0	1.426	0.0	0.002	1.768	0.0	0.0	1.825	0.0	0.0	2.121	0.0
67	18114	18115	SN	1	0.0	23.389	5.977	0.0	24.79	6.764	0.0	157.839	2.474	0.0	143.531	3.526	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.833	0.0	0.0	2.125	0.0
68	18114	18115	SN	1	0.0	23.389	5.817	0.0	24.79	6.858	0.0	157.839	2.275	0.0	143.531	3.577	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.833	0.0	0.0	2.125	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

69	18115	18116	NS	1	0.0	217.688	6.439	0.0	24.691	7.198	0.0	349.919	2.465	0.0	49.481	3.219	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.138	0.0
70	18115	18116	NS	1	0.0	102.67	10.171	0.0	30.057	14.193	0.0	135.694	10.93	0.0	68.965	13.149	0.0	1.405	0.0	0.0	1.783	0.0	0.0	1.834	0.0	0.0	2.139	0.0
71	18115	18116	SN	1	0.0	106.142	5.84	0.0	24.784	6.892	0.0	142.932	2.273	0.0	62.81	3.568	0.0	1.425	0.0	0.0	1.769	0.0	0.0	1.827	0.0	0.0	2.124	0.0
72	18115	18116	NS	1	0.0	121.917	10.094	0.0	30.057	14.197	0.0	357.562	10.846	0.0	74.011	13.102	0.0	1.405	0.0	0.0	1.782	0.0	0.0	1.843	0.0	0.0	2.138	0.0
73	18115	18116	NS	1	0.0	24.244	6.44	0.0	24.691	7.224	0.0	329.976	2.457	0.0	55.475	3.221	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.139	0.0
74	18115	18116	SN	1	0.0	80.684	13.022	0.0	25.231	12.603	0.0	143.848	10.807	0.0	76.526	13.685	0.0	1.425	0.0	0.0	1.768	0.0	0.0	1.829	0.0	0.0	2.126	0.0
75	18116	18117	SN	1	0.0	23.389	5.826	0.0	24.762	6.868	0.0	145.348	2.292	0.0	49.078	3.571	0.0	1.421	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.124	0.0
76	18116	18117	NS	1	0.0	94.734	10.203	0.0	30.062	14.092	0.0	137.977	10.983	0.0	74.392	13.143	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.833	0.0	0.0	2.138	0.0
77	18116	18117	NS	1	0.0	94.734	10.203	0.0	30.062	14.092	0.0	137.977	10.983	0.0	74.403	13.143	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.833	0.0	0.0	2.138	0.0
78	18116	18117	SN	1	0.0	28.656	12.967	0.0	207.598	12.777	0.0	151.922	10.652	0.0	71.37	13.639	0.0	1.42	0.0	0.0	1.77	0.0	0.0	1.825	0.0	0.0	2.126	0.0
79	18116	18117	SN	1	0.0	28.656	12.967	0.0	207.598	12.777	0.0	151.922	10.652	0.0	71.37	13.639	0.0	1.42	0.0	0.0	1.77	0.0	0.0	1.825	0.0	0.0	2.126	0.0
80	18116	18117	SN	1	0.0	23.389	5.826	0.0	24.762	6.868	0.0	145.348	2.292	0.0	49.078	3.571	0.0	1.421	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.124	0.0
81	18116	18117	NS	1	0.0	24.272	6.421	0.0	24.691	7.166	0.0	137.001	2.475	0.0	51.278	3.194	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.847	0.0	0.0	2.137	0.0
82	18116	18117	NS	1	0.0	24.272	6.421	0.0	24.691	7.166	0.0	137.001	2.475	0.0	51.278	3.194	0.0	1.42	0.0	0.0	1.781	0.0	0.0	1.847	0.0	0.0	2.137	0.0
83	18117	18118	NS	1	0.0	105.797	10.238	0.0	30.057	14.068	0.0	146.206	10.916	0.0	60.671	13.069	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.843	0.0	0.0	2.138	0.0
84	18117	18118	SN	1	0.0	23.367	5.82	0.0	24.773	6.866	0.0	139.248	2.266	0.0	243.551	3.591	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.829	0.0	0.0	2.122	0.0
85	18117	18118	SN	1	0.0	28.419	12.871	0.0	25.237	12.742	0.0	141.78	10.665	0.0	172.253	13.631	0.0	1.432	0.0	0.0	1.77	0.0	0.0	1.825	0.0	0.0	2.123	0.0
86	18117	18118	NS	1	0.0	105.797	10.238	0.0	30.057	14.068	0.0	146.206	10.916	0.0	60.671	13.069	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.843	0.0	0.0	2.138	0.0
87	18117	18118	NS	1	0.0	200.542	6.437	0.0	24.691	7.155	0.0	350.536	2.469	0.0	62.165	3.211	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.138	0.0
88	18117	18118	NS	1	0.0	200.542	6.437	0.0	24.691	7.155	0.0	350.536	2.469	0.0	62.165	3.211	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.138	0.0
89	18118	18119	NS	1	0.0	121.975	6.43	0.0	24.685	7.18	0.0	160.727	2.452	0.0	62.49	3.224	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.139	0.0
90	18118	18119	NS	1	0.0	205.872	10.228	0.0	30.057	14.028	0.0	350.056	10.966	0.0	70.504	13.168	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.834	0.0	0.0	2.138	0.0
91	18118	18119	SN	1	0.0	28.568	12.942	0.0	25.292	12.744	0.0	171.263	10.661	0.0	256.574	13.645	0.0	1.431	0.0	0.0	1.77	0.0	0.0	1.825	0.0	0.0	2.124	0.0
92	18118	18119	SN	1	0.0	23.389	5.832	0.0	24.779	6.857	0.0	159.582	2.27	0.0	211.015	3.576	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.124	0.0
93	18119	18120	NS	1	0.0	197.986	10.135	0.0	30.062	14.055	0.0	354.226	11.065	0.0	70.432	13.182	0.0	1.404	0.0	0.0	1.783	0.0	0.0	1.843	0.0	0.0	2.137	0.0
94	18119	18120	SN	1	0.0	28.066	12.937	0.0	38.112	12.616	0.0	164.639	10.654	0.0	87.589	13.649	0.0	1.424	0.0	0.0	1.77	0.0	0.0	1.83	0.0	0.0	2.125	0.0
95	18119	18120	SN	1	0.0	23.373	5.824	0.0	229.09	6.856	0.0	171.505	2.242	0.0	138.683	3.586	0.0	1.422	0.0	0.0	1.769	0.0	0.0	1.826	0.0	0.0	2.128	0.0
96	18119	18120	NS	1	0.0	197.986	6.431	0.0	24.696	7.288	0.0	345.871	2.485	0.0	52.497	3.262	0.0	1.424	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.139	0.0
97	18120	18121	NS	1	0.0	217.942	6.44	0.0	24.691	7.326	0.0	136.935	2.475	0.0	55.15	3.253	0.0	1.422	0.0	0.0	1.783	0.0	0.0	1.849	0.0	0.0	2.14	0.0
98	18120	18121	NS	1	0.0	154.004	10.134	0.0	30.062	14.096	0.0	354.424	11.1	0.0	73.713	13.21	0.0	1.405	0.0	0.0	1.783	0.0	0.0	1.843	0.0	0.0	2.138	0.0
99	18120	18121	SN	1	0.0	23.384	5.799	0.0	24.773	6.851	0.0	151.26	2.243	0.0	248.906	3.573	0.0	1.42	0.0	0.0	1.768	0.0	0.0	1.826	0.0	0.0	2.124	0.0
100	18120	18121	SN	1	0.0	28.325	12.937	0.0	25.297	12.697	0.0	144.035	10.692	0.0	250.395	13.649	0.0	1.426	0.0	0.0	1.77	0.0	0.0	1.824	0.0	0.0	2.121	0.0
101	18121	18122	SN	1	0.0	28.496	13.003	0.0	25.226	12.151	0.0	150.499	11.065	0.0	14.394	12.614	0.0	1.427	0.0	0.0	1.771	0.0	0.0	1.824	0.0	0.0	2.118	0.0
102	18121	18122	NS	1	0.0	191.754	6.43	0.0	24.685	7.351	0.0	135.369	2.468	0.0	65.518	3.259	0.0	1.42	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.14	0.0
103	18121	18122	SN	1	0.0	23.367	5.814	0.0	24.768	6.864	0.0	142.491	2.292	0.0	49.442	3.546	0.0	1.428	0.0	0.0	1.768	0.0	0.0	1.832	0.0	0.0	2.123	0.0
104	18121	18122	SN	1	0.0	23.367	5.934	0.0	24.768	6.772	0.0	142.491	2.455	0.0	12.916	3.462	0.0	1.428	0.0	0.0	1.768	0.0	0.0	1.832	0.0	0.0	2.123	0.0
105	18121	18122	NS	1	0.0	264.229	10.144	0.0	30.062	14.126	0.0	354.777	11.076	0.0	80.618	13.217	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.843	0.0	0.0	2.138	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

106	18121	18122	SN	1	0.0	28.496	12.927	0.0	25.226	12.789	0.0	150.499	10.544	0.0	71.485	13.584	0.0	1.427	0.0	0.0	1.771	0.0	0.0	1.824	0.0	0.0	2.118	0.0
107	18121	18122	SN	1	0.0	28.496	12.927	0.0	25.226	12.789	0.0	150.499	10.544	0.0	71.485	13.584	0.0	1.427	0.0	0.0	1.771	0.0	0.0	1.824	0.0	0.0	2.118	0.0
108	18121	18122	SN	1	0.0	23.367	5.814	0.0	24.768	6.864	0.0	142.491	2.292	0.0	49.442	3.546	0.0	1.428	0.0	0.0	1.768	0.0	0.0	1.832	0.0	0.0	2.123	0.0
109	18122	18123	SN	1	0.0	23.395	5.819	0.0	24.773	6.866	0.0	130.231	2.299	0.0	60.682	3.548	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.123	0.0
110	18122	18123	SN	1	0.0	28.645	12.937	0.0	25.22	12.881	0.0	146.473	10.514	0.0	72.186	13.626	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.126	0.0
111	18122	18123	NS	1	0.0	255.739	6.436	0.0	24.691	7.277	0.0	346.714	2.489	0.0	63.411	3.269	0.0	1.423	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.138	0.0
112	18122	18123	SN	1	0.0	23.395	5.819	0.0	24.773	6.867	0.0	130.198	2.288	0.0	60.682	3.544	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.831	0.0	0.0	2.123	0.0
113	18122	18123	NS	1	0.0	160.352	10.183	0.0	30.068	14.02	0.0	193.508	11.211	0.0	75.329	13.221	0.0	1.404	0.0	0.0	1.782	0.0	0.0	1.839	0.0	0.0	2.139	0.0
114	18122	18123	SN	1	0.0	23.395	5.867	0.0	24.773	6.844	0.0	130.231	2.338	0.0	12.916	3.408	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.123	0.0
115	18122	18123	SN	1	0.0	28.645	12.967	0.0	25.22	12.549	0.0	146.473	10.664	0.0	15.674	13.094	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.126	0.0
116	18122	18123	SN	1	0.0	28.639	12.937	0.0	25.22	12.891	0.0	146.434	10.514	0.0	72.186	13.626	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.126	0.0
117	18123	18124	SN	1	0.0	28.529	12.87	0.0	25.568	12.692	0.0	140.164	10.639	0.0	21.531	13.377	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.125	0.0
118	18123	18124	SN	1	0.0	28.529	12.87	0.0	25.568	12.692	0.0	140.164	10.639	0.0	21.531	13.377	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.125	0.0
119	18123	18124	SN	1	0.0	23.362	5.85	0.0	24.79	6.852	0.0	144.642	2.327	0.0	13.914	3.488	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.125	0.0
120	18123	18124	NS	1	0.0	257.316	10.168	0.0	30.057	14.155	0.0	344.917	11.001	0.0	71.689	13.181	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.835	0.0	0.0	2.138	0.0
121	18123	18124	NS	1	0.0	257.316	10.158	0.0	30.057	14.135	0.0	344.911	11.001	0.0	71.689	13.181	0.0	1.405	0.0	0.0	1.784	0.0	0.0	1.835	0.0	0.0	2.138	0.0
122	18123	18124	SN	1	0.0	28.529	12.871	0.0	25.568	12.855	0.0	140.164	10.575	0.0	74.392	13.639	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.125	0.0
123	18123	18124	SN	1	0.0	23.362	5.82	0.0	24.79	6.853	0.0	144.642	2.309	0.0	54.323	3.583	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.125	0.0
124	18123	18124	NS	1	0.0	166.997	6.435	0.0	24.691	7.275	0.0	351.391	2.483	0.0	54.196	3.21	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.14	0.0
125	18123	18124	SN	1	0.0	23.362	5.85	0.0	24.79	6.849	0.0	144.642	2.327	0.0	13.898	3.48	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.125	0.0
126	18123	18124	NS	1	0.0	166.997	6.43	0.0	24.685	7.27	0.0	351.386	2.479	0.0	54.196	3.216	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.14	0.0
127	18124	18125	SN	1	0.0	28.573	12.931	0.0	206.65	12.845	0.0	140.12	10.611	0.0	80.243	13.661	0.0	1.432	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.125	0.0
128	18124	18125	NS	1	0.0	70.871	10.138	0.0	30.04	14.247	0.0	346.825	10.831	0.0	75.296	13.103	0.0	1.404	0.0	0.0	1.784	0.0	0.0	1.835	0.0	0.0	2.138	0.0
129	18124	18125	NS	1	0.0	45.154	6.421	0.0	24.68	7.245	0.0	355.097	2.461	0.0	48.78	3.184	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.14	0.0
130	18124	18125	SN	1	0.0	23.384	5.805	0.0	266.609	6.86	0.0	133.761	2.263	0.0	56.512	3.583	0.0	1.421	0.0	0.0	1.769	0.0	0.0	1.836	0.0	0.0	2.125	0.0
131	18125	18126	SN	1	0.0	28.193	12.977	0.0	25.308	12.809	0.0	152.407	10.691	0.0	75.749	13.643	0.0	1.423	0.0	0.0	1.773	0.0	0.0	1.828	0.0	0.0	2.126	0.0
132	18125	18126	SN	1	0.0	23.378	5.823	0.0	24.779	6.881	0.0	153.824	2.267	0.0	64.294	3.589	0.0	1.42	0.0	0.0	1.769	0.0	0.0	1.837	0.0	0.0	2.126	0.0
133	18125	18126	NS	1	0.0	121.917	10.135	0.0	30.051	14.26	0.0	354.529	10.873	0.0	73.024	13.141	0.0	1.404	0.0	0.0	1.783	0.0	0.0	1.843	0.0	0.0	2.138	0.0
134	18125	18126	NS	1	0.0	95.991	6.422	0.0	24.685	7.187	0.0	135.997	2.455	0.0	54.582	3.195	0.0	1.422	0.0	0.0	1.782	0.0	0.0	1.846	0.0	0.0	2.137	0.0
135	18126	18127	SN	1	0.0	23.373	5.835	0.0	24.779	6.865	0.0	144.978	2.275	0.0	57.146	3.593	0.0	1.424	0.0	0.0	1.769	0.0	0.0	1.836	0.0	0.0	2.123	0.0
136	18126	18127	NS	1	0.0	66.401	6.433	0.0	24.685	7.212	0.0	355.489	2.464	0.0	50.975	3.198	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0
137	18126	18127	NS	1	0.0	67.926	10.131	0.0	30.051	14.193	0.0	170.587	10.99	0.0	74.276	13.192	0.0	1.405	0.0	0.0	1.781	0.0	0.0	1.837	0.0	0.0	2.138	0.0
138	18126	18127	SN	1	0.0	28.165	12.919	0.0	25.325	12.687	0.0	140.246	10.67	0.0	84.826	13.643	0.0	1.423	0.0	0.0	1.771	0.0	0.0	1.829	0.0	0.0	2.126	0.0
139	18127	18128	SN	1	0.0	28.468	12.885	0.0	25.347	12.637	0.0	140.417	10.727	0.0	71.971	13.642	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.126	0.0
140	18127	18128	SN	1	0.0	28.468	12.947	0.0	25.347	12.137	0.0	140.417	11.108	0.0	44.029	12.816	0.0	1.433	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.126	0.0
141	18127	18128	SN	1	0.0	23.373	5.906	0.0	24.773	6.804	0.0	135.708	2.375	0.0	59.195	3.448	0.0	1.421	0.0	0.0	1.769	0.0	0.0	1.835	0.0	0.0	2.123	0.0
142	18127	18128	NS	1	0.0	255.449	10.139	0.0	30.057	14.163	0.0	261.894	11.075	0.0	69.704	13.214	0.0	1.403	0.0	0.0	1.781	0.0	0.0	1.837	0.0	0.0	2.137	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

143	18127	18128	NS	1	0.0	269.537	10.149	0.0	30.057	14.132	0.0	222.158	11.096	0.0	69.721	13.207	0.0	1.404	0.0	0.0	1.781	0.0	0.0	1.841	0.0	0.0	2.138	0.0
144	18127	18128	NS	1	0.0	198.786	6.431	0.0	24.691	7.207	0.0	339.043	2.453	0.0	62.397	3.207	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0
145	18127	18128	SN	1	0.0	23.373	5.826	0.0	24.773	6.865	0.0	135.708	2.273	0.0	59.195	3.578	0.0	1.421	0.0	0.0	1.769	0.0	0.0	1.835	0.0	0.0	2.123	0.0
146	18127	18128	NS	1	0.0	218.124	6.422	0.0	24.691	7.223	0.0	339.026	2.449	0.0	62.391	3.207	0.0	1.421	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.138	0.0
147	18128	18129	SN	1	0.0	28.408	12.88	0.0	25.568	12.774	0.0	145.204	10.667	0.0	74.601	13.604	0.0	1.428	0.0	0.0	1.771	0.0	0.0	1.826	0.0	0.0	2.125	0.0
148	18128	18129	SN	1	0.0	28.408	12.984	0.0	25.281	12.156	0.0	145.199	11.176	0.0	14.356	12.643	0.0	1.428	0.0	0.0	1.772	0.0	0.0	1.826	0.0	0.0	2.126	0.0
149	18128	18129	SN	1	0.0	28.408	12.9	0.0	25.281	12.784	0.0	145.199	10.653	0.0	74.612	13.604	0.0	1.428	0.0	0.0	1.772	0.0	0.0	1.826	0.0	0.0	2.126	0.0
150	18128	18129	NS	1	0.0	24.255	10.148	0.0	31.882	14.092	0.0	345.964	11.085	0.0	70.156	13.181	0.0	1.405	0.0	0.0	1.783	0.0	0.0	1.835	0.0	0.0	2.137	0.0
151	18128	18129	NS	1	0.0	266.603	10.158	0.0	31.882	14.092	0.0	345.975	11.078	0.0	70.195	13.202	0.0	1.405	0.0	0.0	1.783	0.0	0.0	1.836	0.0	0.0	2.137	0.0
152	18128	18129	SN	1	0.0	23.373	5.937	0.0	24.773	6.779	0.0	145.453	2.429	0.0	12.916	3.482	0.0	1.428	0.0	0.0	1.77	0.0	0.0	1.827	0.0	0.0	2.125	0.0
153	18128	18129	SN	1	0.0	23.373	5.809	0.0	24.773	6.86	0.0	145.453	2.265	0.0	54.874	3.574	0.0	1.428	0.0	0.0	1.77	0.0	0.0	1.827	0.0	0.0	2.125	0.0
154	18128	18129	SN	1	0.0	23.373	5.813	0.0	24.773	6.864	0.0	145.453	2.263	0.0	57.323	3.569	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.827	0.0	0.0	2.124	0.0
155	18128	18129	NS	1	0.0	24.244	6.433	0.0	24.691	7.234	0.0	353.906	2.49	0.0	63.075	3.253	0.0	1.425	0.0	0.0	1.782	0.0	0.0	1.849	0.0	0.0	2.138	0.0
156	18128	18129	NS	1	0.0	24.244	6.426	0.0	24.696	7.245	0.0	353.911	2.493	0.0	65.441	3.256	0.0	1.425	0.0	0.0	1.782	0.0	0.0	1.85	0.0	0.0	2.139	0.0
157	18129	18130	NS	1	0.0	24.294	10.148	0.0	30.068	14.041	0.0	348.248	11.0	0.0	71.265	13.209	0.0	1.404	0.0	0.0	1.784	0.0	0.0	1.835	0.0	0.0	2.14	0.0
158	18129	18130	SN	1	0.0	23.395	6.011	0.0	24.784	6.773	0.0	145.392	2.521	0.0	122.105	3.518	0.0	1.422	0.0	0.0	1.769	0.0	0.0	1.827	0.0	0.0	2.124	0.0
159	18129	18130	SN	1	0.0	23.395	5.809	0.0	24.784	6.869	0.0	145.392	2.277	0.0	122.105	3.563	0.0	1.422	0.0	0.0	1.769	0.0	0.0	1.827	0.0	0.0	2.124	0.0
160	18129	18130	SN	1	0.0	23.395	5.809	0.0	24.784	6.869	0.0	145.392	2.277	0.0	122.105	3.563	0.0	1.422	0.0	0.0	1.769	0.0	0.0	1.827	0.0	0.0	2.124	0.0
161	18129	18130	NS	1	0.0	24.294	10.148	0.0	30.068	14.02	0.0	348.237	10.986	0.0	71.243	13.152	0.0	1.403	0.0	0.0	1.784	0.0	0.0	1.835	0.0	0.0	2.138	0.0
162	18129	18130	SN	1	0.0	28.54	12.91	0.0	25.209	12.784	0.0	137.776	10.547	0.0	122.171	13.625	0.0	1.424	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.124	0.0
163	18129	18130	SN	1	0.0	28.54	13.017	0.0	25.209	12.059	0.0	137.776	11.206	0.0	122.171	12.541	0.0	1.424	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.124	0.0
164	18129	18130	SN	1	0.0	28.54	12.91	0.0	25.209	12.784	0.0	137.776	10.547	0.0	122.171	13.625	0.0	1.424	0.0	0.0	1.771	0.0	0.0	1.827	0.0	0.0	2.124	0.0
165	18129	18130	NS	1	0.0	24.244	6.435	0.0	24.691	7.322	0.0	355.114	2.475	0.0	50.683	3.268	0.0	1.42	0.0	0.0	1.783	0.0	0.0	1.848	0.0	0.0	2.14	0.0
166	18129	18130	NS	1	0.0	24.244	6.433	0.0	24.696	7.317	0.0	355.103	2.467	0.0	58.26	3.269	0.0	1.419	0.0	0.0	1.782	0.0	0.0	1.847	0.0	0.0	2.14	0.0
167	18130	18131	SN	1	0.0	23.395	5.798	0.0	24.779	6.868	0.0	142.987	2.273	0.0	203.393	3.541	0.0	1.424	0.0	0.0	1.77	0.0	0.0	1.838	0.0	0.0	2.123	0.0
168	18130	18131	SN	1	0.0	28.27	12.947	0.0	25.209	12.631	0.0	159.251	10.507	0.0	75.622	13.637	0.0	1.426	0.0	0.0	1.769	0.0	0.0	1.83	0.0	0.0	2.12	0.0
169	18130	18131	NS	1	0.0	209.132	10.275	0.0	62.832	14.129	0.0	354.491	11.097	0.0	89.459	13.277	0.0	1.403	0.0	0.0	1.785	0.0	0.0	1.847	0.0	0.0	2.138	0.0
170	18130	18131	NS	1	0.0	190.656	6.452	0.0	82.852	7.325	0.0	241.954	2.512	0.0	85.902	3.31	0.0	1.495	0.0	0.0	1.782	0.0	0.0	1.865	0.0	0.0	2.138	0.0
171	18131	18132	NS	1	0.0	56.719	10.107	0.0	29.715	13.944	0.0	142.957	11.025	0.0	74.497	13.173	0.0	1.405	0.0	0.0	1.781	0.0	0.0	1.842	0.0	0.0	2.138	0.0
172	18131	18132	NS	1	0.0	97.144	6.438	0.0	24.696	7.251	0.0	130.058	2.483	0.0	51.096	3.248	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0
173	18131	18132	NS	1	0.0	56.719	10.107	0.0	29.715	13.944	0.0	142.957	11.025	0.0	74.497	13.173	0.0	1.405	0.0	0.0	1.781	0.0	0.0	1.842	0.0	0.0	2.138	0.0
174	18131	18132	NS	1	0.0	97.144	6.438	0.0	24.696	7.251	0.0	130.058	2.483	0.0	51.096	3.248	0.0	1.42	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0
175	18131	18132	SN	1	0.0	28.739	12.946	0.0	125.927	12.779	0.0	152.291	10.522	0.0	184.573	13.649	0.0	1.43	0.0	0.0	1.769	0.0	0.0	1.825	0.0	0.0	2.125	0.0
176	18131	18132	SN	1	0.0	23.378	5.818	0.0	239.04	6.876	0.0	146.848	2.291	0.0	205.426	3.54	0.0	1.42	0.0	0.0	1.768	0.0	0.0	1.834	0.0	0.0	2.123	0.0
177	18132	18133	NS	1	0.0	210.384	10.148	0.0	29.682	13.983	0.0	264.447	11.117	0.0	67.801	13.201	0.0	1.403	0.0	0.0	1.781	0.0	0.0	1.841	0.0	0.0	2.138	0.0
178	18132	18133	SN	1	0.0	23.362	5.805	0.0	24.773	6.862	0.0	171.941	2.269	0.0	76.887	3.541	0.0	1.423	0.0	0.0	1.768	0.0	0.0	1.836	0.0	0.0	2.125	0.0
179	18132	18133	NS	1	0.0	203.22	6.455	0.0	24.696	7.272	0.0	187.546	2.498	0.0	17.113	3.253	0.0	1.422	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle
	Range	10.0	3.0

 Normal	 Deviations
 Alarming	 High Errors

180	18132	18133	NS	1	0.0	210.384	10.139	0.0	28.744	13.921	0.0	264.447	11.159	0.0	28.308	13.119	0.0	1.403	0.0	0.0	1.781	0.0	0.0	1.841	0.0	0.0	2.138	0.0
181	18132	18133	SN	1	0.0	28.54	12.948	0.0	25.325	12.698	0.0	178.625	10.544	0.0	234.197	13.613	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.826	0.0	0.0	2.126	0.0
182	18132	18133	NS	1	0.0	203.22	6.436	0.0	24.696	7.262	0.0	187.546	2.485	0.0	62.308	3.281	0.0	1.422	0.0	0.0	1.782	0.0	0.0	1.848	0.0	0.0	2.139	0.0
183	18133	18134	NS	1	0.0	95.862	6.523	0.0	24.696	7.312	0.0	353.9	2.568	0.0	12.982	3.225	0.0	1.422	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.138	0.0
184	18133	18134	SN	1	0.0	28.253	12.918	0.0	25.59	12.708	0.0	156.869	10.58	0.0	106.453	13.627	0.0	1.427	0.0	0.0	1.769	0.0	0.0	1.826	0.0	0.0	2.123	0.0
185	18133	18134	NS	1	0.0	95.862	6.428	0.0	24.696	7.309	0.0	353.9	2.487	0.0	53.865	3.315	0.0	1.422	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.138	0.0
186	18133	18134	NS	1	0.0	47.47	10.227	0.0	29.351	14.068	0.0	347.216	11.091	0.0	69.781	13.219	0.0	1.402	0.0	0.0	1.784	0.0	0.0	1.84	0.0	0.0	2.139	0.0
187	18133	18134	SN	1	0.0	23.378	5.803	0.0	24.784	6.858	0.0	146.407	2.272	0.0	56.11	3.541	0.0	1.424	0.0	0.0	1.768	0.0	0.0	1.837	0.0	0.0	2.124	0.0
188	18133	18134	NS	1	0.0	47.47	10.255	0.0	28.739	13.714	0.0	347.216	11.361	0.0	15.922	12.684	0.0	1.402	0.0	0.0	1.784	0.0	0.0	1.84	0.0	0.0	2.139	0.0
189	18134	18135	NS	1	0.0	52.381	6.643	0.0	24.696	7.472	0.0	354.921	2.674	0.0	12.982	3.241	0.0	1.423	0.0	0.0	1.783	0.0	0.0	1.848	0.0	0.0	2.141	0.0
190	18134	18135	NS	1	0.0	24.255	6.428	0.0	24.696	7.382	0.0	354.921	2.49	0.0	57.648	3.307	0.0	1.423	0.0	0.0	1.783	0.0	0.0	1.848	0.0	0.0	2.141	0.0
191	18134	18135	NS	1	0.0	204.753	10.293	0.0	30.068	13.48	0.0	351.579	11.682	0.0	14.168	12.409	0.0	1.404	0.0	0.0	1.784	0.0	0.0	1.834	0.0	0.0	2.139	0.0
192	18134	18135	SN	1	0.0	28.926	12.909	0.0	278.985	12.805	0.0	149.765	10.567	0.0	87.231	13.59	0.0	1.426	0.0	0.0	1.77	0.0	0.0	1.824	0.0	0.0	2.122	0.0
193	18134	18135	NS	1	0.0	204.753	10.149	0.0	30.068	14.089	0.0	351.579	11.02	0.0	70.553	13.237	0.0	1.404	0.0	0.0	1.784	0.0	0.0	1.834	0.0	0.0	2.139	0.0
194	18134	18135	SN	1	0.0	23.351	5.786	0.0	24.773	6.863	0.0	146.225	2.229	0.0	59.738	3.537	0.0	1.422	0.0	0.0	1.768	0.0	0.0	1.826	0.0	0.0	2.123	0.0
195	18135	18136	NS	1	0.0	193.248	10.143	0.0	30.073	14.15	0.0	280.827	11.118	0.0	74.579	13.284	0.0	1.407	0.0	0.0	1.786	0.0	0.0	1.835	0.0	0.0	2.14	0.0
196	18135	18136	SN	1	0.0	23.411	5.809	0.0	24.773	6.861	0.0	151.872	2.273	0.0	64.399	3.525	0.0	1.423	0.0	0.0	1.768	0.0	0.0	1.83	0.0	0.0	2.124	0.0
197	18135	18136	NS	1	0.0	193.248	10.311	0.0	30.073	13.369	0.0	280.827	12.354	0.0	14.179	12.32	0.0	1.407	0.0	0.0	1.786	0.0	0.0	1.835	0.0	0.0	2.14	0.0
198	18135	18136	SN	1	0.0	28.264	12.927	0.0	25.259	12.679	0.0	164.386	10.435	0.0	75.82	13.572	0.0	1.426	0.0	0.0	1.771	0.0	0.0	1.823	0.0	0.0	2.122	0.0
199	18135	18136	NS	1	0.0	68.124	6.822	0.0	24.696	7.7	0.0	349.759	2.822	0.0	12.966	3.421	0.0	1.422	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.14	0.0
200	18135	18136	NS	1	0.0	68.124	6.431	0.0	24.696	7.424	0.0	349.759	2.484	0.0	56.016	3.323	0.0	1.422	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.14	0.0
201	18136	18137	NS	1	0.0	24.238	6.418	0.0	24.691	7.398	0.0	135.815	2.488	0.0	64.244	3.331	0.0	1.423	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.142	0.0
202	18136	18137	NS	1	0.0	24.238	7.057	0.0	24.691	7.829	0.0	135.815	3.017	0.0	12.977	3.686	0.0	1.423	0.0	0.0	1.783	0.0	0.0	1.85	0.0	0.0	2.142	0.0
203	18136	18137	NS	1	0.0	24.536	10.087	0.0	30.068	14.157	0.0	140.597	11.166	0.0	76.101	13.265	0.0	1.404	0.0	0.0	1.786	0.0	0.0	1.844	0.0	0.0	2.14	0.0
204	18136	18137	NS	1	0.0	24.536	10.299	0.0	30.068	13.397	0.0	140.597	13.225	0.0	14.19	12.723	0.0	1.404	0.0	0.0	1.786	0.0	0.0	1.844	0.0	0.0	2.14	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors