

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-MAR-2019 To 31-MAR-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-MAR-2019 To 31-MAR-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	13264	13265	SN	2	48.741	49.329	0.0	0.0	92.735	2.359	1029.496	1071.448	0.0	-91.573	-89.824	0.0
2	13264	13265	SN	3	48.741	49.329	0.0	0.0	92.735	2.359	1029.496	1071.448	0.0	-91.573	-89.824	0.0
3	13264	13265	SN	1	48.741	49.329	0.0	0.0	92.735	2.359	1029.496	1071.448	0.0	-91.573	-89.824	0.0
4	13264	13265	SN	1	48.741	49.312	0.0	0.0	92.735	3.035	1029.496	1073.24	0.0	-91.548	-89.824	0.0
5	13264	13265	SN	1	48.741	49.329	0.0	0.0	92.735	3.038	1029.496	1073.24	0.0	-91.573	-89.824	0.0
6	13265	13266	SN	1	48.699	49.286	0.0	0.003	6.298	2.592	1028.912	1073.728	0.0	-91.45	-89.839	0.0
7	13265	13266	SN	1	48.699	49.286	0.0	0.003	5.951	2.384	1028.912	1073.056	0.0	-91.45	-89.839	0.0
8	13265	13266	NS	1	48.822	49.42	0.0	0.0	206.984	2.721	1044.912	1075.24	0.0	-91.53	-89.995	0.0
9	13265	13266	NS	1	48.836	49.42	0.0	0.0	206.984	2.718	1044.952	1075.24	0.0	-91.544	-89.995	0.0
10	13265	13266	SN	1	48.699	49.286	0.0	0.003	6.298	2.592	1028.912	1073.728	0.0	-91.45	-89.839	0.0
11	13266	13267	NS	1	48.731	49.534	0.0	0.003	267.356	2.773	1042.888	1075.28	0.0	-94.467	-90.005	0.0
12	13266	13267	SN	1	48.718	49.29	0.0	0.0	263.248	2.687	1029.256	1073.152	0.0	-91.504	-89.838	0.0
13	13266	13267	SN	1	48.718	49.29	0.0	0.0	263.248	2.65	1029.256	1073.08	0.0	-91.705	-89.838	0.0
14	13266	13267	NS	1	48.731	49.534	0.0	0.003	267.356	2.676	1042.888	1075.28	0.0	-94.467	-90.005	0.0
15	13266	13267	SN	2	48.718	49.29	0.0	0.0	263.248	2.652	1029.256	1073.088	0.0	-91.705	-89.838	0.0
16	13267	13268	SN	1	48.683	49.29	0.0	0.003	215.295	2.262	1028.496	1072.904	0.0	-91.616	-89.837	0.0
17	13267	13268	SN	1	48.683	49.316	0.0	0.003	215.295	2.495	1028.496	1073.672	0.0	-91.61	-89.837	0.0
18	13267	13268	NS	1	48.806	49.418	0.0	0.0	50.76	2.723	1045.52	1075.248	0.0	-91.578	-90.011	0.0
19	13267	13268	SN	1	48.683	49.29	0.0	0.003	215.295	2.498	1028.496	1073.672	0.0	-91.616	-89.837	0.0
20	13268	13269	SN	1	48.709	49.3	0.0	0.0	210.066	2.85	1028.488	1072.864	0.0	-91.471	-89.837	0.0
21	13268	13269	SN	1	48.709	49.3	0.0	0.0	210.066	2.948	1028.496	1072.864	0.0	-91.396	-89.837	0.0
22	13268	13269	SN	1	48.709	49.3	0.0	0.0	210.066	2.737	1028.488	1072.496	0.0	-91.471	-89.837	0.0
23	13268	13269	NS	1	48.802	49.419	0.0	0.0	264.759	2.757	1046.264	1075.248	0.0	-91.616	-89.972	0.0
24	13268	13269	NS	2	48.802	49.419	0.0	0.0	264.759	2.756	1046.264	1075.248	0.0	-91.616	-89.972	0.0
25	13269	13270	NS	1	48.848	49.436	0.0	0.003	13.06	2.619	1044.992	1075.312	0.0	-92.35	-90.009	0.0
26	13269	13270	NS	2	48.848	49.436	0.0	0.003	13.06	2.619	1044.992	1075.312	0.0	-92.35	-90.009	0.0
27	13269	13270	SN	1	48.699	49.33	0.0	0.0	158.953	2.622	1028.808	1073.816	0.0	-91.909	-89.839	0.0
28	13269	13270	SN	1	48.699	49.33	0.0	0.0	158.953	2.031	1028.808	1071.856	0.0	-91.909	-89.839	0.0
29	13270	13271	SN	1	48.704	49.336	0.0	0.003	5.085	2.404	1028.76	1073.136	0.0	-91.476	-89.832	0.0
30	13270	13271	NS	1	48.805	49.431	0.0	0.0	267.384	2.955	1045.856	1075.328	0.0	-91.658	-90.005	0.0
31	13270	13271	SN	1	48.704	49.336	0.0	0.003	5.085	2.203	1028.76	1072.576	0.0	-91.476	-89.832	0.0
32	13270	13271	NS	1	48.804	49.432	0.0	0.0	267.461	2.957	1045.792	1075.352	0.0	-91.658	-90.005	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	13271	13272	NS	1	48.788	49.433	0.0	0.003	210.651	2.618	1045.744	1075.296	0.0	-93.253	-89.998	0.0
34	13271	13272	NS	1	48.786	49.469	0.0	0.003	210.651	2.615	1044.728	1075.296	0.0	-93.253	-89.998	0.0
35	13271	13272	SN	1	48.722	49.319	0.0	0.0	82.548	2.024	1029.024	1070.952	0.0	-93.814	-89.829	0.0
36	13271	13272	SN	1	48.722	49.319	0.0	0.0	82.548	2.946	1029.024	1073.896	0.0	-93.814	-89.829	0.0
37	13271	13272	SN	1	48.722	49.319	0.0	0.0	82.548	2.946	1029.024	1073.88	0.0	-93.814	-89.829	0.0
38	13272	13273	NS	1	48.71	49.424	0.0	0.0	191.867	2.819	1045.768	1075.336	0.0	-93.909	-89.948	0.0
39	13272	13273	NS	2	48.71	49.424	0.0	0.0	211.026	2.819	1045.776	1075.32	0.0	-93.909	-89.948	0.0
40	13272	13273	SN	1	48.69	49.34	0.0	0.0	133.364	2.546	1028.976	1074.112	0.0	-91.864	-89.824	0.0
41	13272	13273	SN	1	48.69	49.34	0.0	0.0	133.364	2.546	1028.976	1074.112	0.0	-91.864	-89.824	0.0
42	13273	13274	SN	1	48.699	49.36	0.0	0.0	223.953	2.829	1029.016	1074.224	0.0	-92.785	-89.846	0.0
43	13273	13274	NS	2	48.848	49.418	0.0	0.003	43.927	2.597	1045.72	1075.504	0.0	-91.531	-90.004	0.0
44	13273	13274	NS	1	48.848	49.418	0.0	0.003	43.922	2.597	1045.712	1075.512	0.0	-91.531	-90.004	0.0
45	13274	13275	SN	1	48.693	49.329	0.0	0.003	6.271	2.634	1028.96	1074.112	0.0	-91.554	-89.845	0.0
46	13274	13275	NS	1	48.848	49.488	0.0	0.0	200.531	2.601	1045.584	1075.608	0.0	-94.093	-90.003	0.0
47	13274	13275	NS	2	48.848	49.488	0.0	0.0	200.531	2.601	1045.584	1075.608	0.0	-94.093	-90.003	0.0
48	13275	13276	NS	1	48.794	49.454	0.0	0.0	264.13	2.964	1044.736	1075.688	0.0	-92.083	-89.991	0.0
49	13275	13276	SN	1	48.716	49.332	0.0	0.003	216.155	2.589	1030.112	1073.984	0.0	-93.747	-89.831	0.0
50	13275	13276	NS	1	48.794	49.434	0.0	0.0	264.13	2.909	1044.736	1075.696	0.0	-91.657	-89.991	0.0
51	13275	13276	SN	2	48.716	49.332	0.0	0.003	216.155	2.589	1030.112	1073.984	0.0	-93.747	-89.831	0.0
52	13275	13276	NS	1	48.794	49.434	0.0	0.0	264.13	3.003	1044.736	1075.696	0.0	-91.657	-89.991	0.0
53	13276	13277	SN	1	48.684	49.288	0.0	0.0	72.236	2.73	1029.2	1073.92	0.0	-91.605	-89.846	0.0
54	13276	13277	NS	1	48.783	49.466	0.0	0.003	264.748	2.551	1044.4	1075.296	0.0	-91.834	-90.0	0.0
55	13276	13277	NS	1	48.783	49.466	0.0	0.003	264.748	1.936	1044.4	1075.296	0.0	-91.834	-90.0	0.0
56	13276	13277	NS	2	48.783	49.466	0.0	0.003	264.748	2.551	1044.4	1075.296	0.0	-91.834	-90.0	0.0
57	13277	13278	NS	1	48.844	49.461	0.0	0.0	174.042	1.653	1044.232	1075.2	0.0	-91.545	-89.992	0.0
58	13277	13278	NS	1	48.844	49.461	0.0	0.0	174.042	2.721	1044.232	1075.2	0.0	-91.545	-89.992	0.0
59	13277	13278	NS	1	48.844	49.461	0.0	0.0	174.042	2.721	1044.232	1075.2	0.0	-91.545	-89.992	0.0
60	13277	13278	SN	2	48.697	49.305	0.0	0.003	281.96	2.584	1029.648	1073.864	0.0	-91.586	-89.849	0.0
61	13277	13278	SN	1	48.697	49.305	0.0	0.003	281.96	2.583	1029.64	1073.864	0.0	-91.586	-89.849	0.0
62	13278	13279	NS	1	48.786	49.576	0.0	0.0	142.27	2.905	1044.08	1075.136	0.0	-94.518	-89.966	0.0
63	13278	13279	NS	2	48.786	49.576	0.0	0.0	142.27	2.905	1044.08	1075.136	0.0	-94.518	-89.966	0.0
64	13278	13279	SN	1	48.685	49.294	0.0	0.0	215.256	3.159	1030.448	1074.128	0.0	-91.407	-89.846	0.0
65	13278	13279	SN	1	48.685	49.294	0.0	0.0	215.256	3.068	1030.448	1073.776	0.0	-91.407	-89.846	0.0
66	13278	13279	NS	1	48.786	49.576	0.0	0.0	142.27	2.121	1044.08	1075.136	0.0	-94.518	-89.966	0.0
67	13278	13279	SN	1	48.685	49.288	0.0	0.0	215.256	2.05	1030.448	1070.856	0.0	-91.414	-89.846	0.0
68	13278	13279	SN	1	48.685	49.288	0.0	0.0	215.256	3.162	1030.448	1074.128	0.0	-91.414	-89.846	0.0
69	13279	13280	NS	1	48.743	49.417	0.0	0.0	267.389	2.907	1043.792	1075.408	0.0	-92.934	-89.989	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	13279	13280	SN	1	48.698	49.322	0.0	0.0	251.12	2.741	1029.896	1073.696	0.0	-91.475	-89.798	0.0
71	13279	13280	SN	1	48.698	49.322	0.0	0.0	251.12	2.548	1029.896	1073.168	0.0	-91.475	-89.798	0.0
72	13279	13280	SN	1	48.689	49.322	0.0	0.0	251.126	2.736	1029.896	1073.696	0.0	-91.475	-89.798	0.0
73	13280	13281	SN	1	48.685	49.286	0.0	0.0	216.006	2.707	1030.232	1074.136	0.0	-91.42	-89.841	0.0
74	13280	13281	SN	1	48.685	49.286	0.0	0.0	216.006	2.542	1030.232	1073.616	0.0	-91.42	-89.841	0.0
75	13280	13281	SN	1	48.685	49.286	0.0	0.0	216.006	2.554	1030.232	1073.616	0.0	-91.42	-89.841	0.0
76	13280	13281	NS	1	48.823	49.418	0.0	0.003	126.299	2.488	1044.04	1075.48	0.0	-91.517	-90.004	0.0
77	13280	13281	NS	1	48.822	49.418	0.0	0.003	126.299	2.498	1044.04	1075.472	0.0	-91.608	-90.004	0.0
78	13281	13282	SN	1	48.696	49.337	0.0	0.003	7.203	2.471	1029.232	1073.52	0.0	-94.598	-89.846	0.0
79	13281	13282	NS	1	48.828	49.417	0.0	0.003	206.989	2.618	1044.232	1075.44	0.0	-91.984	-90.002	0.0
80	13281	13282	NS	1	48.828	49.417	0.0	0.003	206.989	2.63	1044.232	1075.44	0.0	-91.984	-90.002	0.0
81	13281	13282	SN	2	48.696	49.337	0.0	0.003	7.203	2.542	1029.232	1073.664	0.0	-94.598	-89.846	0.0
82	13281	13282	SN	1	48.696	49.337	0.0	0.003	7.203	2.543	1029.232	1073.664	0.0	-94.598	-89.846	0.0
83	13282	13283	NS	1	48.654	49.428	0.0	0.0	264.742	3.0	1040.6	1075.44	0.0	-92.116	-89.989	0.0
84	13282	13283	SN	2	48.714	49.31	0.0	0.0	223.429	2.45	1029.744	1073.664	0.0	-91.505	-89.846	0.0
85	13282	13283	NS	1	48.654	49.442	0.0	0.0	264.742	2.998	1040.6	1075.44	0.0	-92.116	-89.989	0.0
86	13282	13283	SN	1	48.714	49.31	0.0	0.0	223.429	2.264	1029.744	1073.144	0.0	-91.505	-89.846	0.0
87	13282	13283	SN	1	48.714	49.31	0.0	0.0	223.429	2.45	1029.744	1073.664	0.0	-91.505	-89.846	0.0
88	13283	13284	SN	1	48.51	49.488	0.0	0.0	152.743	2.502	1025.168	1073.448	0.0	-93.997	-89.835	0.0
89	13283	13284	NS	1	48.845	49.42	0.0	0.0	195.413	2.845	1045.16	1075.52	0.0	-92.541	-89.979	0.0
90	13283	13284	NS	1	48.846	49.42	0.0	0.0	195.413	2.845	1045.152	1075.528	0.0	-92.541	-89.979	0.0
91	13283	13284	SN	1	48.51	49.488	0.0	0.0	152.743	2.246	1025.168	1072.736	0.0	-93.997	-89.835	0.0
92	13283	13284	SN	2	48.51	49.488	0.0	0.0	152.743	2.502	1025.168	1073.456	0.0	-93.997	-89.835	0.0
93	13284	13285	SN	1	48.685	49.316	0.0	0.0	283.14	2.648	1029.392	1073.624	0.0	-93.889	-89.845	0.0
94	13284	13285	NS	2	48.761	49.431	0.0	0.0	210.662	2.803	1043.056	1075.968	0.0	-92.308	-89.997	0.0
95	13284	13285	NS	1	48.761	49.43	0.0	0.0	266.408	2.804	1043.064	1075.968	0.0	-92.308	-89.997	0.0
96	13284	13285	SN	1	48.685	49.316	0.0	0.0	283.14	2.709	1029.392	1073.752	0.0	-93.889	-89.845	0.0
97	13284	13285	SN	1	48.685	49.316	0.0	0.0	283.14	2.712	1029.392	1073.744	0.0	-93.889	-89.845	0.0
98	13285	13286	NS	1	48.787	49.467	0.0	0.0	221.129	2.796	1044.672	1075.496	0.0	-91.642	-89.996	0.0
99	13285	13286	SN	2	48.745	49.286	0.0	0.0	282.699	2.865	1030.024	1073.792	0.0	-91.354	-89.813	0.0
100	13285	13286	SN	1	48.745	49.286	0.0	0.0	282.699	2.351	1030.024	1072.4	0.0	-91.354	-89.813	0.0
101	13285	13286	SN	1	48.746	49.285	0.0	0.0	278.342	2.859	1030.032	1073.792	0.0	-91.354	-89.813	0.0
102	13285	13286	NS	1	48.787	49.467	0.0	0.0	221.129	2.793	1044.696	1075.616	0.0	-91.642	-89.996	0.0
103	13286	13287	SN	1	48.699	49.287	0.0	0.0	99.491	1.903	1029.272	1070.328	0.0	-91.435	-89.834	0.0
104	13286	13287	NS	1	48.786	49.445	0.0	0.0	142.436	2.847	1044.696	1075.424	0.0	-92.685	-89.991	0.0
105	13286	13287	NS	1	48.786	49.446	0.0	0.0	206.118	2.85	1044.704	1075.432	0.0	-92.685	-89.991	0.0
106	13286	13287	SN	2	48.699	49.287	0.0	0.0	99.491	2.916	1029.272	1074.232	0.0	-91.614	-89.834	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	13286	13287	SN	1	48.699	49.287	0.0	0.0	99.491	2.916	1029.272	1074.232	0.0	-91.614	-89.834	0.0
108	13287	13288	NS	1	48.782	49.417	0.0	0.003	264.759	2.641	1044.736	1075.584	0.0	-91.608	-89.976	0.0
109	13287	13288	NS	1	48.782	49.417	0.0	0.003	264.759	2.644	1044.624	1075.584	0.0	-91.635	-89.976	0.0
110	13287	13288	SN	1	48.749	49.354	0.0	0.003	6.32	2.568	1029.92	1074.624	0.0	-91.75	-89.855	0.0
111	13287	13288	SN	1	48.749	49.354	0.0	0.003	6.32	2.568	1029.92	1074.624	0.0	-91.75	-89.855	0.0
112	13288	13289	NS	1	48.818	49.415	0.0	0.003	267.384	2.602	1044.632	1075.736	0.0	-91.527	-89.995	0.0
113	13288	13289	SN	1	48.706	49.578	0.0	0.0	169.454	3.193	1029.944	1074.592	0.0	-94.302	-89.848	0.0
114	13288	13289	NS	1	48.818	49.415	0.0	0.003	267.384	2.422	1044.632	1075.736	0.0	-91.576	-89.995	0.0
115	13289	13290	SN	1	48.738	49.328	0.0	0.0	216.232	3.047	1030.2	1074.424	0.0	-92.866	-89.813	0.0
116	13289	13290	NS	1	48.845	49.416	0.0	0.0	264.764	2.339	1043.624	1075.688	0.0	-91.95	-89.993	0.0
117	13289	13290	NS	1	48.845	49.416	0.0	0.0	264.764	2.34	1043.624	1075.688	0.0	-91.95	-89.993	0.0
118	13289	13290	SN	1	48.738	49.328	0.0	0.0	216.232	3.044	1030.2	1074.424	0.0	-92.866	-89.813	0.0
119	13290	13291	NS	1	48.782	49.426	0.0	0.0	205.323	2.581	1043.792	1075.512	0.0	-94.0	-89.984	0.0
120	13290	13291	NS	2	48.782	49.426	0.0	0.0	205.323	2.581	1043.792	1075.512	0.0	-94.0	-89.984	0.0
121	13290	13291	NS	1	48.782	49.426	0.0	0.0	205.323	2.537	1043.792	1075.512	0.0	-94.0	-89.984	0.0
122	13290	13291	SN	1	48.68	49.354	0.0	0.0	216.276	2.716	1030.072	1074.28	0.0	-91.631	-89.841	0.0
123	13290	13291	SN	1	48.68	49.354	0.0	0.0	216.276	2.711	1030.352	1074.28	0.0	-91.704	-89.841	0.0
124	13291	13292	NS	1	48.799	49.478	0.0	0.0	240.454	2.591	1043.176	1075.336	0.0	-91.66	-89.989	0.0
125	13291	13292	NS	1	48.799	49.478	0.0	0.0	240.448	2.194	1043.176	1075.336	0.0	-91.66	-89.989	0.0
126	13291	13292	SN	1	48.696	49.657	0.0	0.0	156.56	2.862	1030.568	1074.216	0.0	-93.878	-89.856	0.0
127	13291	13292	SN	2	48.696	49.657	0.0	0.0	156.56	2.861	1030.568	1074.216	0.0	-93.878	-89.856	0.0
128	13291	13292	NS	2	48.799	49.478	0.0	0.0	240.448	2.592	1043.176	1075.336	0.0	-91.66	-89.989	0.0
129	13292	13293	NS	1	48.602	49.469	0.0	0.0	160.735	1.752	1043.272	1075.256	0.0	-93.989	-89.982	0.0
130	13292	13293	SN	1	48.689	49.296	0.0	0.0	148.238	2.841	1030.816	1074.368	0.0	-91.579	-89.851	0.0
131	13292	13293	NS	1	48.602	49.469	0.0	0.0	160.735	2.512	1043.272	1075.256	0.0	-93.989	-89.982	0.0
132	13292	13293	NS	1	48.602	49.469	0.0	0.0	160.735	2.514	1043.272	1075.256	0.0	-93.989	-89.982	0.0
133	13292	13293	SN	1	48.689	49.316	0.0	0.0	148.238	1.696	1030.816	1070.48	0.0	-91.579	-89.851	0.0
134	13292	13293	SN	2	48.689	49.296	0.0	0.0	148.238	2.841	1030.816	1074.368	0.0	-91.579	-89.851	0.0
135	13293	13294	NS	1	48.792	49.42	0.0	0.003	210.673	2.646	1043.016	1075.36	0.0	-91.648	-89.984	0.0
136	13293	13294	NS	1	48.784	49.414	0.0	0.003	210.673	2.644	1043.096	1075.36	0.0	-91.581	-89.984	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

112	13288	13289	NS	1	-34.318	27.922	1.163	-34.888	25.561	0.971	-11.279	29.941	16.242	-4.115	33.575	27.665	0.116	262.038	3.179	0.116	298.708	3.307	0.116	1.392	0.005	0.116	0.347	0.0
113	13288	13289	SN	1	-34.812	28.089	0.069	-34.925	28.561	1.052	-24.582	33.501	19.001	-26.062	30.069	18.654	0.116	293.568	11.554	0.116	301.274	8.292	0.116	27.912	0.038	0.116	39.215	0.059
114	13288	13289	NS	1	-34.781	25.911	1.112	-34.994	25.56	0.801	-11.27	29.941	15.697	-4.115	33.575	25.919	0.116	291.405	3.219	0.116	306.113	3.324	0.116	1.389	0.005	0.116	0.347	0.0
115	13289	13290	SN	1	-34.719	21.938	0.0	-34.453	25.172	2.158	-17.205	30.122	15.936	-18.353	31.434	15.752	0.116	287.276	4.039	0.116	270.202	3.284	0.116	5.181	0.006	0.116	6.721	0.006
116	13289	13290	NS	1	-34.772	25.606	1.934	-34.563	25.151	1.206	5.206	28.685	17.484	4.566	31.188	29.904	0.116	290.847	1.921	0.116	277.174	1.838	0.116	0.14	0.0	0.116	0.143	0.0
117	13289	13290	NS	1	-34.772	25.608	1.934	-34.563	25.151	1.206	5.206	28.685	17.484	4.566	31.188	29.901	0.116	290.847	1.921	0.116	277.174	1.838	0.116	0.14	0.0	0.116	0.143	0.0
118	13289	13290	SN	1	-34.634	21.938	0.0	-34.178	25.172	2.156	-16.939	30.124	15.92	-18.346	31.434	15.737	0.116	281.773	4.033	0.116	253.634	3.276	0.116	4.879	0.004	0.116	6.71	0.006
119	13290	13291	NS	1	-34.957	24.591	1.154	-34.589	25.286	0.303	9.208	28.088	18.375	10.654	30.543	44.971	0.116	303.531	3.757	0.116	278.828	3.301	0.116	0.125	0.0	0.116	0.122	0.0
120	13290	13291	NS	2	-34.957	24.591	1.154	-34.589	25.286	0.303	9.208	28.088	18.375	10.654	30.543	44.971	0.116	303.531	3.757	0.116	278.828	3.301	0.116	0.125	0.0	0.116	0.122	0.0
121	13290	13291	NS	1	-34.957	24.591	1.154	-34.589	25.286	0.303	9.208	28.088	17.346	10.654	30.543	43.85	0.116	303.531	3.758	0.116	278.828	3.301	0.116	0.125	0.0	0.116	0.122	0.0
122	13290	13291	SN	1	-34.054	26.203	0.121	-34.892	27.682	3.144	-16.443	29.823	18.795	-10.881	30.338	20.925	0.116	246.539	3.551	0.116	299.002	3.923	0.116	4.361	0.016	0.116	1.278	0.002
123	13290	13291	SN	1	-34.742	26.203	0.12	-34.292	27.682	3.14	-16.378	29.823	18.774	-10.88	30.337	20.892	0.116	288.831	3.545	0.116	260.435	3.922	0.116	4.298	0.016	0.116	1.278	0.002
124	13291	13292	NS	1	-34.577	24.533	0.981	-34.759	25.107	0.055	-4.57	29.078	21.268	9.026	30.394	41.003	0.116	278.038	4.932	0.116	289.969	5.156	0.116	0.374	0.0	0.116	0.125	0.0
125	13291	13292	NS	1	-34.577	24.533	0.981	-34.759	25.107	0.055	-4.57	27.865	10.733	9.026	30.4	37.748	0.116	278.038	4.934	0.116	289.969	5.155	0.116	0.374	0.0	0.116	0.125	0.0
126	13291	13292	SN	1	-34.963	24.692	0.382	-34.697	25.518	2.259	-1.701	29.048	42.208	-2.059	30.255	48.405	0.116	303.927	2.527	0.116	285.858	2.035	0.116	0.244	0.0	0.116	0.256	0.0
127	13291	13292	SN	2	-34.963	24.692	0.386	-34.697	25.518	2.265	-1.701	29.048	42.208	-2.059	30.255	48.405	0.116	303.927	2.527	0.116	285.858	2.035	0.116	0.244	0.0	0.116	0.256	0.0
128	13291	13292	NS	2	-34.577	24.533	0.981	-34.759	25.107	0.055	-4.57	29.078	21.268	9.026	30.394	41.001	0.116	278.038	4.932	0.116	289.969	5.155	0.116	0.374	0.0	0.116	0.125	0.0
129	13292	13293	NS	1	-34.94	24.59	0.908	-34.379	28.389	0.14	-6.312	32.475	3.914	-2.028	27.347	3.942	0.116	302.286	2.877	0.116	265.648	2.007	0.116	0.509	0.0	0.116	0.254	0.0
130	13292	13293	SN	1	-34.393	24.604	0.516	-34.898	28.225	2.063	7.947	29.41	36.981	6.94	30.402	42.588	0.116	266.489	2.058	0.116	299.471	1.915	0.116	0.128	0.0	0.116	0.131	0.0
131	13292	13293	NS	1	-34.987	27.246	1.013	-34.379	28.391	0.143	-6.312	32.476	15.367	-2.028	29.973	28.032	0.116	305.537	2.813	0.116	265.648	2.0	0.116	0.509	0.0	0.116	0.254	0.0
132	13292	13293	NS	1	-34.94	27.246	1.013	-34.379	28.391	0.143	-6.312	32.475	15.409	-2.028	29.973	28.035	0.116	302.286	2.813	0.116	265.648	2.006	0.116	0.509	0.0	0.116	0.254	0.0
133	13292	13293	SN	1	-34.711	24.604	0.128	-34.898	28.16	0.173	7.947	29.41	35.129	6.976	30.402	40.725	0.116	286.84	2.114	0.116	299.471	2.048	0.116	0.128	0.0	0.116	0.131	0.0
134	13292	13293	SN	2	-34.594	24.604	0.516	-34.898	28.225	2.063	7.947	29.41	36.98	6.94	30.402	42.584	0.116	279.167	2.058	0.116	299.471	1.915	0.116	0.128	0.0	0.116	0.131	0.0
135	13293	13294	NS	1	-34.982	27.385	1.028	-34.428	27.311	0.181	6.654	30.051	14.795	7.183	29.636	26.816	0.116	305.221	3.919	0.116	268.722	3.734	0.116	0.132	0.0	0.116	0.13	0.0
136	13293	13294	NS	1	-34.888	27.387	1.027	-33.027	27.311	0.18	6.654	30.051	14.788	7.183	29.636	26.795	0.116	298.663	3.927	0.116	194.617	3.731	0.116	0.132	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	13264	13265	SN	2	57.51	58.105	0.0	0.0	298.714	3.341	1206.232	1258.688	10.265	-93.465	-91.876	0.0
2	13264	13265	SN	3	57.51	58.105	0.0	0.0	298.714	3.341	1206.232	1258.688	10.265	-93.465	-91.876	0.0
3	13264	13265	SN	1	57.51	58.105	0.0	0.0	298.714	3.341	1206.232	1258.688	10.265	-93.465	-91.876	0.0
4	13264	13265	SN	1	57.491	58.096	0.0	0.0	298.714	3.828	1206.232	1260.76	9.93	-93.465	-91.876	0.0
5	13264	13265	SN	1	57.51	58.105	0.0	0.0	298.714	3.831	1206.232	1260.76	9.938	-93.465	-91.876	0.0
6	13265	13266	SN	1	57.482	58.116	0.0	0.0	298.852	3.712	1205.288	1261.368	9.637	-92.893	-91.888	0.0
7	13265	13266	SN	1	57.482	58.116	0.0	0.0	298.852	3.171	1205.288	1260.52	9.823	-92.893	-91.888	0.0
8	13265	13266	NS	1	57.634	58.263	0.0	0.0	297.396	3.83	1225.784	1263.728	0.0	-93.723	-92.049	0.0
9	13265	13266	NS	1	57.632	58.263	0.0	0.0	297.396	3.826	1225.584	1263.728	0.0	-93.723	-92.049	0.0
10	13265	13266	SN	1	57.482	58.116	0.0	0.0	298.852	3.712	1205.288	1261.368	9.637	-92.893	-91.888	0.0
11	13266	13267	NS	1	57.476	58.348	0.0	0.0	299.845	3.735	1221.072	1263.792	0.0	-95.484	-92.061	0.0
12	13266	13267	SN	1	57.477	58.094	0.0	0.0	287.811	3.395	1205.192	1260.656	9.783	-93.497	-91.892	0.0
13	13266	13267	SN	1	57.477	58.092	0.0	0.0	287.855	3.359	1205.2	1260.544	9.797	-93.497	-91.892	0.0
14	13266	13267	NS	1	57.476	58.348	0.0	0.0	299.845	3.64	1221.072	1263.792	0.0	-95.484	-92.061	0.0
15	13266	13267	SN	2	57.477	58.092	0.0	0.0	287.811	3.361	1205.192	1260.552	9.813	-93.497	-91.892	0.0
16	13267	13268	SN	1	57.481	58.107	0.0	0.003	288.539	2.993	1205.32	1260.344	10.314	-92.985	-91.89	0.0
17	13267	13268	SN	1	57.481	58.104	0.0	0.0	297.402	3.527	1205.32	1261.304	10.141	-92.985	-91.89	0.0
18	13267	13268	NS	1	57.632	58.264	0.0	0.0	298.356	3.786	1225.984	1264.16	0.0	-93.723	-92.065	0.0
19	13267	13268	SN	1	57.481	58.107	0.0	0.0	297.402	3.53	1205.32	1261.304	10.151	-92.985	-91.89	0.0
20	13268	13269	SN	1	57.496	58.136	0.0	0.0	294.308	3.66	1205.448	1260.304	10.65	-93.979	-91.89	0.0
21	13268	13269	SN	1	57.496	58.136	0.0	0.0	294.347	3.76	1205.456	1260.304	10.615	-93.979	-91.89	0.0
22	13268	13269	SN	1	57.496	58.136	0.0	0.0	294.308	3.605	1205.448	1259.84	10.725	-93.979	-91.89	0.0
23	13268	13269	NS	1	57.644	58.262	0.0	0.0	298.389	3.842	1226.744	1263.752	0.0	-93.572	-92.034	0.0
24	13268	13269	NS	2	57.644	58.262	0.0	0.0	298.389	3.842	1226.744	1263.752	0.0	-93.572	-92.034	0.0
25	13269	13270	NS	1	57.646	58.262	0.0	0.0	292.273	3.718	1225.712	1263.832	0.0	-93.724	-92.058	0.0
26	13269	13270	NS	2	57.646	58.262	0.0	0.0	292.273	3.718	1225.712	1263.832	0.0	-93.724	-92.058	0.0
27	13269	13270	SN	1	57.472	58.227	0.0	0.0	298.097	3.761	1205.728	1261.48	9.356	-94.288	-91.893	0.0
28	13269	13270	SN	1	57.472	58.227	0.0	0.0	298.097	3.018	1205.728	1259.088	9.725	-94.288	-91.893	0.0
29	13270	13271	SN	1	57.486	58.113	0.0	0.003	289.295	3.065	1206.056	1260.616	8.843	-93.503	-91.868	0.0
30	13270	13271	NS	1	57.66	58.271	0.0	0.0	294.964	3.799	1226.392	1263.824	0.0	-93.625	-92.06	0.0
31	13270	13271	SN	1	57.486	58.113	0.0	0.003	110.449	2.978	1206.056	1259.936	8.958	-93.503	-91.868	0.0
32	13270	13271	NS	1	57.658	58.285	0.0	0.0	295.025	3.803	1226.392	1263.864	0.0	-93.625	-92.06	0.0
33	13271	13272	NS	1	57.626	58.266	0.0	0.0	297.589	3.593	1225.464	1263.776	0.0	-93.725	-92.051	0.0
34	13271	13272	NS	1	57.626	58.266	0.0	0.0	297.589	3.59	1225.464	1263.776	0.0	-93.725	-92.051	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	13271	13272	SN	1	57.268	58.095	0.002	0.0	298.874	3.087	1199.328	1258.112	7.02	-94.213	-91.884	0.0
36	13271	13272	SN	1	57.268	58.107	0.002	0.0	298.874	4.159	1199.328	1261.584	6.618	-94.213	-91.884	0.0
37	13271	13272	SN	1	57.268	58.106	0.002	0.0	298.874	4.159	1199.328	1261.56	6.618	-94.213	-91.884	0.0
38	13272	13273	NS	1	57.63	58.265	0.0	0.0	297.788	3.931	1226.176	1263.84	0.0	-94.625	-91.998	0.0
39	13272	13273	NS	2	57.631	58.265	0.0	0.0	297.816	3.932	1226.176	1263.816	0.0	-94.625	-91.998	0.0
40	13272	13273	SN	1	57.499	58.113	0.0	0.0	297.496	3.633	1206.12	1261.84	7.304	-93.57	-91.876	0.0
41	13272	13273	SN	1	57.499	58.113	0.0	0.0	297.496	3.633	1206.12	1261.84	7.304	-93.57	-91.876	0.0
42	13273	13274	SN	1	57.401	58.11	0.0	0.0	295.058	3.853	1205.824	1261.984	7.718	-95.509	-91.899	0.0
43	13273	13274	NS	2	57.645	58.261	0.0	0.0	298.599	3.612	1225.624	1264.048	0.0	-93.727	-92.059	0.0
44	13273	13274	NS	1	57.645	58.261	0.0	0.0	298.577	3.612	1225.624	1264.056	0.0	-93.727	-92.059	0.0
45	13274	13275	SN	1	57.481	58.11	0.0	0.0	299.564	3.854	1206.176	1261.856	7.378	-93.075	-91.895	0.0
46	13274	13275	NS	1	57.628	58.366	0.0	0.0	291.082	3.393	1225.904	1264.152	0.0	-95.681	-92.058	0.0
47	13274	13275	NS	2	57.628	58.366	0.0	0.0	291.082	3.392	1225.904	1264.152	0.0	-95.681	-92.058	0.0
48	13275	13276	NS	1	57.482	58.374	0.0	0.0	290.122	3.756	1218.992	1264.24	0.0	-95.345	-92.047	0.0
49	13275	13276	SN	1	57.49	58.15	0.0	0.0	297.33	3.714	1207.064	1261.696	7.671	-95.374	-91.883	0.0
50	13275	13276	NS	1	57.481	58.374	0.0	0.0	290.161	3.756	1218.976	1264.248	0.0	-95.345	-92.047	0.0
51	13275	13276	SN	2	57.49	58.15	0.0	0.0	297.33	3.714	1207.064	1261.696	7.671	-95.374	-91.883	0.0
52	13275	13276	NS	1	57.481	58.374	0.0	0.0	290.161	3.804	1218.976	1264.248	0.0	-95.345	-92.047	0.0
53	13276	13277	SN	1	57.484	58.123	0.0	0.0	296.9	3.908	1207.04	1261.624	6.988	-93.926	-91.9	0.0
54	13276	13277	NS	1	57.626	58.268	0.0	0.0	298.157	3.475	1224.584	1263.768	0.0	-93.031	-92.055	0.0
55	13276	13277	NS	1	57.626	58.268	0.0	0.0	295.615	2.884	1224.584	1263.768	0.0	-93.031	-92.055	0.0
56	13276	13277	NS	2	57.626	58.268	0.0	0.0	298.157	3.475	1224.584	1263.768	0.0	-93.031	-92.055	0.0
57	13277	13278	NS	1	57.431	58.27	0.0	0.0	281.502	2.451	1218.0	1263.64	0.0	-94.062	-92.047	0.0
58	13277	13278	NS	1	57.431	58.27	0.0	0.0	296.564	3.678	1218.0	1263.64	0.0	-94.062	-92.047	0.0
59	13277	13278	NS	1	57.431	58.27	0.0	0.0	296.564	3.678	1218.0	1263.64	0.0	-94.062	-92.047	0.0
60	13277	13278	SN	2	57.5	58.112	0.0	0.0	285.975	3.759	1206.488	1261.552	6.692	-92.981	-91.901	0.0
61	13277	13278	SN	1	57.5	58.112	0.0	0.0	285.969	3.76	1206.56	1261.552	6.699	-92.981	-91.901	0.0
62	13278	13279	NS	1	57.474	58.363	0.0	0.0	286.515	3.907	1218.872	1263.56	0.0	-95.427	-92.019	0.0
63	13278	13279	NS	2	57.474	58.363	0.0	0.0	286.515	3.909	1218.872	1263.56	0.0	-95.427	-92.019	0.0
64	13278	13279	SN	1	57.515	58.449	0.0	0.0	295.764	4.343	1207.416	1261.88	6.258	-95.422	-91.899	0.0
65	13278	13279	SN	1	57.515	58.449	0.0	0.0	295.764	3.954	1207.416	1261.432	6.3	-95.422	-91.899	0.0
66	13278	13279	NS	1	57.474	58.363	0.0	0.0	286.515	2.837	1218.872	1263.56	0.0	-95.427	-92.019	0.0
67	13278	13279	SN	1	57.515	58.449	0.0	0.0	294.181	3.088	1207.416	1258.016	6.587	-95.422	-91.899	0.0
68	13278	13279	SN	1	57.515	58.449	0.0	0.0	295.764	4.348	1207.416	1261.88	6.224	-95.422	-91.899	0.0
69	13279	13280	NS	1	57.607	58.259	0.0	0.0	293.2	3.981	1224.28	1263.888	0.0	-94.656	-92.036	0.0
70	13279	13280	SN	1	57.33	58.1	0.0	0.0	298.626	3.463	1206.696	1261.312	6.567	-93.86	-91.847	0.0
71	13279	13280	SN	1	57.33	58.1	0.0	0.0	298.626	3.386	1206.696	1260.648	6.65	-93.86	-91.847	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	13279	13280	SN	1	57.33	58.1	0.0	0.0	298.61	3.457	1206.456	1261.312	6.559	-93.86	-91.847	0.0
73	13280	13281	SN	1	57.484	58.11	0.0	0.0	297.738	3.944	1206.512	1261.888	6.472	-93.309	-91.898	0.0
74	13280	13281	SN	1	57.484	58.104	0.0	0.0	297.738	3.416	1206.512	1261.224	6.571	-93.309	-91.898	0.0
75	13280	13281	SN	1	57.484	58.104	0.0	0.0	297.738	3.427	1206.512	1261.224	6.564	-93.309	-91.898	0.0
76	13280	13281	NS	1	57.652	58.26	0.0	0.0	297.248	3.53	1224.608	1263.984	0.0	-93.727	-92.055	0.0
77	13280	13281	NS	1	57.652	58.26	0.0	0.0	297.22	3.541	1224.616	1263.976	0.0	-93.727	-92.055	0.0
78	13281	13282	SN	1	57.486	58.11	0.0	0.003	297.733	3.167	1206.232	1261.112	7.094	-93.575	-91.9	0.0
79	13281	13282	NS	1	57.638	58.26	0.0	0.0	295.394	3.668	1224.56	1263.888	0.0	-93.727	-92.055	0.0
80	13281	13282	NS	1	57.638	58.26	0.0	0.0	295.394	3.667	1224.56	1263.888	0.0	-93.727	-92.055	0.0
81	13281	13282	SN	2	57.486	58.11	0.0	0.003	297.733	3.222	1206.232	1261.264	7.053	-93.575	-91.9	0.0
82	13281	13282	SN	1	57.486	58.11	0.0	0.003	297.733	3.222	1206.232	1261.264	7.053	-93.575	-91.9	0.0
83	13282	13283	NS	1	57.512	58.271	0.0	0.0	298.654	3.987	1220.568	1263.944	0.0	-95.45	-92.046	0.0
84	13282	13283	SN	2	57.494	58.107	0.0	0.0	282.809	3.034	1206.712	1261.264	7.055	-93.596	-91.899	0.0
85	13282	13283	NS	1	57.512	58.272	0.0	0.0	298.67	3.983	1220.568	1263.936	0.0	-95.45	-92.045	0.0
86	13282	13283	SN	1	57.494	58.107	0.0	0.0	268.327	2.937	1206.712	1260.648	7.138	-93.596	-91.899	0.0
87	13282	13283	SN	1	57.494	58.107	0.0	0.0	282.809	3.034	1206.712	1261.264	7.055	-93.596	-91.899	0.0
88	13283	13284	SN	1	57.201	58.294	0.001	0.0	244.91	3.156	1197.872	1261.032	6.582	-95.474	-91.892	0.0
89	13283	13284	NS	1	57.643	58.261	0.0	0.0	296.845	3.948	1224.464	1264.072	0.0	-93.89	-92.032	0.0
90	13283	13284	NS	1	57.643	58.26	0.0	0.0	296.845	3.944	1224.464	1264.072	0.0	-93.89	-92.032	0.0
91	13283	13284	SN	1	57.201	58.294	0.001	0.0	244.91	3.018	1197.872	1260.184	6.689	-95.474	-91.892	0.0
92	13283	13284	SN	2	57.201	58.294	0.001	0.0	244.91	3.155	1197.872	1261.04	6.582	-95.474	-91.892	0.0
93	13284	13285	SN	1	57.48	58.101	0.0	0.0	298.654	3.391	1206.984	1261.232	6.424	-93.467	-91.9	0.0
94	13284	13285	NS	2	57.431	58.349	0.0	0.0	297.093	3.931	1218.776	1263.992	0.0	-95.508	-92.051	0.0
95	13284	13285	NS	1	57.432	58.349	0.0	0.0	297.01	3.933	1218.792	1263.984	0.0	-95.508	-92.051	0.0
96	13284	13285	SN	1	57.48	58.101	0.0	0.0	298.654	3.412	1206.512	1261.368	6.405	-93.467	-91.9	0.0
97	13284	13285	SN	1	57.48	58.101	0.0	0.0	298.654	3.415	1206.984	1261.368	6.394	-93.467	-91.9	0.0
98	13285	13286	NS	1	57.632	58.28	0.0	0.0	293.541	3.794	1224.76	1264.0	0.0	-93.729	-92.05	0.0
99	13285	13286	SN	2	57.512	58.101	0.0	0.0	295.654	3.536	1207.04	1261.424	4.571	-93.541	-91.864	0.0
100	13285	13286	SN	1	57.512	58.11	0.0	0.0	295.654	3.211	1207.04	1259.792	4.721	-93.541	-91.864	0.0
101	13285	13286	SN	1	57.513	58.102	0.0	0.0	295.643	3.537	1207.048	1261.424	4.56	-93.541	-91.864	0.0
102	13285	13286	NS	1	57.632	58.28	0.0	0.0	293.541	3.792	1224.312	1264.088	0.0	-93.729	-92.05	0.0
103	13286	13287	SN	1	57.482	58.111	0.0	0.0	296.702	2.68	1207.184	1257.36	4.463	-94.475	-91.894	0.0
104	13286	13287	NS	1	57.623	58.383	0.0	0.0	298.77	3.896	1224.824	1263.92	0.0	-95.598	-92.036	0.0
105	13286	13287	NS	1	57.622	58.382	0.0	0.0	298.781	3.895	1224.84	1263.936	0.0	-95.598	-92.036	0.0
106	13286	13287	SN	2	57.482	58.111	0.0	0.0	296.702	3.835	1207.184	1262.008	4.142	-94.475	-91.894	0.0
107	13286	13287	SN	1	57.482	58.111	0.0	0.0	296.702	3.835	1207.184	1262.008	4.142	-94.475	-91.894	0.0
108	13287	13288	NS	1	57.616	58.454	0.0	0.0	297.424	3.56	1224.16	1264.096	0.0	-95.356	-92.003	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	13287	13288	NS	1	57.618	58.454	0.0	0.0	297.424	3.564	1224.544	1264.096	0.0	-95.356	-92.003	0.0
110	13287	13288	SN	1	57.52	58.114	0.0	0.0	285.942	3.555	1207.504	1262.488	4.566	-93.497	-91.908	0.0
111	13287	13288	SN	1	57.52	58.114	0.0	0.0	285.942	3.555	1207.504	1262.488	4.566	-93.497	-91.908	0.0
112	13288	13289	NS	1	57.636	58.258	0.0	0.0	296.426	3.581	1224.744	1264.256	0.0	-93.732	-92.049	0.0
113	13288	13289	SN	1	57.388	58.306	0.0	0.0	299.823	4.35	1203.144	1262.456	4.624	-95.64	-91.9	0.0
114	13288	13289	NS	1	57.635	58.258	0.0	0.003	296.426	3.133	1224.744	1264.256	0.0	-92.929	-92.049	0.0
115	13289	13290	SN	1	57.498	58.383	0.0	0.0	297.771	4.295	1206.52	1262.856	4.613	-95.618	-91.869	0.0
116	13289	13290	NS	1	57.634	58.259	0.0	0.0	265.305	3.056	1223.656	1264.208	0.0	-93.551	-92.047	0.0
117	13289	13290	NS	1	57.634	58.259	0.0	0.0	265.305	3.055	1223.656	1264.208	0.0	-93.551	-92.047	0.0
118	13289	13290	SN	1	57.498	58.383	0.0	0.0	297.771	4.29	1206.52	1262.856	4.635	-95.618	-91.869	0.0
119	13290	13291	NS	1	57.616	58.288	0.0	0.0	286.046	3.355	1223.824	1263.992	0.0	-95.505	-92.037	0.0
120	13290	13291	NS	2	57.616	58.288	0.0	0.0	286.046	3.355	1223.824	1263.992	0.0	-95.505	-92.037	0.0
121	13290	13291	NS	1	57.616	58.288	0.0	0.0	286.046	3.328	1223.824	1263.992	0.0	-95.505	-92.037	0.0
122	13290	13291	SN	1	57.513	58.129	0.0	0.0	296.966	3.779	1207.304	1262.08	4.207	-93.19	-91.892	0.0
123	13290	13291	SN	1	57.513	58.127	0.0	0.0	296.95	3.775	1207.296	1262.08	4.232	-93.008	-91.892	0.0
124	13291	13292	NS	1	57.564	58.283	0.0	0.0	289.648	3.352	1223.208	1263.776	0.0	-94.866	-92.043	0.0
125	13291	13292	NS	1	57.564	58.283	0.0	0.0	289.653	3.092	1223.216	1263.768	0.0	-94.866	-92.043	0.0
126	13291	13292	SN	1	57.49	58.112	0.0	0.0	295.356	4.034	1207.656	1261.992	4.014	-94.2	-91.909	0.0
127	13291	13292	SN	2	57.49	58.112	0.0	0.0	295.356	4.034	1207.656	1261.992	4.014	-94.2	-91.909	0.0
128	13291	13292	NS	2	57.564	58.283	0.0	0.0	289.653	3.353	1223.216	1263.768	0.0	-94.866	-92.043	0.0
129	13292	13293	NS	1	57.521	58.28	0.0	0.0	294.38	2.114	1218.92	1263.672	0.0	-94.337	-92.039	0.0
130	13292	13293	SN	1	57.486	58.116	0.0	0.0	297.611	4.035	1207.888	1262.2	3.581	-92.904	-91.904	0.0
131	13292	13293	NS	1	57.521	58.28	0.0	0.0	294.38	3.282	1218.92	1263.672	0.0	-94.337	-92.039	0.0
132	13292	13293	NS	1	57.521	58.28	0.0	0.0	294.38	3.286	1218.92	1263.672	0.0	-94.337	-92.039	0.0
133	13292	13293	SN	1	57.486	58.108	0.0	0.0	297.611	2.597	1207.888	1257.632	3.806	-92.9	-91.904	0.0
134	13292	13293	SN	2	57.486	58.116	0.0	0.0	297.578	4.035	1207.88	1262.2	3.589	-92.904	-91.904	0.0
135	13293	13294	NS	1	57.614	58.256	0.0	0.0	299.95	3.657	1223.04	1263.792	0.0	-93.729	-92.04	0.0
136	13293	13294	NS	1	57.625	58.256	0.0	0.0	299.95	3.654	1223.016	1263.792	0.0	-93.729	-92.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	13264	13265	SN	2	-33.481	21.531	0.0	-34.945	21.709	0.0	-23.149	23.228	0.059	-25.994	22.761	0.064	0.086	165.132	2.12	0.086	231.291	1.84	0.086	15.358	0.043	0.086	29.505	0.039
2	13264	13265	SN	3	-33.481	21.531	0.0	-34.945	21.709	0.0	-23.149	23.228	0.059	-25.994	22.761	0.064	0.086	165.132	2.12	0.086	231.291	1.84	0.086	15.358	0.043	0.086	29.505	0.039
3	13264	13265	SN	1	-33.481	21.531	0.0	-34.945	21.709	0.0	-23.149	23.228	0.059	-25.994	22.761	0.064	0.086	165.132	2.12	0.086	231.291	1.84	0.086	15.358	0.043	0.086	29.505	0.039
4	13264	13265	SN	1	-33.802	21.533	0.0	-34.685	21.709	0.0	-33.061	23.228	0.058	-25.969	22.758	0.064	0.086	177.811	2.072	0.086	217.852	1.675	0.086	149.928	0.044	0.086	29.342	0.039
5	13264	13265	SN	1	-33.481	21.531	0.0	-34.905	21.709	0.0	-23.149	23.228	0.058	-25.994	22.761	0.064	0.086	165.132	2.068	0.086	229.195	1.676	0.086	15.358	0.043	0.086	29.505	0.039
6	13265	13266	SN	1	-34.663	21.307	0.0	-34.057	21.813	0.0	-10.584	23.091	0.07	-12.351	23.788	0.102	0.086	216.791	3.192	0.086	188.56	2.586	0.086	0.913	0.0	0.086	1.337	0.002
7	13265	13266	SN	1	-34.663	21.307	0.0	-34.057	21.813	0.0	-10.584	23.091	0.07	-12.351	23.788	0.102	0.086	216.791	3.302	0.086	188.56	2.667	0.086	0.913	0.0	0.086	1.337	0.002
8	13265	13266	NS	1	-34.98	21.661	0.0	-34.478	21.907	0.0	-3.473	23.708	0.037	-4.902	24.219	0.219	0.086	233.214	7.641	0.086	207.718	8.524	0.086	0.236	0.0	0.086	0.298	0.0
9	13265	13266	NS	1	-34.968	21.661	0.0	-34.372	21.909	0.0	-3.473	23.71	0.037	-4.902	24.217	0.219	0.086	232.591	7.641	0.086	202.745	8.52	0.086	0.236	0.0	0.086	0.298	0.0
10	13265	13266	SN	1	-34.663	21.307	0.0	-34.057	21.813	0.0	-10.584	23.091	0.07	-12.351	23.788	0.102	0.086	216.791	3.192	0.086	188.56	2.586	0.086	0.913	0.0	0.086	1.337	0.002
11	13266	13267	NS	1	-34.844	18.903	0.0	-34.801	21.705	0.0	-10.901	23.154	0.064	-24.945	23.538	0.241	0.086	226.053	5.883	0.086	223.776	6.548	0.086	0.977	0.0	0.086	23.186	0.075
12	13266	13267	SN	1	-34.145	20.176	0.0	-34.79	20.803	0.0	2.059	22.88	0.215	2.805	23.473	0.266	0.086	192.446	2.771	0.086	223.206	2.374	0.086	0.124	0.0	0.086	0.117	0.0
13	13266	13267	SN	1	-34.976	20.176	0.0	-34.809	20.803	0.0	2.059	22.88	0.215	2.805	23.473	0.266	0.086	232.96	2.785	0.086	224.149	2.379	0.086	0.124	0.0	0.086	0.117	0.0
14	13266	13267	NS	1	-34.987	18.903	0.0	-34.837	21.698	0.0	-10.901	23.154	0.064	-24.945	23.54	0.24	0.086	233.543	5.894	0.086	225.59	6.518	0.086	0.977	0.0	0.086	23.186	0.075
15	13266	13267	SN	2	-34.976	20.176	0.0	-34.809	20.803	0.0	2.059	22.88	0.215	2.805	23.473	0.266	0.086	232.96	2.785	0.086	224.149	2.379	0.086	0.124	0.0	0.086	0.117	0.0
16	13267	13268	SN	1	-34.903	20.766	0.0	-34.736	21.462	0.0	1.928	22.706	0.071	1.544	22.333	0.089	0.086	229.116	2.184	0.086	220.453	1.652	0.086	0.125	0.0	0.086	0.129	0.0
17	13267	13268	SN	1	-34.903	20.766	0.0	-34.736	21.462	0.0	1.928	22.706	0.071	1.544	22.333	0.086	0.086	229.116	2.142	0.086	220.453	1.631	0.086	0.125	0.0	0.086	0.129	0.0
18	13267	13268	NS	1	-34.878	18.77	0.0	-34.713	20.029	0.0	-24.728	22.702	0.03	-29.181	23.377	0.138	0.086	227.78	5.217	0.086	219.267	5.916	0.086	22.062	0.169	0.086	61.402	0.112
19	13267	13268	SN	1	-34.903	20.766	0.0	-34.736	21.462	0.0	1.928	22.706	0.071	1.544	22.333	0.087	0.086	229.116	2.142	0.086	220.453	1.63	0.086	0.125	0.0	0.086	0.129	0.0
20	13268	13269	SN	1	-34.985	19.205	0.0	-34.343	20.261	0.0	1.077	22.707	0.246	-8.443	23.246	1.001	0.086	233.494	2.162	0.086	201.358	2.088	0.086	0.134	0.0	0.086	0.584	0.0
21	13268	13269	SN	1	-34.898	19.205	0.0	-34.977	20.261	0.0	1.077	22.707	0.246	-8.443	23.246	0.995	0.086	228.833	2.16	0.086	233.072	2.085	0.086	0.134	0.0	0.086	0.584	0.0
22	13268	13269	SN	1	-34.985	19.205	0.0	-34.343	20.261	0.0	1.077	22.707	0.248	-8.443	23.246	1.019	0.086	233.494	2.179	0.086	201.358	2.101	0.086	0.134	0.0	0.086	0.584	0.0
23	13268	13269	NS	1	-33.888	19.664	0.0	-34.232	18.601	0.0	-8.626	23.891	0.108	-7.316	23.601	0.186	0.086	181.393	3.491	0.086	196.267	3.842	0.086	0.606	0.0	0.086	0.466	0.0
24	13268	13269	NS	2	-33.888	19.687	0.0	-34.232	18.601	0.0	-8.626	23.891	0.108	-7.316	23.601	0.186	0.086	181.393	3.491	0.086	196.267	3.842	0.086	0.606	0.0	0.086	0.466	0.0
25	13269	13270	NS	1	-34.953	17.515	0.0	-34.903	19.011	0.0	-10.739	22.842	0.029	-30.021	23.335	0.182	0.087	231.75	2.675	0.086	229.139	2.838	0.086	0.943	0.0	0.086	74.479	0.01
26	13269	13270	NS	2	-34.953	17.515	0.0	-34.903	19.011	0.0	-10.739	22.842	0.029	-30.021	23.335	0.182	0.087	231.75	2.675	0.086	229.139	2.838	0.086	0.943	0.0	0.086	74.479	0.01
27	13269	13270	SN	1	-34.502	19.233	0.0	-34.383	19.565	0.0	1.044	22.718	0.066	2.226	22.829	0.263	0.086	208.906	2.988	0.086	203.285	2.458	0.086	0.135	0.0	0.086	0.122	0.0
28	13269	13270	SN	1	-34.502	19.233	0.0	-34.383	19.565	0.0	1.044	22.718	0.071	2.226	22.829	0.271	0.086	208.906	3.08	0.086	203.285	2.554	0.086	0.135	0.0	0.086	0.122	0.0
29	13270	13271	SN	1	-34.945	19.656	0.0	-34.844	16.822	0.0	-0.472	23.931	0.496	-12.892	23.779	0.7	0.086	231.349	3.822	0.087	226.02	3.374	0.086	0.157	0.0	0.086	1.506	0.003
30	13270	13271	NS	1	-34.705	21.578	0.0	-34.752	21.488	0.0	-17.312	22.885	0.152	-24.008	23.205	0.47	0.086	218.855	2.535	0.086	221.244	2.869	0.086	4.052	0.009	0.086	18.703	0.006
31	13270	13271	SN	1	-34.945	19.656	0.0	-34.844	16.822	0.0	-0.472	23.931	0.503	-12.892	23.779	0.7	0.086	231.349	3.864	0.087	226.02	3.437	0.086	0.157	0.0	0.086	1.506	0.003
32	13270	13271	NS	1	-34.81	21.57	0.0	-34.829	21.488	0.0	-17.433	22.885	0.148	-24.153	23.205	0.47	0.086	224.276	2.544	0.086	225.186	2.87	0.086	4.164	0.005	0.086	19.335	0.006

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	13271	13272	NS	1	-34.646	20.766	0.0	-33.707	22.07	0.001	2.824	23.001	0.039	1.894	24.004	0.467	0.086	215.958	0.996	0.086	173.969	0.93	0.086	0.117	0.0	0.086	0.125	0.0
34	13271	13272	NS	1	-34.988	20.766	0.0	-33.707	22.071	0.001	2.824	23.001	0.039	1.892	24.008	0.467	0.086	233.609	0.998	0.086	173.969	0.927	0.086	0.117	0.0	0.086	0.125	0.0
35	13271	13272	SN	1	-34.702	18.835	0.0	-34.753	19.437	0.0	-26.07	23.646	1.005	-11.273	25.888	1.595	0.086	218.755	3.682	0.086	221.33	3.064	0.086	30.027	0.006	0.086	1.058	0.002
36	13271	13272	SN	1	-34.702	18.835	0.0	-34.753	19.437	0.0	-26.07	23.646	0.97	-12.434	25.888	1.594	0.086	218.755	3.431	0.086	221.33	2.697	0.086	30.027	0.006	0.086	1.362	0.002
37	13271	13272	SN	1	-34.702	18.835	0.0	-34.753	19.437	0.0	-26.07	23.646	0.97	-12.434	25.888	1.594	0.086	218.755	3.431	0.086	221.33	2.697	0.086	30.027	0.006	0.086	1.362	0.002
38	13272	13273	NS	1	-34.164	22.266	0.003	-34.982	19.762	0.0	-2.548	22.958	0.077	-14.543	24.021	1.278	0.086	193.271	2.495	0.086	233.297	2.371	0.086	0.205	0.0	0.086	2.173	0.002
39	13272	13273	NS	2	-34.212	22.266	0.003	-34.835	19.762	0.0	-2.543	22.958	0.077	-14.543	24.021	1.278	0.086	195.372	2.496	0.086	225.568	2.371	0.086	0.205	0.0	0.086	2.173	0.002
40	13272	13273	SN	1	-34.816	20.285	0.0	-34.693	20.605	0.0	-26.908	24.061	0.47	-19.232	24.341	0.648	0.086	224.579	7.944	0.086	218.262	7.452	0.086	36.411	0.096	0.086	6.271	0.009
41	13272	13273	SN	1	-34.816	20.285	0.0	-34.693	20.605	0.0	-26.908	24.061	0.47	-19.232	24.341	0.648	0.086	224.579	7.944	0.086	218.262	7.452	0.086	36.411	0.096	0.086	6.271	0.009
42	13273	13274	SN	1	-34.96	22.034	0.001	-34.758	21.463	0.0	-10.235	23.793	0.376	-7.585	22.99	0.13	0.086	232.177	6.452	0.086	221.574	5.679	0.086	0.847	0.0	0.086	0.492	0.0
43	13273	13274	NS	2	-34.824	22.019	0.001	-34.877	20.614	0.0	-6.079	22.607	0.055	-0.117	24.229	2.266	0.086	224.99	2.591	0.086	227.745	2.53	0.086	0.368	0.0	0.086	0.151	0.0
44	13273	13274	NS	1	-34.824	22.019	0.001	-34.877	20.614	0.0	-6.079	22.607	0.055	-0.117	24.229	2.266	0.086	224.99	2.591	0.086	227.745	2.53	0.086	0.368	0.0	0.086	0.151	0.0
45	13274	13275	SN	1	-34.781	20.99	0.0	-34.481	22.461	0.001	-22.287	23.977	0.477	-32.86	23.671	0.218	0.086	222.709	5.62	0.086	207.913	5.045	0.086	12.606	0.095	0.086	143.14	0.021
46	13274	13275	NS	1	-34.071	18.34	0.0	-34.959	18.346	0.0	0.481	22.248	0.039	1.147	24.4	1.909	0.086	189.127	1.12	0.086	232.022	1.282	0.086	0.142	0.0	0.086	0.133	0.0
47	13274	13275	NS	2	-34.071	18.34	0.0	-34.959	18.346	0.0	0.481	22.248	0.039	1.147	24.4	1.909	0.086	189.127	1.12	0.086	232.022	1.282	0.086	0.142	0.0	0.086	0.133	0.0
48	13275	13276	NS	1	-34.773	22.604	0.002	-34.458	20.866	0.0	4.392	22.781	0.371	-20.796	24.024	2.639	0.086	222.371	2.311	0.086	206.777	2.328	0.086	0.107	0.0	0.086	8.959	0.015
49	13275	13276	SN	1	-34.705	19.61	0.0	-34.905	20.319	0.0	-19.69	23.77	0.362	-28.186	23.652	0.232	0.086	218.904	2.604	0.086	229.187	2.075	0.086	6.959	0.015	0.086	48.84	0.03
50	13275	13276	NS	1	-34.773	22.602	0.002	-34.631	20.866	0.0	4.394	22.783	0.366	-20.677	24.028	2.715	0.086	222.371	2.319	0.086	215.153	2.327	0.086	0.107	0.0	0.086	8.719	0.015
51	13275	13276	SN	2	-34.705	19.61	0.0	-34.905	20.319	0.0	-19.69	23.77	0.362	-28.186	23.652	0.232	0.086	218.904	2.604	0.086	229.187	2.075	0.086	6.959	0.015	0.086	48.84	0.03
52	13275	13276	NS	1	-34.773	22.604	0.002	-34.458	20.866	0.0	4.394	22.781	0.361	-20.669	24.025	2.598	0.086	222.371	2.313	0.086	206.777	2.326	0.086	0.107	0.0	0.086	8.704	0.015
53	13276	13277	SN	1	-34.905	19.916	0.0	-34.99	21.245	0.0	-20.354	23.476	0.776	-18.273	23.807	0.564	0.086	229.197	2.155	0.086	233.753	1.664	0.086	8.097	0.022	0.086	5.04	0.005
54	13276	13277	NS	1	-34.786	21.094	0.0	-34.926	20.419	0.0	4.029	22.633	0.073	4.369	24.178	2.409	0.086	222.963	3.757	0.086	230.341	3.459	0.086	0.109	0.0	0.086	0.107	0.0
55	13276	13277	NS	1	-34.786	21.094	0.0	-34.926	20.419	0.0	4.032	22.46	0.065	4.368	24.178	3.243	0.086	222.963	3.768	0.086	230.341	3.459	0.086	0.109	0.0	0.086	0.107	0.0
56	13276	13277	NS	2	-34.786	21.094	0.0	-34.926	20.419	0.0	4.029	22.633	0.073	4.369	24.178	2.409	0.086	222.963	3.757	0.086	230.341	3.459	0.086	0.109	0.0	0.086	0.107	0.0
57	13277	13278	NS	1	-34.739	21.306	0.0	-34.535	20.285	0.0	2.007	22.286	0.021	2.872	24.251	0.959	0.086	220.638	2.8	0.086	210.488	2.776	0.086	0.124	0.0	0.086	0.117	0.0
58	13277	13278	NS	1	-34.739	21.306	0.0	-34.535	20.255	0.0	2.007	23.512	0.951	2.876	24.254	2.667	0.086	220.638	2.79	0.086	210.488	2.775	0.086	0.124	0.0	0.086	0.117	0.0
59	13277	13278	NS	1	-34.739	21.306	0.0	-34.535	20.255	0.0	2.007	23.512	0.951	2.876	24.254	2.667	0.086	220.638	2.79	0.086	210.488	2.775	0.086	0.124	0.0	0.086	0.117	0.0
60	13277	13278	SN	2	-34.974	18.431	0.0	-33.842	19.404	0.0	2.404	23.36	0.781	2.462	23.253	1.169	0.086	232.914	2.47	0.086	179.476	1.944	0.086	0.121	0.0	0.086	0.12	0.0
61	13277	13278	SN	1	-34.974	18.431	0.0	-33.958	19.404	0.0	2.404	23.36	0.781	2.462	23.253	1.169	0.086	232.914	2.47	0.086	184.288	1.944	0.086	0.121	0.0	0.086	0.12	0.0
62	13278	13279	NS	1	-34.744	20.062	0.0	-34.031	20.92	0.0	-34.159	23.691	1.184	-12.069	24.242	1.98	0.086	220.852	2.392	0.086	187.403	2.568	0.086	193.025	0.009	0.086	1.258	0.005
63	13278	13279	NS	2	-34.744	20.06	0.0	-34.023	20.92	0.0	-34.131	23.691	1.184	-12.069	24.242	1.981	0.086	220.852	2.394	0.086	187.106	2.568	0.086	191.776	0.009	0.086	1.258	0.005
64	13278	13279	SN	1	-34.618	18.677	0.0	-34.985	18.682	0.0	2.25	23.182	0.091	5.044	23.492	0.182	0.086	214.574	2.854	0.086	233.496	2.396	0.086	0.122	0.0	0.086	0.104	0.0
65	13278	13279	SN	1	-34.618	18.677	0.0	-34.447	18.683	0.0	2.25	23.182	0.095	5.044	23.492	0.176	0.086	214.574	2.869	0.086	206.267	2.426	0.086	0.122	0.0	0.086	0.104	0.0
66	13278	13279	NS	1	-34.744	18.202	0.0	-33.85	20.919	0.0	-34.187	21.722	0.0	-12.071	19.848	0.0	0.086	220.852	2.563	0.086	179.782	2.585	0.086	194.297	0.013	0.086	1.258	0.008
67	13278	13279	SN	1	-33.876	18.677	0.0	-34.431	18.502	0.0	2.25	23.182	0.077	5.044	23.492	0.164	0.086	180.836	2.921	0.086	205.556	2.663	0.086	0.122	0.0	0.086	0.104	0.0
68	13278	13279	SN	1	-34.428	18.677	0.0	-34.676	18.683	0.0	2.25	23.182	0.093	5.044	23.492	0.182	0.086	205.341	2.854	0.086	217.417	2.393	0.086	0.122	0.0	0.086	0.104	0.0
69	13279	13280	NS	1	-34.718	21.612	0.0	-34.844	21.878	0.0	-6.82	26.177	0.119	-1.004	31.491	0.424	0.086	219.538	3.665	0.086	226.028	3.837	0.086	0.424	0.0	0.086	0.167	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

█ Normal █ Deviations
█ Alarming █ High Errors

107	13286	13287	SN	1	-34.49	23.117	0.018	-34.869	22.09	0.002	-7.684	23.423	0.473	-8.943	24.016	0.947	0.086	208.356	7.046	0.086	227.351	6.01	0.086	0.501	0.0	0.086	0.647	0.0
108	13287	13288	NS	1	-34.195	21.007	0.0	-34.857	20.67	0.0	-1.584	22.874	0.053	1.442	27.014	2.086	0.086	194.654	4.036	0.086	226.656	4.301	0.086	0.18	0.0	0.086	0.13	0.0
109	13287	13288	NS	1	-34.591	21.007	0.0	-34.934	20.67	0.0	-1.581	22.874	0.053	1.442	27.016	2.085	0.086	213.212	4.033	0.086	230.721	4.289	0.086	0.18	0.0	0.086	0.13	0.0
110	13287	13288	SN	1	-33.642	19.888	0.0	-34.578	20.605	0.0	-32.804	23.714	0.505	-7.065	23.394	0.265	0.086	171.405	4.234	0.086	212.609	3.636	0.086	141.332	0.019	0.086	0.444	0.0
111	13287	13288	SN	1	-33.642	19.888	0.0	-34.578	20.605	0.0	-32.804	23.714	0.505	-7.065	23.394	0.265	0.086	171.405	4.234	0.086	212.609	3.636	0.086	141.332	0.019	0.086	0.444	0.0
112	13288	13289	NS	1	-34.682	22.784	0.001	-34.476	19.689	0.0	-7.63	22.232	0.018	-3.321	24.384	2.048	0.086	217.755	2.568	0.086	207.663	2.617	0.086	0.496	0.0	0.086	0.23	0.0
113	13288	13289	SN	1	-34.965	21.904	0.0	-34.956	21.678	0.0	-28.174	25.815	0.565	-31.084	24.025	0.227	0.086	232.394	10.038	0.086	231.927	8.615	0.086	48.698	0.147	0.086	95.121	0.155
114	13288	13289	NS	1	-34.734	18.829	0.0	-34.82	19.689	0.0	-7.625	22.152	0.016	-3.316	24.384	2.057	0.086	220.37	2.601	0.086	224.743	2.632	0.086	0.496	0.0	0.086	0.23	0.0
115	13289	13290	SN	1	-34.974	21.893	0.0	-34.75	21.64	0.0	-15.6	23.872	0.388	-22.694	23.821	0.169	0.086	232.87	4.698	0.086	228.831	4.41	0.086	2.753	0.004	0.086	13.839	0.016
116	13289	13290	NS	1	-34.046	18.232	0.0	-34.509	18.529	0.0	1.52	22.48	0.089	1.114	24.355	2.342	0.086	188.09	1.386	0.086	209.201	1.505	0.086	0.129	0.0	0.086	0.134	0.0
117	13289	13290	NS	1	-34.046	18.232	0.0	-34.509	18.529	0.0	1.518	22.491	0.089	1.114	24.355	2.348	0.086	188.09	1.384	0.086	209.201	1.505	0.086	0.129	0.0	0.086	0.134	0.0
118	13289	13290	SN	1	-34.974	21.893	0.0	-34.598	21.64	0.0	-33.73	23.872	0.387	-22.651	23.821	0.169	0.086	232.87	4.697	0.086	213.579	4.413	0.086	174.894	0.006	0.086	13.701	0.016
119	13290	13291	NS	1	-34.898	17.798	0.0	-34.917	16.966	0.0	3.023	22.568	0.065	3.534	24.322	2.893	0.086	228.893	2.683	0.087	229.805	2.778	0.086	0.116	0.0	0.086	0.112	0.0
120	13290	13291	NS	2	-34.898	17.798	0.0	-34.917	16.966	0.0	3.023	22.568	0.065	3.534	24.322	2.893	0.086	228.893	2.683	0.087	229.805	2.778	0.086	0.116	0.0	0.086	0.112	0.0
121	13290	13291	NS	1	-34.898	17.798	0.0	-34.917	16.966	0.0	3.023	22.568	0.074	3.534	24.324	2.958	0.086	228.893	2.685	0.087	229.805	2.778	0.086	0.116	0.0	0.086	0.112	0.0
122	13290	13291	SN	1	-34.98	19.154	0.0	-34.98	20.435	0.0	-17.267	23.812	0.507	-14.172	23.888	0.376	0.086	233.206	3.585	0.086	233.248	3.274	0.086	4.012	0.01	0.086	2.0	0.003
123	13290	13291	SN	1	-34.98	19.154	0.0	-34.979	20.435	0.0	-17.425	23.812	0.506	-14.172	23.888	0.376	0.086	233.206	3.584	0.086	233.173	3.273	0.086	4.157	0.01	0.086	2.0	0.003
124	13291	13292	NS	1	-34.844	17.925	0.0	-34.861	17.245	0.0	-1.802	22.699	0.049	1.775	24.12	2.824	0.086	226.033	3.622	0.087	226.896	4.078	0.086	0.185	0.0	0.086	0.127	0.0
125	13291	13292	NS	1	-34.837	17.925	0.0	-34.861	17.245	0.0	-1.802	22.699	0.035	1.767	24.12	3.482	0.086	225.628	3.623	0.087	226.896	4.078	0.086	0.185	0.0	0.086	0.127	0.0
126	13291	13292	SN	1	-34.652	20.441	0.0	-34.908	19.83	0.0	-22.041	23.772	0.957	-15.382	23.841	0.748	0.086	216.261	2.058	0.086	229.331	2.08	0.086	11.916	0.047	0.086	2.621	0.036
127	13291	13292	SN	2	-34.652	20.441	0.0	-34.908	19.83	0.0	-22.041	23.772	0.957	-15.382	23.841	0.748	0.086	216.261	2.058	0.086	229.331	2.08	0.086	11.916	0.047	0.086	2.621	0.036
128	13291	13292	NS	2	-34.837	17.925	0.0	-34.861	17.245	0.0	-1.802	22.699	0.049	1.775	24.12	2.824	0.086	225.628	3.622	0.087	226.896	4.078	0.086	0.185	0.0	0.086	0.127	0.0
129	13292	13293	NS	1	-34.943	18.263	0.0	-34.51	20.374	0.0	0.477	21.27	0.0	2.647	21.988	0.0	0.086	231.204	3.018	0.086	209.265	2.595	0.086	0.142	0.0	0.086	0.119	0.0
130	13292	13293	SN	1	-34.778	18.249	0.0	-34.151	19.018	0.0	-15.382	23.4	0.248	2.01	23.448	0.774	0.086	222.564	1.78	0.086	192.726	1.594	0.086	2.621	0.003	0.086	0.124	0.0
131	13292	13293	NS	1	-34.943	20.408	0.0	-34.637	20.374	0.0	0.477	23.431	0.77	2.647	24.041	2.549	0.086	231.204	2.934	0.086	215.516	2.586	0.086	0.142	0.0	0.086	0.119	0.0
132	13292	13293	NS	1	-34.943	20.408	0.0	-34.51	20.374	0.0	0.477	23.431	0.772	2.647	24.041	2.549	0.086	231.204	2.931	0.086	209.265	2.593	0.086	0.142	0.0	0.086	0.119	0.0
133	13292	13293	SN	1	-34.778	18.249	0.0	-34.733	18.96	0.0	-15.555	23.4	0.256	2.005	23.45	0.794	0.086	222.564	1.823	0.086	220.321	1.72	0.086	2.726	0.004	0.086	0.124	0.0
134	13292	13293	SN	2	-34.778	18.249	0.0	-34.192	19.018	0.0	-15.378	23.4	0.248	2.01	23.448	0.774	0.086	222.564	1.78	0.086	194.473	1.594	0.086	2.62	0.003	0.086	0.124	0.0
135	13293	13294	NS	1	-34.996	22.002	0.001	-34.652	21.343	0.0	1.357	23.917	0.582	1.012	24.036	1.036	0.086	234.026	3.459	0.086	216.24	3.472	0.086	0.131	0.0	0.086	0.135	0.0
136	13293	13294	NS	1	-34.965	22.002	0.001	-34.376	21.343	0.0	1.359	23.915	0.581	1.01	24.036	1.033	0.086	232.411	3.459	0.086	202.918	3.46	0.086	0.131	0.0	0.086	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors