

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JUN-2018 To 02-JUN-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JUN-2018 To 02-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8885	8886	SN	1	48.841	49.528	0.0	0.003	215.284	2.064	1042.016	1096.16	0.997	-91.823	-89.967	0.0
2	8885	8886	SN	2	48.841	49.528	0.0	0.0	215.284	2.717	1039.928	1096.16	0.959	-91.823	-89.94	0.0
3	8885	8886	SN	1	48.841	49.528	0.0	0.0	215.284	2.717	1039.928	1096.16	0.958	-91.823	-89.94	0.0
4	8886	8887	SN	1	48.853	49.526	0.0	0.003	6.574	2.589	1039.848	1096.128	0.82	-91.628	-89.937	0.0
5	8886	8887	NS	1	48.596	49.357	0.0	0.003	264.45	2.57	1015.744	1092.912	23.537	-91.762	-89.687	0.0
6	8886	8887	SN	1	48.853	49.526	0.0	0.003	6.574	2.591	1039.848	1096.128	0.82	-91.628	-89.937	0.0
7	8886	8887	SN	1	48.853	49.526	0.0	0.003	6.574	2.459	1040.592	1096.128	0.831	-91.628	-89.943	0.0
8	8887	8888	SN	1	48.826	49.527	0.0	0.003	6.574	2.501	1039.744	1096.28	1.03	-91.625	-89.934	0.0
9	8887	8888	NS	2	48.617	49.338	0.0	0.003	267.24	2.598	1016.008	1093.168	24.619	-91.704	-89.638	0.0
10	8887	8888	SN	1	48.826	49.527	0.0	0.003	6.574	2.385	1040.336	1096.28	1.04	-91.625	-89.94	0.0
11	8887	8888	NS	1	48.617	49.338	0.0	0.003	267.24	2.598	1016.008	1093.168	24.623	-91.704	-89.638	0.0
12	8887	8888	SN	1	48.79	49.527	0.0	0.003	6.574	2.387	1040.328	1096.288	1.059	-91.659	-89.94	0.0
13	8888	8889	NS	1	48.613	49.335	0.0	0.0	267.428	2.718	1016.712	1093.064	24.215	-91.539	-89.691	0.0
14	8888	8889	NS	1	48.613	49.335	0.0	0.0	267.428	2.724	1016.712	1093.064	24.192	-91.539	-89.691	0.0
15	8888	8889	SN	2	48.802	49.526	0.0	0.003	214.335	2.532	1039.68	1096.224	0.976	-91.643	-89.933	0.0
16	8888	8889	SN	1	48.802	49.526	0.0	0.003	214.335	2.323	1040.528	1096.224	0.991	-91.643	-89.945	0.0
17	8888	8889	SN	1	48.802	49.526	0.0	0.003	214.335	2.532	1039.68	1096.224	0.976	-91.643	-89.933	0.0
18	8889	8890	SN	1	48.789	49.525	0.0	0.003	6.602	2.182	1041.032	1096.128	0.768	-91.95	-89.948	0.0
19	8889	8890	SN	1	48.794	49.526	0.0	0.003	6.602	2.523	1039.512	1096.152	0.798	-91.95	-89.935	0.0
20	8889	8890	NS	1	48.598	49.362	0.0	0.0	210.723	2.784	1016.56	1093.008	23.711	-91.694	-89.695	0.0
21	8889	8890	SN	2	48.794	49.525	0.0	0.003	6.602	2.524	1039.68	1096.128	0.75	-91.95	-89.935	0.0
22	8890	8891	NS	1	48.564	49.336	0.0	0.003	41.718	2.708	1016.488	1092.992	24.352	-91.746	-89.691	0.0
23	8890	8891	NS	1	48.564	49.336	0.0	0.003	41.718	2.717	1016.488	1092.992	24.328	-91.746	-89.691	0.0
24	8890	8891	SN	1	48.81	49.538	0.0	0.003	275.673	1.986	1041.552	1096.088	0.765	-91.831	-89.958	0.0
25	8890	8891	SN	1	48.794	49.526	0.0	0.003	6.596	2.55	1039.672	1096.112	0.788	-91.831	-89.935	0.0
26	8890	8891	SN	2	48.792	49.538	0.0	0.003	275.673	2.552	1039.672	1096.088	0.738	-91.831	-89.935	0.0
27	8891	8892	SN	1	48.802	49.584	0.0	0.003	278.177	2.623	1038.744	1096.12	0.817	-92.074	-89.935	0.0
28	8891	8892	SN	1	48.8	49.584	0.0	0.003	6.59	1.772	1042.008	1096.12	0.86	-91.817	-89.967	0.0
29	8891	8892	NS	1	48.582	49.338	0.0	0.003	15.21	2.644	1017.056	1093.016	24.406	-91.871	-89.702	0.0
30	8891	8892	NS	1	48.562	49.338	0.0	0.003	15.21	2.646	1017.056	1093.016	24.378	-91.871	-89.702	0.0
31	8892	8893	SN	1	48.851	49.533	0.0	0.003	215.278	1.586	1042.528	1096.32	1.247	-91.846	-89.978	0.0
32	8892	8893	SN	2	48.566	49.533	0.0	0.003	215.278	2.655	1034.616	1096.32	1.158	-91.988	-89.934	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	8892	8893	NS	1	48.609	49.338	0.0	0.003	210.656	2.589	1016.904	1093.192	25.572	-91.847	-89.704	0.0
34	8892	8893	SN	1	48.566	49.533	0.0	0.003	215.278	2.654	1034.608	1096.32	1.158	-91.988	-89.934	0.0
35	8892	8893	NS	1	48.61	49.338	0.0	0.003	210.656	2.586	1016.792	1093.192	25.599	-91.847	-89.704	0.0
36	8893	8894	NS	1	48.567	49.339	0.0	0.003	43.08	2.675	1015.824	1093.312	25.116	-94.314	-89.7	0.0
37	8893	8894	NS	2	48.567	49.339	0.0	0.003	13.242	2.673	1015.824	1093.304	25.113	-94.314	-89.7	0.0
38	8893	8894	SN	1	48.567	49.58	0.0	0.003	6.59	2.557	1034.736	1096.496	1.616	-92.316	-89.912	0.0
39	8894	8895	NS	1	48.557	49.342	0.0	0.0	42.416	2.838	1016.832	1093.344	24.547	-91.564	-89.677	0.0
40	8894	8895	SN	1	48.814	49.592	0.0	0.003	214.241	2.539	1039.68	1096.416	1.61	-91.842	-89.916	0.0
41	8895	8896	NS	1	48.588	49.388	0.0	0.003	15.31	2.641	1016.168	1092.704	25.292	-91.649	-89.698	0.0
42	8900	8901	SN	1	48.842	49.528	0.0	0.003	279.837	2.488	1040.144	1096.648	2.166	-91.947	-89.939	0.0
43	8900	8901	SN	1	48.847	49.528	0.0	0.003	279.837	2.715	1039.104	1096.648	2.122	-91.947	-89.929	0.0
44	8900	8901	SN	1	48.827	49.528	0.0	0.003	279.837	2.712	1039.104	1096.648	2.119	-91.947	-89.929	0.0
45	8901	8902	SN	1	48.846	49.528	0.0	0.003	215.444	2.416	1039.608	1096.824	2.359	-91.817	-89.935	0.0
46	8901	8902	SN	1	48.832	49.528	0.0	0.003	215.444	2.418	1039.608	1096.824	2.361	-91.817	-89.935	0.0
47	8901	8902	NS	2	48.62	49.344	0.0	0.003	42.579	2.594	1016.224	1093.88	23.418	-91.77	-89.655	0.0
48	8901	8902	NS	1	48.62	49.344	0.0	0.003	42.579	2.594	1016.224	1093.88	23.415	-91.77	-89.655	0.0
49	8901	8902	SN	1	48.846	49.528	0.0	0.003	215.444	2.533	1039.008	1096.824	2.334	-91.817	-89.931	0.0
50	8902	8903	SN	1	48.783	49.528	0.0	0.003	279.318	2.491	1038.88	1096.864	2.303	-91.694	-89.93	0.0
51	8902	8903	NS	1	48.622	49.344	0.0	0.003	264.665	2.599	1016.512	1093.984	23.586	-91.567	-89.663	0.0
52	8902	8903	SN	1	48.783	49.528	0.0	0.003	279.318	2.349	1039.616	1096.864	2.329	-91.694	-89.938	0.0
53	8903	8904	SN	1	48.788	49.564	0.0	0.003	29.434	2.277	1039.944	1096.768	2.215	-91.912	-89.938	0.0
54	8903	8904	NS	1	48.594	49.341	0.0	0.0	264.946	2.784	1016.36	1093.848	22.684	-91.567	-89.688	0.0
55	8904	8905	NS	1	48.584	49.377	0.0	0.003	41.63	2.593	1017.152	1093.792	22.892	-91.763	-89.694	0.0
56	8904	8905	SN	1	48.81	49.526	0.0	0.003	6.618	2.091	1040.424	1096.744	2.151	-91.833	-89.948	0.0
57	8904	8905	SN	1	48.81	49.526	0.0	0.003	6.618	2.536	1038.848	1096.744	2.088	-91.833	-89.932	0.0
58	8905	8906	NS	1	48.566	49.342	0.0	0.003	15.602	2.677	1017.36	1093.784	23.538	-91.647	-89.704	0.0
59	8905	8906	SN	1	48.807	49.561	0.0	0.003	6.612	1.873	1040.872	1096.664	2.145	-91.877	-89.952	0.0
60	8905	8906	SN	1	48.807	49.561	0.0	0.003	6.612	2.577	1038.368	1096.664	2.05	-91.877	-89.926	0.0
61	8906	8907	SN	1	48.838	49.567	0.0	0.003	6.612	1.649	1041.352	1096.784	2.438	-91.91	-89.964	0.0
62	8906	8907	NS	1	48.562	49.371	0.0	0.003	210.601	2.643	1017.248	1093.88	24.249	-91.716	-89.706	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR															Kp													
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8885	8886	SN	1	-34.804	25.213	0.427	-34.278	25.252	1.949	-26.147	28.42	12.891	-25.168	31.326	18.093	0.116	292.95	3.67	0.116	259.559	3.181	0.116	39.992	0.136	0.116	31.943	0.133
2	8885	8886	SN	2	-34.804	25.213	0.904	-34.694	25.252	1.787	-26.147	28.42	12.977	-25.168	31.326	18.092	0.116	292.95	3.488	0.116	285.667	2.884	0.116	39.992	0.135	0.116	31.943	0.133
3	8885	8886	SN	1	-34.804	25.213	0.904	-34.694	25.252	1.79	-26.147	28.42	12.977	-25.168	31.326	18.092	0.116	292.95	3.488	0.116	285.667	2.884	0.116	39.992	0.135	0.116	31.943	0.133
4	8886	8887	SN	1	-33.938	26.377	1.16	-32.858	26.87	1.771	-6.328	31.654	10.999	-3.915	30.174	7.802	0.116	240.042	2.471	0.116	187.204	2.102	0.116	0.51	0.0	0.116	0.336	0.0
5	8886	8887	NS	1	-34.184	27.054	0.065	-34.484	28.726	0.016	1.029	32.876	18.533	2.593	36.383	33.175	0.116	254.051	3.558	0.116	272.223	3.223	0.116	0.181	0.0	0.116	0.16	0.0
6	8886	8887	SN	1	-34.103	26.377	1.162	-32.832	26.87	1.774	-6.362	31.654	10.999	-3.915	30.174	7.804	0.116	249.34	2.473	0.116	186.1	2.1	0.116	0.514	0.0	0.116	0.336	0.0
7	8886	8887	SN	1	-34.103	26.377	1.185	-32.832	26.87	1.81	-6.362	31.654	10.999	-3.915	30.174	7.804	0.116	249.34	2.523	0.116	186.1	2.143	0.116	0.514	0.0	0.116	0.336	0.0
8	8887	8888	SN	1	-34.462	24.851	0.069	-34.488	24.792	0.121	4.272	28.494	12.173	5.778	30.272	6.461	0.116	270.814	2.212	0.116	272.435	1.704	0.116	0.146	0.0	0.116	0.136	0.0
9	8887	8888	NS	2	-34.527	25.339	0.014	-34.966	25.366	0.005	-10.849	29.86	10.846	-9.828	29.896	20.181	0.116	274.9	3.442	0.116	304.199	3.029	0.116	1.269	0.002	0.116	1.023	0.002
10	8887	8888	SN	1	-34.462	24.851	0.07	-34.488	24.792	0.122	4.272	28.494	12.173	5.778	30.272	6.461	0.116	270.814	2.241	0.116	272.435	1.722	0.116	0.146	0.0	0.116	0.136	0.0
11	8887	8888	NS	1	-34.527	25.339	0.014	-34.966	25.366	0.005	-10.849	29.86	10.846	-9.828	29.896	20.181	0.116	274.9	3.442	0.116	304.199	3.031	0.116	1.269	0.002	0.116	1.023	0.002
12	8887	8888	SN	1	-34.462	24.851	0.07	-34.629	24.792	0.122	4.272	28.494	12.173	5.777	30.272	6.457	0.116	270.814	2.242	0.116	281.439	1.722	0.116	0.145	0.0	0.116	0.136	0.0
13	8888	8889	NS	1	-34.591	24.879	0.026	-33.905	24.615	0.048	-7.883	30.171	10.546	-17.165	29.918	19.335	0.116	278.967	1.867	0.116	238.214	1.527	0.116	0.688	0.0	0.116	5.135	0.002
14	8888	8889	NS	1	-34.591	24.882	0.026	-33.905	24.615	0.048	-7.883	30.171	10.546	-17.165	29.918	19.415	0.116	278.967	1.865	0.116	238.214	1.527	0.116	0.688	0.0	0.116	5.135	0.002
15	8888	8889	SN	2	-34.738	23.28	0.01	-34.741	24.079	0.042	5.413	28.25	12.656	7.245	29.166	5.334	0.116	288.569	3.952	0.116	288.762	3.131	0.116	0.138	0.0	0.116	0.13	0.0
16	8888	8889	SN	1	-34.738	23.28	0.01	-34.741	24.079	0.042	5.433	28.25	12.686	7.245	29.166	5.287	0.116	288.569	4.023	0.116	288.762	3.179	0.116	0.138	0.0	0.116	0.13	0.0
17	8888	8889	SN	1	-34.738	23.28	0.01	-34.741	24.079	0.042	5.413	28.25	12.656	7.245	29.166	5.334	0.116	288.569	3.952	0.116	288.762	3.131	0.116	0.138	0.0	0.116	0.13	0.0
18	8889	8890	SN	1	-34.342	23.314	0.044	-34.939	24.253	0.082	2.938	28.771	18.001	0.317	28.864	19.801	0.116	263.433	4.144	0.116	302.218	4.006	0.116	0.157	0.0	0.116	0.194	0.0
19	8889	8890	SN	1	-33.407	23.314	0.043	-34.939	24.253	0.082	2.926	28.771	17.869	0.317	28.864	19.161	0.116	212.44	4.033	0.116	302.218	3.92	0.116	0.157	0.0	0.116	0.194	0.0
20	8889	8890	NS	1	-33.489	23.043	0.008	-34.826	24.202	0.023	-33.959	28.856	8.517	-15.499	30.985	14.546	0.116	216.485	1.37	0.116	309.679	1.242	0.116	241.226	0.006	0.116	3.527	0.002
21	8889	8890	SN	2	-33.407	23.314	0.043	-34.939	24.253	0.082	2.926	28.771	17.87	0.317	28.864	19.153	0.116	212.44	4.032	0.116	302.218	3.92	0.116	0.157	0.0	0.116	0.194	0.0
22	8890	8891	NS	1	-34.77	23.154	0.002	-33.342	22.02	0.001	-24.674	28.549	9.073	-6.774	29.816	15.106	0.116	290.719	2.144	0.116	209.266	1.571	0.116	28.52	0.014	0.116	0.555	0.0
23	8890	8891	NS	1	-34.77	23.154	0.002	-33.342	22.02	0.001	-24.674	28.549	9.081	-6.774	29.816	15.153	0.116	290.719	2.141	0.116	209.266	1.57	0.116	28.52	0.014	0.116	0.555	0.0
24	8890	8891	SN	1	-34.898	22.814	0.001	-34.916	23.01	0.003	2.466	27.883	16.058	4.685	29.616	16.42	0.116	299.481	2.529	0.116	300.631	2.415	0.116	0.162	0.0	0.116	0.143	0.0
25	8890	8891	SN	1	-34.898	22.814	0.001	-34.916	23.01	0.004	2.513	27.883	15.402	4.683	29.616	16.12	0.116	299.481	2.453	0.116	300.631	2.321	0.116	0.161	0.0	0.116	0.143	0.0
26	8890	8891	SN	2	-34.898	22.814	0.001	-34.916	23.01	0.004	2.513	27.883	15.406	4.683	29.616	16.117	0.116	299.481	2.453	0.116	300.631	2.319	0.116	0.161	0.0	0.116	0.143	0.0
27	8891	8892	SN	1	-34.874	21.55	0.0	-34.453	24.827	0.002	1.821	29.075	11.942	3.458	29.135	11.361	0.116	297.745	5.135	0.116	270.242	4.648	0.116	0.17	0.0	0.116	0.152	0.0
28	8891	8892	SN	1	-34.356	21.55	0.0	-34.693	23.194	0.001	5.229	29.07	12.589	4.627	29.135	11.371	0.116	264.237	5.379	0.116	285.554	4.911	0.116	0.139	0.0	0.116	0.143	0.0
29	8891	8892	NS	1	-34.875	27.051	0.269	-34.988	26.406	0.543	-4.803	29.983	11.872	-8.954	30.411	17.717	0.116	297.81	4.638	0.116	305.626	4.349	0.116	0.389	0.0	0.116	0.854	0.0
30	8891	8892	NS	1	-34.875	27.051	0.269	-34.362	26.406	0.543	-4.803	29.983	11.902	-8.963	30.411	17.739	0.116	297.81	4.62	0.116	264.593	4.353	0.116	0.389	0.0	0.116	0.855	0.0
31	8892	8893	SN	1	-34.368	23.586	0.01	-33.0	24.655	0.027	-2.21	34.126	15.498	-3.398	32.995	16.798	0.116	264.978	2.232	0.116	203.436	2.225	0.116	0.261	0.0	0.116	0.31	0.0
32	8892	8893	SN	2	-34.368	23.586	0.01	-33.0	24.655	0.029	-2.214	34.126	14.63	-3.398	32.995	16.784	0.116	264.978	2.177	0.116	203.436	2.432	0.116	0.261	0.0	0.116	0.31	0.0
33	8892	8893	NS	1	-34.796	26.268	0.375	-34.656	28.284	0.7	7.483	34.751	12.725	7.69	29.666	22.168	0.116	292.518	2.671	0.116	283.184	2.146	0.116	0.13	0.0	0.116	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- █ Normal
- █ Alarming
- █ Deviations
- █ High Errors

34	8892	8893	SN	1	-34.368	23.586	0.01	-33.0	24.655	0.029	-2.214	34.126	14.63	-3.398	32.995	16.784	0.116	264.978	2.177	0.116	203.436	2.432	0.116	0.261	0.0	0.116	0.31	0.0
35	8892	8893	NS	1	-34.796	26.27	0.375	-34.793	28.284	0.701	7.483	34.752	12.731	7.687	29.666	22.168	0.116	292.518	2.67	0.116	292.276	2.142	0.116	0.13	0.0	0.116	0.129	0.0
36	8893	8894	NS	1	-34.95	24.421	0.077	-34.843	24.743	0.183	-4.327	28.792	29.288	-0.934	30.014	45.838	0.116	303.017	4.27	0.116	295.575	3.747	0.116	0.359	0.0	0.116	0.222	0.0
37	8893	8894	NS	2	-34.95	24.421	0.077	-34.843	24.743	0.183	-4.327	28.792	29.289	-0.934	30.014	45.837	0.116	303.017	4.27	0.116	295.575	3.747	0.116	0.359	0.0	0.116	0.222	0.0
38	8893	8894	SN	1	-34.99	25.914	0.043	-34.998	26.078	0.141	-18.836	29.608	19.103	-13.021	30.465	20.998	0.116	305.803	6.218	0.116	306.364	5.827	0.116	7.502	0.003	0.116	2.033	0.002
39	8894	8895	NS	1	-34.934	28.991	0.147	-34.348	27.326	0.318	-20.79	29.287	15.825	-27.595	29.905	31.971	0.116	301.943	3.195	0.116	263.817	2.204	0.116	11.712	0.064	0.116	55.79	0.044
40	8894	8895	SN	1	-34.459	26.937	0.091	-34.66	27.429	0.223	-3.931	31.937	15.991	-2.022	30.303	14.813	0.116	270.666	2.552	0.116	283.495	2.532	0.116	0.337	0.0	0.116	0.254	0.0
41	8895	8896	NS	1	-34.487	28.002	0.319	-33.84	24.667	0.324	-3.873	29.778	14.742	-24.64	31.335	23.944	0.116	283.589	3.926	0.116	234.66	3.792	0.116	0.334	0.0	0.116	28.294	0.017
42	8900	8901	SN	1	-34.439	26.688	0.635	-34.985	25.673	2.068	-34.886	35.142	14.506	-19.794	30.36	18.821	0.116	269.368	2.519	0.116	305.46	2.162	0.116	298.612	0.057	0.116	9.328	0.031
43	8900	8901	SN	1	-34.439	26.688	1.001	-34.985	25.673	1.991	-34.886	35.142	14.507	-19.794	30.36	18.821	0.116	269.368	2.406	0.116	305.46	2.068	0.116	298.612	0.057	0.116	9.328	0.031
44	8900	8901	SN	1	-34.484	26.688	1.001	-33.862	25.673	1.99	-30.223	35.142	14.499	-19.792	30.36	18.923	0.116	272.194	2.404	0.116	235.843	2.063	0.116	102.096	0.057	0.116	9.326	0.031
45	8901	8902	SN	1	-34.32	26.046	0.509	-34.782	25.894	0.728	-10.971	29.73	9.301	-21.816	29.882	5.244	0.116	262.072	4.774	0.116	291.535	3.684	0.116	1.303	0.002	0.116	14.809	0.002
46	8901	8902	SN	1	-34.957	26.046	0.51	-34.727	25.894	0.729	-10.946	29.732	9.303	-21.744	29.882	5.242	0.116	303.51	4.785	0.116	287.876	3.695	0.116	1.296	0.002	0.116	14.57	0.002
47	8901	8902	NS	2	-34.99	27.248	0.029	-34.909	27.613	0.029	-14.091	31.95	14.435	-8.036	34.887	26.532	0.116	305.767	4.127	0.116	300.222	5.065	0.116	2.576	0.005	0.116	0.709	0.0
48	8901	8902	NS	1	-34.99	27.248	0.029	-34.909	27.613	0.029	-14.091	31.95	14.435	-8.036	34.887	26.532	0.116	305.767	4.127	0.116	300.222	5.063	0.116	2.576	0.005	0.116	0.709	0.0
49	8901	8902	SN	1	-34.32	26.046	0.501	-34.782	25.894	0.717	-10.971	29.73	9.301	-21.816	29.882	5.244	0.116	262.072	4.694	0.116	291.535	3.627	0.116	1.303	0.002	0.116	14.809	0.002
50	8902	8903	SN	1	-34.846	23.775	0.013	-34.849	23.813	0.037	2.79	29.184	15.425	6.849	29.472	7.63	0.116	295.878	4.891	0.116	296.073	3.982	0.116	0.158	0.0	0.116	0.132	0.0
51	8902	8903	NS	1	-34.676	24.709	0.006	-34.731	25.066	0.004	-17.964	28.996	10.991	-28.865	30.554	19.521	0.116	284.465	2.823	0.116	288.15	2.072	0.116	6.153	0.004	0.116	74.716	0.003
52	8902	8903	SN	1	-34.846	23.775	0.013	-34.849	23.813	0.037	2.79	29.184	15.425	6.849	29.472	7.636	0.116	295.878	4.957	0.116	296.073	4.031	0.116	0.158	0.0	0.116	0.132	0.0
53	8903	8904	SN	1	-34.731	23.544	0.013	-34.905	24.048	0.046	3.037	27.408	13.667	5.962	27.749	9.049	0.116	288.161	4.219	0.116	299.82	3.392	0.116	0.156	0.0	0.116	0.136	0.0
54	8903	8904	NS	1	-34.7	25.891	0.041	-34.566	27.804	0.084	-6.372	30.348	6.812	-6.596	31.192	13.731	0.116	286.042	1.967	0.116	277.38	1.723	0.116	0.515	0.0	0.116	0.537	0.0
55	8904	8905	NS	1	-34.923	22.976	0.006	-34.29	24.471	0.026	-27.301	28.485	12.434	-23.002	29.921	18.94	0.116	301.114	2.014	0.116	260.319	1.943	0.116	52.138	0.022	0.116	19.43	0.009
56	8904	8905	SN	1	-33.904	23.577	0.002	-34.94	25.266	0.005	4.163	28.368	15.497	6.759	28.985	17.29	0.116	238.129	1.452	0.116	302.355	1.357	0.116	0.146	0.0	0.116	0.132	0.0
57	8904	8905	SN	1	-34.106	23.577	0.002	-34.94	25.266	0.006	4.16	28.368	15.127	6.759	28.985	16.888	0.116	249.502	1.434	0.116	302.355	1.316	0.116	0.146	0.0	0.116	0.132	0.0
58	8905	8906	NS	1	-34.798	23.799	0.011	-34.818	24.325	0.016	-7.495	32.148	8.677	-6.341	31.842	15.71	0.116	292.582	3.501	0.116	293.924	3.254	0.116	0.638	0.0	0.116	0.539	0.0
59	8905	8906	SN	1	-34.95	20.823	0.0	-34.744	20.548	0.0	5.358	27.786	14.569	3.257	28.932	12.269	0.116	302.948	5.344	0.116	288.972	4.818	0.116	0.139	0.0	0.116	0.154	0.0
60	8905	8906	SN	1	-34.95	20.823	0.0	-34.744	23.015	0.001	1.595	27.786	13.704	2.468	28.932	12.148	0.116	302.948	5.165	0.116	288.972	4.609	0.116	0.173	0.0	0.116	0.162	0.0
61	8906	8907	SN	1	-34.261	24.191	0.03	-34.85	24.366	0.035	-9.944	32.26	11.531	-14.599	34.317	11.659	0.116	258.597	7.647	0.116	296.151	6.732	0.116	1.048	0.002	0.116	2.884	0.008
62	8906	8907	NS	1	-33.82	25.865	0.303	-34.971	27.368	0.655	7.545	28.607	16.401	8.038	29.721	26.621	0.116	233.626	2.613	0.116	304.53	2.349	0.116	0.129	0.0	0.116	0.128	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8885	8886	SN	1	57.6	58.418	0.0	0.0	286.598	3.368	1221.296	1289.376	18.031	-93.3	-92.022	0.0
2	8885	8886	SN	2	57.6	58.418	0.0	0.0	298.588	3.835	1218.792	1289.376	17.367	-93.586	-91.993	0.0
3	8885	8886	SN	1	57.6	58.418	0.0	0.0	298.588	3.835	1218.792	1289.376	17.368	-93.586	-91.993	0.0
4	8886	8887	SN	1	57.618	58.415	0.0	0.0	295.907	3.645	1218.696	1289.312	16.867	-93.13	-91.99	0.0
5	8886	8887	NS	1	57.344	58.214	0.0	0.0	278.827	3.634	1189.544	1284.512	44.481	-93.426	-91.739	0.0
6	8886	8887	SN	1	57.618	58.415	0.0	0.0	295.907	3.649	1218.696	1289.312	16.885	-93.13	-91.99	0.0
7	8886	8887	SN	1	57.618	58.415	0.0	0.0	295.907	3.504	1219.616	1289.312	17.093	-93.13	-91.998	0.0
8	8887	8888	SN	1	57.58	58.447	0.0	0.0	290.834	3.489	1218.584	1289.472	16.188	-93.257	-91.988	0.0
9	8887	8888	NS	2	57.354	58.217	0.0	0.0	280.934	3.617	1189.992	1284.832	46.777	-93.425	-91.696	0.0
10	8887	8888	SN	1	57.58	58.447	0.0	0.0	290.867	3.354	1219.288	1289.472	16.343	-93.257	-91.994	0.0
11	8887	8888	NS	1	57.354	58.217	0.0	0.0	280.934	3.618	1189.992	1284.832	46.783	-93.425	-91.696	0.0
12	8887	8888	SN	1	57.58	58.447	0.0	0.0	290.878	3.359	1219.28	1289.48	16.372	-93.257	-91.994	0.0
13	8888	8889	NS	1	57.332	58.214	0.0	0.0	282.28	3.688	1190.056	1284.688	46.903	-93.423	-91.746	0.0
14	8888	8889	NS	1	57.332	58.214	0.0	0.0	282.28	3.7	1190.056	1284.688	46.856	-93.423	-91.746	0.0
15	8888	8889	SN	2	57.586	58.415	0.0	0.0	286.587	3.527	1218.568	1289.4	16.397	-94.199	-91.99	0.0
16	8888	8889	SN	1	57.586	58.415	0.0	0.0	281.69	3.369	1219.496	1289.4	16.628	-94.199	-91.994	0.0
17	8888	8889	SN	1	57.586	58.415	0.0	0.0	286.587	3.527	1218.568	1289.4	16.396	-94.199	-91.99	0.0
18	8889	8890	SN	1	57.59	58.45	0.0	0.0	279.539	3.328	1220.144	1289.304	16.649	-93.265	-92.006	0.0
19	8889	8890	SN	1	57.584	58.451	0.0	0.0	282.87	3.559	1218.472	1289.336	16.303	-93.265	-91.99	0.0
20	8889	8890	NS	1	57.356	58.214	0.0	0.0	297.093	3.751	1190.808	1284.624	46.028	-93.105	-91.747	0.0
21	8889	8890	SN	2	57.583	58.45	0.0	0.0	282.853	3.559	1218.496	1289.304	16.296	-93.265	-91.99	0.0
22	8890	8891	NS	1	57.338	58.214	0.0	0.0	291.269	3.707	1190.096	1284.6	46.051	-93.422	-91.742	0.0
23	8890	8891	NS	1	57.338	58.214	0.0	0.0	291.269	3.72	1190.096	1284.6	46.003	-93.422	-91.742	0.0
24	8890	8891	SN	1	57.578	58.414	0.0	0.003	278.778	3.145	1220.736	1289.272	17.135	-93.175	-92.016	0.0
25	8890	8891	SN	1	57.591	58.415	0.0	0.003	299.696	3.532	1218.432	1289.304	16.549	-95.298	-91.988	0.0
26	8890	8891	SN	2	57.59	58.414	0.0	0.003	299.696	3.53	1218.016	1289.272	16.533	-95.298	-91.988	0.0
27	8891	8892	SN	1	57.252	58.447	0.0	0.0	299.139	3.66	1209.12	1289.304	16.923	-94.732	-91.989	0.0
28	8891	8892	SN	1	57.59	58.448	0.0	0.0	294.341	2.997	1221.216	1289.312	17.822	-93.306	-92.023	0.0
29	8891	8892	NS	1	57.35	58.216	0.0	0.0	296.856	3.656	1189.984	1284.656	45.623	-92.954	-91.755	0.0
30	8891	8892	NS	1	57.349	58.216	0.0	0.0	296.856	3.659	1190.728	1284.656	45.572	-92.986	-91.755	0.0
31	8892	8893	SN	1	57.615	58.426	0.0	0.0	289.576	2.679	1221.728	1289.544	18.954	-93.55	-92.034	0.0
32	8892	8893	SN	2	57.594	58.426	0.0	0.0	299.145	3.698	1217.888	1289.544	17.573	-95.273	-91.986	0.0
33	8892	8893	NS	1	57.339	58.218	0.0	0.0	290.999	3.604	1190.336	1284.856	47.896	-93.422	-91.756	0.0
34	8892	8893	SN	1	57.609	58.426	0.0	0.0	299.172	3.697	1218.32	1289.544	17.573	-95.273	-91.986	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8892	8893	NS	1	57.324	58.218	0.0	0.0	290.999	3.6	1190.048	1284.856	47.949	-93.422	-91.756	0.0
36	8893	8894	NS	1	57.321	58.218	0.0	0.0	279.914	3.751	1189.84	1285.016	47.138	-94.061	-91.746	0.0
37	8893	8894	NS	2	57.321	58.218	0.0	0.0	279.881	3.752	1189.84	1285.008	47.125	-94.061	-91.746	0.0
38	8893	8894	SN	1	57.594	58.435	0.0	0.0	287.199	3.571	1218.264	1289.784	16.325	-93.238	-91.957	0.0
39	8894	8895	NS	1	57.353	58.221	0.0	0.0	297.082	3.979	1190.648	1285.064	46.879	-93.423	-91.728	0.0
40	8894	8895	SN	1	57.616	58.44	0.0	0.0	293.712	3.549	1218.496	1289.664	16.833	-93.235	-91.966	0.0
41	8895	8896	NS	1	57.338	58.213	0.0	0.0	281.927	3.344	1189.856	1284.176	47.934	-93.177	-91.75	0.0
42	8900	8901	SN	1	57.61	58.452	0.0	0.0	289.979	3.665	1219.0	1289.928	18.652	-93.256	-91.994	0.0
43	8900	8901	SN	1	57.61	58.452	0.0	0.0	289.979	3.822	1217.784	1289.928	18.295	-93.256	-91.983	0.0
44	8900	8901	SN	1	57.586	58.452	0.0	0.0	289.979	3.818	1217.784	1289.928	18.275	-93.256	-91.983	0.0
45	8901	8902	SN	1	57.608	58.419	0.0	0.0	296.338	3.457	1218.408	1290.136	16.91	-93.273	-91.99	0.0
46	8901	8902	SN	1	57.608	58.419	0.0	0.0	296.338	3.46	1218.408	1290.136	16.928	-93.273	-91.99	0.0
47	8901	8902	NS	2	57.353	58.225	0.0	0.0	282.594	3.62	1190.688	1285.728	47.311	-93.417	-91.71	0.0
48	8901	8902	NS	1	57.353	58.225	0.0	0.0	282.594	3.619	1190.688	1285.728	47.305	-93.417	-91.71	0.0
49	8901	8902	SN	1	57.608	58.419	0.0	0.0	296.338	3.584	1217.656	1290.136	16.744	-93.273	-91.985	0.0
50	8902	8903	SN	1	57.579	58.43	0.0	0.0	286.714	3.512	1217.536	1290.144	16.957	-93.185	-91.985	0.0
51	8902	8903	NS	1	57.334	58.225	0.0	0.0	283.747	3.558	1190.64	1285.848	47.953	-93.58	-91.717	0.0
52	8902	8903	SN	1	57.579	58.43	0.0	0.0	286.714	3.38	1218.44	1290.144	17.134	-93.185	-91.992	0.0
53	8903	8904	SN	1	57.574	58.446	0.0	0.0	295.78	3.366	1218.776	1290.048	17.284	-93.439	-91.988	0.0
54	8903	8904	NS	1	57.334	58.222	0.0	0.0	285.793	3.815	1190.296	1285.664	47.254	-93.415	-91.735	0.0
55	8904	8905	NS	1	57.321	58.22	0.0	0.0	290.034	3.693	1191.048	1285.616	47.106	-93.178	-91.746	0.0
56	8904	8905	SN	1	57.57	58.416	0.0	0.0	282.258	3.253	1219.248	1290.008	17.26	-93.156	-92.003	0.0
57	8904	8905	SN	1	57.57	58.416	0.0	0.0	284.756	3.538	1217.464	1290.008	16.777	-93.156	-91.983	0.0
58	8905	8906	NS	1	57.327	58.223	0.0	0.003	295.444	3.714	1191.064	1285.608	46.01	-93.127	-91.756	0.0
59	8905	8906	SN	1	57.57	58.416	0.0	0.003	281.447	3.088	1219.688	1289.92	17.596	-93.166	-92.01	0.0
60	8905	8906	SN	1	57.424	58.416	0.0	0.003	282.296	3.596	1212.616	1289.92	16.834	-93.774	-91.981	0.0
61	8906	8907	SN	1	57.592	58.436	0.0	0.0	297.474	2.87	1220.32	1290.072	19.152	-93.227	-92.02	0.0
62	8906	8907	NS	1	57.326	58.225	0.0	0.003	295.88	3.634	1190.928	1285.728	47.814	-93.414	-91.759	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8885	8886	SN	1	-34.106	18.905	0.0	-34.354	19.406	0.0	-23.448	22.432	0.017	-30.932	24.202	0.018	0.086	190.711	2.98	0.086	201.875	2.584	0.086	16.443	0.049	0.086	91.866	0.051
2	8885	8886	SN	2	-34.106	18.905	0.0	-33.746	19.406	0.0	-23.448	22.432	0.018	-30.932	24.202	0.018	0.086	190.711	2.862	0.086	175.55	2.336	0.086	16.443	0.048	0.086	91.866	0.051
3	8885	8886	SN	1	-34.106	18.905	0.0	-33.746	19.406	0.0	-23.448	22.432	0.018	-30.932	24.202	0.018	0.086	190.711	2.862	0.086	175.55	2.336	0.086	16.443	0.048	0.086	91.866	0.051
4	8886	8887	SN	1	-34.444	18.303	0.0	-34.917	19.479	0.0	-32.371	22.095	0.004	-28.457	24.681	0.076	0.086	206.143	2.54	0.086	229.874	2.201	0.086	127.897	0.149	0.086	51.976	0.211
5	8886	8887	NS	1	-34.911	21.624	0.0	-34.076	21.762	0.0	-5.891	22.508	0.009	-8.276	24.488	0.147	0.086	229.519	2.748	0.086	189.357	2.897	0.086	0.356	0.0	0.086	0.565	0.0
6	8886	8887	SN	1	-34.718	18.303	0.0	-34.686	19.479	0.0	-29.871	22.095	0.004	-31.692	24.68	0.076	0.086	219.544	2.542	0.086	217.969	2.188	0.086	71.951	0.149	0.086	109.404	0.211
7	8886	8887	SN	1	-34.718	18.303	0.0	-34.686	19.479	0.0	-29.871	22.095	0.004	-31.692	24.68	0.076	0.086	219.544	2.596	0.086	217.969	2.232	0.086	71.951	0.149	0.086	109.404	0.211
8	8887	8888	SN	1	-34.564	17.536	0.0	-34.92	18.951	0.0	0.034	22.754	0.034	-1.067	23.094	0.16	0.087	211.936	2.359	0.086	229.985	2.286	0.086	0.149	0.0	0.086	0.168	0.0
9	8887	8888	NS	2	-34.074	18.809	0.0	-34.479	18.425	0.0	-33.947	22.905	0.011	-23.576	23.53	0.12	0.086	189.322	2.705	0.086	207.774	2.868	0.086	183.85	0.002	0.086	16.938	0.072
10	8887	8888	SN	1	-34.564	17.536	0.0	-34.92	18.951	0.0	0.034	22.754	0.034	-1.067	23.094	0.16	0.087	211.936	2.389	0.086	229.985	2.311	0.086	0.149	0.0	0.086	0.168	0.0
11	8887	8888	NS	1	-34.074	18.809	0.0	-34.479	18.425	0.0	-33.947	22.905	0.011	-23.576	23.53	0.12	0.086	189.322	2.705	0.086	207.774	2.869	0.086	183.85	0.002	0.086	16.938	0.072
12	8887	8888	SN	1	-34.982	17.536	0.0	-34.764	18.951	0.0	0.033	22.754	0.034	-1.072	23.094	0.164	0.087	233.324	2.393	0.086	221.865	2.307	0.086	0.149	0.0	0.086	0.168	0.0
13	8888	8889	NS	1	-34.3	19.41	0.0	-34.295	17.656	0.0	-13.889	22.365	0.002	-27.64	22.914	0.075	0.086	199.365	1.367	0.087	199.16	1.38	0.086	1.878	0.018	0.086	43.081	0.034
14	8888	8889	NS	1	-34.3	19.41	0.0	-34.295	17.656	0.0	-13.889	22.365	0.002	-27.64	22.914	0.077	0.086	199.365	1.365	0.087	199.16	1.38	0.086	1.878	0.018	0.086	43.081	0.034
15	8888	8889	SN	2	-34.419	16.982	0.0	-34.916	18.085	0.0	0.808	22.237	0.012	1.79	22.653	0.114	0.087	204.945	3.109	0.086	229.761	2.787	0.086	0.138	0.0	0.086	0.126	0.0
16	8888	8889	SN	1	-34.529	16.982	0.0	-34.916	18.085	0.0	0.808	22.237	0.012	1.79	22.653	0.116	0.087	210.191	3.165	0.086	229.761	2.82	0.086	0.138	0.0	0.086	0.126	0.0
17	8888	8889	SN	1	-34.419	16.982	0.0	-34.916	18.085	0.0	0.808	22.237	0.012	1.79	22.653	0.114	0.087	204.945	3.109	0.086	229.761	2.787	0.086	0.138	0.0	0.086	0.126	0.0
18	8889	8890	SN	1	-34.99	16.754	0.0	-34.614	17.754	0.0	-1.904	22.33	0.018	-2.863	22.687	0.282	0.087	233.682	3.545	0.086	214.314	3.478	0.086	0.187	0.0	0.086	0.215	0.0
19	8889	8890	SN	1	-34.99	16.754	0.0	-34.719	17.754	0.0	-1.852	22.33	0.018	-2.869	22.687	0.264	0.087	233.682	3.466	0.086	219.594	3.398	0.086	0.186	0.0	0.086	0.215	0.0
20	8889	8890	NS	1	-33.545	14.684	0.0	-33.584	15.894	0.0	-15.754	22.89	0.051	-6.758	23.052	0.069	0.088	167.566	0.889	0.087	169.063	0.926	0.086	2.851	0.001	0.086	0.419	0.0
21	8889	8890	SN	2	-34.99	16.754	0.0	-34.719	17.754	0.0	-1.852	22.33	0.018	-2.869	22.687	0.264	0.087	233.682	3.468	0.086	219.594	3.398	0.086	0.186	0.0	0.086	0.215	0.0
22	8890	8891	NS	1	-33.194	20.373	0.0	-33.87	15.545	0.0	-23.588	23.069	0.018	-22.228	22.814	0.112	0.086	154.603	1.872	0.087	180.617	1.493	0.086	16.987	0.002	0.086	12.434	0.009
23	8890	8891	NS	1	-33.194	20.373	0.0	-33.87	15.545	0.0	-23.588	23.069	0.018	-22.228	22.811	0.111	0.086	154.603	1.87	0.087	180.617	1.493	0.086	16.987	0.002	0.086	12.434	0.009
24	8890	8891	SN	1	-34.639	16.603	0.0	-34.99	17.933	0.0	-2.046	21.705	0.0	-0.967	22.268	0.035	0.087	215.569	2.134	0.086	233.717	1.993	0.086	0.191	0.0	0.086	0.166	0.0
25	8890	8891	SN	1	-34.926	16.603	0.0	-34.895	17.933	0.0	-2.032	21.705	0.0	-1.093	22.268	0.034	0.087	236.214	2.081	0.086	228.667	1.961	0.086	0.191	0.0	0.086	0.169	0.0
26	8890	8891	SN	2	-34.639	16.603	0.0	-34.99	17.933	0.0	-2.032	21.705	0.0	-1.093	22.268	0.034	0.087	215.569	2.078	0.086	233.717	1.96	0.086	0.191	0.0	0.086	0.169	0.0
27	8891	8892	SN	1	-34.335	17.062	0.0	-34.891	16.915	0.0	-2.673	22.887	0.136	-1.154	23.334	0.385	0.087	201.049	4.864	0.087	228.484	4.523	0.086	0.209	0.0	0.086	0.17	0.0
28	8891	8892	SN	1	-34.844	17.062	0.0	-34.891	16.915	0.0	-0.51	22.887	0.146	-1.188	23.334	0.385	0.087	226.011	5.067	0.087	228.484	4.677	0.086	0.158	0.0	0.086	0.171	0.0
29	8891	8892	NS	1	-34.888	19.13	0.0	-34.617	20.122	0.0	-26.101	22.44	0.044	-18.312	22.969	0.289	0.086	228.307	3.718	0.086	214.505	3.603	0.086	30.235	0.04	0.086	5.084	0.048
30	8891	8892	NS	1	-34.869	19.13	0.0	-34.971	20.122	0.0	-26.834	22.44	0.044	-18.344	22.969	0.289	0.086	227.291	3.703	0.086	232.738	3.602	0.086	35.786	0.04	0.086	5.122	0.048
31	8892	8893	SN	1	-34.187	19.217	0.0	-34.478	18.113	0.0	-10.553	23.728	0.262	-5.201	25.283	0.964	0.086	194.292	2.514	0.086	207.732	2.308	0.086	0.907	0.0	0.086	0.314	0.0
32	8892	8893	SN	2	-34.187	19.217	0.0	-34.83	18.113	0.0	-10.553	23.728	0.245	-5.201	25.283	0.962	0.086	194.277	2.353	0.086	225.262	2.439	0.086	0.907	0.0	0.086	0.314	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	8892	8893	NS	1	-34.379	19.262	0.0	-34.294	20.775	0.0	2.294	22.625	0.063	2.041	23.281	0.464	0.086	203.082	2.605	0.086	199.128	2.62	0.086	0.122	0.0	0.086	0.124	0.0
34	8892	8893	SN	1	-34.187	19.217	0.0	-34.478	18.113	0.0	-10.553	23.728	0.245	-5.201	25.283	0.962	0.086	194.277	2.353	0.086	207.732	2.437	0.086	0.907	0.0	0.086	0.314	0.0
35	8892	8893	NS	1	-34.891	19.262	0.0	-34.615	20.773	0.0	2.301	22.625	0.063	2.041	23.283	0.467	0.086	228.478	2.605	0.086	214.402	2.616	0.086	0.122	0.0	0.086	0.124	0.0
36	8893	8894	NS	1	-34.369	22.613	0.005	-34.586	18.105	0.0	-1.602	22.897	0.069	-19.116	23.849	1.032	0.086	202.644	3.263	0.086	212.937	2.973	0.086	0.18	0.0	0.086	6.106	0.002
37	8893	8894	NS	2	-34.369	22.613	0.005	-34.586	18.105	0.0	-1.602	22.897	0.069	-19.116	23.849	1.032	0.086	202.644	3.263	0.086	212.937	2.973	0.086	0.18	0.0	0.086	6.106	0.002
38	8893	8894	SN	1	-34.564	18.829	0.0	-34.872	20.408	0.0	-27.869	22.86	0.055	-13.397	24.519	0.496	0.086	211.931	4.892	0.086	227.459	5.134	0.086	45.398	0.074	0.086	1.684	0.009
39	8894	8895	NS	1	-34.244	21.621	0.0	-34.654	21.866	0.0	-21.088	22.661	0.074	-15.287	24.298	1.556	0.086	196.825	2.394	0.086	216.333	1.816	0.086	9.58	0.025	0.086	2.566	0.005
40	8894	8895	SN	1	-34.017	20.876	0.0	-34.834	21.369	0.0	-5.131	23.133	0.034	-6.333	23.772	0.186	0.086	186.806	2.619	0.086	225.444	2.518	0.086	0.31	0.0	0.086	0.386	0.0
41	8895	8896	NS	1	-34.945	21.006	0.0	-34.945	20.329	0.0	-3.218	22.223	0.022	-9.017	24.013	1.285	0.086	231.302	3.361	0.086	231.342	2.969	0.086	0.226	0.0	0.086	0.657	0.0
42	8900	8901	SN	1	-34.863	20.168	0.0	-34.776	19.42	0.0	-24.257	22.41	0.007	-23.724	22.996	0.058	0.086	226.97	2.111	0.086	222.548	1.938	0.086	19.801	0.019	0.086	17.525	0.017
43	8900	8901	SN	1	-34.863	20.168	0.0	-34.776	19.42	0.0	-24.257	22.41	0.007	-23.724	22.996	0.058	0.086	226.97	2.037	0.086	222.548	1.859	0.086	19.801	0.019	0.086	17.525	0.017
44	8900	8901	SN	1	-33.468	20.168	0.0	-34.552	19.42	0.0	-24.079	22.41	0.007	-23.864	22.996	0.057	0.086	164.606	2.029	0.086	211.308	1.857	0.086	19.006	0.019	0.086	18.094	0.015
45	8901	8902	SN	1	-34.41	18.81	0.0	-34.84	19.457	0.0	-4.839	22.327	0.002	-4.74	22.93	0.08	0.086	204.494	3.647	0.086	225.794	3.144	0.086	0.295	0.0	0.086	0.29	0.0
46	8901	8902	SN	1	-34.923	18.81	0.0	-34.909	19.457	0.0	-4.856	22.327	0.002	-4.735	22.93	0.08	0.086	230.172	3.655	0.086	229.445	3.139	0.086	0.296	0.0	0.086	0.29	0.0
47	8901	8902	NS	2	-34.734	20.753	0.0	-34.66	21.457	0.0	-9.966	22.444	0.01	-6.554	23.581	0.113	0.086	220.396	3.568	0.086	216.666	4.262	0.086	0.8	0.0	0.086	0.403	0.0
48	8901	8902	NS	1	-34.734	20.753	0.0	-34.66	21.457	0.0	-9.966	22.444	0.01	-6.551	23.581	0.113	0.086	220.396	3.568	0.086	216.666	4.26	0.086	0.8	0.0	0.086	0.402	0.0
49	8901	8902	SN	1	-34.41	18.81	0.0	-34.84	19.457	0.0	-4.839	22.327	0.002	-4.74	22.93	0.08	0.086	204.494	3.585	0.086	225.794	3.103	0.086	0.295	0.0	0.086	0.29	0.0
50	8902	8903	SN	1	-34.804	16.564	0.0	-34.643	17.997	0.0	1.618	21.944	0.0	2.409	22.761	0.103	0.087	223.962	3.809	0.086	215.794	3.555	0.086	0.128	0.0	0.086	0.121	0.0
51	8902	8903	NS	1	-34.787	15.97	0.0	-32.948	15.514	0.0	-10.451	21.839	0.0	-22.891	23.349	0.079	0.087	223.055	1.915	0.087	146.093	1.566	0.086	0.887	0.0	0.086	14.475	0.024
52	8902	8903	SN	1	-34.804	16.564	0.0	-34.643	17.997	0.0	1.618	21.944	0.0	2.409	22.761	0.103	0.087	223.962	3.865	0.086	215.794	3.577	0.086	0.128	0.0	0.086	0.121	0.0
53	8903	8904	SN	1	-34.818	17.019	0.0	-34.966	17.518	0.0	-0.156	22.435	0.062	0.161	23.194	0.308	0.087	224.643	3.56	0.087	232.448	3.267	0.086	0.152	0.0	0.086	0.147	0.0
54	8903	8904	NS	1	-34.188	17.879	0.0	-34.255	17.723	0.0	-16.293	22.393	0.013	-29.106	23.007	0.037	0.086	194.345	1.34	0.086	197.369	1.361	0.086	3.218	0.01	0.086	60.361	0.02
55	8904	8905	NS	1	-34.705	15.5	0.0	-34.111	16.225	0.0	-25.213	23.372	0.018	-13.587	23.422	0.045	0.087	218.916	2.117	0.087	190.909	2.307	0.086	24.66	0.018	0.086	1.756	0.007
56	8904	8905	SN	1	-34.578	17.418	0.0	-34.815	17.607	0.0	-0.009	21.748	0.0	-0.56	22.698	0.296	0.087	212.622	1.471	0.087	224.526	1.286	0.086	0.149	0.0	0.086	0.159	0.0
57	8904	8905	SN	1	-34.578	17.418	0.0	-34.815	17.607	0.0	-0.009	21.748	0.0	-4.325	22.698	0.281	0.087	212.622	1.449	0.087	224.526	1.258	0.086	0.149	0.0	0.086	0.27	0.0
58	8905	8906	NS	1	-34.84	18.173	0.0	-33.814	18.945	0.0	-32.547	22.045	0.005	-27.904	24.512	0.146	0.086	225.781	3.248	0.086	178.317	3.304	0.086	133.185	0.153	0.086	45.779	0.08
59	8905	8906	SN	1	-34.789	16.184	0.0	-34.25	18.294	0.0	-0.58	22.0	0.004	-3.374	22.447	0.021	0.087	223.154	3.955	0.086	197.164	3.8	0.086	0.159	0.0	0.086	0.232	0.0
60	8905	8906	SN	1	-34.789	16.184	0.0	-34.25	18.3	0.0	-4.594	22.0	0.004	-3.454	22.447	0.02	0.087	223.154	3.842	0.086	197.164	3.719	0.086	0.283	0.0	0.086	0.235	0.0
61	8906	8907	SN	1	-34.834	16.869	0.0	-34.97	17.297	0.0	-13.621	24.203	0.195	-7.131	25.314	0.689	0.087	225.423	6.15	0.087	232.635	5.678	0.086	1.769	0.002	0.086	0.45	0.0
62	8906	8907	NS	1	-34.963	19.568	0.0	-34.81	20.17	0.0	3.481	22.449	0.078	1.994	23.204	0.509	0.086	232.268	2.129	0.086	224.257	1.837	0.086	0.112	0.0	0.086	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors