

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-JUN-2018 To 06-JUN-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-JUN-2018 To 06-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8943	8944	SN	1	48.773	49.532	0.0	0.0	30.092	2.712	1036.936	1098.32	6.836	-91.8	-89.908	0.0
2	8943	8944	SN	1	48.773	49.532	0.0	0.003	30.092	2.059	1038.472	1098.32	7.108	-91.8	-89.931	0.0
3	8944	8945	SN	1	48.827	49.529	0.0	0.0	32.577	2.468	1037.472	1098.28	6.517	-91.762	-89.913	0.0
4	8944	8945	NS	1	48.622	49.357	0.0	0.0	227.168	2.736	1018.04	1095.928	18.074	-91.359	-89.703	0.0
5	8944	8945	SN	2	48.827	49.529	0.0	0.0	32.577	2.61	1036.872	1098.28	6.431	-91.762	-89.906	0.0
6	8944	8945	NS	1	48.622	49.357	0.0	0.0	227.168	2.738	1018.04	1095.928	18.091	-91.359	-89.703	0.0
7	8944	8945	SN	1	48.827	49.529	0.0	0.0	32.577	2.61	1036.88	1098.28	6.431	-91.762	-89.906	0.0
8	8945	8946	NS	1	48.61	49.359	0.0	0.0	266.954	2.676	1017.288	1096.152	18.572	-91.575	-89.646	0.0
9	8945	8946	SN	1	48.777	49.534	0.0	0.003	6.662	2.385	1037.264	1098.416	6.299	-91.747	-89.912	0.0
10	8945	8946	NS	2	48.609	49.359	0.0	0.0	266.954	2.677	1017.28	1096.16	18.598	-91.575	-89.646	0.0
11	8945	8946	SN	1	48.777	49.529	0.0	0.003	6.662	2.387	1037.264	1098.416	6.305	-91.753	-89.912	0.0
12	8945	8946	SN	1	48.777	49.534	0.0	0.003	6.662	2.501	1036.832	1098.416	6.238	-91.747	-89.908	0.0
13	8946	8947	NS	1	48.623	49.359	0.0	0.003	264.406	2.627	1017.992	1096.16	18.149	-91.377	-89.699	0.0
14	8946	8947	SN	1	48.781	49.529	0.0	0.003	35.423	2.533	1036.728	1098.36	6.058	-91.762	-89.902	0.0
15	8947	8948	SN	1	48.759	49.535	0.0	0.003	277.774	2.189	1037.6	1098.248	6.189	-91.786	-89.918	0.0
16	8947	8948	SN	1	48.759	49.535	0.0	0.003	277.774	2.532	1036.744	1098.248	6.044	-91.786	-89.905	0.0
17	8947	8948	NS	1	48.623	49.356	0.0	0.003	42.259	2.691	1018.448	1096.008	17.245	-91.642	-89.702	0.0
18	8947	8948	NS	1	48.623	49.356	0.0	0.003	42.259	2.694	1018.448	1096.0	17.249	-91.542	-89.702	0.0
19	8948	8949	NS	1	48.575	49.356	0.0	0.003	41.514	2.689	1018.048	1095.976	17.709	-91.709	-89.706	0.0
20	8948	8949	NS	1	48.574	49.377	0.0	0.003	267.229	2.694	1018.04	1095.984	17.73	-91.774	-89.705	0.0
21	8948	8949	SN	1	48.767	49.536	0.0	0.003	29.296	2.559	1036.728	1098.216	5.687	-91.892	-89.905	0.0
22	8948	8949	SN	1	48.749	49.536	0.0	0.003	29.296	1.992	1037.456	1098.216	5.898	-91.892	-89.926	0.0
23	8949	8950	SN	1	48.758	49.528	0.0	0.003	279.522	2.243	1037.6	1098.2	6.216	-91.555	-89.918	0.0
24	8949	8950	NS	1	48.579	49.358	0.0	0.003	267.422	2.632	1018.424	1095.976	17.907	-91.687	-89.715	0.0
25	8949	8950	NS	1	48.579	49.358	0.0	0.003	267.422	2.635	1018.424	1095.976	17.926	-91.578	-89.715	0.0
26	8949	8950	SN	1	48.758	49.528	0.0	0.003	279.522	2.617	1036.632	1098.2	6.069	-91.555	-89.901	0.0
27	8950	8951	NS	1	48.564	49.373	0.0	0.0	210.568	2.727	1017.232	1096.152	19.153	-91.78	-89.715	0.0
28	8950	8951	SN	1	48.825	49.529	0.0	0.003	6.668	2.666	1036.632	1098.392	6.708	-91.483	-89.904	0.0
29	8950	8951	SN	1	48.825	49.529	0.0	0.003	6.668	1.764	1038.648	1098.392	7.096	-91.483	-89.935	0.0
30	8950	8951	SN	2	48.825	49.529	0.0	0.003	6.668	2.666	1036.632	1098.392	6.708	-91.483	-89.904	0.0
31	8950	8951	NS	1	48.576	49.384	0.0	0.0	210.568	2.729	1017.232	1096.152	19.171	-91.682	-89.715	0.0
32	8951	8952	NS	1	48.598	49.411	0.0	0.003	264.362	2.724	1017.304	1096.264	18.587	-91.877	-89.717	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	8951	8952	SN	2	48.817	49.53	0.0	0.003	268.487	2.563	1036.792	1098.52	6.557	-91.548	-89.883	0.0
34	8951	8952	SN	1	48.817	49.53	0.0	0.003	268.487	2.563	1036.792	1098.52	6.557	-91.548	-89.883	0.0
35	8951	8952	NS	1	48.61	49.411	0.0	0.003	264.362	2.727	1017.408	1096.264	18.602	-91.828	-89.717	0.0
36	8952	8953	NS	1	48.544	49.36	0.0	0.003	14.565	2.726	1017.464	1096.232	17.949	-92.258	-89.693	0.0
37	8952	8953	NS	2	48.544	49.36	0.0	0.003	14.565	2.726	1017.464	1096.232	17.949	-92.258	-89.693	0.0
38	8952	8953	SN	1	48.825	49.531	0.0	0.003	6.673	2.533	1036.656	1098.504	6.644	-91.789	-89.885	0.0
39	8953	8954	NS	1	48.602	49.359	0.0	0.0	210.563	2.795	1017.536	1096.192	18.33	-91.448	-89.699	0.0
40	8958	8959	NS	1	48.561	49.36	0.0	0.003	207.016	2.755	1018.336	1096.432	16.361	-91.398	-89.698	0.0
41	8959	8960	SN	1	48.821	49.529	0.0	0.003	6.684	2.518	1036.192	1098.792	7.222	-91.79	-89.9	0.0
42	8959	8960	NS	1	48.623	49.362	0.0	0.0	267.4	2.534	1018.528	1096.688	17.429	-91.568	-89.663	0.0
43	8959	8960	SN	1	48.821	49.529	0.0	0.003	6.684	2.426	1036.64	1098.792	7.284	-91.79	-89.905	0.0
44	8960	8961	SN	1	48.766	49.529	0.0	0.003	6.684	2.491	1036.152	1098.832	7.036	-91.735	-89.9	0.0
45	8960	8961	NS	1	48.624	49.411	0.0	0.003	268.194	2.597	1018.424	1096.8	17.443	-91.847	-89.664	0.0
46	8961	8962	NS	1	48.625	49.381	0.0	0.003	41.9	2.694	1018.312	1096.76	16.367	-91.736	-89.696	0.0
47	8961	8962	SN	1	48.608	49.528	0.0	0.0	205.776	2.667	1034.384	1098.728	6.867	-92.415	-89.898	0.0
48	8962	8963	SN	1	48.754	49.528	0.0	0.003	280.868	2.547	1036.12	1098.688	7.071	-91.69	-89.902	0.0
49	8962	8963	NS	1	48.584	49.416	0.0	0.0	206.989	2.769	1018.784	1096.64	16.221	-91.866	-89.714	0.0
50	8963	8964	SN	1	48.751	49.527	0.0	0.003	281.552	2.587	1036.08	1098.584	7.054	-91.58	-89.899	0.0
51	8963	8964	NS	1	48.625	49.361	0.0	0.0	42.482	2.756	1018.864	1096.568	16.818	-91.643	-89.715	0.0
52	8964	8965	NS	1	48.578	49.409	0.0	0.003	264.659	2.647	1018.344	1096.64	17.467	-91.849	-89.721	0.0
53	8964	8965	SN	1	48.799	49.528	0.0	0.0	279.092	2.662	1036.0	1098.68	7.417	-91.432	-89.897	0.0
54	8965	8966	NS	1	48.564	49.39	0.0	0.003	264.384	2.691	1017.752	1096.824	18.289	-91.811	-89.721	0.0
55	8965	8966	SN	1	48.778	49.554	0.0	0.003	215.041	2.594	1035.04	1098.848	7.312	-91.92	-89.891	0.0
56	8966	8967	SN	1	48.82	49.55	0.0	0.0	280.212	2.547	1036.232	1098.92	7.658	-91.912	-89.873	0.0
57	8966	8967	NS	1	48.603	49.414	0.0	0.0	210.557	2.835	1018.8	1096.864	16.132	-91.771	-89.718	0.0
58	8967	8968	NS	1	48.626	49.364	0.0	0.003	267.488	2.67	1018.544	1096.792	17.371	-92.564	-89.693	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

Inner																												
SNR																	Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8943	8944	SN	1	-33.587	25.232	0.234	-34.954	25.161	0.283	-32.448	28.853	11.529	-24.524	30.349	15.192	0.116	221.394	2.353	0.116	303.337	2.058	0.116	170.33	0.064	0.116	27.551	0.049
2	8943	8944	SN	1	-33.587	25.232	0.205	-34.954	25.161	0.302	-32.448	28.853	11.442	-24.524	30.349	15.191	0.116	221.394	2.477	0.116	303.337	2.267	0.116	170.33	0.064	0.116	27.551	0.049
3	8944	8945	SN	1	-34.693	24.757	0.099	-34.391	25.254	0.168	-20.152	33.281	10.859	-25.59	30.178	7.654	0.116	285.564	2.096	0.116	266.384	1.82	0.116	10.127	0.018	0.116	35.187	0.017
4	8944	8945	NS	1	-34.376	26.547	0.018	-32.762	28.323	0.017	-0.843	32.543	17.837	1.083	36.383	32.517	0.116	265.459	1.465	0.116	183.123	1.354	0.116	0.22	0.0	0.116	0.18	0.0
5	8944	8945	SN	2	-34.693	24.757	0.097	-34.391	25.254	0.164	-20.152	33.281	10.859	-25.59	30.178	7.654	0.116	285.564	2.051	0.116	266.384	1.781	0.116	10.127	0.018	0.116	35.187	0.017
6	8944	8945	NS	1	-34.668	26.547	0.018	-34.6	28.323	0.017	-0.844	32.543	17.857	1.083	36.383	32.592	0.116	284.006	1.464	0.116	279.502	1.356	0.116	0.22	0.0	0.116	0.18	0.0
7	8944	8945	SN	1	-34.693	24.757	0.097	-34.391	25.254	0.164	-20.152	33.281	10.859	-25.59	30.178	7.654	0.116	285.564	2.051	0.116	266.384	1.781	0.116	10.127	0.018	0.116	35.187	0.017
8	8945	8946	NS	1	-34.985	25.311	0.008	-34.39	23.812	0.008	-13.25	29.37	10.485	-11.344	30.099	19.782	0.116	305.484	3.333	0.116	266.326	2.683	0.116	2.138	0.002	0.116	1.412	0.002
9	8945	8946	SN	1	-34.643	23.875	0.016	-34.773	25.082	0.02	6.012	28.272	12.041	6.289	29.785	6.621	0.116	282.356	2.483	0.116	290.94	1.828	0.116	0.135	0.0	0.116	0.134	0.0
10	8945	8946	NS	2	-34.985	25.311	0.008	-34.431	23.812	0.008	-13.25	29.37	10.483	-11.344	30.099	19.782	0.116	305.484	3.333	0.116	268.94	2.683	0.116	2.138	0.002	0.116	1.412	0.002
11	8945	8946	SN	1	-34.434	23.875	0.016	-34.64	25.082	0.02	6.012	28.272	12.041	6.29	29.783	6.617	0.116	269.081	2.478	0.116	282.154	1.83	0.116	0.135	0.0	0.116	0.134	0.0
12	8945	8946	SN	1	-34.643	23.875	0.015	-34.773	25.082	0.02	6.012	28.272	12.041	6.289	29.785	6.621	0.116	282.356	2.449	0.116	290.94	1.808	0.116	0.135	0.0	0.116	0.134	0.0
13	8946	8947	NS	1	-34.682	25.883	0.011	-32.66	24.983	0.02	-9.602	28.89	9.685	-6.87	30.117	18.374	0.116	284.918	1.515	0.116	178.882	1.606	0.116	0.976	0.0	0.116	0.565	0.0
14	8946	8947	SN	1	-34.925	22.809	0.008	-34.686	23.88	0.032	6.456	27.944	12.476	7.432	28.692	5.055	0.116	301.264	1.567	0.116	285.132	1.331	0.116	0.133	0.0	0.116	0.13	0.0
15	8947	8948	SN	1	-34.096	23.6	0.041	-34.956	24.427	0.059	4.514	28.539	17.876	4.132	28.812	19.711	0.116	248.932	3.096	0.116	303.348	2.58	0.116	0.144	0.0	0.116	0.146	0.0
16	8947	8948	SN	1	-34.58	23.6	0.039	-34.956	24.427	0.058	4.484	28.539	17.744	4.134	28.812	19.067	0.116	278.235	3.003	0.116	303.348	2.527	0.116	0.144	0.0	0.116	0.146	0.0
17	8947	8948	NS	1	-33.786	22.772	0.004	-33.904	22.764	0.014	-10.253	28.696	8.143	-6.124	31.358	14.296	0.116	231.831	2.463	0.116	238.124	2.25	0.116	1.119	0.001	0.116	0.492	0.0
18	8947	8948	NS	1	-34.055	22.768	0.004	-33.904	22.764	0.014	-10.253	28.696	8.145	-6.124	31.358	14.299	0.116	246.604	2.464	0.116	238.124	2.258	0.116	1.119	0.001	0.116	0.492	0.0
19	8948	8949	NS	1	-33.607	23.888	0.004	-34.365	22.851	0.004	-3.408	28.219	8.892	-4.265	30.091	14.972	0.116	222.39	1.879	0.116	264.853	1.154	0.116	0.31	0.0	0.116	0.356	0.0
20	8948	8949	NS	1	-33.607	23.883	0.004	-34.365	22.851	0.004	-3.408	28.221	8.894	-4.265	30.091	14.971	0.116	222.39	1.882	0.116	264.853	1.158	0.116	0.31	0.0	0.116	0.356	0.0
21	8948	8949	SN	1	-34.488	22.648	0.002	-34.88	23.629	0.003	4.946	28.14	15.366	5.277	28.739	16.145	0.116	272.456	4.984	0.116	298.197	4.483	0.116	0.141	0.0	0.116	0.139	0.0
22	8948	8949	SN	1	-34.488	22.648	0.002	-34.8	23.629	0.003	4.948	28.14	16.01	5.958	28.739	16.443	0.116	272.456	5.169	0.116	292.67	4.671	0.116	0.141	0.0	0.116	0.136	0.0
23	8949	8950	SN	1	-34.977	22.064	0.001	-34.82	22.306	0.001	3.294	29.607	12.163	4.822	31.66	12.202	0.116	304.937	5.343	0.116	294.007	5.155	0.116	0.153	0.0	0.116	0.142	0.0
24	8949	8950	NS	1	-34.878	25.418	0.111	-34.45	26.114	0.202	-5.263	30.371	12.226	-6.032	31.355	18.471	0.116	298.078	3.399	0.116	270.073	3.204	0.116	0.421	0.0	0.116	0.483	0.0
25	8949	8950	NS	1	-34.878	25.418	0.111	-34.45	26.114	0.202	-5.263	30.371	12.222	-6.032	31.355	18.471	0.116	298.078	3.405	0.116	270.073	3.208	0.116	0.421	0.0	0.116	0.483	0.0
26	8949	8950	SN	1	-34.977	22.064	0.001	-34.82	22.306	0.001	3.285	29.607	12.125	4.81	31.66	12.215	0.116	304.937	5.188	0.116	294.007	4.981	0.116	0.154	0.0	0.116	0.142	0.0
27	8950	8951	NS	1	-34.657	24.93	0.243	-34.883	26.35	0.488	6.133	34.212	11.334	7.127	29.273	20.974	0.116	283.294	4.196	0.116	298.352	3.762	0.116	0.135	0.0	0.116	0.131	0.0
28	8950	8951	SN	1	-33.155	22.757	0.008	-34.663	24.37	0.032	-27.962	33.884	14.52	-19.182	33.185	16.816	0.116	200.471	1.959	0.116	283.606	1.656	0.116	60.696	0.007	0.116	8.116	0.003
29	8950	8951	SN	1	-33.155	22.757	0.009	-34.663	24.37	0.027	-27.595	33.884	14.844	-19.182	33.185	16.808	0.116	200.471	2.107	0.116	283.606	1.825	0.116	55.793	0.008	0.116	8.116	0.003
30	8950	8951	SN	2	-33.155	22.757	0.008	-34.663	24.37	0.032	-27.962	33.884	14.52	-19.182	33.185	16.816	0.116	200.471	1.959	0.116	283.606	1.656	0.116	60.696	0.007	0.116	8.116	0.003
31	8950	8951	NS	1	-34.748	24.93	0.241	-34.92	26.35	0.488	6.136	34.211	11.289	7.129	29.273	20.979	0.116	289.24	4.198	0.116	300.945	3.748	0.116	0.135	0.0	0.116	0.131	0.0
32	8951	8952	NS	1	-30.506	24.989	0.125	-33.426	25.504	0.275	-3.781	28.66	23.788	2.339	29.946	41.755	0.116	108.964	1.139	0.116	213.313	0.883	0.116	0.329	0.0	0.116	0.163	0.0
33	8951	8952	SN	2	-34.764	25.345	0.044	-34.98	25.951	0.24	-13.904	28.938	19.089	-8.326	29.918	21.098	0.116	290.284	5.532	0.116	305.094	4.349	0.116	2.471	0.003	0.116	0.752	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal     
 Deviations  
 Alarming     
 High Errors

34	8951	8952	SN	1	-34.764	25.345	0.044	-34.98	25.951	0.24	-13.904	28.938	19.089	-8.326	29.918	21.098	0.116	290.284	5.532	0.116	305.094	4.349	0.116	2.471	0.003	0.116	0.752	0.0
35	8951	8952	NS	1	-31.309	24.981	0.128	-34.366	25.504	0.275	-3.782	28.66	23.693	2.341	29.946	41.757	0.116	131.086	1.136	0.116	264.87	0.874	0.116	0.329	0.0	0.116	0.163	0.0
36	8952	8953	NS	1	-34.86	28.396	0.158	-34.787	28.536	0.128	-34.866	29.748	14.565	-28.85	29.848	28.782	0.116	296.732	2.071	0.116	291.829	1.966	0.116	297.198	0.132	0.116	74.437	0.152
37	8952	8953	NS	2	-34.86	28.396	0.158	-34.787	28.536	0.128	-34.866	29.748	14.565	-28.85	29.848	28.782	0.116	296.732	2.071	0.116	291.829	1.966	0.116	297.198	0.132	0.116	74.437	0.152
38	8952	8953	SN	1	-33.438	27.526	0.087	-34.704	27.407	0.29	-10.829	30.124	15.832	-4.435	30.373	14.623	0.116	213.948	2.093	0.116	286.336	1.931	0.116	1.264	0.002	0.116	0.366	0.0
39	8953	8954	NS	1	-34.942	28.459	0.108	-34.55	25.95	0.021	2.513	30.931	15.631	3.099	33.301	24.436	0.116	302.466	1.059	0.116	276.396	1.231	0.116	0.161	0.0	0.116	0.155	0.0
40	8958	8959	NS	1	-34.908	27.761	0.02	-33.3	27.266	0.026	3.874	30.829	19.36	6.068	35.476	30.637	0.116	300.066	4.327	0.116	207.28	3.657	0.116	0.148	0.0	0.116	0.135	0.0
41	8959	8960	SN	1	-34.677	24.078	0.055	-34.295	24.475	0.065	-19.534	29.746	9.185	-14.385	29.653	5.279	0.116	284.587	2.498	0.116	260.63	1.713	0.116	8.792	0.012	0.116	2.75	0.007
42	8959	8960	NS	1	-34.574	26.912	0.034	-33.901	26.966	0.032	-13.483	32.99	13.745	-20.918	32.696	25.885	0.116	277.82	2.658	0.116	237.95	2.291	0.116	2.251	0.003	0.116	12.062	0.003
43	8959	8960	SN	1	-34.677	24.078	0.055	-34.295	24.475	0.066	-19.534	29.746	9.185	-14.385	29.653	5.279	0.116	284.587	2.532	0.116	260.63	1.737	0.116	8.792	0.012	0.116	2.75	0.007
44	8960	8961	SN	1	-33.782	22.832	0.01	-33.327	23.96	0.034	6.541	28.552	14.812	6.988	29.757	7.604	0.116	231.532	1.031	0.116	208.556	0.779	0.116	0.133	0.0	0.116	0.131	0.0
45	8960	8961	NS	1	-34.793	23.482	0.005	-34.916	24.7	0.003	-21.384	28.849	10.552	-22.055	29.571	19.03	0.116	292.272	2.575	0.116	300.553	2.391	0.116	13.414	0.005	0.116	15.646	0.002
46	8961	8962	NS	1	-33.122	24.12	0.011	-32.587	23.119	0.007	-8.118	30.711	6.734	-13.086	30.127	13.278	0.116	198.958	1.44	0.116	175.915	1.136	0.116	0.721	0.0	0.116	2.063	0.003
47	8961	8962	SN	1	-33.976	22.525	0.006	-34.622	23.516	0.032	5.132	28.009	13.77	6.984	29.01	9.314	0.116	242.175	1.661	0.116	280.923	1.219	0.116	0.14	0.0	0.116	0.131	0.0
48	8962	8963	SN	1	-34.807	22.311	0.001	-34.911	24.209	0.002	5.879	28.326	15.126	5.839	29.027	16.891	0.116	293.201	8.167	0.116	300.331	7.098	0.116	0.136	0.0	0.116	0.136	0.0
49	8962	8963	NS	1	-34.991	20.951	0.0	-34.713	23.753	0.005	-16.54	28.4	12.789	-5.529	30.091	18.654	0.116	305.923	7.349	0.116	300.239	6.884	0.116	4.458	0.003	0.116	0.441	0.0
50	8963	8964	SN	1	-34.637	20.814	0.0	-34.734	20.382	0.0	3.414	27.885	13.697	3.894	28.629	12.296	0.116	281.902	5.735	0.116	288.363	5.115	0.116	0.152	0.0	0.116	0.148	0.0
51	8963	8964	NS	1	-34.755	23.202	0.081	-34.721	24.758	0.088	-9.452	30.08	8.906	-4.614	34.082	16.027	0.116	289.67	2.571	0.116	287.449	2.367	0.116	0.946	0.0	0.116	0.377	0.0
52	8964	8965	NS	1	-34.99	25.84	0.236	-34.968	25.916	0.576	6.806	28.068	15.824	7.222	29.587	26.232	0.116	305.799	5.531	0.116	304.301	5.907	0.116	0.132	0.0	0.116	0.13	0.0
53	8964	8965	SN	1	-34.909	24.112	0.031	-34.518	24.489	0.039	-15.699	32.95	11.298	-25.18	33.561	12.409	0.116	300.199	2.11	0.116	274.283	2.101	0.116	3.689	0.008	0.116	32.031	0.004
54	8965	8966	NS	1	-34.926	24.873	0.091	-34.912	25.36	0.239	3.605	30.425	16.358	4.298	30.563	31.004	0.116	301.404	4.521	0.116	300.428	4.49	0.116	0.151	0.0	0.116	0.145	0.0
55	8965	8966	SN	1	-34.657	25.554	0.041	-34.024	26.536	0.159	-27.505	32.439	17.31	-14.746	32.576	21.838	0.116	283.226	4.127	0.116	244.839	3.149	0.116	54.644	0.01	0.116	2.98	0.009
56	8966	8967	SN	1	-34.858	26.019	0.086	-34.196	27.576	0.19	-15.846	29.16	15.756	-2.192	30.516	15.401	0.116	296.691	1.026	0.116	254.738	1.048	0.116	3.813	0.003	0.116	0.26	0.0
57	8966	8967	NS	1	-34.934	27.682	0.076	-32.296	29.034	0.12	-23.633	31.412	23.007	-17.119	30.181	37.9	0.116	301.865	1.991	0.116	164.498	1.474	0.116	22.458	0.06	0.116	5.08	0.016
58	8967	8968	NS	1	-34.925	27.048	0.066	-32.805	25.759	0.022	-27.912	36.092	12.741	-33.157	33.318	24.004	0.116	301.296	1.188	0.116	184.956	1.093	0.116	60.015	0.405	0.116	200.533	0.3

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8943	8944	SN	1	57.56	58.423	0.0	0.0	289.466	3.852	1215.104	1291.88	18.878	-93.514	-91.961	0.0
2	8943	8944	SN	1	57.56	58.423	0.0	0.0	289.466	3.403	1216.904	1291.88	19.594	-93.164	-91.986	0.0
3	8944	8945	SN	1	57.583	58.421	0.0	0.0	287.502	3.556	1215.784	1291.84	18.578	-93.211	-91.968	0.0
4	8944	8945	NS	1	57.356	58.243	0.0	0.0	290.392	3.83	1191.824	1288.256	47.805	-93.537	-91.756	0.0
5	8944	8945	SN	2	57.583	58.421	0.0	0.0	287.502	3.665	1215.024	1291.84	18.334	-93.211	-91.961	0.0
6	8944	8945	NS	1	57.356	58.243	0.0	0.0	290.392	3.833	1191.824	1288.256	47.8	-93.537	-91.756	0.0
7	8944	8945	SN	1	57.583	58.421	0.0	0.0	287.502	3.665	1215.032	1291.84	18.334	-93.211	-91.961	0.0
8	8945	8946	NS	1	57.357	58.245	0.0	0.0	290.8	3.684	1191.296	1288.544	49.379	-94.059	-91.698	0.0
9	8945	8946	SN	1	57.565	58.422	0.0	0.0	297.203	3.394	1215.552	1291.976	17.758	-93.122	-91.966	0.0
10	8945	8946	NS	2	57.357	58.245	0.0	0.0	290.822	3.686	1192.048	1288.552	49.4	-94.059	-91.698	0.0
11	8945	8946	SN	1	57.577	58.422	0.0	0.0	297.203	3.398	1215.552	1291.976	17.776	-93.108	-91.966	0.0
12	8945	8946	SN	1	57.565	58.422	0.0	0.0	297.203	3.502	1214.944	1291.976	17.59	-93.122	-91.962	0.0
13	8946	8947	NS	1	57.358	58.246	0.0	0.0	297.512	3.612	1191.92	1288.552	49.356	-95.242	-91.75	0.0
14	8946	8947	SN	1	57.565	58.451	0.0	0.0	297.005	3.499	1214.928	1291.896	17.766	-93.238	-91.961	0.0
15	8947	8948	SN	1	57.555	58.433	0.0	0.0	293.321	3.369	1216.168	1291.768	18.166	-93.271	-91.974	0.0
16	8947	8948	SN	1	57.55	58.433	0.0	0.0	293.321	3.572	1214.864	1291.768	17.782	-93.271	-91.961	0.0
17	8947	8948	NS	1	57.347	58.242	0.0	0.0	297.374	3.649	1192.312	1288.344	48.643	-93.067	-91.758	0.0
18	8947	8948	NS	1	57.347	58.242	0.0	0.0	297.374	3.651	1192.312	1288.344	48.686	-93.137	-91.758	0.0
19	8948	8949	NS	1	57.325	58.242	0.0	0.0	299.878	3.689	1192.336	1288.312	48.32	-93.535	-91.756	0.0
20	8948	8949	NS	1	57.325	58.243	0.0	0.0	299.955	3.691	1192.312	1288.32	48.366	-93.535	-91.756	0.0
21	8948	8949	SN	1	57.548	58.42	0.0	0.0	290.635	3.55	1214.84	1291.8	17.974	-93.312	-91.959	0.0
22	8948	8949	SN	1	57.548	58.42	0.0	0.0	290.635	3.193	1216.0	1291.8	18.631	-93.312	-91.982	0.0
23	8949	8950	SN	1	57.56	58.42	0.0	0.0	288.958	3.451	1216.136	1291.712	18.795	-93.141	-91.973	0.0
24	8949	8950	NS	1	57.358	58.244	0.0	0.0	293.089	3.643	1192.168	1288.328	47.62	-93.029	-91.765	0.0
25	8949	8950	NS	1	57.358	58.244	0.0	0.0	293.089	3.646	1192.168	1288.328	47.671	-93.029	-91.765	0.0
26	8949	8950	SN	1	57.56	58.42	0.0	0.0	288.958	3.67	1214.744	1291.712	18.358	-93.216	-91.958	0.0
27	8950	8951	NS	1	57.327	58.245	0.0	0.0	297.849	3.782	1191.448	1288.52	50.299	-93.534	-91.768	0.0
28	8950	8951	SN	1	57.581	58.421	0.0	0.0	289.714	3.729	1214.744	1291.952	18.921	-93.146	-91.955	0.0
29	8950	8951	SN	1	57.581	58.421	0.0	0.0	289.714	3.038	1216.872	1291.952	20.012	-93.076	-91.992	0.0
30	8950	8951	SN	2	57.581	58.421	0.0	0.0	289.714	3.729	1214.744	1291.952	18.921	-93.146	-91.955	0.0
31	8950	8951	NS	1	57.328	58.245	0.0	0.0	297.849	3.774	1191.464	1288.52	50.313	-93.534	-91.768	0.0
32	8951	8952	NS	1	57.337	58.247	0.0	0.0	289.356	3.808	1191.304	1288.68	49.092	-93.392	-91.766	0.0
33	8951	8952	SN	2	57.582	58.422	0.0	0.0	290.447	3.609	1214.928	1292.12	17.617	-93.769	-91.928	0.0
34	8951	8952	SN	1	57.582	58.422	0.0	0.0	290.447	3.609	1214.928	1292.12	17.617	-93.769	-91.928	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8951	8952	NS	1	57.342	58.247	0.0	0.0	289.356	3.799	1191.304	1288.68	49.113	-93.392	-91.766	0.0
36	8952	8953	NS	1	57.328	58.252	0.0	0.0	297.518	3.823	1191.504	1288.64	48.728	-94.429	-91.745	0.0
37	8952	8953	NS	2	57.328	58.252	0.0	0.0	297.518	3.823	1191.504	1288.64	48.728	-94.429	-91.745	0.0
38	8952	8953	SN	1	57.576	58.432	0.0	0.0	287.839	3.559	1214.888	1292.088	18.105	-93.211	-91.934	0.0
39	8953	8954	NS	1	57.356	58.245	0.0	0.0	291.175	3.861	1191.656	1288.584	50.033	-92.973	-91.752	0.0
40	8958	8959	NS	1	57.326	58.247	0.0	0.0	290.85	3.879	1191.536	1288.88	46.919	-93.39	-91.744	0.0
41	8959	8960	SN	1	57.574	58.422	0.0	0.0	290.861	3.602	1214.192	1292.424	17.696	-93.224	-91.955	0.0
42	8959	8960	NS	1	57.357	58.25	0.0	0.0	290.982	3.574	1192.416	1289.2	49.149	-93.435	-91.717	0.0
43	8959	8960	SN	1	57.574	58.422	0.0	0.0	290.861	3.496	1214.792	1292.424	17.841	-93.224	-91.959	0.0
44	8960	8961	SN	1	57.552	58.435	0.0	0.0	299.834	3.492	1214.152	1292.472	17.82	-93.231	-91.956	0.0
45	8960	8961	NS	1	57.36	58.256	0.0	0.0	292.819	3.548	1192.248	1289.344	50.004	-93.388	-91.714	0.0
46	8961	8962	NS	1	57.34	58.252	0.0	0.0	295.273	3.656	1192.008	1289.304	49.527	-93.868	-91.75	0.0
47	8961	8962	SN	1	57.358	58.42	0.0	0.0	298.941	3.638	1210.68	1292.352	17.935	-94.61	-91.952	0.0
48	8962	8963	SN	1	57.53	58.42	0.0	0.0	295.064	3.551	1214.128	1292.304	17.766	-93.237	-91.952	0.0
49	8962	8963	NS	1	57.333	58.252	0.0	0.0	299.525	3.858	1192.768	1289.136	48.785	-93.2	-91.763	0.0
50	8963	8964	SN	1	57.534	58.419	0.0	0.0	292.074	3.605	1214.072	1292.176	17.824	-93.126	-91.955	0.0
51	8963	8964	NS	1	57.325	58.249	0.0	0.0	297.319	3.867	1192.816	1289.056	46.973	-92.999	-91.77	0.0
52	8964	8965	NS	1	57.321	58.25	0.0	0.0	294.937	3.623	1192.704	1289.144	49.319	-93.387	-91.774	0.0
53	8964	8965	SN	1	57.557	58.42	0.0	0.0	290.933	3.724	1213.968	1292.296	18.848	-93.064	-91.952	0.0
54	8965	8966	NS	1	57.329	58.252	0.0	0.0	299.321	3.781	1191.728	1289.368	50.417	-93.386	-91.773	0.0
55	8965	8966	SN	1	57.572	58.447	0.0	0.0	291.821	3.641	1213.944	1292.504	18.444	-93.401	-91.93	0.0
56	8966	8967	SN	1	57.564	58.429	0.0	0.0	292.747	3.579	1213.904	1292.592	18.012	-95.381	-91.923	0.0
57	8966	8967	NS	1	57.341	58.252	0.0	0.0	291.346	4.039	1191.928	1289.424	47.246	-93.385	-91.773	0.0
58	8967	8968	NS	1	57.334	58.252	0.0	0.0	291.65	3.768	1192.488	1289.344	49.598	-95.592	-91.741	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors



Outer																												
SNR															Kp													
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8943	8944	SN	1	-34.968	18.625	0.0	-32.728	18.9	0.0	-22.372	22.153	0.003	-22.252	22.836	0.016	0.086	232.513	2.544	0.086	138.856	2.2	0.086	12.852	0.035	0.086	12.501	0.018
2	8943	8944	SN	1	-34.968	18.625	0.0	-32.728	18.9	0.0	-22.372	22.153	0.003	-22.252	22.836	0.016	0.086	232.513	2.643	0.086	138.856	2.429	0.086	12.852	0.035	0.086	12.501	0.018
3	8944	8945	SN	1	-34.68	19.848	0.0	-33.59	18.824	0.0	-22.063	22.209	0.004	-19.637	22.811	0.035	0.086	217.617	1.67	0.086	169.306	1.543	0.086	11.972	0.014	0.086	6.877	0.017
4	8944	8945	NS	1	-33.85	20.562	0.0	-33.789	21.675	0.0	-15.125	22.823	0.011	-15.883	24.264	0.106	0.086	179.748	1.714	0.086	177.269	1.614	0.086	2.474	0.002	0.086	2.934	0.005
5	8944	8945	SN	2	-34.68	19.848	0.0	-33.59	18.824	0.0	-22.063	22.209	0.004	-19.637	22.811	0.035	0.086	217.617	1.632	0.086	169.306	1.511	0.086	11.972	0.014	0.086	6.877	0.017
6	8944	8945	NS	1	-34.874	20.563	0.0	-34.759	21.675	0.0	-15.275	22.823	0.011	-15.863	24.264	0.107	0.086	227.567	1.729	0.086	221.676	1.614	0.086	2.559	0.002	0.086	2.921	0.005
7	8944	8945	SN	1	-34.68	19.848	0.0	-33.59	18.824	0.0	-22.063	22.209	0.004	-19.637	22.811	0.035	0.086	217.617	1.632	0.086	169.306	1.511	0.086	11.972	0.014	0.086	6.877	0.017
8	8945	8946	NS	1	-34.184	16.419	0.0	-34.574	16.61	0.0	-12.998	22.467	0.004	-20.7	22.978	0.087	0.087	194.13	2.197	0.087	212.333	1.929	0.086	1.542	0.002	0.086	8.764	0.048
9	8945	8946	SN	1	-34.45	18.343	0.0	-34.722	18.894	0.0	-0.73	22.333	0.012	0.734	22.863	0.097	0.086	206.435	1.905	0.086	219.748	1.656	0.086	0.162	0.0	0.086	0.139	0.0
10	8945	8946	NS	2	-34.184	16.419	0.0	-34.574	16.61	0.0	-12.998	22.467	0.004	-20.7	22.978	0.087	0.087	194.13	2.197	0.087	212.333	1.929	0.086	1.542	0.002	0.086	8.764	0.048
11	8945	8946	SN	1	-34.748	18.343	0.0	-34.202	18.894	0.0	-0.731	22.333	0.012	0.734	22.863	0.097	0.086	221.08	1.902	0.086	194.997	1.654	0.086	0.162	0.0	0.086	0.139	0.0
12	8945	8946	SN	1	-34.45	18.343	0.0	-34.722	18.894	0.0	-0.73	22.333	0.012	0.734	22.863	0.097	0.086	206.435	1.879	0.086	219.748	1.638	0.086	0.162	0.0	0.086	0.139	0.0
13	8946	8947	NS	1	-33.647	18.77	0.0	-34.993	16.728	0.0	-26.297	22.138	0.002	-25.508	23.286	0.046	0.086	171.573	1.281	0.087	233.873	1.376	0.086	31.635	0.039	0.086	27.06	0.061
14	8946	8947	SN	1	-34.639	17.104	0.0	-34.36	17.427	0.0	1.512	21.87	0.0	2.052	22.602	0.057	0.087	215.529	1.391	0.087	202.165	1.239	0.086	0.129	0.0	0.086	0.124	0.0
15	8947	8948	SN	1	-34.916	17.07	0.0	-34.954	17.614	0.0	-0.591	21.74	0.0	-0.198	22.543	0.259	0.087	229.752	2.873	0.087	231.834	2.482	0.086	0.159	0.0	0.086	0.152	0.0
16	8947	8948	SN	1	-34.882	17.07	0.0	-34.954	17.614	0.0	-0.568	21.74	0.0	-0.198	22.543	0.243	0.087	227.982	2.817	0.087	231.834	2.432	0.086	0.159	0.0	0.086	0.152	0.0
17	8947	8948	NS	1	-34.365	16.33	0.0	-32.416	16.115	0.0	-5.734	22.9	0.022	-3.924	22.948	0.07	0.087	202.429	1.715	0.087	129.211	1.769	0.086	0.346	0.0	0.086	0.253	0.0
18	8947	8948	NS	1	-34.158	16.33	0.0	-32.278	16.115	0.0	-5.734	22.9	0.022	-3.924	22.947	0.07	0.087	193.001	1.697	0.087	125.193	1.777	0.086	0.346	0.0	0.086	0.253	0.0
19	8948	8949	NS	1	-34.943	19.777	0.0	-34.444	16.224	0.0	-11.93	22.664	0.008	-15.436	23.577	0.091	0.086	231.267	1.938	0.087	206.09	1.659	0.086	1.22	0.004	0.086	2.654	0.007
20	8948	8949	NS	1	-34.943	19.777	0.0	-34.444	16.224	0.0	-11.93	22.664	0.008	-15.436	23.577	0.091	0.086	231.267	1.941	0.087	206.09	1.664	0.086	1.22	0.004	0.086	2.654	0.007
21	8948	8949	SN	1	-34.96	16.586	0.0	-34.6	17.149	0.0	-1.058	21.658	0.0	0.053	22.331	0.021	0.087	232.108	5.473	0.087	213.632	5.172	0.086	0.168	0.0	0.086	0.148	0.0
22	8948	8949	SN	1	-34.96	16.586	0.0	-34.6	17.149	0.0	-1.059	21.658	0.0	0.054	22.331	0.021	0.087	232.108	5.624	0.087	213.632	5.368	0.086	0.168	0.0	0.086	0.148	0.0
23	8949	8950	SN	1	-34.925	17.09	0.0	-34.738	16.816	0.0	0.116	23.42	0.107	-0.193	23.102	0.352	0.087	230.281	4.506	0.087	220.52	4.39	0.086	0.147	0.0	0.086	0.152	0.0
24	8949	8950	NS	1	-34.232	19.483	0.0	-34.869	19.681	0.0	-19.427	22.306	0.009	-19.399	23.035	0.232	0.086	196.279	3.153	0.086	227.298	3.137	0.086	6.554	0.027	0.086	6.514	0.035
25	8949	8950	NS	1	-34.232	19.485	0.0	-34.869	19.681	0.0	-19.427	22.305	0.009	-19.399	23.037	0.232	0.086	196.279	3.159	0.086	227.298	3.141	0.086	6.554	0.027	0.086	6.514	0.035
26	8949	8950	SN	1	-34.923	17.09	0.0	-34.738	16.816	0.0	-2.302	23.42	0.106	-0.193	23.102	0.352	0.087	230.167	4.395	0.087	220.52	4.244	0.086	0.198	0.0	0.086	0.152	0.0
27	8950	8951	NS	1	-34.875	18.589	0.0	-34.642	21.685	0.0	0.786	22.61	0.039	1.287	23.212	0.419	0.086	227.665	3.832	0.086	215.736	3.817	0.086	0.138	0.0	0.086	0.132	0.0
28	8950	8951	SN	1	-34.43	18.648	0.0	-33.619	18.707	0.0	-13.745	23.702	0.175	-12.489	24.364	0.822	0.086	205.482	1.785	0.086	170.464	1.681	0.086	1.819	0.001	0.086	1.379	0.002
29	8950	8951	SN	1	-34.43	18.648	0.0	-33.619	18.611	0.0	-13.797	23.702	0.181	-12.489	24.364	0.823	0.086	205.482	1.878	0.086	170.464	1.852	0.086	1.84	0.002	0.086	1.379	0.002
30	8950	8951	SN	2	-34.43	18.648	0.0	-33.619	18.707	0.0	-13.745	23.702	0.175	-12.489	24.364	0.822	0.086	205.482	1.785	0.086	170.464	1.681	0.086	1.819	0.001	0.086	1.379	0.002
31	8950	8951	NS	1	-34.905	18.589	0.0	-34.601	21.686	0.0	0.797	22.61	0.039	1.286	23.208	0.422	0.086	229.222	3.834	0.086	213.714	3.785	0.086	0.138	0.0	0.086	0.132	0.0
32	8951	8952	NS	1	-33.673	22.953	0.003	-34.815	22.413	0.002	-1.338	22.769	0.037	-0.609	24.025	0.783	0.086	172.643	1.242	0.086	224.528	1.358	0.086	0.174	0.0	0.086	0.16	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

33	8951	8952	SN	2	-34.744	18.083	0.0	-34.631	19.551	0.0	-28.975	22.746	0.027	-11.528	23.815	0.469	0.086	220.865	4.026	0.086	215.154	3.599	0.086	58.552	0.045	0.086	1.118	0.002
34	8951	8952	SN	1	-34.744	18.083	0.0	-34.631	19.551	0.0	-28.975	22.746	0.027	-11.528	23.815	0.469	0.086	220.865	4.026	0.086	215.154	3.599	0.086	58.552	0.045	0.086	1.118	0.002
35	8951	8952	NS	1	-34.872	22.953	0.003	-34.874	22.413	0.002	-1.338	22.769	0.037	-0.609	24.03	0.783	0.086	227.489	1.243	0.086	227.537	1.36	0.086	0.174	0.0	0.086	0.16	0.0
36	8952	8953	NS	1	-34.29	22.033	0.001	-33.686	19.39	0.0	-29.438	22.2	0.006	-24.181	23.939	1.309	0.086	198.944	1.714	0.086	173.139	1.704	0.086	65.125	0.046	0.086	19.46	0.052
37	8952	8953	NS	2	-34.29	22.033	0.001	-33.686	19.39	0.0	-29.438	22.2	0.006	-24.181	23.939	1.309	0.086	198.944	1.714	0.086	173.139	1.704	0.086	65.125	0.046	0.086	19.46	0.052
38	8952	8953	SN	1	-33.673	21.208	0.0	-33.132	20.51	0.0	-6.963	22.585	0.025	-3.982	23.488	0.163	0.086	172.604	2.001	0.086	152.415	1.937	0.086	0.436	0.0	0.086	0.255	0.0
39	8953	8954	NS	1	-34.75	19.998	0.0	-34.02	16.943	0.0	-18.975	22.201	0.011	-9.044	23.906	1.034	0.086	221.173	0.564	0.087	186.97	0.595	0.086	6.117	0.003	0.086	0.66	0.0
40	8958	8959	NS	1	-34.835	21.132	0.0	-34.116	21.293	0.0	-3.292	24.672	0.06	1.354	24.956	0.185	0.086	225.548	3.411	0.086	191.11	3.178	0.086	0.229	0.0	0.086	0.131	0.0
41	8959	8960	SN	1	-34.377	18.174	0.0	-34.031	19.284	0.0	-11.752	22.195	0.004	-22.417	22.989	0.061	0.086	202.955	2.036	0.086	187.384	1.682	0.086	1.174	0.002	0.086	12.986	0.005
42	8959	8960	NS	1	-34.804	20.73	0.0	-33.983	21.182	0.0	-13.821	22.358	0.007	-11.477	22.754	0.07	0.086	223.978	1.811	0.086	185.383	1.858	0.086	1.85	0.002	0.086	1.106	0.003
43	8959	8960	SN	1	-34.377	18.174	0.0	-34.031	19.284	0.0	-11.752	22.195	0.004	-22.417	22.989	0.061	0.086	202.955	2.064	0.086	187.384	1.702	0.086	1.174	0.002	0.086	12.986	0.005
44	8960	8961	SN	1	-34.829	16.935	0.0	-33.423	17.486	0.0	1.043	21.991	0.0	2.027	23.111	0.126	0.087	225.201	0.865	0.087	167.096	0.735	0.086	0.135	0.0	0.086	0.124	0.0
45	8960	8961	NS	1	-34.048	17.964	0.0	-34.304	15.569	0.0	-5.263	21.646	0.0	-20.51	22.908	0.063	0.086	188.158	1.816	0.087	199.602	2.004	0.086	0.318	0.0	0.086	8.394	0.01
46	8961	8962	NS	1	-33.88	17.582	0.0	-34.554	18.982	0.0	-22.493	22.014	0.001	-26.289	22.692	0.034	0.087	181.024	1.444	0.086	211.414	1.277	0.086	13.213	0.007	0.086	31.582	0.021
47	8961	8962	SN	1	-34.945	16.686	0.0	-34.829	17.245	0.0	-11.683	22.132	0.028	-1.867	22.506	0.173	0.087	231.293	1.89	0.087	225.24	1.509	0.086	1.156	0.006	0.086	0.186	0.0
48	8962	8963	SN	1	-34.869	17.048	0.0	-34.782	17.975	0.0	1.077	21.658	0.0	-1.502	22.396	0.206	0.087	233.082	6.822	0.086	222.846	5.866	0.086	0.134	0.0	0.086	0.178	0.0
49	8962	8963	NS	1	-34.604	14.197	0.0	-34.776	16.951	0.0	-10.594	24.194	0.009	-11.194	23.199	0.033	0.088	213.848	5.43	0.087	222.493	5.924	0.086	0.915	0.0	0.086	1.04	0.001
50	8963	8964	SN	1	-34.656	16.697	0.0	-34.869	16.507	0.0	-0.807	22.087	0.004	-0.472	22.812	0.015	0.087	216.441	4.987	0.087	227.279	4.552	0.086	0.163	0.0	0.086	0.157	0.0
51	8963	8964	NS	1	-33.293	18.136	0.0	-33.919	17.497	0.0	-32.139	21.926	0.0	-21.628	22.829	0.101	0.086	158.139	2.496	0.087	182.703	2.61	0.086	121.271	0.118	0.086	10.841	0.016
52	8964	8965	NS	1	-34.526	19.333	0.0	-34.936	20.345	0.0	2.349	22.255	0.047	0.932	23.15	0.349	0.086	210.036	4.632	0.086	233.085	4.918	0.086	0.121	0.0	0.086	0.136	0.0
53	8964	8965	SN	1	-34.734	17.271	0.0	-34.728	18.063	0.0	-19.11	22.996	0.118	-6.56	23.603	0.555	0.087	220.39	1.802	0.086	220.087	1.865	0.086	6.097	0.009	0.086	0.403	0.0
54	8965	8966	NS	1	-34.837	18.308	0.0	-34.812	19.834	0.0	-1.285	22.667	0.036	0.689	23.674	0.551	0.086	225.608	4.418	0.086	224.336	4.428	0.086	0.173	0.0	0.086	0.139	0.0
55	8965	8966	SN	1	-34.648	19.76	0.0	-34.971	19.412	0.0	-26.039	23.142	0.053	-20.228	24.021	0.597	0.086	216.05	3.603	0.086	232.706	3.056	0.086	29.811	0.003	0.086	7.871	0.006
56	8966	8967	SN	1	-34.738	19.304	0.0	-34.891	19.574	0.0	-18.332	22.908	0.02	-7.15	23.478	0.257	0.086	220.563	1.798	0.086	228.418	2.059	0.086	5.108	0.017	0.086	0.452	0.0
57	8966	8967	NS	1	-34.902	21.118	0.0	-34.312	21.354	0.0	-16.336	22.696	0.01	-29.931	23.745	1.226	0.086	228.989	1.604	0.086	199.956	1.492	0.086	3.249	0.031	0.086	72.969	0.017
58	8967	8968	NS	1	-32.617	22.124	0.002	-32.79	17.328	0.0	-31.034	21.901	0.0	-27.747	23.86	1.118	0.086	135.354	0.93	0.087	140.841	0.715	0.086	94.035	0.254	0.086	44.139	0.226

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors