

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 09-JUN-2018 To 10-JUN-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 09-JUN-2018 To 10-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9001	9002	SN	1	48.755	49.589	0.0	0.0	124.738	2.727	1034.608	1099.784	10.923	-91.844	-89.884	0.0
2	9001	9002	SN	1	48.755	49.589	0.0	0.003	28.184	2.083	1034.608	1099.784	11.35	-91.844	-89.9	0.0
3	9001	9002	SN	1	48.755	49.589	0.0	0.0	124.738	2.724	1034.608	1099.784	10.915	-91.844	-89.884	0.0
4	9002	9003	SN	1	48.802	49.559	0.0	0.003	214.953	2.586	1034.664	1099.744	10.34	-91.931	-89.885	0.0
5	9002	9003	SN	1	48.802	49.559	0.0	0.003	214.953	2.588	1034.656	1099.744	10.349	-91.931	-89.885	0.0
6	9002	9003	NS	1	48.628	49.37	0.0	0.003	264.439	2.594	1019.928	1098.192	15.754	-92.396	-89.718	0.0
7	9002	9003	SN	1	48.802	49.559	0.0	0.003	214.953	2.47	1035.048	1099.744	10.464	-91.931	-89.89	0.0
8	9003	9004	NS	2	48.63	49.371	0.0	0.003	267.08	2.554	1020.128	1098.392	16.284	-91.909	-89.662	0.0
9	9003	9004	SN	1	48.75	49.548	0.0	0.003	215.405	2.387	1034.376	1099.872	9.768	-92.351	-89.889	0.0
10	9003	9004	SN	1	48.75	49.548	0.0	0.003	215.405	2.504	1034.376	1099.872	9.674	-92.351	-89.883	0.0
11	9003	9004	SN	1	48.762	49.548	0.0	0.003	215.405	2.389	1034.64	1099.872	9.778	-91.761	-89.889	0.0
12	9003	9004	NS	1	48.63	49.371	0.0	0.003	205.792	2.553	1020.12	1098.4	16.313	-91.909	-89.662	0.0
13	9004	9005	SN	1	48.761	49.528	0.0	0.003	6.723	2.518	1034.104	1099.816	9.695	-91.663	-89.878	0.0
14	9004	9005	SN	1	48.745	49.528	0.0	0.003	6.723	2.323	1033.8	1099.816	9.817	-91.728	-89.888	0.0
15	9004	9005	NS	1	48.63	49.422	0.0	0.0	264.797	2.659	1020.264	1098.408	15.93	-91.702	-89.709	0.0
16	9005	9006	SN	1	48.754	49.527	0.0	0.003	6.712	2.518	1034.144	1099.712	9.663	-91.754	-89.884	0.0
17	9005	9006	NS	1	48.63	49.373	0.0	0.0	210.188	2.775	1020.344	1098.336	15.173	-91.823	-89.719	0.0
18	9005	9006	NS	2	48.63	49.373	0.0	0.0	210.188	2.775	1020.344	1098.336	15.173	-91.823	-89.719	0.0
19	9005	9006	SN	1	48.736	49.527	0.0	0.003	6.712	2.521	1033.816	1099.72	9.642	-91.839	-89.884	0.0
20	9006	9007	SN	1	48.732	49.527	0.0	0.003	214.175	2.568	1033.68	1099.656	9.36	-91.716	-89.885	0.0
21	9006	9007	SN	1	48.732	49.527	0.0	0.003	214.175	1.998	1033.68	1099.656	9.706	-91.716	-89.898	0.0
22	9006	9007	SN	2	48.732	49.527	0.0	0.003	214.175	2.568	1033.68	1099.656	9.36	-91.716	-89.885	0.0
23	9006	9007	NS	2	48.623	49.371	0.0	0.003	206.984	2.658	1020.376	1098.216	15.343	-91.764	-89.727	0.0
24	9006	9007	NS	1	48.624	49.37	0.0	0.003	210.392	2.657	1020.392	1098.208	15.35	-91.764	-89.727	0.0
25	9007	9008	SN	1	48.576	49.527	0.0	0.003	6.701	2.633	1030.216	1099.712	9.805	-91.988	-89.882	0.0
26	9007	9008	NS	1	48.572	49.38	0.0	0.003	267.163	2.6	1020.104	1098.192	15.053	-91.739	-89.735	0.0
27	9007	9008	SN	2	48.576	49.526	0.0	0.003	214.302	2.634	1030.216	1099.696	9.854	-91.988	-89.882	0.0
28	9007	9008	NS	1	48.572	49.38	0.0	0.003	267.163	2.598	1020.104	1098.192	15.037	-91.808	-89.735	0.0
29	9007	9008	SN	1	48.759	49.527	0.0	0.003	6.701	2.259	1034.04	1099.712	10.042	-91.787	-89.895	0.0
30	9008	9009	SN	1	48.546	49.528	0.0	0.003	6.717	2.674	1029.72	1099.816	10.491	-92.37	-89.883	0.0
31	9008	9009	SN	1	48.546	49.528	0.0	0.003	6.717	2.671	1029.72	1099.816	10.479	-92.37	-89.883	0.0
32	9008	9009	SN	1	48.8	49.528	0.0	0.003	6.717	1.601	1034.776	1099.816	11.286	-91.728	-89.904	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	9008	9009	NS	1	48.569	49.429	0.0	0.003	267.29	2.668	1019.16	1098.352	16.075	-91.804	-89.738	0.0
34	9009	9010	NS	1	48.576	49.373	0.0	0.0	264.88	2.83	1019.568	1098.44	16.042	-93.958	-89.738	0.0
35	9009	9010	NS	2	48.576	49.373	0.0	0.0	264.88	2.829	1019.568	1098.44	16.038	-91.854	-89.738	0.0
36	9009	9010	SN	1	48.795	49.56	0.0	0.003	279.616	2.573	1034.52	1099.912	10.175	-91.867	-89.862	0.0
37	9010	9011	SN	1	48.801	49.529	0.0	0.003	215.554	2.555	1034.672	1099.888	10.204	-91.697	-89.864	0.0
38	9010	9011	NS	1	48.584	49.372	0.0	0.0	210.634	2.837	1019.32	1098.384	15.538	-91.746	-89.72	0.0
39	9011	9012	NS	1	48.632	49.371	0.0	0.003	42.325	2.711	1020.4	1098.336	15.728	-91.607	-89.714	0.0
40	9016	9017	SN	1	48.786	49.57	0.0	0.003	6.728	2.489	1034.352	1099.936	11.344	-91.86	-89.89	0.0
41	9016	9017	SN	1	48.786	49.57	0.0	0.003	6.728	2.727	1034.272	1099.936	11.089	-91.86	-89.881	0.0
42	9016	9017	NS	1	48.63	49.414	0.0	0.0	52.641	2.846	1020.376	1098.52	14.729	-91.778	-89.723	0.0
43	9016	9017	NS	2	48.63	49.414	0.0	0.0	267.72	2.847	1020.376	1098.52	14.715	-91.778	-89.723	0.0
44	9016	9017	SN	1	48.786	49.57	0.0	0.003	6.728	2.731	1034.28	1099.936	11.109	-91.86	-89.881	0.0
45	9017	9018	NS	1	48.631	49.374	0.0	0.003	264.885	2.597	1020.552	1098.752	15.861	-91.6	-89.683	0.0
46	9017	9018	SN	1	48.796	49.528	0.0	0.003	281.839	2.432	1034.128	1100.112	10.164	-91.818	-89.881	0.0
47	9017	9018	SN	1	48.796	49.528	0.0	0.003	281.839	2.429	1034.128	1100.112	10.154	-91.818	-89.881	0.0
48	9017	9018	SN	1	48.796	49.528	0.0	0.003	281.839	2.533	1034.128	1100.112	10.06	-91.818	-89.88	0.0
49	9017	9018	NS	2	48.631	49.374	0.0	0.003	264.885	2.598	1020.552	1098.752	15.848	-91.6	-89.683	0.0
50	9018	9019	SN	1	48.768	49.531	0.0	0.003	6.739	2.354	1033.904	1100.152	10.04	-91.746	-89.882	0.0
51	9018	9019	SN	1	48.768	49.531	0.0	0.003	6.739	2.496	1033.904	1100.152	9.927	-91.746	-89.878	0.0
52	9018	9019	NS	1	48.631	49.375	0.0	0.003	210.16	2.566	1020.696	1098.848	15.733	-91.689	-89.678	0.0
53	9019	9020	NS	1	48.632	49.376	0.0	0.0	206.923	2.778	1020.56	1098.8	14.803	-91.68	-89.711	0.0
54	9019	9020	SN	1	48.757	49.562	0.0	0.003	6.728	2.272	1033.76	1100.064	9.977	-91.767	-89.888	0.0
55	9019	9020	SN	1	48.795	49.562	0.0	0.003	6.728	2.539	1033.776	1100.064	9.798	-91.767	-89.877	0.0
56	9020	9021	SN	1	48.767	49.526	0.0	0.003	6.723	2.521	1033.528	1100.016	9.901	-91.809	-89.882	0.0
57	9020	9021	SN	1	48.766	49.525	0.0	0.003	6.723	2.516	1033.52	1099.984	9.925	-91.741	-89.882	0.0
58	9020	9021	SN	1	48.767	49.526	0.0	0.003	6.723	2.088	1033.528	1100.016	10.193	-91.809	-89.893	0.0
59	9020	9021	NS	1	48.632	49.376	0.0	0.003	210.607	2.686	1020.864	1098.768	14.562	-91.964	-89.737	0.0
60	9021	9022	SN	1	48.754	49.526	0.0	0.003	281.353	1.888	1033.064	1099.904	10.521	-91.829	-89.89	0.0
61	9021	9022	NS	1	48.597	49.425	0.0	0.003	14.791	2.669	1020.896	1098.624	14.965	-91.823	-89.731	0.0
62	9021	9022	SN	1	48.734	49.526	0.0	0.003	281.353	2.593	1032.488	1099.904	10.054	-91.829	-89.877	0.0
63	9022	9023	SN	1	48.744	49.527	0.0	0.003	280.978	2.663	1032.952	1099.984	10.446	-91.75	-89.877	0.0
64	9022	9023	SN	1	48.744	49.527	0.0	0.003	280.978	1.664	1032.952	1099.984	11.125	-91.75	-89.892	0.0
65	9022	9023	NS	1	48.569	49.816	0.0	0.0	133.06	2.683	1020.28	1098.704	15.058	-93.972	-89.742	0.0
66	9023	9024	SN	1	48.784	49.54	0.0	0.003	281.364	2.606	1033.576	1100.144	10.219	-91.811	-89.871	0.0
67	9023	9024	NS	1	48.606	49.428	0.0	0.0	267.13	2.78	1019.88	1098.856	15.538	-91.872	-89.742	0.0
68	9023	9024	SN	1	48.796	49.54	0.0	0.003	281.364	1.572	1033.888	1100.144	11.082	-91.811	-89.872	0.0
69	9024	9025	NS	1	48.57	49.376	0.0	0.003	264.858	2.773	1020.568	1098.88	14.592	-91.884	-89.744	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																											
					SNR												Kp															
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore						
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)				
1	9001	9002	SN	1	-34.617	25.501	0.444	-34.298	26.94	1.093	-33.061	28.194	12.851	-27.015	30.761	17.397	0.116	280.684	2.667	0.116	260.762	2.367	0.116	196.162	0.204	0.116	48.82	0.162				
2	9001	9002	SN	1	-34.575	25.501	0.339	-33.636	26.94	1.189	-33.061	28.194	12.789	-27.015	30.761	17.397	0.116	277.908	2.81	0.116	223.889	2.601	0.116	196.162	0.204	0.116	48.82	0.162				
3	9001	9002	SN	1	-34.631	25.501	0.443	-33.71	26.94	1.088	-34.809	28.194	12.826	-27.007	30.761	17.393	0.116	281.559	2.667	0.116	227.795	2.365	0.116	293.356	0.205	0.116	48.736	0.162				
4	9002	9003	SN	1	-34.835	26.012	0.569	-34.882	26.004	0.956	-20.304	32.158	10.941	-21.163	29.118	7.975	0.116	295.066	3.239	0.116	298.28	2.828	0.116	10.48	0.016	0.116	12.752	0.023				
5	9002	9003	SN	1	-34.835	26.012	0.57	-34.882	26.004	0.956	-20.318	32.158	10.969	-21.126	29.118	7.99	0.116	295.066	3.239	0.116	298.28	2.828	0.116	10.514	0.016	0.116	12.645	0.021				
6	9002	9003	NS	1	-34.414	27.022	0.029	-34.329	28.088	0.024	0.944	33.479	18.37	1.985	36.248	32.976	0.116	267.81	1.5	0.116	262.68	1.055	0.116	0.183	0.0	0.116	0.168	0.0				
7	9002	9003	SN	1	-34.835	26.012	0.581	-34.882	26.004	0.973	-20.321	32.158	10.969	-21.126	29.118	7.99	0.116	295.066	3.299	0.116	298.28	2.88	0.116	10.522	0.016	0.116	12.645	0.021				
8	9003	9004	NS	2	-34.885	24.062	0.004	-32.779	23.377	0.004	-17.577	29.55	10.925	-5.744	32.56	20.342	0.116	298.498	1.165	0.116	183.858	1.091	0.116	5.636	0.003	0.116	0.459	0.0				
9	9003	9004	SN	1	-34.091	23.533	0.019	-34.977	24.047	0.031	5.686	28.14	12.042	5.65	32.221	6.772	0.116	248.628	1.436	0.116	304.908	1.27	0.116	0.137	0.0	0.116	0.137	0.0				
10	9003	9004	SN	1	-34.091	23.533	0.018	-34.977	24.047	0.031	5.686	28.14	12.042	5.65	32.221	6.772	0.116	248.628	1.416	0.116	304.908	1.255	0.116	0.137	0.0	0.116	0.137	0.0				
11	9003	9004	SN	1	-34.394	23.533	0.019	-34.506	24.047	0.031	5.687	28.14	12.042	5.652	32.221	6.772	0.116	266.652	1.425	0.116	273.49	1.269	0.116	0.137	0.0	0.116	0.137	0.0				
12	9003	9004	NS	1	-34.885	24.062	0.004	-32.779	23.377	0.004	-17.577	29.55	10.925	-5.744	32.56	20.343	0.116	298.498	1.165	0.116	183.858	1.09	0.116	5.636	0.003	0.116	0.459	0.0				
13	9004	9005	SN	1	-34.444	22.556	0.005	-34.52	23.351	0.017	6.614	27.803	12.4	6.86	27.77	5.146	0.116	269.685	3.075	0.116	274.374	2.803	0.116	0.133	0.0	0.116	0.132	0.0				
14	9004	9005	SN	1	-34.795	22.556	0.005	-34.875	23.351	0.017	6.614	27.803	12.43	6.858	27.77	5.134	0.116	292.38	3.132	0.116	297.882	2.847	0.116	0.133	0.0	0.116	0.132	0.0				
15	9004	9005	NS	1	-33.854	24.701	0.004	-32.747	24.41	0.003	-11.649	28.802	9.603	-8.708	33.558	18.264	0.116	247.647	1.57	0.116	182.499	1.464	0.116	1.507	0.004	0.116	0.812	0.0				
16	9005	9006	SN	1	-34.984	24.387	0.013	-34.875	23.544	0.03	5.75	28.606	17.589	7.039	28.733	18.909	0.116	305.384	2.099	0.116	297.805	1.866	0.116	0.136	0.0	0.116	0.131	0.0				
17	9005	9006	NS	1	-34.488	20.523	0.0	-31.347	21.53	0.0	-15.767	28.446	8.072	-9.986	31.725	13.974	0.116	272.455	2.129	0.116	132.211	2.061	0.116	3.746	0.01	0.116	1.057	0.001				
18	9005	9006	NS	2	-34.488	20.523	0.0	-31.347	21.53	0.0	-15.767	28.446	8.072	-9.986	31.725	13.974	0.116	272.455	2.129	0.116	132.211	2.061	0.116	3.746	0.01	0.116	1.057	0.001				
19	9005	9006	SN	1	-34.829	24.387	0.013	-34.49	23.544	0.03	5.75	28.606	17.585	7.039	28.733	18.909	0.116	294.633	2.1	0.116	272.536	1.868	0.116	0.136	0.0	0.116	0.131	0.0				
20	9006	9007	SN	1	-34.363	22.523	0.001	-34.9	23.617	0.001	5.856	28.157	15.422	7.533	29.593	16.293	0.116	264.698	4.432	0.116	299.529	3.541	0.116	0.136	0.0	0.116	0.129	0.0				
21	9006	9007	SN	1	-34.363	22.523	0.001	-34.9	23.617	0.001	5.856	28.157	16.055	7.902	29.593	16.588	0.116	264.698	4.583	0.116	299.529	3.68	0.116	0.136	0.0	0.116	0.128	0.0				
22	9006	9007	SN	2	-34.363	22.523	0.001	-34.9	23.617	0.001	5.856	28.157	15.422	7.533	29.593	16.293	0.116	264.698	4.432	0.116	299.529	3.541	0.116	0.136	0.0	0.116	0.129	0.0				
23	9006	9007	NS	2	-34.601	20.925	0.0	-34.984	21.867	0.0	-26.818	28.884	9.021	-27.809	31.367	15.635	0.116	279.666	3.54	0.116	305.304	3.402	0.116	46.658	0.029	0.116	58.594	0.011				
24	9006	9007	NS	1	-34.601	20.925	0.0	-34.923	21.867	0.0	-26.839	28.884	9.02	-27.809	31.367	15.632	0.116	279.666	3.538	0.116	301.155	3.402	0.116	46.887	0.029	0.116	58.594	0.011				
25	9007	9008	SN	1	-33.721	21.004	0.0	-34.572	22.09	0.001	-4.347	30.665	11.888	-8.06	32.172	11.596	0.116	228.389	2.642	0.116	277.763	2.321	0.116	0.36	0.0	0.116	0.713	0.0				
26	9007	9008	NS	1	-34.603	26.422	0.267	-34.864	26.542	0.424	-4.812	29.177	11.563	-6.268	30.037	17.784	0.116	279.785	5.176	0.116	297.086	5.151	0.116	0.39	0.0	0.116	0.505	0.0				
27	9007	9008	SN	2	-34.086	21.004	0.0	-34.498	22.09	0.001	-4.347	30.665	11.895	-8.06	30.272	11.592	0.116	248.342	2.643	0.116	273.049	2.32	0.116	0.36	0.0	0.116	0.713	0.0				
28	9007	9008	NS	1	-34.733	26.422	0.266	-34.515	26.544	0.424	-4.812	29.177	11.567	-6.268	30.037	17.784	0.116	288.28	5.176	0.116	274.159	5.163	0.116	0.39	0.0	0.116	0.505	0.0				
29	9007	9008	SN	1	-33.721	21.004	0.0	-34.572	22.09	0.001	-4.347	30.665	11.941	-8.06	32.172	11.594	0.116	228.389	2.715	0.116	277.763	2.27	0.116	0.36	0.0	0.116	0.713	0.0				
30	9008	9009	SN	1	-34.956	23.164	0.016	-34.584	24.906	0.034	-17.238	36.096	14.405	-5.414	33.957	17.19	0.116	303.399	2.198	0.116	278.57	2.397	0.116	5.219	0.003	0.116	0.432	0.0				
31	9008	9009	SN	1	-34.956	23.164	0.016	-34.584	24.906	0.034	-17.136	36.096	14.375	-5.414	33.957	17.15	0.116	303.399	2.198	0.116	278.57	2.396	0.116	5.101	0.003	0.116	0.432	0.0				
32	9008	9009	SN	1	-34.956	23.164	0.017	-34.584	24.906	0.026	-17.076	36.096	15.269	-5.414	33.957	17.231	0.116	303.399	2.18	0.116	278.57	2.001	0.116	5.031	0.003	0.116	0.432	0.0				
33	9008	9009	NS	1	-34.998	26.288	0.25	-33.976	26.322	0.546	7.16	32.558	11.264	7.494	30.769	20.377	0.116	306.339	6.666	0.116	242.146	6.329	0.116	0.131	0.0	0.116	0.13	0.0				

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9001	9002	SN	1	57.53	58.424	0.0	0.0	296.437	3.87	1212.184	1293.552	18.92	-95.524	-91.939	0.0
2	9001	9002	SN	1	57.53	58.424	0.0	0.0	296.437	3.448	1212.184	1293.552	19.624	-93.23	-91.956	0.0
3	9001	9002	SN	1	57.53	58.424	0.0	0.0	296.437	3.868	1212.048	1293.552	18.908	-95.524	-91.939	0.0
4	9002	9003	SN	1	57.549	58.457	0.0	0.0	296.216	3.664	1212.344	1293.488	18.434	-93.243	-91.939	0.0
5	9002	9003	SN	1	57.549	58.457	0.0	0.0	296.216	3.667	1212.336	1293.488	18.449	-93.243	-91.939	0.0
6	9002	9003	NS	1	57.365	58.265	0.0	0.0	296.404	3.64	1193.64	1291.056	48.283	-93.811	-91.774	0.0
7	9002	9003	SN	1	57.549	58.457	0.0	0.0	296.216	3.583	1212.464	1293.488	18.654	-93.243	-91.944	0.0
8	9003	9004	NS	2	57.367	58.264	0.0	0.0	297.264	3.515	1194.264	1291.304	49.552	-93.372	-91.714	0.0
9	9003	9004	SN	1	57.509	58.421	0.0	0.0	297.33	3.425	1211.224	1293.648	17.835	-93.193	-91.944	0.0
10	9003	9004	SN	1	57.509	58.421	0.0	0.0	297.33	3.511	1211.224	1293.648	17.666	-93.193	-91.938	0.0
11	9003	9004	SN	1	57.509	58.421	0.0	0.0	297.33	3.429	1211.224	1293.648	17.787	-93.359	-91.944	0.0
12	9003	9004	NS	1	57.366	58.264	0.0	0.003	297.286	3.516	1194.248	1291.32	49.579	-93.372	-91.714	0.0
13	9004	9005	SN	1	57.522	58.421	0.0	0.0	298.053	3.51	1211.216	1293.576	17.884	-93.244	-91.936	0.0
14	9004	9005	SN	1	57.523	58.421	0.0	0.003	298.053	3.406	1211.272	1293.576	18.066	-93.088	-91.946	0.0
15	9004	9005	NS	1	57.366	58.265	0.0	0.0	299.862	3.733	1193.872	1291.328	49.499	-93.371	-91.759	0.0
16	9005	9006	SN	1	57.516	58.419	0.0	0.0	298.036	3.542	1211.432	1293.448	17.816	-93.162	-91.938	0.0
17	9005	9006	NS	1	57.367	58.276	0.0	0.0	294.997	3.752	1194.192	1291.256	48.241	-93.236	-91.773	0.0
18	9005	9006	NS	2	57.367	58.276	0.0	0.0	294.997	3.752	1194.192	1291.256	48.241	-93.236	-91.773	0.0
19	9005	9006	SN	1	57.514	58.42	0.0	0.0	297.981	3.549	1211.464	1293.456	17.756	-93.184	-91.938	0.0
20	9006	9007	SN	1	57.38	58.419	0.0	0.0	296.36	3.576	1207.2	1293.392	18.005	-94.312	-91.938	0.0
21	9006	9007	SN	1	57.52	58.419	0.0	0.0	287.988	3.233	1211.544	1293.392	18.662	-93.123	-91.956	0.0
22	9006	9007	SN	2	57.38	58.419	0.0	0.0	296.36	3.576	1207.2	1293.392	18.005	-94.312	-91.938	0.0
23	9006	9007	NS	2	57.333	58.262	0.0	0.0	296.492	3.71	1194.44	1291.072	48.131	-93.371	-91.776	0.0
24	9006	9007	NS	1	57.333	58.262	0.0	0.0	296.536	3.704	1194.168	1291.056	48.148	-93.371	-91.776	0.0
25	9007	9008	SN	1	57.196	58.454	0.001	0.0	299.034	3.697	1202.624	1293.504	18.375	-95.212	-91.937	0.0
26	9007	9008	NS	1	57.347	58.263	0.0	0.0	298.323	3.639	1194.248	1291.048	46.779	-93.158	-91.778	0.0
27	9007	9008	SN	2	57.196	58.453	0.001	0.0	299.167	3.698	1202.624	1293.472	18.39	-95.212	-91.937	0.0
28	9007	9008	NS	1	57.347	58.263	0.0	0.0	298.323	3.635	1194.248	1291.048	46.727	-93.182	-91.778	0.0
29	9007	9008	SN	1	57.521	58.454	0.0	0.0	299.034	3.493	1211.248	1293.504	18.808	-93.251	-91.95	0.0
30	9008	9009	SN	1	57.362	58.432	0.0	0.0	297.275	3.734	1206.68	1293.592	18.866	-95.342	-91.935	0.0
31	9008	9009	SN	1	57.362	58.432	0.0	0.0	297.275	3.73	1206.68	1293.592	18.845	-95.342	-91.935	0.0
32	9008	9009	SN	1	57.547	58.432	0.0	0.0	297.275	2.755	1211.992	1293.592	20.337	-93.258	-91.962	0.0
33	9008	9009	NS	1	57.334	58.271	0.0	0.003	297.656	3.714	1193.584	1291.216	49.999	-93.479	-91.79	0.0
34	9009	9010	NS	1	57.343	58.266	0.0	0.0	296.591	3.935	1193.52	1291.36	48.56	-94.746	-91.79	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9009	9010	NS	2	57.343	58.266	0.0	0.0	296.591	3.929	1193.52	1291.36	48.543	-93.37	-91.79	0.0
36	9009	9010	SN	1	57.508	58.438	0.0	0.0	297.347	3.625	1211.144	1293.712	17.504	-93.241	-91.907	0.0
37	9010	9011	SN	1	57.548	58.429	0.0	0.0	298.466	3.609	1212.112	1293.696	18.021	-93.697	-91.92	0.0
38	9010	9011	NS	1	57.352	58.265	0.0	0.0	296.635	3.986	1193.88	1291.296	48.024	-93.513	-91.768	0.0
39	9011	9012	NS	1	57.361	58.264	0.0	0.003	298.395	3.699	1193.832	1291.232	49.085	-93.866	-91.763	0.0
40	9016	9017	SN	1	57.528	58.448	0.0	0.0	297.622	3.739	1211.176	1293.736	19.658	-93.248	-91.945	0.0
41	9016	9017	SN	1	57.528	58.448	0.0	0.0	297.595	3.871	1211.184	1293.728	19.255	-93.248	-91.934	0.0
42	9016	9017	NS	1	57.334	58.27	0.0	0.0	299.509	3.981	1193.936	1291.448	46.82	-93.969	-91.763	0.0
43	9016	9017	NS	2	57.335	58.27	0.0	0.0	299.481	3.982	1193.944	1291.44	46.829	-93.969	-91.763	0.0
44	9016	9017	SN	1	57.528	58.448	0.0	0.0	297.622	3.871	1211.176	1293.736	19.277	-93.248	-91.934	0.0
45	9017	9018	NS	1	57.368	58.266	0.0	0.0	297.975	3.609	1194.76	1291.736	48.766	-93.547	-91.732	0.0
46	9017	9018	SN	1	57.541	58.43	0.0	0.0	297.998	3.53	1211.192	1293.912	17.652	-93.228	-91.939	0.0
47	9017	9018	SN	1	57.541	58.43	0.0	0.0	297.998	3.527	1211.192	1293.912	17.636	-93.228	-91.939	0.0
48	9017	9018	SN	1	57.541	58.43	0.0	0.0	297.998	3.612	1211.192	1293.912	17.481	-93.228	-91.934	0.0
49	9017	9018	NS	2	57.368	58.266	0.0	0.0	297.953	3.609	1194.76	1291.728	48.757	-93.547	-91.732	0.0
50	9018	9019	SN	1	57.507	58.426	0.0	0.0	298.384	3.443	1210.008	1293.96	17.911	-93.202	-91.938	0.0
51	9018	9019	SN	1	57.507	58.426	0.0	0.0	298.384	3.536	1210.008	1293.96	17.723	-93.781	-91.933	0.0
52	9018	9019	NS	1	57.339	58.268	0.0	0.0	299.878	3.53	1194.936	1291.872	49.302	-93.72	-91.725	0.0
53	9019	9020	NS	1	57.367	58.269	0.0	0.0	292.036	3.82	1195.096	1291.816	48.684	-93.439	-91.764	0.0
54	9019	9020	SN	1	57.539	58.419	0.0	0.0	298.008	3.396	1210.8	1293.864	18.036	-93.655	-91.943	0.0
55	9019	9020	SN	1	57.521	58.419	0.0	0.0	298.008	3.533	1210.8	1293.864	17.737	-93.655	-91.931	0.0
56	9020	9021	SN	1	57.385	58.44	0.0	0.0	298.908	3.522	1206.88	1293.792	17.517	-94.044	-91.933	0.0
57	9020	9021	SN	1	57.385	58.433	0.0	0.0	299.63	3.531	1206.88	1293.744	17.591	-94.044	-91.933	0.0
58	9020	9021	SN	1	57.527	58.44	0.0	0.0	298.908	3.28	1210.272	1293.792	18.006	-93.236	-91.948	0.0
59	9020	9021	NS	1	57.363	58.27	0.0	0.0	297.165	3.733	1194.648	1291.784	47.657	-93.114	-91.785	0.0
60	9021	9022	SN	1	57.503	58.42	0.0	0.003	289.322	3.169	1210.048	1293.656	18.417	-93.186	-91.95	0.0
61	9021	9022	NS	1	57.359	58.266	0.0	0.006	297.661	3.699	1194.936	1291.592	45.775	-93.204	-91.784	0.0
62	9021	9022	SN	1	57.503	58.42	0.0	0.0	297.369	3.63	1210.048	1293.656	17.62	-93.768	-91.933	0.0
63	9022	9023	SN	1	57.359	58.419	0.0	0.0	297.137	3.742	1206.12	1293.768	18.58	-94.441	-91.931	0.0
64	9022	9023	SN	1	57.521	58.419	0.0	0.0	283.223	2.95	1210.264	1293.768	19.856	-93.154	-91.951	0.0
65	9022	9023	NS	1	57.34	58.269	0.0	0.0	298.488	3.687	1194.832	1291.688	48.02	-93.366	-91.794	0.0
66	9023	9024	SN	1	57.54	58.421	0.0	0.0	298.874	3.657	1210.928	1293.936	18.147	-93.519	-91.91	0.0
67	9023	9024	NS	1	57.328	58.273	0.0	0.0	299.167	3.87	1194.208	1291.88	49.154	-94.836	-91.793	0.0
68	9023	9024	SN	1	57.54	58.421	0.0	0.0	298.874	2.541	1210.928	1293.936	19.739	-93.19	-91.925	0.0
69	9024	9025	NS	1	57.343	58.27	0.0	0.0	298.02	3.886	1195.12	1291.896	45.765	-94.765	-91.794	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9001	9002	SN	1	-33.67	18.919	0.0	-34.458	18.789	0.0	-30.929	22.89	0.006	-25.886	22.944	0.014	0.086	172.487	2.567	0.086	206.806	2.249	0.086	91.8	0.124	0.086	28.785	0.145
2	9001	9002	SN	1	-33.67	18.919	0.0	-34.458	18.789	0.0	-30.929	22.89	0.005	-25.886	22.944	0.014	0.086	172.487	2.651	0.086	206.806	2.477	0.086	91.8	0.125	0.086	28.785	0.145
3	9001	9002	SN	1	-33.67	18.919	0.0	-34.458	18.789	0.0	-31.064	22.89	0.006	-25.914	22.944	0.014	0.086	172.487	2.573	0.086	206.806	2.249	0.086	94.683	0.123	0.086	28.963	0.144
4	9002	9003	SN	1	-34.286	18.872	0.0	-33.704	18.758	0.0	-28.602	22.175	0.002	-26.979	22.948	0.029	0.086	198.759	2.64	0.086	173.86	2.565	0.086	53.74	0.181	0.086	37.003	0.262
5	9002	9003	SN	1	-34.286	18.872	0.0	-33.704	18.758	0.0	-28.602	22.175	0.002	-26.979	22.948	0.029	0.086	198.759	2.634	0.086	173.86	2.565	0.086	53.74	0.181	0.086	37.003	0.262
6	9002	9003	NS	1	-33.364	20.99	0.0	-34.711	20.976	0.0	-5.546	24.393	0.019	-11.758	28.439	0.124	0.086	160.743	1.136	0.086	219.225	1.107	0.086	0.334	0.0	0.086	1.176	0.002
7	9002	9003	SN	1	-34.286	18.872	0.0	-33.704	18.758	0.0	-28.602	22.175	0.002	-26.979	22.948	0.029	0.086	198.759	2.686	0.086	173.86	2.611	0.086	53.74	0.181	0.086	37.003	0.262
8	9003	9004	NS	2	-34.779	15.866	0.0	-32.072	18.312	0.0	-11.318	22.186	0.002	-23.48	23.027	0.067	0.087	222.642	0.787	0.086	119.394	0.792	0.086	1.068	0.002	0.086	16.567	0.051
9	9003	9004	SN	1	-34.495	17.624	0.0	-34.577	19.389	0.0	-32.27	22.407	0.019	-28.664	23.058	0.055	0.087	208.532	1.924	0.086	212.485	1.68	0.086	124.973	0.072	0.086	54.508	0.094
10	9003	9004	SN	1	-34.495	17.624	0.0	-34.577	19.389	0.0	-32.27	22.407	0.019	-28.664	23.058	0.055	0.087	208.532	1.898	0.086	212.485	1.662	0.086	124.973	0.072	0.086	54.508	0.094
11	9003	9004	SN	1	-34.75	17.619	0.0	-34.844	19.389	0.0	-28.478	22.406	0.019	-30.626	23.057	0.055	0.087	221.18	1.919	0.086	225.99	1.68	0.086	52.242	0.072	0.086	85.59	0.094
12	9003	9004	NS	1	-34.779	15.866	0.0	-32.072	18.312	0.0	-11.318	22.186	0.002	-23.475	23.027	0.067	0.087	222.642	0.787	0.086	119.394	0.792	0.086	1.068	0.002	0.086	16.551	0.051
13	9004	9005	SN	1	-34.891	16.628	0.0	-34.872	17.106	0.0	1.467	21.394	0.0	1.659	22.234	0.01	0.087	228.471	2.432	0.087	227.457	2.16	0.086	0.13	0.0	0.086	0.128	0.0
14	9004	9005	SN	1	-33.942	16.628	0.0	-34.502	17.106	0.0	1.467	21.394	0.0	1.659	22.234	0.01	0.087	183.658	2.472	0.087	208.924	2.183	0.086	0.13	0.0	0.086	0.128	0.0
15	9004	9005	NS	1	-33.597	16.614	0.0	-34.544	16.946	0.0	-23.949	22.204	0.002	-20.977	22.645	0.029	0.087	169.614	1.83	0.087	210.906	2.058	0.086	18.452	0.07	0.086	9.337	0.073
16	9005	9006	SN	1	-34.875	16.402	0.0	-34.733	16.692	0.0	1.01	21.575	0.0	1.982	22.832	0.16	0.087	227.611	2.09	0.087	220.314	1.794	0.086	0.135	0.0	0.086	0.124	0.0
17	9005	9006	NS	1	-33.621	15.246	0.0	-33.983	15.552	0.0	-15.035	22.529	0.013	-12.371	22.63	0.044	0.087	170.534	1.784	0.087	185.33	1.917	0.086	2.425	0.004	0.086	1.343	0.001
18	9005	9006	NS	2	-33.621	15.246	0.0	-33.983	15.552	0.0	-15.035	22.529	0.013	-12.371	22.63	0.044	0.087	170.534	1.784	0.087	185.33	1.917	0.086	2.425	0.004	0.086	1.343	0.001
19	9005	9006	SN	1	-34.558	16.403	0.0	-34.694	16.692	0.0	1.009	21.575	0.0	1.982	22.832	0.16	0.087	211.582	2.09	0.087	218.384	1.797	0.086	0.135	0.0	0.086	0.124	0.0
20	9006	9007	SN	1	-34.982	16.118	0.0	-34.032	17.084	0.0	0.328	21.566	0.0	1.73	22.631	0.027	0.087	236.562	3.933	0.087	187.494	3.305	0.086	0.144	0.0	0.086	0.127	0.0
21	9006	9007	SN	1	-34.999	16.118	0.0	-34.032	17.084	0.0	0.328	21.566	0.0	1.73	22.631	0.028	0.087	236.562	4.054	0.087	187.494	3.396	0.086	0.144	0.0	0.086	0.127	0.0
22	9006	9007	SN	2	-34.982	16.118	0.0	-34.032	17.084	0.0	0.328	21.566	0.0	1.73	22.631	0.027	0.087	236.562	3.933	0.087	187.494	3.305	0.086	0.144	0.0	0.086	0.127	0.0
23	9006	9007	NS	2	-34.473	16.343	0.0	-33.955	19.514	0.0	-26.012	21.903	0.0	-20.606	22.556	0.051	0.087	207.515	3.265	0.086	184.189	3.155	0.086	29.635	0.004	0.086	8.577	0.012
24	9006	9007	NS	1	-34.439	16.343	0.0	-33.802	19.514	0.0	-26.012	21.903	0.0	-20.595	22.556	0.051	0.087	205.9	3.266	0.086	177.791	3.154	0.086	29.635	0.004	0.086	8.559	0.012
25	9007	9008	SN	1	-34.594	17.358	0.0	-34.39	17.443	0.0	-7.298	22.559	0.068	-0.38	22.723	0.15	0.087	213.319	2.36	0.087	203.552	2.223	0.086	0.465	0.0	0.086	0.155	0.0
26	9007	9008	NS	1	-34.88	19.344	0.0	-34.953	19.463	0.0	-17.606	21.883	0.0	-13.624	22.724	0.124	0.086	227.855	4.331	0.086	231.723	4.417	0.086	4.332	0.044	0.086	1.77	0.022
27	9007	9008	SN	2	-34.594	17.358	0.0	-34.888	17.443	0.0	-7.298	22.559	0.068	-0.38	22.723	0.15	0.087	213.319	2.359	0.087	228.319	2.225	0.086	0.465	0.0	0.086	0.155	0.0
28	9007	9008	NS	1	-34.88	19.347	0.0	-34.953	19.465	0.0	-17.606	21.883	0.0	-13.624	22.724	0.118	0.086	227.855	4.337	0.086	231.723	4.412	0.086	4.332	0.044	0.086	1.77	0.022
29	9007	9008	SN	1	-34.173	17.358	0.0	-34.549	17.443	0.0	-7.298	22.559	0.069	-0.38	22.723	0.15	0.087	193.642	2.42	0.087	211.175	2.103	0.086	0.465	0.0	0.086	0.155	0.0
30	9008	9009	SN	1	-34.948	19.423	0.0	-34.668	19.452	0.0	-5.666	22.975	0.116	-5.12	25.769	0.761	0.086	231.44	1.899	0.086	217.039	2.033	0.086	0.342	0.0	0.086	0.31	0.0
31	9008	9009	SN	1	-34.948	19.423	0.0	-34.668	19.452	0.0	-5.666	22.975	0.116	-5.12	25.769	0.76	0.086	231.44	1.899	0.086	217.039	2.035	0.086	0.342	0.0	0.086	0.31	0.0
32	9008	9009	SN	1	-34.948	19.423	0.0	-34.417	19.452	0.0	-5.666	22.975	0.124	-5.12	25.769	0.763	0.086	231.44	1.992	0.086	204.861	1.6	0.086	0.342	0.0	0.086	0.31	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	9008	9009	NS	1	-34.857	18.351	0.0	-34.931	21.043	0.0	1.688	22.458	0.018	1.649	23.368	0.279	0.086	226.678	6.182	0.086	230.611	6.125	0.086	0.128	0.0	0.086	0.128	0.0
34	9009	9010	NS	1	-34.64	22.379	0.002	-34.66	22.203	0.004	0.296	22.608	0.034	-13.411	23.775	0.661	0.086	215.607	5.28	0.086	216.63	4.357	0.086	0.145	0.0	0.086	1.689	0.002
35	9009	9010	NS	2	-34.476	22.381	0.002	-34.94	22.22	0.005	0.296	22.608	0.034	-13.39	23.775	0.661	0.086	207.619	5.28	0.086	231.067	4.363	0.086	0.145	0.0	0.086	1.681	0.002
36	9009	9010	SN	1	-34.558	17.905	0.0	-34.263	19.579	0.0	-31.172	22.279	0.013	-22.963	23.778	0.327	0.086	211.623	2.92	0.086	197.678	2.797	0.086	97.066	0.057	0.086	14.715	0.009
37	9010	9011	SN	1	-34.631	20.316	0.0	-34.818	21.013	0.0	-5.276	22.461	0.009	-5.4	22.826	0.086	0.086	215.165	1.822	0.086	224.671	1.577	0.086	0.318	0.0	0.086	0.338	0.0
38	9010	9011	NS	1	-34.773	22.158	0.001	-34.28	21.756	0.0	-30.356	22.396	0.012	-24.264	24.18	1.119	0.086	222.373	1.551	0.086	198.469	1.245	0.086	80.456	0.176	0.086	19.832	0.092
39	9011	9012	NS	1	-34.417	20.263	0.0	-34.396	18.745	0.0	-33.28	22.252	0.008	-26.325	24.005	0.929	0.086	204.897	1.54	0.086	203.856	1.588	0.086	157.67	0.019	0.086	31.838	0.023
40	9016	9017	SN	1	-34.512	20.148	0.0	-34.476	18.659	0.0	-30.479	22.019	0.001	-32.196	22.809	0.029	0.086	209.383	4.814	0.086	218.791	3.866	0.086	82.766	0.138	0.086	122.864	0.124
41	9016	9017	SN	1	-34.512	20.148	0.0	-34.476	18.659	0.0	-30.234	22.019	0.001	-32.196	22.809	0.029	0.086	209.383	4.636	0.086	218.791	3.705	0.086	78.227	0.137	0.086	122.864	0.124
42	9016	9017	NS	1	-34.594	21.534	0.0	-33.271	20.843	0.0	1.761	23.903	0.047	2.254	24.856	0.169	0.086	213.343	1.23	0.086	157.341	1.238	0.086	0.127	0.0	0.086	0.122	0.0
43	9016	9017	NS	2	-34.594	21.534	0.0	-33.271	20.176	0.0	1.761	23.903	0.047	2.254	24.856	0.169	0.086	213.343	1.23	0.086	157.341	1.238	0.086	0.127	0.0	0.086	0.122	0.0
44	9016	9017	SN	1	-34.512	20.148	0.0	-34.476	18.659	0.0	-30.479	22.019	0.001	-32.196	22.809	0.029	0.086	209.383	4.638	0.086	218.791	3.707	0.086	82.766	0.138	0.086	122.864	0.124
45	9017	9018	NS	1	-34.662	20.278	0.0	-34.94	21.186	0.0	-24.244	22.149	0.002	-8.386	23.3	0.073	0.086	216.705	2.466	0.086	231.091	2.898	0.086	19.747	0.002	0.086	0.577	0.0
46	9017	9018	SN	1	-34.445	18.114	0.0	-34.679	18.923	0.0	1.096	21.668	0.0	0.806	22.975	0.053	0.086	206.184	1.851	0.086	217.553	1.67	0.086	0.134	0.0	0.086	0.138	0.0
47	9017	9018	SN	1	-34.445	18.114	0.0	-34.679	18.923	0.0	1.091	21.668	0.0	0.806	22.975	0.053	0.086	206.184	1.851	0.086	217.553	1.67	0.086	0.134	0.0	0.086	0.138	0.0
48	9017	9018	SN	1	-34.445	18.114	0.0	-34.679	18.923	0.0	1.091	21.668	0.0	0.806	22.975	0.053	0.086	206.184	1.822	0.086	217.553	1.651	0.086	0.134	0.0	0.086	0.138	0.0
49	9017	9018	NS	2	-34.662	20.278	0.0	-34.94	21.186	0.0	-24.244	22.149	0.002	-8.388	23.3	0.073	0.086	216.705	2.466	0.086	231.091	2.898	0.086	19.747	0.002	0.086	0.577	0.0
50	9018	9019	SN	1	-34.685	16.669	0.0	-34.841	17.047	0.0	1.11	22.121	0.005	1.629	22.981	0.074	0.087	217.846	2.712	0.087	225.843	2.323	0.086	0.134	0.0	0.086	0.128	0.0
51	9018	9019	SN	1	-34.685	16.669	0.0	-34.841	17.047	0.0	1.11	22.121	0.005	1.629	22.981	0.073	0.087	217.846	2.673	0.087	225.843	2.301	0.086	0.134	0.0	0.086	0.128	0.0
52	9018	9019	NS	1	-34.656	16.067	0.0	-34.309	17.599	0.0	-8.852	21.199	0.0	-24.981	22.514	0.034	0.087	216.428	1.833	0.087	199.848	1.962	0.086	0.635	0.0	0.086	23.384	0.015
53	9019	9020	NS	1	-34.648	17.062	0.0	-34.015	17.684	0.0	-18.395	22.412	0.001	-17.145	22.803	0.049	0.087	216.003	1.738	0.086	186.758	1.79	0.086	5.182	0.007	0.086	3.902	0.026
54	9019	9020	SN	1	-34.137	16.078	0.0	-34.976	16.948	0.0	0.757	22.197	0.011	1.529	22.608	0.094	0.087	192.052	2.275	0.087	232.954	2.274	0.086	0.138	0.0	0.086	0.129	0.0
55	9019	9020	SN	1	-34.434	16.078	0.0	-34.976	16.948	0.0	0.757	22.197	0.011	1.529	22.608	0.091	0.087	205.696	2.233	0.087	232.954	2.249	0.086	0.138	0.0	0.086	0.129	0.0
56	9020	9021	SN	1	-34.77	16.686	0.0	-34.379	16.872	0.0	0.616	21.34	0.0	2.096	22.535	0.141	0.087	222.181	2.124	0.087	203.031	2.03	0.086	0.14	0.0	0.086	0.123	0.0
57	9020	9021	SN	1	-34.882	16.686	0.0	-33.882	16.872	0.0	0.619	21.34	0.0	2.1	22.535	0.141	0.087	227.967	2.126	0.087	181.121	2.028	0.086	0.14	0.0	0.086	0.123	0.0
58	9020	9021	SN	1	-34.77	16.686	0.0	-33.928	16.872	0.0	0.616	21.34	0.0	2.096	22.535	0.148	0.087	222.181	2.177	0.087	183.048	2.082	0.086	0.14	0.0	0.086	0.123	0.0
59	9020	9021	NS	1	-34.854	14.655	0.0	-34.017	15.094	0.0	-21.022	23.57	0.009	-23.478	22.707	0.02	0.088	226.501	1.903	0.087	186.804	2.097	0.086	9.436	0.011	0.086	16.562	0.013
60	9021	9022	SN	1	-34.509	16.583	0.0	-34.639	17.167	0.0	0.192	21.83	0.0	1.427	21.907	0.0	0.087	209.238	2.843	0.087	215.55	2.631	0.086	0.146	0.0	0.086	0.13	0.0
61	9021	9022	NS	1	-34.495	19.264	0.0	-34.659	18.205	0.0	-22.683	21.799	0.0	-22.328	22.851	0.076	0.086	208.568	2.438	0.086	216.58	2.713	0.086	13.802	0.116	0.086	12.719	0.021
62	9021	9022	SN	1	-34.509	16.583	0.0	-34.639	17.167	0.0	0.192	21.83	0.0	1.444	21.907	0.0	0.087	209.238	2.76	0.087	215.55	2.519	0.086	0.146	0.0	0.086	0.13	0.0
63	9022	9023	SN	1	-34.812	17.037	0.0	-33.925	18.083	0.0	-21.322	23.343	0.098	-5.278	23.334	0.475	0.087	224.326	2.005	0.086	182.926	2.041	0.086	10.107	0.009	0.086	0.319	0.0
64	9022	9023	SN	1	-34.812	17.037	0.0	-33.925	18.083	0.0	-21.324	23.343	0.104	-5.278	23.334	0.477	0.087	224.326	2.127	0.086	182.926	2.221	0.086	10.108	0.009	0.086	0.319	0.0
65	9022	9023	NS	1	-34.886	18.665	0.0	-34.857	21.044	0.0	2.816	22.011	0.008	1.919	22.88	0.224	0.086	228.241	4.068	0.086	226.695	3.602	0.086	0.117	0.0	0.086	0.125	0.0
66	9023	9024	SN	1	-33.387	19.078	0.0	-34.467	19.412	0.0	-19.35	23.018	0.04	-19.204	23.815	0.516	0.086	161.588	1.254	0.086	207.237	1.117	0.086	6.44	0.003	0.086	6.23	0.009
67	9023	9024	NS	1	-34.934	18.289	0.0	-33.884	18.275	0.0	-8.799	22.778	0.059	-0.461	23.47	0.358	0.086	230.704	4.268	0.086	181.206	3.513	0.086	0.628	0.0	0.086	0.157	0.0
68	9023	9024	SN	1	-33.387	19.078	0.0	-33.019	19.412	0.0	-24.1	23.018	0.044	-19.156	23.815	0.464	0.086	161.588	1.232	0.086	148.461	1.136	0.086	19.099	0.003	0.086	6.162	0.009
69	9024	9025	NS	1	-34.187	21.417	0.0	-34.888	20.94	0.0	-20.598	22.668	0.049	-7.653	23.923	1.087	0.086	194.272	2.122	0.086	228.294	1.898	0.086	8.565	0.014	0.086	0.498	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors