










# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report


Report between 16-JUN-2018 To 17-JUN-2018




Inner Sea Aft Sigma0VsKp




Outer Sea Aft Sigma0VsKp




Inner Sea Fore Sigma0VsKp




Outer Sea Fore Sigma0VsKp




Inner Land Aft Sigma0VsKp




Outer Land Aft Sigma0VsKp



Inner Land Fore Sigma0VsKp



Outer Land Fore Sigma0VsKp



# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 16-JUN-2018 To 17-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9103	9104	SN	1	48.747	49.516	0.0	0.003	29.577	2.506	1028.536	1100.632	10.823	-91.74	-89.858	0.0
2	9103	9104	SN	1	48.754	49.516	0.0	0.003	29.577	2.727	1028.92	1100.632	10.599	-91.74	-89.858	0.0
3	9103	9104	NS	1	48.601	49.397	0.0	0.003	264.709	2.74	1024.08	1100.192	10.34	-91.573	-89.763	0.0
4	9103	9104	SN	1	48.747	49.516	0.0	0.003	29.577	2.729	1028.536	1100.632	10.609	-91.74	-89.858	0.0
5	9104	9105	SN	1	48.735	49.529	0.0	0.003	27.707	2.437	1028.112	1100.832	9.831	-91.737	-89.823	0.0
6	9104	9105	SN	1	48.764	49.529	0.0	0.003	27.707	2.534	1028.72	1100.832	9.735	-91.737	-89.823	0.0
7	9104	9105	NS	2	48.648	49.452	0.0	0.0	43.461	2.662	1024.528	1100.416	10.092	-91.519	-89.72	0.0
8	9104	9105	NS	1	48.648	49.452	0.0	0.0	43.461	2.662	1024.528	1100.416	10.094	-91.519	-89.72	0.0
9	9104	9105	SN	1	48.764	49.529	0.0	0.003	27.707	2.435	1028.72	1100.832	9.821	-91.737	-89.823	0.0
10	9105	9106	SN	1	48.714	49.516	0.0	0.003	6.778	2.502	1028.072	1100.864	9.285	-91.504	-89.837	0.0
11	9105	9106	SN	1	48.697	49.516	0.0	0.003	6.778	2.361	1027.816	1100.864	9.399	-91.504	-89.837	0.0
12	9105	9106	SN	1	48.697	49.516	0.0	0.003	6.778	2.504	1027.816	1100.864	9.295	-91.504	-89.837	0.0
13	9105	9106	NS	1	48.65	49.4	0.0	0.0	39.476	2.667	1024.664	1100.48	9.618	-91.629	-89.72	0.0
14	9106	9107	NS	1	48.65	49.443	0.0	0.003	42.385	2.665	1024.84	1100.36	9.022	-91.812	-89.747	0.0
15	9106	9107	NS	2	48.65	49.444	0.0	0.003	267.108	2.666	1024.848	1100.36	9.009	-91.811	-89.747	0.0
16	9106	9107	SN	1	48.709	49.514	0.0	0.003	6.772	2.288	1027.432	1100.752	9.385	-91.757	-89.854	0.0
17	9106	9107	SN	1	48.709	49.514	0.0	0.003	6.772	2.57	1027.432	1100.752	9.211	-91.757	-89.854	0.0
18	9107	9108	SN	1	48.709	49.571	0.0	0.003	215.035	2.549	1027.464	1100.672	9.376	-91.801	-89.859	0.0
19	9107	9108	SN	1	48.71	49.571	0.0	0.003	215.035	2.101	1027.464	1100.672	9.658	-91.801	-89.859	0.0
20	9107	9108	SN	2	48.709	49.571	0.0	0.003	215.035	2.549	1027.464	1100.672	9.376	-91.801	-89.859	0.0
21	9107	9108	NS	1	48.603	49.4	0.0	0.0	206.923	2.774	1024.872	1100.296	9.335	-91.632	-89.777	0.0
22	9107	9108	NS	2	48.603	49.4	0.0	0.0	206.923	2.776	1024.88	1100.288	9.323	-91.632	-89.777	0.0
23	9108	9109	SN	1	48.717	49.544	0.0	0.003	281.568	2.59	1027.992	1100.568	9.476	-92.247	-89.846	0.0
24	9108	9109	NS	1	48.596	49.4	0.0	0.0	264.532	2.762	1024.24	1100.184	8.744	-91.577	-89.766	0.0
25	9108	9109	NS	1	48.596	49.399	0.0	0.0	266.915	2.759	1024.24	1100.184	8.732	-91.531	-89.766	0.0
26	9108	9109	SN	2	48.718	49.544	0.0	0.003	32.18	2.588	1028.0	1100.568	9.466	-92.247	-89.846	0.0
27	9108	9109	SN	1	48.717	49.544	0.0	0.003	281.568	1.907	1027.992	1100.568	9.905	-92.247	-89.846	0.0
28	9109	9110	SN	2	48.764	49.514	0.0	0.003	6.761	2.652	1028.4	1100.584	9.811	-91.843	-89.846	0.0
29	9109	9110	SN	1	48.764	49.514	0.0	0.003	6.761	1.662	1028.4	1100.584	10.447	-91.843	-89.846	0.0
30	9109	9110	NS	1	48.611	49.422	0.0	0.003	210.474	2.569	1024.192	1100.216	8.384	-91.804	-89.783	0.0
31	9109	9110	NS	1	48.611	49.399	0.0	0.003	266.849	2.566	1024.2	1100.216	8.374	-91.804	-89.783	0.0
32	9109	9110	SN	1	48.764	49.514	0.0	0.003	6.761	2.654	1028.4	1100.584	9.811	-91.843	-89.846	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors



33	9110	9111	NS	2	48.617	49.414	0.0	0.003	264.698	2.669	1024.784	1100.344	8.586	-91.851	-89.784	0.0
34	9110	9111	SN	1	48.766	49.515	0.0	0.003	280.669	1.57	1028.48	1100.728	10.334	-91.587	-89.812	0.0
35	9110	9111	NS	1	48.617	49.4	0.0	0.003	264.698	2.677	1024.784	1100.344	8.587	-91.851	-89.784	0.0
36	9110	9111	SN	1	48.766	49.515	0.0	0.003	280.669	2.6	1028.48	1100.728	9.534	-91.587	-89.812	0.0
37	9110	9111	SN	1	48.767	49.516	0.0	0.003	281.381	2.599	1028.496	1100.728	9.51	-91.587	-89.812	0.0
38	9111	9112	NS	1	48.612	49.4	0.0	0.003	210.524	2.72	1024.544	1100.344	9.226	-91.804	-89.794	0.0
39	9117	9118	SN	1	48.73	49.514	0.0	0.003	280.178	2.085	1027.472	1100.752	10.746	-91.873	-89.849	0.0
40	9117	9118	SN	1	48.726	49.514	0.0	0.0	280.178	2.766	1027.36	1100.752	10.337	-91.873	-89.849	0.0
41	9117	9118	SN	2	48.726	49.514	0.0	0.0	280.178	2.766	1027.36	1100.752	10.347	-91.873	-89.849	0.0
42	9118	9119	SN	1	48.762	49.512	0.0	0.003	212.912	2.595	1027.968	1100.704	9.918	-91.895	-89.848	0.0
43	9118	9119	NS	1	48.65	49.456	0.0	0.003	266.992	2.606	1025.232	1100.384	9.451	-91.822	-89.772	0.0
44	9118	9119	SN	1	48.742	49.512	0.0	0.003	212.912	2.473	1027.592	1100.704	10.04	-91.895	-89.848	0.0
45	9118	9119	SN	1	48.742	49.512	0.0	0.003	212.912	2.597	1027.592	1100.704	9.928	-91.895	-89.848	0.0
46	9119	9120	NS	1	48.652	49.403	0.0	0.003	13.429	2.531	1025.4	1100.576	9.358	-91.7	-89.722	0.0
47	9119	9120	SN	1	48.713	49.514	0.0	0.003	33.104	2.4	1026.656	1100.864	9.188	-91.589	-89.832	0.0
48	9119	9120	NS	2	48.652	49.403	0.0	0.003	13.429	2.532	1025.4	1100.576	9.359	-91.7	-89.722	0.0
49	9119	9120	SN	1	48.719	49.513	0.0	0.003	214.164	2.515	1026.736	1100.848	9.081	-91.589	-89.832	0.0
50	9119	9120	SN	1	48.719	49.513	0.0	0.003	214.164	2.398	1026.736	1100.848	9.169	-91.589	-89.832	0.0
51	9120	9121	NS	1	48.654	49.404	0.0	0.003	210.546	2.574	1025.552	1100.496	9.41	-91.741	-89.759	0.0
52	9120	9121	SN	1	48.755	49.511	0.0	0.003	6.772	2.554	1027.512	1100.784	9.122	-91.603	-89.852	0.0
53	9120	9121	SN	1	48.76	49.511	0.0	0.003	6.772	2.342	1027.512	1100.784	9.255	-91.603	-89.852	0.0
54	9120	9121	NS	1	48.654	49.404	0.0	0.003	210.546	2.562	1025.552	1100.496	9.321	-91.741	-89.759	0.0
55	9120	9121	SN	2	48.755	49.511	0.0	0.003	6.772	2.554	1027.512	1100.784	9.122	-91.603	-89.852	0.0
56	9121	9122	SN	1	48.712	49.51	0.0	0.003	6.767	2.178	1027.16	1100.64	9.202	-91.613	-89.852	0.0
57	9121	9122	NS	1	48.645	49.451	0.0	0.003	267.102	2.697	1025.44	1100.376	9.613	-91.764	-89.758	0.0
58	9121	9122	SN	1	48.712	49.51	0.0	0.003	6.772	2.538	1027.16	1100.648	8.99	-91.613	-89.852	0.0
59	9121	9122	SN	2	48.712	49.51	0.0	0.003	6.767	2.539	1027.16	1100.64	8.98	-91.613	-89.852	0.0
60	9121	9122	NS	1	48.645	49.404	0.0	0.003	267.102	2.688	1025.44	1100.376	9.531	-91.761	-89.758	0.0
61	9122	9123	SN	1	48.694	49.511	0.0	0.003	282.495	2.568	1026.672	1100.56	8.703	-91.802	-89.842	0.0
62	9122	9123	SN	2	48.694	49.511	0.0	0.003	282.495	2.568	1026.672	1100.56	8.703	-91.802	-89.842	0.0
63	9122	9123	NS	1	48.634	49.432	0.0	0.0	191.685	2.85	1025.6	1100.312	9.559	-91.834	-89.78	0.0
64	9122	9123	SN	1	48.727	49.511	0.0	0.003	282.495	2.021	1026.672	1100.56	9.017	-91.709	-89.842	0.0
65	9122	9123	NS	1	48.634	49.404	0.0	0.0	191.685	2.851	1025.608	1100.304	9.553	-91.713	-89.781	0.0
66	9123	9124	SN	1	48.707	49.524	0.0	0.003	6.767	2.26	1026.44	1100.496	9.373	-91.898	-89.831	0.0
67	9123	9124	SN	2	48.706	49.524	0.0	0.003	6.767	2.631	1026.424	1100.504	9.169	-91.898	-89.831	0.0
68	9123	9124	SN	1	48.707	49.524	0.0	0.003	6.767	2.631	1026.44	1100.496	9.151	-91.898	-89.831	0.0
69	9123	9124	NS	1	48.598	49.418	0.0	0.0	210.629	2.729	1024.808	1100.232	8.312	-91.787	-89.786	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	9123	9124	NS	1	48.598	49.403	0.0	0.0	210.629	2.727	1024.744	1100.232	8.304	-91.742	-89.786	0.0
71	9124	9125	NS	1	48.626	49.404	0.0	0.003	264.604	2.641	1024.896	1100.36	8.531	-91.756	-89.79	0.0
72	9124	9125	SN	2	48.761	49.523	0.0	0.003	6.772	2.667	1027.608	1100.624	9.675	-91.674	-89.829	0.0
73	9124	9125	SN	1	48.761	49.523	0.0	0.003	6.772	2.668	1027.608	1100.624	9.675	-91.674	-89.829	0.0
74	9124	9125	SN	1	48.761	49.523	0.0	0.003	6.772	1.604	1027.608	1100.624	10.415	-91.674	-89.829	0.0
75	9124	9125	NS	1	48.626	49.404	0.0	0.003	264.604	2.639	1024.896	1100.36	8.522	-91.793	-89.79	0.0
76	9125	9126	SN	1	48.762	49.511	0.0	0.003	6.778	2.571	1027.712	1100.672	9.443	-91.453	-89.785	0.0
77	9125	9126	NS	1	48.62	49.404	0.0	0.003	210.486	2.721	1024.992	1100.408	9.253	-94.196	-89.791	0.0
78	9125	9126	NS	2	48.62	49.404	0.0	0.003	210.486	2.722	1024.992	1100.416	9.264	-94.196	-89.791	0.0
79	9126	9127	SN	1	48.762	49.514	0.0	0.0	46.806	2.643	1027.72	1100.592	9.501	-91.822	-89.815	0.0
80	9126	9127	NS	1	48.644	49.404	0.0	0.003	13.142	2.682	1025.496	1100.336	9.543	-91.643	-89.796	0.0
81	9127	9128	NS	1	48.628	49.402	0.0	0.0	266.761	2.834	1025.232	1100.272	9.385	-91.71	-89.768	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

Inner																												
SNR																Kp												
				Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore			
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9103	9104	SN	1	-33.87	25.625	0.176	-34.286	25.778	0.601	-33.246	35.942	14.188	-34.326	29.146	18.273	0.116	236.324	1.881	0.116	260.07	1.629	0.116	204.679	0.185	0.116	262.504	0.187
2	9103	9104	SN	1	-34.284	25.625	0.169	-34.597	25.778	0.575	-33.927	35.942	14.214	-25.632	29.146	18.281	0.116	259.922	1.803	0.116	279.319	1.564	0.116	239.463	0.186	0.116	35.536	0.185
3	9103	9104	NS	1	-33.325	26.626	0.018	-34.424	27.62	0.023	7.412	33.388	17.554	7.72	35.535	29.614	0.116	208.455	0.981	0.116	268.464	0.821	0.116	0.13	0.0	0.116	0.129	0.0
4	9103	9104	SN	1	-33.87	25.625	0.169	-34.286	25.778	0.576	-33.246	35.942	14.188	-34.326	29.146	18.278	0.116	236.324	1.8	0.116	260.07	1.561	0.116	204.679	0.185	0.116	262.504	0.187
5	9104	9105	SN	1	-34.948	25.346	0.064	-34.739	25.334	0.079	-29.249	30.468	9.457	-19.314	30.077	6.48	0.116	302.853	2.938	0.116	288.691	2.372	0.116	81.603	0.027	0.116	8.363	0.027
6	9104	9105	SN	1	-34.948	25.346	0.063	-34.739	25.334	0.078	-29.404	30.47	9.459	-19.45	30.077	6.507	0.116	302.853	2.893	0.116	288.691	2.369	0.116	84.548	0.027	0.116	8.626	0.027
7	9104	9105	NS	2	-34.666	26.499	0.027	-30.643	27.087	0.027	-9.622	35.224	14.191	-6.126	30.549	26.348	0.116	283.886	1.772	0.116	112.427	1.18	0.116	0.98	0.0	0.116	0.492	0.0
8	9104	9105	NS	1	-34.666	26.499	0.027	-30.643	27.087	0.027	-9.622	35.224	14.191	-6.126	30.549	26.348	0.116	283.886	1.772	0.116	112.427	1.181	0.116	0.98	0.0	0.116	0.492	0.0
9	9104	9105	SN	1	-34.948	25.346	0.064	-34.739	25.334	0.079	-29.404	30.47	9.459	-19.45	30.077	6.507	0.116	302.853	2.932	0.116	288.691	2.402	0.116	84.548	0.027	0.116	8.626	0.027
10	9105	9106	SN	1	-34.473	23.03	0.004	-34.089	24.129	0.013	7.147	29.0	15.096	7.574	29.334	7.573	0.116	271.459	1.595	0.116	248.512	1.349	0.116	0.131	0.0	0.116	0.129	0.0
11	9105	9106	SN	1	-34.345	23.03	0.004	-33.766	24.129	0.013	7.147	29.0	15.096	7.574	29.334	7.578	0.116	263.561	1.597	0.116	230.725	1.345	0.116	0.131	0.0	0.116	0.129	0.0
12	9105	9106	SN	1	-34.345	23.03	0.004	-33.924	24.129	0.013	7.147	29.0	15.096	7.574	29.334	7.573	0.116	263.561	1.576	0.116	239.265	1.345	0.116	0.131	0.0	0.116	0.129	0.0
13	9105	9106	NS	1	-32.881	24.217	0.005	-30.674	25.762	0.005	-13.428	30.218	10.28	-5.162	29.662	18.875	0.116	188.202	0.51	0.116	113.239	0.577	0.116	2.224	0.002	0.116	0.414	0.0
14	9106	9107	NS	1	-34.77	21.909	0.0	-34.86	22.664	0.002	-24.257	29.607	6.66	-20.61	30.431	12.904	0.116	290.749	3.017	0.116	296.749	2.839	0.116	25.907	0.013	0.116	11.241	0.011
15	9106	9107	NS	2	-34.77	21.909	0.0	-34.86	22.664	0.002	-24.257	29.607	6.66	-20.61	30.431	12.904	0.116	290.749	3.017	0.116	296.749	2.839	0.116	25.907	0.013	0.116	11.241	0.011
16	9106	9107	SN	1	-34.939	22.644	0.003	-34.909	23.051	0.018	6.371	27.025	13.548	6.396	29.161	9.373	0.116	302.2	1.492	0.116	300.219	1.395	0.116	0.134	0.0	0.116	0.134	0.0
17	9106	9107	SN	1	-34.824	22.644	0.003	-34.909	23.051	0.018	6.371	27.025	13.533	6.396	29.161	9.258	0.116	294.305	1.528	0.116	300.219	1.437	0.116	0.134	0.0	0.116	0.134	0.0
18	9107	9108	SN	1	-34.979	22.908	0.003	-34.84	23.462	0.003	6.03	28.524	15.085	6.122	28.561	16.841	0.116	305.015	7.624	0.116	295.448	6.306	0.116	0.135	0.0	0.116	0.135	0.0
19	9107	9108	SN	1	-34.979	22.908	0.004	-34.84	23.462	0.003	6.03	28.524	15.442	6.119	28.561	17.217	0.116	305.015	7.803	0.116	295.448	6.493	0.116	0.135	0.0	0.116	0.135	0.0
20	9107	9108	SN	2	-34.979	22.908	0.003	-34.84	23.462	0.003	6.03	28.524	15.085	6.122	28.561	16.841	0.116	305.015	7.624	0.116	295.448	6.306	0.116	0.135	0.0	0.116	0.135	0.0
21	9107	9108	NS	1	-34.9	21.381	0.0	-34.479	21.191	0.0	-27.79	28.405	10.317	-15.477	29.276	17.801	0.116	299.535	2.931	0.116	271.903	3.021	0.116	58.348	0.019	0.116	3.51	0.013
22	9107	9108	NS	2	-34.9	21.381	0.0	-34.479	21.191	0.0	-27.79	28.405	10.317	-15.477	29.276	17.802	0.116	299.535	2.931	0.116	271.903	3.021	0.116	58.348	0.019	0.116	3.51	0.013
23	9108	9109	SN	1	-34.724	19.848	0.0	-34.841	20.104	0.0	5.556	28.148	13.436	7.265	28.892	12.377	0.116	287.586	8.647	0.116	295.501	7.222	0.116	0.138	0.0	0.116	0.13	0.0
24	9108	9109	NS	1	-34.261	23.408	0.067	-34.784	23.122	0.049	-11.007	29.905	8.207	-6.163	30.442	14.722	0.116	258.6	2.198	0.116	291.653	1.561	0.116	1.313	0.002	0.116	0.495	0.0
25	9108	9109	NS	1	-34.524	23.408	0.067	-34.806	23.122	0.049	-11.0	29.905	8.204	-6.158	30.442	14.679	0.116	274.675	2.193	0.116	293.11	1.562	0.116	1.311	0.002	0.116	0.495	0.0
26	9108	9109	SN	2	-34.724	19.848	0.0	-34.841	20.104	0.0	5.556	28.148	13.44	7.264	28.892	12.376	0.116	287.586	8.649	0.116	295.501	7.222	0.116	0.138	0.0	0.116	0.13	0.0
27	9108	9109	SN	1	-34.724	19.848	0.0	-34.841	20.104	0.0	5.556	28.148	14.223	7.301	28.892	12.483	0.116	287.586	8.949	0.116	295.501	7.523	0.116	0.138	0.0	0.116	0.13	0.0
28	9109	9110	SN	2	-34.755	24.138	0.031	-34.858	24.277	0.034	-6.514	33.652	11.336	-8.234	32.628	12.842	0.116	289.691	2.884	0.116	296.665	3.483	0.116	0.528	0.0	0.116	0.738	0.0
29	9109	9110	SN	1	-34.755	24.138	0.033	-34.858	24.277	0.038	-6.514	33.652	11.899	-8.234	32.628	12.863	0.116	289.691	2.939	0.116	296.665	3.747	0.116	0.528	0.0	0.116	0.738	0.0
30	9109	9110	NS	1	-34.914	25.302	0.089	-34.741	26.941	0.296	1.428	28.505	14.929	7.683	29.826	24.599	0.116	300.483	2.272	0.116	288.798	1.646	0.116	0.175	0.0	0.116	0.129	0.0
31	9109	9110	NS	1	-34.979	25.3	0.089	-34.591	26.941	0.296	1.427	28.504	14.938	7.683	29.826	24.597	0.116	305.052	2.27	0.116	278.985	1.644	0.116	0.175	0.0	0.116	0.129	0.0
32	9109	9110	SN	1	-34.755	24.138	0.031	-34.858	24.277	0.034	-6.514	33.652	11.336	-8.234	32.628	12.842	0.116	289.691	2.885	0.116	296.665	3.483	0.116	0.528	0.0	0.116	0.738	0.0
33	9110	9111	NS	2	-34.758	24.311	0.021	-32.641	24.177	0.055	6.59	31.046	16.865	4.663	29.7	29.926	0.116	289.866	2.271	0.116	178.137	2.139	0.116	0.133	0.0	0.116	0.143	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

<span style="background-color: #90EE90; border: 1px solid black; width: 15px; height: 15px; display: inline-block;"></span> Normal	<span style="background-color: #FFFF00; border: 1px solid black; width: 15px; height: 15px; display: inline-block;"></span> Deviations
<span style="background-color: #FFA500; border: 1px solid black; width: 15px; height: 15px; display: inline-block;"></span> Alarming	<span style="background-color: #FF0000; border: 1px solid black; width: 15px; height: 15px; display: inline-block;"></span> High Errors

34	9110	9111	SN	1	-34.393	25.892	0.053	-32.674	25.97	0.072	-17.287	31.811	18.696	-2.919	31.663	23.016	0.116	266.558	2.234	0.116	179.454	2.135	0.116	5.277	0.003	0.116	0.288	0.0
35	9110	9111	NS	1	-34.242	24.311	0.021	-32.958	24.178	0.055	6.59	31.046	16.865	4.663	29.7	29.926	0.116	257.487	2.273	0.116	191.612	2.135	0.116	0.133	0.0	0.116	0.143	0.0
36	9110	9111	SN	1	-34.393	25.892	0.048	-32.674	25.97	0.061	-16.811	31.811	17.56	-2.919	31.663	22.89	0.116	266.558	2.236	0.116	179.454	2.185	0.116	4.739	0.003	0.116	0.288	0.0
37	9110	9111	SN	1	-34.114	25.892	0.048	-32.674	25.97	0.061	-16.777	31.811	17.564	-2.911	31.663	22.908	0.116	249.948	2.256	0.116	179.454	2.185	0.116	4.703	0.003	0.116	0.288	0.0
38	9111	9112	NS	1	-33.955	28.878	0.04	-33.788	23.761	0.023	-23.031	29.01	25.488	-27.317	30.021	39.207	0.116	240.953	2.198	0.116	231.873	1.491	0.116	19.566	0.063	0.116	52.325	0.031
39	9117	9118	SN	1	-34.998	25.916	0.251	-34.487	26.036	0.59	-34.708	28.157	12.737	-29.982	30.592	17.608	0.116	306.308	3.879	0.116	272.372	2.88	0.116	286.548	0.183	0.116	96.586	0.221
40	9117	9118	SN	1	-34.998	25.916	0.238	-34.487	26.036	0.535	-34.708	28.157	12.756	-29.982	30.592	17.608	0.116	306.308	3.686	0.116	272.372	2.613	0.116	286.548	0.184	0.116	96.586	0.221
41	9117	9118	SN	2	-34.998	25.916	0.238	-34.487	26.036	0.535	-34.708	28.157	12.756	-29.982	30.592	17.608	0.116	306.308	3.686	0.116	272.372	2.613	0.116	286.548	0.184	0.116	96.586	0.221
42	9118	9119	SN	1	-34.533	25.589	0.169	-33.206	26.035	0.306	-22.369	31.551	11.317	-23.166	29.698	10.027	0.116	275.277	1.98	0.116	202.857	1.661	0.116	16.809	0.029	0.116	20.176	0.014
43	9118	9119	NS	1	-31.928	25.792	0.022	-31.856	28.03	0.017	-9.959	34.068	17.368	-21.0	36.383	31.943	0.116	151.138	0.846	0.116	148.614	0.754	0.116	1.052	0.002	0.116	12.29	0.002
44	9118	9119	SN	1	-34.533	25.589	0.172	-34.974	26.035	0.312	-22.363	31.551	11.309	-23.12	29.698	9.941	0.116	275.277	2.014	0.116	304.729	1.698	0.116	16.785	0.029	0.116	19.961	0.014
45	9118	9119	SN	1	-34.533	25.589	0.169	-34.974	26.035	0.307	-22.363	31.551	11.309	-23.12	29.698	9.941	0.116	275.277	1.978	0.116	304.729	1.667	0.116	16.785	0.029	0.116	19.961	0.014
46	9119	9120	NS	1	-34.162	24.689	0.01	-34.038	25.445	0.004	-13.567	29.361	10.527	-11.839	30.988	19.633	0.116	252.757	1.306	0.116	245.615	1.212	0.116	2.293	0.002	0.116	1.571	0.002
47	9119	9120	SN	1	-34.465	24.189	0.019	-34.841	24.523	0.024	4.66	28.949	11.766	5.938	29.816	6.746	0.116	271.018	2.888	0.116	295.542	1.91	0.116	0.143	0.0	0.116	0.136	0.0
48	9119	9120	NS	2	-34.162	24.689	0.01	-34.038	25.445	0.004	-13.567	29.361	10.527	-11.839	30.988	19.633	0.116	252.757	1.305	0.116	245.615	1.214	0.116	2.293	0.002	0.116	1.571	0.002
49	9119	9120	SN	1	-34.516	24.189	0.018	-34.427	24.523	0.024	4.655	28.949	11.766	5.938	29.816	6.745	0.116	274.192	2.844	0.116	268.573	1.913	0.116	0.143	0.0	0.116	0.136	0.0
50	9119	9120	SN	1	-34.516	24.189	0.019	-34.427	24.523	0.024	4.655	28.949	11.766	5.938	29.816	6.745	0.116	274.192	2.883	0.116	268.573	1.924	0.116	0.143	0.0	0.116	0.136	0.0
51	9120	9121	NS	1	-33.32	24.935	0.004	-34.04	26.456	0.007	-30.864	28.844	9.727	-14.351	36.383	18.041	0.116	208.246	1.323	0.116	245.733	0.932	0.116	118.3	0.004	0.116	2.729	0.002
52	9120	9121	SN	1	-32.566	22.156	0.003	-31.364	23.298	0.016	6.773	27.628	12.208	6.049	28.33	5.085	0.116	175.047	0.892	0.116	132.717	0.741	0.116	0.132	0.0	0.116	0.135	0.0
53	9120	9121	SN	1	-32.668	22.156	0.003	-31.364	23.298	0.016	6.773	27.628	12.238	7.086	28.33	5.09	0.116	179.169	0.902	0.116	132.717	0.755	0.116	0.132	0.0	0.116	0.131	0.0
54	9120	9121	NS	1	-33.32	24.935	0.004	-34.04	26.456	0.007	-30.864	28.844	9.625	-14.351	36.383	17.967	0.116	208.246	1.323	0.116	245.733	0.932	0.116	118.3	0.004	0.116	2.729	0.002
55	9120	9121	SN	2	-32.566	22.156	0.003	-31.364	23.298	0.016	6.773	27.628	12.208	6.049	28.33	5.085	0.116	175.047	0.892	0.116	132.717	0.741	0.116	0.132	0.0	0.116	0.135	0.0
56	9121	9122	SN	1	-34.871	22.792	0.013	-34.898	23.522	0.022	5.693	28.358	17.724	6.544	28.918	19.229	0.116	297.518	8.539	0.116	299.384	7.314	0.116	0.137	0.0	0.116	0.133	0.0
57	9121	9122	NS	1	-34.827	20.889	0.0	-34.962	21.46	0.0	-21.854	28.558	7.348	-14.87	30.448	12.988	0.116	294.558	1.933	0.116	303.788	2.004	0.116	14.938	0.018	0.116	3.064	0.009
58	9121	9122	SN	1	-34.871	22.792	0.013	-34.898	23.524	0.022	5.693	28.358	17.605	5.863	28.918	18.594	0.116	297.518	8.335	0.116	299.384	7.156	0.116	0.137	0.0	0.116	0.136	0.0
59	9121	9122	SN	2	-34.871	22.792	0.013	-34.898	23.522	0.022	5.693	28.358	17.604	5.86	28.918	18.596	0.116	297.518	8.335	0.116	299.384	7.156	0.116	0.137	0.0	0.116	0.136	0.0
60	9121	9122	NS	1	-34.827	20.894	0.0	-34.898	21.46	0.0	-25.446	28.558	7.321	-14.939	30.448	12.959	0.116	294.558	1.934	0.116	299.458	2.002	0.116	34.043	0.018	0.116	3.111	0.009
61	9122	9123	SN	1	-34.932	21.825	0.0	-34.92	21.788	0.0	5.953	27.757	15.567	7.129	28.874	16.931	0.116	301.811	10.218	0.116	307.248	9.029	0.116	0.136	0.0	0.116	0.131	0.0
62	9122	9123	SN	2	-34.932	21.825	0.0	-34.92	21.788	0.0	5.953	27.757	15.567	7.129	28.874	16.931	0.116	301.811	10.218	0.116	307.248	9.029	0.116	0.136	0.0	0.116	0.131	0.0
63	9122	9123	NS	1	-34.872	20.503	0.0	-34.106	21.754	0.0	-17.849	28.403	8.412	-18.135	29.387	15.608	0.116	297.644	1.869	0.116	249.514	1.37	0.116	5.994	0.029	0.116	6.398	0.005
64	9122	9123	SN	1	-34.932	21.825	0.0	-34.92	21.788	0.0	5.953	27.757	16.173	7.13	28.874	17.195	0.116	301.811	10.509	0.116	307.248	9.387	0.116	0.136	0.0	0.116	0.131	0.0
65	9122	9123	NS	1	-34.872	20.504	0.0	-34.872	21.75	0.0	-17.891	28.403	8.411	-18.135	29.387	15.638	0.116	297.644	1.869	0.116	297.634	1.373	0.116	6.051	0.029	0.116	6.398	0.005
66	9123	9124	SN	1	-34.804	21.805	0.0	-34.905	22.754	0.002	6.419	29.274	11.892	6.558	31.364	12.297	0.116	292.984	4.326	0.116	299.86	3.295	0.116	0.134	0.0	0.116	0.133	0.0
67	9123	9124	SN	2	-34.804	21.805	0.0	-34.905	22.754	0.002	6.419	29.274	11.841	6.558	31.364	12.299	0.116	292.984	4.203	0.116	299.86	3.2	0.116	0.134	0.0	0.116	0.133	0.0
68	9123	9124	SN	1	-34.804	21.805	0.0	-34.905	22.754	0.002	6.419	29.274	11.841	6.558	31.364	12.297	0.116	292.984	4.203	0.116	299.86	3.2	0.116	0.134	0.0	0.116	0.133	0.0
69	9123	9124	NS	1	-34.976	25.264	0.159	-34.221	25.792	0.325	-7.466	29.197	11.79	-4.3	31.855	17.257	0.116	304.8	2.839	0.116	256.198	2.168	0.116	0.634	0.0	0.116	0.358	0.0
70	9123	9124	NS	1	-34.733	25.264	0.159	-33.427	25.79	0.324	-7.466	29.197	11.777	-4.302	31.855	17.227	0.116	288.258	2.841	0.116	213.451	2.166	0.116	0.634	0.0	0.116	0.358	0.0
71	9124	9125	NS	1	-33.457	25.575	0.158	-34.759	26.302	0.342	5.268	32.832	11.222	7.301	29.735	19.247	0.116	214.88	1.837	0.116	289.972	1.608	0.116	0.139	0.0	0.116	0.13	0.0
72	9124	9125	SN	2	-34.934	24.381	0.013	-34.897	24.776	0.029	-19.424	34.682	13.484	-15.748	34.338	16.628	0.116	301.9	1.925	0.116	299.336	1.614	0.116	8.575	0.006	0.116	3.73	0.002

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors


73	9124	9125	SN	1	-34.934	24.381	0.013	-34.897	24.776	0.029	-19.424	34.682	13.484	-15.748	34.338	16.628	0.116	301.9	1.925	0.116	299.336	1.614	0.116	8.575	0.006	0.116	3.73	0.002
74	9124	9125	SN	1	-34.934	24.381	0.014	-34.897	24.776	0.034	-18.921	34.682	14.323	-15.748	34.338	16.698	0.116	301.9	2.072	0.116	299.336	1.786	0.116	7.647	0.006	0.116	3.73	0.002
75	9124	9125	NS	1	-33.262	25.574	0.158	-34.745	26.302	0.341	5.268	32.832	11.222	7.299	29.734	19.247	0.116	205.429	1.835	0.116	289.057	1.616	0.116	0.139	0.0	0.116	0.13	0.0
76	9125	9126	SN	1	-28.913	25.161	0.04	-34.063	26.361	0.05	-11.409	29.229	20.016	-10.909	30.206	22.801	0.116	75.541	0.707	0.116	247.089	0.697	0.116	1.431	0.003	0.116	1.286	0.002
77	9125	9126	NS	1	-34.86	24.271	0.007	-34.39	23.642	0.02	-4.661	28.621	21.98	-0.549	30.518	40.268	0.116	296.794	2.428	0.116	266.324	1.966	0.116	0.38	0.0	0.116	0.212	0.0
78	9125	9126	NS	2	-34.86	24.271	0.007	-34.39	23.642	0.02	-4.661	28.621	21.98	-0.549	30.518	40.266	0.116	296.794	2.428	0.116	266.324	1.966	0.116	0.38	0.0	0.116	0.212	0.0
79	9126	9127	SN	1	-33.946	27.099	0.083	-33.059	27.87	0.087	-13.121	29.762	16.091	-3.722	32.908	15.47	0.116	240.44	1.734	0.116	196.111	1.462	0.116	2.078	0.002	0.116	0.326	0.0
80	9126	9127	NS	1	-34.26	26.827	0.044	-34.465	28.267	0.039	-29.767	28.986	14.366	-28.245	30.144	29.682	0.116	258.498	2.183	0.116	271.056	2.009	0.116	91.936	0.222	0.116	64.773	0.115
81	9127	9128	NS	1	-31.077	27.594	0.026	-32.634	27.381	0.019	-18.867	29.163	14.635	-14.39	36.383	23.266	0.116	124.276	0.87	0.116	177.808	0.836	0.116	7.555	0.024	0.116	2.753	0.007

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9103	9104	SN	1	57.501	58.407	0.0	0.0	279.809	3.783	1204.904	1294.392	31.55	-93.525	-91.918	0.0
2	9103	9104	SN	1	57.501	58.407	0.0	0.0	292.554	3.889	1204.88	1294.392	30.947	-93.713	-91.918	0.0
3	9103	9104	NS	1	57.359	58.293	0.0	0.0	296.95	3.881	1199.2	1293.536	37.967	-93.908	-91.808	0.0
4	9103	9104	SN	1	57.501	58.407	0.0	0.0	292.554	3.892	1204.904	1294.392	30.97	-93.713	-91.918	0.0
5	9104	9105	SN	1	57.501	58.408	0.0	0.0	295.946	3.562	1204.696	1294.608	29.521	-93.18	-91.882	0.0
6	9104	9105	SN	1	57.501	58.408	0.0	0.0	295.946	3.648	1204.696	1294.608	29.246	-93.18	-91.882	0.0
7	9104	9105	NS	2	57.39	58.303	0.0	0.0	291.368	3.679	1199.488	1293.824	38.781	-93.353	-91.768	0.0
8	9104	9105	NS	1	57.39	58.303	0.0	0.0	291.368	3.684	1199.488	1293.824	38.782	-93.486	-91.768	0.0
9	9104	9105	SN	1	57.501	58.408	0.0	0.0	295.946	3.558	1204.696	1294.608	29.488	-93.18	-91.882	0.0
10	9105	9106	SN	1	57.459	58.409	0.0	0.0	292.185	3.554	1204.096	1294.632	30.632	-93.126	-91.893	0.0
11	9105	9106	SN	1	57.459	58.409	0.0	0.0	292.185	3.476	1204.064	1294.632	30.982	-93.126	-91.893	0.0
12	9105	9106	SN	1	57.459	58.409	0.0	0.0	292.185	3.558	1204.064	1294.632	30.664	-93.126	-91.893	0.0
13	9105	9106	NS	1	57.393	58.297	0.0	0.0	296.762	3.69	1199.672	1293.904	38.714	-93.868	-91.767	0.0
14	9106	9107	NS	1	57.359	58.298	0.0	0.0	283.956	3.632	1199.736	1293.76	38.435	-93.903	-91.8	0.0
15	9106	9107	NS	2	57.359	58.298	0.0	0.0	283.962	3.633	1199.744	1293.752	38.429	-93.903	-91.8	0.0
16	9106	9107	SN	1	57.464	58.405	0.0	0.0	287.536	3.467	1203.28	1294.472	32.166	-93.866	-91.912	0.0
17	9106	9107	SN	1	57.464	58.405	0.0	0.0	287.536	3.601	1203.28	1294.472	31.616	-93.866	-91.912	0.0
18	9107	9108	SN	1	57.308	58.404	0.0	0.0	283.085	3.598	1203.448	1294.384	31.134	-94.884	-91.917	0.0
19	9107	9108	SN	1	57.478	58.404	0.0	0.0	283.085	3.351	1203.872	1294.384	32.03	-93.902	-91.917	0.0
20	9107	9108	SN	2	57.307	58.404	0.0	0.0	283.085	3.599	1203.432	1294.384	31.134	-94.884	-91.917	0.0
21	9107	9108	NS	1	57.361	58.296	0.0	0.0	286.107	3.866	1199.912	1293.696	37.669	-94.448	-91.822	0.0
22	9107	9108	NS	2	57.362	58.297	0.0	0.0	286.129	3.866	1199.92	1293.688	37.664	-94.448	-91.822	0.0
23	9108	9109	SN	1	57.416	58.403	0.0	0.0	281.634	3.658	1203.68	1294.224	30.906	-94.788	-91.902	0.0
24	9108	9109	NS	1	57.37	58.296	0.0	0.0	289.273	3.874	1199.8	1293.552	36.05	-93.108	-91.817	0.0
25	9108	9109	NS	1	57.365	58.296	0.0	0.0	290.723	3.866	1199.568	1293.552	36.066	-93.108	-91.817	0.0
26	9108	9109	SN	2	57.415	58.404	0.0	0.0	281.684	3.657	1203.688	1294.232	30.879	-94.789	-91.902	0.0
27	9108	9109	SN	1	57.454	58.403	0.0	0.0	279.351	3.219	1203.68	1294.224	32.263	-94.613	-91.902	0.0
28	9109	9110	SN	2	57.288	58.404	0.0	0.0	299.569	3.755	1202.984	1294.296	31.151	-94.249	-91.902	0.0
29	9109	9110	SN	1	57.497	58.404	0.0	0.0	276.958	2.987	1204.296	1294.296	33.206	-93.148	-91.902	0.0
30	9109	9110	NS	1	57.373	58.295	0.0	0.0	295.201	3.606	1199.784	1293.592	37.164	-93.493	-91.835	0.0
31	9109	9110	NS	1	57.373	58.297	0.0	0.0	295.163	3.599	1199.912	1293.592	37.175	-93.493	-91.835	0.0
32	9109	9110	SN	1	57.287	58.404	0.0	0.0	299.547	3.754	1202.968	1294.296	31.154	-94.249	-91.902	0.0
33	9110	9111	NS	2	57.394	58.327	0.0	0.0	287.53	3.655	1199.704	1293.744	38.329	-93.845	-91.834	0.0
34	9110	9111	SN	1	57.5	58.406	0.0	0.0	277.212	2.579	1204.4	1294.448	33.269	-93.233	-91.866	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9110	9111	NS	1	57.394	58.296	0.0	0.0	287.53	3.67	1199.552	1293.744	38.321	-93.845	-91.834	0.0
36	9110	9111	SN	1	57.5	58.406	0.0	0.0	292.995	3.673	1204.4	1294.448	30.97	-93.233	-91.866	0.0
37	9110	9111	SN	1	57.5	58.407	0.0	0.0	292.995	3.668	1204.416	1294.456	30.927	-93.227	-91.866	0.0
38	9111	9112	NS	1	57.361	58.307	0.0	0.0	290.326	3.881	1199.088	1293.744	36.527	-94.788	-91.843	0.0
39	9117	9118	SN	1	57.469	58.414	0.0	0.0	279.914	3.505	1202.976	1294.472	33.933	-93.195	-91.909	0.0
40	9117	9118	SN	1	57.469	58.414	0.0	0.0	294.319	3.943	1202.976	1294.472	32.778	-94.462	-91.909	0.0
41	9117	9118	SN	2	57.469	58.414	0.0	0.0	294.319	3.942	1202.976	1294.472	32.78	-94.462	-91.909	0.0
42	9118	9119	SN	1	57.494	58.403	0.0	0.0	288.964	3.707	1203.792	1294.416	33.384	-95.187	-91.902	0.0
43	9118	9119	NS	1	57.396	58.308	0.0	0.0	290.977	3.597	1200.328	1293.784	36.652	-93.493	-91.823	0.0
44	9118	9119	SN	1	57.494	58.403	0.0	0.0	288.964	3.627	1203.792	1294.416	33.781	-93.226	-91.902	0.0
45	9118	9119	SN	1	57.494	58.403	0.0	0.0	288.964	3.711	1203.792	1294.416	33.421	-95.187	-91.902	0.0
46	9119	9120	NS	1	57.397	58.3	0.0	0.0	296.056	3.508	1200.52	1294.032	36.971	-93.492	-91.771	0.0
47	9119	9120	SN	1	57.474	58.434	0.0	0.0	297.347	3.475	1202.696	1294.608	33.406	-93.248	-91.879	0.0
48	9119	9120	NS	2	57.397	58.3	0.0	0.0	296.056	3.513	1200.52	1294.032	37.046	-95.186	-91.771	0.0
49	9119	9120	SN	1	57.478	58.434	0.0	0.0	297.385	3.548	1202.664	1294.584	33.055	-93.248	-91.879	0.0
50	9119	9120	SN	1	57.478	58.434	0.0	0.0	297.385	3.472	1202.664	1294.584	33.363	-93.248	-91.879	0.0
51	9120	9121	NS	1	57.399	58.301	0.0	0.0	282.771	3.558	1200.712	1293.92	37.076	-93.492	-91.803	0.0
52	9120	9121	SN	1	57.472	58.401	0.0	0.0	292.604	3.586	1202.464	1294.48	34.0	-93.467	-91.904	0.0
53	9120	9121	SN	1	57.472	58.401	0.0	0.0	292.604	3.484	1202.464	1294.48	34.474	-93.467	-91.904	0.0
54	9120	9121	NS	1	57.399	58.301	0.0	0.0	282.771	3.556	1200.712	1293.92	37.015	-93.492	-91.803	0.0
55	9120	9121	SN	2	57.472	58.401	0.0	0.0	292.604	3.586	1202.464	1294.48	34.0	-93.467	-91.904	0.0
56	9121	9122	SN	1	57.454	58.399	0.0	0.0	287.684	3.438	1202.368	1294.304	35.051	-93.836	-91.912	0.0
57	9121	9122	NS	1	57.4	58.302	0.0	0.0	283.642	3.714	1200.768	1293.784	36.084	-93.188	-91.814	0.0
58	9121	9122	SN	1	57.455	58.4	0.0	0.0	287.651	3.628	1202.36	1294.32	34.44	-93.836	-91.912	0.0
59	9121	9122	SN	2	57.454	58.399	0.0	0.0	287.684	3.626	1202.368	1294.304	34.405	-93.836	-91.912	0.0
60	9121	9122	NS	1	57.4	58.302	0.0	0.0	283.642	3.719	1200.768	1293.784	36.013	-93.222	-91.814	0.0
61	9122	9123	SN	1	57.451	58.4	0.0	0.0	282.754	3.612	1202.704	1294.208	34.221	-93.726	-91.9	0.0
62	9122	9123	SN	2	57.451	58.4	0.0	0.0	282.754	3.612	1202.704	1294.208	34.221	-93.726	-91.9	0.0
63	9122	9123	NS	1	57.368	58.33	0.0	0.0	285.947	3.912	1200.248	1293.704	35.369	-93.351	-91.83	0.0
64	9122	9123	SN	1	57.458	58.4	0.0	0.0	282.754	3.295	1202.704	1294.208	35.429	-93.228	-91.9	0.0
65	9122	9123	NS	1	57.4	58.3	0.0	0.0	296.233	3.915	1200.936	1293.688	35.307	-93.351	-91.83	0.0
66	9123	9124	SN	1	57.473	58.41	0.0	0.0	294.948	3.54	1203.216	1294.128	34.075	-93.174	-91.891	0.0
67	9123	9124	SN	2	57.35	58.41	0.0	0.0	283.14	3.726	1202.728	1294.144	33.437	-94.425	-91.891	0.0
68	9123	9124	SN	1	57.35	58.41	0.0	0.0	294.948	3.729	1202.744	1294.128	33.378	-94.425	-91.891	0.0
69	9123	9124	NS	1	57.373	58.317	0.0	0.0	296.85	3.792	1200.344	1293.616	34.295	-93.225	-91.825	0.0
70	9123	9124	NS	1	57.373	58.319	0.0	0.0	296.85	3.788	1200.344	1293.616	34.324	-93.217	-91.825	0.0
71	9124	9125	NS	1	57.378	58.309	0.0	0.0	296.503	3.582	1200.384	1293.704	36.972	-93.352	-91.841	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9124	9125	SN	2	57.492	58.4	0.0	0.0	294.231	3.77	1203.328	1294.304	34.168	-93.615	-91.888	0.0
73	9124	9125	SN	1	57.492	58.4	0.0	0.0	294.198	3.769	1203.328	1294.304	34.163	-93.616	-91.888	0.0
74	9124	9125	SN	1	57.492	58.4	0.0	0.0	277.548	2.809	1203.328	1294.304	36.585	-93.225	-91.888	0.0
75	9124	9125	NS	1	57.378	58.309	0.0	0.0	296.503	3.579	1200.352	1293.704	36.999	-93.352	-91.841	0.0
76	9125	9126	SN	1	57.494	58.401	0.0	0.0	299.205	3.673	1203.48	1294.352	32.982	-93.73	-91.841	0.0
77	9125	9126	NS	1	57.365	58.324	0.0	0.0	290.751	3.713	1200.288	1293.832	36.336	-94.774	-91.842	0.0
78	9125	9126	NS	2	57.365	58.324	0.0	0.0	290.767	3.713	1200.28	1293.84	36.362	-94.774	-91.842	0.0
79	9126	9127	SN	1	57.494	58.401	0.0	0.0	285.881	3.738	1203.472	1294.272	32.432	-93.648	-91.871	0.0
80	9126	9127	NS	1	57.383	58.3	0.0	0.0	293.983	3.792	1200.392	1293.736	35.308	-93.712	-91.841	0.0
81	9127	9128	NS	1	57.403	58.298	0.0	0.0	299.476	3.906	1201.024	1293.656	35.601	-93.514	-91.811	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																										
					SNR												Kp														
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore					
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)			
1	9103	9104	SN	1	-34.758	20.402	0.0	-34.962	18.666	0.0	-28.311	22.483	0.004	-28.613	22.979	0.042	0.086	221.54	1.697	0.086	232.185	1.393	0.086	50.266	0.112	0.086	53.884	0.091			
2	9103	9104	SN	1	-34.795	20.402	0.0	-34.962	18.666	0.0	-28.311	22.483	0.004	-28.362	22.979	0.042	0.086	223.471	1.631	0.086	232.185	1.337	0.086	50.268	0.112	0.086	50.863	0.091			
3	9103	9104	NS	1	-32.484	20.644	0.0	-33.188	20.837	0.0	2.483	23.102	0.023	2.63	24.89	0.113	0.086	131.266	0.72	0.086	154.383	0.702	0.086	0.12	0.0	0.086	0.119	0.0			
4	9103	9104	SN	1	-34.085	20.402	0.0	-34.962	18.666	0.0	-28.311	22.483	0.004	-28.613	22.979	0.042	0.086	189.746	1.638	0.086	232.185	1.339	0.086	50.266	0.112	0.086	53.884	0.091			
5	9104	9105	SN	1	-34.95	18.192	0.0	-34.482	21.142	0.0	-19.913	21.652	0.0	-16.32	22.932	0.024	0.086	231.542	2.771	0.086	207.988	2.4	0.086	7.323	0.008	0.086	3.238	0.005			
6	9104	9105	SN	1	-34.063	18.192	0.0	-34.767	21.142	0.0	-19.854	21.652	0.0	-16.32	22.932	0.024	0.086	188.854	2.743	0.086	222.048	2.402	0.086	7.225	0.008	0.086	3.239	0.005			
7	9104	9105	NS	2	-33.808	20.223	0.0	-32.48	20.939	0.0	-9.99	21.997	0.0	-9.113	23.014	0.039	0.086	178.041	1.315	0.086	131.178	1.129	0.086	0.805	0.0	0.086	0.67	0.0			
8	9104	9105	NS	1	-33.808	20.223	0.0	-32.48	20.939	0.0	-9.99	21.997	0.0	-9.113	23.014	0.039	0.086	178.041	1.315	0.086	131.178	1.132	0.086	0.805	0.0	0.086	0.67	0.0			
9	9104	9105	SN	1	-34.063	18.192	0.0	-34.767	21.142	0.0	-19.854	21.652	0.0	-16.32	22.932	0.024	0.086	188.854	2.781	0.086	222.048	2.431	0.086	7.225	0.008	0.086	3.239	0.005			
10	9105	9106	SN	1	-34.806	16.316	0.0	-34.451	17.062	0.0	1.976	21.695	0.0	2.233	22.795	0.081	0.087	224.046	1.024	0.087	206.455	0.978	0.086	0.125	0.0	0.086	0.122	0.0			
11	9105	9106	SN	1	-34.874	16.316	0.0	-34.721	17.062	0.0	1.976	21.695	0.0	2.233	22.795	0.081	0.087	227.567	1.035	0.087	219.655	0.943	0.086	0.125	0.0	0.086	0.122	0.0			
12	9105	9106	SN	1	-34.874	16.316	0.0	-34.721	17.062	0.0	1.976	21.695	0.0	2.233	22.795	0.081	0.087	227.567	1.02	0.087	219.655	0.981	0.086	0.125	0.0	0.086	0.122	0.0			
13	9105	9106	NS	1	-33.8	16.193	0.0	-34.472	17.823	0.0	-11.421	21.104	0.0	-28.118	22.668	0.018	0.087	177.709	0.401	0.086	207.435	0.474	0.086	1.093	0.002	0.086	48.084	0.008			
14	9106	9107	NS	1	-33.879	17.14	0.0	-34.563	18.19	0.0	-16.675	21.889	0.0	-25.965	22.836	0.025	0.087	180.968	2.186	0.086	211.802	2.085	0.086	3.508	0.013	0.086	29.313	0.034			
15	9106	9107	NS	2	-33.879	17.14	0.0	-34.563	18.19	0.0	-16.675	21.889	0.0	-25.974	22.836	0.025	0.087	180.968	2.186	0.086	211.802	2.085	0.086	3.508	0.013	0.086	29.371	0.034			
16	9106	9107	SN	1	-34.77	16.327	0.0	-34.897	16.86	0.0	0.799	21.982	0.0	1.274	22.775	0.065	0.087	222.171	1.673	0.087	228.768	1.461	0.086	0.138	0.0	0.086	0.132	0.0			
17	9106	9107	SN	1	-34.77	16.327	0.0	-34.897	16.86	0.0	0.799	21.982	0.0	1.274	22.775	0.063	0.087	222.171	1.636	0.087	228.768	1.441	0.086	0.138	0.0	0.086	0.132	0.0			
18	9107	9108	SN	1	-34.963	16.976	0.0	-34.858	16.954	0.0	0.386	21.514	0.0	2.069	22.418	0.09	0.087	232.266	6.073	0.087	226.74	5.544	0.086	0.143	0.0	0.086	0.124	0.0			
19	9107	9108	SN	1	-34.963	16.976	0.0	-34.858	16.954	0.0	0.386	21.514	0.0	2.069	22.418	0.095	0.087	232.266	6.195	0.087	226.74	5.65	0.086	0.143	0.0	0.086	0.124	0.0			
20	9107	9108	SN	2	-34.963	16.976	0.0	-34.858	16.954	0.0	0.386	21.514	0.0	2.069	22.418	0.09	0.087	232.266	6.074	0.087	226.74	5.544	0.086	0.143	0.0	0.086	0.124	0.0			
21	9107	9108	NS	1	-34.345	14.87	0.0	-34.98	14.706	0.0	-18.038	23.951	0.006	-18.641	22.378	0.009	0.087	201.451	2.955	0.088	233.179	3.159	0.086	4.778	0.02	0.086	5.481	0.011			
22	9107	9108	NS	2	-34.345	14.87	0.0	-34.998	14.706	0.0	-18.038	23.951	0.006	-18.641	22.378	0.009	0.087	201.451	2.955	0.088	234.128	3.159	0.086	4.778	0.02	0.086	5.481	0.011			
23	9108	9109	SN	1	-34.939	16.077	0.0	-34.998	16.841	0.0	0.065	22.268	0.004	0.228	21.881	0.0	0.087	231.011	7.765	0.087	242.211	6.803	0.086	0.148	0.0	0.086	0.151	0.0			
24	9108	9109	NS	1	-34.974	20.462	0.0	-34.932	18.297	0.0	-26.176	21.542	0.0	-31.576	22.715	0.039	0.086	232.92	1.744	0.086	230.668	1.447	0.086	30.776	0.117	0.086	106.516	0.091			
25	9108	9109	NS	1	-34.832	20.462	0.0	-32.852	18.297	0.0	-34.906	21.536	0.0	-31.606	22.715	0.039	0.086	225.364	1.745	0.086	142.891	1.446	0.086	229.3	0.119	0.086	107.272	0.09			
26	9108	9109	SN	2	-34.948	16.077	0.0	-34.959	16.841	0.0	0.065	22.268	0.004	0.228	21.881	0.0	0.087	231.482	7.767	0.087	232.032	6.805	0.086	0.148	0.0	0.086	0.151	0.0			
27	9108	9109	SN	1	-34.939	16.077	0.0	-34.959	16.841	0.0	0.065	22.268	0.004	3.815	21.881	0.0	0.087	231.011	7.986	0.087	232.032	7.036	0.086	0.148	0.0	0.086	0.11	0.0			
28	9109	9110	SN	2	-34.416	17.545	0.0	-34.21	18.233	0.0	-16.27	22.648	0.084	-4.365	23.212	0.438	0.087	204.803	2.627	0.086	195.352	3.054	0.086	3.313	0.003	0.086	0.282	0.0			
29	9109	9110	SN	1	-34.416	17.545	0.0	-34.502	18.233	0.0	-16.307	22.648	0.09	-4.365	23.212	0.44	0.087	204.803	2.729	0.086	208.917	3.203	0.086	3.34	0.004	0.086	0.282	0.0			
30	9109	9110	NS	1	-34.753	19.554	0.0	-34.977	20.865	0.0	3.159	21.844	0.0	1.92	25.917	0.161	0.086	221.315	1.993	0.086	233.046	1.668	0.086	0.115	0.0	0.086	0.125	0.0			
31	9109	9110	NS	1	-34.578	19.554	0.0	-34.618	20.865	0.0	3.161	21.844	0.0	1.92	25.922	0.161	0.086	212.576	1.989	0.086	214.575	1.666	0.086	0.115	0.0	0.086	0.125	0.0			
32	9109	9110	SN	1	-34.416	17.545	0.0	-34.21	18.233	0.0	-16.27	22.648	0.084	-4.365	23.212	0.438	0.087	204.803	2.627	0.086	195.352	3.054	0.086	3.313	0.003	0.086	0.282	0.0			

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal

■ Deviations

■ Alarming

■ High Errors

33	9110	9111	NS	2	-32.675	19.155	0.0	-34.012	18.971	0.0	2.022	22.466	0.021	1.781	23.128	0.27	0.086	137.185	2.259	0.086	186.635	2.108	0.086	0.124	0.0	0.086	0.126	0.0
34	9110	9111	SN	1	-34.773	18.768	0.0	-32.477	18.855	0.0	-18.742	24.353	0.031	-6.588	23.824	0.414	0.086	222.352	1.829	0.086	131.091	1.789	0.086	5.607	0.002	0.086	0.405	0.0
35	9110	9111	NS	1	-32.699	19.155	0.0	-33.99	18.971	0.0	2.022	22.466	0.021	1.781	23.13	0.27	0.086	137.929	2.261	0.086	185.674	2.106	0.086	0.124	0.0	0.086	0.126	0.0
36	9110	9111	SN	1	-34.773	18.768	0.0	-32.477	18.855	0.0	-18.898	24.353	0.029	-6.598	23.824	0.44	0.086	222.352	1.797	0.086	131.091	1.852	0.086	5.809	0.001	0.086	0.406	0.0
37	9110	9111	SN	1	-34.739	18.768	0.0	-32.453	18.855	0.0	-18.868	24.353	0.029	-6.601	23.824	0.44	0.086	220.576	1.794	0.086	130.338	1.857	0.086	5.771	0.001	0.086	0.406	0.0
38	9111	9112	NS	1	-34.724	22.412	0.002	-33.591	20.023	0.0	-21.707	22.969	0.084	-17.617	23.773	1.002	0.086	219.865	1.972	0.086	169.41	1.821	0.086	11.038	0.049	0.086	4.342	0.017
39	9117	9118	SN	1	-33.642	19.118	0.0	-34.922	18.57	0.0	-27.391	22.491	0.002	-30.11	22.707	0.012	0.086	171.412	3.179	0.086	235.95	2.535	0.086	43.678	0.14	0.086	76.042	0.076
40	9117	9118	SN	1	-33.642	19.118	0.0	-34.922	18.57	0.0	-25.114	22.491	0.002	-30.112	22.707	0.012	0.086	171.412	3.063	0.086	235.95	2.296	0.086	25.885	0.137	0.086	76.048	0.074
41	9117	9118	SN	2	-33.642	19.118	0.0	-34.922	18.57	0.0	-25.114	22.491	0.002	-30.112	22.707	0.012	0.086	171.412	3.063	0.086	235.95	2.296	0.086	25.885	0.137	0.086	76.048	0.074
42	9118	9119	SN	1	-34.02	20.059	0.0	-34.925	19.909	0.0	-32.651	22.104	0.002	-32.109	23.156	0.05	0.086	186.971	1.282	0.086	230.233	1.259	0.086	136.404	0.085	0.086	120.43	0.17
43	9118	9119	NS	1	-31.908	20.36	0.0	-34.379	21.346	0.0	-18.824	24.228	0.009	-13.579	25.201	0.077	0.086	114.97	0.688	0.086	203.071	0.706	0.086	5.713	0.002	0.086	1.753	0.002
44	9118	9119	SN	1	-34.02	20.059	0.0	-34.32	19.909	0.0	-32.524	22.104	0.002	-33.557	23.156	0.05	0.086	186.971	1.31	0.086	200.292	1.275	0.086	132.498	0.083	0.086	168.049	0.17
45	9118	9119	SN	1	-34.02	20.059	0.0	-34.32	19.909	0.0	-32.524	22.104	0.002	-33.557	23.156	0.05	0.086	186.971	1.285	0.086	200.292	1.26	0.086	132.498	0.083	0.086	168.049	0.17
46	9119	9120	NS	1	-34.018	16.668	0.0	-34.448	16.395	0.0	-11.949	21.728	0.0	-21.206	23.037	0.039	0.087	186.896	1.072	0.087	206.303	1.053	0.086	1.225	0.002	0.086	9.841	0.011
47	9119	9120	SN	1	-34.246	18.301	0.0	-34.942	19.446	0.0	-7.586	22.186	0.012	-12.323	22.797	0.059	0.086	205.466	2.35	0.086	231.145	1.899	0.086	0.492	0.0	0.086	1.329	0.004
48	9119	9120	NS	2	-34.018	16.668	0.0	-34.448	16.395	0.0	-11.949	21.728	0.0	-21.206	23.037	0.039	0.087	186.896	1.072	0.087	206.303	1.053	0.086	1.225	0.002	0.086	9.841	0.011
49	9119	9120	SN	1	-34.857	18.301	0.0	-34.908	19.446	0.0	-7.592	22.186	0.012	-12.315	22.797	0.062	0.086	234.482	2.319	0.086	229.363	1.883	0.086	0.492	0.0	0.086	1.327	0.004
50	9119	9120	SN	1	-34.98	18.301	0.0	-34.908	19.446	0.0	-7.592	22.186	0.012	-12.315	22.797	0.062	0.086	234.336	2.352	0.086	229.363	1.902	0.086	0.492	0.0	0.086	1.327	0.004
51	9120	9121	NS	1	-33.355	16.558	0.0	-34.871	16.074	0.0	-29.603	21.603	0.0	-29.269	22.484	0.029	0.087	160.416	0.973	0.087	227.378	0.848	0.086	67.665	0.105	0.086	62.646	0.097
52	9120	9121	SN	1	-34.852	16.55	0.0	-34.47	17.017	0.0	1.25	21.867	0.0	1.62	22.911	0.066	0.087	243.108	1.456	0.087	222.664	1.258	0.086	0.132	0.0	0.086	0.128	0.0
53	9120	9121	SN	1	-34.852	16.55	0.0	-34.47	17.017	0.0	1.25	21.867	0.0	1.62	22.911	0.067	0.087	243.108	1.481	0.087	222.664	1.275	0.086	0.132	0.0	0.086	0.128	0.0
54	9120	9121	NS	1	-33.355	16.558	0.0	-34.871	16.074	0.0	-29.603	21.601	0.0	-29.269	22.484	0.029	0.087	160.416	0.973	0.087	227.378	0.849	0.086	67.665	0.105	0.086	62.646	0.098
55	9120	9121	SN	2	-34.852	16.55	0.0	-34.47	17.017	0.0	1.25	21.867	0.0	1.62	22.911	0.066	0.087	243.108	1.456	0.087	222.664	1.258	0.086	0.132	0.0	0.086	0.128	0.0
56	9121	9122	SN	1	-34.914	16.371	0.0	-34.902	17.548	0.0	0.946	21.844	0.0	1.807	22.607	0.124	0.087	229.713	7.81	0.087	229.039	7.052	0.086	0.136	0.0	0.086	0.126	0.0
57	9121	9122	NS	1	-34.85	13.662	0.0	-31.856	14.79	0.0	-23.938	22.74	0.005	-25.261	22.48	0.026	0.088	226.362	1.842	0.087	113.589	1.7	0.086	18.403	0.016	0.086	24.93	0.005
58	9121	9122	SN	1	-34.914	16.371	0.0	-34.902	17.548	0.0	0.946	21.844	0.0	1.807	22.607	0.116	0.087	229.713	7.639	0.087	229.039	6.914	0.086	0.136	0.0	0.086	0.126	0.0
59	9121	9122	SN	2	-34.914	16.371	0.0	-34.902	17.548	0.0	0.946	21.844	0.0	1.807	22.607	0.116	0.087	229.713	7.639	0.087	229.039	6.914	0.086	0.136	0.0	0.086	0.126	0.0
60	9121	9122	NS	1	-34.85	13.662	0.0	-32.733	14.79	0.0	-24.459	22.738	0.005	-25.443	22.48	0.027	0.088	226.362	1.846	0.087	139.002	1.702	0.086	20.744	0.016	0.086	26.0	0.005
61	9122	9123	SN	1	-34.665	16.081	0.0	-34.977	16.289	0.0	0.037	21.796	0.0	2.316	23.012	0.027	0.087	216.845	8.066	0.087	233.042	7.805	0.086	0.149	0.0	0.086	0.122	0.0
62	9122	9123	SN	2	-34.665	16.081	0.0	-34.977	16.289	0.0	0.037	21.796	0.0	2.316	23.012	0.027	0.087	216.845	8.066	0.087	233.042	7.805	0.086	0.149	0.0	0.086	0.122	0.0
63	9122	9123	NS	1	-31.464	14.465	0.0	-34.988	14.406	0.0	-25.245	21.921	0.0	-22.428	22.393	0.042	0.088	103.828	1.786	0.088	233.624	1.624	0.086	24.846	0.012	0.086	13.016	0.01
64	9122	9123	SN	1	-34.665	16.081	0.0	-34.977	16.289	0.0	0.037	21.796	0.0	2.316	23.012	0.028	0.087	216.845	8.245	0.087	233.042	8.068	0.086	0.149	0.0	0.086	0.122	0.0
65	9122	9123	NS	1	-32.242	14.462	0.0	-34.645	14.411	0.0	-25.162	21.926	0.0	-22.414	22.388	0.042	0.088	124.195	1.783	0.088	215.871	1.627	0.086	24.375	0.012	0.086	12.974	0.01
66	9123	9124	SN	1	-34.614	17.484	0.0	-34.758	16.827	0.0	0.766	23.06	0.074	1.586	23.275	0.223	0.087	214.339	3.942	0.087	221.543	3.209	0.086	0.138	0.0	0.086	0.134	0.0
67	9123	9124	SN	2	-34.614	17.484	0.0	-34.758	16.827	0.0	0.766	23.06	0.073	1.57	23.275	0.223	0.087	214.339	3.851	0.087	221.543	3.126	0.086	0.138	0.0	0.086	0.134	0.0
68	9123	9124	SN	1	-34.614	17.484	0.0	-34.758	16.827	0.0	0.766	23.06	0.073	1.57	23.275	0.223	0.087	214.339	3.849	0.087	221.543	3.126	0.086	0.138	0.0	0.086	0.134	0.0
69	9123	9124	NS	1	-34.99	18.399	0.0	-34.159	18.96	0.0	-23.415	21.787	0.0	-15.884	22.563	0.077	0.086	233.732	2.018	0.086	193.057	2.02	0.086	16.322	0.107	0.086	2.935	0.048

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal





Deviations

Alarming

High Errors



70	9123	9124	NS	1	-34.165	18.399	0.0	-34.106	18.96	0.0	-23.412	21.787	0.0	-15.869	22.565	0.076	0.086	193.298	2.013	0.086	190.746	2.02	0.086	16.314	0.112	0.086	2.925	0.048
71	9124	9125	NS	1	-34.465	18.704	0.0	-34.495	21.117	0.0	1.966	22.316	0.009	1.809	23.04	0.154	0.086	207.102	1.844	0.086	208.522	1.819	0.086	0.125	0.0	0.086	0.126	0.0
72	9124	9125	SN	2	-33.904	18.686	0.0	-34.606	19.032	0.0	-10.434	23.018	0.126	-8.194	23.77	0.708	0.086	182.032	2.389	0.086	213.948	2.445	0.086	0.884	0.0	0.086	0.555	0.0
73	9124	9125	SN	1	-33.904	18.686	0.0	-34.606	19.032	0.0	-10.434	23.018	0.126	-8.194	23.77	0.708	0.086	182.032	2.389	0.086	213.948	2.445	0.086	0.884	0.0	0.086	0.555	0.0
74	9124	9125	SN	1	-33.904	18.686	0.0	-34.606	19.032	0.0	-10.411	23.018	0.135	-8.194	23.77	0.71	0.086	182.032	2.529	0.086	213.948	2.758	0.086	0.88	0.0	0.086	0.555	0.0
75	9124	9125	NS	1	-34.08	18.705	0.0	-34.581	21.117	0.0	1.951	22.317	0.009	1.815	23.04	0.154	0.086	189.579	1.843	0.086	212.757	1.811	0.086	0.125	0.0	0.086	0.126	0.0
76	9125	9126	SN	1	-34.798	19.016	0.0	-30.214	18.872	0.0	-15.477	22.72	0.018	-24.501	23.586	0.329	0.086	223.591	0.732	0.086	80.555	0.704	0.086	2.679	0.016	0.086	21.669	0.009
77	9125	9126	NS	1	-34.499	22.048	0.002	-33.387	22.441	0.001	-4.04	22.481	0.02	-8.143	23.83	0.578	0.086	208.79	2.248	0.086	161.618	1.738	0.086	0.258	0.0	0.086	0.55	0.0
78	9125	9126	NS	2	-34.397	22.048	0.002	-33.387	22.441	0.001	-4.04	22.481	0.02	-8.138	23.83	0.578	0.086	203.924	2.247	0.086	161.618	1.738	0.086	0.258	0.0	0.086	0.549	0.0
79	9126	9127	SN	1	-33.712	21.74	0.0	-33.949	20.846	0.0	-11.109	22.311	0.011	-14.426	23.173	0.071	0.086	174.178	1.338	0.086	183.883	1.111	0.086	1.021	0.002	0.086	2.117	0.002
80	9126	9127	NS	1	-34.95	22.209	0.002	-33.636	18.864	0.0	-26.608	22.316	0.019	-27.165	24.086	0.907	0.086	231.574	1.94	0.086	171.12	2.238	0.086	33.976	0.083	0.086	38.616	0.029
81	9127	9128	NS	1	-33.14	19.678	0.0	-34.106	18.533	0.0	-26.692	22.067	0.005	-27.191	24.372	0.73	0.086	152.648	0.583	0.086	190.718	0.665	0.086	35.52	0.022	0.086	38.859	0.028

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	