

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 22-JUN-2018 To 23-JUN-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 22-JUN-2018 To 23-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9190	9191	SN	1	48.697	49.494	0.0	0.003	282.826	2.735	1023.264	1099.808	9.575	-91.633	-89.807	0.0
2	9190	9191	NS	1	48.618	49.416	0.0	0.0	196.395	2.79	1028.384	1099.776	11.189	-91.702	-89.81	0.0
3	9190	9191	SN	1	48.697	49.494	0.0	0.003	282.826	2.519	1023.264	1099.808	9.763	-91.633	-89.807	0.0
4	9190	9191	NS	1	48.622	49.416	0.0	0.0	196.395	2.908	1028.496	1099.776	11.662	-91.68	-89.81	0.0
5	9190	9191	SN	1	48.711	49.494	0.0	0.003	282.826	2.732	1023.4	1099.808	9.561	-91.633	-89.807	0.0
6	9191	9192	SN	1	48.721	49.494	0.0	0.003	215.73	2.432	1023.592	1099.992	9.85	-91.67	-89.777	0.0
7	9191	9192	SN	1	48.714	49.494	0.0	0.003	215.73	2.546	1023.48	1099.992	9.739	-91.67	-89.777	0.0
8	9191	9192	NS	1	48.676	49.439	0.0	0.0	52.635	2.659	1029.544	1099.96	10.64	-91.816	-89.775	0.0
9	9191	9192	SN	1	48.714	49.494	0.0	0.003	215.73	2.429	1023.48	1099.992	9.838	-91.67	-89.777	0.0
10	9191	9192	NS	2	48.676	49.439	0.0	0.0	52.635	2.659	1029.544	1099.96	10.64	-91.816	-89.775	0.0
11	9192	9193	NS	1	48.621	49.652	0.0	0.0	264.097	2.944	1028.704	1100.016	10.95	-93.845	-89.762	0.0
12	9192	9193	SN	1	48.66	49.5	0.0	0.0	241.778	2.704	1023.104	1100.224	10.766	-91.672	-89.81	0.0
13	9192	9193	NS	1	48.621	49.652	0.0	0.0	231.481	2.51	1028.704	1098.928	0.454	-93.845	-89.762	0.0
14	9192	9193	SN	1	48.584	49.491	0.0	0.0	241.778	7.914	1075.92	1100.064	26.076	-100.05	-90.287	0.057
15	9193	9194	NS	1	48.646	49.42	0.0	0.003	267.114	2.657	1029.272	1099.896	10.648	-91.758	-89.794	0.0
16	9193	9194	SN	1	48.68	49.496	0.0	0.003	6.756	2.279	1022.664	1099.936	10.831	-91.724	-89.796	0.0
17	9193	9194	SN	1	48.68	49.496	0.0	0.003	6.756	2.557	1022.664	1099.936	10.63	-91.724	-89.796	0.0
18	9193	9194	SN	2	48.68	49.496	0.0	0.003	6.756	2.558	1022.664	1099.936	10.634	-91.724	-89.796	0.0
19	9193	9194	NS	1	48.621	49.42	0.0	0.003	267.114	2.433	1028.832	1099.896	10.768	-91.74	-89.794	0.0
20	9194	9195	SN	2	48.702	49.49	0.0	0.003	6.745	2.544	1023.032	1099.848	10.732	-91.712	-89.812	0.0
21	9194	9195	SN	1	48.702	49.49	0.0	0.003	6.745	2.099	1023.032	1099.848	11.054	-91.712	-89.812	0.0
22	9194	9195	SN	1	48.702	49.49	0.0	0.003	6.739	2.542	1023.024	1099.84	10.741	-91.712	-89.812	0.0
23	9194	9195	NS	1	48.631	49.42	0.0	0.003	264.4	2.669	1029.024	1099.816	11.032	-92.297	-89.826	0.0
24	9195	9196	SN	1	48.705	49.532	0.0	0.003	216.034	2.418	1023.448	1099.704	10.771	-91.897	-89.812	0.0
25	9195	9196	NS	1	48.622	49.418	0.0	0.003	267.191	2.593	1028.992	1099.68	10.499	-91.808	-89.815	0.0
26	9195	9196	NS	1	48.622	49.418	0.0	0.003	267.191	2.596	1028.992	1099.68	10.508	-91.912	-89.815	0.0
27	9195	9196	SN	2	48.705	49.532	0.0	0.003	216.034	2.607	1023.448	1099.704	10.635	-93.798	-89.812	0.0
28	9195	9196	SN	1	48.705	49.532	0.0	0.003	216.034	2.607	1023.448	1099.704	10.635	-93.798	-89.812	0.0
29	9196	9197	SN	1	48.682	49.49	0.0	0.003	27.299	1.676	1022.896	1099.704	10.079	-91.871	-89.799	0.0
30	9196	9197	SN	2	48.682	49.49	0.0	0.003	27.299	2.661	1022.896	1099.704	9.465	-91.871	-89.799	0.0
31	9196	9197	NS	1	48.637	49.454	0.0	0.0	39.482	2.712	1029.128	1099.672	9.884	-91.884	-89.835	0.0
32	9196	9197	SN	1	48.701	49.489	0.0	0.003	27.299	2.663	1022.88	1099.688	9.504	-91.871	-89.799	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	9196	9197	NS	1	48.646	49.474	0.0	0.0	39.482	2.714	1029.288	1099.672	9.893	-91.918	-89.835	0.0
34	9197	9198	SN	1	48.542	49.491	0.0	0.003	216.056	2.774	1024.048	1099.808	8.693	-92.381	-89.758	0.0
35	9197	9198	SN	1	48.542	49.491	0.0	0.003	216.056	2.771	1024.048	1099.808	8.683	-92.381	-89.758	0.0
36	9197	9198	NS	1	48.614	49.474	0.0	0.003	42.524	2.658	1029.168	1099.784	9.899	-94.147	-89.831	0.0
37	9197	9198	SN	1	48.742	49.491	0.0	0.003	216.056	1.687	1024.048	1099.808	9.483	-91.714	-89.758	0.0
38	9197	9198	NS	2	48.614	49.475	0.0	0.003	42.524	2.655	1029.184	1099.76	9.885	-94.147	-89.831	0.0
39	9198	9199	NS	1	48.619	49.445	0.0	0.0	109.065	2.923	1028.952	1099.752	10.956	-91.938	-89.831	0.0
40	9198	9199	SN	1	48.741	49.499	0.0	0.0	281.072	2.588	1023.968	1099.776	9.874	-91.966	-89.739	0.0
41	9198	9199	NS	1	48.619	49.445	0.0	0.0	109.065	2.917	1028.952	1099.752	10.932	-91.938	-89.831	0.0
42	9199	9200	NS	1	48.682	49.42	0.0	0.003	41.285	2.724	1030.248	1099.576	10.77	-91.84	-89.815	0.0
43	9204	9205	SN	1	48.719	49.49	0.0	0.003	214.208	2.104	1023.24	1099.68	11.886	-91.405	-89.808	0.0
44	9204	9205	SN	1	48.718	49.489	0.0	0.003	278.899	2.723	1023.064	1099.664	11.446	-91.405	-89.809	0.0
45	9204	9205	SN	1	48.719	49.49	0.0	0.003	214.208	2.708	1023.24	1099.68	11.446	-91.405	-89.808	0.0
46	9204	9205	SN	1	48.718	49.489	0.0	0.003	278.899	2.707	1023.064	1099.664	11.452	-91.405	-89.809	0.0
47	9205	9206	SN	1	48.729	49.487	0.0	0.003	6.75	2.607	1023.16	1099.632	11.268	-91.651	-89.794	0.0
48	9205	9206	SN	1	48.733	49.487	0.0	0.003	6.75	2.489	1023.16	1099.632	11.404	-91.651	-89.794	0.0
49	9205	9206	NS	1	48.682	49.42	0.0	0.0	264.549	2.686	1030.36	1099.608	11.02	-91.546	-89.82	0.0
50	9205	9206	SN	1	48.733	49.487	0.0	0.003	6.75	2.609	1023.16	1099.632	11.278	-91.651	-89.794	0.0
51	9205	9206	NS	2	48.682	49.42	0.0	0.0	264.549	2.686	1030.36	1099.608	11.02	-91.546	-89.82	0.0
52	9206	9207	NS	1	48.682	49.423	0.0	0.003	42.474	2.581	1030.536	1099.768	10.813	-91.652	-89.77	0.0
53	9206	9207	SN	1	48.684	49.488	0.0	0.003	6.761	2.387	1022.664	1099.784	12.192	-91.807	-89.784	0.0
54	9206	9207	SN	1	48.687	49.488	0.0	0.003	6.761	2.385	1023.248	1099.776	12.163	-91.807	-89.784	0.0
55	9206	9207	NS	2	48.682	49.423	0.0	0.003	42.474	2.581	1030.536	1099.768	10.813	-91.652	-89.77	0.0
56	9206	9207	SN	1	48.687	49.488	0.0	0.003	6.761	2.517	1023.248	1099.776	12.034	-91.807	-89.784	0.0
57	9207	9208	NS	1	48.681	49.429	0.0	0.003	210.469	2.572	1030.664	1099.688	10.876	-91.866	-89.812	0.0
58	9207	9208	NS	1	48.681	49.422	0.0	0.003	210.469	2.575	1030.664	1099.688	10.887	-91.704	-89.812	0.0
59	9207	9208	SN	1	48.679	49.488	0.0	0.003	281.916	2.349	1022.216	1099.728	12.878	-91.519	-89.805	0.0
60	9207	9208	SN	2	48.679	49.488	0.0	0.003	281.916	2.546	1022.216	1099.728	12.707	-91.519	-89.805	0.0
61	9207	9208	SN	1	48.679	49.488	0.0	0.003	281.916	2.546	1022.216	1099.728	12.707	-91.519	-89.805	0.0
62	9208	9209	NS	1	48.658	49.474	0.0	0.0	47.92	2.754	1030.512	1099.552	11.103	-91.782	-89.807	0.0
63	9208	9209	SN	2	48.703	49.486	0.0	0.003	281.166	2.534	1023.048	1099.576	12.718	-91.496	-89.802	0.0
64	9208	9209	NS	1	48.658	49.474	0.0	0.0	47.92	2.756	1030.512	1099.552	11.114	-91.879	-89.807	0.0
65	9208	9209	SN	1	48.71	49.486	0.0	0.003	281.166	2.178	1023.048	1099.576	13.032	-91.496	-89.802	0.0
66	9208	9209	SN	1	48.698	49.486	0.0	0.003	216.056	2.534	1023.048	1099.584	12.73	-91.496	-89.802	0.0
67	9209	9210	SN	1	48.674	49.485	0.0	0.003	6.734	2.567	1022.28	1099.48	12.308	-91.936	-89.804	0.0
68	9209	9210	SN	1	48.674	49.485	0.0	0.003	6.734	2.523	1022.28	1099.48	12.348	-91.671	-89.804	0.0
69	9209	9210	SN	1	48.674	49.485	0.0	0.003	6.734	2.56	1022.28	1099.48	12.32	-91.936	-89.804	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	9209	9210	NS	1	48.658	49.435	0.0	0.003	264.191	2.687	1030.44	1099.456	11.106	-91.897	-89.828	0.0
71	9209	9210	NS	1	48.645	49.456	0.0	0.003	206.824	2.685	1030.184	1099.456	11.112	-91.697	-89.828	0.0
72	9210	9211	SN	1	48.545	49.546	0.0	0.003	6.728	2.63	1022.4	1099.384	11.847	-93.87	-89.787	0.0
73	9210	9211	SN	2	48.545	49.547	0.0	0.003	6.728	2.63	1022.416	1099.384	11.777	-93.87	-89.786	0.0
74	9210	9211	NS	1	48.629	49.42	0.0	0.003	267.4	2.625	1029.896	1099.36	9.746	-91.704	-89.836	0.0
75	9210	9211	SN	1	48.694	49.547	0.0	0.003	6.728	1.781	1022.416	1099.384	12.438	-91.862	-89.786	0.0
76	9210	9211	NS	1	48.638	49.42	0.0	0.003	267.4	2.627	1030.056	1099.36	9.755	-91.675	-89.836	0.0
77	9211	9212	SN	1	48.731	49.486	0.0	0.003	214.986	1.637	1023.264	1099.496	12.256	-91.733	-89.786	0.0
78	9211	9212	SN	1	48.731	49.486	0.0	0.003	214.986	2.717	1023.264	1099.496	11.373	-91.96	-89.786	0.0
79	9211	9212	SN	1	48.731	49.486	0.0	0.003	214.986	2.72	1023.264	1099.496	11.384	-91.96	-89.786	0.0
80	9211	9212	NS	1	48.622	49.433	0.0	0.003	14.389	2.646	1029.784	1099.472	9.86	-92.161	-89.844	0.0
81	9212	9213	NS	1	48.625	49.426	0.0	0.0	264.124	2.776	1029.96	1099.48	10.56	-92.788	-89.831	0.0
82	9212	9213	SN	2	48.525	49.485	0.0	0.003	6.75	2.696	1023.368	1099.512	10.22	-93.823	-89.736	0.0
83	9212	9213	NS	1	48.625	49.421	0.0	0.0	264.124	2.773	1029.792	1099.48	10.551	-91.732	-89.831	0.0
84	9212	9213	SN	1	48.525	49.485	0.0	0.003	6.75	2.696	1023.368	1099.512	10.22	-93.823	-89.736	0.0
85	9213	9214	SN	1	48.739	49.549	0.0	0.003	214.914	2.559	1023.36	1099.424	11.403	-91.768	-89.768	0.0
86	9213	9214	NS	2	48.667	49.423	0.0	0.0	267.086	2.822	1030.952	1099.376	10.768	-91.803	-89.84	0.0
87	9213	9214	NS	1	48.667	49.423	0.0	0.0	267.086	2.822	1030.952	1099.376	10.768	-91.803	-89.84	0.0
88	9214	9215	NS	1	48.687	49.42	0.0	0.003	264.384	2.711	1031.176	1099.256	10.681	-91.437	-89.813	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9190	9191	SN	1	-34.714	25.414	0.167	-34.057	26.426	0.474	-25.873	36.383	15.881	-30.039	29.611	22.381	0.116	286.98	3.784	0.116	246.674	3.376	0.116	37.56	0.207	0.116	97.862	0.157
2	9190	9191	NS	1	-34.535	26.734	0.02	-34.994	28.198	0.018	-11.126	31.421	18.28	-3.222	36.191	30.496	0.116	275.398	3.174	0.116	306.104	2.757	0.116	1.347	0.002	0.116	0.302	0.0
3	9190	9191	SN	1	-34.714	25.414	0.175	-34.057	26.426	0.495	-25.873	36.383	15.882	-30.039	29.611	22.379	0.116	286.98	3.954	0.116	246.674	3.521	0.116	37.56	0.207	0.116	97.862	0.157
4	9190	9191	NS	1	-34.416	26.734	0.021	-34.357	28.202	0.019	-11.099	31.421	17.462	-3.222	36.196	29.722	0.116	267.934	3.165	0.116	264.298	2.911	0.116	1.339	0.002	0.116	0.302	0.0
5	9190	9191	SN	1	-34.476	25.414	0.167	-34.628	26.426	0.474	-25.858	36.383	15.862	-30.903	29.611	22.356	0.116	271.657	3.769	0.116	281.298	3.386	0.116	37.427	0.206	0.116	119.356	0.159
6	9191	9192	SN	1	-34.733	24.251	0.042	-34.529	27.538	0.057	-8.027	31.271	9.369	-2.408	30.035	6.369	0.116	288.284	3.252	0.116	275.023	2.649	0.116	0.708	0.0	0.116	0.268	0.0
7	9191	9192	SN	1	-34.849	24.251	0.042	-34.295	27.538	0.056	-8.03	31.271	9.367	-2.408	30.035	6.372	0.116	296.01	3.192	0.116	260.634	2.612	0.116	0.709	0.0	0.116	0.268	0.0
8	9191	9192	NS	1	-34.714	27.395	0.032	-34.083	27.353	0.027	-18.191	34.201	13.246	-21.342	31.375	25.336	0.116	287.052	2.037	0.116	248.157	1.654	0.116	6.478	0.014	0.116	13.288	0.006
9	9191	9192	SN	1	-34.849	24.251	0.042	-34.295	27.538	0.057	-8.03	31.271	9.367	-2.408	30.035	6.372	0.116	296.01	3.246	0.116	260.634	2.653	0.116	0.709	0.0	0.116	0.268	0.0
10	9191	9192	NS	2	-34.714	27.395	0.032	-34.083	27.353	0.027	-18.191	34.201	13.246	-21.342	31.375	25.336	0.116	287.052	2.037	0.116	248.157	1.653	0.116	6.478	0.014	0.116	13.288	0.006
11	9192	9193	NS	1	-33.786	25.456	0.004	-34.071	24.67	0.003	-11.353	29.398	9.953	-6.002	29.355	18.568	0.116	231.794	2.337	0.116	247.505	2.057	0.116	1.414	0.002	0.116	0.481	0.0
12	9192	9193	SN	1	-34.649	22.511	0.002	-34.266	23.131	0.014	6.184	28.536	14.747	7.254	29.396	7.947	0.116	282.713	2.882	0.116	258.855	2.467	0.116	0.134	0.0	0.116	0.13	0.0
13	9192	9193	NS	1	-31.408	25.458	0.002	-34.818	21.694	0.0	-11.353	29.398	5.095	-6.002	29.195	8.905	0.116	134.086	1.309	0.116	293.988	1.844	0.116	1.414	0.002	0.116	0.481	0.0
14	9192	9193	SN	1	-18.016	22.314	0.021	-9.051	21.986	0.0	8.852	27.891	33.253	-18.95	26.695	14.553	0.116	6.226	0.236	0.116	0.871	0.0	0.116	0.126	0.0	0.116	8.247	1.382
15	9193	9194	NS	1	-34.787	21.731	0.0	-33.489	22.571	0.003	-8.756	30.331	6.358	-12.399	30.472	12.665	0.116	291.812	2.706	0.116	216.51	3.144	0.116	0.82	0.0	0.116	1.774	0.005
16	9193	9194	SN	1	-33.352	22.44	0.003	-34.583	23.066	0.012	5.486	27.524	13.181	1.258	27.628	9.149	0.116	209.699	3.123	0.116	278.498	2.491	0.116	0.138	0.0	0.116	0.178	0.0
17	9193	9194	SN	1	-34.745	22.44	0.003	-34.583	23.066	0.011	0.529	27.524	13.166	1.082	27.628	9.027	0.116	289.022	3.06	0.116	278.498	2.447	0.116	0.19	0.0	0.116	0.18	0.0
18	9193	9194	SN	2	-34.745	22.44	0.003	-34.583	23.066	0.011	0.529	27.524	13.166	1.082	27.628	9.027	0.116	289.022	3.061	0.116	278.498	2.447	0.116	0.19	0.0	0.116	0.18	0.0
19	9193	9194	NS	1	-33.158	21.697	0.0	-34.028	22.605	0.004	-8.754	30.331	6.383	-12.402	30.472	12.678	0.116	200.594	2.76	0.116	245.029	3.18	0.116	0.82	0.0	0.116	1.775	0.005
20	9194	9195	SN	2	-34.905	23.337	0.002	-34.614	23.744	0.002	5.056	27.927	14.961	5.484	28.915	17.053	0.116	299.877	3.979	0.116	280.4	2.888	0.116	0.14	0.0	0.116	0.138	0.0
21	9194	9195	SN	1	-34.905	23.337	0.002	-34.614	23.744	0.003	6.222	27.927	15.32	5.478	28.915	17.422	0.116	299.877	4.093	0.116	280.4	2.955	0.116	0.134	0.0	0.116	0.138	0.0
22	9194	9195	SN	1	-34.905	23.337	0.002	-34.614	23.744	0.002	5.053	27.927	14.962	5.484	28.915	17.053	0.116	299.877	3.979	0.116	280.4	2.888	0.116	0.14	0.0	0.116	0.138	0.0
23	9194	9195	NS	1	-34.854	21.323	0.0	-34.829	21.211	0.0	-6.328	29.799	9.967	-2.857	29.299	17.731	0.116	296.403	7.93	0.116	294.69	7.716	0.116	0.51	0.0	0.116	0.286	0.0
24	9195	9196	SN	1	-34.945	19.392	0.0	-34.416	19.875	0.0	-1.882	27.492	13.493	1.035	29.169	12.757	0.117	302.668	5.168	0.116	267.977	3.616	0.116	0.25	0.0	0.116	0.181	0.0
25	9195	9196	NS	1	-34.892	22.673	0.017	-34.524	22.966	0.012	-8.813	30.035	7.853	-6.384	30.14	14.644	0.116	298.979	3.892	0.116	274.739	3.896	0.116	0.83	0.0	0.116	0.516	0.0
26	9195	9196	NS	1	-34.577	22.673	0.017	-34.801	22.966	0.012	-8.805	30.034	7.866	-6.384	30.14	14.66	0.116	278.054	3.896	0.116	292.744	3.899	0.116	0.828	0.0	0.116	0.516	0.0
27	9195	9196	SN	2	-34.945	19.392	0.0	-34.416	19.875	0.0	-1.879	27.492	13.472	1.035	29.169	12.755	0.117	302.668	5.095	0.116	267.977	3.892	0.116	0.25	0.0	0.116	0.181	0.0
28	9195	9196	SN	1	-34.945	19.392	0.0	-34.416	19.875	0.0	-1.879	27.492	13.472	1.035	29.169	12.755	0.117	302.668	5.095	0.116	267.977	3.892	0.116	0.25	0.0	0.116	0.181	0.0
29	9196	9197	SN	1	-34.481	24.684	0.035	-34.782	24.808	0.042	-14.846	32.738	11.879	-10.756	31.542	13.149	0.116	271.978	5.653	0.116	291.489	4.713	0.116	3.048	0.002	0.116	1.244	0.002
30	9196	9197	SN	2	-34.481	24.684	0.033	-34.782	24.808	0.038	-14.849	32.738	11.323	-10.756	31.542	13.122	0.116	271.978	5.575	0.116	291.489	5.449	0.116	3.049	0.002	0.116	1.244	0.002
31	9196	9197	NS	1	-34.999	25.747	0.068	-34.224	25.841	0.209	6.583	28.434	14.882	8.172	29.806	23.83	0.116	306.391	3.345	0.116	256.367	2.828	0.116	0.133	0.0	0.116	0.127	0.0
32	9196	9197	SN	1	-34.554	24.684	0.033	-34.492	24.808	0.038	-14.846	32.738	11.326	-10.75	31.54	13.118	0.116	276.597	5.575	0.116	272.695	5.449	0.116	3.048	0.002	0.116	1.243	0.002
33	9196	9197	NS	1	-34.999	25.746	0.068	-34.847	25.841	0.209	6.583	28.433	14.882	8.172	29.806	23.835	0.116	306.391	3.345	0.116	295.945	2.835	0.116	0.133	0.0	0.116	0.127	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

34	9197	9198	SN	1	-34.671	25.428	0.043	-34.987	25.391	0.047	-15.256	31.469	17.168	-8.227	31.353	26.092	0.116	284.162	5.871	0.116	305.532	5.571	0.116	3.34	0.005	0.116	0.737	0.0
35	9197	9198	SN	1	-34.054	25.428	0.043	-34.685	25.391	0.047	-15.284	31.474	17.154	-8.225	31.353	26.052	0.116	246.56	5.872	0.116	285.065	5.58	0.116	3.362	0.005	0.116	0.737	0.0
36	9197	9198	NS	1	-34.614	24.262	0.012	-34.81	24.687	0.034	0.941	30.368	18.71	-0.848	30.266	31.772	0.116	280.467	2.725	0.116	293.385	1.268	0.116	0.183	0.0	0.116	0.22	0.0
37	9197	9198	SN	1	-34.671	25.428	0.047	-34.987	25.391	0.056	-15.129	31.469	18.455	-8.225	31.353	26.292	0.116	284.162	4.808	0.116	305.532	4.071	0.116	3.246	0.005	0.116	0.737	0.0
38	9197	9198	NS	2	-34.614	24.262	0.012	-34.81	24.687	0.034	0.941	30.368	18.707	-0.848	30.266	31.769	0.116	280.467	2.725	0.116	293.385	1.268	0.116	0.183	0.0	0.116	0.22	0.0
39	9198	9199	NS	1	-34.673	27.574	0.014	-34.756	29.406	0.032	-10.946	29.263	24.158	-28.475	30.148	38.176	0.116	284.3	3.225	0.116	289.776	1.767	0.116	1.296	0.003	0.116	68.291	0.013
40	9198	9199	SN	1	-34.943	26.4	0.079	-33.944	26.632	0.059	-12.981	29.11	15.96	-7.201	30.889	16.989	0.116	302.534	3.332	0.116	240.378	3.326	0.116	2.015	0.002	0.116	0.602	0.0
41	9198	9199	NS	1	-34.673	27.574	0.014	-34.926	29.406	0.032	-10.946	29.263	24.161	-28.475	30.148	38.176	0.116	284.3	3.212	0.116	301.328	1.76	0.116	1.296	0.003	0.116	68.291	0.013
42	9199	9200	NS	1	-34.897	27.786	0.041	-33.87	26.089	0.02	-31.102	36.383	12.91	-26.736	32.829	25.763	0.116	299.312	1.829	0.116	236.289	1.703	0.116	124.996	0.253	0.116	45.794	0.15
43	9204	9205	SN	1	-34.733	26.104	0.211	-32.669	26.013	0.37	-22.897	28.719	14.005	-20.307	31.188	20.576	0.116	288.27	1.137	0.116	179.275	1.129	0.116	18.969	0.053	0.116	10.488	0.068
44	9204	9205	SN	1	-32.309	26.104	0.2	-34.091	26.013	0.336	-22.908	28.719	14.007	-20.307	31.188	20.544	0.116	164.976	1.083	0.116	248.667	1.029	0.116	19.016	0.056	0.116	10.488	0.068
45	9204	9205	SN	1	-34.733	26.104	0.2	-32.669	26.013	0.337	-22.897	28.719	14.013	-20.307	31.188	20.576	0.116	288.27	1.085	0.116	179.275	1.029	0.116	18.969	0.056	0.116	10.488	0.068
46	9204	9205	SN	1	-32.309	26.104	0.2	-34.091	26.013	0.337	-22.908	28.719	14.008	-20.307	31.188	20.544	0.116	164.976	1.083	0.116	248.667	1.031	0.116	19.016	0.056	0.116	10.488	0.068
47	9205	9206	SN	1	-34.773	25.52	0.16	-34.734	27.037	0.249	-17.996	31.553	11.748	-19.186	29.786	10.568	0.116	290.933	2.869	0.116	288.369	2.721	0.116	6.198	0.007	0.116	8.123	0.008
48	9205	9206	SN	1	-33.942	25.52	0.163	-34.882	27.037	0.254	-17.967	31.553	11.746	-19.2	29.786	10.565	0.116	240.255	2.925	0.116	298.288	2.766	0.116	6.156	0.007	0.116	8.147	0.008
49	9205	9206	NS	1	-34.08	26.278	0.021	-33.768	27.538	0.018	-3.094	32.258	17.259	-10.304	35.666	32.343	0.116	248.039	1.306	0.116	230.832	0.894	0.116	0.296	0.0	0.116	1.131	0.002
50	9205	9206	SN	1	-33.942	25.52	0.16	-34.882	27.037	0.249	-17.967	31.553	11.746	-19.2	29.786	10.565	0.116	240.255	2.871	0.116	298.288	2.716	0.116	6.156	0.007	0.116	8.147	0.008
51	9205	9206	NS	2	-34.08	26.278	0.021	-33.768	27.538	0.017	-3.094	32.258	17.259	-10.304	35.666	32.343	0.116	248.039	1.306	0.116	230.832	0.894	0.116	0.296	0.0	0.116	1.131	0.002
52	9206	9207	NS	1	-34.708	24.219	0.006	-32.558	24.488	0.005	-17.543	29.208	10.214	-9.223	30.083	19.674	0.116	286.568	4.546	0.116	174.713	2.929	0.116	5.593	0.002	0.116	0.902	0.0
53	9206	9207	SN	1	-34.13	24.158	0.013	-34.657	24.548	0.018	6.221	28.821	12.202	5.63	31.135	7.592	0.116	250.862	3.375	0.116	283.28	2.392	0.116	0.134	0.0	0.116	0.137	0.0
54	9206	9207	SN	1	-34.411	24.158	0.013	-34.99	24.548	0.018	6.222	28.821	12.202	5.63	31.135	7.592	0.116	267.702	3.384	0.116	305.737	2.392	0.116	0.134	0.0	0.116	0.137	0.0
55	9206	9207	NS	2	-34.708	24.219	0.006	-32.558	24.488	0.005	-17.543	29.208	10.214	-9.223	30.083	19.674	0.116	286.568	4.546	0.116	174.713	2.929	0.116	5.593	0.002	0.116	0.902	0.0
56	9206	9207	SN	1	-34.411	24.158	0.013	-34.99	24.548	0.018	6.222	28.821	12.202	5.63	31.135	7.592	0.116	267.702	3.334	0.116	305.737	2.401	0.116	0.134	0.0	0.116	0.137	0.0
57	9207	9208	NS	1	-34.849	25.766	0.002	-34.747	25.018	0.005	-5.751	28.645	9.255	-15.068	34.91	17.831	0.116	296.023	1.608	0.116	289.17	1.266	0.116	0.459	0.0	0.116	3.202	0.002
58	9207	9208	NS	1	-34.311	25.766	0.002	-34.747	25.02	0.005	-5.751	28.642	9.257	-15.068	34.91	17.831	0.116	261.574	1.601	0.116	289.17	1.266	0.116	0.459	0.0	0.116	3.202	0.002
59	9207	9208	SN	1	-34.584	22.839	0.003	-34.792	23.36	0.013	2.158	27.569	12.456	-0.117	28.416	5.22	0.116	278.543	2.565	0.116	292.196	2.475	0.116	0.165	0.0	0.116	0.202	0.0
60	9207	9208	SN	2	-34.584	22.839	0.003	-34.792	23.36	0.013	-2.006	27.569	12.426	-0.117	28.416	5.217	0.116	278.543	2.526	0.116	292.196	2.441	0.116	0.254	0.0	0.116	0.202	0.0
61	9207	9208	SN	1	-34.584	22.839	0.003	-34.792	23.36	0.013	-2.006	27.569	12.426	-0.117	28.416	5.217	0.116	278.543	2.526	0.116	292.196	2.441	0.116	0.254	0.0	0.116	0.202	0.0
62	9208	9209	NS	1	-34.062	20.478	0.0	-33.958	21.332	0.0	-10.935	28.604	7.156	-9.549	30.77	12.999	0.116	246.989	2.403	0.116	241.182	2.444	0.116	1.293	0.001	0.116	0.965	0.0
63	9208	9209	SN	2	-34.708	22.72	0.009	-34.598	24.412	0.022	0.648	28.256	17.597	3.541	28.869	18.617	0.116	286.551	5.237	0.116	279.468	4.665	0.116	0.188	0.0	0.116	0.151	0.0
64	9208	9209	NS	1	-34.062	20.475	0.0	-33.871	21.332	0.0	-10.935	28.604	7.151	-9.549	30.77	12.999	0.116	246.989	2.408	0.116	236.351	2.452	0.116	1.293	0.001	0.116	0.965	0.0
65	9208	9209	SN	1	-34.708	22.72	0.01	-34.776	24.412	0.023	6.238	28.256	17.724	3.464	28.869	19.264	0.116	286.551	5.37	0.116	291.094	4.769	0.116	0.134	0.0	0.116	0.152	0.0
66	9208	9209	SN	1	-34.668	22.72	0.009	-34.598	24.412	0.022	0.647	28.256	17.597	3.549	28.869	18.617	0.116	283.966	5.236	0.116	279.468	4.665	0.116	0.188	0.0	0.116	0.151	0.0
67	9209	9210	SN	1	-34.815	22.523	0.003	-34.812	23.244	0.002	0.88	27.678	15.494	8.346	29.042	16.924	0.116	293.736	3.368	0.116	293.552	2.859	0.116	0.184	0.0	0.116	0.127	0.0
68	9209	9210	SN	1	-34.815	22.523	0.003	-34.812	23.244	0.002	0.88	27.678	15.538	8.346	29.042	16.949	0.116	293.736	3.377	0.116	293.552	2.841	0.116	0.184	0.0	0.116	0.127	0.0
69	9209	9210	SN	1	-34.815	22.523	0.003	-34.812	23.244	0.002	0.88	27.678	15.538	8.346	29.042	16.949	0.116	293.736	3.369	0.116	293.552	2.862	0.116	0.184	0.0	0.116	0.127	0.0
70	9209	9210	NS	1	-34.14	20.58	0.0	-33.751	21.646	0.0	-13.075	28.177	7.992	-11.994	29.27	14.678	0.116	251.515	2.867	0.116	229.933	2.361	0.116	2.058	0.004	0.116	1.624	0.002
71	9209	9210	NS	1	-34.32	20.582	0.0	-34.295	21.646	0.0	-13.09	28.177	7.99	-11.992	29.268	14.66	0.116	262.118	2.893	0.116	260.606	2.359	0.116	2.064	0.004	0.116	1.623	0.002
72	9210	9211	SN	1	-34.739	21.374	0.0	-34.832	23.12	0.001	2.601	30.227	11.992	2.284	30.629	12.5	0.116	288.632	4.528	0.116	294.863	5.029	0.116	0.16	0.0	0.116	0.164	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	9210	9211	SN	2	-34.784	21.374	0.0	-34.832	23.12	0.001	2.601	30.227	11.994	2.284	30.629	12.492	0.116	291.664	4.527	0.116	294.863	5.03	0.116	0.16	0.0	0.116	0.164	0.0
74	9210	9211	NS	1	-34.998	25.534	0.129	-34.971	26.285	0.245	-4.834	28.886	11.296	-4.916	29.817	17.026	0.116	306.311	4.313	0.116	304.455	4.211	0.116	0.391	0.0	0.116	0.396	0.0
75	9210	9211	SN	1	-34.784	21.374	0.0	-34.832	23.12	0.001	2.601	30.227	12.689	2.284	30.629	12.53	0.116	291.664	4.752	0.116	294.863	4.737	0.116	0.16	0.0	0.116	0.164	0.0
76	9210	9211	NS	1	-34.761	25.53	0.129	-34.991	26.285	0.246	-4.834	28.886	11.308	-4.916	29.817	17.04	0.116	290.061	4.292	0.116	305.879	4.212	0.116	0.391	0.0	0.116	0.396	0.0
77	9211	9212	SN	1	-34.27	24.537	0.016	-34.951	25.071	0.024	-15.131	34.526	14.793	-9.183	32.353	17.7	0.116	259.105	4.03	0.116	303.098	3.955	0.116	3.248	0.013	0.116	0.895	0.0
78	9211	9212	SN	1	-34.98	24.537	0.014	-34.895	25.071	0.021	-15.293	34.525	13.925	-9.189	32.353	17.616	0.116	305.14	4.411	0.116	299.17	4.48	0.116	3.368	0.012	0.116	0.896	0.0
79	9211	9212	SN	1	-34.27	24.537	0.014	-34.951	25.071	0.021	-15.535	34.526	13.937	-9.183	32.353	17.637	0.116	259.105	4.396	0.116	303.098	4.487	0.116	3.555	0.012	0.116	0.895	0.0
80	9211	9212	NS	1	-34.591	24.831	0.12	-34.686	26.689	0.243	6.985	32.681	10.624	7.475	29.485	18.255	0.116	278.958	3.517	0.116	285.162	3.057	0.116	0.131	0.0	0.116	0.13	0.0
81	9212	9213	NS	1	-34.994	22.743	0.003	-34.241	23.309	0.014	-7.286	28.829	24.052	-7.028	29.857	41.258	0.116	306.116	2.929	0.116	257.371	2.56	0.116	0.612	0.0	0.116	0.582	0.0
82	9212	9213	SN	2	-34.592	25.688	0.038	-32.71	25.466	0.043	-22.068	29.229	21.539	-12.877	30.003	24.808	0.116	279.075	1.158	0.116	180.941	1.444	0.116	15.688	0.004	0.116	1.97	0.004
83	9212	9213	NS	1	-34.215	22.743	0.003	-34.704	23.307	0.014	-7.218	28.827	24.129	-7.039	29.976	41.278	0.116	255.787	2.922	0.116	286.262	2.553	0.116	0.604	0.0	0.116	0.584	0.0
84	9212	9213	SN	1	-34.592	25.688	0.038	-32.71	25.466	0.043	-22.068	29.229	21.539	-12.877	30.003	24.808	0.116	279.075	1.158	0.116	180.941	1.444	0.116	15.688	0.004	0.116	1.97	0.004
85	9213	9214	SN	1	-34.331	27.156	0.083	-34.874	28.037	0.095	-7.125	30.493	16.396	-8.488	32.264	15.87	0.116	262.753	2.299	0.116	297.678	3.01	0.116	0.594	0.0	0.116	0.777	0.0
86	9213	9214	NS	2	-34.598	28.058	0.022	-34.826	26.205	0.027	-30.784	29.454	14.394	-34.538	30.36	30.698	0.116	279.437	3.407	0.116	294.436	2.817	0.116	116.132	0.295	0.116	275.601	0.27
87	9213	9214	NS	1	-34.598	28.058	0.022	-34.826	26.205	0.027	-30.784	29.454	14.394	-34.538	30.36	30.698	0.116	279.437	3.407	0.116	294.436	2.817	0.116	116.132	0.295	0.116	275.601	0.27
88	9214	9215	NS	1	-34.974	27.76	0.025	-34.912	24.18	0.007	0.621	29.154	14.303	1.673	34.602	23.28	0.116	304.736	2.627	0.116	300.436	3.087	0.116	0.188	0.0	0.116	0.172	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9190	9191	SN	1	57.467	58.379	0.0	0.003	299.917	3.916	1198.776	1293.168	46.723	-93.575	-91.866	0.0
2	9190	9191	NS	1	57.394	58.315	0.0	0.0	296.255	3.788	1204.672	1293.048	27.446	-93.5	-91.86	0.0
3	9190	9191	SN	1	57.467	58.379	0.0	0.003	299.917	3.813	1198.776	1293.168	47.592	-93.128	-91.866	0.0
4	9190	9191	NS	1	57.394	58.315	0.0	0.0	296.255	3.929	1204.608	1293.048	27.246	-93.5	-91.86	0.0
5	9190	9191	SN	1	57.458	58.379	0.0	0.003	299.917	3.912	1198.576	1293.168	46.669	-93.575	-91.866	0.0
6	9191	9192	SN	1	57.47	58.379	0.0	0.0	299.823	3.578	1199.096	1293.424	46.096	-93.27	-91.833	0.0
7	9191	9192	SN	1	57.47	58.379	0.0	0.0	299.828	3.657	1199.176	1293.424	45.593	-93.27	-91.833	0.0
8	9191	9192	NS	1	57.402	58.33	0.0	0.0	299.823	3.672	1204.92	1293.28	27.49	-94.093	-91.822	0.0
9	9191	9192	SN	1	57.47	58.379	0.0	0.0	299.823	3.574	1199.176	1293.424	46.038	-93.27	-91.833	0.0
10	9191	9192	NS	2	57.402	58.33	0.0	0.0	299.823	3.665	1204.92	1293.28	27.485	-93.495	-91.822	0.0
11	9192	9193	NS	1	57.411	58.665	0.0	0.0	297.959	3.946	1205.312	1293.344	27.464	-95.845	-91.81	0.0
12	9192	9193	SN	1	57.414	58.442	0.0	0.0	281.486	3.771	1198.32	1293.848	45.842	-94.943	-91.863	0.0
13	9192	9193	NS	1	57.411	58.665	0.0	0.0	297.959	2.846	1205.312	1291.992	15.635	-95.845	-91.81	0.0
14	9192	9193	SN	1	57.423	58.442	0.0	0.0	247.557	16.014	1262.2	1293.432	40.462	-100.315	-92.334	0.058
15	9193	9194	NS	1	57.432	58.32	0.0	0.0	299.282	3.589	1205.856	1293.2	27.494	-93.355	-91.846	0.0
16	9193	9194	SN	1	57.448	58.375	0.0	0.0	274.504	3.485	1197.904	1293.28	47.943	-93.909	-91.853	0.0
17	9193	9194	SN	1	57.448	58.375	0.0	0.0	281.066	3.623	1197.904	1293.28	47.152	-93.909	-91.853	0.0
18	9193	9194	SN	2	57.448	58.375	0.0	0.0	281.072	3.622	1197.904	1293.288	47.163	-93.909	-91.853	0.0
19	9193	9194	NS	1	57.432	58.32	0.0	0.0	299.282	3.505	1205.856	1293.2	27.754	-93.228	-91.846	0.0
20	9194	9195	SN	2	57.157	58.375	0.001	0.0	299.023	3.621	1197.976	1293.168	46.802	-95.256	-91.871	0.0
21	9194	9195	SN	1	57.465	58.375	0.0	0.0	295.83	3.374	1198.096	1293.168	48.115	-93.874	-91.871	0.0
22	9194	9195	SN	1	57.157	58.374	0.001	0.0	299.023	3.623	1197.968	1293.152	46.794	-95.256	-91.871	0.0
23	9194	9195	NS	1	57.406	58.337	0.0	0.0	299.558	3.74	1205.088	1293.104	27.23	-93.259	-91.871	0.0
24	9195	9196	SN	1	57.453	58.387	0.0	0.0	288.506	3.568	1197.912	1292.992	47.041	-93.151	-91.871	0.0
25	9195	9196	NS	1	57.402	58.318	0.0	0.0	285.49	3.653	1205.24	1292.928	25.76	-93.252	-91.862	0.0
26	9195	9196	NS	1	57.407	58.329	0.0	0.0	285.49	3.656	1205.328	1292.928	25.765	-93.229	-91.862	0.0
27	9195	9196	SN	2	57.175	58.387	0.001	0.0	292.681	3.688	1197.912	1292.992	46.466	-95.281	-91.871	0.0
28	9195	9196	SN	1	57.175	58.387	0.001	0.0	292.681	3.688	1197.912	1292.992	46.466	-95.281	-91.871	0.0
29	9196	9197	SN	1	57.452	58.387	0.0	0.0	282.682	3.015	1198.248	1292.992	49.188	-93.243	-91.857	0.0
30	9196	9197	SN	2	57.282	58.387	0.0	0.0	287.635	3.784	1198.248	1292.992	46.208	-95.33	-91.857	0.0
31	9196	9197	NS	1	57.402	58.334	0.0	0.0	290.585	3.742	1205.12	1292.944	25.926	-93.36	-91.885	0.0
32	9196	9197	SN	1	57.282	58.386	0.0	0.0	287.635	3.787	1198.216	1292.968	46.183	-95.33	-91.857	0.0
33	9196	9197	NS	1	57.413	58.328	0.0	0.0	290.585	3.745	1205.288	1292.944	25.922	-93.36	-91.885	0.0
34	9197	9198	SN	1	57.35	58.375	0.0	0.0	299.691	3.919	1199.088	1293.128	44.845	-94.399	-91.814	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors




35	9197	9198	SN	1	57.35	58.375	0.0	0.0	299.691	3.915	1199.088	1293.128	44.781	-94.399	-91.814	0.0
36	9197	9198	NS	1	57.431	58.318	0.0	0.0	296.751	3.642	1205.88	1293.064	26.689	-95.462	-91.884	0.0
37	9197	9198	SN	1	57.474	58.375	0.0	0.0	299.691	2.76	1199.088	1293.128	47.664	-93.724	-91.814	0.0
38	9197	9198	NS	2	57.416	58.319	0.0	0.0	296.481	3.643	1205.432	1293.04	26.627	-95.461	-91.884	0.0
39	9198	9199	NS	1	57.406	58.318	0.0	0.0	299.056	4.102	1205.904	1293.032	27.085	-95.512	-91.882	0.0
40	9198	9199	SN	1	57.468	58.373	0.0	0.0	299.878	3.685	1198.984	1293.072	46.255	-93.286	-91.795	0.0
41	9198	9199	NS	1	57.406	58.318	0.0	0.0	299.056	4.093	1205.904	1293.032	27.024	-95.512	-91.882	0.0
42	9199	9200	NS	1	57.41	58.333	0.0	0.0	296.95	3.755	1206.376	1292.808	26.249	-93.504	-91.864	0.0
43	9204	9205	SN	1	57.455	58.373	0.0	0.0	299.95	3.535	1197.96	1292.952	49.072	-92.983	-91.864	0.0
44	9204	9205	SN	1	57.459	58.372	0.0	0.003	299.966	3.911	1197.92	1292.928	47.252	-93.154	-91.864	0.0
45	9204	9205	SN	1	57.455	58.373	0.0	0.0	299.95	3.902	1197.96	1292.952	47.367	-93.154	-91.864	0.0
46	9204	9205	SN	1	57.459	58.372	0.0	0.003	299.966	3.898	1197.92	1292.928	47.288	-93.154	-91.864	0.0
47	9205	9206	SN	1	57.466	58.37	0.0	0.0	299.393	3.742	1198.496	1292.888	48.621	-95.199	-91.859	0.0
48	9205	9206	SN	1	57.466	58.37	0.0	0.0	299.393	3.663	1198.496	1292.888	49.215	-93.295	-91.859	0.0
49	9205	9206	NS	1	57.436	58.32	0.0	0.0	286.73	3.743	1206.512	1292.84	25.32	-93.503	-91.871	0.0
50	9205	9206	SN	1	57.466	58.37	0.0	0.0	299.393	3.745	1198.496	1292.888	48.67	-95.199	-91.859	0.0
51	9205	9206	NS	2	57.436	58.32	0.0	0.0	286.73	3.744	1206.512	1292.84	25.319	-93.503	-91.871	0.0
52	9206	9207	NS	1	57.437	58.323	0.0	0.0	297.275	3.474	1206.728	1293.04	24.828	-93.502	-91.82	0.0
53	9206	9207	SN	1	57.455	58.372	0.0	0.0	299.806	3.481	1198.0	1293.08	47.837	-93.12	-91.83	0.0
54	9206	9207	SN	1	57.451	58.372	0.0	0.0	299.773	3.476	1198.128	1293.072	47.773	-93.12	-91.83	0.0
55	9206	9207	NS	2	57.306	58.323	0.0	0.0	297.275	3.48	1204.248	1293.04	24.83	-95.195	-91.82	0.0
56	9206	9207	SN	1	57.451	58.372	0.0	0.0	299.773	3.564	1198.128	1293.072	47.279	-93.12	-91.83	0.0
57	9207	9208	NS	1	57.435	58.341	0.0	0.0	297.11	3.535	1206.88	1292.936	24.904	-93.502	-91.854	0.0
58	9207	9208	NS	1	57.435	58.322	0.0	0.0	297.11	3.538	1206.88	1292.936	24.93	-93.502	-91.854	0.0
59	9207	9208	SN	1	57.425	58.394	0.0	0.0	299.531	3.506	1197.2	1293.016	48.602	-93.599	-91.863	0.0
60	9207	9208	SN	2	57.425	58.394	0.0	0.0	299.531	3.61	1197.2	1293.016	47.968	-93.462	-91.863	0.0
61	9207	9208	SN	1	57.425	58.394	0.0	0.0	299.531	3.61	1197.2	1293.016	47.968	-93.462	-91.863	0.0
62	9208	9209	NS	1	57.418	58.322	0.0	0.0	298.312	3.77	1206.672	1292.776	24.721	-93.244	-91.858	0.0
63	9208	9209	SN	2	57.315	58.368	0.0	0.0	298.455	3.652	1197.896	1292.832	48.36	-94.247	-91.862	0.0
64	9208	9209	NS	1	57.418	58.322	0.0	0.0	298.312	3.774	1206.672	1292.776	24.748	-93.266	-91.858	0.0
65	9208	9209	SN	1	57.461	58.368	0.0	0.0	272.149	3.453	1197.896	1292.832	49.421	-93.826	-91.862	0.0
66	9208	9209	SN	1	57.315	58.368	0.0	0.0	298.455	3.649	1197.888	1292.832	48.374	-94.247	-91.862	0.0
67	9209	9210	SN	1	57.27	58.367	0.001	0.0	293.227	3.63	1197.264	1292.712	48.389	-93.859	-91.863	0.0
68	9209	9210	SN	1	57.435	58.367	0.0	0.0	293.227	3.554	1197.264	1292.712	48.513	-93.018	-91.863	0.0
69	9209	9210	SN	1	57.27	58.367	0.001	0.0	293.227	3.618	1197.264	1292.712	48.4	-93.859	-91.863	0.0
70	9209	9210	NS	1	57.422	58.336	0.0	0.0	290.624	3.641	1206.576	1292.664	24.322	-93.362	-91.88	0.0
71	9209	9210	NS	1	57.415	58.326	0.0	0.0	290.624	3.65	1206.4	1292.664	24.306	-93.362	-91.88	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9210	9211	SN	1	57.285	58.379	0.0	0.0	287.254	3.741	1197.24	1293.144	47.763	-94.247	-91.843	0.0
73	9210	9211	SN	2	57.285	58.367	0.0	0.0	295.67	3.743	1197.264	1293.16	47.764	-94.247	-91.843	0.0
74	9210	9211	NS	1	57.415	58.32	0.0	0.0	299.646	3.609	1206.448	1292.552	22.617	-93.504	-91.882	0.0
75	9210	9211	SN	1	57.448	58.367	0.0	0.0	295.67	3.131	1197.264	1293.16	50.288	-93.16	-91.843	0.0
76	9210	9211	NS	1	57.417	58.32	0.0	0.0	299.646	3.602	1206.44	1292.552	22.627	-93.504	-91.882	0.0
77	9211	9212	SN	1	57.455	58.372	0.0	0.0	281.988	2.864	1198.104	1292.736	51.452	-93.288	-91.842	0.0
78	9211	9212	SN	1	57.455	58.368	0.0	0.0	282.98	3.821	1198.104	1292.736	48.104	-95.226	-91.842	0.0
79	9211	9212	SN	1	57.455	58.372	0.0	0.0	282.98	3.824	1198.104	1292.736	48.157	-95.226	-91.842	0.0
80	9211	9212	NS	1	57.23	58.321	0.0	0.0	295.45	3.568	1202.432	1292.664	23.971	-94.672	-91.894	0.0
81	9212	9213	NS	1	57.37	58.321	0.0	0.0	298.615	3.725	1205.928	1292.704	24.837	-94.111	-91.882	0.0
82	9212	9213	SN	2	57.432	58.368	0.0	0.0	299.167	3.834	1198.32	1292.752	45.624	-93.754	-91.792	0.0
83	9212	9213	NS	1	57.402	58.321	0.0	0.0	298.615	3.726	1206.392	1292.704	24.816	-93.364	-91.882	0.0
84	9212	9213	SN	1	57.432	58.368	0.0	0.0	299.167	3.834	1198.32	1292.752	45.624	-93.754	-91.792	0.0
85	9213	9214	SN	1	57.464	58.372	0.0	0.0	299.172	3.651	1198.288	1292.648	47.182	-94.423	-91.823	0.0
86	9213	9214	NS	2	57.409	58.321	0.0	0.0	296.029	3.935	1206.744	1292.568	24.404	-93.506	-91.887	0.0
87	9213	9214	NS	1	57.409	58.321	0.0	0.0	296.029	3.935	1206.744	1292.568	24.404	-93.506	-91.887	0.0
88	9214	9215	NS	1	57.443	58.353	0.0	0.0	295.604	3.718	1207.504	1292.424	24.009	-93.208	-91.854	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																Kp												
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9190	9191	SN	1	-33.952	20.872	0.0	-33.902	19.301	0.0	-28.358	22.59	0.011	-26.034	23.417	0.056	0.086	184.042	2.662	0.086	181.978	2.288	0.086	50.8	0.107	0.086	30.808	0.098
2	9190	9191	NS	1	-34.895	20.325	0.0	-34.716	20.332	0.0	-3.12	29.189	0.054	-3.824	25.074	0.132	0.086	228.673	3.13	0.086	219.444	3.476	0.086	0.223	0.0	0.086	0.249	0.0
3	9190	9191	SN	1	-33.952	20.872	0.0	-33.902	19.301	0.0	-28.358	22.59	0.011	-26.034	23.417	0.056	0.086	184.042	2.763	0.086	181.978	2.383	0.086	50.8	0.107	0.086	30.808	0.098
4	9190	9191	NS	1	-34.885	20.328	0.0	-34.968	20.332	0.0	-3.115	29.511	0.057	-3.824	23.648	0.128	0.086	228.114	3.102	0.086	232.583	3.683	0.086	0.223	0.0	0.086	0.249	0.0
5	9190	9191	SN	1	-33.785	20.872	0.0	-34.502	19.301	0.0	-28.356	22.59	0.01	-26.031	23.417	0.056	0.086	177.108	2.657	0.086	208.919	2.289	0.086	50.783	0.106	0.086	30.791	0.098
6	9191	9192	SN	1	-34.948	18.801	0.0	-34.521	20.22	0.0	-11.078	22.373	0.002	-7.001	22.995	0.048	0.086	231.501	2.453	0.086	225.28	1.986	0.086	1.015	0.002	0.086	0.439	0.0
7	9191	9192	SN	1	-33.611	18.801	0.0	-33.726	20.22	0.0	-11.073	22.373	0.002	-7.001	22.995	0.048	0.086	170.186	2.407	0.086	174.733	1.98	0.086	1.014	0.002	0.086	0.439	0.0
8	9191	9192	NS	1	-33.577	20.097	0.0	-34.386	20.633	0.0	-8.782	22.158	0.002	-18.609	22.876	0.04	0.086	168.842	1.586	0.086	203.411	1.419	0.086	0.626	0.0	0.086	5.44	0.004
9	9191	9192	SN	1	-33.611	18.801	0.0	-33.726	20.22	0.0	-11.073	22.373	0.002	-7.001	22.995	0.048	0.086	170.186	2.448	0.086	174.733	2.006	0.086	1.013	0.002	0.086	0.439	0.0
10	9191	9192	NS	2	-33.577	20.097	0.0	-34.386	20.633	0.0	-8.782	22.158	0.002	-18.609	22.876	0.04	0.086	168.842	1.586	0.086	203.411	1.418	0.086	0.626	0.0	0.086	5.44	0.004
11	9192	9193	NS	1	-34.663	16.109	0.0	-34.475	16.214	0.0	-9.045	21.222	0.0	-25.903	22.348	0.026	0.087	216.804	2.72	0.087	207.554	2.796	0.086	0.661	0.0	0.086	28.9	0.013
12	9192	9193	SN	1	-34.922	16.683	0.0	-34.985	16.781	0.0	1.869	22.166	0.005	1.88	22.794	0.066	0.087	230.094	2.408	0.087	233.489	2.274	0.086	0.126	0.0	0.086	0.126	0.0
13	9192	9193	NS	1	-32.32	13.987	0.0	-34.815	14.279	0.0	-9.045	20.275	0.0	-25.903	22.277	0.002	0.088	126.388	0.907	0.088	224.49	3.111	0.086	0.661	0.0	0.086	28.9	0.018
14	9192	9193	SN	1	-34.572	15.195	0.0	-31.051	16.781	0.0	4.247	21.513	0.0	-3.942	20.051	0.0	0.087	212.256	0.756	0.087	94.413	0.212	0.086	0.11	0.0	0.086	0.498	0.0
15	9193	9194	NS	1	-34.614	16.728	0.0	-34.846	17.919	0.0	-17.122	22.395	0.001	-33.147	22.74	0.017	0.087	214.316	3.681	0.086	226.135	3.859	0.086	3.882	0.003	0.086	156.848	0.032
16	9193	9194	SN	1	-34.875	16.197	0.0	-34.335	16.417	0.0	0.918	22.443	0.028	1.837	22.825	0.101	0.087	227.609	2.745	0.087	207.993	2.559	0.086	0.136	0.0	0.086	0.126	0.0
17	9193	9194	SN	1	-34.875	16.197	0.0	-34.397	16.417	0.0	0.918	22.443	0.028	1.837	22.825	0.098	0.087	227.609	2.688	0.087	210.951	2.518	0.086	0.136	0.0	0.086	0.126	0.0
18	9193	9194	SN	2	-34.914	16.197	0.0	-34.385	16.417	0.0	0.918	22.443	0.028	1.837	22.825	0.098	0.087	237.563	2.688	0.087	210.377	2.518	0.086	0.136	0.0	0.086	0.126	0.0
19	9193	9194	NS	1	-34.8	16.747	0.0	-34.812	17.922	0.0	-17.122	22.392	0.001	-29.52	22.738	0.017	0.087	231.43	3.773	0.086	224.358	3.915	0.086	3.882	0.003	0.086	66.381	0.033
20	9194	9195	SN	2	-34.725	16.35	0.0	-34.693	17.276	0.0	-0.464	21.691	0.0	1.988	22.44	0.09	0.087	219.895	3.135	0.087	218.282	2.562	0.086	0.157	0.0	0.086	0.124	0.0
21	9194	9195	SN	1	-34.725	16.35	0.0	-34.693	17.276	0.0	-0.464	21.691	0.0	1.988	22.44	0.095	0.087	219.895	3.208	0.087	218.282	2.508	0.086	0.157	0.0	0.086	0.124	0.0
22	9194	9195	SN	1	-34.626	16.35	0.0	-34.693	17.276	0.0	-0.464	21.691	0.0	1.988	22.44	0.09	0.087	214.971	3.135	0.087	218.282	2.561	0.086	0.157	0.0	0.086	0.124	0.0
23	9194	9195	NS	1	-34.793	15.478	0.0	-34.803	14.531	0.0	-15.672	22.981	0.005	-31.167	22.46	0.013	0.087	223.38	5.937	0.088	223.85	6.133	0.086	2.799	0.015	0.086	96.967	0.009
24	9195	9196	SN	1	-34.916	16.76	0.0	-34.768	17.302	0.0	0.503	22.201	0.007	3.541	22.34	0.015	0.087	229.789	4.268	0.087	222.111	3.684	0.086	0.142	0.0	0.086	0.112	0.0
25	9195	9196	NS	1	-34.957	18.29	0.0	-34.453	16.994	0.0	-23.7	21.671	0.0	-22.092	22.797	0.058	0.086	231.96	3.407	0.087	206.534	3.192	0.086	17.427	0.097	0.086	12.056	0.029
26	9195	9196	NS	1	-34.782	18.294	0.0	-34.119	16.992	0.0	-23.779	21.68	0.0	-22.092	22.795	0.058	0.086	222.792	3.399	0.087	191.284	3.198	0.086	17.743	0.097	0.086	12.056	0.029
27	9195	9196	SN	2	-34.916	16.76	0.0	-34.768	17.302	0.0	0.503	22.201	0.007	3.541	22.34	0.015	0.087	229.789	4.222	0.087	222.111	3.874	0.086	0.142	0.0	0.086	0.112	0.0
28	9195	9196	SN	1	-34.916	16.76	0.0	-34.768	17.302	0.0	0.503	22.201	0.007	3.541	22.34	0.015	0.087	229.789	4.222	0.087	222.111	3.874	0.086	0.142	0.0	0.086	0.112	0.0
29	9196	9197	SN	1	-34.584	17.63	0.0	-34.564	17.495	0.0	-10.914	23.105	0.138	-15.244	23.326	0.52	0.087	212.895	4.631	0.087	211.916	4.403	0.086	1.053	0.002	0.086	2.731	0.004
30	9196	9197	SN	2	-34.584	17.63	0.0	-34.564	17.495	0.0	-10.928	23.105	0.13	-15.247	23.326	0.518	0.087	212.895	4.522	0.087	211.916	5.26	0.086	1.056	0.002	0.086	2.732	0.004
31	9196	9197	NS	1	-34.993	18.238	0.0	-34.096	20.58	0.0	3.269	22.084	0.016	1.38	23.275	0.135	0.086	233.886	2.98	0.086	190.209	2.45	0.086	0.114	0.0	0.086	0.131	0.0
32	9196	9197	SN	1	-34.54	17.63	0.0	-34.968	17.495	0.0	-10.926	23.105	0.13	-15.245	23.326	0.518	0.087	210.677	4.523	0.087	232.576	5.262	0.086	1.056	0.002	0.086	2.731	0.004

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	9196	9197	NS	1	-34.912	18.238	0.0	-34.416	20.58	0.0	3.264	22.084	0.016	1.39	23.276	0.135	0.086	229.573	2.982	0.086	204.766	2.453	0.086	0.114	0.0	0.086	0.131	0.0
34	9197	9198	SN	1	-33.925	18.837	0.0	-34.747	20.206	0.0	-21.696	23.154	0.071	-9.444	24.014	0.629	0.086	182.927	4.276	0.086	220.979	4.4	0.086	11.008	0.003	0.086	0.718	0.0
35	9197	9198	SN	1	-34.724	18.837	0.0	-34.985	20.206	0.0	-21.69	23.15	0.071	-9.446	24.014	0.628	0.086	219.826	4.311	0.086	238.826	4.394	0.086	10.995	0.003	0.086	0.718	0.0
36	9197	9198	NS	1	-34.54	17.607	0.0	-34.708	18.419	0.0	-0.742	22.689	0.032	-0.818	23.436	0.31	0.087	210.715	3.585	0.086	219.064	2.146	0.086	0.162	0.0	0.086	0.164	0.0
37	9197	9198	SN	1	-33.925	18.837	0.0	-34.747	20.206	0.0	-21.919	23.154	0.078	-9.44	24.014	0.585	0.086	182.927	3.491	0.086	220.979	3.239	0.086	11.586	0.004	0.086	0.717	0.0
38	9197	9198	NS	2	-34.54	17.607	0.0	-34.892	18.419	0.0	-0.742	22.689	0.032	-0.82	23.436	0.31	0.087	210.715	3.585	0.086	228.541	2.147	0.086	0.162	0.0	0.086	0.164	0.0
39	9198	9199	NS	1	-34.705	21.089	0.0	-34.597	20.954	0.0	-21.65	22.542	0.07	-22.218	23.79	0.932	0.086	218.882	3.19	0.086	213.475	2.03	0.086	10.891	0.045	0.086	12.407	0.037
40	9198	9199	SN	1	-34.335	18.9	0.0	-34.849	18.44	0.0	-15.836	22.662	0.041	-11.228	23.29	0.218	0.086	201.069	2.86	0.086	226.244	3.064	0.086	2.903	0.01	0.086	1.048	0.002
41	9198	9199	NS	1	-34.966	21.089	0.0	-34.683	20.954	0.0	-21.65	22.542	0.07	-22.218	23.79	0.932	0.086	232.474	3.186	0.086	217.766	2.039	0.086	10.891	0.045	0.086	12.407	0.037
42	9199	9200	NS	1	-34.885	21.606	0.0	-33.969	19.288	0.0	-31.958	21.907	0.0	-32.938	23.874	0.822	0.086	228.139	2.421	0.086	184.738	2.119	0.086	116.288	0.199	0.086	145.782	0.146
43	9204	9205	SN	1	-33.74	19.561	0.0	-34.957	18.954	0.0	-33.652	22.413	0.009	-31.399	22.328	0.009	0.086	175.25	1.243	0.086	231.979	1.265	0.086	184.4	0.197	0.086	109.817	0.18
44	9204	9205	SN	1	-34.179	19.561	0.0	-34.035	18.954	0.0	-28.98	22.413	0.009	-32.118	22.328	0.009	0.086	193.928	1.192	0.086	187.639	1.142	0.086	65.579	0.195	0.086	124.871	0.189
45	9204	9205	SN	1	-34.221	19.561	0.0	-34.957	18.954	0.0	-27.168	22.413	0.009	-31.399	22.328	0.009	0.086	195.775	1.2	0.086	231.979	1.148	0.086	41.497	0.195	0.086	109.817	0.186
46	9204	9205	SN	1	-34.184	19.561	0.0	-34.035	18.954	0.0	-27.536	22.413	0.009	-32.118	22.328	0.009	0.086	194.129	1.193	0.086	187.639	1.145	0.086	45.166	0.195	0.086	124.871	0.189
47	9205	9206	SN	1	-33.918	20.769	0.0	-34.81	20.444	0.0	-31.704	22.302	0.004	-33.02	23.0	0.057	0.086	182.593	2.439	0.086	224.277	2.32	0.086	109.699	0.099	0.086	148.549	0.149
48	9205	9206	SN	1	-34.77	20.769	0.0	-34.923	20.444	0.0	-31.849	22.302	0.004	-33.163	23.0	0.057	0.086	222.208	2.49	0.086	230.132	2.346	0.086	113.454	0.099	0.086	153.483	0.149
49	9205	9206	NS	1	-33.421	20.456	0.0	-34.451	20.182	0.0	-8.65	23.888	0.02	-5.778	25.507	0.067	0.086	162.859	0.95	0.086	206.469	0.748	0.086	0.609	0.0	0.086	0.348	0.0
50	9205	9206	SN	1	-34.77	20.769	0.0	-34.923	20.444	0.0	-31.849	22.302	0.004	-33.163	23.0	0.057	0.086	222.208	2.443	0.086	230.132	2.308	0.086	113.454	0.099	0.086	153.483	0.149
51	9205	9206	NS	2	-33.421	20.456	0.0	-34.451	20.182	0.0	-8.65	23.888	0.02	-5.778	25.507	0.067	0.086	162.859	0.95	0.086	206.469	0.748	0.086	0.609	0.0	0.086	0.348	0.0
52	9206	9207	NS	1	-34.84	16.443	0.0	-34.736	15.789	0.0	-11.251	21.466	0.0	-18.664	22.781	0.031	0.087	225.765	3.787	0.087	220.492	2.965	0.086	1.053	0.002	0.086	5.509	0.012
53	9206	9207	SN	1	-34.812	17.992	0.0	-34.676	20.47	0.0	-3.58	22.317	0.012	-2.876	22.896	0.117	0.086	224.359	4.249	0.086	217.384	3.467	0.086	0.24	0.0	0.086	0.215	0.0
54	9206	9207	SN	1	-34.988	17.992	0.0	-34.909	20.47	0.0	-3.578	22.317	0.012	-2.874	22.896	0.117	0.086	240.665	4.243	0.086	229.395	3.464	0.086	0.24	0.0	0.086	0.215	0.0
55	9206	9207	NS	2	-34.84	16.443	0.0	-34.736	15.789	0.0	-11.251	21.466	0.0	-18.664	22.781	0.031	0.087	225.765	3.787	0.087	220.492	2.966	0.086	1.053	0.002	0.086	5.509	0.012
56	9206	9207	SN	1	-34.988	17.992	0.0	-34.909	20.47	0.0	-3.578	22.317	0.012	-2.874	22.896	0.117	0.086	240.769	4.179	0.086	229.395	3.425	0.086	0.24	0.0	0.086	0.215	0.0
57	9207	9208	NS	1	-34.26	15.676	0.0	-34.069	17.505	0.0	-31.842	21.541	0.0	-31.744	22.548	0.021	0.087	197.532	1.842	0.087	189.077	1.787	0.086	113.24	0.18	0.086	110.724	0.098
58	9207	9208	NS	1	-34.85	15.679	0.0	-33.256	17.505	0.0	-31.752	21.524	0.0	-31.744	22.548	0.021	0.087	226.307	1.848	0.087	156.782	1.783	0.086	110.935	0.182	0.086	110.724	0.098
59	9207	9208	SN	1	-34.382	17.129	0.0	-34.393	16.768	0.0	0.703	21.808	0.0	0.783	23.024	0.085	0.087	203.218	2.393	0.087	203.667	2.331	0.086	0.139	0.0	0.086	0.138	0.0
60	9207	9208	SN	2	-34.382	17.129	0.0	-34.393	16.768	0.0	0.703	21.808	0.0	0.783	23.024	0.084	0.087	203.218	2.353	0.087	203.667	2.306	0.086	0.139	0.0	0.086	0.138	0.0
61	9207	9208	SN	1	-34.382	17.129	0.0	-34.393	16.768	0.0	0.703	21.808	0.0	0.783	23.024	0.084	0.087	203.218	2.353	0.087	203.667	2.306	0.086	0.139	0.0	0.086	0.138	0.0
62	9208	9209	NS	1	-34.959	13.356	0.0	-34.984	14.98	0.0	-7.747	22.406	0.008	-6.273	22.741	0.021	0.088	232.092	2.233	0.087	233.367	2.478	0.086	0.508	0.0	0.086	0.382	0.0
63	9208	9209	SN	2	-34.583	16.405	0.0	-34.813	16.86	0.0	0.106	21.883	0.0	1.977	22.619	0.157	0.087	212.853	4.029	0.087	224.389	3.734	0.086	0.148	0.0	0.086	0.125	0.0
64	9208	9209	NS	1	-34.959	13.356	0.0	-34.984	14.977	0.0	-7.747	22.407	0.008	-6.273	22.741	0.021	0.088	232.092	2.239	0.087	233.367	2.481	0.086	0.508	0.0	0.086	0.382	0.0
65	9208	9209	SN	1	-34.583	16.405	0.0	-34.813	16.86	0.0	0.106	21.883	0.0	1.977	22.619	0.167	0.087	212.853	4.113	0.087	224.389	3.77	0.086	0.148	0.0	0.086	0.125	0.0
66	9208	9209	SN	1	-34.583	16.405	0.0	-34.813	16.86	0.0	0.106	21.883	0.0	1.977	22.619	0.157	0.087	212.853	4.029	0.087	224.389	3.734	0.086	0.148	0.0	0.086	0.125	0.0
67	9209	9210	SN	1	-34.604	16.969	0.0	-34.439	17.495	0.0	-0.34	21.876	0.0	2.336	22.379	0.041	0.087	221.256	2.738	0.087	205.895	2.42	0.086	0.155	0.0	0.086	0.121	0.0
68	9209	9210	SN	1	-34.003	16.969	0.0	-34.535	17.495	0.0	-0.34	21.876	0.0	2.336	22.379	0.041	0.087	192.622	2.747	0.087	210.509	2.393	0.086	0.155	0.0	0.086	0.121	0.0
69	9209	9210	SN	1	-34.003	16.969	0.0	-34.535	17.495	0.0	-0.34	21.876	0.0	2.336	22.379	0.041	0.087	192.622	2.741	0.087	210.509	2.421	0.086	0.155	0.0	0.086	0.121	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	9209	9210	NS	1	-34.903	14.513	0.0	-34.872	15.079	0.0	-19.261	22.044	0.002	-13.94	22.819	0.031	0.088	229.091	2.681	0.087	227.462	2.326	0.086	6.312	0.006	0.086	1.899	0.007
71	9209	9210	NS	1	-34.564	14.513	0.0	-34.652	15.079	0.0	-19.255	22.044	0.002	-13.954	22.819	0.031	0.088	211.886	2.684	0.087	216.256	2.324	0.086	6.303	0.006	0.086	1.905	0.007
72	9210	9211	SN	1	-34.708	16.847	0.0	-34.994	16.536	0.0	0.775	22.792	0.081	1.94	22.947	0.251	0.087	219.014	4.672	0.087	233.962	5.104	0.086	0.138	0.0	0.086	0.13	0.0
73	9210	9211	SN	2	-34.685	16.847	0.0	-34.994	16.536	0.0	0.775	22.792	0.081	1.94	22.947	0.251	0.087	217.85	4.672	0.087	233.962	5.106	0.086	0.138	0.0	0.086	0.13	0.0
74	9210	9211	NS	1	-34.806	18.843	0.0	-34.388	19.336	0.0	-19.285	21.757	0.0	-22.13	22.85	0.067	0.086	224.034	3.276	0.086	203.466	3.293	0.086	6.346	0.054	0.086	12.157	0.054
75	9210	9211	SN	1	-34.685	16.847	0.0	-34.994	16.536	0.0	0.775	22.792	0.087	2.664	22.947	0.251	0.087	217.85	4.837	0.087	233.962	4.893	0.086	0.138	0.0	0.086	0.118	0.0
76	9210	9211	NS	1	-34.546	18.843	0.0	-34.588	19.336	0.0	-19.251	21.757	0.0	-22.19	22.85	0.067	0.086	210.996	3.274	0.086	213.017	3.278	0.086	6.297	0.054	0.086	12.327	0.054
77	9211	9212	SN	1	-34.532	19.07	0.0	-33.562	19.069	0.0	-13.225	23.303	0.204	-8.49	24.509	0.726	0.086	210.372	3.071	0.086	168.256	3.17	0.086	1.816	0.003	0.086	0.59	0.0
78	9211	9212	SN	1	-34.987	19.07	0.0	-34.738	19.069	0.0	-13.236	23.303	0.191	-8.491	24.509	0.723	0.086	233.516	2.933	0.086	220.516	3.381	0.086	1.82	0.003	0.086	0.59	0.0
79	9211	9212	SN	1	-34.532	19.07	0.0	-34.654	19.069	0.0	-13.225	23.303	0.191	-8.49	24.509	0.725	0.086	210.372	2.931	0.086	223.766	3.384	0.086	1.816	0.003	0.086	0.59	0.0
80	9211	9212	NS	1	-34.869	18.786	0.0	-34.541	20.976	0.0	2.096	22.744	0.006	1.923	23.088	0.141	0.086	227.327	2.493	0.086	210.779	2.045	0.086	0.123	0.0	0.086	0.125	0.0
81	9212	9213	NS	1	-34.793	22.203	0.001	-34.611	17.828	0.0	-1.107	22.52	0.017	-25.592	23.827	0.6	0.086	223.393	2.436	0.086	214.204	1.998	0.086	0.169	0.0	0.086	26.902	0.029
82	9212	9213	SN	2	-34.721	18.849	0.0	-34.623	18.597	0.0	-20.163	22.625	0.043	-13.072	23.516	0.388	0.086	219.688	0.933	0.086	214.8	1.391	0.086	8.328	0.027	0.086	1.756	0.004
83	9212	9213	NS	1	-33.936	22.209	0.001	-34.731	17.848	0.0	-1.114	22.52	0.017	-26.418	23.827	0.6	0.086	183.38	2.433	0.086	220.192	1.99	0.086	0.169	0.0	0.086	32.523	0.029
84	9212	9213	SN	1	-34.721	18.849	0.0	-34.623	18.597	0.0	-20.163	22.625	0.043	-13.072	23.516	0.388	0.086	219.688	0.933	0.086	214.8	1.391	0.086	8.328	0.027	0.086	1.756	0.004
85	9213	9214	SN	1	-34.453	20.612	0.0	-34.683	20.484	0.0	-20.668	22.491	0.032	-18.163	22.777	0.07	0.086	206.55	1.9	0.086	225.344	2.348	0.086	9.003	0.002	0.086	5.279	0.002
86	9213	9214	NS	2	-34.111	19.932	0.0	-34.7	19.053	0.0	-31.941	22.529	0.034	-29.933	24.118	0.998	0.086	190.889	3.021	0.086	218.663	2.672	0.086	115.861	0.133	0.086	72.997	0.129
87	9213	9214	NS	1	-34.111	19.932	0.0	-34.7	19.053	0.0	-31.941	22.529	0.034	-29.933	24.118	0.998	0.086	190.889	3.021	0.086	218.663	2.672	0.086	115.861	0.133	0.086	72.997	0.129
88	9214	9215	NS	1	-34.158	19.151	0.0	-34.614	19.327	0.0	-20.867	22.186	0.003	-21.718	24.389	0.736	0.086	192.976	2.013	0.086	214.342	2.008	0.086	9.108	0.016	0.086	11.063	0.016

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors