

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-JUN-2018 To 25-JUN-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-JUN-2018 To 25-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9219	9220	SN	1	48.719	49.483	0.0	0.003	280.636	2.513	1022.336	1099.216	13.115	-91.649	-89.791	0.0
2	9219	9220	SN	1	48.719	49.483	0.0	0.003	280.636	2.744	1022.336	1099.216	12.849	-91.649	-89.791	0.0
3	9219	9220	NS	1	48.652	49.42	0.0	0.0	210.386	2.821	1030.696	1099.184	11.32	-91.838	-89.829	0.0
4	9219	9220	SN	1	48.72	49.483	0.0	0.003	280.636	2.741	1022.392	1099.216	12.837	-91.564	-89.791	0.0
5	9220	9221	NS	1	48.688	49.48	0.0	0.0	254.269	2.617	1031.376	1099.36	10.787	-92.67	-89.792	0.0
6	9220	9221	SN	1	48.712	49.524	0.0	0.003	6.75	2.44	1021.936	1099.392	13.035	-91.846	-89.764	0.0
7	9220	9221	SN	1	48.712	49.524	0.0	0.003	6.75	2.538	1021.936	1099.392	12.92	-91.846	-89.764	0.0
8	9220	9221	NS	2	48.688	49.48	0.0	0.0	254.269	2.617	1031.376	1099.36	10.787	-92.67	-89.792	0.0
9	9220	9221	SN	1	48.712	49.524	0.0	0.003	28.394	2.437	1022.112	1099.384	13.012	-91.846	-89.764	0.0
10	9221	9222	NS	1	48.689	49.454	0.0	0.003	264.494	2.534	1031.512	1099.392	10.968	-91.836	-89.781	0.0
11	9221	9222	SN	2	48.68	49.483	0.0	0.008	6.75	2.521	1021.992	1099.44	14.193	-91.709	-89.799	0.0
12	9221	9222	NS	1	48.689	49.424	0.0	0.003	264.494	2.536	1031.512	1099.392	10.979	-91.825	-89.781	0.0
13	9221	9222	SN	1	48.68	49.483	0.0	0.008	6.75	2.521	1021.992	1099.44	14.193	-91.709	-89.799	0.0
14	9221	9222	SN	1	48.68	49.483	0.0	0.008	6.75	2.368	1021.992	1099.44	14.363	-91.709	-89.799	0.0
15	9222	9223	NS	1	48.684	49.479	0.0	0.0	206.812	2.934	1031.608	1099.264	10.873	-93.928	-89.816	0.0
16	9222	9223	SN	1	48.731	49.481	0.0	0.003	279.346	2.569	1022.448	1099.304	14.271	-91.573	-89.778	0.0
17	9222	9223	NS	1	48.689	49.479	0.0	0.0	206.812	1.887	1031.664	1096.656	0.113	-93.928	-89.816	0.0
18	9223	9224	NS	1	48.643	49.448	0.0	0.003	206.2	2.67	1030.944	1099.184	11.171	-91.811	-89.841	0.0
19	9223	9224	NS	1	48.643	49.426	0.0	0.003	206.2	2.668	1030.944	1099.184	11.159	-91.813	-89.841	0.0
20	9223	9224	SN	1	48.679	49.48	0.0	0.003	216.028	2.547	1021.456	1099.224	14.314	-91.678	-89.796	0.0
21	9223	9224	SN	2	48.678	49.48	0.0	0.003	278.342	2.548	1021.456	1099.2	14.292	-91.677	-89.796	0.0
22	9224	9225	SN	1	48.527	49.516	0.0	0.003	213.839	2.589	1022.176	1099.072	14.086	-92.242	-89.795	0.0
23	9224	9225	NS	1	48.642	49.457	0.0	0.003	42.358	2.619	1030.968	1099.032	10.611	-92.213	-89.831	0.0
24	9224	9225	NS	2	48.642	49.457	0.0	0.003	42.358	2.619	1030.968	1099.032	10.611	-92.213	-89.831	0.0
25	9224	9225	SN	1	48.694	49.516	0.0	0.003	213.839	1.902	1022.176	1099.072	14.735	-91.77	-89.795	0.0
26	9224	9225	SN	1	48.527	49.516	0.0	0.003	213.839	2.591	1022.176	1099.072	14.098	-92.242	-89.795	0.0
27	9225	9226	NS	1	48.631	49.422	0.0	0.003	266.876	2.588	1030.832	1099.024	9.965	-91.787	-89.852	0.0
28	9225	9226	SN	1	48.684	49.518	0.0	0.003	277.338	2.655	1021.704	1099.064	12.081	-91.751	-89.787	0.0
29	9225	9226	SN	1	48.684	49.518	0.0	0.003	277.338	2.051	1021.704	1099.064	12.557	-91.751	-89.787	0.0
30	9225	9226	NS	1	48.628	49.422	0.0	0.003	266.876	2.597	1030.792	1099.024	9.957	-91.844	-89.852	0.0
31	9225	9226	SN	2	48.682	49.516	0.0	0.003	278.706	2.655	1021.688	1099.032	12.078	-91.75	-89.787	0.0
32	9226	9227	SN	1	48.736	49.488	0.0	0.003	215.603	1.732	1022.952	1099.16	10.648	-91.666	-89.75	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	9226	9227	NS	1	48.631	49.441	0.0	0.003	43.469	2.642	1030.672	1099.096	9.949	-94.226	-89.844	0.0
34	9226	9227	SN	1	48.736	49.488	0.0	0.003	215.603	2.871	1022.952	1099.16	9.855	-91.666	-89.75	0.0
35	9226	9227	NS	2	48.629	49.44	0.0	0.003	264.13	2.641	1030.688	1099.128	9.968	-94.226	-89.844	0.0
36	9226	9227	SN	1	48.736	49.488	0.0	0.003	215.603	2.868	1022.952	1099.16	9.844	-91.666	-89.75	0.0
37	9227	9228	SN	1	48.736	49.481	0.0	0.0	90.904	2.557	1022.704	1099.12	12.708	-91.792	-89.724	0.0
38	9227	9228	NS	1	48.522	49.421	0.0	0.0	50.242	2.846	1028.88	1099.096	10.983	-92.184	-89.84	0.0
39	9228	9229	NS	1	48.692	49.422	0.0	0.003	210.458	2.73	1032.096	1098.912	10.784	-91.769	-89.844	0.0
40	9233	9234	SN	1	48.672	49.48	0.0	0.003	6.734	2.11	1022.12	1098.976	15.306	-91.458	-89.795	0.0
41	9233	9234	SN	1	48.67	49.478	0.0	0.0	212.741	2.797	1022.272	1098.952	14.77	-91.686	-89.795	0.0
42	9233	9234	SN	1	48.672	49.48	0.0	0.0	63.489	2.801	1021.784	1098.976	14.733	-91.458	-89.795	0.0
43	9234	9235	SN	1	48.713	49.478	0.0	0.003	282.065	2.616	1022.288	1098.92	14.016	-91.648	-89.778	0.0
44	9234	9235	NS	1	48.692	49.492	0.0	0.003	264.488	2.611	1032.24	1098.888	11.007	-91.917	-89.836	0.0
45	9234	9235	SN	1	48.713	49.478	0.0	0.003	282.065	2.484	1022.288	1098.92	14.189	-91.648	-89.778	0.0
46	9235	9236	SN	1	48.524	49.479	0.0	0.0	281.806	2.517	1019.992	1099.072	15.094	-93.969	-89.77	0.0
47	9235	9236	NS	1	48.693	49.469	0.0	0.003	264.229	2.585	1032.416	1099.04	10.845	-91.727	-89.793	0.0
48	9235	9236	SN	1	48.524	49.479	0.0	0.0	281.806	2.411	1019.992	1099.072	15.224	-93.969	-89.77	0.0
49	9236	9237	SN	1	48.767	49.433	0.0	0.0	250.0	56.318	1086.52	1098.44	31.211	-94.507	-90.447	0.0
50	9236	9237	SN	1	48.557	49.435	0.0	0.0	250.022	22.979	1031.768	1098.44	6.915	-100.055	-89.867	0.025
51	9236	9237	NS	1	48.694	49.79	0.0	0.0	264.356	2.633	1032.544	1101.28	5.498	-94.315	-89.83	0.0
52	9236	9237	NS	1	48.694	49.79	0.0	0.0	264.356	3.211	1032.544	1101.28	10.493	-94.315	-89.83	0.0
53	9236	9237	SN	1	48.696	49.478	0.0	0.0	250.022	2.934	1021.688	1098.808	15.187	-91.519	-89.79	0.0
54	9237	9238	SN	1	48.567	49.55	0.0	0.0	261.637	5.887	1019.032	1098.84	15.015	-93.812	-89.786	0.0
55	9237	9238	SN	1	48.567	49.55	0.0	0.0	261.637	15.963	1019.032	1098.752	18.786	-93.812	-89.786	0.0
56	9237	9238	NS	1	48.694	49.43	0.0	0.0	244.717	3.296	1032.616	1099.104	10.809	-91.53	-89.823	0.0
57	9237	9238	SN	1	48.567	49.55	0.0	0.0	261.637	15.932	1019.032	1098.752	14.365	-93.812	-89.786	0.0
58	9237	9238	NS	1	48.694	49.457	0.0	0.0	244.717	3.183	1032.616	1098.704	7.293	-91.692	-89.823	0.0
59	9238	9239	NS	1	48.686	49.424	0.0	0.0	210.436	2.779	1032.64	1098.68	11.051	-91.943	-89.846	0.0
60	9238	9239	NS	1	48.68	49.424	0.0	0.0	210.436	2.764	1032.744	1098.68	11.044	-91.943	-89.846	0.0
61	9238	9239	SN	1	48.672	49.506	0.0	0.0	182.855	2.613	1020.784	1098.72	15.147	-93.619	-89.786	0.0
62	9238	9239	SN	1	48.672	49.506	0.0	0.0	182.855	2.052	1020.784	1098.72	15.724	-93.619	-89.786	0.0
63	9238	9239	SN	1	48.672	49.506	0.0	0.0	182.855	2.616	1020.784	1098.72	15.163	-93.619	-89.786	0.0
64	9239	9240	NS	1	48.643	49.469	0.0	0.0	267.422	2.729	1031.864	1098.576	9.651	-91.88	-89.853	0.0
65	9239	9240	SN	1	48.667	49.476	0.0	0.003	6.706	1.858	1020.48	1098.624	14.915	-91.66	-89.773	0.0
66	9239	9240	SN	1	48.666	49.475	0.0	0.003	6.706	2.631	1020.464	1098.624	14.225	-91.66	-89.773	0.0
67	9239	9240	NS	1	48.642	49.469	0.0	0.0	267.422	2.716	1031.864	1098.576	9.659	-91.869	-89.853	0.0
68	9239	9240	SN	1	48.667	49.476	0.0	0.003	6.706	2.635	1020.48	1098.624	14.199	-91.66	-89.773	0.0
69	9240	9241	SN	1	48.721	49.476	0.0	0.003	6.717	2.759	1021.504	1098.712	12.955	-91.697	-89.771	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	9240	9241	NS	1	48.631	49.425	0.0	0.0	267.047	2.721	1031.688	1098.68	9.748	-91.868	-89.861	0.0
71	9240	9241	SN	1	48.721	49.476	0.0	0.003	6.717	1.851	1021.504	1098.712	13.713	-91.697	-89.771	0.0
72	9240	9241	SN	1	48.726	49.476	0.0	0.003	6.717	2.756	1021.552	1098.712	12.94	-91.665	-89.771	0.0
73	9241	9242	NS	2	48.645	49.424	0.0	0.003	43.08	2.706	1031.976	1098.704	10.423	-91.909	-89.84	0.0
74	9241	9242	NS	1	48.645	49.424	0.0	0.003	43.08	2.705	1031.976	1098.704	10.423	-91.909	-89.84	0.0
75	9241	9242	SN	1	48.689	49.49	0.0	0.003	30.048	2.695	1021.12	1098.736	12.321	-91.748	-89.72	0.0
76	9242	9243	NS	1	48.669	49.487	0.0	0.003	210.463	2.747	1032.648	1098.576	10.63	-91.85	-89.85	0.0
77	9242	9243	SN	1	48.684	49.503	0.0	0.003	214.021	2.56	1021.024	1098.624	13.974	-91.809	-89.752	0.0
78	9243	9244	NS	1	48.698	49.423	0.0	0.0	267.058	2.793	1033.08	1098.456	10.504	-91.673	-89.83	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																											
					SNR												Kp															
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore						
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)				
1	9219	9220	SN	1	-34.807	25.574	0.198	-33.732	25.516	0.443	-30.8	34.959	15.653	-27.849	29.331	21.249	0.116	293.208	1.695	0.116	228.922	1.544	0.116	116.616	0.158	0.116	59.139	0.107				
2	9219	9220	SN	1	-34.807	25.574	0.189	-33.732	25.516	0.424	-30.8	34.959	15.652	-27.849	29.331	21.251	0.116	293.208	1.622	0.116	228.922	1.478	0.116	116.616	0.158	0.116	59.139	0.107				
3	9219	9220	NS	1	-33.789	27.382	0.021	-34.598	27.532	0.025	-9.908	30.286	17.989	-7.823	33.965	29.526	0.116	231.928	3.284	0.116	279.403	2.903	0.116	1.04	0.002	0.116	0.68	0.0				
4	9219	9220	SN	1	-34.773	25.574	0.189	-34.216	25.516	0.424	-29.561	34.958	15.635	-26.512	29.331	21.232	0.116	290.96	1.622	0.116	255.906	1.48	0.116	87.674	0.155	0.116	43.497	0.107				
5	9220	9221	NS	1	-34.81	25.926	0.031	-34.622	27.255	0.025	-17.468	31.853	13.469	-12.315	30.374	25.641	0.116	293.402	2.503	0.116	280.986	2.225	0.116	5.499	0.007	0.116	1.742	0.003				
6	9220	9221	SN	1	-34.734	24.383	0.053	-34.467	25.529	0.052	-22.62	30.368	9.603	-25.596	30.258	6.498	0.116	288.366	3.633	0.116	271.091	3.309	0.116	17.802	0.018	0.116	35.238	0.011				
7	9220	9221	SN	1	-34.734	24.383	0.052	-34.467	25.529	0.052	-22.62	30.368	9.603	-25.596	30.258	6.498	0.116	288.366	3.579	0.116	271.091	3.268	0.116	17.802	0.018	0.116	35.238	0.011				
8	9220	9221	NS	2	-34.81	25.926	0.031	-34.622	27.255	0.025	-17.468	31.853	13.469	-12.315	30.374	25.641	0.116	293.402	2.503	0.116	280.986	2.226	0.116	5.499	0.007	0.116	1.742	0.003				
9	9220	9221	SN	1	-34.917	24.383	0.053	-34.256	25.529	0.052	-22.671	30.366	9.603	-25.556	30.258	6.5	0.116	300.76	3.632	0.116	258.275	3.304	0.116	18.014	0.018	0.116	34.92	0.011				
10	9221	9222	NS	1	-34.202	24.729	0.005	-34.683	24.848	0.004	-12.465	29.427	10.097	-4.531	30.374	18.706	0.116	255.094	1.803	0.116	284.989	1.347	0.116	1.8	0.004	0.116	0.372	0.0				
11	9221	9222	SN	2	-34.555	22.537	0.002	-34.188	23.215	0.009	6.12	28.904	15.36	7.161	29.211	7.812	0.116	276.695	1.778	0.116	254.237	1.26	0.116	0.135	0.0	0.116	0.131	0.0				
12	9221	9222	NS	1	-34.202	24.732	0.005	-34.683	24.847	0.004	-12.465	29.427	10.094	-4.531	30.374	18.705	0.116	255.094	1.805	0.116	284.989	1.351	0.116	1.8	0.004	0.116	0.372	0.0				
13	9221	9222	SN	1	-34.555	22.537	0.002	-34.188	23.215	0.009	6.12	28.904	15.36	7.161	29.211	7.812	0.116	276.695	1.778	0.116	254.237	1.26	0.116	0.135	0.0	0.116	0.131	0.0				
14	9221	9222	SN	1	-34.555	22.537	0.002	-34.188	23.215	0.009	6.12	28.904	15.36	7.161	29.211	7.816	0.116	276.695	1.804	0.116	254.237	1.276	0.116	0.135	0.0	0.116	0.131	0.0				
15	9222	9223	NS	1	-34.391	22.71	0.003	-34.902	23.369	0.002	-12.243	30.328	6.374	-11.05	30.597	12.596	0.116	266.408	1.94	0.116	299.661	1.892	0.116	1.715	0.003	0.116	1.325	0.001				
16	9222	9223	SN	1	-34.721	22.373	0.002	-32.397	22.86	0.012	2.121	27.223	13.637	2.686	27.537	8.72	0.116	287.379	2.069	0.116	168.358	1.757	0.116	0.166	0.0	0.116	0.159	0.0				
17	9222	9223	NS	1	-32.937	22.676	0.004	-33.203	23.521	0.004	-12.286	30.331	2.328	-11.044	30.598	4.767	0.116	190.607	2.2	0.116	202.691	2.001	0.116	1.731	0.003	0.116	1.323	0.002				
18	9223	9224	NS	1	-34.71	20.755	0.0	-33.846	21.304	0.0	-5.185	27.938	10.769	-6.554	29.356	17.819	0.116	286.733	3.344	0.116	235.009	3.293	0.116	0.415	0.0	0.116	0.532	0.0				
19	9223	9224	NS	1	-34.578	20.755	0.0	-33.846	21.304	0.0	-5.185	27.936	10.771	-6.554	29.356	17.819	0.116	278.14	3.336	0.116	235.009	3.285	0.116	0.415	0.0	0.116	0.532	0.0				
20	9223	9224	SN	1	-34.598	24.14	0.003	-34.294	23.317	0.005	6.601	28.428	15.158	8.068	28.74	17.114	0.116	279.396	3.093	0.116	260.551	2.77	0.116	0.133	0.0	0.116	0.128	0.0				
21	9223	9224	SN	2	-34.598	24.14	0.003	-34.294	23.317	0.005	6.601	28.428	15.162	8.068	28.74	17.116	0.116	279.396	3.093	0.116	260.551	2.771	0.116	0.133	0.0	0.116	0.128	0.0				
22	9224	9225	SN	1	-34.979	20.186	0.0	-34.92	21.024	0.0	5.353	27.732	13.603	7.7	28.807	12.931	0.116	304.995	8.627	0.116	300.917	7.759	0.116	0.139	0.0	0.116	0.129	0.0				
23	9224	9225	NS	1	-34.529	23.051	0.009	-33.348	22.181	0.011	-7.482	35.36	8.077	-8.572	30.758	14.971	0.116	275.035	2.727	0.116	209.567	2.57	0.116	0.636	0.0	0.116	0.79	0.0				
24	9224	9225	NS	2	-34.529	23.051	0.009	-33.372	22.181	0.011	-7.482	35.36	8.077	-8.572	30.758	14.971	0.116	275.035	2.727	0.116	210.708	2.57	0.116	0.636	0.0	0.116	0.79	0.0				
25	9224	9225	SN	1	-34.979	20.186	0.0	-34.872	20.897	0.0	5.353	27.732	14.451	7.7	28.807	13.069	0.116	304.995	8.967	0.116	297.628	8.051	0.116	0.139	0.0	0.116	0.129	0.0				
26	9224	9225	SN	1	-34.979	20.186	0.0	-34.872	21.024	0.0	5.353	27.732	13.672	7.7	28.807	12.965	0.116	304.995	8.626	0.116	297.628	7.762	0.116	0.139	0.0	0.116	0.129	0.0				
27	9225	9226	NS	1	-34.752	25.746	0.055	-34.957	26.036	0.178	7.321	28.592	14.391	8.147	29.978	24.22	0.116	289.419	4.139	0.116	303.562	4.037	0.116	0.13	0.0	0.116	0.128	0.0				
28	9225	9226	SN	1	-34.629	24.706	0.034	-34.928	25.008	0.042	-18.223	32.11	11.519	-14.588	30.009	12.963	0.116	281.453	6.998	0.116	301.465	5.887	0.116	6.526	0.008	0.116	2.876	0.004				
29	9225	9226	SN	1	-34.629	24.706	0.036	-34.928	25.008	0.045	-18.228	32.11	11.66	-14.588	30.042	12.978	0.116	281.453	7.316	0.116	301.465	6.309	0.116	6.533	0.008	0.116	2.876	0.004				
30	9225	9226	NS	1	-34.697	25.746	0.055	-34.816	26.036	0.177	7.33	28.592	14.407	8.147	29.978	24.214	0.116	285.909	4.135	0.116	293.791	4.045	0.116	0.13	0.0	0.116	0.128	0.0				
31	9225	9226	SN	2	-34.629	24.706	0.034	-34.917	25.008	0.042	-18.228	32.11	11.517	-14.582	30.009	12.958	0.116	281.453	7.0	0.116	300.695	5.888	0.116	6.533	0.008	0.116	2.873	0.004				
32	9226	9227	SN	1	-34.773	25.933	0.051	-33.358	25.964	0.057	-18.8	29.941	18.209	-5.951	31.51	26.895	0.116	290.894	2.621	0.116	210.044	2.673	0.116	7.441	0.004	0.116	0.476	0.0				
33	9226	9227	NS	1	-34.648	23.493	0.023	-34.357	25.283	0.031	3.065	28.991	18.093	2.021	29.797	30.92	0.116	282.648	3.371	0.116	264.324	3.065	0.116	0.156	0.0	0.116	0.167	0.0				

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

73	9241	9242	NS	2	-34.642	22.388	0.001	-34.725	23.112	0.022	-2.834	28.866	25.002	1.707	30.584	41.659	0.116	282.245	2.194	0.116	287.68	1.604	0.116	0.285	0.0	0.116	0.171	0.0
74	9241	9242	NS	1	-34.515	22.388	0.001	-33.607	23.112	0.022	-2.834	28.866	25.005	1.707	30.581	41.657	0.116	274.156	2.2	0.116	222.388	1.607	0.116	0.285	0.0	0.116	0.171	0.0
75	9241	9242	SN	1	-34.812	25.043	0.037	-34.966	25.397	0.037	-15.077	29.225	22.692	-11.939	29.921	25.716	0.116	293.485	4.062	0.116	304.139	3.521	0.116	3.209	0.002	0.116	1.605	0.002
76	9242	9243	NS	1	-34.433	27.614	0.026	-34.608	26.166	0.017	-29.422	30.091	13.615	-27.408	29.54	28.461	0.116	268.986	2.787	0.116	280.085	2.327	0.116	84.912	0.303	0.116	53.435	0.17
77	9242	9243	SN	1	-34.552	26.964	0.086	-34.734	27.661	0.092	-5.567	29.245	16.916	-1.066	30.688	16.787	0.116	276.5	2.684	0.116	288.34	2.71	0.116	0.444	0.0	0.116	0.225	0.0
78	9243	9244	NS	1	-34.953	27.845	0.021	-34.772	23.902	0.004	-6.452	28.617	14.357	-24.727	36.383	23.151	0.116	303.217	3.836	0.116	290.793	3.568	0.116	0.522	0.0	0.116	28.859	0.005

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9219	9220	SN	1	57.453	58.364	0.0	0.0	298.83	3.815	1197.16	1292.384	49.979	-93.094	-91.85	0.0
2	9219	9220	SN	1	57.453	58.364	0.0	0.0	298.83	3.927	1197.16	1292.384	48.993	-93.115	-91.85	0.0
3	9219	9220	NS	1	57.414	58.334	0.0	0.0	282.556	3.917	1207.056	1292.328	23.141	-93.724	-91.879	0.0
4	9219	9220	SN	1	57.445	58.364	0.0	0.0	298.83	3.923	1196.976	1292.384	48.941	-93.152	-91.85	0.0
5	9220	9221	NS	1	57.444	58.349	0.0	0.0	296.409	3.527	1207.744	1292.536	22.631	-94.9	-91.84	0.0
6	9220	9221	SN	1	57.462	58.368	0.0	0.0	298.797	3.581	1197.216	1292.6	48.597	-93.285	-91.817	0.0
7	9220	9221	SN	1	57.462	58.368	0.0	0.0	298.797	3.667	1197.216	1292.6	48.185	-93.285	-91.817	0.0
8	9220	9221	NS	2	57.444	58.349	0.0	0.0	296.409	3.519	1207.744	1292.536	22.629	-94.9	-91.84	0.0
9	9220	9221	SN	1	57.463	58.369	0.0	0.0	298.775	3.58	1197.576	1292.592	48.621	-93.285	-91.817	0.0
10	9221	9222	NS	1	57.414	58.329	0.0	0.003	295.648	3.46	1207.072	1292.56	22.328	-93.366	-91.825	0.0
11	9221	9222	SN	2	57.42	58.383	0.0	0.0	299.674	3.624	1197.288	1292.656	47.855	-93.107	-91.857	0.0
12	9221	9222	NS	1	57.414	58.329	0.0	0.003	295.648	3.463	1207.072	1292.56	22.351	-93.366	-91.825	0.0
13	9221	9222	SN	1	57.42	58.383	0.0	0.0	299.674	3.624	1197.288	1292.656	47.855	-93.107	-91.857	0.0
14	9221	9222	SN	1	57.42	58.383	0.0	0.0	298.273	3.524	1197.288	1292.656	48.393	-93.107	-91.857	0.0
15	9222	9223	NS	1	57.445	58.334	0.0	0.0	296.591	3.922	1208.08	1292.408	22.398	-93.365	-91.866	0.0
16	9222	9223	SN	1	57.458	58.361	0.0	0.0	299.31	3.636	1197.168	1292.496	49.04	-93.141	-91.834	0.0
17	9222	9223	NS	1	57.445	58.347	0.0	0.0	296.591	2.002	1208.08	1289.88	9.303	-93.365	-91.866	0.0
18	9223	9224	NS	1	57.431	58.339	0.0	0.0	298.924	3.632	1207.64	1292.328	22.35	-93.184	-91.886	0.0
19	9223	9224	NS	1	57.431	58.327	0.0	0.0	298.924	3.628	1207.64	1292.328	22.324	-93.184	-91.886	0.0
20	9223	9224	SN	1	57.423	58.361	0.0	0.003	292.3	3.62	1196.52	1292.4	48.835	-93.494	-91.855	0.0
21	9223	9224	SN	2	57.423	58.36	0.0	0.0	299.906	3.623	1196.512	1292.368	48.801	-93.494	-91.855	0.0
22	9224	9225	SN	1	57.432	58.373	0.0	0.0	291.098	3.681	1196.32	1292.216	48.389	-95.202	-91.855	0.0
23	9224	9225	NS	1	57.43	58.326	0.0	0.0	299.779	3.671	1207.888	1292.128	21.471	-93.248	-91.877	0.0
24	9224	9225	NS	2	57.43	58.326	0.0	0.0	299.779	3.671	1207.888	1292.128	21.471	-93.248	-91.877	0.0
25	9224	9225	SN	1	57.432	58.373	0.0	0.0	291.098	3.221	1196.32	1292.216	50.411	-93.239	-91.855	0.0
26	9224	9225	SN	1	57.432	58.373	0.0	0.0	291.098	3.675	1196.32	1292.216	48.386	-95.202	-91.855	0.0
27	9225	9226	NS	1	57.412	58.325	0.0	0.0	298.814	3.581	1207.408	1292.136	21.287	-93.366	-91.903	0.0
28	9225	9226	SN	1	57.43	58.37	0.0	0.0	284.155	3.802	1196.696	1292.2	48.088	-93.782	-91.843	0.0
29	9225	9226	SN	1	57.43	58.37	0.0	0.0	284.155	3.43	1196.488	1292.2	49.873	-93.255	-91.843	0.0
30	9225	9226	NS	1	57.415	58.336	0.0	0.0	298.814	3.594	1207.496	1292.136	21.267	-93.366	-91.903	0.0
31	9225	9226	SN	2	57.428	58.368	0.0	0.0	284.271	3.802	1196.664	1292.152	48.031	-93.782	-91.844	0.0
32	9226	9227	SN	1	57.468	58.368	0.0	0.0	299.034	3.038	1197.856	1292.312	48.201	-93.725	-91.799	0.0
33	9226	9227	NS	1	57.309	58.34	0.0	0.0	299.933	3.63	1204.728	1292.208	21.473	-94.286	-91.897	0.0
34	9226	9227	SN	1	57.468	58.368	0.0	0.0	299.034	4.064	1197.856	1292.312	44.816	-94.454	-91.799	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9226	9227	NS	2	57.307	58.338	0.0	0.0	299.321	3.632	1204.672	1292.256	21.575	-94.286	-91.896	0.0
36	9226	9227	SN	1	57.468	58.38	0.0	0.0	299.034	4.059	1197.856	1292.312	44.769	-94.454	-91.799	0.0
37	9227	9228	SN	1	57.451	58.361	0.0	0.0	298.339	3.63	1197.464	1292.272	48.322	-93.477	-91.78	0.0
38	9227	9228	NS	1	57.419	58.327	0.0	0.0	295.339	4.006	1207.704	1292.216	22.64	-95.642	-91.891	0.0
39	9228	9229	NS	1	57.45	58.322	0.0	0.0	294.082	3.69	1208.616	1291.992	22.007	-93.369	-91.892	0.0
40	9233	9234	SN	1	57.46	58.359	0.0	0.0	299.448	3.541	1197.216	1292.088	50.748	-93.176	-91.851	0.0
41	9233	9234	SN	1	57.458	58.357	0.0	0.0	299.558	3.997	1197.016	1292.056	48.923	-94.426	-91.851	0.0
42	9233	9234	SN	1	57.46	58.359	0.0	0.0	299.448	3.998	1197.216	1292.088	48.978	-94.426	-91.851	0.0
43	9234	9235	SN	1	57.458	58.372	0.0	0.0	297.904	3.758	1196.992	1292.024	50.212	-93.285	-91.839	0.0
44	9234	9235	NS	1	57.449	58.338	0.0	0.0	295.389	3.664	1208.8	1291.944	20.711	-93.379	-91.888	0.0
45	9234	9235	SN	1	57.458	58.372	0.0	0.0	297.904	3.662	1196.992	1292.024	50.831	-93.285	-91.839	0.0
46	9235	9236	SN	1	57.188	58.358	0.001	0.0	298.549	3.576	1191.296	1292.216	49.05	-95.174	-91.817	0.0
47	9235	9236	NS	1	57.451	58.338	0.0	0.0	294.496	3.583	1208.992	1292.144	20.004	-93.369	-91.837	0.0
48	9235	9236	SN	1	57.188	58.358	0.001	0.0	298.527	3.48	1191.296	1292.216	49.472	-95.174	-91.817	0.0
49	9236	9237	SN	1	57.731	58.324	0.0	0.0	274.415	71.149	1276.888	1291.616	97.617	-95.292	-92.497	0.0
50	9236	9237	SN	1	57.296	58.325	0.011	0.0	297.275	22.934	1208.672	1291.616	16.547	-102.614	-91.925	0.059
51	9236	9237	NS	1	57.452	58.411	0.0	0.0	295.196	3.502	1209.144	1291.968	14.157	-95.465	-91.871	0.0
52	9236	9237	NS	1	57.452	58.411	0.0	0.0	295.196	4.205	1209.144	1291.968	19.543	-95.465	-91.871	0.0
53	9236	9237	SN	1	57.445	58.358	0.0	0.0	297.275	4.052	1196.2	1291.784	48.798	-94.676	-91.847	0.0
54	9237	9238	SN	1	57.174	58.409	0.002	0.0	296.001	7.05	1191.008	1291.928	49.004	-95.666	-91.845	0.0
55	9237	9238	SN	1	57.174	58.384	0.007	0.0	270.312	17.73	1191.008	1291.832	63.298	-95.661	-91.845	0.0
56	9237	9238	NS	1	57.453	58.324	0.0	0.0	297.44	4.178	1209.216	1292.328	19.72	-95.555	-91.875	0.0
57	9237	9238	SN	1	57.174	58.384	0.005	0.0	291.032	17.333	1191.008	1291.832	49.987	-95.661	-91.845	0.0
58	9237	9238	NS	1	57.453	58.324	0.0	0.0	297.44	3.602	1209.216	1291.616	15.27	-95.555	-91.875	0.0
59	9238	9239	NS	1	57.421	58.324	0.0	0.0	296.249	3.823	1208.584	1291.696	19.783	-93.369	-91.897	0.0
60	9238	9239	NS	1	57.454	58.323	0.0	0.0	296.282	3.817	1209.4	1291.696	19.794	-93.369	-91.897	0.0
61	9238	9239	SN	1	57.23	58.354	0.0	0.0	292.317	3.678	1195.864	1291.784	49.601	-95.154	-91.846	0.0
62	9238	9239	SN	1	57.434	58.354	0.0	0.0	292.317	3.335	1195.864	1291.784	51.26	-95.154	-91.846	0.0
63	9238	9239	SN	1	57.23	58.354	0.0	0.0	292.317	3.68	1195.864	1291.784	49.584	-95.154	-91.846	0.0
64	9239	9240	NS	1	57.421	58.323	0.0	0.0	298.323	3.773	1208.736	1291.576	18.209	-93.255	-91.9	0.0
65	9239	9240	SN	1	57.423	58.353	0.0	0.0	288.048	3.237	1195.52	1291.68	51.067	-93.225	-91.828	0.0
66	9239	9240	SN	1	57.422	58.353	0.0	0.0	299.52	3.77	1195.616	1292.512	48.742	-93.225	-91.828	0.0
67	9239	9240	NS	1	57.437	58.348	0.0	0.0	298.323	3.765	1208.904	1291.576	18.229	-93.266	-91.9	0.0
68	9239	9240	SN	1	57.423	58.353	0.0	0.0	299.52	3.773	1195.64	1291.68	48.726	-93.225	-91.828	0.0
69	9240	9241	SN	1	57.278	58.355	0.0	0.0	299.85	3.923	1195.952	1291.768	48.113	-94.288	-91.826	0.0
70	9240	9241	NS	1	57.416	58.323	0.0	0.0	299.52	3.719	1208.52	1291.648	18.78	-95.617	-91.91	0.0
71	9240	9241	SN	1	57.448	58.355	0.0	0.0	299.85	3.266	1195.952	1291.768	50.903	-93.29	-91.826	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9240	9241	SN	1	57.278	58.355	0.0	0.0	299.85	3.919	1195.952	1291.768	48.06	-94.288	-91.826	0.0
73	9241	9242	NS	2	57.202	58.324	0.001	0.003	299.442	3.684	1202.6	1291.736	19.984	-95.254	-91.892	0.0
74	9241	9242	NS	1	57.42	58.324	0.0	0.003	299.442	3.676	1208.616	1291.736	19.982	-93.472	-91.892	0.0
75	9241	9242	SN	1	57.407	58.355	0.0	0.0	298.163	3.832	1195.2	1291.8	47.678	-95.334	-91.775	0.0
76	9242	9243	NS	1	57.456	58.355	0.0	0.003	295.383	3.839	1209.656	1291.92	20.012	-93.373	-91.903	0.0
77	9242	9243	SN	1	57.401	58.363	0.0	0.0	297.236	3.647	1195.056	1291.656	48.903	-95.324	-91.807	0.0
78	9243	9244	NS	1	57.457	58.322	0.0	0.0	296.497	3.786	1209.8	1291.44	19.175	-93.205	-91.876	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9219	9220	SN	1	-32.109	20.769	0.0	-32.343	19.796	0.0	-29.258	22.509	0.014	-25.63	22.809	0.053	0.086	120.431	1.181	0.086	127.07	1.174	0.086	62.504	0.119	0.086	27.144	0.082
2	9219	9220	SN	1	-34.705	20.769	0.0	-32.343	19.796	0.0	-29.258	22.509	0.014	-25.641	22.809	0.053	0.086	218.858	1.137	0.086	127.07	1.126	0.086	62.504	0.12	0.086	30.442	0.083
3	9219	9220	NS	1	-34.342	20.993	0.0	-34.968	20.003	0.0	-3.471	25.094	0.114	-5.833	27.062	0.129	0.086	201.31	3.278	0.086	232.586	3.382	0.086	0.235	0.0	0.086	0.352	0.0
4	9219	9220	SN	1	-34.895	20.769	0.0	-34.945	19.796	0.0	-29.261	22.509	0.014	-25.732	22.809	0.053	0.086	228.69	1.135	0.086	231.323	1.127	0.086	62.529	0.12	0.086	30.118	0.083
5	9220	9221	NS	1	-34.037	20.241	0.0	-34.891	21.114	0.0	-7.456	21.846	0.0	-16.239	23.151	0.043	0.086	187.649	2.006	0.086	228.423	2.071	0.086	0.479	0.0	0.086	3.179	0.001
6	9220	9221	SN	1	-34.485	18.038	0.0	-34.721	20.052	0.0	-20.326	22.364	0.002	-24.775	22.871	0.063	0.086	208.066	3.88	0.086	219.698	3.162	0.086	8.046	0.016	0.086	22.3	0.01
7	9220	9221	SN	1	-34.485	18.038	0.0	-34.721	20.052	0.0	-20.324	22.364	0.002	-24.775	22.871	0.063	0.086	208.066	3.821	0.086	219.698	3.13	0.086	8.044	0.016	0.086	22.3	0.01
8	9220	9221	NS	2	-34.037	20.241	0.0	-34.891	21.114	0.0	-7.456	21.846	0.0	-16.222	23.151	0.043	0.086	187.649	2.006	0.086	228.423	2.071	0.086	0.479	0.0	0.086	3.167	0.001
9	9220	9221	SN	1	-34.493	18.038	0.0	-34.577	20.052	0.0	-20.32	22.364	0.002	-24.69	22.871	0.063	0.086	208.486	3.883	0.086	212.554	3.164	0.086	8.036	0.016	0.086	21.866	0.01
10	9221	9222	NS	1	-34.778	15.456	0.0	-34.521	16.219	0.0	-7.435	20.998	0.0	-11.706	22.59	0.021	0.087	222.584	1.806	0.087	209.804	1.542	0.086	0.477	0.0	0.086	1.162	0.003
11	9221	9222	SN	2	-34.932	16.502	0.0	-33.986	16.477	0.0	1.68	22.025	0.005	2.033	22.696	0.081	0.087	230.622	1.424	0.087	185.503	1.102	0.086	0.128	0.0	0.086	0.129	0.0
12	9221	9222	NS	1	-34.778	15.458	0.0	-34.369	16.221	0.0	-7.435	20.998	0.0	-11.706	22.59	0.021	0.087	222.584	1.806	0.087	202.631	1.547	0.086	0.477	0.0	0.086	1.162	0.003
13	9221	9222	SN	1	-34.932	16.502	0.0	-33.986	16.477	0.0	1.68	22.025	0.005	2.033	22.696	0.081	0.087	230.622	1.424	0.087	185.503	1.102	0.086	0.128	0.0	0.086	0.129	0.0
14	9221	9222	SN	1	-34.932	16.502	0.0	-33.986	16.477	0.0	1.68	22.025	0.005	2.033	22.696	0.081	0.087	230.622	1.447	0.087	185.503	1.113	0.086	0.128	0.0	0.086	0.129	0.0
15	9222	9223	NS	1	-34.598	17.788	0.0	-32.313	17.83	0.0	-13.7	21.906	0.0	-22.332	22.43	0.012	0.086	213.554	1.214	0.086	126.228	1.367	0.086	1.801	0.01	0.086	12.733	0.022
16	9222	9223	SN	1	-34.988	16.289	0.0	-34.417	17.144	0.0	0.894	22.586	0.05	1.874	22.876	0.133	0.087	233.606	1.651	0.087	204.846	1.702	0.086	0.136	0.0	0.086	0.126	0.0
17	9222	9223	NS	1	-34.106	14.952	0.0	-32.802	17.837	0.0	-13.828	21.722	0.0	-22.889	22.149	0.003	0.087	190.73	1.26	0.086	141.249	1.515	0.086	1.853	0.011	0.086	14.469	0.028
18	9223	9224	NS	1	-34.026	14.644	0.0	-34.979	15.23	0.0	-22.884	23.218	0.006	-15.872	22.413	0.009	0.088	191.996	2.83	0.087	233.139	3.22	0.086	14.456	0.014	0.086	2.927	0.007
19	9223	9224	NS	1	-34.034	14.644	0.0	-34.979	15.23	0.0	-22.888	23.218	0.006	-15.872	22.415	0.009	0.088	187.551	2.824	0.087	233.139	3.215	0.086	14.465	0.014	0.086	2.927	0.007
20	9223	9224	SN	1	-34.827	16.527	0.0	-34.686	16.501	0.0	1.088	21.994	0.0	1.894	22.888	0.23	0.087	225.141	3.269	0.087	225.455	3.064	0.086	0.134	0.0	0.086	0.125	0.0
21	9223	9224	SN	2	-34.806	16.527	0.0	-34.69	16.501	0.0	1.088	21.994	0.0	1.894	22.888	0.23	0.087	224.026	3.272	0.087	225.609	3.065	0.086	0.134	0.0	0.086	0.125	0.0
22	9224	9225	SN	1	-34.852	16.2	0.0	-34.841	17.345	0.0	0.514	22.147	0.007	2.961	22.634	0.01	0.087	226.456	7.328	0.087	225.861	6.75	0.086	0.142	0.0	0.086	0.116	0.0
23	9224	9225	NS	1	-33.786	19.168	0.0	-33.976	17.508	0.0	-29.373	21.81	0.0	-23.95	22.928	0.054	0.086	177.167	3.004	0.087	185.099	3.097	0.086	64.152	0.082	0.086	18.453	0.029
24	9224	9225	NS	2	-33.786	19.168	0.0	-33.976	17.508	0.0	-29.373	21.81	0.0	-23.95	22.928	0.054	0.086	177.167	3.004	0.087	185.099	3.097	0.086	64.152	0.082	0.086	18.453	0.029
25	9224	9225	SN	1	-34.852	16.2	0.0	-34.841	17.345	0.0	0.514	22.147	0.008	2.961	22.634	0.01	0.087	226.456	7.563	0.087	225.861	7.005	0.086	0.142	0.0	0.086	0.116	0.0
26	9224	9225	SN	1	-34.852	16.2	0.0	-34.841	17.345	0.0	0.514	22.147	0.007	2.961	22.634	0.01	0.087	226.456	7.328	0.087	225.861	6.753	0.086	0.142	0.0	0.086	0.117	0.0
27	9225	9226	NS	1	-34.9	18.849	0.0	-34.931	19.46	0.0	2.397	22.212	0.039	1.902	22.543	0.166	0.086	228.923	3.751	0.086	230.602	4.012	0.086	0.121	0.0	0.086	0.125	0.0
28	9225	9226	SN	1	-34.871	18.357	0.0	-34.728	18.269	0.0	-19.698	23.153	0.16	-10.553	23.818	0.454	0.086	227.397	5.28	0.086	220.062	4.603	0.086	7.487	0.007	0.086	0.975	0.0
29	9225	9226	SN	1	-34.871	18.357	0.0	-34.728	18.269	0.0	-19.684	23.153	0.163	-10.553	23.818	0.454	0.086	227.397	5.524	0.086	220.062	4.898	0.086	7.464	0.007	0.086	0.975	0.0
30	9225	9226	NS	1	-34.75	18.849	0.0	-34.79	19.458	0.0	2.395	22.212	0.047	1.9	22.543	0.165	0.086	221.193	3.751	0.086	223.261	4.015	0.086	0.121	0.0	0.086	0.125	0.0
31	9225	9226	SN	2	-34.872	18.357	0.0	-34.789	18.269	0.0	-19.696	23.153	0.16	-10.57	23.818	0.454	0.086	227.436	5.282	0.086	223.115	4.6	0.086	7.485	0.007	0.086	0.979	0.0
32	9226	9227	SN	1	-34.798	18.543	0.0	-34.993	18.38	0.0	-33.627	23.272	0.1	-17.351	23.762	0.65	0.086	223.588	2.421	0.086	239.862	2.669	0.086	170.761	0.004	0.086	4.088	0.006

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	9240	9241	NS	1	-34.515	19.004	0.0	-34.731	20.316	0.0	2.07	22.976	0.021	1.297	22.817	0.166	0.086	209.482	3.092	0.086	220.224	3.034	0.086	0.124	0.0	0.086	0.132	0.0
71	9240	9241	SN	1	-34.908	19.178	0.0	-34.993	18.612	0.0	-32.103	24.352	0.262	-22.015	24.268	0.987	0.086	229.315	4.993	0.086	233.877	5.249	0.086	120.27	0.005	0.086	11.844	0.002
72	9240	9241	SN	1	-34.886	19.178	0.0	-33.941	18.612	0.0	-33.666	24.35	0.254	-21.211	24.268	0.985	0.086	228.204	4.691	0.086	183.594	4.993	0.086	172.334	0.005	0.086	9.851	0.002
73	9241	9242	NS	2	-33.769	22.189	0.001	-34.082	17.024	0.0	-1.876	22.446	0.027	-17.199	23.516	0.692	0.086	176.492	1.801	0.087	189.603	1.495	0.086	0.187	0.0	0.086	3.95	0.004
74	9241	9242	NS	1	-33.673	22.19	0.001	-33.93	17.024	0.0	-1.876	22.446	0.027	-17.14	23.516	0.694	0.086	172.634	1.802	0.087	183.133	1.499	0.086	0.187	0.0	0.086	3.897	0.004
75	9241	9242	SN	1	-34.314	19.46	0.0	-34.4	19.098	0.0	-16.336	22.853	0.064	-7.302	23.804	0.488	0.086	200.042	3.352	0.086	204.098	3.275	0.086	3.49	0.013	0.086	0.523	0.0
76	9242	9243	NS	1	-34.281	20.086	0.0	-34.973	19.54	0.0	-30.774	22.43	0.04	-30.154	23.846	1.086	0.086	198.564	2.156	0.086	232.836	1.655	0.086	88.582	0.148	0.086	76.789	0.1
77	9242	9243	SN	1	-34.813	20.636	0.0	-34.342	21.612	0.0	-7.291	23.096	0.063	-9.633	23.405	0.102	0.086	251.093	2.887	0.086	201.32	2.902	0.086	0.481	0.0	0.086	0.803	0.0
78	9243	9244	NS	1	-34.982	18.555	0.0	-34.8	20.319	0.0	-12.538	22.37	0.011	-9.033	24.259	0.8	0.086	233.27	4.492	0.086	223.724	4.033	0.086	1.394	0.008	0.086	0.659	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors