

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-JUN-2018 To 27-JUN-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-JUN-2018 To 27-JUN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9248	9249	SN	1	48.663	49.474	0.0	0.0	282.285	2.545	1020.6	1098.376	15.687	-91.82	-89.777	0.0
2	9248	9249	SN	1	48.602	49.502	0.0	0.0	282.285	2.759	1019.504	1098.376	15.366	-91.82	-89.777	0.0
3	9248	9249	NS	1	48.698	49.483	0.0	0.003	264.113	2.709	1033.104	1098.336	11.087	-91.928	-89.844	0.0
4	9249	9250	SN	1	48.625	49.474	0.0	0.003	6.734	2.458	1019.8	1098.552	15.353	-91.508	-89.749	0.0
5	9249	9250	SN	1	48.625	49.474	0.0	0.003	6.728	2.561	1019.808	1098.544	15.167	-91.508	-89.749	0.0
6	9249	9250	NS	1	48.699	49.424	0.0	0.0	264.157	2.663	1033.272	1098.512	10.632	-91.737	-89.812	0.0
7	9250	9251	SN	2	48.531	49.53	0.0	0.003	282.153	2.527	1019.88	1098.6	16.635	-92.237	-89.783	0.0
8	9250	9251	NS	1	48.699	49.486	0.0	0.003	210.348	2.583	1033.4	1098.536	10.808	-91.831	-89.8	0.0
9	9250	9251	NS	1	48.699	49.483	0.0	0.003	210.348	2.58	1033.4	1098.536	10.797	-91.887	-89.8	0.0
10	9250	9251	SN	1	48.531	49.53	0.0	0.003	282.153	2.527	1019.88	1098.6	16.635	-92.237	-89.783	0.0
11	9251	9252	NS	1	48.701	49.48	0.0	0.003	13.804	2.638	1033.568	1098.408	10.585	-91.886	-89.836	0.0
12	9251	9252	SN	2	48.641	49.472	0.0	0.003	6.723	2.574	1019.656	1098.456	16.902	-94.205	-89.762	0.0
13	9251	9252	SN	1	48.641	49.472	0.0	0.003	6.723	2.572	1019.664	1098.456	16.879	-94.205	-89.762	0.0
14	9251	9252	NS	1	48.701	49.436	0.0	0.003	13.804	2.64	1033.568	1098.408	10.596	-91.816	-89.836	0.0
15	9252	9253	SN	1	48.606	49.484	0.0	0.0	29.594	2.563	1019.528	1098.344	16.726	-91.936	-89.78	0.0
16	9252	9253	NS	1	48.664	49.426	0.0	0.0	49.448	2.752	1033.08	1098.312	10.927	-91.933	-89.86	0.0
17	9252	9253	NS	1	48.664	49.426	0.0	0.0	49.448	2.749	1033.08	1098.312	10.915	-91.857	-89.86	0.0
18	9252	9253	SN	1	48.601	49.471	0.0	0.0	29.594	2.551	1019.128	1098.352	16.742	-91.936	-89.78	0.0
19	9253	9254	SN	1	48.622	49.473	0.0	0.003	6.706	1.903	1019.376	1098.184	17.067	-91.666	-89.78	0.0
20	9253	9254	SN	1	48.622	49.473	0.0	0.003	6.706	2.589	1019.376	1098.184	16.314	-91.465	-89.78	0.0
21	9253	9254	NS	1	48.702	49.462	0.0	0.003	42.557	2.664	1033.704	1098.144	10.299	-91.893	-89.846	0.0
22	9253	9254	NS	2	48.702	49.462	0.0	0.003	42.557	2.665	1033.704	1098.144	10.302	-91.893	-89.846	0.0
23	9253	9254	SN	1	48.622	49.473	0.0	0.003	6.706	2.591	1019.376	1098.184	16.329	-91.465	-89.78	0.0
24	9254	9255	SN	1	48.615	49.498	0.0	0.003	6.695	1.678	1019.352	1098.176	14.682	-91.695	-89.775	0.0
25	9254	9255	SN	1	48.614	49.498	0.0	0.003	214.23	2.662	1019.344	1098.16	13.802	-91.892	-89.775	0.0
26	9254	9255	NS	2	48.652	49.489	0.0	0.003	210.48	2.586	1032.944	1098.128	9.637	-91.841	-89.871	0.0
27	9254	9255	SN	1	48.615	49.498	0.0	0.003	6.695	2.662	1019.352	1098.176	13.799	-91.892	-89.775	0.0
28	9254	9255	NS	1	48.652	49.489	0.0	0.003	210.48	2.586	1032.944	1098.128	9.639	-91.841	-89.871	0.0
29	9255	9256	SN	1	48.61	49.474	0.0	0.003	280.94	2.746	1019.368	1098.272	13.512	-91.752	-89.729	0.0
30	9255	9256	NS	1	48.647	49.45	0.0	0.003	264.499	2.632	1032.744	1098.256	9.666	-92.041	-89.854	0.0
31	9255	9256	SN	1	48.61	49.474	0.0	0.003	280.94	1.671	1019.368	1098.272	14.729	-91.752	-89.729	0.0
32	9255	9256	NS	2	48.648	49.45	0.0	0.003	42.678	2.629	1032.752	1098.248	9.657	-92.04	-89.854	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors





33	9255	9256	SN	1	48.61	49.474	0.0	0.003	280.94	2.744	1019.368	1098.272	13.496	-91.744	-89.729	0.0
34	9256	9257	SN	1	48.553	49.483	0.0	0.0	84.109	2.56	1018.528	1098.216	14.3	-91.952	-89.711	0.0
35	9256	9257	NS	1	48.658	49.424	0.0	0.0	47.876	2.843	1032.44	1098.184	10.622	-91.923	-89.848	0.0
36	9257	9258	NS	1	48.7	49.443	0.0	0.003	16.016	2.723	1034.064	1097.968	10.346	-91.834	-89.855	0.0
37	9262	9263	SN	1	48.556	49.469	0.0	0.003	6.701	2.114	1018.216	1098.032	16.536	-91.793	-89.782	0.0
38	9262	9263	SN	1	48.556	49.522	0.0	0.003	6.701	2.74	1018.216	1098.032	15.887	-91.797	-89.782	0.0
39	9262	9263	SN	1	48.556	49.469	0.0	0.003	6.701	2.742	1018.216	1098.032	15.905	-91.793	-89.782	0.0
40	9263	9264	SN	1	48.543	49.467	0.0	0.003	280.862	2.604	1017.848	1097.968	16.521	-91.779	-89.76	0.0
41	9263	9264	SN	1	48.543	49.525	0.0	0.003	280.862	2.476	1017.848	1097.968	16.734	-91.73	-89.76	0.0
42	9263	9264	SN	1	48.543	49.525	0.0	0.003	280.862	2.607	1017.848	1097.968	16.539	-91.73	-89.76	0.0
43	9263	9264	NS	1	48.704	49.474	0.0	0.003	264.334	2.611	1034.176	1097.928	10.555	-91.717	-89.856	0.0
44	9264	9265	NS	1	48.705	49.433	0.0	0.003	20.014	2.569	1034.344	1098.048	10.455	-91.866	-89.807	0.0
45	9264	9265	SN	1	48.53	49.486	0.0	0.003	281.701	2.53	1017.392	1098.112	17.406	-91.829	-89.763	0.0
46	9264	9265	SN	1	48.53	49.486	0.0	0.003	281.701	2.413	1017.392	1098.112	17.573	-91.829	-89.763	0.0
47	9264	9265	SN	1	48.53	49.486	0.0	0.003	281.701	2.402	1017.392	1098.112	17.591	-91.829	-89.763	0.0
48	9264	9265	NS	1	48.705	49.426	0.0	0.003	20.014	2.573	1034.336	1098.056	10.475	-91.866	-89.807	0.0
49	9265	9266	SN	2	48.526	49.476	0.0	0.003	6.734	2.557	1017.152	1098.024	18.343	-92.58	-89.775	0.0
50	9265	9266	NS	1	48.707	49.43	0.0	0.0	210.436	2.691	1034.48	1097.976	10.476	-91.927	-89.85	0.0
51	9265	9266	SN	1	48.526	49.476	0.0	0.003	6.734	2.347	1017.152	1098.024	18.608	-91.773	-89.775	0.0
52	9265	9266	SN	1	48.526	49.476	0.0	0.003	6.734	2.557	1017.152	1098.024	18.343	-92.58	-89.775	0.0
53	9266	9267	SN	1	48.515	49.464	0.0	0.003	6.717	2.547	1016.944	1097.864	18.139	-91.565	-89.772	0.0
54	9266	9267	SN	2	48.515	49.464	0.0	0.003	6.717	2.548	1016.952	1097.864	18.125	-91.565	-89.772	0.0
55	9266	9267	SN	1	48.515	49.464	0.0	0.003	6.717	2.192	1016.952	1097.864	18.573	-91.706	-89.772	0.0
56	9266	9267	NS	1	48.707	49.427	0.0	0.003	267.003	2.655	1034.6	1097.816	10.615	-91.654	-89.844	0.0
57	9267	9268	SN	1	48.504	49.501	0.0	0.003	6.701	2.562	1016.768	1097.744	17.79	-93.669	-89.773	0.0
58	9267	9268	NS	1	48.707	49.426	0.0	0.003	42.107	2.692	1034.68	1097.704	10.518	-91.757	-89.866	0.0
59	9267	9268	NS	2	48.707	49.426	0.0	0.003	42.107	2.692	1034.576	1097.704	10.494	-91.757	-89.866	0.0
60	9267	9268	SN	1	48.504	49.501	0.0	0.003	6.701	2.564	1016.768	1097.744	17.779	-93.669	-89.773	0.0
61	9267	9268	SN	1	48.504	49.501	0.0	0.003	6.701	2.012	1016.768	1097.744	18.421	-91.808	-89.773	0.0
62	9268	9269	SN	1	48.491	49.464	0.0	0.003	215.548	1.805	1016.648	1097.624	16.985	-91.584	-89.757	0.0
63	9268	9269	SN	1	48.491	49.462	0.0	0.003	215.548	2.652	1016.64	1097.624	16.094	-91.584	-89.758	0.0
64	9268	9269	NS	1	48.671	49.458	0.0	0.0	208.996	2.714	1034.184	1097.592	9.045	-91.923	-89.874	0.0
65	9268	9269	SN	1	48.491	49.464	0.0	0.003	215.548	2.656	1016.648	1097.624	16.085	-91.584	-89.757	0.0
66	9268	9269	NS	2	48.671	49.458	0.0	0.0	208.996	2.713	1034.184	1097.592	9.042	-91.923	-89.874	0.0
67	9269	9270	SN	1	48.766	49.464	0.0	0.003	6.684	8.0	1027.072	1097.728	8.157	-91.41	-89.835	0.0
68	9269	9270	SN	1	48.478	49.477	0.0	0.003	28.234	2.773	1016.568	1097.728	14.263	-91.579	-89.762	0.0
69	9269	9270	NS	1	48.643	49.484	0.0	0.003	11.35	2.569	1033.632	1097.696	9.145	-91.828	-89.877	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

70	9270	9271	NS	2	48.656	49.45	0.0	0.003	11.587	2.646	1033.824	1097.696	9.853	-91.884	-89.853	0.0
71	9270	9271	SN	2	48.463	49.494	0.0	0.003	281.69	2.755	1016.4	1097.736	12.81	-91.772	-89.707	0.0
72	9270	9271	NS	1	48.656	49.45	0.0	0.003	11.587	2.646	1033.824	1097.696	9.853	-91.884	-89.853	0.0
73	9270	9271	SN	1	48.463	49.494	0.0	0.003	281.69	2.755	1016.4	1097.736	12.81	-91.772	-89.707	0.0
74	9271	9272	NS	2	48.677	49.425	0.0	0.003	267.058	2.737	1034.448	1097.576	9.927	-92.205	-89.862	0.0
75	9271	9272	SN	1	48.449	49.514	0.0	0.003	215.339	2.583	1016.16	1097.616	15.408	-91.728	-89.74	0.0
76	9271	9272	NS	1	48.677	49.425	0.0	0.003	267.058	2.737	1034.448	1097.576	9.927	-92.205	-89.862	0.0
77	9272	9273	NS	1	48.71	49.461	0.0	0.0	264.213	2.781	1035.032	1097.464	9.688	-91.818	-89.851	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

SrNo	Start Orbit	End Orbit	Dir.	Ver.	Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)		
1	9248	9249	SN	1	-34.272	26.044	0.203	-33.29	26.026	0.444	-33.268	35.595	16.205	-29.216	29.591	21.921	0.116	259.24	1.355	0.116	206.767	0.9	0.116	205.708	0.133	0.116	80.995	0.139
2	9248	9249	SN	1	-34.928	26.044	0.192	-32.815	26.026	0.422	-33.45	35.595	16.202	-26.277	29.591	21.902	0.116	301.46	1.296	0.116	185.372	0.861	0.116	214.568	0.131	0.116	41.209	0.139
3	9248	9249	NS	1	-34.499	27.436	0.02	-34.097	27.767	0.025	1.832	33.069	18.632	2.185	34.531	31.486	0.116	273.126	4.216	0.116	248.952	3.595	0.116	0.17	0.0	0.116	0.165	0.0
4	9249	9250	SN	1	-33.302	24.944	0.056	-34.269	26.228	0.063	-5.549	31.217	9.843	5.511	30.014	7.038	0.116	207.364	2.155	0.116	259.071	1.934	0.116	0.443	0.0	0.116	0.138	0.0
5	9249	9250	SN	1	-33.092	24.944	0.055	-34.269	26.228	0.063	-5.549	31.217	9.843	5.511	30.014	7.042	0.116	197.583	2.124	0.116	259.071	1.907	0.116	0.443	0.0	0.116	0.138	0.0
6	9249	9250	NS	1	-34.762	26.542	0.032	-34.768	27.916	0.027	-18.567	32.993	14.594	-14.492	30.049	26.781	0.116	290.234	3.844	0.116	290.654	3.535	0.116	7.057	0.012	0.116	2.816	0.006
7	9250	9251	SN	2	-34.591	23.376	0.006	-34.82	22.85	0.011	7.081	29.314	15.785	8.309	29.774	8.298	0.116	278.909	2.283	0.116	294.033	1.866	0.116	0.131	0.0	0.116	0.127	0.0
8	9250	9251	NS	1	-33.78	25.1	0.002	-34.253	23.855	0.003	-18.505	28.399	9.964	-4.491	29.534	18.824	0.116	231.458	1.559	0.116	258.101	1.022	0.116	6.956	0.005	0.116	0.369	0.0
9	9250	9251	NS	1	-34.81	25.099	0.002	-33.859	23.855	0.003	-18.505	28.399	9.96	-4.491	29.534	18.821	0.116	293.46	1.561	0.116	235.684	1.043	0.116	6.956	0.005	0.116	0.369	0.0
10	9250	9251	SN	1	-34.591	23.376	0.006	-34.82	22.85	0.011	7.081	29.314	15.785	8.309	29.774	8.298	0.116	278.909	2.283	0.116	294.033	1.866	0.116	0.131	0.0	0.116	0.127	0.0
11	9251	9252	NS	1	-34.275	22.966	0.002	-33.622	22.966	0.002	-7.11	30.584	6.311	-13.703	31.389	12.488	0.116	259.431	2.535	0.116	223.205	2.087	0.116	0.592	0.0	0.116	2.364	0.001
12	9251	9252	SN	2	-34.919	22.265	0.002	-34.857	23.572	0.01	-0.196	27.407	13.633	0.87	27.918	9.224	0.116	300.768	4.286	0.116	296.559	3.821	0.116	0.204	0.0	0.116	0.184	0.0
13	9251	9252	SN	1	-34.919	22.265	0.002	-34.857	23.572	0.01	-0.196	27.407	13.633	0.87	27.918	9.223	0.116	300.768	4.286	0.116	296.559	3.821	0.116	0.204	0.0	0.116	0.184	0.0
14	9251	9252	NS	1	-34.275	22.966	0.002	-33.088	22.967	0.002	-7.11	30.584	6.319	-13.703	31.389	12.488	0.116	259.431	2.54	0.116	197.403	2.078	0.116	0.592	0.0	0.116	2.364	0.001
15	9252	9253	SN	1	-34.959	22.857	0.002	-34.801	23.997	0.006	0.588	28.27	15.361	7.742	28.635	17.436	0.116	303.662	3.05	0.116	292.786	2.561	0.116	0.189	0.0	0.116	0.129	0.0
16	9252	9253	NS	1	-34.773	21.313	0.0	-33.859	21.743	0.0	-21.661	28.358	9.196	-17.256	29.469	16.509	0.116	290.94	2.358	0.116	235.726	2.042	0.116	14.292	0.022	0.116	5.242	0.016
17	9252	9253	NS	1	-34.331	21.313	0.0	-33.859	21.742	0.0	-21.661	28.358	9.186	-17.256	29.469	16.504	0.116	262.768	2.356	0.116	235.726	2.04	0.116	14.292	0.022	0.116	5.242	0.016
18	9252	9253	SN	1	-34.413	22.856	0.002	-34.95	23.997	0.006	0.584	28.269	15.216	7.742	28.637	17.429	0.116	267.739	3.051	0.116	303.006	2.565	0.116	0.189	0.0	0.116	0.129	0.0
19	9253	9254	SN	1	-34.895	20.121	0.0	-34.266	20.184	0.0	0.953	27.908	14.577	4.135	28.877	13.01	0.116	299.241	4.899	0.116	258.854	4.296	0.116	0.182	0.0	0.116	0.146	0.0
20	9253	9254	SN	1	-34.874	20.885	0.0	-34.266	21.426	0.0	0.819	27.908	13.768	4.132	28.877	12.835	0.116	297.752	4.788	0.116	258.854	4.176	0.116	0.185	0.0	0.116	0.146	0.0
21	9253	9254	NS	1	-34.651	23.32	0.018	-34.438	23.354	0.019	-9.289	31.647	7.931	-6.237	31.163	14.793	0.116	282.892	3.474	0.116	269.276	3.003	0.116	0.915	0.0	0.116	0.502	0.0
22	9253	9254	NS	2	-34.651	23.32	0.018	-34.438	23.354	0.019	-9.289	31.647	7.931	-6.237	31.163	14.793	0.116	282.892	3.475	0.116	269.276	3.0	0.116	0.915	0.0	0.116	0.502	0.0
23	9253	9254	SN	1	-34.874	20.886	0.0	-34.962	21.426	0.0	0.819	27.908	13.791	4.132	28.877	12.906	0.116	297.752	4.784	0.116	303.836	4.177	0.116	0.185	0.0	0.116	0.146	0.0
24	9254	9255	SN	1	-34.998	25.001	0.027	-34.69	24.964	0.038	-14.074	32.582	12.933	-10.875	29.333	14.761	0.116	306.313	10.368	0.116	285.423	9.501	0.116	2.566	0.007	0.116	1.276	0.002
25	9254	9255	SN	1	-34.772	25.001	0.026	-34.595	24.964	0.034	-13.991	32.582	12.324	-10.841	29.333	14.698	0.116	290.822	9.692	0.116	279.216	8.782	0.116	2.519	0.007	0.116	1.267	0.002
26	9254	9255	NS	2	-34.985	25.671	0.067	-34.558	26.66	0.212	6.092	28.185	14.472	7.404	29.797	23.959	0.116	305.493	5.119	0.116	276.865	4.027	0.116	0.135	0.0	0.116	0.13	0.0
27	9254	9255	SN	1	-34.998	25.001	0.026	-34.69	24.964	0.034	-14.074	32.582	12.351	-10.875	29.333	14.735	0.116	306.313	9.694	0.116	285.423	8.778	0.116	2.566	0.007	0.116	1.276	0.002
28	9254	9255	NS	1	-34.985	25.671	0.067	-34.558	26.66	0.212	6.096	28.185	14.472	7.404	29.797	23.959	0.116	305.493	5.121	0.116	276.865	4.029	0.116	0.135	0.0	0.116	0.13	0.0
29	9255	9256	SN	1	-33.961	27.237	0.046	-34.377	25.919	0.05	-22.397	29.302	20.24	-22.468	32.246	27.972	0.116	241.32	3.168	0.116	265.6	3.446	0.116	16.917	0.014	0.116	17.196	0.012
30	9255	9256	NS	1	-34.959	24.232	0.021	-34.456	24.933	0.031	4.555	29.396	18.537	3.63	29.565	31.015	0.116	303.646	4.332	0.116	270.395	3.963	0.116	0.144	0.0	0.116	0.15	0.0
31	9255	9256	SN	1	-33.961	27.237	0.051	-34.274	25.919	0.059	-23.728	29.302	21.715	-20.533	32.246	28.182	0.116	241.32	3.417	0.116	259.345	3.487	0.116	22.95	0.014	0.116	11.045	0.012
32	9255	9256	NS	2	-34.959	24.232	0.021	-34.456	24.933	0.031	4.555	29.396	18.539	3.63	29.565	31.013	0.116	303.646	4.332	0.116	270.395	3.963	0.116	0.144	0.0	0.116	0.15	0.0
33	9255	9256	SN	1	-33.7	27.237	0.046	-34.365	25.919	0.05	-22.541	29.302	20.215	-21.586	32.249	27.955	0.116	227.245	3.158	0.116	264.808	3.433	0.116	17.487	0.014	0.116	14.054	0.012

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	9270	9271	SN	1	-33.212	25.824	0.039	-34.928	25.685	0.038	-7.766	29.834	23.233	-0.652	30.158	27.428	0.116	203.086	1.641	0.116	301.51	1.615	0.116	0.672	0.0	0.116	0.215	0.0
74	9271	9272	NS	2	-34.857	27.665	0.043	-34.789	27.842	0.033	-34.365	30.322	14.325	-31.82	30.988	29.954	0.116	296.573	3.764	0.116	291.995	3.295	0.116	264.772	0.416	0.116	147.434	0.325
75	9271	9272	SN	1	-34.574	27.091	0.087	-34.857	27.743	0.094	-24.045	30.39	16.933	-6.825	30.114	16.176	0.116	277.835	2.917	0.116	296.543	2.684	0.116	24.684	0.004	0.116	0.56	0.0
76	9271	9272	NS	1	-34.857	27.665	0.043	-34.789	27.842	0.033	-34.365	30.322	14.325	-31.82	30.988	29.954	0.116	296.573	3.764	0.116	291.995	3.295	0.116	264.772	0.416	0.116	147.434	0.325
77	9272	9273	NS	1	-34.724	26.196	0.021	-34.666	26.589	0.019	-11.641	28.549	14.244	-7.917	33.668	23.205	0.116	287.664	3.113	0.116	283.9	3.268	0.116	1.505	0.003	0.116	0.693	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9248	9249	SN	1	57.371	58.35	0.0	0.0	298.047	3.847	1193.968	1291.352	51.21	-93.187	-91.834	0.0
2	9248	9249	SN	1	57.39	58.35	0.0	0.0	298.047	3.96	1194.528	1291.352	50.21	-93.187	-91.834	0.0
3	9248	9249	NS	1	57.423	58.339	0.0	0.003	298.422	3.724	1208.984	1291.264	19.335	-93.863	-91.895	0.0
4	9249	9250	SN	1	57.381	58.352	0.0	0.0	297.231	3.623	1194.088	1291.576	50.006	-93.523	-91.804	0.0
5	9249	9250	SN	1	57.381	58.352	0.0	0.0	297.203	3.727	1194.096	1291.568	49.539	-93.523	-91.804	0.0
6	9249	9250	NS	1	57.454	58.324	0.0	0.0	299.812	3.654	1209.92	1291.48	17.912	-93.374	-91.859	0.0
7	9250	9251	SN	2	57.362	58.36	0.0	0.0	296.133	3.635	1193.48	1291.632	48.961	-94.166	-91.841	0.0
8	9250	9251	NS	1	57.443	58.362	0.0	0.003	293.415	3.497	1209.72	1291.504	17.97	-93.374	-91.845	0.0
9	9250	9251	NS	1	57.443	58.354	0.0	0.003	293.415	3.494	1209.72	1291.504	17.954	-93.374	-91.845	0.0
10	9250	9251	SN	1	57.362	58.36	0.0	0.0	296.133	3.635	1193.48	1291.632	48.961	-94.166	-91.841	0.0
11	9251	9252	NS	1	57.461	58.344	0.0	0.0	295.461	3.566	1210.384	1291.352	18.842	-93.374	-91.885	0.0
12	9251	9252	SN	2	57.35	58.356	0.0	0.0	294.76	3.651	1193.168	1291.456	49.939	-94.74	-91.817	0.0
13	9251	9252	SN	1	57.35	58.357	0.0	0.0	294.777	3.652	1193.176	1291.456	49.922	-94.74	-91.817	0.0
14	9251	9252	NS	1	57.461	58.349	0.0	0.0	295.461	3.57	1210.384	1291.352	18.861	-93.374	-91.885	0.0
15	9252	9253	SN	1	57.302	58.348	0.0	0.0	294.231	3.643	1192.96	1291.32	49.52	-94.519	-91.839	0.0
16	9252	9253	NS	1	57.434	58.325	0.0	0.0	298.814	3.812	1209.696	1291.232	19.242	-93.275	-91.906	0.0
17	9252	9253	NS	1	57.434	58.325	0.0	0.0	298.814	3.808	1209.696	1291.232	19.22	-93.278	-91.906	0.0
18	9252	9253	SN	1	57.302	58.351	0.0	0.0	294.28	3.63	1192.24	1291.328	49.468	-94.519	-91.839	0.0
19	9253	9254	SN	1	57.332	58.346	0.0	0.0	291.572	3.23	1192.72	1291.128	51.23	-93.249	-91.839	0.0
20	9253	9254	SN	1	57.332	58.346	0.0	0.0	298.814	3.684	1192.72	1291.128	49.135	-94.273	-91.839	0.0
21	9253	9254	NS	1	57.436	58.338	0.0	0.0	294.931	3.665	1209.848	1291.016	18.157	-93.303	-91.895	0.0
22	9253	9254	NS	2	57.436	58.338	0.0	0.0	294.931	3.666	1209.848	1291.016	18.162	-94.312	-91.895	0.0
23	9253	9254	SN	1	57.332	58.346	0.0	0.0	298.814	3.688	1192.72	1291.128	49.102	-94.273	-91.839	0.0
24	9254	9255	SN	1	57.337	58.357	0.0	0.0	284.855	3.023	1192.816	1291.088	52.34	-93.264	-91.831	0.0
25	9254	9255	SN	1	57.336	58.356	0.0	0.0	296.884	3.79	1192.8	1291.064	49.038	-93.561	-91.831	0.0
26	9254	9255	NS	2	57.432	58.351	0.0	0.0	296.988	3.596	1209.728	1291.024	17.695	-93.376	-91.922	0.0
27	9254	9255	SN	1	57.337	58.357	0.0	0.0	296.884	3.793	1192.816	1291.088	49.022	-93.561	-91.831	0.0
28	9254	9255	NS	1	57.432	58.351	0.0	0.0	296.988	3.599	1209.728	1291.024	17.699	-93.937	-91.922	0.0
29	9255	9256	SN	1	57.319	58.348	0.0	0.0	299.437	3.898	1192.624	1291.224	47.71	-94.403	-91.78	0.0
30	9255	9256	NS	1	57.425	58.346	0.0	0.0	297.49	3.623	1209.64	1291.192	17.56	-93.375	-91.907	0.0
31	9255	9256	SN	1	57.319	58.348	0.0	0.0	299.437	2.733	1192.624	1291.224	51.463	-93.754	-91.78	0.0
32	9255	9256	NS	2	57.425	58.347	0.0	0.0	297.452	3.623	1209.656	1291.168	17.557	-93.375	-91.907	0.0
33	9255	9256	SN	1	57.319	58.348	0.0	0.0	299.437	3.894	1192.624	1291.224	47.66	-94.403	-91.78	0.0
34	9256	9257	SN	1	57.258	58.345	0.07	0.0	296.999	3.655	1191.248	1291.168	49.309	-94.354	-91.766	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	9256	9257	NS	1	57.438	58.354	0.0	0.0	298.61	3.991	1210.072	1291.088	19.876	-93.816	-91.901	0.0
36	9257	9258	NS	1	57.468	58.35	0.0	0.0	299.029	3.672	1211.016	1290.816	19.253	-93.379	-91.906	0.0
37	9262	9263	SN	1	57.261	58.346	0.038	0.0	299.001	3.569	1190.928	1290.928	50.986	-93.282	-91.837	0.0
38	9262	9263	SN	1	57.261	58.364	0.037	0.0	299.001	3.968	1190.928	1290.928	49.15	-93.304	-91.837	0.0
39	9262	9263	SN	1	57.261	58.346	0.037	0.0	299.001	3.973	1190.928	1290.928	49.204	-93.282	-91.837	0.0
40	9263	9264	SN	1	57.298	58.344	0.001	0.0	296.74	3.759	1191.48	1290.848	50.988	-95.213	-91.822	0.0
41	9263	9264	SN	1	57.288	58.346	0.003	0.0	296.74	3.653	1191.424	1290.848	51.646	-93.733	-91.822	0.0
42	9263	9264	SN	1	57.288	58.346	0.003	0.0	296.74	3.763	1191.424	1290.848	51.039	-95.213	-91.822	0.0
43	9263	9264	NS	1	57.465	58.34	0.0	0.0	297.689	3.546	1211.136	1290.76	18.636	-93.379	-91.906	0.0
44	9264	9265	NS	1	57.467	58.353	0.0	0.0	298.808	3.533	1211.336	1290.944	18.027	-93.379	-91.858	0.0
45	9264	9265	SN	1	57.265	58.367	0.089	0.0	295.769	3.629	1190.544	1291.032	49.811	-94.686	-91.807	0.0
46	9264	9265	SN	1	57.265	58.367	0.09	0.0	295.769	3.518	1190.544	1291.032	50.281	-93.301	-91.807	0.0
47	9264	9265	SN	1	57.265	58.367	0.09	0.0	295.769	3.518	1190.544	1291.032	50.331	-93.301	-91.807	0.0
48	9264	9265	NS	1	57.467	58.327	0.0	0.0	298.847	3.534	1211.328	1290.944	18.05	-93.379	-91.858	0.0
49	9265	9266	SN	2	57.227	58.342	0.164	0.0	294.429	3.629	1189.456	1290.928	50.01	-93.13	-91.826	0.0
50	9265	9266	NS	1	57.469	58.328	0.0	0.0	299.591	3.689	1211.496	1290.92	18.341	-93.379	-91.893	0.0
51	9265	9266	SN	1	57.227	58.342	0.166	0.0	294.429	3.495	1189.456	1290.928	50.713	-93.13	-91.826	0.0
52	9265	9266	SN	1	57.227	58.342	0.164	0.0	294.429	3.629	1189.456	1290.928	50.01	-93.13	-91.826	0.0
53	9266	9267	SN	1	57.215	58.361	0.191	0.0	292.174	3.662	1189.136	1290.736	49.873	-93.203	-91.824	0.0
54	9266	9267	SN	2	57.215	58.361	0.191	0.0	292.185	3.661	1189.144	1290.736	49.863	-93.203	-91.824	0.0
55	9266	9267	SN	1	57.215	58.361	0.195	0.0	292.185	3.45	1189.144	1290.736	50.983	-93.204	-91.824	0.0
56	9266	9267	NS	1	57.47	58.34	0.0	0.0	296.961	3.584	1211.648	1290.736	19.202	-93.153	-91.893	0.0
57	9267	9268	SN	1	57.204	58.359	0.21	0.0	297.424	3.623	1188.864	1290.576	50.001	-93.13	-91.823	0.0
58	9267	9268	NS	1	57.432	58.326	0.0	0.0	289.736	3.757	1208.976	1290.616	18.952	-94.23	-91.917	0.0
59	9267	9268	NS	2	57.432	58.326	0.0	0.003	289.819	3.755	1208.992	1290.592	18.943	-94.23	-91.917	0.0
60	9267	9268	SN	1	57.204	58.359	0.21	0.0	297.424	3.625	1188.864	1290.576	49.953	-93.11	-91.823	0.0
61	9267	9268	SN	1	57.204	58.359	0.218	0.0	292.03	3.283	1188.864	1290.576	51.675	-93.148	-91.823	0.0
62	9268	9269	SN	1	57.223	58.34	0.213	0.0	288.914	3.202	1189.424	1290.448	51.208	-93.232	-91.806	0.0
63	9268	9269	SN	1	57.223	58.339	0.205	0.0	295.626	3.815	1189.408	1290.44	48.624	-94.266	-91.806	0.0
64	9268	9269	NS	1	57.436	58.347	0.0	0.0	293.96	3.812	1211.008	1290.448	17.452	-94.75	-91.92	0.0
65	9268	9269	SN	1	57.223	58.34	0.202	0.0	295.626	3.821	1189.424	1290.448	48.571	-94.266	-91.806	0.0
66	9268	9269	NS	2	57.436	58.347	0.0	0.0	293.96	3.808	1211.008	1290.448	17.448	-94.75	-91.92	0.0
67	9269	9270	SN	1	57.216	58.341	0.001	0.0	299.365	11.625	1202.752	1290.544	48.543	-94.501	-91.891	0.0
68	9269	9270	SN	1	57.216	58.353	0.131	0.0	299.365	3.952	1189.992	1290.544	47.906	-94.501	-91.807	0.0
69	9269	9270	NS	1	57.442	58.34	0.0	0.0	295.984	3.537	1211.088	1290.488	17.58	-94.145	-91.926	0.0
70	9270	9271	NS	2	57.435	58.355	0.0	0.0	296.972	3.667	1210.88	1290.488	18.932	-93.381	-91.904	0.0
71	9270	9271	SN	2	57.16	58.346	0.282	0.0	296.972	3.921	1188.192	1290.568	46.364	-93.762	-91.754	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9270	9271	NS	1	57.435	58.355	0.0	0.0	296.972	3.667	1210.88	1290.488	18.932	-93.381	-91.904	0.0
73	9270	9271	SN	1	57.16	58.346	0.282	0.0	296.972	3.921	1188.192	1290.568	46.364	-93.762	-91.754	0.0
74	9271	9272	NS	2	57.472	58.325	0.0	0.003	297.595	3.726	1212.032	1290.384	19.584	-93.384	-91.914	0.0
75	9271	9272	SN	1	57.111	58.341	0.267	0.0	295.472	3.684	1186.912	1290.432	48.917	-93.143	-91.788	0.0
76	9271	9272	NS	1	57.472	58.325	0.0	0.003	297.595	3.726	1212.032	1290.384	19.584	-93.384	-91.914	0.0
77	9272	9273	NS	1	57.473	58.324	0.0	0.0	297.926	3.794	1212.168	1290.248	19.099	-93.204	-91.893	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	9270	9271	NS	2	-34.971	22.144	0.001	-34.523	16.53	0.0	-2.056	22.716	0.044	-14.647	23.594	0.751	0.086	232.749	3.3	0.087	209.871	3.192	0.086	0.191	0.0	0.086	2.223	0.004
71	9270	9271	SN	2	-34.218	19.414	0.0	-34.263	18.909	0.0	-27.844	23.032	0.119	-7.769	24.07	0.528	0.086	195.645	2.045	0.086	197.716	1.925	0.086	48.474	0.028	0.086	0.573	0.0
72	9270	9271	NS	1	-34.971	22.144	0.001	-34.523	16.53	0.0	-2.056	22.716	0.044	-14.647	23.594	0.751	0.086	232.749	3.3	0.087	209.871	3.192	0.086	0.191	0.0	0.086	2.223	0.004
73	9270	9271	SN	1	-34.218	19.414	0.0	-34.263	18.909	0.0	-27.844	23.032	0.119	-7.769	24.07	0.528	0.086	195.645	2.045	0.086	197.716	1.925	0.086	48.474	0.028	0.086	0.573	0.0
74	9271	9272	NS	2	-34.793	22.09	0.001	-34.657	19.776	0.0	-30.79	22.724	0.068	-29.267	23.849	1.123	0.086	223.42	2.91	0.086	216.452	2.72	0.086	88.884	0.185	0.086	62.628	0.156
75	9271	9272	SN	1	-34.744	21.251	0.0	-33.912	21.06	0.0	-6.356	23.092	0.067	-3.61	22.857	0.105	0.086	220.848	2.256	0.086	182.33	2.094	0.086	0.402	0.0	0.086	0.241	0.0
76	9271	9272	NS	1	-34.793	22.09	0.001	-34.657	19.776	0.0	-30.79	22.724	0.068	-29.267	23.849	1.123	0.086	223.42	2.91	0.086	216.452	2.72	0.086	88.884	0.185	0.086	62.628	0.156
77	9272	9273	NS	1	-34.748	19.743	0.0	-34.411	15.806	0.0	-6.896	22.03	0.003	-10.25	23.654	0.832	0.086	221.049	2.229	0.087	204.578	2.239	0.086	0.441	0.0	0.086	0.85	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors