

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-JUN-2018 To 01-JUL-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-JUN-2018 To 01-JUL-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9306	9307	NS	2	48.663	49.429	0.0	0.0	210.463	2.744	1036.112	1096.424	6.336	-92.997	-89.884	0.0
2	9306	9307	SN	1	48.496	49.452	0.0	0.0	260.573	14.176	1026.304	1096.104	1.163	-93.916	-89.763	0.0
3	9306	9307	SN	1	48.496	49.471	0.0	0.0	260.573	4.946	1018.904	1096.104	20.665	-93.916	-89.756	0.0
4	9306	9307	NS	1	48.663	49.429	0.0	0.0	210.463	2.744	1036.112	1096.424	6.336	-92.997	-89.884	0.0
5	9306	9307	SN	1	48.496	49.452	0.0	0.0	260.573	13.387	1026.304	1096.104	1.487	-93.916	-89.763	0.0
6	9307	9308	NS	1	48.722	49.426	0.0	0.003	11.846	2.503	1036.712	1096.656	7.323	-91.7	-89.861	0.0
7	9307	9308	SN	1	48.69	49.5	0.0	0.003	214.991	2.616	1019.144	1096.256	20.77	-91.763	-89.724	0.0
8	9307	9308	NS	1	48.722	49.425	0.0	0.003	11.841	2.502	1036.712	1096.632	7.261	-91.598	-89.861	0.0
9	9307	9308	SN	1	48.69	49.5	0.0	0.003	214.991	2.498	1019.144	1096.256	20.989	-91.763	-89.724	0.0
10	9307	9308	SN	2	48.69	49.5	0.0	0.003	214.991	2.498	1019.144	1096.256	20.988	-91.763	-89.724	0.0
11	9308	9309	NS	1	48.723	49.427	0.0	0.0	226.887	2.404	1036.704	1096.72	7.715	-91.644	-89.849	0.0
12	9308	9309	SN	1	48.658	49.502	0.0	0.003	6.706	2.538	1019.456	1096.288	23.077	-91.736	-89.758	0.0
13	9308	9309	SN	1	48.658	49.502	0.0	0.003	6.706	2.385	1019.456	1096.288	23.352	-91.736	-89.758	0.0
14	9308	9309	NS	1	48.723	49.427	0.0	0.0	226.887	2.74	1036.696	1096.72	7.46	-92.315	-89.849	0.0
15	9309	9310	SN	1	48.677	49.449	0.0	0.003	214.374	2.291	1019.328	1096.128	24.05	-91.473	-89.732	0.0
16	9309	9310	NS	1	48.712	49.452	0.0	0.003	42.135	2.622	1036.736	1096.6	6.422	-91.828	-89.882	0.0
17	9309	9310	NS	1	48.712	49.427	0.0	0.003	42.135	2.625	1036.736	1096.6	6.429	-91.855	-89.882	0.0
18	9309	9310	SN	1	48.683	49.449	0.0	0.003	214.374	2.584	1019.328	1096.128	23.591	-91.473	-89.732	0.0
19	9310	9311	NS	1	48.686	49.426	0.0	0.0	266.937	2.758	1036.728	1096.488	5.904	-91.681	-89.899	0.0
20	9310	9311	NS	2	48.687	49.426	0.0	0.0	266.937	2.761	1036.744	1096.496	5.904	-91.681	-89.899	0.0
21	9310	9311	SN	1	48.668	49.448	0.0	0.003	6.673	2.555	1018.56	1096.016	23.383	-91.727	-89.757	0.0
22	9310	9311	SN	1	48.672	49.448	0.0	0.003	6.673	2.552	1019.288	1096.016	23.457	-91.727	-89.757	0.0
23	9311	9312	SN	1	48.659	49.456	0.0	0.003	6.662	2.401	1019.4	1095.84	23.423	-91.581	-89.757	0.0
24	9311	9312	NS	1	48.695	49.48	0.0	0.0	266.716	2.763	1036.432	1096.312	3.848	-91.825	-89.885	0.0
25	9311	9312	SN	1	48.659	49.456	0.0	0.003	6.662	2.573	1019.128	1095.84	23.209	-91.581	-89.757	0.0
26	9311	9312	SN	1	48.659	49.456	0.0	0.003	31.56	2.576	1019.4	1095.84	23.139	-91.581	-89.757	0.0
27	9312	9313	SN	1	48.726	49.448	0.0	0.003	281.712	1.697	1019.552	1095.808	20.343	-91.611	-89.76	0.0
28	9312	9313	NS	2	48.697	49.483	0.0	0.003	206.774	2.56	1036.904	1096.256	3.162	-91.798	-89.9	0.0
29	9312	9313	NS	1	48.696	49.483	0.0	0.003	206.774	2.561	1036.896	1096.256	3.184	-91.798	-89.9	0.0
30	9312	9313	SN	1	48.726	49.448	0.0	0.003	281.712	2.714	1019.552	1095.808	19.065	-91.664	-89.76	0.0
31	9312	9313	SN	1	48.726	49.448	0.0	0.003	281.712	2.7	1019.552	1095.808	19.082	-91.611	-89.76	0.0
32	9313	9314	SN	1	48.727	49.448	0.0	0.003	215.846	1.855	1019.832	1095.904	12.251	-91.394	-89.737	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	9313	9314	NS	1	48.665	49.425	0.0	0.003	43.643	2.64	1036.616	1096.312	4.003	-91.678	-89.885	0.0
34	9313	9314	NS	2	48.665	49.425	0.0	0.003	14.091	2.638	1036.304	1096.32	3.962	-91.678	-89.885	0.0
35	9313	9314	SN	1	48.727	49.448	0.0	0.003	215.846	3.037	1019.832	1095.904	11.128	-91.724	-89.737	0.0
36	9313	9314	SN	1	48.727	49.448	0.0	0.003	215.846	3.024	1019.832	1095.904	11.138	-91.394	-89.737	0.0
37	9314	9315	SN	1	48.728	49.448	0.0	0.003	214.815	2.78	1019.68	1095.824	19.525	-91.433	-89.688	0.0
38	9314	9315	SN	1	48.728	49.458	0.0	0.003	214.815	2.677	1019.168	1095.824	18.673	-91.464	-89.688	0.0
39	9314	9315	NS	1	48.667	49.474	0.0	0.0	264.284	2.785	1036.824	1096.272	3.866	-91.926	-89.877	0.0
40	9315	9316	NS	1	48.606	49.763	0.0	0.0	264.13	7.588	1037.352	1096.088	2.481	-93.994	-89.887	0.0
41	9315	9316	NS	1	48.606	49.763	0.0	0.0	264.13	5.544	1037.352	1096.088	1.784	-93.994	-89.887	0.0
42	9320	9321	SN	1	48.662	49.465	0.0	0.0	216.199	2.834	1019.016	1095.56	22.087	-91.771	-89.756	0.0
43	9320	9321	SN	1	48.676	49.465	0.0	0.0	216.199	2.135	1018.696	1095.56	22.976	-91.771	-89.756	0.0
44	9320	9321	SN	1	48.66	49.446	0.0	0.0	216.199	2.849	1018.808	1095.56	22.065	-91.682	-89.756	0.0
45	9321	9322	SN	1	48.723	49.475	0.0	0.003	282.6	2.702	1019.312	1095.488	20.37	-91.773	-89.729	0.0
46	9321	9322	SN	1	48.68	49.47	0.0	0.003	282.6	2.712	1019.416	1095.488	20.349	-91.705	-89.729	0.0
47	9321	9322	SN	1	48.723	49.475	0.0	0.003	282.6	2.57	1019.312	1095.488	20.617	-91.773	-89.729	0.0
48	9321	9322	NS	1	48.728	49.428	0.0	0.003	14.025	2.564	1037.344	1096.088	1.695	-91.575	-89.896	0.0
49	9322	9323	SN	2	48.678	49.496	0.0	0.003	214.693	2.413	1018.16	1095.632	23.405	-91.811	-89.742	0.0
50	9322	9323	NS	1	48.729	49.426	0.0	0.0	235.617	2.683	1037.408	1096.24	2.597	-91.96	-89.855	0.0
51	9322	9323	NS	1	48.729	49.426	0.0	0.0	235.617	2.687	1037.4	1096.248	2.665	-91.793	-89.854	0.0
52	9322	9323	SN	1	48.678	49.496	0.0	0.003	214.693	2.541	1018.16	1095.632	23.161	-91.811	-89.742	0.0
53	9322	9323	SN	1	48.678	49.496	0.0	0.003	214.693	2.413	1018.16	1095.632	23.405	-91.811	-89.742	0.0
54	9323	9324	SN	1	48.695	49.443	0.0	0.003	6.684	2.336	1018.4	1095.512	24.94	-91.908	-89.751	0.0
55	9323	9324	NS	1	48.726	49.486	0.0	0.003	207.083	2.6	1037.376	1096.2	2.319	-91.852	-89.897	0.0
56	9323	9324	NS	1	48.726	49.486	0.0	0.003	207.083	2.597	1037.376	1096.2	2.317	-91.93	-89.897	0.0
57	9323	9324	SN	2	48.725	49.443	0.0	0.003	6.684	2.559	1018.4	1095.512	24.574	-91.908	-89.751	0.0
58	9323	9324	SN	1	48.725	49.443	0.0	0.003	6.684	2.559	1018.4	1095.512	24.574	-91.908	-89.751	0.0
59	9324	9325	SN	1	48.682	49.483	0.0	0.003	6.668	2.536	1018.536	1095.344	24.517	-91.726	-89.751	0.0
60	9324	9325	SN	1	48.682	49.483	0.0	0.003	6.668	2.178	1018.536	1095.344	25.12	-91.726	-89.751	0.0
61	9324	9325	NS	1	48.73	49.427	0.0	0.003	210.419	2.638	1037.408	1096.064	1.456	-91.755	-89.881	0.0
62	9324	9325	NS	2	48.73	49.427	0.0	0.003	210.419	2.637	1037.4	1096.072	1.476	-91.755	-89.881	0.0
63	9324	9325	SN	1	48.671	49.483	0.0	0.003	6.668	2.533	1018.048	1095.344	24.595	-91.726	-89.751	0.0
64	9325	9326	SN	1	48.684	49.441	0.0	0.003	6.657	1.99	1018.928	1095.208	25.527	-91.506	-89.75	0.0
65	9325	9326	NS	2	48.676	49.479	0.0	0.0	210.579	2.767	1037.512	1095.952	0.888	-91.897	-89.907	0.0
66	9325	9326	SN	1	48.684	49.441	0.0	0.003	6.657	2.555	1018.928	1095.208	24.627	-91.615	-89.75	0.0
67	9325	9326	SN	1	48.698	49.441	0.0	0.003	6.657	2.552	1018.616	1095.208	24.705	-91.506	-89.75	0.0
68	9325	9326	NS	1	48.676	49.479	0.0	0.0	207.028	2.767	1037.52	1095.944	0.837	-91.897	-89.907	0.0
69	9326	9327	NS	1	48.668	49.424	0.0	0.0	264.091	2.712	1037.584	1095.8	0.358	-91.836	-89.912	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

70	9326	9327	SN	1	48.656	49.441	0.0	0.003	282.092	1.782	1019.04	1095.112	24.78	-91.496	-89.747	0.0
71	9326	9327	SN	1	48.656	49.441	0.0	0.003	282.092	2.616	1019.04	1095.112	23.484	-91.496	-89.747	0.0
72	9326	9327	NS	2	48.668	49.424	0.0	0.0	264.091	2.712	1037.624	1095.8	0.358	-91.532	-89.912	0.0
73	9326	9327	SN	1	48.667	49.441	0.0	0.003	282.092	2.614	1018.752	1095.112	23.557	-91.496	-89.747	0.0
74	9327	9328	NS	1	48.665	49.487	0.0	0.003	40.367	2.59	1037.56	1095.832	0.476	-91.834	-89.91	0.0
75	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	1.77	1019.232	1095.152	16.768	-91.381	-89.743	0.0
76	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	2.93	1019.232	1095.152	15.462	-91.381	-89.743	0.0
77	9327	9328	SN	1	48.726	49.442	0.0	0.003	6.629	2.944	1019.232	1095.152	15.445	-91.381	-89.743	0.0
78	9328	9329	SN	1	48.72	49.473	0.0	0.003	6.635	2.864	1019.24	1095.152	15.612	-91.738	-89.685	0.0
79	9328	9329	NS	2	48.671	49.49	0.0	0.003	266.97	2.675	1037.2	1095.816	0.448	-91.92	-89.882	0.0
80	9328	9329	NS	1	48.671	49.49	0.0	0.003	266.97	2.675	1037.2	1095.816	0.448	-91.92	-89.882	0.0
81	9329	9330	NS	1	48.708	49.423	0.0	0.003	266.705	2.65	1037.944	1095.704	0.009	-91.841	-89.885	0.0
82	9329	9330	NS	1	48.708	49.423	0.0	0.003	266.705	2.661	1037.944	1095.704	0.009	-91.841	-89.885	0.0
83	9329	9330	SN	1	48.694	49.474	0.0	0.003	6.634	2.683	1018.192	1095.032	19.621	-91.599	-89.72	0.0
84	9330	9331	NS	1	48.716	49.457	0.0	0.0	34.882	2.771	1038.056	1095.624	0.0	-91.801	-89.895	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9306	9307	NS	2	-33.88	27.989	0.021	-33.91	27.964	0.025	0.584	31.347	18.395	2.851	32.617	30.409	0.116	236.866	2.758	0.116	238.47	2.375	0.116	0.189	0.0	0.116	0.158	0.0
2	9306	9307	SN	1	-30.012	26.188	0.232	-34.113	27.373	0.666	8.114	28.561	32.044	7.636	30.096	26.655	0.116	97.254	0.987	0.116	249.853	1.648	0.116	0.128	0.0	0.116	0.129	0.0
3	9306	9307	SN	1	-34.963	26.171	0.167	-34.929	27.373	0.342	-31.203	36.27	16.081	-30.084	30.096	21.189	0.116	303.99	8.677	0.116	301.557	6.512	0.116	127.928	0.093	0.116	98.893	0.03
4	9306	9307	NS	1	-33.88	27.989	0.021	-33.91	27.964	0.025	0.584	31.347	18.395	2.851	32.617	30.409	0.116	236.866	2.758	0.116	238.47	2.375	0.116	0.189	0.0	0.116	0.158	0.0
5	9306	9307	SN	1	-29.673	26.145	0.329	-34.113	27.373	1.03	8.114	28.592	35.147	6.985	30.096	27.03	0.116	89.953	1.248	0.116	249.853	2.531	0.116	0.128	0.0	0.116	0.131	0.0
6	9307	9308	NS	1	-34.108	26.876	0.032	-34.414	27.379	0.029	-18.041	33.439	12.891	-14.156	31.717	25.524	0.116	262.494	2.994	0.116	267.808	2.362	0.116	6.261	0.005	0.116	2.613	0.003
7	9307	9308	SN	1	-34.492	24.48	0.059	-34.861	26.313	0.075	-29.277	29.936	10.356	-29.09	30.099	7.121	0.116	272.643	3.263	0.116	296.841	2.776	0.116	82.13	0.035	0.116	78.66	0.014
8	9307	9308	NS	1	-34.965	26.878	0.033	-34.99	27.379	0.028	-18.158	33.439	12.893	-14.156	31.717	25.521	0.116	304.016	2.983	0.116	305.807	2.337	0.116	6.43	0.005	0.116	2.613	0.003
9	9307	9308	SN	1	-34.492	24.48	0.06	-34.861	26.313	0.076	-29.277	29.936	10.356	-29.09	30.099	7.121	0.116	272.643	3.318	0.116	296.841	2.819	0.116	82.13	0.035	0.116	78.66	0.014
10	9307	9308	SN	2	-34.492	24.48	0.06	-34.861	26.313	0.076	-29.277	29.936	10.356	-29.09	30.099	7.121	0.116	272.643	3.318	0.116	296.841	2.819	0.116	82.13	0.035	0.116	78.66	0.014
11	9308	9309	NS	1	-34.369	25.281	0.004	-34.855	23.949	0.003	-21.653	29.584	10.049	-7.493	30.564	19.867	0.116	278.82	3.443	0.116	296.482	3.623	0.116	14.267	0.009	0.116	0.637	0.0
12	9308	9309	SN	1	-34.966	23.029	0.004	-33.825	23.956	0.019	3.515	28.85	16.124	6.614	29.336	8.877	0.116	304.107	2.267	0.116	233.875	1.781	0.116	0.151	0.0	0.116	0.133	0.0
13	9308	9309	SN	1	-34.966	23.029	0.004	-33.825	23.956	0.019	3.515	28.85	16.124	6.614	29.336	8.883	0.116	304.107	2.3	0.116	233.875	1.8	0.116	0.151	0.0	0.116	0.133	0.0
14	9308	9309	NS	1	-34.597	25.286	0.004	-32.815	23.952	0.003	-23.407	29.584	9.792	-7.515	30.561	19.009	0.116	279.382	3.374	0.116	185.35	3.563	0.116	21.323	0.009	0.116	0.64	0.0
15	9309	9310	SN	1	-34.883	22.866	0.005	-34.912	23.518	0.018	3.698	28.38	13.83	2.434	28.371	9.212	0.116	298.416	3.866	0.116	300.41	3.449	0.116	0.15	0.0	0.116	0.162	0.0
16	9309	9310	NS	1	-34.7	22.91	0.005	-33.443	24.304	0.003	-17.379	30.509	6.411	-8.527	30.32	12.607	0.116	286.073	1.725	0.116	214.155	1.586	0.116	5.388	0.003	0.116	0.783	0.0
17	9309	9310	NS	1	-34.7	22.911	0.005	-33.443	24.304	0.003	-17.379	30.509	6.417	-8.527	30.32	12.619	0.116	286.073	1.727	0.116	214.155	1.584	0.116	5.388	0.003	0.116	0.783	0.0
18	9309	9310	SN	1	-34.507	22.866	0.005	-34.696	23.518	0.018	-0.858	28.38	13.817	2.585	28.371	9.11	0.116	273.594	3.763	0.116	285.808	3.384	0.116	0.22	0.0	0.116	0.16	0.0
19	9310	9311	NS	1	-34.827	21.595	0.0	-33.112	21.463	0.0	-6.644	29.384	8.803	-3.132	29.482	17.183	0.116	294.517	3.239	0.116	198.482	2.982	0.116	0.542	0.0	0.116	0.298	0.0
20	9310	9311	NS	2	-34.827	21.598	0.0	-33.112	21.463	0.0	-6.644	29.384	8.804	-3.132	29.482	17.181	0.116	294.517	3.238	0.116	198.482	2.982	0.116	0.541	0.0	0.116	0.298	0.0
21	9310	9311	SN	1	-33.964	22.475	0.004	-34.872	23.621	0.007	1.405	28.106	15.623	7.067	28.886	17.553	0.116	241.504	3.086	0.116	297.604	2.719	0.116	0.176	0.0	0.116	0.131	0.0
22	9310	9311	SN	1	-34.829	22.475	0.004	-34.6	23.621	0.007	1.403	28.106	15.623	7.067	28.886	17.553	0.116	294.709	3.117	0.116	279.59	2.72	0.116	0.176	0.0	0.116	0.131	0.0
23	9311	9312	SN	1	-34.679	21.55	0.0	-34.436	19.717	0.0	1.912	28.459	13.901	0.452	28.972	13.262	0.116	284.698	4.662	0.116	269.153	3.79	0.116	0.168	0.0	0.116	0.191	0.0
24	9311	9312	NS	1	-34.801	22.582	0.007	-33.901	22.378	0.004	-9.859	29.611	7.64	-6.116	30.431	14.514	0.116	292.815	1.723	0.116	237.945	1.557	0.116	1.03	0.002	0.116	0.491	0.0
25	9311	9312	SN	1	-34.782	21.55	0.0	-34.761	19.717	0.0	1.912	28.459	13.895	0.455	28.972	13.257	0.116	291.521	4.609	0.116	290.057	3.755	0.116	0.168	0.0	0.116	0.191	0.0
26	9311	9312	SN	1	-34.679	21.55	0.0	-34.436	19.717	0.0	1.912	28.459	13.895	0.452	28.972	13.262	0.116	284.698	4.6	0.116	269.153	3.755	0.116	0.168	0.0	0.116	0.191	0.0
27	9312	9313	SN	1	-34.521	24.008	0.031	-34.7	24.494	0.039	-6.858	31.708	12.452	-5.818	30.001	13.824	0.116	274.464	2.821	0.116	286.096	2.865	0.116	0.564	0.0	0.116	0.465	0.0
28	9312	9313	NS	2	-34.874	25.643	0.074	-34.759	26.875	0.162	6.445	28.541	14.592	7.458	29.635	24.117	0.116	297.736	2.667	0.116	290.018	2.191	0.116	0.133	0.0	0.116	0.13	0.0
29	9312	9313	NS	1	-34.874	25.643	0.074	-34.759	26.875	0.162	6.445	28.541	14.599	7.458	29.635	24.115	0.116	297.736	2.667	0.116	290.018	2.191	0.116	0.133	0.0	0.116	0.13	0.0
30	9312	9313	SN	1	-33.989	24.01	0.028	-34.077	24.494	0.034	-6.858	31.708	11.968	-5.816	30.001	13.856	0.116	242.874	2.635	0.116	247.866	2.646	0.116	0.564	0.0	0.116	0.465	0.0
31	9312	9313	SN	1	-34.521	24.008	0.029	-34.7	24.494	0.034	-6.858	31.708	11.879	-5.818	30.001	13.798	0.116	274.464	2.635	0.116	286.096	2.652	0.116	0.564	0.0	0.116	0.465	0.0
32	9313	9314	SN	1	-34.782	26.381	0.051	-33.3	26.471	0.061	-12.486	29.899	19.016	-17.007	29.884	24.79	0.116	291.55	0.968	0.116	207.309	0.885	0.116	1.808	0.014	0.116	4.955	0.009
33	9313	9314	NS	1	-34.718	24.551	0.023	-34.134	24.412	0.039	-10.716	30.275	16.889	-0.071	29.933	29.557	0.116	287.178	3.566	0.116	251.137	2.438	0.116	1.234	0.002	0.116	0.202	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	9313	9314	NS	2	-34.654	24.551	0.023	-34.134	24.412	0.039	-10.716	30.275	16.889	-0.071	29.933	29.557	0.116	283.094	3.566	0.116	251.137	2.438	0.116	1.234	0.002	0.116	0.202	0.0
35	9313	9314	SN	1	-34.515	26.386	0.046	-33.13	26.471	0.052	-12.323	29.901	17.579	-16.475	29.884	24.566	0.116	274.156	1.032	0.116	199.294	0.863	0.116	1.745	0.011	0.116	4.394	0.008
36	9313	9314	SN	1	-34.782	26.381	0.046	-33.3	26.471	0.052	-12.303	29.899	17.498	-16.475	29.884	24.564	0.116	291.55	1.032	0.116	207.309	0.861	0.116	1.737	0.011	0.116	4.394	0.009
37	9314	9315	SN	1	-34.659	22.692	0.004	-34.475	26.599	0.078	-3.423	28.782	18.634	0.614	30.215	19.383	0.116	283.326	4.53	0.116	271.55	4.142	0.116	0.311	0.0	0.116	0.188	0.0
38	9314	9315	SN	1	-34.94	26.234	0.082	-34.838	26.602	0.074	-3.422	28.782	17.848	0.613	30.215	19.31	0.116	302.273	4.437	0.116	295.3	3.859	0.116	0.311	0.0	0.116	0.188	0.0
39	9314	9315	NS	1	-34.931	28.182	0.037	-34.988	23.86	0.023	-22.928	29.175	21.901	-5.787	29.893	36.146	0.116	301.703	4.25	0.116	305.693	3.619	0.116	19.105	0.021	0.116	0.462	0.0
40	9315	9316	NS	1	-33.775	26.076	0.052	-30.073	27.119	0.02	-24.405	32.36	14.582	-18.455	33.023	24.739	0.116	231.244	1.811	0.116	98.648	1.146	0.116	26.811	0.067	0.116	6.879	0.02
41	9315	9316	NS	1	-33.222	26.076	0.035	-34.324	27.119	0.013	-22.499	34.98	12.387	-18.276	33.023	22.951	0.116	203.541	1.933	0.116	262.351	1.566	0.116	17.319	0.074	0.116	6.604	0.029
42	9320	9321	SN	1	-34.733	26.562	0.246	-34.98	26.135	0.356	-26.792	28.08	13.307	-17.714	29.379	20.448	0.116	288.236	5.447	0.116	305.084	4.727	0.116	46.378	0.097	0.116	5.814	0.033
43	9320	9321	SN	1	-34.88	26.562	0.26	-34.98	26.135	0.392	-26.792	28.08	13.331	-17.714	29.379	20.447	0.116	298.17	5.77	0.116	305.084	5.205	0.116	46.378	0.093	0.116	5.814	0.033
44	9320	9321	SN	1	-34.597	26.562	0.244	-34.813	26.135	0.356	-28.184	28.08	13.406	-17.671	29.379	20.452	0.116	279.373	5.452	0.116	293.622	4.725	0.116	63.887	0.097	0.116	5.757	0.033
45	9321	9322	SN	1	-33.884	26.609	0.158	-34.857	26.459	0.227	-19.319	33.126	12.18	-30.282	29.585	10.675	0.116	237.08	1.924	0.116	296.527	2.064	0.116	8.372	0.027	0.116	103.5	0.02
46	9321	9322	SN	1	-34.795	26.609	0.158	-34.476	26.459	0.227	-19.364	33.126	12.238	-30.745	29.587	10.718	0.116	292.344	1.919	0.116	271.676	2.061	0.116	8.457	0.027	0.116	115.121	0.02
47	9321	9322	SN	1	-33.884	26.609	0.161	-34.857	26.459	0.231	-19.319	33.126	12.18	-30.282	29.585	10.675	0.116	237.08	1.963	0.116	296.527	2.104	0.116	8.372	0.027	0.116	103.5	0.02
48	9321	9322	NS	1	-34.931	26.519	0.021	-30.134	28.024	0.018	-27.508	32.229	15.653	-22.164	36.064	30.558	0.116	301.68	0.559	0.116	100.001	0.305	0.116	54.68	0.031	0.116	16.035	0.029
49	9322	9323	SN	2	-34.883	24.893	0.015	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.428	0.116	259.394	1.752	0.116	0.976	0.0	0.116	12.373	0.018
50	9322	9323	NS	1	-34.9	22.839	0.004	-34.953	24.25	0.005	-7.78	29.457	10.15	-5.622	29.678	19.837	0.116	299.53	3.634	0.116	303.239	3.669	0.116	0.674	0.0	0.116	0.449	0.0
51	9322	9323	NS	1	-34.649	22.84	0.004	-34.959	24.25	0.005	-7.78	29.457	10.144	-5.622	29.676	19.834	0.116	282.754	3.644	0.116	303.568	3.576	0.116	0.674	0.0	0.116	0.449	0.0
52	9322	9323	SN	1	-34.883	24.893	0.014	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.393	0.116	259.394	1.731	0.116	0.976	0.0	0.116	12.373	0.018
53	9322	9323	SN	1	-34.883	24.893	0.015	-34.275	25.469	0.024	-9.605	28.751	12.744	-21.03	29.689	8.235	0.116	298.395	2.428	0.116	259.394	1.752	0.116	0.976	0.0	0.116	12.373	0.018
54	9323	9324	SN	1	-34.976	22.577	0.002	-34.778	23.423	0.012	6.986	28.088	13.41	0.188	28.334	6.088	0.116	304.782	3.268	0.116	291.253	2.849	0.116	0.131	0.0	0.116	0.196	0.0
55	9323	9324	NS	1	-34.988	24.279	0.01	-33.022	23.724	0.003	-12.902	28.858	8.865	-8.61	29.376	17.176	0.116	321.523	1.954	0.116	194.38	1.65	0.116	1.981	0.004	0.116	0.796	0.0
56	9323	9324	NS	1	-34.454	24.279	0.01	-33.022	23.722	0.003	-12.902	28.86	8.861	-8.61	29.376	17.176	0.116	284.281	1.95	0.116	194.38	1.649	0.116	1.981	0.004	0.116	0.796	0.0
57	9323	9324	SN	2	-34.976	22.577	0.002	-34.762	23.423	0.012	1.379	28.088	13.377	0.24	28.334	6.082	0.116	304.782	3.208	0.116	290.146	2.816	0.116	0.176	0.0	0.116	0.195	0.0
58	9323	9324	SN	1	-34.976	22.577	0.002	-34.762	23.423	0.012	1.379	28.088	13.377	0.24	28.334	6.082	0.116	304.782	3.208	0.116	290.146	2.816	0.116	0.176	0.0	0.116	0.195	0.0
59	9324	9325	SN	1	-34.922	23.363	0.007	-34.371	23.372	0.015	-0.713	28.535	18.308	0.135	28.931	18.905	0.116	300.986	2.714	0.116	265.227	2.748	0.116	0.216	0.0	0.116	0.197	0.0
60	9324	9325	SN	1	-34.888	23.363	0.007	-34.923	23.372	0.016	6.142	28.535	18.446	0.136	28.931	19.533	0.116	298.699	2.79	0.116	301.144	2.804	0.116	0.135	0.0	0.116	0.197	0.0
61	9324	9325	NS	1	-34.844	20.554	0.0	-34.151	21.384	0.0	-5.925	29.314	7.234	-4.978	32.743	13.018	0.116	295.688	1.641	0.116	252.095	1.688	0.116	0.474	0.0	0.116	0.401	0.0
62	9324	9325	NS	2	-34.844	20.554	0.0	-34.151	21.384	0.0	-5.925	29.314	7.234	-4.978	32.743	13.017	0.116	295.688	1.641	0.116	252.095	1.688	0.116	0.474	0.0	0.116	0.401	0.0
63	9324	9325	SN	1	-34.58	23.363	0.007	-34.67	23.372	0.015	-0.718	28.535	18.308	0.133	28.931	18.905	0.116	278.298	2.719	0.116	284.032	2.752	0.116	0.216	0.0	0.116	0.197	0.0
64	9325	9326	SN	1	-34.966	22.15	0.002	-34.287	22.71	0.002	6.239	28.046	16.302	3.24	28.962	17.659	0.116	304.178	4.482	0.116	260.154	4.317	0.116	0.134	0.0	0.116	0.154	0.0
65	9325	9326	NS	2	-33.695	20.674	0.0	-33.495	21.186	0.0	-5.406	28.284	8.16	-10.884	29.31	14.901	0.116	226.986	1.582	0.116	216.768	1.32	0.116	0.432	0.0	0.116	1.279	0.002
66	9325	9326	SN	1	-34.966	22.15	0.002	-34.287	22.71	0.002	1.283	28.046	15.686	3.218	28.962	17.384	0.116	304.178	4.274	0.116	260.154	4.139	0.116	0.177	0.0	0.116	0.154	0.0
67	9325	9326	SN	1	-34.988	22.15	0.002	-34.111	22.71	0.002	1.283	28.046	15.69	3.215	28.962	17.377	0.116	305.71	4.288	0.116	249.785	4.135	0.116	0.177	0.0	0.116	0.154	0.0
68	9325	9326	NS	1	-33.695	20.674	0.0	-33.495	21.186	0.0	-5.406	28.284	8.16	-10.884	29.31	14.901	0.116	226.986	1.582	0.116	216.768	1.32	0.116	0.432	0.0	0.116	1.279	0.002
69	9326	9327	NS	1	-33.998	25.035	0.114	-32.991	26.288	0.242	-7.077	29.172	11.874	-5.077	31.326	18.145	0.116	243.357	1.307	0.116	193.056	1.207	0.116	0.588	0.0	0.116	0.408	0.0
70	9326	9327	SN	1	-34.914	21.18	0.0	-34.295	22.251	0.001	6.205	28.33	13.096	3.116	31.587	13.488	0.116	300.545	3.954	0.116	260.575	3.666	0.116	0.134	0.0	0.116	0.155	0.0
71	9326	9327	SN	1	-34.914	21.18	0.0	-34.213	22.251	0.001	5.817	28.33	12.416	3.116	31.587	13.454	0.116	300.545	3.772	0.116	255.736	3.42	0.116	0.136	0.0	0.116	0.155	0.0
72	9326	9327	NS	2	-33.998	25.035	0.114	-32.991	26.288	0.242	-7.077	29.172	11.874	-5.077	31.326	18.145	0.116	243.357	1.308	0.116	193.056	1.208	0.116	0.588	0.0	0.116	0.408	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors


73	9326	9327	SN	1	-34.533	21.18	0.0	-34.665	22.251	0.001	5.832	28.324	12.408	3.116	31.587	13.499	0.116	275.275	3.772	0.116	283.721	3.437	0.116	0.136	0.0	0.116	0.155	0.0
74	9327	9328	NS	1	-34.86	25.371	0.094	-34.595	26.807	0.17	3.221	32.016	9.778	6.925	29.191	17.546	0.116	296.773	3.051	0.116	279.264	2.702	0.116	0.154	0.0	0.116	0.132	0.0
75	9327	9328	SN	1	-33.955	24.144	0.011	-34.917	24.754	0.019	-16.276	33.355	13.806	-10.468	31.118	15.907	0.116	241.01	2.969	0.116	300.697	2.925	0.116	4.2	0.016	0.116	1.171	0.002
76	9327	9328	SN	1	-33.955	24.144	0.01	-34.917	24.754	0.017	-16.73	33.355	12.919	-10.468	31.118	15.835	0.116	241.01	2.756	0.116	300.697	2.576	0.116	4.653	0.017	0.116	1.171	0.002
77	9327	9328	SN	1	-34.337	24.144	0.01	-33.831	24.754	0.017	-16.598	33.355	12.939	-10.465	31.114	15.922	0.116	263.089	2.742	0.116	234.231	2.567	0.116	4.516	0.015	0.116	1.17	0.002
78	9328	9329	SN	1	-33.291	25.411	0.037	-34.931	26.63	0.047	-11.627	29.232	23.204	-4.644	30.588	30.159	0.116	206.818	2.796	0.116	301.671	2.321	0.116	1.5	0.004	0.116	0.378	0.0
79	9328	9329	NS	2	-34.963	24.228	0.006	-34.987	23.462	0.018	-6.401	28.92	22.458	1.357	29.933	39.435	0.116	303.932	5.461	0.116	305.59	4.535	0.116	0.517	0.0	0.116	0.176	0.0
80	9328	9329	NS	1	-34.963	24.228	0.006	-34.987	23.462	0.018	-6.401	28.92	22.458	1.357	29.933	39.435	0.116	303.932	5.461	0.116	305.59	4.535	0.116	0.517	0.0	0.116	0.176	0.0
81	9329	9330	NS	1	-34.496	27.784	0.034	-34.563	27.967	0.035	-30.763	31.121	12.121	-25.275	29.913	26.549	0.116	272.914	3.252	0.116	277.203	2.688	0.116	115.601	0.197	0.116	32.736	0.091
82	9329	9330	NS	1	-34.496	27.784	0.034	-34.563	27.967	0.035	-30.763	31.121	12.119	-25.275	29.913	26.612	0.116	272.914	3.248	0.116	277.203	2.686	0.116	115.601	0.197	0.116	32.736	0.091
83	9329	9330	SN	1	-34.308	27.393	0.087	-34.982	27.837	0.1	-2.568	29.15	18.29	-1.852	30.634	17.187	0.116	261.379	2.757	0.116	305.279	2.424	0.116	0.274	0.0	0.116	0.249	0.0
84	9330	9331	NS	1	-34.193	28.077	0.029	-33.386	23.326	0.003	-28.791	29.318	13.63	-17.065	35.614	22.699	0.116	254.544	2.999	0.116	211.348	2.84	0.116	73.448	0.005	0.116	5.019	0.007

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9306	9307	NS	2	57.405	58.323	0.0	0.0	296.216	3.824	1214.016	1289.248	19.205	-95.022	-91.933	0.0
2	9306	9307	SN	1	57.21	58.438	0.011	0.0	295.179	17.213	1199.288	1288.56	30.817	-95.704	-91.83	0.0
3	9306	9307	SN	1	57.21	58.438	0.004	0.0	295.179	6.257	1193.512	1288.56	50.287	-95.704	-91.811	0.0
4	9306	9307	NS	1	57.405	58.323	0.0	0.0	296.216	3.824	1214.016	1289.248	19.205	-95.022	-91.933	0.0
5	9306	9307	SN	1	57.21	58.438	0.014	0.0	295.179	16.97	1199.288	1288.56	39.214	-95.704	-91.83	0.0
6	9307	9308	NS	1	57.49	58.326	0.0	0.0	294.098	3.443	1214.832	1289.512	17.903	-93.396	-91.906	0.0
7	9307	9308	SN	1	57.436	58.324	0.0	0.0	298.604	3.796	1193.264	1288.752	48.915	-93.713	-91.782	0.0
8	9307	9308	NS	1	57.489	58.326	0.0	0.0	294.065	3.448	1214.84	1289.48	17.911	-93.396	-91.906	0.0
9	9307	9308	SN	1	57.436	58.324	0.0	0.0	298.604	3.664	1193.264	1288.752	49.413	-93.713	-91.782	0.0
10	9307	9308	SN	2	57.436	58.324	0.0	0.0	298.604	3.663	1193.264	1288.752	49.403	-93.713	-91.782	0.0
11	9308	9309	NS	1	57.47	58.327	0.0	0.0	294.297	3.413	1214.44	1289.592	18.591	-93.259	-91.89	0.0
12	9308	9309	SN	1	57.418	58.333	0.0	0.0	295.157	3.644	1193.624	1288.792	49.204	-93.201	-91.816	0.0
13	9308	9309	SN	1	57.418	58.333	0.0	0.0	295.157	3.506	1193.624	1288.792	49.755	-93.201	-91.816	0.0
14	9308	9309	NS	1	57.46	58.348	0.0	0.0	294.297	3.613	1214.248	1289.592	18.018	-93.404	-91.89	0.0
15	9309	9310	SN	1	57.422	58.32	0.0	0.0	288.291	3.467	1192.984	1289.504	50.593	-93.17	-91.787	0.0
16	9309	9310	NS	1	57.485	58.327	0.0	0.0	294.341	3.551	1214.888	1289.464	18.87	-93.397	-91.932	0.0
17	9309	9310	NS	1	57.485	58.327	0.0	0.0	294.341	3.554	1214.888	1289.464	18.89	-93.397	-91.932	0.0
18	9309	9310	SN	1	57.422	58.32	0.0	0.0	292.494	3.653	1192.984	1289.504	49.826	-93.138	-91.787	0.0
19	9310	9311	NS	1	57.482	58.334	0.0	0.0	299.42	3.821	1214.864	1289.32	19.189	-94.272	-91.944	0.0
20	9310	9311	NS	2	57.483	58.335	0.0	0.0	299.316	3.821	1214.872	1289.336	19.19	-94.272	-91.944	0.0
21	9310	9311	SN	1	57.423	58.318	0.0	0.0	290.492	3.617	1193.2	1288.464	49.164	-93.203	-91.814	0.0
22	9310	9311	SN	1	57.421	58.318	0.0	0.0	290.492	3.614	1193.368	1288.464	49.219	-93.219	-91.814	0.0
23	9311	9312	SN	1	57.414	58.317	0.0	0.0	285.01	3.553	1193.576	1288.24	49.414	-93.591	-91.814	0.0
24	9311	9312	NS	1	57.466	58.347	0.0	0.0	298.643	3.86	1214.68	1289.104	18.089	-93.204	-91.93	0.0
25	9311	9312	SN	1	57.419	58.317	0.0	0.0	289.405	3.678	1193.52	1288.24	48.889	-93.282	-91.814	0.0
26	9311	9312	SN	1	57.414	58.317	0.0	0.0	289.322	3.684	1193.576	1288.24	48.833	-93.591	-91.814	0.0
27	9312	9313	SN	1	57.429	58.317	0.0	0.0	285.567	3.069	1193.224	1288.136	49.826	-93.263	-91.814	0.0
28	9312	9313	NS	2	57.481	58.325	0.0	0.0	289.902	3.564	1215.088	1289.072	17.6	-93.4	-91.958	0.0
29	9312	9313	NS	1	57.48	58.325	0.0	0.0	290.734	3.565	1215.08	1289.072	17.607	-93.399	-91.958	0.0
30	9312	9313	SN	1	57.447	58.317	0.0	0.0	288.589	3.896	1193.744	1288.136	46.604	-93.541	-91.814	0.0
31	9312	9313	SN	1	57.447	58.317	0.0	0.0	288.589	3.886	1193.744	1288.136	46.547	-93.541	-91.814	0.0
32	9313	9314	SN	1	57.459	58.318	0.0	0.0	297.644	3.022	1194.344	1288.328	45.171	-93.737	-91.784	0.0
33	9313	9314	NS	1	57.47	58.35	0.0	0.0	292.058	3.61	1214.664	1289.08	17.539	-93.399	-91.936	0.0
34	9313	9314	NS	2	57.47	58.35	0.0	0.0	292.135	3.61	1214.68	1289.096	17.542	-93.399	-91.936	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9313	9314	SN	1	57.459	58.318	0.0	0.0	297.644	4.316	1194.344	1288.328	41.191	-94.383	-91.784	0.0
36	9313	9314	SN	1	57.459	58.318	0.0	0.0	297.644	4.3	1194.344	1288.328	41.172	-94.383	-91.784	0.0
37	9314	9315	SN	1	57.449	58.318	0.0	0.0	297.727	3.918	1193.896	1288.224	49.622	-93.784	-91.744	0.0
38	9314	9315	SN	1	57.449	58.329	0.0	0.0	297.727	3.793	1193.896	1288.224	47.469	-93.784	-91.744	0.0
39	9314	9315	NS	1	57.465	58.352	0.0	0.0	292.747	3.847	1214.76	1289.056	19.803	-93.401	-91.926	0.0
40	9315	9316	NS	1	57.269	58.539	0.001	0.0	292.543	9.155	1211.248	1288.816	27.08	-95.578	-91.942	0.0
41	9315	9316	NS	1	57.269	58.539	0.001	0.0	292.543	6.614	1211.248	1288.816	19.656	-95.578	-91.942	0.0
42	9320	9321	SN	1	57.407	58.32	0.0	0.0	296.233	4.062	1192.944	1287.888	49.184	-93.107	-91.806	0.0
43	9320	9321	SN	1	57.417	58.32	0.0	0.0	296.233	3.561	1192.944	1287.888	51.045	-93.016	-91.806	0.0
44	9320	9321	SN	1	57.419	58.315	0.0	0.0	296.233	4.073	1192.944	1287.888	49.225	-93.107	-91.806	0.0
45	9321	9322	SN	1	57.44	58.314	0.0	0.003	296.729	3.878	1192.896	1287.808	48.895	-93.74	-91.79	0.0
46	9321	9322	SN	1	57.45	58.314	0.0	0.003	296.729	3.892	1193.584	1287.808	48.907	-93.74	-91.79	0.0
47	9321	9322	SN	1	57.44	58.314	0.0	0.003	296.757	3.735	1192.896	1287.808	49.49	-93.74	-91.79	0.0
48	9321	9322	NS	1	57.498	58.325	0.0	0.0	291.639	3.54	1215.624	1288.848	18.426	-93.403	-91.946	0.0
49	9322	9323	SN	2	57.416	58.314	0.0	0.0	292.924	3.495	1193.248	1287.984	49.996	-93.15	-91.785	0.0
50	9322	9323	NS	1	57.5	58.326	0.0	0.0	292.278	3.639	1215.696	1289.064	17.848	-93.409	-91.903	0.0
51	9322	9323	NS	1	57.5	58.326	0.0	0.0	298.345	3.643	1215.688	1289.072	17.869	-93.409	-91.903	0.0
52	9322	9323	SN	1	57.342	58.314	0.0	0.0	292.924	3.634	1193.248	1287.984	49.487	-93.735	-91.785	0.0
53	9322	9323	SN	1	57.416	58.314	0.0	0.0	292.924	3.495	1193.248	1287.984	49.996	-93.15	-91.785	0.0
54	9323	9324	SN	1	57.43	58.313	0.0	0.0	287.712	3.459	1193.048	1287.832	50.409	-93.505	-91.808	0.0
55	9323	9324	NS	1	57.501	58.356	0.0	0.0	292.24	3.509	1215.648	1289.032	18.152	-93.409	-91.939	0.0
56	9323	9324	NS	1	57.501	58.356	0.0	0.0	292.24	3.506	1215.648	1289.032	18.134	-93.409	-91.939	0.0
57	9323	9324	SN	2	57.43	58.313	0.0	0.0	290.177	3.619	1193.048	1287.832	49.7	-93.174	-91.808	0.0
58	9323	9324	SN	1	57.43	58.313	0.0	0.0	290.21	3.619	1193.048	1287.832	49.7	-93.174	-91.808	0.0
59	9324	9325	SN	1	57.418	58.319	0.0	0.0	288.093	3.645	1192.312	1287.624	49.489	-93.159	-91.808	0.0
60	9324	9325	SN	1	57.418	58.319	0.0	0.0	284.668	3.413	1192.312	1287.624	50.588	-93.159	-91.808	0.0
61	9324	9325	NS	1	57.5	58.332	0.0	0.0	296.983	3.593	1215.776	1288.864	18.947	-93.148	-91.931	0.0
62	9324	9325	NS	2	57.5	58.332	0.0	0.0	297.01	3.593	1215.768	1288.872	18.951	-93.148	-91.931	0.0
63	9324	9325	SN	1	57.429	58.319	0.0	0.0	288.093	3.641	1192.52	1287.624	49.542	-93.364	-91.808	0.0
64	9325	9326	SN	1	57.43	58.309	0.0	0.0	282.688	3.245	1193.072	1287.464	50.93	-93.246	-91.808	0.0
65	9325	9326	NS	2	57.478	58.336	0.0	0.0	294.733	3.814	1215.304	1288.712	18.67	-93.73	-91.954	0.0
66	9325	9326	SN	1	57.43	58.309	0.0	0.0	287.006	3.617	1193.072	1287.464	49.281	-93.748	-91.808	0.0
67	9325	9326	SN	1	57.439	58.309	0.0	0.0	287.006	3.613	1193.072	1287.464	49.331	-93.748	-91.808	0.0
68	9325	9326	NS	1	57.478	58.336	0.0	0.0	294.744	3.813	1215.304	1288.688	18.661	-93.73	-91.954	0.0
69	9326	9327	NS	1	57.468	58.324	0.0	0.0	298.389	3.673	1215.816	1288.528	17.087	-93.71	-91.958	0.0
70	9326	9327	SN	1	57.429	58.309	0.0	0.0	282.489	3.129	1193.048	1287.36	50.193	-93.23	-91.799	0.0
71	9326	9327	SN	1	57.42	58.309	0.0	0.0	286.637	3.763	1193.048	1287.36	47.636	-94.291	-91.799	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	9326	9327	NS	2	57.468	58.324	0.0	0.0	298.389	3.675	1215.688	1288.528	17.09	-93.71	-91.958	0.0
73	9326	9327	SN	1	57.425	58.308	0.0	0.0	286.637	3.76	1193.024	1287.36	47.703	-94.291	-91.799	0.0
74	9327	9328	NS	1	57.482	58.347	0.0	0.003	291.484	3.528	1215.92	1288.568	17.313	-93.406	-91.958	0.0
75	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	3.08	1193.528	1287.392	46.298	-93.296	-91.796	0.0
76	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	4.158	1193.528	1287.392	42.602	-93.296	-91.796	0.0
77	9327	9328	SN	1	57.448	58.31	0.0	0.0	296.139	4.162	1193.528	1287.392	42.668	-93.296	-91.796	0.0
78	9328	9329	SN	1	57.436	58.311	0.0	0.0	295.516	4.077	1193.56	1287.4	42.861	-93.701	-91.74	0.0
79	9328	9329	NS	2	57.466	58.343	0.0	0.003	290.767	3.737	1215.752	1288.52	18.446	-93.406	-91.932	0.0
80	9328	9329	NS	1	57.466	58.343	0.0	0.003	290.767	3.737	1215.752	1288.52	18.446	-93.406	-91.932	0.0
81	9329	9330	NS	1	57.504	58.34	0.0	0.0	296.178	3.687	1216.36	1288.384	19.113	-93.415	-91.936	0.0
82	9329	9330	NS	1	57.504	58.34	0.0	0.0	296.178	3.7	1216.36	1288.384	19.199	-93.415	-91.936	0.0
83	9329	9330	SN	1	57.45	58.31	0.0	0.003	291.81	3.82	1193.048	1287.248	46.422	-93.52	-91.773	0.0
84	9330	9331	NS	1	57.506	58.349	0.0	0.0	290.519	3.665	1216.488	1288.272	18.633	-93.347	-91.938	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9306	9307	NS	2	-34.966	20.937	0.0	-34.885	21.208	0.0	2.469	23.273	0.016	1.809	24.282	0.172	0.086	232.493	2.122	0.086	228.107	1.794	0.086	0.12	0.0	0.086	0.126	0.0
2	9306	9307	SN	1	-30.513	21.587	0.0	-34.586	18.779	0.0	-14.495	22.438	0.088	3.322	23.136	0.407	0.086	83.409	1.21	0.086	298.453	1.349	0.086	2.15	0.016	0.086	0.114	0.0
3	9306	9307	SN	1	-34.765	21.592	0.0	-34.81	18.779	0.0	-23.175	22.627	0.033	-23.161	23.134	0.088	0.086	229.574	7.332	0.086	298.453	5.671	0.086	15.845	0.05	0.086	16.539	0.028
4	9306	9307	NS	1	-34.966	20.937	0.0	-34.885	21.208	0.0	2.469	23.273	0.016	1.809	24.282	0.172	0.086	232.493	2.122	0.086	228.107	1.794	0.086	0.12	0.0	0.086	0.126	0.0
5	9306	9307	SN	1	-28.684	21.586	0.0	-34.586	18.779	0.0	1.928	22.438	0.102	3.322	23.136	0.415	0.086	54.769	1.623	0.086	298.453	1.992	0.086	0.125	0.0	0.086	0.114	0.0
6	9307	9308	NS	1	-34.704	20.334	0.0	-34.885	20.702	0.0	-7.631	22.258	0.002	-11.474	23.038	0.031	0.086	218.821	2.512	0.086	228.11	2.322	0.086	0.496	0.0	0.086	1.105	0.001
7	9307	9308	SN	1	-34.883	19.228	0.0	-34.985	18.97	0.0	-18.65	22.726	0.017	-20.038	22.986	0.077	0.086	228.052	2.589	0.086	233.455	2.326	0.086	5.491	0.019	0.086	7.534	0.008
8	9307	9308	NS	1	-34.484	20.336	0.0	-34.902	20.702	0.0	-7.631	22.258	0.002	-11.474	23.038	0.031	0.086	208.052	2.503	0.086	229.055	2.295	0.086	0.496	0.0	0.086	1.105	0.001
9	9307	9308	SN	1	-34.883	19.228	0.0	-34.985	18.97	0.0	-18.65	22.726	0.017	-20.038	22.986	0.077	0.086	228.052	2.633	0.086	233.455	2.355	0.086	5.491	0.019	0.086	7.534	0.008
10	9307	9308	SN	2	-34.883	19.228	0.0	-34.985	18.97	0.0	-18.65	22.726	0.017	-20.038	22.986	0.077	0.086	228.052	2.633	0.086	233.455	2.355	0.086	5.491	0.019	0.086	7.534	0.008
11	9308	9309	NS	1	-34.408	15.973	0.0	-34.338	14.715	0.0	-12.068	21.539	0.0	-15.185	22.65	0.034	0.087	204.398	2.329	0.088	201.161	2.76	0.086	1.257	0.002	0.086	2.509	0.01
12	9308	9309	SN	1	-34.405	17.542	0.0	-34.369	17.406	0.0	1.857	22.557	0.01	2.264	23.207	0.081	0.087	204.278	1.69	0.087	202.584	1.535	0.086	0.126	0.0	0.086	0.122	0.0
13	9308	9309	SN	1	-34.405	17.542	0.0	-34.369	17.406	0.0	1.857	22.557	0.01	2.264	23.207	0.081	0.087	204.278	1.716	0.087	202.584	1.55	0.086	0.126	0.0	0.086	0.122	0.0
14	9308	9309	NS	1	-34.337	15.958	0.0	-34.821	14.695	0.0	-12.06	21.545	0.0	-15.036	22.648	0.032	0.087	201.109	2.294	0.088	224.785	2.727	0.086	1.255	0.002	0.086	2.426	0.01
15	9309	9310	SN	1	-34.646	17.143	0.0	-34.639	17.338	0.0	0.624	22.723	0.139	1.665	22.667	0.311	0.087	215.922	3.73	0.087	215.556	3.329	0.086	0.14	0.0	0.086	0.128	0.0
16	9309	9310	NS	1	-33.01	16.484	0.0	-34.704	17.464	0.0	-17.1	22.142	0.001	-19.917	22.798	0.018	0.087	148.147	1.478	0.087	218.826	1.418	0.086	3.863	0.013	0.086	7.332	0.026
17	9309	9310	NS	1	-32.508	16.479	0.0	-34.704	17.464	0.0	-17.1	22.146	0.001	-19.917	22.798	0.018	0.087	132.008	1.48	0.087	218.826	1.418	0.086	3.863	0.013	0.086	7.332	0.026
18	9309	9310	SN	1	-34.646	17.143	0.0	-34.922	17.338	0.0	0.624	22.723	0.14	1.665	22.667	0.3	0.087	215.922	3.65	0.087	238.023	3.286	0.086	0.14	0.0	0.086	0.128	0.0
19	9310	9311	NS	1	-34.906	14.086	0.0	-34.425	15.184	0.0	-17.869	22.724	0.014	-18.799	22.488	0.026	0.088	229.228	2.477	0.087	205.246	2.811	0.086	4.598	0.018	0.086	5.68	0.012
20	9310	9311	NS	2	-34.906	14.086	0.0	-33.512	15.184	0.0	-17.869	22.724	0.014	-18.799	22.488	0.026	0.088	229.228	2.477	0.087	166.358	2.811	0.086	4.598	0.018	0.086	5.68	0.012
21	9310	9311	SN	1	-34.668	17.014	0.0	-34.776	17.563	0.0	1.082	22.161	0.005	1.718	22.634	0.163	0.087	217.064	3.007	0.087	227.151	2.921	0.086	0.134	0.0	0.086	0.127	0.0
22	9310	9311	SN	1	-34.816	17.014	0.0	-34.776	17.563	0.0	1.082	22.161	0.005	1.718	22.634	0.163	0.087	224.584	3.001	0.087	222.538	2.923	0.086	0.134	0.0	0.086	0.127	0.0
23	9311	9312	SN	1	-34.973	16.521	0.0	-34.945	16.604	0.0	0.135	22.088	0.007	2.957	22.195	0.016	0.087	232.814	3.655	0.087	231.332	3.193	0.086	0.147	0.0	0.086	0.116	0.0
24	9311	9312	NS	1	-34.99	17.503	0.0	-34.66	18.292	0.0	-22.413	21.91	0.0	-19.144	22.642	0.056	0.087	233.698	1.804	0.086	216.671	1.791	0.086	12.973	0.085	0.086	6.146	0.014
25	9311	9312	SN	1	-34.439	16.521	0.0	-34.665	16.604	0.0	0.135	22.088	0.007	2.955	22.195	0.016	0.087	205.908	3.615	0.087	216.899	3.166	0.086	0.147	0.0	0.086	0.116	0.0
26	9311	9312	SN	1	-34.973	16.521	0.0	-34.826	16.604	0.0	0.135	22.088	0.007	2.957	22.195	0.016	0.087	232.814	3.617	0.087	225.025	3.146	0.086	0.147	0.0	0.086	0.116	0.0
27	9312	9313	SN	1	-34.204	17.698	0.0	-34.94	17.639	0.0	-17.196	24.908	0.305	-11.169	23.656	0.787	0.086	201.781	2.368	0.087	231.027	2.318	0.086	4.24	0.008	0.086	1.112	0.002
28	9312	9313	NS	2	-34.926	18.721	0.0	-34.439	19.864	0.0	-0.912	22.067	0.016	1.239	22.458	0.124	0.086	230.305	2.453	0.086	205.864	2.21	0.086	0.165	0.0	0.086	0.132	0.0
29	9312	9313	NS	1	-34.926	18.721	0.0	-34.53	19.864	0.0	-0.912	22.067	0.016	1.239	22.458	0.124	0.086	230.305	2.453	0.086	210.251	2.21	0.086	0.165	0.0	0.086	0.132	0.0
30	9312	9313	SN	1	-34.841	17.7	0.0	-34.674	17.639	0.0	-17.072	24.908	0.291	-11.163	23.656	0.796	0.086	225.866	2.222	0.087	217.351	2.19	0.086	4.122	0.007	0.086	1.111	0.002
31	9312	9313	SN	1	-34.204	17.698	0.0	-34.94	17.639	0.0	-17.134	24.908	0.286	-11.169	23.656	0.784	0.086	201.781	2.223	0.087	231.027	2.19	0.086	4.18	0.007	0.086	1.112	0.002
32	9313	9314	SN	1	-31.528	18.533	0.0	-30.254	18.912	0.0	-8.81	23.481	0.264	-18.489	24.229	0.87	0.086	105.344	0.681	0.086	78.592	0.847	0.086	0.629	0.0	0.086	5.294	0.009





Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	9313	9314	NS	1	-34.832	18.431	0.0	-34.872	18.796	0.0	-3.728	22.627	0.043	-0.758	23.492	0.461	0.086	225.378	2.402	0.086	227.451	1.876	0.086	0.245	0.0	0.086	0.162	0.0
34	9313	9314	NS	2	-34.832	18.431	0.0	-34.872	18.796	0.0	-3.73	22.627	0.043	-0.759	23.492	0.461	0.086	225.378	2.402	0.086	227.451	1.876	0.086	0.245	0.0	0.086	0.162	0.0
35	9313	9314	SN	1	-29.832	18.535	0.0	-33.194	18.912	0.0	-8.819	23.482	0.248	-18.476	24.229	0.945	0.086	71.319	0.851	0.086	154.56	0.998	0.086	0.631	0.0	0.086	5.277	0.009
36	9313	9314	SN	1	-32.382	18.533	0.0	-33.778	18.912	0.0	-8.819	23.481	0.237	-18.479	24.229	0.947	0.086	128.232	0.847	0.086	176.876	0.998	0.086	0.631	0.0	0.086	5.282	0.009
37	9314	9315	SN	1	-34.75	17.783	0.0	-34.857	19.304	0.0	-25.138	23.125	0.162	-5.629	23.748	0.323	0.086	221.127	3.384	0.086	226.661	3.299	0.086	24.241	0.014	0.086	0.339	0.0
38	9314	9315	SN	1	-34.238	19.417	0.0	-34.94	19.304	0.0	-25.388	23.134	0.154	-5.617	23.751	0.32	0.086	196.554	3.3	0.086	231.083	3.07	0.086	25.67	0.013	0.086	0.338	0.0
39	9314	9315	NS	1	-34.581	22.234	0.001	-34.882	17.553	0.0	-10.841	22.583	0.035	-7.062	24.147	1.286	0.086	212.715	3.539	0.087	227.924	3.212	0.086	0.964	0.0	0.086	0.444	0.0
40	9315	9316	NS	1	-33.6	18.468	0.0	-33.994	19.452	0.0	-27.368	22.139	0.007	-21.418	23.79	1.119	0.086	169.734	2.087	0.086	185.797	1.913	0.086	40.456	0.078	0.086	10.328	0.02
41	9315	9316	NS	1	-34.818	18.468	0.0	-34.752	19.452	0.0	-26.52	22.139	0.006	-21.388	23.773	1.026	0.086	224.627	2.514	0.086	221.242	2.245	0.086	33.299	0.084	0.086	10.259	0.018
42	9320	9321	SN	1	-34.946	19.412	0.0	-34.929	19.431	0.0	-27.784	22.73	0.019	-22.581	22.254	0.009	0.086	231.361	4.681	0.086	236.408	3.713	0.086	47.803	0.099	0.086	15.085	0.099
43	9320	9321	SN	1	-34.946	19.353	0.0	-34.622	19.431	0.0	-27.784	22.73	0.019	-22.581	22.254	0.009	0.086	231.361	4.87	0.086	214.751	4.09	0.086	47.803	0.1	0.086	15.085	0.099
44	9320	9321	SN	1	-34.942	19.353	0.0	-34.88	19.431	0.0	-27.512	22.73	0.018	-22.728	22.254	0.009	0.086	231.159	4.684	0.086	227.901	3.704	0.086	44.912	0.098	0.086	15.603	0.099
45	9321	9322	SN	1	-34.898	20.794	0.0	-34.648	20.698	0.0	-29.549	22.268	0.015	-29.192	23.391	0.086	0.086	228.835	2.099	0.086	216.052	2.135	0.086	66.83	0.1	0.086	61.553	0.135
46	9321	9322	SN	1	-34.015	20.795	0.0	-34.744	20.698	0.0	-29.861	22.268	0.015	-29.192	23.389	0.093	0.086	186.764	2.104	0.086	220.881	2.132	0.086	71.79	0.1	0.086	61.553	0.135
47	9321	9322	SN	1	-34.898	20.794	0.0	-34.648	20.698	0.0	-29.549	22.268	0.015	-29.192	23.391	0.086	0.086	228.835	2.145	0.086	216.052	2.175	0.086	66.83	0.1	0.086	61.553	0.135
48	9321	9322	NS	1	-34.736	20.846	0.0	-31.34	21.505	0.0	-9.048	22.09	0.002	-14.497	23.993	0.085	0.086	220.495	0.87	0.086	100.915	0.633	0.086	0.661	0.0	0.086	2.15	0.005
49	9322	9323	SN	2	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.231	0.086	201.46	1.725	0.086	22.182	0.043	0.086	2.034	0.023
50	9322	9323	NS	1	-34.888	16.188	0.0	-34.697	15.108	0.0	-14.883	21.821	0.0	-25.47	22.678	0.048	0.087	228.318	3.625	0.087	218.54	3.822	0.086	2.344	0.002	0.086	26.155	0.023
51	9322	9323	NS	1	-34.015	16.194	0.0	-34.402	15.105	0.0	-14.882	21.821	0.0	-25.452	22.678	0.048	0.087	186.758	3.617	0.087	204.107	3.769	0.086	2.344	0.002	0.086	26.053	0.023
52	9322	9323	SN	1	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.201	0.086	201.46	1.708	0.086	22.182	0.043	0.086	2.034	0.023
53	9322	9323	SN	1	-34.578	18.439	0.0	-34.198	19.428	0.0	-24.752	22.893	0.07	-14.246	22.978	0.249	0.086	212.622	2.231	0.086	201.46	1.725	0.086	22.182	0.043	0.086	2.034	0.023
54	9323	9324	SN	1	-34.826	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.207	0.087	225.068	2.928	0.087	242.724	2.768	0.086	0.133	0.0	0.086	0.13	0.0
55	9323	9324	NS	1	-33.209	17.126	0.0	-33.282	16.094	0.0	-28.435	21.83	0.0	-32.615	22.551	0.038	0.087	155.149	1.279	0.087	157.721	1.287	0.086	51.713	0.139	0.086	135.294	0.163
56	9323	9324	NS	1	-34.807	17.135	0.0	-34.857	16.095	0.0	-28.435	21.841	0.0	-32.617	22.551	0.038	0.087	224.137	1.282	0.087	226.704	1.286	0.086	51.713	0.139	0.086	135.333	0.163
57	9323	9324	SN	2	-34.221	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.204	0.087	208.167	2.873	0.087	242.724	2.732	0.086	0.133	0.0	0.086	0.13	0.0
58	9323	9324	SN	1	-34.221	16.569	0.0	-34.844	17.121	0.0	1.213	22.209	0.017	1.43	22.868	0.204	0.087	208.167	2.873	0.087	242.724	2.732	0.086	0.133	0.0	0.086	0.13	0.0
59	9324	9325	SN	1	-34.987	17.313	0.0	-34.776	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.278	0.087	233.588	3.077	0.087	222.54	3.046	0.086	0.137	0.0	0.086	0.126	0.0
60	9324	9325	SN	1	-34.987	17.313	0.0	-34.776	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.297	0.087	233.588	3.151	0.087	222.54	3.108	0.086	0.137	0.0	0.086	0.126	0.0
61	9324	9325	NS	1	-34.513	13.091	0.0	-34.8	15.39	0.0	-8.228	22.99	0.019	-5.628	22.924	0.046	0.088	209.429	2.058	0.087	223.662	2.056	0.086	0.559	0.0	0.086	0.339	0.0
62	9324	9325	NS	2	-34.513	13.091	0.0	-34.8	15.39	0.0	-8.228	22.99	0.019	-5.628	22.924	0.046	0.088	209.429	2.058	0.087	223.662	2.056	0.086	0.559	0.0	0.086	0.339	0.0
63	9324	9325	SN	1	-34.946	17.313	0.0	-34.597	17.37	0.0	0.887	22.282	0.006	1.803	22.73	0.278	0.087	248.436	3.085	0.087	213.536	3.037	0.086	0.137	0.0	0.086	0.126	0.0
64	9325	9326	SN	1	-34.987	17.024	0.0	-34.965	16.663	0.0	0.642	22.022	0.005	2.338	22.967	0.104	0.087	233.565	3.892	0.087	232.396	3.826	0.086	0.14	0.0	0.086	0.121	0.0
65	9325	9326	NS	2	-34.832	14.691	0.0	-34.645	14.472	0.0	-12.045	22.757	0.012	-15.282	22.86	0.058	0.088	225.414	1.451	0.088	215.885	1.612	0.086	1.251	0.002	0.086	2.564	0.019
66	9325	9326	SN	1	-34.987	17.024	0.0	-34.965	16.663	0.0	0.642	22.022	0.004	2.338	22.967	0.102	0.087	233.565	3.781	0.087	232.396	3.674	0.086	0.14	0.0	0.086	0.121	0.0
67	9325	9326	SN	1	-34.925	17.024	0.0	-34.69	16.663	0.0	0.642	22.022	0.004	2.338	22.967	0.102	0.087	230.259	3.786	0.087	218.102	3.677	0.086	0.14	0.0	0.086	0.121	0.0
68	9325	9326	NS	1	-34.832	14.691	0.0	-34.645	14.472	0.0	-12.043	22.757	0.012	-15.282	22.86	0.058	0.088	225.414	1.451	0.088	215.885	1.612	0.086	1.251	0.002	0.086	2.564	0.019
69	9326	9327	NS	1	-34.086	20.161	0.0	-34.589	18.891	0.0	-28.427	22.523	0.009	-20.699	22.947	0.099	0.086	189.8	0.923	0.086	213.143	0.885	0.086	51.625	0.054	0.086	8.761	0.032

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

70	9326	9327	SN	1	-34.795	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.265	3.308	23.397	0.446	0.087	223.458	3.863	0.087	218.353	3.685	0.086	0.137	0.0	0.086	0.114	0.0
71	9326	9327	SN	1	-34.795	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.247	3.308	23.397	0.445	0.087	223.458	3.713	0.087	218.353	3.45	0.086	0.137	0.0	0.086	0.114	0.0
72	9326	9327	NS	2	-34.086	20.161	0.0	-34.963	18.891	0.0	-28.427	22.523	0.009	-20.699	22.947	0.099	0.086	189.8	0.923	0.086	232.273	0.886	0.086	51.625	0.054	0.086	8.761	0.032
73	9326	9327	SN	1	-34.988	16.652	0.0	-34.694	15.877	0.0	0.877	23.078	0.247	3.308	23.397	0.445	0.087	233.656	3.704	0.087	218.353	3.46	0.086	0.137	0.0	0.086	0.114	0.0
74	9327	9328	NS	1	-34.433	18.622	0.0	-34.547	20.586	0.0	0.333	22.325	0.009	1.662	23.272	0.231	0.086	205.578	2.061	0.086	211.11	1.996	0.086	0.144	0.0	0.086	0.128	0.0
75	9327	9328	SN	1	-34.71	18.543	0.0	-34.544	18.69	0.0	-17.47	24.287	0.506	-17.574	24.446	1.278	0.086	219.118	2.349	0.086	210.939	2.24	0.086	4.2	0.004	0.086	4.3	0.002
76	9327	9328	SN	1	-34.71	18.543	0.0	-34.544	18.69	0.0	-17.566	24.287	0.47	-17.574	24.446	1.276	0.086	219.118	2.18	0.086	210.939	1.931	0.086	4.293	0.003	0.086	4.3	0.002
77	9327	9328	SN	1	-34.536	18.544	0.0	-33.616	18.69	0.0	-17.58	24.284	0.469	-17.588	24.444	1.29	0.086	210.542	2.174	0.086	170.379	1.932	0.086	4.307	0.003	0.086	4.314	0.002
78	9328	9329	SN	1	-33.437	19.703	0.0	-34.829	19.332	0.0	-26.385	23.099	0.198	-14.713	24.228	0.653	0.086	163.441	2.778	0.086	225.208	2.238	0.086	33.4	0.061	0.086	2.425	0.005
79	9328	9329	NS	2	-34.883	18.368	0.0	-34.973	21.808	0.0	-2.141	22.902	0.02	-5.385	23.926	0.803	0.086	228.013	4.639	0.086	232.827	4.362	0.086	0.194	0.0	0.086	0.325	0.0
80	9328	9329	NS	1	-34.883	18.368	0.0	-34.973	21.808	0.0	-2.141	22.902	0.02	-5.385	23.926	0.803	0.086	228.013	4.639	0.086	232.827	4.362	0.086	0.194	0.0	0.086	0.325	0.0
81	9329	9330	NS	1	-34.566	21.703	0.0	-34.286	20.393	0.0	-20.205	22.393	0.012	-18.033	23.881	1.293	0.086	212.006	3.07	0.086	198.722	2.913	0.086	7.828	0.046	0.086	4.773	0.05
82	9329	9330	NS	1	-34.566	21.703	0.0	-34.286	20.393	0.0	-20.205	22.393	0.012	-18.033	23.88	1.29	0.086	212.006	3.065	0.086	198.722	2.912	0.086	7.828	0.046	0.086	4.773	0.05
83	9329	9330	SN	1	-34.718	20.885	0.0	-34.636	21.378	0.0	-4.944	23.212	0.164	-6.954	23.34	0.127	0.086	219.521	2.09	0.086	215.435	1.842	0.086	0.324	0.0	0.086	0.468	0.0
84	9330	9331	NS	1	-34.789	18.759	0.0	-34.922	20.473	0.0	-20.165	23.001	0.008	-26.249	23.948	0.979	0.086	223.161	2.756	0.086	230.093	2.683	0.086	7.758	0.005	0.086	31.287	0.028

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	