

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 25-DEC-2019 To 26-DEC-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 25-DEC-2019 To 26-DEC-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17179	17180	SN	1	48.771	49.499	0.0	0.003	214.572	2.676	1034.264	1086.528	0.0	-91.919	-90.046	0.0
2	17179	17180	SN	1	48.783	49.48	0.0	0.003	214.572	2.688	1035.0	1086.528	0.0	-91.917	-90.046	0.0
3	17179	17180	SN	1	48.771	49.499	0.0	0.003	214.572	2.016	1034.264	1086.528	0.0	-91.919	-90.046	0.0
4	17180	17181	NS	1	48.711	49.388	0.0	0.003	18.69	2.595	1031.36	1085.92	0.0	-91.928	-89.972	0.0
5	17180	17181	SN	1	48.771	49.505	0.0	0.003	29.343	2.607	1034.016	1086.488	0.0	-91.917	-90.013	0.0
6	17180	17181	SN	2	48.771	49.505	0.0	0.003	29.343	2.607	1034.016	1086.488	0.0	-91.917	-90.013	0.0
7	17180	17181	SN	1	48.771	49.505	0.0	0.003	29.343	2.441	1034.016	1086.488	0.0	-91.917	-90.013	0.0
8	17180	17181	NS	1	48.711	49.399	0.0	0.003	18.69	2.593	1031.36	1085.92	0.0	-91.918	-89.972	0.0
9	17181	17182	NS	1	48.707	49.384	0.0	0.003	264.312	2.505	1032.056	1086.112	0.0	-91.931	-89.924	0.0
10	17181	17182	NS	2	48.688	49.383	0.0	0.003	264.312	2.507	1031.064	1086.128	0.0	-91.931	-89.924	0.0
11	17181	17182	SN	1	48.722	49.477	0.0	0.003	281.877	2.359	1033.944	1086.608	0.0	-91.889	-90.043	0.0
12	17181	17182	SN	1	48.757	49.477	0.0	0.003	281.877	2.357	1034.56	1086.608	0.0	-91.889	-90.043	0.0
13	17181	17182	SN	1	48.757	49.477	0.0	0.003	281.877	2.498	1034.56	1086.608	0.0	-91.889	-90.043	0.0
14	17182	17183	NS	1	48.713	49.4	0.0	0.0	192.402	2.733	1032.168	1086.056	0.0	-91.949	-89.975	0.0
15	17182	17183	SN	1	48.751	49.454	0.0	0.003	280.84	2.522	1034.4	1086.536	0.0	-91.94	-90.044	0.0
16	17182	17183	SN	1	48.716	49.454	0.0	0.003	280.84	2.519	1034.4	1086.536	0.0	-91.94	-90.044	0.0
17	17182	17183	SN	1	48.751	49.454	0.0	0.003	280.84	2.315	1034.4	1086.536	0.0	-91.94	-90.044	0.0
18	17183	17184	NS	2	48.702	49.395	0.0	0.003	12.856	2.603	1031.376	1085.92	0.0	-91.862	-89.98	0.0
19	17183	17184	NS	1	48.702	49.395	0.0	0.003	12.856	2.602	1031.376	1085.92	0.0	-91.862	-89.98	0.0
20	17183	17184	SN	1	48.733	49.461	0.0	0.003	29.006	2.526	1033.864	1086.408	0.0	-91.815	-90.044	0.0
21	17183	17184	SN	1	48.743	49.461	0.0	0.003	29.006	2.177	1033.864	1086.408	0.0	-91.815	-90.044	0.0
22	17184	17185	NS	1	48.714	49.565	0.0	0.0	223.578	2.901	1032.28	1085.832	0.0	-92.472	-89.977	0.0
23	17184	17185	NS	1	48.714	49.565	0.0	0.0	223.578	3.507	1032.272	1085.84	0.0	-92.472	-89.977	0.0
24	17184	17185	SN	1	48.731	49.488	0.0	0.003	281.138	1.993	1033.304	1086.328	0.0	-91.932	-90.044	0.0
25	17184	17185	SN	1	48.731	49.488	0.0	0.003	281.138	2.569	1033.304	1086.328	0.0	-91.932	-90.044	0.0
26	17185	17186	SN	1	48.747	49.49	0.0	0.003	6.673	1.789	1034.488	1086.288	0.0	-91.996	-90.04	0.0
27	17185	17186	SN	1	48.747	49.49	0.0	0.003	6.673	2.655	1034.488	1086.288	0.0	-91.996	-90.04	0.0
28	17185	17186	NS	1	48.652	49.329	0.0	0.003	206.939	2.563	1032.056	1085.784	0.0	-91.918	-89.989	0.0
29	17185	17186	NS	1	48.652	49.385	0.0	0.003	206.939	2.56	1031.992	1085.784	0.0	-91.93	-89.989	0.0
30	17186	17187	SN	1	48.78	49.488	0.0	0.0	234.856	2.737	1034.688	1086.768	0.0	-92.006	-90.031	0.0
31	17186	17187	SN	1	48.78	49.488	0.0	0.0	234.856	1.659	1034.688	1086.768	0.0	-92.006	-90.031	0.0
32	17186	17187	NS	1	48.669	49.393	0.0	0.0	43.362	2.715	1031.336	1085.92	0.0	-91.926	-89.991	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	17186	17187	SN	1	48.78	49.488	0.0	0.0	234.856	2.74	1034.688	1086.768	0.0	-92.006	-90.031	0.0
34	17187	17188	NS	2	48.712	49.515	0.0	0.003	12.541	2.638	1032.024	1089.88	0.0	-92.775	-89.98	0.0
35	17187	17188	SN	1	48.754	49.514	0.0	0.0	281.883	2.62	1033.944	1089.864	0.0	-92.784	-89.984	0.0
36	17187	17188	NS	1	48.712	49.515	0.0	0.003	12.541	2.638	1032.024	1089.888	0.0	-92.775	-89.98	0.0
37	17188	17189	SN	1	48.782	49.5	0.0	0.003	6.695	2.55	1034.776	1086.624	0.0	-92.066	-90.022	0.0
38	17188	17189	NS	1	48.688	49.393	0.0	0.003	6.695	2.611	1031.248	1086.464	0.0	-91.935	-89.962	0.0
39	17188	17189	NS	1	48.688	49.393	0.0	0.003	6.695	2.608	1031.248	1086.088	0.0	-91.972	-89.962	0.0
40	17189	17190	SN	2	48.773	49.486	0.0	0.003	6.695	2.626	1034.304	1086.36	0.0	-91.934	-90.019	0.0
41	17189	17190	NS	1	48.714	49.336	0.0	0.003	210.309	2.607	1032.216	1086.0	0.0	-92.001	-89.98	0.0
42	17189	17190	NS	1	48.714	49.34	0.0	0.003	210.309	2.611	1032.216	1085.832	0.0	-91.884	-89.98	0.0
43	17189	17190	SN	1	48.773	49.486	0.0	0.003	6.695	2.626	1034.304	1086.36	0.0	-91.934	-90.019	0.0
44	17190	17191	SN	1	48.728	49.459	0.0	0.003	281.331	2.604	1034.504	1086.448	0.0	-92.136	-90.014	0.0
45	17190	17191	NS	1	48.666	49.37	0.0	0.0	264.472	2.729	1031.448	1085.904	0.0	-91.978	-89.991	0.0
46	17190	17191	NS	1	48.666	49.37	0.0	0.0	264.472	2.536	1031.448	1085.296	0.0	-91.945	-89.991	0.0
47	17190	17191	SN	1	48.728	49.459	0.0	0.003	281.331	2.602	1034.504	1086.448	0.0	-92.136	-90.014	0.0
48	17190	17191	NS	1	48.665	49.367	0.0	0.0	264.472	2.74	1031.448	1085.928	0.0	-91.966	-89.991	0.0
49	17191	17192	SN	1	48.715	49.466	0.0	0.003	280.024	2.571	1033.816	1086.44	0.0	-91.904	-90.023	0.0
50	17191	17192	NS	1	48.712	49.383	0.0	0.003	206.945	2.587	1031.224	1085.928	0.0	-91.855	-89.988	0.0
51	17191	17192	NS	1	48.712	49.392	0.0	0.003	206.945	1.965	1031.224	1084.336	0.0	-91.855	-89.988	0.0
52	17191	17192	NS	2	48.712	49.383	0.0	0.003	206.945	2.587	1031.224	1085.928	0.0	-91.855	-89.988	0.0
53	17192	17193	NS	1	48.685	49.381	0.0	0.003	40.488	1.478	1031.088	1083.016	0.0	-91.903	-89.989	0.0
54	17193	17194	SN	1	48.399	49.44	0.0	0.0	263.65	55.297	1028.448	1086.472	0.0	-95.235	-90.048	0.0
55	17193	17194	SN	1	48.399	49.44	0.0	0.0	263.65	46.095	1028.448	1086.472	0.0	-95.235	-90.048	0.0
56	17193	17194	SN	1	48.399	49.505	0.0	0.0	263.65	16.371	1028.448	1086.72	0.0	-95.235	-90.048	0.0
57	17194	17195	SN	1	48.747	49.438	0.0	0.003	28.063	2.715	1033.552	1086.4	0.0	-91.798	-90.018	0.0
58	17194	17195	SN	1	48.747	49.438	0.0	0.003	28.063	2.442	1034.224	1086.4	0.0	-91.798	-90.018	0.0
59	17194	17195	NS	1	48.66	49.398	0.0	0.003	14.317	2.691	1031.176	1085.888	0.0	-91.945	-89.968	0.0
60	17194	17195	SN	1	48.747	49.438	0.0	0.003	28.063	2.718	1034.224	1086.4	0.0	-91.798	-90.018	0.0
61	17194	17195	NS	2	48.66	49.398	0.0	0.003	14.317	2.691	1031.176	1085.888	0.0	-91.945	-89.968	0.0
62	17194	17195	SN	1	48.747	49.438	0.0	0.003	28.063	2.456	1034.224	1086.4	0.0	-91.798	-90.018	0.0
63	17195	17196	NS	1	48.712	49.33	0.0	0.0	267.185	2.649	1031.736	1086.128	0.0	-92.091	-89.941	0.0
64	17195	17196	NS	2	48.712	49.33	0.0	0.0	267.185	2.648	1031.736	1086.128	0.0	-92.091	-89.941	0.0
65	17195	17196	SN	1	48.741	49.438	0.0	0.003	6.684	2.529	1033.576	1086.584	0.0	-91.83	-90.01	0.0
66	17195	17196	SN	1	48.722	49.436	0.0	0.003	6.684	2.526	1033.904	1086.568	0.0	-91.83	-90.011	0.0
67	17196	17197	NS	1	48.673	49.402	0.0	0.003	41.409	2.514	1031.808	1086.192	0.0	-91.956	-89.943	0.0
68	17196	17197	SN	1	48.734	49.5	0.0	0.008	281.375	2.487	1033.4	1086.624	0.0	-91.947	-90.042	0.0
69	17196	17197	SN	1	48.734	49.5	0.0	0.008	281.375	2.198	1033.4	1086.624	0.0	-91.947	-90.042	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17196	17197	SN	1	48.737	49.47	0.0	0.008	281.375	2.501	1034.216	1086.624	0.0	-91.914	-90.042	0.0
71	17196	17197	NS	2	48.672	49.4	0.0	0.003	41.409	2.511	1031.784	1086.2	0.0	-91.956	-89.943	0.0
72	17197	17198	SN	2	48.721	49.449	0.0	0.003	28.515	2.558	1033.696	1086.48	0.0	-91.936	-90.01	0.0
73	17197	17198	NS	1	48.686	49.374	0.0	0.003	210.408	2.682	1031.456	1086.04	0.0	-91.942	-89.972	0.0
74	17197	17198	SN	1	48.72	49.448	0.0	0.003	280.851	2.557	1033.672	1086.472	0.0	-91.936	-90.01	0.0
75	17197	17198	SN	1	48.721	49.449	0.0	0.003	28.515	2.27	1033.696	1086.48	0.0	-91.936	-90.01	0.0
76	17197	17198	NS	2	48.686	49.374	0.0	0.003	210.408	2.682	1031.456	1086.04	0.0	-91.942	-89.972	0.0
77	17198	17199	SN	1	48.777	49.454	0.0	0.003	6.684	2.54	1034.12	1086.392	0.0	-91.831	-90.04	0.0
78	17198	17199	SN	2	48.777	49.454	0.0	0.003	6.684	2.54	1034.12	1086.392	0.0	-91.831	-90.04	0.0
79	17198	17199	NS	1	48.714	49.381	0.0	0.003	14.025	2.614	1032.464	1085.968	0.0	-91.945	-89.983	0.0
80	17198	17199	NS	1	48.714	49.39	0.0	0.003	14.025	2.612	1032.464	1085.968	0.0	-91.868	-89.983	0.0
81	17198	17199	SN	1	48.777	49.454	0.0	0.003	6.684	2.079	1034.12	1086.392	0.0	-91.831	-90.04	0.0
82	17199	17200	SN	1	48.714	49.466	0.0	0.003	6.673	2.598	1033.984	1086.28	0.0	-91.958	-90.042	0.0
83	17199	17200	NS	2	48.714	49.379	0.0	0.0	49.729	2.748	1032.44	1085.84	0.0	-91.85	-89.989	0.0
84	17199	17200	SN	1	48.714	49.466	0.0	0.003	6.673	1.91	1033.984	1086.28	0.0	-91.958	-90.042	0.0
85	17199	17200	SN	1	48.777	49.466	0.0	0.003	6.673	2.596	1034.152	1086.28	0.0	-91.958	-90.042	0.0
86	17199	17200	NS	1	48.716	49.38	0.0	0.0	49.729	2.747	1032.464	1085.824	0.0	-91.85	-89.989	0.0
87	17200	17201	SN	1	48.773	49.45	0.0	0.003	6.679	1.66	1033.736	1086.328	0.0	-91.917	-90.043	0.0
88	17200	17201	NS	1	48.7	49.358	0.0	0.003	268.211	2.582	1032.24	1085.84	0.0	-91.842	-89.994	0.0
89	17200	17201	SN	1	48.773	49.45	0.0	0.003	6.679	2.661	1033.736	1086.328	0.0	-91.917	-90.043	0.0
90	17200	17201	SN	2	48.773	49.45	0.0	0.003	6.679	2.661	1033.736	1086.328	0.0	-91.917	-90.043	0.0
91	17200	17201	NS	1	48.7	49.358	0.0	0.003	268.211	2.575	1032.24	1085.84	0.0	-91.918	-89.994	0.0
92	17201	17202	SN	2	48.779	49.474	0.0	0.003	281.828	2.598	1034.224	1086.912	0.0	-91.93	-89.999	0.0
93	17201	17202	SN	1	48.779	49.474	0.0	0.003	281.828	1.546	1034.224	1086.912	0.0	-91.93	-89.999	0.0
94	17201	17202	NS	1	48.713	49.35	0.0	0.003	267.119	2.65	1032.224	1085.96	0.0	-91.851	-89.994	0.0
95	17201	17202	NS	1	48.713	49.35	0.0	0.003	267.119	2.638	1032.224	1085.96	0.0	-91.862	-89.994	0.0
96	17201	17202	SN	1	48.779	49.475	0.0	0.003	281.828	2.598	1034.232	1086.912	0.0	-91.93	-89.999	0.0
97	17202	17203	NS	1	48.65	49.396	0.0	0.003	11.62	2.665	1032.04	1086.224	0.0	-92.094	-89.988	0.0
98	17202	17203	SN	1	48.775	49.459	0.0	0.003	6.701	2.54	1034.104	1087.08	0.0	-91.912	-89.98	0.0
99	17202	17203	SN	2	48.775	49.459	0.0	0.003	6.701	2.54	1034.104	1087.08	0.0	-91.912	-89.98	0.0
100	17202	17203	NS	1	48.65	49.385	0.0	0.003	11.62	2.667	1031.688	1085.968	0.0	-91.944	-89.988	0.0
101	17203	17204	NS	1	48.711	49.364	0.0	0.003	264.665	2.716	1031.896	1085.832	0.0	-91.964	-89.965	0.0
102	17203	17204	SN	1	48.781	49.494	0.0	0.003	28.488	2.555	1034.328	1086.768	0.0	-91.931	-90.019	0.0
103	17203	17204	NS	2	48.711	49.364	0.0	0.003	264.665	2.717	1031.896	1085.832	0.0	-91.964	-89.965	0.0
104	17203	17204	SN	2	48.781	49.494	0.0	0.003	28.488	2.555	1034.328	1086.768	0.0	-91.931	-90.019	0.0
105	17204	17205	NS	1	48.672	49.347	0.0	0.003	11.956	2.521	1031.472	1085.728	0.0	-91.992	-89.994	0.0
106	17204	17205	NS	2	48.672	49.347	0.0	0.003	11.956	2.589	1031.472	1085.88	0.0	-91.992	-89.994	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	17204	17205	SN	1	48.761	49.502	0.0	0.003	6.679	2.641	1034.224	1086.376	0.0	-91.926	-90.029	0.0
108	17204	17205	SN	1	48.779	49.501	0.0	0.003	6.684	2.64	1034.232	1086.368	0.0	-91.926	-90.029	0.0
109	17204	17205	NS	1	48.672	49.347	0.0	0.003	11.956	2.589	1031.472	1085.88	0.0	-91.992	-89.994	0.0
110	17205	17206	NS	1	48.714	49.394	0.0	0.003	206.956	2.19	1032.168	1084.984	0.0	-92.0	-89.992	0.0
111	17205	17206	NS	1	48.714	49.394	0.0	0.003	206.956	2.557	1032.168	1085.904	0.0	-91.96	-89.992	0.0
112	17205	17206	NS	2	48.714	49.394	0.0	0.003	206.956	2.557	1032.168	1085.904	0.0	-91.96	-89.992	0.0
113	17205	17206	SN	1	48.779	49.464	0.0	0.003	6.69	2.578	1034.136	1086.44	0.0	-91.876	-90.016	0.0
114	17206	17207	SN	1	48.74	49.437	0.0	0.003	6.695	2.584	1033.752	1086.504	0.0	-91.766	-90.043	0.0
115	17206	17207	SN	1	48.74	49.437	0.0	0.003	6.695	2.573	1033.752	1086.504	0.0	-91.766	-90.043	0.0
116	17206	17207	NS	1	48.713	49.391	0.0	0.0	264.56	2.755	1032.152	1085.968	0.0	-92.449	-89.991	0.0
117	17206	17207	NS	1	48.713	49.395	0.0	0.0	264.56	2.752	1032.152	1085.968	0.0	-91.878	-89.991	0.0
118	17206	17207	NS	1	48.713	49.391	0.0	0.0	264.56	1.832	1032.152	1083.992	0.0	-91.955	-89.991	0.0
119	17207	17208	SN	1	48.742	49.45	0.0	0.0	218.99	2.727	1033.272	1086.584	0.0	-91.849	-90.044	0.0
120	17207	17208	SN	1	48.742	49.45	0.0	0.003	6.684	1.544	1033.264	1086.592	0.0	-91.849	-90.044	0.0
121	17207	17208	NS	2	48.699	49.396	0.0	0.003	267.174	2.588	1032.08	1086.048	0.0	-92.035	-89.99	0.0
122	17207	17208	NS	1	48.699	49.367	0.0	0.003	267.174	1.516	1032.08	1081.712	0.0	-91.914	-89.99	0.0
123	17207	17208	NS	1	48.699	49.396	0.0	0.003	267.174	2.588	1032.08	1086.048	0.0	-92.035	-89.99	0.0
124	17207	17208	SN	2	48.742	49.45	0.0	0.0	218.99	2.726	1033.264	1086.592	0.0	-91.849	-90.044	0.0
125	17208	17209	NS	1	48.674	49.355	0.0	0.003	206.476	2.765	1031.208	1086.0	0.0	-91.795	-89.986	0.0
126	17208	17209	NS	2	48.674	49.356	0.0	0.003	267.411	2.768	1031.208	1085.992	0.0	-91.795	-89.986	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

112	17205	17206	NS	2	-33.534	27.446	0.23	-34.929	27.497	0.49	11.864	28.355	23.99	9.112	28.829	36.037	0.116	218.749	3.044	0.116	301.518	2.576	0.116	0.121	0.0	0.116	0.125	0.0
113	17205	17206	SN	1	-33.71	22.622	0.013	-34.877	24.229	1.059	-4.91	31.219	14.307	-4.35	30.495	16.047	0.116	227.786	2.932	0.116	297.994	3.05	0.116	0.396	0.0	0.116	0.36	0.0
114	17206	17207	SN	1	-34.88	23.001	0.033	-34.318	24.854	0.821	-1.197	29.4	32.777	-3.241	30.137	41.651	0.116	298.103	2.904	0.116	262.02	2.582	0.116	0.229	0.0	0.116	0.302	0.0
115	17206	17207	SN	1	-34.88	23.01	0.033	-34.318	24.854	0.824	-1.197	29.4	32.662	-3.241	30.137	41.547	0.116	298.103	2.905	0.116	262.02	2.583	0.116	0.229	0.0	0.116	0.302	0.0
116	17206	17207	NS	1	-34.328	26.538	0.229	-33.687	26.855	0.197	7.656	28.569	26.881	8.272	28.457	36.546	0.116	262.549	1.133	0.116	226.596	1.009	0.116	0.129	0.0	0.116	0.127	0.0
117	17206	17207	NS	1	-34.366	26.538	0.229	-34.1	26.855	0.197	7.658	28.569	26.881	8.272	28.459	36.546	0.116	264.897	1.141	0.116	249.168	1.006	0.116	0.129	0.0	0.116	0.127	0.0
118	17206	17207	NS	1	-34.748	26.538	0.229	-33.687	26.855	0.197	7.675	28.569	16.365	8.272	28.454	29.584	0.116	289.217	1.133	0.116	226.596	1.009	0.116	0.129	0.0	0.116	0.127	0.0
119	17207	17208	SN	1	-34.928	22.588	0.032	-34.272	24.134	0.801	5.738	29.579	26.9	8.507	29.933	33.713	0.116	301.453	2.729	0.116	259.172	2.497	0.116	0.137	0.0	0.116	0.126	0.0
120	17207	17208	SN	1	-34.928	20.178	0.0	-34.072	20.882	0.0	5.738	29.571	23.213	8.507	29.924	30.913	0.116	301.453	2.806	0.116	247.589	2.671	0.116	0.137	0.0	0.116	0.126	0.0
121	17207	17208	NS	2	-34.099	28.088	0.231	-34.693	23.403	0.042	6.731	28.448	16.378	7.751	29.056	25.052	0.116	249.076	1.982	0.116	285.566	1.75	0.116	0.132	0.0	0.116	0.129	0.0
122	17207	17208	NS	1	-34.099	28.088	0.233	-34.594	23.379	0.042	7.474	28.448	2.482	7.738	25.64	2.341	0.116	249.076	1.572	0.116	279.119	1.749	0.116	0.13	0.0	0.116	0.129	0.0
123	17207	17208	NS	1	-34.099	28.088	0.231	-34.693	23.403	0.042	6.731	28.448	16.378	7.751	29.056	25.052	0.116	249.076	1.982	0.116	285.566	1.75	0.116	0.132	0.0	0.116	0.129	0.0
124	17207	17208	SN	2	-34.928	22.588	0.032	-34.072	24.134	0.801	5.738	29.579	26.902	8.507	29.933	33.713	0.116	301.453	2.729	0.116	247.589	2.498	0.116	0.137	0.0	0.116	0.126	0.0
125	17208	17209	NS	1	-34.419	23.383	0.19	-34.656	22.107	0.002	7.305	30.057	10.652	6.553	29.011	20.136	0.116	268.129	4.299	0.116	283.104	4.379	0.116	0.13	0.0	0.116	0.133	0.0
126	17208	17209	NS	2	-34.419	23.383	0.19	-34.643	22.107	0.002	7.305	30.057	10.653	6.553	29.011	20.135	0.116	268.129	4.299	0.116	282.358	4.38	0.116	0.13	0.0	0.116	0.133	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17179	17180	SN	1	57.531	58.309	0.0	0.0	295.196	4.0	1211.776	1277.024	0.0	-93.48	-92.086	0.0
2	17179	17180	SN	1	57.531	58.301	0.0	0.0	295.196	4.013	1211.808	1277.024	0.0	-93.214	-92.086	0.0
3	17179	17180	SN	1	57.531	58.309	0.0	0.0	290.58	3.388	1211.776	1277.024	0.0	-93.48	-92.086	0.0
4	17180	17181	NS	1	57.471	58.224	0.0	0.0	299.933	3.772	1207.992	1275.872	2.066	-93.429	-92.018	0.0
5	17180	17181	SN	1	57.533	58.325	0.0	0.0	290.514	3.881	1211.664	1276.936	0.0	-93.254	-92.063	0.0
6	17180	17181	SN	2	57.533	58.325	0.0	0.0	290.514	3.882	1211.664	1276.936	0.0	-93.254	-92.063	0.0
7	17180	17181	SN	1	57.533	58.325	0.0	0.0	290.514	3.579	1211.664	1276.936	0.0	-93.254	-92.063	0.0
8	17180	17181	NS	1	57.471	58.225	0.0	0.0	299.933	3.768	1207.992	1275.872	2.064	-93.326	-92.018	0.0
9	17181	17182	NS	1	57.477	58.22	0.0	0.0	297.749	3.646	1208.168	1276.12	1.7	-93.304	-91.959	0.0
10	17181	17182	NS	2	57.477	58.219	0.0	0.0	297.755	3.645	1208.152	1276.136	1.729	-93.304	-91.958	0.0
11	17181	17182	SN	1	57.496	58.325	0.0	0.0	299.801	3.426	1211.856	1277.136	0.0	-93.301	-92.077	0.0
12	17181	17182	SN	1	57.49	58.325	0.0	0.0	299.801	3.422	1211.824	1277.136	0.0	-93.301	-92.077	0.0
13	17181	17182	SN	1	57.49	58.325	0.0	0.0	299.801	3.728	1211.824	1277.136	0.0	-93.301	-92.077	0.0
14	17182	17183	NS	1	57.477	58.228	0.0	0.0	299.156	3.956	1209.072	1276.04	1.465	-93.537	-92.018	0.0
15	17182	17183	SN	1	57.525	58.332	0.0	0.0	298.395	3.703	1211.664	1277.008	0.0	-93.287	-92.093	0.0
16	17182	17183	SN	1	57.52	58.332	0.0	0.0	298.417	3.7	1211.664	1277.008	0.0	-93.287	-92.093	0.0
17	17182	17183	SN	1	57.525	58.332	0.0	0.0	296.393	3.408	1211.664	1277.008	0.0	-93.287	-92.093	0.0
18	17183	17184	NS	2	57.478	58.23	0.0	0.003	287.773	3.782	1208.592	1275.872	1.261	-93.295	-92.022	0.0
19	17183	17184	NS	1	57.479	58.23	0.0	0.003	287.767	3.782	1208.592	1275.872	1.26	-93.295	-92.022	0.0
20	17183	17184	SN	1	57.5	58.31	0.0	0.003	291.291	3.764	1210.912	1276.84	0.0	-93.236	-92.093	0.0
21	17183	17184	SN	1	57.5	58.31	0.0	0.003	291.291	3.393	1210.912	1276.84	0.0	-93.236	-92.093	0.0
22	17184	17185	NS	1	57.48	58.51	0.0	0.0	294.854	4.088	1209.28	1275.752	1.334	-94.724	-92.02	0.0
23	17184	17185	NS	1	57.479	58.509	0.0	0.0	294.843	4.917	1209.264	1275.76	1.663	-94.724	-92.02	0.0
24	17184	17185	SN	1	57.528	58.321	0.0	0.0	289.615	3.236	1211.672	1276.736	0.0	-93.24	-92.094	0.0
25	17184	17185	SN	1	57.528	58.321	0.0	0.0	289.615	3.761	1211.672	1276.736	0.0	-93.24	-92.094	0.0
26	17185	17186	SN	1	57.521	58.309	0.0	0.0	286.874	3.099	1211.752	1276.704	0.0	-93.308	-92.085	0.0
27	17185	17186	SN	1	57.521	58.309	0.0	0.0	286.874	3.907	1211.752	1276.704	0.0	-93.308	-92.085	0.0
28	17185	17186	NS	1	57.452	58.214	0.0	0.0	299.106	3.768	1208.248	1275.712	1.493	-93.266	-92.033	0.0
29	17185	17186	NS	1	57.452	58.215	0.0	0.0	299.106	3.764	1208.248	1275.712	1.492	-93.266	-92.033	0.0
30	17186	17187	SN	1	57.347	58.296	0.0	0.0	298.466	3.953	1211.8	1276.88	0.0	-95.628	-92.077	0.0
31	17186	17187	SN	1	57.347	58.296	0.0	0.0	295.444	2.818	1211.464	1276.88	0.0	-95.628	-92.077	0.0
32	17186	17187	NS	1	57.452	58.228	0.0	0.0	299.586	3.892	1208.752	1275.88	1.924	-93.406	-92.034	0.0
33	17186	17187	SN	1	57.347	58.296	0.0	0.0	298.455	3.957	1211.464	1276.88	0.0	-95.628	-92.077	0.0
34	17187	17188	NS	2	57.459	58.216	0.0	0.0	288.771	3.863	1208.96	1277.472	1.83	-94.453	-92.018	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17187	17188	SN	1	57.495	58.318	0.0	0.0	297.154	3.845	1211.552	1276.984	0.0	-93.307	-92.024	0.0
36	17187	17188	NS	1	57.46	58.212	0.0	0.0	288.81	3.864	1208.96	1277.48	1.827	-94.453	-92.018	0.0
37	17188	17189	SN	1	57.524	58.316	0.0	0.0	291.854	3.78	1211.744	1277.128	0.0	-93.248	-92.065	0.0
38	17188	17189	NS	1	57.479	58.223	0.0	0.0	290.574	3.889	1209.16	1276.432	1.329	-93.289	-92.002	0.0
39	17188	17189	NS	1	57.479	58.227	0.0	0.0	290.574	3.885	1209.16	1276.192	1.327	-93.278	-92.002	0.0
40	17189	17190	SN	2	57.533	58.323	0.0	0.0	290.53	3.922	1211.848	1276.8	0.0	-93.29	-92.062	0.0
41	17189	17190	NS	1	57.466	58.215	0.0	0.0	298.792	3.769	1208.568	1275.792	1.368	-93.358	-92.021	0.0
42	17189	17190	NS	1	57.466	58.208	0.0	0.0	298.792	3.773	1208.568	1275.784	1.369	-93.334	-92.021	0.0
43	17189	17190	SN	1	57.533	58.323	0.0	0.0	290.53	3.922	1211.848	1276.8	0.0	-93.29	-92.062	0.0
44	17190	17191	SN	1	57.506	58.326	0.0	0.0	282.859	3.855	1211.72	1276.928	0.0	-93.254	-92.061	0.0
45	17190	17191	NS	1	57.462	58.221	0.0	0.0	297.606	3.815	1208.656	1275.864	1.737	-93.276	-92.035	0.0
46	17190	17191	NS	1	57.462	58.221	0.0	0.0	297.606	3.223	1208.656	1275.528	1.768	-93.273	-92.035	0.0
47	17190	17191	SN	1	57.501	58.326	0.0	0.0	282.859	3.852	1211.152	1276.928	0.0	-93.254	-92.061	0.0
48	17190	17191	NS	1	57.454	58.218	0.0	0.0	297.606	3.85	1208.352	1275.84	1.735	-93.321	-92.035	0.0
49	17191	17192	SN	1	57.493	58.327	0.0	0.0	299.476	3.756	1211.72	1276.912	0.0	-93.238	-92.067	0.0
50	17191	17192	NS	1	57.477	58.219	0.0	0.0	289.571	3.788	1208.896	1275.896	2.054	-93.252	-92.032	0.0
51	17191	17192	NS	1	57.477	58.219	0.0	0.0	278.877	2.928	1208.896	1274.144	2.161	-93.26	-92.032	0.0
52	17191	17192	NS	2	57.477	58.219	0.0	0.0	289.571	3.788	1208.896	1275.896	2.054	-93.252	-92.032	0.0
53	17192	17193	NS	1	57.476	58.216	0.0	0.003	288.23	2.248	1208.64	1272.88	2.614	-93.447	-92.032	0.0
54	17193	17194	SN	1	57.153	58.493	7.266	0.0	290.844	57.45	1202.256	1276.872	7.442	-96.192	-92.097	0.0
55	17193	17194	SN	1	57.153	58.493	5.389	0.0	290.844	47.791	1202.256	1276.872	5.481	-96.192	-92.097	0.0
56	17193	17194	SN	1	57.153	58.5	1.836	0.0	290.844	17.596	1202.256	1277.536	1.848	-96.192	-92.097	0.0
57	17194	17195	SN	1	57.524	58.296	0.0	0.0	299.464	4.056	1211.144	1276.856	0.0	-93.255	-92.067	0.0
58	17194	17195	SN	1	57.524	58.296	0.0	0.0	283.168	3.716	1211.16	1276.856	0.0	-93.255	-92.067	0.0
59	17194	17195	NS	1	57.445	58.225	0.0	0.0	298.295	3.928	1208.48	1275.84	1.646	-93.406	-92.007	0.0
60	17194	17195	SN	1	57.524	58.296	0.0	0.0	299.464	4.06	1211.16	1276.856	0.0	-93.255	-92.067	0.0
61	17194	17195	NS	2	57.445	58.225	0.0	0.0	298.295	3.927	1208.48	1275.84	1.646	-93.406	-92.007	0.0
62	17194	17195	SN	1	57.524	58.296	0.0	0.0	283.168	3.722	1211.16	1276.856	0.0	-93.255	-92.067	0.0
63	17195	17196	NS	1	57.443	58.227	0.0	0.0	299.823	3.821	1209.048	1276.144	1.399	-93.292	-91.982	0.0
64	17195	17196	NS	2	57.443	58.227	0.0	0.0	299.823	3.82	1209.048	1276.144	1.398	-93.292	-91.982	0.0
65	17195	17196	SN	1	57.504	58.306	0.0	0.0	297.959	3.777	1211.176	1277.088	0.0	-93.305	-92.058	0.0
66	17195	17196	SN	1	57.503	58.304	0.0	0.0	297.948	3.781	1211.152	1277.056	0.0	-93.305	-92.058	0.0
67	17196	17197	NS	1	57.453	58.23	0.0	0.0	290.001	3.664	1209.064	1276.224	1.152	-93.246	-91.983	0.0
68	17196	17197	SN	1	57.499	58.32	0.0	0.0	299.371	3.698	1211.464	1277.144	0.0	-93.273	-92.091	0.0
69	17196	17197	SN	1	57.499	58.32	0.0	0.003	293.404	3.368	1211.464	1277.144	0.0	-93.273	-92.091	0.0
70	17196	17197	SN	1	57.493	58.332	0.0	0.0	299.371	3.706	1211.424	1277.144	0.0	-93.255	-92.091	0.0
71	17196	17197	NS	2	57.452	58.221	0.0	0.0	289.924	3.662	1209.024	1276.232	1.226	-93.258	-91.983	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17197	17198	SN	2	57.509	58.321	0.0	0.0	291.313	3.747	1210.464	1276.952	0.0	-93.282	-92.06	0.0
73	17197	17198	NS	1	57.465	58.226	0.0	0.003	296.018	3.847	1208.816	1276.024	0.779	-93.337	-92.011	0.0
74	17197	17198	SN	1	57.508	58.32	0.0	0.0	291.28	3.747	1210.44	1276.936	0.0	-93.281	-92.06	0.0
75	17197	17198	SN	1	57.509	58.321	0.0	0.003	291.313	3.406	1210.464	1276.952	0.0	-93.282	-92.06	0.0
76	17197	17198	NS	2	57.465	58.226	0.0	0.003	296.018	3.847	1208.816	1276.024	0.779	-93.337	-92.011	0.0
77	17198	17199	SN	1	57.488	58.305	0.0	0.0	289.769	3.74	1211.336	1276.856	0.0	-93.234	-92.09	0.0
78	17198	17199	SN	2	57.488	58.305	0.0	0.0	289.769	3.74	1211.336	1276.856	0.0	-93.234	-92.09	0.0
79	17198	17199	NS	1	57.473	58.221	0.0	0.0	299.007	3.8	1209.488	1275.928	0.876	-93.276	-92.023	0.0
80	17198	17199	NS	1	57.48	58.221	0.0	0.0	299.007	3.797	1209.488	1275.928	0.887	-93.282	-92.023	0.0
81	17198	17199	SN	1	57.488	58.305	0.0	0.0	289.769	3.301	1211.336	1276.856	0.0	-93.234	-92.09	0.0
82	17199	17200	SN	1	57.502	58.293	0.0	0.0	299.646	3.797	1211.376	1276.696	0.0	-93.287	-92.09	0.0
83	17199	17200	NS	2	57.451	58.202	0.0	0.0	299.966	4.021	1209.48	1275.784	0.884	-93.282	-92.031	0.0
84	17199	17200	SN	1	57.502	58.293	0.0	0.0	296.856	3.179	1211.376	1276.696	0.0	-93.287	-92.09	0.0
85	17199	17200	SN	1	57.502	58.293	0.0	0.0	299.646	3.793	1210.408	1276.696	0.0	-93.326	-92.09	0.0
86	17199	17200	NS	1	57.457	58.202	0.0	0.0	299.988	4.019	1209.512	1275.76	0.826	-93.281	-92.031	0.0
87	17200	17201	SN	1	57.526	58.478	0.0	0.0	291.771	2.965	1210.392	1284.296	0.0	-95.328	-92.092	0.0
88	17200	17201	NS	1	57.445	58.197	0.0	0.0	287.613	3.753	1209.176	1275.776	1.083	-93.365	-92.037	0.0
89	17200	17201	SN	1	57.526	58.478	0.0	0.0	291.771	3.928	1210.392	1284.296	0.0	-95.328	-92.092	0.0
90	17200	17201	SN	2	57.526	58.478	0.0	0.0	291.771	3.928	1210.392	1284.296	0.0	-95.328	-92.092	0.0
91	17200	17201	NS	1	57.445	58.197	0.0	0.0	287.613	3.741	1209.176	1275.776	1.084	-93.365	-92.037	0.0
92	17201	17202	SN	2	57.529	58.318	0.0	0.003	291.214	3.837	1211.552	1277.184	0.0	-93.303	-92.04	0.0
93	17201	17202	SN	1	57.529	58.318	0.0	0.003	291.214	2.522	1211.552	1277.184	0.0	-93.303	-92.04	0.0
94	17201	17202	NS	1	57.478	58.218	0.0	0.0	294.512	3.794	1209.2	1275.928	1.47	-93.264	-92.038	0.0
95	17201	17202	NS	1	57.478	58.232	0.0	0.0	294.512	3.782	1209.2	1275.928	1.472	-93.276	-92.038	0.0
96	17201	17202	SN	1	57.529	58.318	0.0	0.0	291.214	3.836	1211.56	1277.184	0.0	-93.303	-92.04	0.0
97	17202	17203	NS	1	57.456	58.222	0.0	0.0	297.887	3.96	1208.488	1275.928	0.945	-93.279	-92.021	0.0
98	17202	17203	SN	1	57.525	58.325	0.0	0.0	291.076	3.757	1211.648	1277.096	0.0	-93.3	-92.026	0.0
99	17202	17203	SN	2	57.525	58.325	0.0	0.0	291.076	3.757	1211.648	1277.096	0.0	-93.3	-92.026	0.0
100	17202	17203	NS	1	57.452	58.226	0.0	0.0	297.887	3.964	1208.712	1276.384	0.947	-93.286	-92.021	0.0
101	17203	17204	NS	1	57.465	58.219	0.0	0.0	297.347	3.874	1208.816	1275.92	0.72	-93.313	-92.003	0.0
102	17203	17204	SN	1	57.519	58.311	0.0	0.0	298.77	3.804	1210.88	1276.776	0.0	-93.303	-92.06	0.0
103	17203	17204	NS	2	57.465	58.219	0.0	0.0	297.347	3.878	1208.816	1276.328	0.72	-93.313	-92.003	0.0
104	17203	17204	SN	2	57.519	58.311	0.0	0.0	298.77	3.804	1210.88	1276.776	0.0	-93.303	-92.06	0.0
105	17204	17205	NS	1	57.472	58.196	0.0	0.0	290.982	3.473	1208.6	1275.584	0.956	-93.324	-92.029	0.0
106	17204	17205	NS	2	57.472	58.348	0.0	0.0	290.982	3.776	1208.6	1280.96	0.95	-94.232	-92.029	0.0
107	17204	17205	SN	1	57.496	58.32	0.0	0.0	299.112	3.872	1211.112	1276.84	0.0	-93.262	-92.08	0.0
108	17204	17205	SN	1	57.508	58.32	0.0	0.0	298.797	3.868	1210.768	1276.824	0.0	-93.224	-92.08	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17204	17205	NS	1	57.472	58.348	0.0	0.0	290.982	3.776	1208.6	1280.96	0.95	-94.232	-92.029	0.0
110	17205	17206	NS	1	57.453	58.23	0.0	0.003	290.69	3.059	1209.016	1274.448	1.282	-93.312	-92.029	0.0
111	17205	17206	NS	1	57.453	58.23	0.0	0.003	290.69	3.724	1209.016	1275.84	1.243	-93.288	-92.029	0.0
112	17205	17206	NS	2	57.453	58.23	0.0	0.003	290.69	3.724	1209.016	1275.84	1.243	-93.288	-92.029	0.0
113	17205	17206	SN	1	57.528	58.306	0.0	0.0	295.852	3.811	1211.32	1276.912	0.0	-93.255	-92.065	0.0
114	17206	17207	SN	1	57.5	58.296	0.0	0.0	291.054	3.793	1210.904	1276.992	0.0	-93.216	-92.091	0.0
115	17206	17207	SN	1	57.5	58.296	0.0	0.0	291.054	3.779	1210.904	1276.992	0.0	-93.216	-92.091	0.0
116	17206	17207	NS	1	57.478	58.22	0.0	0.0	290.26	3.822	1209.104	1275.92	1.602	-93.258	-92.035	0.0
117	17206	17207	NS	1	57.478	58.232	0.0	0.0	290.299	3.818	1209.104	1275.92	1.62	-93.27	-92.035	0.0
118	17206	17207	NS	1	57.478	58.224	0.0	0.0	271.2	2.675	1209.104	1273.888	1.722	-93.233	-92.035	0.0
119	17207	17208	SN	1	57.52	58.312	0.0	0.0	284.767	3.973	1210.496	1277.08	0.0	-93.256	-92.093	0.0
120	17207	17208	SN	1	57.52	58.306	0.0	0.0	284.861	2.591	1210.48	1277.08	0.0	-93.256	-92.093	0.0
121	17207	17208	NS	2	57.447	58.227	0.0	0.0	299.922	3.819	1209.016	1276.016	1.795	-93.275	-92.034	0.0
122	17207	17208	NS	1	57.447	58.228	0.0	0.003	299.922	2.017	1209.016	1271.488	2.049	-93.167	-92.034	0.0
123	17207	17208	NS	1	57.447	58.227	0.0	0.0	299.922	3.819	1209.016	1276.016	1.795	-93.275	-92.034	0.0
124	17207	17208	SN	2	57.52	58.306	0.0	0.0	284.861	3.972	1210.48	1277.08	0.0	-93.256	-92.093	0.0
125	17208	17209	NS	1	57.466	58.226	0.0	0.0	296.624	4.044	1208.272	1275.952	1.609	-93.258	-92.032	0.0
126	17208	17209	NS	2	57.466	58.226	0.0	0.0	291.534	4.045	1208.28	1275.944	1.587	-93.258	-92.032	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17204	17205	SN	1	-34.824	18.827	0.0	-34.963	17.548	0.0	-24.421	22.396	0.013	-24.557	23.697	0.103	0.086	225.017	7.007	0.087	232.318	5.824	0.086	20.563	0.056	0.086	21.215	0.025
108	17204	17205	SN	1	-34.838	18.827	0.0	-34.984	17.55	0.0	-24.445	22.396	0.013	-24.886	23.697	0.103	0.086	225.706	6.992	0.087	233.344	5.826	0.086	20.674	0.056	0.086	22.881	0.025
109	17204	17205	NS	1	-34.352	18.136	0.0	-34.035	20.524	0.0	-1.288	23.091	0.031	-0.925	23.235	0.09	0.086	201.835	2.056	0.086	187.601	2.091	0.086	0.173	0.0	0.086	0.166	0.0
110	17205	17206	NS	1	-34.855	21.026	0.0	-34.778	21.066	0.0	5.325	22.877	0.072	5.877	22.608	0.069	0.086	226.589	2.629	0.086	222.569	2.59	0.086	0.103	0.0	0.086	0.101	0.0
111	17205	17206	NS	1	-34.233	21.026	0.0	-34.513	21.066	0.0	5.325	22.877	0.057	5.843	22.608	0.057	0.086	196.332	2.701	0.086	209.457	2.586	0.086	0.103	0.0	0.086	0.101	0.0
112	17205	17206	NS	2	-34.233	21.026	0.0	-34.513	21.066	0.0	5.325	22.877	0.057	5.843	22.608	0.057	0.086	196.332	2.701	0.086	209.457	2.586	0.086	0.103	0.0	0.086	0.101	0.0
113	17205	17206	SN	1	-34.905	15.656	0.0	-34.594	17.39	0.0	-19.589	23.06	0.01	-28.681	23.235	0.121	0.087	229.143	4.179	0.087	213.337	4.285	0.086	6.803	0.012	0.086	54.727	0.006
114	17206	17207	SN	1	-34.459	16.184	0.0	-34.868	17.587	0.0	-20.417	22.518	0.082	-30.44	23.337	0.817	0.087	206.856	2.376	0.087	227.222	2.165	0.086	8.216	0.066	0.086	82.034	0.163
115	17206	17207	SN	1	-34.459	16.184	0.0	-34.868	17.587	0.0	-20.417	22.518	0.079	-30.44	23.337	0.818	0.087	206.856	2.376	0.087	227.222	2.165	0.086	8.216	0.066	0.086	82.034	0.164
116	17206	17207	NS	1	-34.577	19.896	0.0	-34.074	20.255	0.0	1.321	22.862	0.052	1.012	23.297	0.095	0.086	212.533	1.703	0.086	189.284	1.577	0.086	0.131	0.0	0.086	0.135	0.0
117	17206	17207	NS	1	-34.289	19.896	0.0	-33.717	20.255	0.0	1.321	22.862	0.052	1.014	23.297	0.095	0.086	198.932	1.709	0.086	174.365	1.578	0.086	0.131	0.0	0.086	0.135	0.0
118	17206	17207	NS	1	-34.581	19.896	0.0	-34.074	20.255	0.0	1.385	22.862	0.115	1.009	23.303	0.149	0.086	212.736	1.577	0.086	189.284	1.581	0.086	0.131	0.0	0.086	0.135	0.0
119	17207	17208	SN	1	-34.515	16.494	0.0	-34.065	17.571	0.0	0.359	23.009	0.186	2.689	23.881	0.987	0.087	209.533	3.234	0.087	188.868	2.994	0.086	0.144	0.0	0.086	0.118	0.0
120	17207	17208	SN	1	-34.75	13.684	0.0	-33.97	14.347	0.0	0.359	22.972	0.132	2.689	23.881	1.025	0.088	221.173	3.312	0.088	184.803	3.231	0.086	0.144	0.0	0.086	0.118	0.0
121	17207	17208	NS	2	-34.02	20.216	0.0	-34.468	16.505	0.0	1.091	22.43	0.018	1.187	23.029	0.101	0.086	186.981	2.231	0.087	207.301	2.257	0.086	0.134	0.0	0.086	0.133	0.0
122	17207	17208	NS	1	-34.242	20.216	0.0	-34.507	16.505	0.0	1.467	22.43	0.018	2.158	20.438	0.0	0.086	196.81	1.665	0.087	209.113	2.252	0.086	0.13	0.0	0.086	0.123	0.0
123	17207	17208	NS	1	-34.02	20.216	0.0	-34.468	16.505	0.0	1.091	22.43	0.018	1.187	23.029	0.101	0.086	186.981	2.231	0.087	207.301	2.257	0.086	0.134	0.0	0.086	0.133	0.0
124	17207	17208	SN	2	-34.75	16.494	0.0	-33.97	17.571	0.0	0.359	23.009	0.186	2.689	23.881	0.987	0.087	221.173	3.234	0.087	184.803	2.996	0.086	0.144	0.0	0.086	0.118	0.0
125	17208	17209	NS	1	-34.79	16.883	0.0	-34.601	20.742	0.0	0.141	22.402	0.018	-0.162	22.797	0.054	0.087	223.19	3.956	0.086	213.74	4.122	0.086	0.147	0.0	0.086	0.152	0.0
126	17208	17209	NS	2	-34.79	16.884	0.0	-34.601	20.742	0.0	0.141	22.402	0.018	-0.162	22.797	0.054	0.087	223.19	3.955	0.086	213.74	4.122	0.086	0.147	0.0	0.086	0.152	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors