

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-DEC-2019 To 31-DEC-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-DEC-2019 To 31-DEC-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17252	17253	SN	1	48.736	49.498	0.0	0.003	6.695	2.728	1032.616	1086.312	0.0	-91.869	-90.005	0.0
2	17252	17253	SN	1	48.736	49.498	0.0	0.003	6.695	2.452	1032.616	1086.312	0.0	-91.869	-90.005	0.0
3	17252	17253	NS	1	48.693	49.395	0.0	0.003	266.805	2.663	1032.048	1085.864	0.0	-91.907	-89.979	0.0
4	17252	17253	NS	1	48.693	49.395	0.0	0.003	266.805	2.666	1032.056	1085.864	0.0	-92.788	-89.979	0.0
5	17253	17254	NS	1	48.717	49.391	0.0	0.003	207.287	2.561	1033.296	1086.072	0.0	-92.304	-89.952	0.0
6	17253	17254	SN	1	48.775	49.467	0.0	0.003	6.706	2.397	1033.088	1086.496	0.0	-91.947	-89.999	0.0
7	17253	17254	SN	1	48.775	49.467	0.0	0.003	6.706	2.409	1033.088	1086.496	0.0	-91.947	-89.999	0.0
8	17253	17254	SN	1	48.775	49.467	0.0	0.003	6.706	2.537	1033.088	1086.496	0.0	-91.947	-89.999	0.0
9	17253	17254	NS	1	48.717	49.4	0.0	0.003	207.287	2.564	1033.296	1086.072	0.0	-92.304	-89.952	0.0
10	17254	17255	SN	1	48.774	49.492	0.0	0.003	27.958	2.486	1033.024	1086.528	0.0	-91.958	-90.03	0.0
11	17254	17255	NS	1	48.718	49.398	0.0	0.003	267.251	2.499	1032.544	1086.144	0.0	-91.86	-89.952	0.0
12	17254	17255	NS	1	48.718	49.336	0.0	0.003	267.251	2.502	1032.888	1086.144	0.0	-91.76	-89.952	0.0
13	17254	17255	SN	1	48.774	49.492	0.0	0.003	27.958	2.334	1033.024	1086.528	0.0	-91.958	-90.03	0.0
14	17254	17255	SN	1	48.774	49.492	0.0	0.003	27.958	2.484	1033.024	1086.528	0.0	-91.958	-90.03	0.0
15	17255	17256	NS	2	48.688	49.408	0.0	0.0	41.329	2.762	1033.584	1086.008	0.0	-91.922	-89.984	0.0
16	17255	17256	SN	1	48.773	49.473	0.0	0.003	281.138	2.269	1032.936	1086.384	0.0	-91.804	-89.998	0.0
17	17255	17256	SN	1	48.773	49.472	0.0	0.003	281.138	2.539	1032.936	1086.384	0.0	-91.821	-89.998	0.0
18	17255	17256	SN	1	48.773	49.473	0.0	0.003	281.138	2.542	1032.936	1086.384	0.0	-91.804	-89.998	0.0
19	17255	17256	NS	1	48.688	49.407	0.0	0.0	41.329	2.762	1033.576	1086.016	0.0	-91.922	-89.984	0.0
20	17256	17257	SN	1	48.741	49.43	0.0	0.003	6.679	2.085	1032.44	1086.304	0.0	-91.813	-90.029	0.0
21	17256	17257	NS	2	48.72	49.386	0.0	0.003	42.634	2.603	1033.592	1085.936	0.0	-91.966	-89.994	0.0
22	17256	17257	SN	1	48.766	49.464	0.0	0.003	6.679	2.52	1032.92	1086.304	0.0	-91.838	-90.029	0.0
23	17256	17257	NS	1	48.72	49.386	0.0	0.003	42.634	2.603	1033.592	1085.936	0.0	-91.966	-89.994	0.0
24	17256	17257	SN	1	48.772	49.43	0.0	0.003	6.679	2.523	1032.44	1086.304	0.0	-91.813	-90.029	0.0
25	17257	17258	SN	1	48.711	49.43	0.0	0.003	6.684	2.621	1032.96	1086.184	0.0	-91.891	-90.029	0.0
26	17257	17258	SN	2	48.711	49.43	0.0	0.003	6.684	2.621	1032.96	1086.184	0.0	-91.891	-90.029	0.0
27	17257	17258	SN	1	48.711	49.43	0.0	0.003	6.684	1.903	1032.96	1086.184	0.0	-91.891	-90.029	0.0
28	17257	17258	NS	1	48.657	49.401	0.0	0.003	208.158	2.595	1033.6	1085.8	0.0	-91.847	-90.001	0.0
29	17257	17258	NS	1	48.657	49.378	0.0	0.003	42.628	2.599	1033.592	1085.8	0.0	-92.243	-90.001	0.0
30	17258	17259	SN	1	48.773	49.434	0.0	0.003	31.667	2.645	1033.104	1086.224	0.0	-92.002	-90.03	0.0
31	17258	17259	SN	1	48.773	49.434	0.0	0.003	31.667	2.648	1033.104	1086.224	0.0	-92.002	-90.03	0.0
32	17258	17259	NS	1	48.657	49.404	0.0	0.003	210.574	2.623	1032.68	1085.84	0.0	-91.877	-90.006	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	17258	17259	SN	1	48.773	49.434	0.0	0.003	31.667	1.667	1033.104	1086.224	0.0	-92.002	-90.03	0.0
34	17258	17259	NS	1	48.72	49.404	0.0	0.003	267.102	2.632	1033.512	1085.832	0.0	-91.927	-90.006	0.0
35	17259	17260	NS	2	48.674	49.399	0.0	0.003	14.069	2.611	1032.72	1085.968	0.0	-91.85	-90.005	0.0
36	17259	17260	SN	1	48.765	49.432	0.0	0.003	215.813	2.595	1032.936	1086.36	0.0	-91.777	-89.987	0.0
37	17259	17260	SN	1	48.765	49.432	0.0	0.003	215.813	1.551	1032.936	1086.36	0.0	-91.777	-89.987	0.0
38	17259	17260	NS	1	48.675	49.4	0.0	0.003	14.069	2.611	1032.728	1085.952	0.0	-91.967	-90.005	0.0
39	17259	17260	SN	1	48.774	49.431	0.0	0.003	281.508	2.592	1032.976	1086.344	0.0	-91.799	-89.988	0.0
40	17260	17261	NS	1	48.719	49.394	0.0	0.0	267.136	2.829	1033.488	1085.952	0.0	-91.952	-89.999	0.0
41	17260	17261	SN	1	48.772	49.494	0.0	0.003	30.696	2.529	1033.24	1086.816	0.0	-91.944	-89.969	0.0
42	17261	17262	NS	1	48.72	49.335	0.0	0.008	210.607	2.656	1032.672	1085.816	0.0	-92.016	-89.975	0.0
43	17261	17262	NS	1	48.72	49.335	0.0	0.008	210.607	2.641	1032.672	1086.48	0.0	-92.016	-89.975	0.0
44	17261	17262	SN	1	48.754	49.462	0.0	0.0	213.579	2.631	1032.528	1086.24	0.0	-91.866	-90.006	0.0
45	17262	17263	NS	1	48.718	49.362	0.0	0.0	266.942	2.67	1033.584	1085.768	0.0	-91.911	-90.006	0.0
46	17262	17263	SN	1	48.774	49.431	0.0	0.003	215.692	2.659	1033.0	1086.256	0.0	-91.895	-90.015	0.0
47	17262	17263	SN	2	48.775	49.432	0.0	0.003	215.515	2.659	1033.0	1086.256	0.0	-91.862	-90.014	0.0
48	17262	17263	NS	1	48.72	49.359	0.0	0.0	266.942	2.726	1033.584	1085.88	0.0	-91.85	-90.006	0.0
49	17262	17263	NS	1	48.718	49.362	0.0	0.0	266.942	2.728	1033.584	1085.88	0.0	-91.911	-90.006	0.0
50	17263	17264	NS	1	48.72	49.362	0.0	0.003	264.544	2.551	1033.464	1085.936	0.0	-91.951	-90.005	0.0
51	17263	17264	SN	1	48.743	49.451	0.0	0.003	215.019	2.579	1032.968	1086.312	0.0	-91.933	-90.004	0.0
52	17263	17264	NS	1	48.719	49.333	0.0	0.003	210.309	2.181	1033.448	1084.944	0.0	-91.843	-90.005	0.0
53	17264	17265	SN	1	48.774	49.478	0.0	0.003	6.679	2.572	1032.96	1086.344	0.0	-91.906	-90.03	0.0
54	17264	17265	NS	1	48.699	49.341	0.0	0.0	211.335	2.762	1032.504	1085.976	0.0	-92.362	-90.004	0.0
55	17264	17265	SN	1	48.774	49.478	0.0	0.003	6.679	2.575	1032.96	1086.344	0.0	-92.031	-90.03	0.0
56	17265	17266	NS	1	48.718	49.364	0.0	0.003	210.474	2.6	1033.256	1086.056	0.0	-91.64	-90.003	0.0
57	17265	17266	NS	2	48.718	49.364	0.0	0.003	210.474	2.6	1033.256	1086.056	0.0	-91.64	-90.003	0.0
58	17265	17266	SN	1	48.722	49.462	0.0	0.003	215.063	2.672	1032.224	1086.424	0.0	-91.858	-90.03	0.0
59	17266	17267	SN	1	48.732	49.482	0.0	0.003	6.695	2.73	1032.536	1086.368	0.0	-91.902	-90.025	0.0
60	17266	17267	NS	1	48.721	49.405	0.0	0.0	264.417	2.793	1033.368	1086.032	0.0	-91.858	-89.996	0.0
61	17266	17267	SN	1	48.732	49.482	0.0	0.003	6.695	2.213	1032.536	1086.368	0.0	-91.902	-90.025	0.0
62	17267	17268	SN	1	48.768	49.431	0.0	0.003	215.245	2.597	1032.504	1086.328	0.0	-91.767	-89.993	0.0
63	17267	17268	NS	1	48.719	49.34	0.0	0.003	210.723	2.535	1033.536	1086.016	0.0	-91.831	-89.989	0.0
64	17267	17268	SN	1	48.758	49.431	0.0	0.003	215.245	2.595	1032.296	1086.328	0.0	-91.767	-89.993	0.0
65	17268	17269	SN	1	48.756	49.468	0.0	0.003	6.695	2.49	1032.112	1086.456	0.0	-91.943	-90.026	0.0
66	17268	17269	SN	1	48.756	49.468	0.0	0.003	6.695	2.368	1032.112	1086.456	0.0	-91.943	-90.026	0.0
67	17268	17269	NS	1	48.72	49.373	0.0	0.003	267.24	2.569	1032.896	1086.16	0.0	-91.861	-89.936	0.0
68	17268	17269	SN	1	48.773	49.468	0.0	0.003	6.695	2.487	1032.32	1086.456	0.0	-91.943	-90.026	0.0
69	17269	17270	NS	1	48.7	49.504	0.0	0.003	206.945	2.53	1032.792	1086.08	0.0	-91.87	-89.991	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors





70	17269	17270	SN	1	48.772	49.491	0.0	0.003	6.69	2.539	1032.64	1086.376	0.0	-91.905	-90.024	0.0
71	17270	17271	NS	1	48.722	49.405	0.0	0.003	267.13	2.59	1033.944	1085.976	0.0	-91.936	-89.994	0.0
72	17270	17271	NS	1	48.721	49.406	0.0	0.003	267.13	2.588	1033.936	1085.976	0.0	-91.975	-89.994	0.0
73	17270	17271	SN	2	48.751	49.449	0.0	0.003	281.232	2.537	1031.992	1086.248	0.0	-91.852	-90.025	0.0
74	17270	17271	SN	1	48.751	49.449	0.0	0.003	281.232	2.537	1031.992	1086.248	0.0	-91.852	-90.025	0.0
75	17271	17272	NS	1	48.686	49.336	0.0	0.003	206.719	2.686	1033.944	1085.88	0.0	-91.966	-89.993	0.0
76	17271	17272	NS	1	48.684	49.379	0.0	0.003	264.373	2.688	1033.096	1085.872	0.0	-91.964	-89.994	0.0
77	17271	17272	SN	2	48.726	49.437	0.0	0.003	6.69	2.569	1032.624	1086.16	0.0	-91.989	-90.024	0.0
78	17271	17272	SN	1	48.726	49.437	0.0	0.003	6.69	2.569	1032.624	1086.16	0.0	-91.989	-90.024	0.0
79	17272	17273	SN	1	48.771	49.429	0.0	0.003	6.679	1.797	1032.752	1086.096	0.0	-91.903	-90.022	0.0
80	17272	17273	SN	1	48.771	49.429	0.0	0.003	6.679	2.635	1032.752	1086.096	0.0	-91.903	-90.022	0.0
81	17272	17273	SN	1	48.705	49.427	0.0	0.003	6.673	2.633	1032.376	1086.08	0.0	-91.895	-90.022	0.0
82	17272	17273	NS	2	48.661	49.345	0.0	0.003	264.538	2.563	1033.568	1085.824	0.0	-92.147	-90.005	0.0
83	17272	17273	NS	1	48.661	49.345	0.0	0.003	264.538	2.564	1033.568	1085.824	0.0	-92.147	-90.005	0.0
84	17273	17274	NS	1	48.698	49.365	0.0	0.003	17.549	2.63	1032.608	1085.952	0.0	-92.272	-90.007	0.0
85	17273	17274	SN	1	48.772	49.496	0.0	0.003	28.924	2.677	1032.92	1086.248	0.0	-91.986	-90.01	0.0
86	17273	17274	SN	1	48.772	49.496	0.0	0.003	28.924	1.589	1032.92	1086.248	0.0	-91.986	-90.01	0.0
87	17274	17275	NS	1	48.671	49.4	0.0	0.003	207.011	2.625	1033.064	1086.112	0.0	-91.956	-90.0	0.0
88	17274	17275	SN	1	48.766	49.439	0.0	0.003	6.695	2.577	1032.512	1086.416	0.0	-92.053	-89.966	0.0
89	17274	17275	NS	1	48.672	49.395	0.0	0.003	264.455	2.623	1033.072	1085.992	0.0	-91.935	-90.0	0.0
90	17275	17276	SN	1	48.723	49.431	0.0	0.003	215.477	2.554	1032.0	1086.216	0.0	-91.977	-90.004	0.0
91	17275	17276	NS	1	48.722	49.394	0.0	0.003	42.118	2.717	1033.896	1086.488	0.0	-91.926	-89.98	0.0
92	17275	17276	NS	1	48.716	49.336	0.0	0.003	42.118	2.715	1033.056	1085.912	0.0	-91.836	-89.98	0.0
93	17276	17277	SN	1	48.733	49.451	0.0	0.003	215.013	2.625	1031.896	1086.144	0.0	-91.905	-90.002	0.0
94	17276	17277	SN	2	48.733	49.451	0.0	0.003	215.013	2.625	1031.896	1086.144	0.0	-91.905	-90.002	0.0
95	17276	17277	NS	1	48.696	49.405	0.0	0.003	267.163	2.614	1033.0	1086.432	0.0	-91.948	-89.992	0.0
96	17276	17277	NS	1	48.696	49.394	0.0	0.003	267.163	2.614	1033.072	1085.864	0.0	-91.91	-89.992	0.0
97	17277	17278	SN	1	48.72	49.496	0.0	0.003	6.679	2.598	1032.584	1086.2	0.0	-91.884	-89.998	0.0
98	17277	17278	NS	1	48.721	49.36	0.0	0.003	206.239	2.462	1033.808	1085.4	0.0	-92.013	-90.009	0.0
99	17277	17278	NS	2	48.721	49.37	0.0	0.003	206.239	2.655	1033.808	1085.92	0.0	-91.974	-90.009	0.0
100	17277	17278	NS	1	48.721	49.37	0.0	0.003	206.239	2.655	1033.808	1085.92	0.0	-91.974	-90.009	0.0
101	17277	17278	SN	1	48.735	49.496	0.0	0.003	6.679	2.6	1032.752	1086.2	0.0	-91.884	-89.998	0.0
102	17278	17279	NS	1	48.684	49.401	0.0	0.003	264.472	2.581	1032.584	1085.92	0.0	-91.875	-90.006	0.0
103	17278	17279	SN	1	48.737	49.495	0.0	0.003	6.673	2.581	1032.224	1086.224	0.0	-91.947	-90.004	0.0
104	17278	17279	NS	1	48.684	49.401	0.0	0.003	264.472	2.171	1032.584	1084.84	0.0	-91.875	-90.006	0.0
105	17278	17279	NS	2	48.684	49.401	0.0	0.003	264.472	2.581	1032.584	1085.92	0.0	-91.875	-90.006	0.0
106	17279	17280	SN	1	48.739	49.462	0.0	0.003	6.69	2.575	1031.976	1086.312	0.0	-91.787	-90.027	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17279	17280	SN	1	48.776	49.2	0.0	0.003	5.851	2.323	1032.736	1049.344	0.0	-91.519	-90.027	0.0
108	17279	17280	NS	1	48.675	49.371	0.0	0.003	264.632	2.637	1033.584	1086.016	0.0	-91.841	-90.005	0.0
109	17279	17280	NS	1	48.675	49.356	0.0	0.003	264.632	1.537	1033.584	1083.552	0.0	-91.854	-90.005	0.0
110	17280	17281	NS	1	48.716	49.336	0.0	0.003	267.042	2.581	1033.544	1086.04	0.0	-91.793	-90.005	0.0
111	17280	17281	SN	1	48.753	49.496	0.0	0.003	280.338	1.724	1032.224	1086.368	0.0	-91.915	-90.03	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17252	17253	SN	1	-33.604	23.445	0.263	-34.857	24.546	1.491	-7.19	34.109	8.141	-9.497	29.268	11.529	0.116	222.253	3.44	0.116	296.596	2.816	0.116	0.601	0.0	0.116	0.955	0.0
2	17252	17253	SN	1	-33.604	22.958	0.059	-34.857	24.514	1.548	-7.19	34.109	8.141	-9.497	29.268	11.529	0.116	222.253	3.635	0.116	296.596	2.964	0.116	0.601	0.0	0.116	0.955	0.0
3	17252	17253	NS	1	-34.943	23.343	0.158	-34.547	24.004	0.14	9.234	30.243	10.973	7.613	32.716	24.564	0.116	302.534	4.489	0.116	276.212	3.808	0.116	0.125	0.0	0.116	0.129	0.0
4	17252	17253	NS	1	-34.789	23.343	0.158	-34.547	24.004	0.141	9.236	30.243	10.977	7.615	32.716	24.564	0.116	291.97	4.498	0.116	276.212	3.807	0.116	0.125	0.0	0.116	0.129	0.0
5	17253	17254	NS	1	-34.824	23.264	0.092	-34.957	24.183	0.133	-3.196	32.594	6.284	-2.337	30.732	16.99	0.116	294.32	4.36	0.116	303.521	4.484	0.116	0.3	0.0	0.116	0.266	0.0
6	17253	17254	SN	1	-34.999	22.992	0.139	-34.484	24.256	0.613	3.783	28.863	6.806	5.859	28.601	3.819	0.116	306.484	10.713	0.116	272.136	8.216	0.116	0.149	0.0	0.116	0.136	0.0
7	17253	17254	SN	1	-34.999	23.294	0.144	-34.484	24.256	0.612	3.783	28.863	6.806	5.859	28.601	3.819	0.116	306.484	10.694	0.116	272.136	8.203	0.116	0.149	0.0	0.116	0.136	0.0
8	17253	17254	SN	1	-34.999	23.298	0.177	-34.484	24.256	0.603	3.783	28.863	6.806	5.859	28.601	3.819	0.116	306.484	10.508	0.116	272.136	8.065	0.116	0.149	0.0	0.116	0.136	0.0
9	17253	17254	NS	1	-34.716	23.264	0.092	-34.957	24.183	0.133	-3.196	32.594	6.284	-2.337	30.732	16.99	0.116	287.084	4.366	0.116	303.521	4.494	0.116	0.3	0.0	0.116	0.266	0.0
10	17254	17255	SN	1	-34.922	21.991	0.0	-34.66	22.508	0.007	6.402	26.9	13.842	7.036	27.579	12.472	0.116	301.054	3.356	0.116	283.45	3.01	0.116	0.134	0.0	0.116	0.131	0.0
11	17254	17255	NS	1	-33.833	21.952	0.0	-34.581	22.562	0.009	-12.68	27.538	8.197	-8.646	28.516	15.286	0.116	234.272	2.43	0.116	278.386	2.718	0.116	1.985	0.004	0.116	0.802	0.0
12	17254	17255	NS	1	-33.743	21.952	0.0	-34.885	22.562	0.009	-13.109	27.537	8.216	-8.635	28.516	15.306	0.116	229.519	2.427	0.116	298.463	2.721	0.116	2.073	0.004	0.116	0.8	0.0
13	17254	17255	SN	1	-34.922	21.991	0.0	-34.66	22.508	0.007	6.402	26.9	13.842	7.036	27.579	12.481	0.116	301.054	3.405	0.116	283.45	3.051	0.116	0.134	0.0	0.116	0.131	0.0
14	17254	17255	SN	1	-34.922	21.985	0.0	-34.66	22.509	0.007	6.402	26.9	13.784	7.036	27.579	12.472	0.116	301.054	3.355	0.116	283.45	3.006	0.116	0.134	0.0	0.116	0.131	0.0
15	17255	17256	NS	2	-34.386	24.721	0.007	-34.575	23.541	0.002	-10.538	29.675	4.828	-19.664	31.11	9.862	0.116	266.169	1.887	0.116	277.993	1.871	0.116	1.188	0.001	0.116	9.058	0.004
16	17255	17256	SN	1	-34.966	24.034	0.005	-34.816	23.241	0.035	4.812	26.616	12.213	6.058	27.195	12.481	0.116	304.11	4.46	0.116	293.824	3.375	0.116	0.142	0.0	0.116	0.135	0.0
17	17255	17256	SN	1	-34.97	24.034	0.005	-34.277	23.241	0.034	4.812	26.618	12.2	6.058	27.559	12.342	0.116	304.379	4.353	0.116	259.51	3.336	0.116	0.142	0.0	0.116	0.135	0.0
18	17255	17256	SN	1	-34.966	24.034	0.005	-34.816	23.241	0.034	4.812	26.618	12.2	6.058	27.559	12.342	0.116	304.11	4.358	0.116	293.824	3.314	0.116	0.142	0.0	0.116	0.135	0.0
19	17255	17256	NS	1	-34.386	24.721	0.007	-34.864	23.541	0.002	-10.538	29.675	4.828	-19.662	31.11	9.862	0.116	266.169	1.887	0.116	297.053	1.871	0.116	1.188	0.001	0.116	9.054	0.004
20	17256	17257	SN	1	-34.996	25.612	0.064	-34.662	23.458	0.128	5.662	27.33	12.826	7.918	28.53	17.697	0.116	306.238	1.855	0.116	283.593	1.786	0.116	0.137	0.0	0.116	0.128	0.0
21	17256	17257	NS	2	-34.628	25.056	0.005	-34.86	22.059	0.003	-5.363	27.084	5.78	-5.092	28.604	12.271	0.116	281.342	2.395	0.116	296.818	1.889	0.116	0.429	0.0	0.116	0.409	0.0
22	17256	17257	SN	1	-34.453	25.612	0.062	-34.803	23.458	0.124	5.662	27.33	12.514	7.918	28.538	17.314	0.116	270.222	1.798	0.116	292.902	1.733	0.116	0.137	0.0	0.116	0.128	0.0
23	17256	17257	NS	1	-34.628	25.038	0.005	-34.86	22.059	0.003	-5.363	27.084	5.78	-5.092	28.604	12.273	0.116	281.342	2.395	0.116	296.818	1.889	0.116	0.429	0.0	0.116	0.409	0.0
24	17256	17257	SN	1	-34.996	25.612	0.062	-34.662	23.458	0.124	5.662	27.33	12.519	7.918	28.539	17.314	0.116	306.238	1.798	0.116	283.593	1.733	0.116	0.137	0.0	0.116	0.128	0.0
25	17257	17258	SN	1	-34.889	19.61	0.0	-34.8	22.099	0.002	5.234	26.567	11.433	7.661	27.64	16.332	0.116	298.818	4.68	0.116	292.652	4.125	0.116	0.139	0.0	0.116	0.129	0.0
26	17257	17258	SN	2	-34.889	19.61	0.0	-34.8	22.099	0.002	5.234	26.567	11.433	7.661	27.64	16.332	0.116	298.818	4.68	0.116	292.652	4.125	0.116	0.139	0.0	0.116	0.129	0.0
27	17257	17258	SN	1	-34.889	19.61	0.0	-34.8	20.971	0.0	5.234	26.567	12.139	7.661	27.64	16.497	0.116	298.818	4.877	0.116	292.652	4.359	0.116	0.139	0.0	0.116	0.129	0.0
28	17257	17258	NS	1	-34.697	21.952	0.0	-34.948	24.316	0.011	-14.735	28.966	4.625	-8.496	30.188	9.009	0.116	285.855	3.663	0.116	302.877	3.395	0.116	2.972	0.002	0.116	0.778	0.0
29	17257	17258	NS	1	-34.88	21.952	0.0	-34.948	24.316	0.011	-14.735	28.966	4.621	-8.496	30.188	9.007	0.116	298.196	3.67	0.116	302.877	3.401	0.116	2.972	0.002	0.116	0.778	0.0
30	17258	17259	SN	1	-34.724	21.921	0.0	-34.425	22.661	0.025	5.816	31.313	8.825	8.173	31.537	12.746	0.116	287.671	4.894	0.116	268.553	3.603	0.116	0.136	0.0	0.116	0.127	0.0
31	17258	17259	SN	1	-34.724	21.921	0.0	-34.425	22.661	0.025	5.816	31.313	8.842	8.173	31.537	12.754	0.116	287.671	4.895	0.116	268.553	3.603	0.116	0.136	0.0	0.116	0.127	0.0
32	17258	17259	NS	1	-34.818	23.778	0.006	-34.875	24.714	0.005	6.131	28.539	8.614	7.109	28.388	17.661	0.116	293.931	4.738	0.116	297.841	4.505	0.116	0.135	0.0	0.116	0.131	0.0
33	17258	17259	SN	1	-34.724	21.921	0.0	-34.425	22.141	0.001	5.816	31.313	9.193	8.173	31.537	12.716	0.116	287.671	5.248	0.116	268.553	4.034	0.116	0.136	0.0	0.116	0.127	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	17258	17259	NS	1	-34.433	23.782	0.006	-34.906	24.712	0.004	6.133	28.539	8.62	7.11	28.388	17.654	0.116	268.978	4.742	0.116	299.957	4.496	0.116	0.135	0.0	0.116	0.131	0.0
35	17259	17260	NS	2	-32.696	23.849	0.01	-34.12	22.707	0.009	-5.897	29.412	13.097	-3.739	30.552	22.239	0.116	180.358	2.034	0.116	250.362	1.943	0.116	0.472	0.0	0.116	0.327	0.0
36	17259	17260	SN	1	-34.588	21.616	0.0	-34.835	22.61	0.051	-3.323	31.522	10.836	-1.616	31.856	13.663	0.116	278.782	3.193	0.116	295.039	2.7	0.116	0.306	0.0	0.116	0.241	0.0
37	17259	17260	SN	1	-34.588	21.616	0.0	-34.835	22.573	0.016	-3.321	31.522	11.518	-1.616	31.856	13.69	0.116	278.782	3.525	0.116	295.039	3.182	0.116	0.306	0.0	0.116	0.241	0.0
38	17259	17260	NS	1	-32.651	23.849	0.01	-34.246	22.707	0.009	-5.897	29.412	13.096	-3.739	30.552	22.243	0.116	178.512	2.033	0.116	257.679	1.942	0.116	0.472	0.0	0.116	0.327	0.0
39	17259	17260	SN	1	-34.303	21.616	0.0	-34.773	22.608	0.051	-3.323	31.522	10.835	-1.612	31.856	13.666	0.116	261.04	3.177	0.116	290.938	2.692	0.116	0.306	0.0	0.116	0.241	0.0
40	17260	17261	NS	1	-34.863	29.154	0.064	-34.838	28.145	0.191	-1.327	30.263	22.422	-12.549	29.867	36.099	0.116	297.005	6.309	0.116	295.249	5.945	0.116	0.233	0.0	0.116	1.833	0.008
41	17260	17261	SN	1	-34.572	21.946	0.0	-34.427	23.772	0.163	-8.2	28.439	14.27	-1.059	30.133	14.912	0.116	277.761	4.171	0.116	268.589	4.323	0.116	0.733	0.0	0.116	0.225	0.0
42	17261	17262	NS	1	-34.75	29.085	0.059	-33.949	25.968	0.052	-4.962	36.383	11.669	-11.367	33.067	20.397	0.116	289.399	5.337	0.116	240.587	5.522	0.116	0.4	0.0	0.116	1.418	0.002
43	17261	17262	NS	1	-34.75	29.085	0.059	-33.949	25.968	0.052	-4.962	36.383	11.671	-11.367	33.067	20.34	0.116	289.399	5.34	0.116	240.587	5.524	0.116	0.4	0.0	0.116	1.418	0.002
44	17261	17262	SN	1	-34.934	22.99	0.006	-34.812	24.115	0.15	-15.084	30.026	13.391	-10.929	29.44	14.352	0.116	301.901	3.945	0.116	293.532	2.698	0.116	3.214	0.017	0.116	1.291	0.002
45	17262	17263	NS	1	-34.937	26.723	0.155	-34.792	27.922	0.368	2.127	29.214	16.424	2.285	30.798	23.85	0.116	302.125	4.821	0.116	292.163	4.68	0.116	0.166	0.0	0.116	0.164	0.0
46	17262	17263	SN	1	-32.371	23.437	0.007	-33.95	25.414	0.436	-33.042	28.94	11.924	-25.233	30.103	10.49	0.116	167.347	1.509	0.116	240.686	1.108	0.116	195.288	0.089	0.116	32.423	0.107
47	17262	17263	SN	2	-32.371	23.437	0.007	-33.794	25.414	0.438	-33.025	28.94	11.924	-25.228	30.103	10.491	0.116	167.347	1.509	0.116	232.21	1.108	0.116	194.536	0.089	0.116	32.378	0.107
48	17262	17263	NS	1	-34.959	26.723	0.154	-34.773	27.922	0.367	2.126	29.214	17.017	2.285	30.798	24.569	0.116	303.583	4.817	0.116	290.94	4.68	0.116	0.166	0.0	0.116	0.164	0.0
49	17262	17263	NS	1	-34.937	26.723	0.155	-34.792	27.922	0.368	2.127	29.214	17.069	2.285	30.798	24.609	0.116	302.125	4.82	0.116	292.163	4.68	0.116	0.166	0.0	0.116	0.164	0.0
50	17263	17264	NS	1	-34.376	23.241	0.15	-33.865	26.875	0.442	11.756	28.674	23.508	12.141	28.923	34.608	0.116	265.489	2.291	0.116	236.015	2.11	0.116	0.121	0.0	0.116	0.12	0.0
51	17263	17264	SN	1	-34.584	22.571	0.016	-34.874	23.966	0.909	-5.618	29.367	13.858	-5.439	29.642	15.502	0.116	278.551	2.549	0.116	297.712	2.489	0.116	0.448	0.0	0.116	0.434	0.0
52	17263	17264	NS	1	-34.309	23.241	0.151	-34.578	26.875	0.443	11.756	28.674	17.712	12.138	28.903	34.332	0.116	261.405	2.294	0.116	278.176	2.115	0.116	0.121	0.0	0.116	0.12	0.0
53	17264	17265	SN	1	-34.809	22.93	0.028	-34.393	24.245	0.752	-2.852	29.4	32.215	-0.92	30.193	40.713	0.116	293.34	5.337	0.116	266.505	4.492	0.116	0.286	0.0	0.116	0.222	0.0
54	17264	17265	NS	1	-34.892	26.703	0.186	-34.244	26.44	0.175	7.808	28.623	26.102	7.988	28.603	35.241	0.116	298.999	2.305	0.116	257.552	2.016	0.116	0.128	0.0	0.116	0.128	0.0
55	17264	17265	SN	1	-34.957	22.932	0.028	-34.666	24.243	0.756	-2.851	29.401	32.212	-0.919	30.193	40.713	0.116	303.524	5.333	0.116	283.831	4.471	0.116	0.286	0.0	0.116	0.221	0.0
56	17265	17266	NS	1	-34.612	25.541	0.355	-34.702	24.933	0.273	6.932	30.277	16.598	7.296	29.178	25.359	0.116	280.39	4.783	0.116	286.151	3.509	0.116	0.131	0.0	0.116	0.13	0.0
57	17265	17266	NS	2	-34.612	25.541	0.355	-34.702	24.933	0.273	6.932	30.277	16.598	7.296	29.178	25.359	0.116	280.39	4.783	0.116	286.151	3.509	0.116	0.131	0.0	0.116	0.13	0.0
58	17265	17266	SN	1	-34.422	22.501	0.014	-34.738	24.256	0.784	6.524	29.401	26.382	7.836	30.38	33.472	0.116	268.292	3.9	0.116	288.59	3.271	0.116	0.133	0.0	0.116	0.128	0.0
59	17266	17267	SN	1	-34.694	22.91	0.164	-34.673	23.954	1.333	-3.273	27.323	7.108	-1.355	31.386	8.865	0.116	285.658	4.185	0.116	284.272	3.576	0.116	0.304	0.0	0.116	0.233	0.0
60	17266	17267	NS	1	-33.274	23.918	0.331	-34.733	24.641	0.276	7.073	28.496	10.318	7.994	28.686	19.32	0.116	205.991	3.154	0.116	288.205	2.449	0.116	0.131	0.0	0.116	0.128	0.0
61	17266	17267	SN	1	-34.694	21.612	0.0	-34.673	23.884	1.134	-3.273	27.294	7.055	-1.355	31.386	8.866	0.116	285.658	4.399	0.116	284.272	3.874	0.116	0.304	0.0	0.116	0.233	0.0
62	17267	17268	SN	1	-34.755	23.086	0.183	-34.442	23.866	0.927	1.849	32.467	6.876	4.253	28.784	3.87	0.116	289.696	4.851	0.116	269.609	3.677	0.116	0.169	0.0	0.116	0.146	0.0
63	17267	17268	NS	1	-34.948	23.652	0.126	-33.769	24.762	0.118	4.463	33.228	7.545	4.872	36.383	19.114	0.116	302.871	4.132	0.116	230.866	3.394	0.116	0.144	0.0	0.116	0.141	0.0
64	17267	17268	SN	1	-34.985	23.086	0.183	-34.875	23.866	0.926	1.849	32.469	6.86	4.253	28.784	3.863	0.116	305.477	4.854	0.116	297.833	3.677	0.116	0.169	0.0	0.116	0.146	0.0
65	17268	17269	SN	1	-34.974	22.777	0.036	-34.886	23.256	0.103	5.784	27.093	7.797	5.638	29.833	4.421	0.116	304.669	6.885	0.116	298.569	5.406	0.116	0.136	0.0	0.116	0.137	0.0
66	17268	17269	SN	1	-34.974	22.777	0.036	-34.886	23.256	0.104	5.784	27.093	7.797	5.638	29.833	4.421	0.116	304.669	6.989	0.116	298.569	5.477	0.116	0.136	0.0	0.116	0.137	0.0
67	17268	17269	NS	1	-34.919	22.723	0.024	-34.663	23.4	0.018	-3.363	28.539	7.44	-9.538	29.225	15.257	0.116	300.776	4.715	0.116	283.682	4.57	0.116	0.308	0.0	0.116	0.963	0.0
68	17268	17269	SN	1	-34.748	22.777	0.036	-34.948	23.258	0.103	5.786	27.093	7.797	5.638	29.833	4.421	0.116	289.241	6.873	0.116	302.867	5.415	0.116	0.136	0.0	0.116	0.137	0.0
69	17269	17270	NS	1	-34.626	21.405	0.0	-33.763	22.02	0.001	-6.896	27.665	6.197	-5.176	29.186	12.056	0.116	281.238	2.332	0.116	230.566	2.6	0.116	0.568	0.0	0.116	0.415	0.0
70	17269	17270	SN	1	-34.595	21.188	0.0	-34.646	23.213	0.001	6.232	26.702	11.38	6.555	27.504	9.265	0.116	279.232	4.682	0.116	282.534	4.303	0.116	0.134	0.0	0.116	0.133	0.0
71	17270	17271	NS	1	-33.942	20.852	0.0	-33.871	22.237	0.002	-25.646	28.666	3.81	-24.612	28.997	8.973	0.116	240.252	4.222	0.116	236.403	4.427	0.116	35.64	0.002	0.116	28.111	0.011
72	17270	17271	NS	1	-34.639	20.851	0.0	-33.871	22.237	0.002	-25.646	28.666	3.806	-24.612	28.997	8.973	0.116	282.052	4.22	0.116	236.403	4.409	0.116	35.64	0.002	0.116	28.111	0.011

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

73	17270	17271	SN	2	-34.827	25.236	0.001	-33.91	23.728	0.001	5.432	27.668	12.971	7.072	27.569	16.136	0.116	294.609	3.438	0.116	238.508	2.399	0.116	0.138	0.0	0.116	0.131	0.0
74	17270	17271	SN	1	-34.827	25.236	0.001	-33.91	23.728	0.001	5.432	27.668	12.971	7.072	27.569	16.136	0.116	294.609	3.438	0.116	238.508	2.399	0.116	0.138	0.0	0.116	0.131	0.0
75	17271	17272	NS	1	-34.895	21.505	0.0	-34.782	22.183	0.001	-4.177	27.822	4.918	-7.35	28.642	9.413	0.116	299.241	4.03	0.116	291.564	3.257	0.116	0.35	0.0	0.116	0.62	0.0
76	17271	17272	NS	1	-34.603	21.505	0.0	-34.993	22.184	0.001	-4.175	27.822	4.921	-7.343	28.642	9.412	0.116	279.699	4.04	0.116	305.99	3.242	0.116	0.35	0.0	0.116	0.619	0.0
77	17271	17272	SN	2	-34.554	21.316	0.0	-34.818	21.931	0.0	4.047	26.75	13.431	8.09	27.572	18.193	0.116	276.554	2.715	0.116	293.939	2.005	0.116	0.147	0.0	0.116	0.128	0.0
78	17271	17272	SN	1	-34.554	21.316	0.0	-34.818	21.931	0.0	4.047	26.75	13.431	8.09	27.572	18.193	0.116	276.554	2.715	0.116	293.939	2.005	0.116	0.147	0.0	0.116	0.128	0.0
79	17272	17273	SN	1	-34.25	21.225	0.0	-34.202	20.995	0.0	5.299	28.926	9.888	8.212	29.687	15.437	0.116	257.901	4.528	0.116	255.141	4.113	0.116	0.139	0.0	0.116	0.127	0.0
80	17272	17273	SN	1	-34.25	21.225	0.0	-34.202	22.467	0.008	5.299	28.926	9.394	8.212	29.687	15.413	0.116	257.901	4.3	0.116	255.141	3.816	0.116	0.139	0.0	0.116	0.127	0.0
81	17272	17273	SN	1	-34.994	21.225	0.0	-34.838	22.467	0.008	5.299	28.925	9.399	8.212	29.687	15.413	0.116	306.146	4.291	0.116	295.342	3.811	0.116	0.139	0.0	0.116	0.127	0.0
82	17272	17273	NS	2	-34.957	21.934	0.0	-34.99	26.516	0.013	-6.888	29.655	6.313	-14.158	29.619	12.204	0.116	303.458	6.224	0.116	305.736	6.192	0.116	0.567	0.0	0.116	2.614	0.003
83	17272	17273	NS	1	-34.957	21.935	0.0	-34.99	26.504	0.013	-6.888	29.655	6.313	-14.158	29.619	12.204	0.116	303.458	6.224	0.116	305.736	6.195	0.116	0.567	0.0	0.116	2.614	0.003
84	17273	17274	NS	1	-34.906	24.689	0.006	-34.142	25.863	0.004	5.747	33.612	8.779	6.267	28.957	14.783	0.116	299.981	3.204	0.116	251.609	2.588	0.116	0.137	0.0	0.116	0.134	0.0
85	17273	17274	SN	1	-33.956	21.05	0.0	-34.946	22.591	0.012	4.742	33.942	10.026	6.28	32.668	12.777	0.116	241.042	4.24	0.116	302.802	3.337	0.116	0.142	0.0	0.116	0.134	0.0
86	17273	17274	SN	1	-33.956	21.05	0.0	-34.946	21.593	0.0	4.742	33.942	10.617	6.28	32.668	12.768	0.116	241.042	4.605	0.116	302.802	3.866	0.116	0.142	0.0	0.116	0.134	0.0
87	17274	17275	NS	1	-34.371	24.065	0.03	-34.979	23.108	0.049	0.304	29.033	16.53	1.178	30.428	31.825	0.116	265.203	5.132	0.116	305.028	4.692	0.116	0.194	0.0	0.116	0.179	0.0
88	17274	17275	SN	1	-34.351	21.985	0.0	-33.825	23.492	0.069	-16.01	27.99	13.225	-6.294	30.151	14.57	0.116	263.989	5.055	0.116	233.836	3.991	0.116	3.955	0.005	0.116	0.507	0.0
89	17274	17275	NS	1	-34.843	24.065	0.03	-34.979	23.108	0.049	0.308	29.033	16.49	1.178	30.428	31.83	0.116	295.604	5.131	0.116	305.028	4.708	0.116	0.194	0.0	0.116	0.179	0.0
90	17275	17276	SN	1	-34.761	22.713	0.005	-34.594	23.874	0.169	-11.76	28.272	12.436	-8.471	29.52	12.53	0.116	290.137	5.226	0.116	279.14	4.568	0.116	1.544	0.002	0.116	0.774	0.0
91	17275	17276	NS	1	-34.618	28.518	0.06	-34.096	28.162	0.075	-15.275	30.798	12.622	-8.83	31.377	23.141	0.116	280.75	2.644	0.116	248.864	2.876	0.116	3.354	0.008	0.116	0.832	0.0
92	17275	17276	NS	1	-34.14	28.518	0.06	-33.687	28.163	0.075	-15.224	30.798	12.756	-8.833	31.377	23.123	0.116	251.501	2.642	0.116	226.579	2.873	0.116	3.316	0.008	0.116	0.833	0.0
93	17276	17277	SN	1	-34.7	24.488	0.034	-34.679	24.11	0.262	-15.699	29.593	13.428	-12.909	30.127	14.644	0.116	286.078	1.945	0.116	284.656	1.085	0.116	3.688	0.013	0.116	1.984	0.009
94	17276	17277	SN	2	-34.7	24.488	0.034	-34.679	24.11	0.262	-15.699	29.593	13.428	-12.909	30.127	14.644	0.116	286.078	1.945	0.116	284.656	1.085	0.116	3.688	0.013	0.116	1.984	0.009
95	17276	17277	NS	1	-34.606	28.855	0.09	-34.597	27.357	0.181	4.516	28.788	14.053	6.287	31.618	20.982	0.116	279.954	4.876	0.116	279.327	3.891	0.116	0.144	0.0	0.116	0.134	0.0
96	17276	17277	NS	1	-34.683	28.853	0.09	-34.914	27.356	0.181	4.51	28.79	14.078	6.287	31.618	20.962	0.116	284.937	4.881	0.116	300.505	3.896	0.116	0.144	0.0	0.116	0.134	0.0
97	17277	17278	SN	1	-33.751	22.334	0.018	-34.035	24.517	0.797	-8.951	30.359	12.06	-26.167	30.407	12.154	0.116	229.9	4.57	0.116	245.507	3.566	0.116	0.853	0.0	0.116	40.176	0.003
98	17277	17278	NS	1	-34.936	27.407	0.112	-34.26	23.485	0.394	9.463	29.591	19.321	10.469	28.94	31.396	0.116	301.969	2.112	0.116	258.441	2.069	0.116	0.124	0.0	0.116	0.122	0.0
99	17277	17278	NS	2	-34.936	27.407	0.112	-34.954	23.485	0.394	9.456	29.591	22.301	10.44	28.938	33.168	0.116	301.969	2.117	0.116	303.344	2.066	0.116	0.124	0.0	0.116	0.123	0.0
100	17277	17278	NS	1	-34.936	27.407	0.112	-34.954	23.485	0.394	9.456	29.591	22.301	10.44	28.938	33.168	0.116	301.969	2.117	0.116	303.344	2.066	0.116	0.124	0.0	0.116	0.123	0.0
101	17277	17278	SN	1	-34.623	22.331	0.016	-34.168	24.517	0.804	-8.954	30.359	12.069	-26.166	30.407	12.175	0.116	281.075	4.573	0.116	253.146	3.57	0.116	0.854	0.0	0.116	40.169	0.003
102	17278	17279	NS	1	-34.748	26.429	0.235	-34.818	23.983	0.349	10.802	28.575	22.317	11.015	29.02	32.697	0.116	289.284	1.145	0.116	293.966	1.244	0.116	0.122	0.0	0.116	0.122	0.0
103	17278	17279	SN	1	-34.94	22.689	0.012	-34.779	23.922	0.886	-9.69	29.328	21.235	-11.098	30.382	23.725	0.116	302.292	4.967	0.116	291.307	4.156	0.116	0.994	0.0	0.116	1.339	0.002
104	17278	17279	NS	1	-34.578	26.429	0.235	-33.653	23.983	0.349	10.8	28.575	13.88	11.021	29.02	34.49	0.116	278.108	1.145	0.116	224.839	1.243	0.116	0.122	0.0	0.116	0.122	0.0
105	17278	17279	NS	2	-34.748	26.429	0.235	-34.818	23.983	0.349	10.802	28.575	22.317	11.015	29.02	32.701	0.116	289.284	1.145	0.116	293.966	1.244	0.116	0.122	0.0	0.116	0.122	0.0
106	17279	17280	SN	1	-34.94	23.354	0.061	-34.679	24.652	0.779	7.183	29.429	35.589	7.559	30.12	49.232	0.116	302.301	5.412	0.116	284.623	4.785	0.116	0.13	0.0	0.116	0.129	0.0
107	17279	17280	SN	1	-33.647	23.338	0.098	-34.682	24.649	1.396	12.878	29.429	58.367	15.885	30.12	67.186	0.116	224.452	1.7	0.116	284.855	1.415	0.116	0.12	0.0	0.116	0.118	0.0
108	17279	17280	NS	1	-34.882	23.606	0.165	-34.19	26.454	0.046	5.911	28.19	26.853	8.35	29.327	36.234	0.116	298.298	4.089	0.116	254.34	3.717	0.116	0.136	0.0	0.116	0.127	0.0
109	17279	17280	NS	1	-34.898	23.606	0.165	-34.391	26.454	0.046	11.521	28.19	10.21	8.351	29.341	16.633	0.116	299.433	4.064	0.116	266.425	3.719	0.116	0.121	0.0	0.116	0.127	0.0
110	17280	17281	NS	1	-34.711	24.901	0.299	-34.507	25.117	0.191	6.764	28.25	12.313	5.372	28.844	21.515	0.116	286.766	1.827	0.116	273.644	1.708	0.116	0.132	0.0	0.116	0.138	0.0
111	17280	17281	SN	1	-34.923	20.527	0.0	-34.812	23.082	0.011	5.69	27.47	9.64	9.559	29.096	11.937	0.116	301.174	5.077	0.116	293.512	4.173	0.116	0.137	0.0	0.116	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17252	17253	SN	1	57.508	58.297	0.0	0.0	292.885	4.081	1209.984	1276.704	0.0	-93.226	-92.055	0.0
2	17252	17253	SN	1	57.508	58.297	0.0	0.0	292.885	3.741	1209.984	1276.704	0.0	-93.226	-92.055	0.0
3	17252	17253	NS	1	57.45	58.222	0.0	0.0	289.24	3.906	1210.248	1275.784	0.0	-93.248	-92.016	0.0
4	17252	17253	NS	1	57.485	58.221	0.0	0.0	289.284	3.91	1210.256	1275.776	0.0	-93.253	-92.016	0.0
5	17253	17254	NS	1	57.483	58.235	0.0	0.0	299.018	3.646	1210.472	1276.04	0.0	-93.284	-91.991	0.0
6	17253	17254	SN	1	57.498	58.314	0.0	0.0	292.676	3.521	1210.184	1276.912	0.0	-93.411	-92.047	0.0
7	17253	17254	SN	1	57.498	58.314	0.0	0.0	292.676	3.525	1210.184	1276.912	0.0	-93.411	-92.047	0.0
8	17253	17254	SN	1	57.498	58.314	0.0	0.0	292.676	3.835	1210.184	1276.912	0.0	-93.411	-92.047	0.0
9	17253	17254	NS	1	57.483	58.232	0.0	0.0	299.018	3.65	1210.472	1276.04	0.0	-93.281	-91.991	0.0
10	17254	17255	SN	1	57.492	58.314	0.0	0.0	299.503	3.732	1210.016	1276.968	0.0	-93.259	-92.079	0.0
11	17254	17255	NS	1	57.453	58.235	0.0	0.0	297.292	3.626	1210.648	1276.128	0.0	-93.301	-91.993	0.0
12	17254	17255	NS	1	57.485	58.225	0.0	0.0	297.292	3.629	1210.648	1276.128	0.0	-93.274	-91.993	0.0
13	17254	17255	SN	1	57.492	58.314	0.0	0.0	299.42	3.445	1210.016	1276.968	0.0	-93.259	-92.079	0.0
14	17254	17255	SN	1	57.492	58.314	0.0	0.0	299.503	3.742	1210.016	1276.968	0.0	-93.259	-92.079	0.0
15	17255	17256	NS	2	57.469	58.247	0.0	0.0	299.343	3.911	1210.392	1275.944	0.0	-93.265	-92.022	0.0
16	17255	17256	SN	1	57.519	58.289	0.0	0.0	284.386	3.404	1209.656	1276.76	0.065	-93.224	-92.043	0.0
17	17255	17256	SN	1	57.507	58.303	0.0	0.0	298.681	3.73	1209.04	1276.76	0.064	-93.224	-92.043	0.0
18	17255	17256	SN	1	57.519	58.289	0.0	0.0	298.681	3.734	1209.656	1276.76	0.064	-93.224	-92.043	0.0
19	17255	17256	NS	1	57.475	58.246	0.0	0.0	299.42	3.915	1209.92	1275.96	0.0	-93.265	-92.022	0.0
20	17256	17257	SN	1	57.52	58.291	0.0	0.0	294.479	3.284	1209.896	1276.656	0.086	-93.215	-92.078	0.0
21	17256	17257	NS	2	57.477	58.233	0.0	0.0	290.96	3.825	1210.832	1275.872	0.0	-93.284	-92.036	0.0
22	17256	17257	SN	1	57.52	58.288	0.0	0.0	298.797	3.7	1209.904	1276.664	0.076	-93.212	-92.078	0.0
23	17256	17257	NS	1	57.477	58.233	0.0	0.0	290.96	3.825	1210.832	1275.872	0.0	-93.284	-92.036	0.0
24	17256	17257	SN	1	57.52	58.291	0.0	0.0	298.797	3.704	1209.896	1276.656	0.083	-93.215	-92.078	0.0
25	17257	17258	SN	1	57.519	58.374	0.0	0.0	290.828	3.854	1209.912	1281.576	0.049	-94.392	-92.077	0.0
26	17257	17258	SN	2	57.519	58.374	0.0	0.0	290.828	3.852	1209.912	1281.576	0.049	-94.392	-92.077	0.0
27	17257	17258	SN	1	57.519	58.374	0.0	0.0	290.828	3.198	1209.912	1281.576	0.052	-94.392	-92.077	0.0
28	17257	17258	NS	1	57.488	58.203	0.0	0.0	297.617	3.811	1210.856	1275.696	0.0	-93.48	-92.044	0.0
29	17257	17258	NS	1	57.458	58.229	0.0	0.0	297.413	3.816	1210.848	1275.704	0.0	-93.383	-92.044	0.0
30	17258	17259	SN	1	57.521	58.3	0.0	0.0	289.874	3.901	1209.688	1276.576	0.001	-93.252	-92.08	0.0
31	17258	17259	SN	1	57.521	58.3	0.0	0.0	289.874	3.905	1209.688	1276.576	0.001	-93.252	-92.08	0.0
32	17258	17259	NS	1	57.454	58.213	0.0	0.0	298.896	3.808	1210.728	1275.808	0.0	-93.252	-92.049	0.0
33	17258	17259	SN	1	57.521	58.3	0.0	0.0	289.874	2.969	1209.688	1276.576	0.001	-93.252	-92.08	0.0
34	17258	17259	NS	1	57.455	58.23	0.0	0.0	298.93	3.822	1210.744	1275.744	0.0	-93.226	-92.05	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17259	17260	NS	2	57.466	58.231	0.0	0.0	299.442	3.804	1209.848	1275.92	0.001	-94.51	-92.048	0.0
36	17259	17260	SN	1	57.522	58.29	0.0	0.0	297.628	3.809	1210.28	1276.744	0.0	-93.204	-92.029	0.0
37	17259	17260	SN	1	57.522	58.29	0.0	0.0	283.73	2.516	1210.28	1276.744	0.0	-93.204	-92.029	0.0
38	17259	17260	NS	1	57.476	58.234	0.0	0.0	299.509	3.808	1209.872	1275.888	0.001	-94.51	-92.048	0.0
39	17259	17260	SN	1	57.522	58.289	0.0	0.0	297.628	3.809	1210.208	1276.72	0.0	-93.198	-92.029	0.0
40	17260	17261	NS	1	57.474	58.237	0.0	0.0	290.414	4.17	1210.728	1278.152	0.0	-93.42	-92.031	0.0
41	17260	17261	SN	1	57.52	58.301	0.0	0.0	297.187	3.718	1210.216	1276.752	0.0	-93.266	-92.013	0.0
42	17261	17262	NS	1	57.489	58.204	0.0	0.0	289.725	3.838	1210.368	1275.736	0.0	-93.377	-92.014	0.0
43	17261	17262	NS	1	57.489	58.216	0.0	0.0	289.725	3.827	1210.368	1275.736	0.0	-93.377	-92.014	0.0
44	17261	17262	SN	1	57.523	58.481	0.0	0.0	292.736	3.91	1210.2	1284.376	0.001	-95.356	-92.048	0.0
45	17262	17263	NS	1	57.488	58.203	0.0	0.0	297.606	3.627	1210.848	1275.672	0.0	-93.289	-92.039	0.0
46	17262	17263	SN	1	57.489	58.312	0.0	0.0	290.541	3.922	1209.832	1276.616	0.029	-93.24	-92.067	0.0
47	17262	17263	SN	2	57.489	58.312	0.0	0.0	290.508	3.919	1209.84	1276.632	0.029	-93.24	-92.067	0.0
48	17262	17263	NS	1	57.488	58.201	0.0	0.0	297.606	3.882	1210.848	1276.296	0.0	-93.305	-92.039	0.0
49	17262	17263	NS	1	57.488	58.203	0.0	0.0	297.606	3.885	1210.848	1276.592	0.0	-93.289	-92.039	0.0
50	17263	17264	NS	1	57.478	58.237	0.0	0.0	298.152	3.684	1210.688	1275.896	0.0	-93.265	-92.037	0.0
51	17263	17264	SN	1	57.514	58.309	0.0	0.0	299.911	3.793	1209.888	1276.696	0.072	-93.282	-92.053	0.0
52	17263	17264	NS	1	57.465	58.236	0.0	0.003	298.168	3.022	1210.672	1274.528	0.0	-93.265	-92.037	0.0
53	17264	17265	SN	1	57.51	58.317	0.0	0.0	299.536	3.774	1209.864	1276.728	0.102	-93.395	-92.079	0.0
54	17264	17265	NS	1	57.478	58.202	0.0	0.0	299.691	3.958	1209.656	1275.928	0.001	-93.226	-92.047	0.0
55	17264	17265	SN	1	57.501	58.319	0.0	0.0	299.536	3.778	1209.864	1276.728	0.103	-93.245	-92.079	0.0
56	17265	17266	NS	1	57.485	58.203	0.0	0.0	290.321	3.798	1210.448	1276.016	0.0	-93.421	-92.047	0.0
57	17265	17266	NS	2	57.485	58.203	0.0	0.0	290.321	3.798	1210.448	1276.016	0.0	-93.421	-92.047	0.0
58	17265	17266	SN	1	57.491	58.318	0.0	0.003	292.135	3.93	1209.432	1276.824	0.022	-93.208	-92.08	0.0
59	17266	17267	SN	1	57.506	58.321	0.0	0.0	291.148	4.082	1209.328	1276.768	0.0	-93.486	-92.065	0.0
60	17266	17267	NS	1	57.488	58.218	0.0	0.0	299.045	4.008	1210.584	1276.008	0.0	-93.384	-92.039	0.0
61	17266	17267	SN	1	57.513	58.321	0.0	0.0	291.148	3.585	1209.328	1276.768	0.0	-93.486	-92.065	0.0
62	17267	17268	SN	1	57.523	58.315	0.0	0.0	298.466	3.86	1209.768	1276.728	0.0	-93.266	-92.044	0.0
63	17267	17268	NS	1	57.487	58.223	0.0	0.0	297.871	3.741	1210.784	1275.992	0.0	-93.238	-92.033	0.0
64	17267	17268	SN	1	57.523	58.315	0.0	0.0	298.477	3.856	1209.368	1276.728	0.002	-93.266	-92.044	0.0
65	17268	17269	SN	1	57.49	58.319	0.0	0.0	297.821	3.708	1208.936	1276.872	0.389	-93.262	-92.061	0.0
66	17268	17269	SN	1	57.49	58.319	0.0	0.0	297.821	3.419	1208.936	1276.872	0.394	-93.262	-92.061	0.0
67	17268	17269	NS	1	57.488	58.237	0.0	0.0	299.751	3.658	1210.248	1276.168	0.0	-93.284	-91.976	0.0
68	17268	17269	SN	1	57.499	58.318	0.0	0.0	297.821	3.704	1209.416	1276.872	0.389	-93.27	-92.061	0.0
69	17269	17270	NS	1	57.486	58.234	0.0	0.0	291.446	3.74	1210.28	1276.056	0.0	-93.292	-92.032	0.0
70	17269	17270	SN	1	57.518	58.314	0.0	0.0	294.909	3.732	1209.52	1276.76	0.843	-93.248	-92.074	0.0
71	17270	17271	NS	1	57.49	58.24	0.0	0.0	288.876	3.75	1211.264	1275.936	0.0	-93.3	-92.039	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17270	17271	NS	1	57.489	58.237	0.0	0.0	288.859	3.745	1211.256	1275.944	0.0	-93.3	-92.039	0.0
73	17270	17271	SN	2	57.49	58.309	0.0	0.0	290.916	3.796	1208.808	1276.592	0.898	-93.242	-92.074	0.0
74	17270	17271	SN	1	57.49	58.309	0.0	0.0	290.916	3.798	1208.808	1276.592	0.898	-93.242	-92.074	0.0
75	17271	17272	NS	1	57.455	58.237	0.0	0.0	297.959	3.802	1210.848	1275.808	0.0	-93.29	-92.037	0.0
76	17271	17272	NS	1	57.471	58.23	0.0	0.0	297.998	3.807	1210.384	1275.784	0.0	-93.29	-92.037	0.0
77	17271	17272	SN	2	57.506	58.313	0.0	0.0	289.962	3.762	1209.496	1276.456	0.893	-93.214	-92.074	0.0
78	17271	17272	SN	1	57.506	58.313	0.0	0.0	289.962	3.762	1209.496	1276.456	0.893	-93.214	-92.074	0.0
79	17272	17273	SN	1	57.505	58.311	0.0	0.0	283.945	3.098	1208.936	1276.424	0.613	-93.285	-92.069	0.0
80	17272	17273	SN	1	57.505	58.311	0.0	0.0	298.957	3.875	1208.936	1276.424	0.582	-93.285	-92.069	0.0
81	17272	17273	SN	1	57.49	58.309	0.0	0.0	298.957	3.873	1208.912	1276.392	0.637	-93.285	-92.069	0.0
82	17272	17273	NS	2	57.489	58.237	0.0	0.003	299.906	3.804	1210.888	1275.76	0.0	-93.614	-92.047	0.0
83	17272	17273	NS	1	57.489	58.237	0.0	0.003	299.906	3.805	1210.888	1275.76	0.0	-93.614	-92.047	0.0
84	17273	17274	NS	1	57.463	58.235	0.0	0.0	290.321	3.757	1210.104	1275.92	0.0	-93.373	-92.052	0.0
85	17273	17274	SN	1	57.519	58.32	0.0	0.0	296.062	3.926	1209.864	1276.616	0.114	-93.298	-92.06	0.0
86	17273	17274	SN	1	57.519	58.32	0.0	0.0	293.652	2.768	1209.864	1276.616	0.123	-93.298	-92.06	0.0
87	17274	17275	NS	1	57.452	58.236	0.0	0.003	297.534	3.837	1210.312	1275.984	0.0	-93.295	-92.038	0.0
88	17274	17275	SN	1	57.515	58.288	0.0	0.0	292.036	3.825	1209.88	1276.68	0.087	-93.279	-92.009	0.0
89	17274	17275	NS	1	57.452	58.232	0.0	0.0	297.446	3.832	1210.328	1275.968	0.0	-93.293	-92.039	0.0
90	17275	17276	SN	1	57.492	58.295	0.0	0.0	291.788	3.791	1209.304	1276.584	0.011	-93.697	-92.048	0.0
91	17275	17276	NS	1	57.487	58.23	0.0	0.0	296.194	3.885	1210.32	1275.872	0.0	-93.279	-92.02	0.0
92	17275	17276	NS	1	57.49	58.23	0.0	0.0	296.194	3.895	1210.44	1275.872	0.0	-93.272	-92.02	0.0
93	17276	17277	SN	1	57.49	58.309	0.0	0.0	298.378	3.912	1209.84	1276.696	0.179	-93.275	-92.045	0.0
94	17276	17277	SN	2	57.49	58.309	0.0	0.0	298.378	3.912	1209.84	1276.696	0.179	-93.275	-92.045	0.0
95	17276	17277	NS	1	57.473	58.232	0.0	0.0	296.784	3.768	1210.344	1276.472	0.0	-93.252	-92.033	0.0
96	17276	17277	NS	1	57.484	58.232	0.0	0.0	296.784	3.778	1210.656	1276.048	0.0	-93.258	-92.033	0.0
97	17277	17278	SN	1	57.482	58.305	0.0	0.0	299.299	3.849	1209.624	1276.584	0.578	-93.238	-92.04	0.0
98	17277	17278	NS	1	57.473	58.232	0.0	0.0	279.313	3.162	1211.096	1275.208	0.0	-93.317	-92.053	0.0
99	17277	17278	NS	2	57.473	58.232	0.0	0.0	299.492	3.765	1211.096	1275.888	0.0	-93.322	-92.053	0.0
100	17277	17278	NS	1	57.473	58.232	0.0	0.0	299.492	3.765	1211.096	1275.888	0.0	-93.322	-92.053	0.0
101	17277	17278	SN	1	57.483	58.305	0.0	0.0	299.299	3.852	1209.144	1276.584	0.579	-93.238	-92.04	0.0
102	17278	17279	NS	1	57.488	58.237	0.0	0.0	289.885	3.775	1210.344	1275.88	0.0	-93.291	-92.05	0.0
103	17278	17279	SN	1	57.49	58.308	0.0	0.0	292.036	3.788	1209.232	1276.616	0.634	-93.539	-92.051	0.0
104	17278	17279	NS	1	57.488	58.237	0.0	0.003	289.885	3.08	1210.344	1274.44	0.0	-93.326	-92.05	0.0
105	17278	17279	NS	2	57.488	58.237	0.0	0.0	289.885	3.775	1210.344	1275.88	0.0	-93.291	-92.05	0.0
106	17279	17280	SN	1	57.509	58.319	0.0	0.0	289.929	3.797	1209.6	1276.712	0.672	-93.222	-92.077	0.0
107	17279	17280	SN	1	57.494	58.023	0.0	0.003	282.605	3.129	1208.944	1231.632	1.246	-92.89	-92.077	0.0
108	17279	17280	NS	1	57.458	58.237	0.0	0.0	299.724	3.755	1210.8	1275.992	0.0	-93.228	-92.049	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17279	17280	NS	1	57.458	58.237	0.0	0.0	299.724	2.228	1210.8	1273.56	0.0	-93.166	-92.049	0.0
110	17280	17281	NS	1	57.465	58.208	0.0	0.0	298.891	3.883	1210.064	1276.024	0.0	-93.256	-92.048	0.0
111	17280	17281	SN	1	57.493	58.319	0.0	0.0	289.201	3.033	1209.24	1276.736	0.127	-93.248	-92.078	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17252	17253	SN	1	-34.15	16.105	0.0	-33.704	17.251	0.0	-6.912	21.615	0.0	-6.209	22.419	0.003	0.087	192.598	3.895	0.087	173.831	3.663	0.086	0.431	0.0	0.086	0.377	0.0
2	17252	17253	SN	1	-34.15	14.981	0.0	-33.704	17.251	0.0	-6.912	21.615	0.0	-6.209	22.419	0.003	0.087	192.598	4.066	0.087	173.831	3.847	0.086	0.431	0.0	0.086	0.377	0.0
3	17252	17253	NS	1	-34.885	16.924	0.0	-33.514	17.116	0.0	0.681	21.881	0.0	1.354	24.701	0.029	0.087	228.094	4.082	0.087	166.404	3.711	0.086	0.139	0.0	0.086	0.131	0.0
4	17252	17253	NS	1	-34.841	16.924	0.0	-33.546	17.118	0.0	0.681	21.881	0.0	1.354	24.701	0.029	0.087	225.874	4.088	0.087	167.653	3.718	0.086	0.139	0.0	0.086	0.131	0.0
5	17253	17254	NS	1	-34.606	16.793	0.0	-34.606	17.214	0.0	-13.264	21.996	0.0	-10.796	22.152	0.004	0.087	213.94	4.299	0.087	213.967	4.411	0.086	1.635	0.002	0.086	0.955	0.0
6	17253	17254	SN	1	-34.925	16.643	0.0	-34.847	17.42	0.0	0.211	21.326	0.0	1.479	21.245	0.0	0.087	230.275	9.143	0.087	226.218	7.291	0.086	0.146	0.0	0.086	0.13	0.0
7	17253	17254	SN	1	-34.925	16.643	0.0	-34.847	17.42	0.0	0.211	21.326	0.0	1.479	21.245	0.0	0.087	230.275	9.128	0.087	226.218	7.281	0.086	0.146	0.0	0.086	0.13	0.0
8	17253	17254	SN	1	-34.925	16.643	0.0	-34.847	17.42	0.0	0.211	21.326	0.0	1.479	21.245	0.0	0.087	230.275	8.966	0.087	226.218	7.177	0.086	0.146	0.0	0.086	0.13	0.0
9	17253	17254	NS	1	-34.662	16.793	0.0	-34.606	17.218	0.0	-13.264	21.997	0.0	-10.796	22.153	0.004	0.087	216.698	4.311	0.087	213.967	4.392	0.086	1.635	0.002	0.086	0.955	0.0
10	17254	17255	SN	1	-34.861	16.796	0.0	-34.923	17.676	0.0	0.729	21.513	0.0	1.536	20.529	0.0	0.087	226.903	2.983	0.086	230.189	2.777	0.086	0.139	0.0	0.086	0.129	0.0
11	17254	17255	NS	1	-33.509	16.756	0.0	-34.837	16.187	0.0	-7.269	20.681	0.0	-25.836	22.192	0.002	0.087	166.228	2.367	0.087	225.599	2.3	0.086	0.462	0.0	0.086	28.458	0.06
12	17254	17255	NS	1	-34.912	16.754	0.0	-34.632	16.187	0.0	-7.264	20.681	0.0	-26.419	22.192	0.002	0.087	229.575	2.365	0.087	215.295	2.3	0.086	0.462	0.0	0.086	32.539	0.06
13	17254	17255	SN	1	-34.861	16.796	0.0	-34.923	17.676	0.0	0.729	21.513	0.0	1.536	20.529	0.0	0.087	226.903	3.031	0.086	230.189	2.806	0.086	0.139	0.0	0.086	0.129	0.0
14	17254	17255	SN	1	-34.861	16.798	0.0	-34.923	17.676	0.0	0.729	21.513	0.0	1.536	20.529	0.0	0.087	226.903	2.982	0.086	230.189	2.774	0.086	0.139	0.0	0.086	0.129	0.0
15	17255	17256	NS	2	-34.555	15.336	0.0	-34.108	15.506	0.0	-31.93	21.457	0.0	-33.413	21.547	0.0	0.087	211.482	1.658	0.087	190.761	1.438	0.086	115.58	0.06	0.086	162.616	0.093
16	17255	17256	SN	1	-34.99	15.535	0.0	-34.963	16.088	0.0	-0.086	21.265	0.0	0.921	21.408	0.0	0.087	233.698	3.839	0.087	232.288	3.219	0.086	0.15	0.0	0.086	0.136	0.0
17	17255	17256	SN	1	-34.66	15.535	0.0	-34.707	16.088	0.0	-0.086	21.265	0.0	0.921	21.408	0.0	0.087	216.633	3.773	0.087	218.96	3.161	0.086	0.15	0.0	0.086	0.136	0.0
18	17255	17256	SN	1	-34.99	15.535	0.0	-34.963	16.088	0.0	-0.086	21.265	0.0	0.921	21.408	0.0	0.087	233.698	3.759	0.087	232.288	3.169	0.086	0.15	0.0	0.086	0.136	0.0
19	17255	17256	NS	1	-34.555	15.336	0.0	-34.106	15.506	0.0	-31.908	21.457	0.0	-33.497	21.547	0.0	0.087	211.482	1.659	0.087	190.723	1.439	0.086	114.999	0.06	0.086	165.765	0.093
20	17256	17257	SN	1	-34.744	16.23	0.0	-34.623	16.279	0.0	-0.137	20.988	0.0	1.001	21.714	0.0	0.087	220.826	2.156	0.087	214.833	2.163	0.086	0.151	0.0	0.086	0.135	0.0
21	17256	17257	NS	2	-34.521	18.187	0.0	-34.386	15.619	0.0	-31.404	22.272	0.002	-18.476	21.78	0.0	0.086	209.788	2.92	0.087	203.443	2.762	0.086	102.391	0.029	0.086	5.278	0.011
22	17256	17257	SN	1	-34.868	16.23	0.0	-34.563	16.279	0.0	-0.137	20.988	0.0	1.001	21.714	0.0	0.087	227.209	2.097	0.087	211.817	2.107	0.086	0.151	0.0	0.086	0.135	0.0
23	17256	17257	NS	1	-34.521	18.184	0.0	-34.386	15.616	0.0	-31.404	22.272	0.002	-18.476	21.78	0.0	0.086	209.788	2.92	0.087	203.443	2.762	0.086	102.391	0.029	0.086	5.278	0.011
24	17256	17257	SN	1	-34.744	16.23	0.0	-34.623	16.279	0.0	-0.137	20.988	0.0	1.001	21.714	0.0	0.087	220.826	2.101	0.087	214.833	2.105	0.086	0.151	0.0	0.086	0.135	0.0
25	17257	17258	SN	1	-34.762	15.74	0.0	-34.85	15.845	0.0	-0.538	20.848	0.0	2.653	21.247	0.0	0.087	221.832	3.857	0.087	226.368	3.444	0.086	0.158	0.0	0.086	0.119	0.0
26	17257	17258	SN	2	-34.762	15.74	0.0	-34.85	15.845	0.0	-0.538	20.848	0.0	2.653	21.247	0.0	0.087	221.832	3.857	0.087	226.368	3.444	0.086	0.158	0.0	0.086	0.119	0.0
27	17257	17258	SN	1	-34.762	15.74	0.0	-34.85	15.794	0.0	-0.538	20.848	0.0	2.653	21.247	0.0	0.087	221.832	3.987	0.087	226.368	3.626	0.086	0.158	0.0	0.086	0.119	0.0
28	17257	17258	NS	1	-34.776	15.718	0.0	-34.608	17.409	0.0	-23.686	21.151	0.0	-19.377	21.799	0.0	0.087	222.518	3.475	0.087	214.048	3.503	0.086	17.372	0.17	0.086	6.482	0.019
29	17257	17258	NS	1	-34.776	15.718	0.0	-34.424	17.409	0.0	-23.689	21.154	0.0	-19.377	21.798	0.0	0.087	222.518	3.48	0.087	205.192	3.508	0.086	17.383	0.17	0.086	6.482	0.019
30	17258	17259	SN	1	-34.55	14.206	0.0	-34.882	15.986	0.0	-0.861	23.131	0.012	1.608	22.526	0.056	0.088	211.237	3.228	0.087	227.937	2.869	0.086	0.164	0.0	0.086	0.128	0.0
31	17258	17259	SN	1	-34.55	14.206	0.0	-34.882	15.988	0.0	-0.861	23.131	0.012	1.606	22.526	0.057	0.088	211.237	3.227	0.087	227.937	2.868	0.086	0.164	0.0	0.086	0.128	0.0
32	17258	17259	NS	1	-34.796	17.031	0.0	-34.75	15.964	0.0	2.253	22.368	0.123	0.7	24.779	0.154	0.087	223.546	4.498	0.087	221.164	4.347	0.086	0.122	0.0	0.086	0.139	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	17258	17259	SN	1	-34.55	14.206	0.0	-34.882	15.139	0.0	-0.861	23.131	0.013	1.606	22.526	0.057	0.088	211.237	3.436	0.087	227.937	3.214	0.086	0.164	0.0	0.086	0.128	0.0
34	17258	17259	NS	1	-34.776	17.028	0.0	-34.991	15.965	0.0	2.242	22.368	0.122	0.7	24.779	0.154	0.087	222.52	4.494	0.087	233.83	4.344	0.086	0.122	0.0	0.086	0.139	0.0
35	17259	17260	NS	2	-34.69	17.771	0.0	-34.704	17.398	0.0	-8.238	22.692	0.071	-5.207	23.368	0.389	0.086	218.119	2.953	0.087	218.854	3.053	0.086	0.56	0.0	0.086	0.315	0.0
36	17259	17260	SN	1	-34.603	15.087	0.0	-34.546	16.94	0.0	-19.404	22.271	0.003	-8.358	23.346	0.095	0.087	213.841	2.764	0.087	211.022	2.388	0.086	6.521	0.006	0.086	0.574	0.0
37	17259	17260	SN	1	-34.603	15.087	0.0	-34.546	15.917	0.0	-19.398	22.271	0.003	-8.358	23.346	0.044	0.087	213.841	3.0	0.087	211.022	2.801	0.086	6.511	0.006	0.086	0.574	0.0
38	17259	17260	NS	1	-34.917	17.771	0.0	-34.937	17.398	0.0	-8.238	22.692	0.071	-5.207	23.368	0.389	0.086	229.846	2.954	0.087	230.863	3.053	0.086	0.56	0.0	0.086	0.315	0.0
39	17259	17260	SN	1	-33.048	15.088	0.0	-34.625	16.935	0.0	-19.405	22.271	0.003	-8.357	23.346	0.095	0.087	149.493	2.758	0.087	214.84	2.372	0.086	6.522	0.006	0.086	0.574	0.0
40	17260	17261	NS	1	-34.929	21.094	0.0	-34.9	20.353	0.0	-0.823	23.024	0.224	-2.523	23.437	0.718	0.086	230.476	5.208	0.086	228.925	5.112	0.086	0.164	0.0	0.086	0.204	0.0
41	17260	17261	SN	1	-34.402	15.755	0.0	-34.956	17.197	0.0	-23.567	22.402	0.005	-7.311	23.399	0.121	0.087	204.16	4.27	0.087	231.918	4.247	0.086	16.898	0.07	0.086	0.466	0.0
42	17261	17262	NS	1	-34.92	23.048	0.001	-34.718	17.195	0.0	-3.406	22.489	0.026	-6.223	23.23	0.15	0.086	229.992	4.561	0.087	219.52	4.892	0.086	0.233	0.0	0.086	0.378	0.0
43	17261	17262	NS	1	-34.92	23.048	0.001	-34.718	17.195	0.0	-3.406	22.489	0.026	-6.223	23.23	0.148	0.086	229.992	4.565	0.087	219.52	4.893	0.086	0.233	0.0	0.086	0.378	0.0
44	17261	17262	SN	1	-34.855	15.809	0.0	-34.773	17.039	0.0	-28.811	22.522	0.009	-29.312	23.583	0.152	0.087	226.598	4.659	0.087	222.358	3.54	0.086	56.395	0.25	0.086	63.288	0.172
45	17262	17263	NS	1	-34.98	17.368	0.0	-34.739	20.159	0.0	0.096	22.345	0.025	0.033	22.763	0.081	0.087	233.184	4.232	0.086	220.62	4.002	0.086	0.148	0.0	0.086	0.149	0.0
46	17262	17263	SN	1	-34.917	16.965	0.0	-34.731	17.413	0.0	-24.158	22.254	0.006	-32.023	23.502	0.101	0.087	229.857	1.594	0.087	220.203	1.649	0.086	19.358	0.072	0.086	118.059	0.065
47	17262	17263	SN	2	-34.926	16.965	0.0	-34.731	17.413	0.0	-24.158	22.254	0.006	-32.02	23.502	0.101	0.087	230.313	1.594	0.087	220.203	1.648	0.086	19.358	0.072	0.086	117.974	0.065
48	17262	17263	NS	1	-34.946	17.368	0.0	-34.547	20.159	0.0	0.095	22.345	0.024	0.033	22.761	0.079	0.087	231.428	4.231	0.086	211.053	3.989	0.086	0.148	0.0	0.086	0.149	0.0
49	17262	17263	NS	1	-34.98	17.368	0.0	-34.739	20.159	0.0	0.096	22.345	0.024	0.033	22.763	0.079	0.087	233.184	4.23	0.086	220.62	4.002	0.086	0.148	0.0	0.086	0.149	0.0
50	17263	17264	NS	1	-34.453	21.411	0.0	-33.509	20.804	0.0	5.105	22.406	0.069	4.842	22.518	0.061	0.086	206.548	1.903	0.086	166.229	1.868	0.086	0.104	0.0	0.086	0.105	0.0
51	17263	17264	SN	1	-33.967	15.606	0.0	-33.655	17.273	0.0	-13.07	22.293	0.004	-15.564	23.102	0.12	0.087	184.731	3.11	0.087	171.857	2.597	0.086	1.567	0.007	0.086	2.731	0.005
52	17263	17264	NS	1	-34.765	21.411	0.0	-34.8	20.804	0.0	5.093	22.406	0.087	4.914	22.52	0.08	0.086	221.917	1.911	0.086	223.715	1.87	0.086	0.104	0.0	0.086	0.105	0.0
53	17264	17265	SN	1	-34.946	16.842	0.0	-34.914	17.463	0.0	-27.844	22.565	0.062	-18.808	23.501	0.782	0.087	231.367	5.275	0.087	229.711	4.717	0.086	45.145	0.138	0.086	5.692	0.018
54	17264	17265	NS	1	-33.908	20.578	0.0	-34.433	16.429	0.0	-0.032	22.396	0.026	1.201	22.454	0.056	0.086	182.247	1.722	0.087	205.62	1.514	0.086	0.15	0.0	0.086	0.133	0.0
55	17264	17265	SN	1	-34.999	16.841	0.0	-34.812	17.463	0.0	-28.737	22.566	0.062	-18.848	23.501	0.782	0.087	234.249	5.274	0.087	224.299	4.704	0.086	55.434	0.138	0.086	5.745	0.018
56	17265	17266	NS	1	-34.402	17.88	0.0	-34.999	18.615	0.0	1.068	22.243	0.018	1.793	22.678	0.062	0.086	204.115	3.7	0.086	234.198	3.233	0.086	0.134	0.0	0.086	0.126	0.0
57	17265	17266	NS	2	-34.402	17.88	0.0	-34.999	18.615	0.0	1.068	22.243	0.018	1.793	22.678	0.062	0.086	204.115	3.7	0.086	234.198	3.233	0.086	0.134	0.0	0.086	0.126	0.0
58	17265	17266	SN	1	-34.622	16.443	0.0	-34.974	17.633	0.0	2.254	22.599	0.204	3.452	23.442	0.935	0.087	214.738	4.399	0.087	232.863	4.001	0.086	0.122	0.0	0.086	0.113	0.0
59	17266	17267	SN	1	-34.253	16.166	0.0	-34.721	17.381	0.0	-3.532	21.765	0.0	-3.728	24.021	0.014	0.087	197.307	4.667	0.087	219.678	3.875	0.086	0.238	0.0	0.086	0.245	0.0
60	17266	17267	NS	1	-34.909	18.024	0.0	-34.577	18.388	0.0	0.143	22.734	0.01	0.407	22.747	0.042	0.086	229.443	2.63	0.086	212.5	1.986	0.086	0.147	0.0	0.086	0.143	0.0
61	17266	17267	SN	1	-34.253	14.214	0.0	-34.721	17.382	0.0	-3.532	21.757	0.0	-3.728	24.021	0.014	0.088	197.307	4.832	0.087	219.678	4.201	0.086	0.238	0.0	0.086	0.245	0.0
62	17267	17268	SN	1	-34.968	16.92	0.0	-34.445	17.35	0.0	-3.211	21.592	0.0	-2.289	20.829	0.0	0.087	232.575	4.656	0.087	206.216	3.956	0.086	0.226	0.0	0.086	0.198	0.0
63	17267	17268	NS	1	-34.824	17.184	0.0	-34.866	18.346	0.0	-5.147	21.53	0.0	-3.723	23.386	0.014	0.087	224.999	2.888	0.086	227.17	3.327	0.086	0.311	0.0	0.086	0.245	0.0
64	17267	17268	SN	1	-34.968	16.914	0.0	-34.768	17.35	0.0	-3.211	21.592	0.0	-2.289	20.829	0.0	0.087	232.575	4.659	0.087	222.15	3.955	0.086	0.226	0.0	0.086	0.198	0.0
65	17268	17269	SN	1	-34.615	16.74	0.0	-34.529	17.232	0.0	-1.558	21.18	0.0	-1.367	21.117	0.0	0.087	214.455	6.11	0.087	210.184	5.285	0.086	0.179	0.0	0.086	0.175	0.0
66	17268	17269	SN	1	-34.615	16.74	0.0	-34.529	17.232	0.0	-1.558	21.18	0.0	-1.367	21.117	0.0	0.087	214.455	6.203	0.087	210.184	5.348	0.086	0.179	0.0	0.086	0.175	0.0
67	17268	17269	NS	1	-34.882	16.73	0.0	-34.84	15.941	0.0	-14.956	21.422	0.0	-29.981	22.382	0.003	0.087	227.972	5.209	0.087	225.768	4.977	0.086	2.383	0.005	0.086	73.796	0.084
68	17268	17269	SN	1	-34.932	16.737	0.0	-34.81	17.232	0.0	-1.558	21.18	0.0	-1.367	21.115	0.0	0.087	230.692	6.117	0.087	224.257	5.302	0.086	0.179	0.0	0.086	0.175	0.0
69	17269	17270	NS	1	-34.8	16.62	0.0	-34.837	15.073	0.0	-27.281	21.058	0.0	-31.914	21.969	0.0	0.087	223.74	2.797	0.087	225.592	2.897	0.086	39.659	0.23	0.086	115.131	0.135

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	17269	17270	SN	1	-34.999	16.187	0.0	-34.433	16.179	0.0	0.006	21.022	0.0	0.443	20.156	0.0	0.087	234.191	4.388	0.087	205.606	4.389	0.086	0.149	0.0	0.086	0.143	0.0
71	17270	17271	NS	1	-34.072	17.118	0.0	-34.498	15.136	0.0	-16.738	21.798	0.0	-16.276	21.932	0.0	0.087	189.23	4.058	0.087	208.688	4.406	0.086	3.558	0.009	0.086	3.206	0.003
72	17270	17271	NS	1	-34.292	17.116	0.0	-34.812	15.136	0.0	-16.738	21.799	0.0	-16.276	21.932	0.0	0.087	199.051	4.042	0.087	224.37	4.391	0.086	3.559	0.009	0.086	3.206	0.003
73	17270	17271	SN	2	-34.919	14.989	0.0	-34.752	15.902	0.0	0.065	20.812	0.0	1.606	21.431	0.0	0.087	229.88	2.849	0.087	221.268	2.366	0.086	0.148	0.0	0.086	0.128	0.0
74	17270	17271	SN	1	-34.919	14.989	0.0	-34.752	15.902	0.0	0.065	20.812	0.0	1.606	21.431	0.0	0.087	229.88	2.849	0.087	221.268	2.366	0.086	0.148	0.0	0.086	0.128	0.0
75	17271	17272	NS	1	-34.756	19.168	0.0	-34.547	15.619	0.0	-26.152	21.146	0.0	-17.001	21.629	0.0	0.086	221.515	3.812	0.087	211.122	3.679	0.086	30.592	0.018	0.086	3.777	0.012
76	17271	17272	NS	1	-34.603	19.169	0.0	-34.97	15.619	0.0	-25.579	21.146	0.0	-17.024	21.629	0.0	0.086	213.777	3.825	0.087	232.603	3.667	0.086	26.827	0.019	0.086	3.796	0.012
77	17271	17272	SN	2	-34.502	14.612	0.0	-34.634	15.713	0.0	-0.342	20.888	0.0	1.122	21.394	0.0	0.088	208.903	2.622	0.087	215.35	1.959	0.086	0.155	0.0	0.086	0.134	0.0
78	17271	17272	SN	1	-34.502	14.612	0.0	-34.634	15.713	0.0	-0.342	20.888	0.0	1.122	21.394	0.0	0.088	208.903	2.622	0.087	215.35	1.959	0.086	0.155	0.0	0.086	0.134	0.0
79	17272	17273	SN	1	-34.906	14.401	0.0	-34.441	14.098	0.0	-0.929	21.957	0.0	6.307	22.387	0.015	0.088	229.23	4.403	0.088	205.965	4.243	0.086	0.166	0.0	0.086	0.099	0.0
80	17272	17273	SN	1	-34.906	14.401	0.0	-34.441	15.896	0.0	-0.929	21.957	0.0	6.307	22.387	0.015	0.088	229.23	4.214	0.087	205.965	3.946	0.086	0.166	0.0	0.086	0.099	0.0
81	17272	17273	SN	1	-34.795	14.401	0.0	-34.334	15.894	0.0	-0.929	21.957	0.0	6.307	22.387	0.015	0.088	223.5	4.209	0.087	200.968	3.941	0.086	0.166	0.0	0.086	0.099	0.0
82	17272	17273	NS	2	-34.79	17.687	0.0	-34.892	15.828	0.0	-24.34	21.234	0.0	-31.535	21.632	0.0	0.086	223.189	5.463	0.087	228.556	5.602	0.086	20.186	0.094	0.086	105.544	0.157
83	17272	17273	NS	1	-34.79	17.69	0.0	-34.892	15.825	0.0	-24.34	21.234	0.0	-31.535	21.632	0.0	0.086	223.189	5.463	0.087	228.556	5.605	0.086	20.186	0.094	0.086	105.544	0.157
84	17273	17274	NS	1	-34.066	16.347	0.0	-34.382	19.542	0.0	0.546	22.291	0.021	0.794	22.699	0.08	0.087	188.926	3.637	0.086	205.014	3.338	0.086	0.141	0.0	0.086	0.138	0.0
85	17273	17274	SN	1	-34.654	13.719	0.0	-34.544	16.596	0.0	-7.758	22.726	0.009	-12.184	24.831	0.053	0.088	216.332	3.238	0.087	210.92	2.528	0.086	0.509	0.0	0.086	1.29	0.002
86	17273	17274	SN	1	-34.654	13.719	0.0	-34.544	14.352	0.0	-7.758	22.726	0.01	-12.184	24.831	0.053	0.088	216.332	3.491	0.088	210.92	2.959	0.086	0.509	0.0	0.086	1.29	0.002
87	17274	17275	NS	1	-34.911	22.591	0.003	-34.807	16.876	0.0	-1.118	23.13	0.103	-4.727	23.518	0.643	0.086	229.492	4.291	0.087	224.105	4.537	0.086	0.169	0.0	0.086	0.289	0.0
88	17274	17275	SN	1	-34.482	15.436	0.0	-34.385	17.412	0.0	-34.47	22.316	0.005	-23.143	23.151	0.111	0.087	207.958	4.696	0.087	203.366	3.493	0.086	207.387	0.122	0.086	15.338	0.016
89	17274	17275	NS	1	-34.911	22.591	0.003	-34.583	16.876	0.0	-1.117	23.13	0.103	-4.726	23.518	0.641	0.086	229.492	4.288	0.087	212.826	4.534	0.086	0.169	0.0	0.086	0.289	0.0
90	17275	17276	SN	1	-34.993	16.754	0.0	-34.849	17.234	0.0	-7.823	22.699	0.005	-6.74	23.281	0.145	0.087	239.809	4.501	0.087	226.285	3.932	0.086	0.516	0.0	0.086	0.417	0.0
91	17275	17276	NS	1	-34.956	22.902	0.002	-34.987	21.711	0.0	-13.358	22.857	0.208	-8.18	23.091	0.417	0.086	231.857	3.407	0.086	233.591	3.306	0.086	1.67	0.003	0.086	0.554	0.0
92	17275	17276	NS	1	-34.787	22.902	0.002	-34.762	21.709	0.0	-13.336	22.857	0.207	-8.18	23.096	0.42	0.086	223.039	3.417	0.086	221.821	3.3	0.086	1.661	0.003	0.086	0.554	0.0
93	17276	17277	SN	1	-34.586	16.626	0.0	-33.599	17.133	0.0	-32.258	22.3	0.012	-32.641	23.306	0.122	0.087	212.978	2.324	0.087	169.665	1.849	0.086	124.616	0.197	0.086	136.122	0.08
94	17276	17277	SN	2	-34.586	16.626	0.0	-33.599	17.133	0.0	-32.258	22.3	0.012	-32.641	23.306	0.122	0.087	212.978	2.324	0.087	169.665	1.849	0.086	124.616	0.197	0.086	136.122	0.08
95	17276	17277	NS	1	-34.863	21.176	0.0	-34.589	20.084	0.0	-1.308	22.652	0.033	0.09	22.822	0.09	0.086	226.99	5.396	0.086	213.11	4.779	0.086	0.174	0.0	0.086	0.148	0.0
96	17276	17277	NS	1	-34.592	21.174	0.0	-34.823	20.08	0.0	-1.307	22.652	0.038	0.09	22.822	0.09	0.086	213.312	5.391	0.086	224.934	4.77	0.086	0.174	0.0	0.086	0.148	0.0
97	17277	17278	SN	1	-34.979	16.063	0.0	-34.656	17.831	0.0	-32.244	22.39	0.006	-34.666	22.979	0.099	0.087	233.172	5.08	0.086	216.381	3.821	0.086	124.217	0.116	0.086	216.991	0.169
98	17277	17278	NS	1	-33.853	21.214	0.0	-34.973	19.268	0.0	4.552	22.481	0.075	4.199	22.95	0.099	0.086	179.926	1.719	0.086	232.806	1.734	0.086	0.106	0.0	0.086	0.108	0.0
99	17277	17278	NS	2	-33.853	21.214	0.0	-34.973	19.268	0.0	4.474	22.481	0.068	4.199	22.956	0.093	0.086	179.926	1.773	0.086	232.806	1.736	0.086	0.107	0.0	0.086	0.108	0.0
100	17277	17278	NS	1	-33.853	21.214	0.0	-34.973	19.268	0.0	4.474	22.481	0.068	4.199	22.956	0.093	0.086	179.926	1.773	0.086	232.806	1.736	0.086	0.107	0.0	0.086	0.108	0.0
101	17277	17278	SN	1	-34.979	16.067	0.0	-34.656	17.831	0.0	-32.179	22.39	0.006	-34.526	22.978	0.098	0.087	233.172	5.074	0.086	216.381	3.821	0.086	122.376	0.116	0.086	210.029	0.17
102	17278	17279	NS	1	-34.866	21.152	0.0	-34.615	16.784	0.0	2.977	22.353	0.054	3.124	22.924	0.074	0.086	227.114	1.644	0.087	214.394	1.5	0.086	0.116	0.0	0.086	0.115	0.0
103	17278	17279	SN	1	-34.953	15.671	0.0	-34.878	17.477	0.0	-34.063	22.769	0.03	-19.811	23.456	0.271	0.087	231.752	4.34	0.087	227.78	3.55	0.086	188.804	0.08	0.086	7.154	0.08
104	17278	17279	NS	1	-34.588	21.152	0.0	-34.17	16.784	0.0	2.975	22.353	0.074	3.124	22.924	0.092	0.086	213.051	1.639	0.087	193.509	1.502	0.086	0.116	0.0	0.086	0.115	0.0
105	17278	17279	NS	2	-34.866	21.152	0.0	-34.45	16.784	0.0	2.977	22.353	0.054	3.124	22.924	0.074	0.086	227.114	1.644	0.087	206.422	1.5	0.086	0.116	0.0	0.086	0.115	0.0
106	17279	17280	SN	1	-34.782	16.352	0.0	-34.959	17.393	0.0	1.827	22.699	0.124	1.886	23.556	1.367	0.087	222.841	5.695	0.087	232.08	5.178	0.086	0.126	0.0	0.086	0.126	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

107	17279	17280	SN	1	-33.932	16.357	0.0	-34.487	17.395	0.0	8.351	22.687	0.409	8.998	23.556	3.01	0.087	183.178	2.603	0.087	208.199	2.294	0.086	0.094	0.0	0.086	0.093	0.0
108	17279	17280	NS	1	-34.835	17.59	0.0	-34.934	20.698	0.0	0.958	22.457	0.051	2.394	22.661	0.065	0.087	225.552	4.711	0.086	230.752	4.256	0.086	0.136	0.0	0.086	0.121	0.0
109	17279	17280	NS	1	-34.962	17.378	0.0	-34.894	20.698	0.0	4.878	22.457	0.095	2.333	22.56	0.02	0.087	232.255	4.675	0.086	228.63	4.267	0.086	0.105	0.0	0.086	0.121	0.0
110	17280	17281	NS	1	-34.461	20.124	0.0	-34.406	18.165	0.0	1.652	22.675	0.014	0.618	22.769	0.072	0.086	206.901	2.374	0.086	204.351	2.243	0.086	0.128	0.0	0.086	0.14	0.0
111	17280	17281	SN	1	-34.671	14.097	0.0	-34.81	17.347	0.0	1.338	21.762	0.0	2.926	22.914	0.105	0.088	217.184	4.502	0.087	224.291	3.913	0.086	0.131	0.0	0.086	0.116	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors