

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-FEB-2020 To 06-FEB-2020





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-FEB-2020 To 06-FEB-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17788	17789	SN	1	48.731	49.411	0.0	0.0	38.428	2.803	1030.88	1077.4	0.0	-91.484	-89.631	0.0
2	17788	17789	SN	1	48.723	49.411	0.0	0.003	6.48	2.007	1030.88	1077.4	0.0	-91.484	-89.631	0.0
3	17789	17790	SN	1	48.747	49.371	0.0	0.003	6.475	2.422	1030.424	1077.336	0.0	-91.476	-89.616	0.0
4	17789	17790	NS	1	48.775	49.376	0.0	0.0	206.724	1.94	1040.52	1077.296	0.0	-91.517	-89.715	0.0
5	17789	17790	NS	1	48.757	49.338	0.0	0.0	206.724	2.53	1040.592	1077.296	0.0	-91.553	-89.715	0.0
6	17789	17790	SN	1	48.747	49.371	0.0	0.003	6.475	2.607	1030.424	1077.336	0.0	-91.476	-89.616	0.0
7	17790	17791	SN	1	48.752	49.399	0.0	0.003	280.658	2.353	1031.104	1077.488	0.0	-91.42	-89.649	0.0
8	17790	17791	SN	1	48.752	49.399	0.0	0.003	280.658	2.355	1031.104	1077.488	0.0	-91.42	-89.649	0.0
9	17790	17791	NS	1	48.768	49.359	0.0	0.003	42.827	2.56	1040.544	1077.432	0.0	-91.536	-89.677	0.0
10	17790	17791	NS	2	48.767	49.358	0.0	0.003	264.334	2.561	1040.536	1077.448	0.0	-91.536	-89.677	0.0
11	17790	17791	SN	1	48.752	49.399	0.0	0.003	280.658	2.498	1031.104	1077.488	0.0	-91.42	-89.649	0.0
12	17791	17792	SN	1	48.747	49.369	0.0	0.003	6.48	2.306	1030.952	1077.392	0.0	-91.315	-89.646	0.0
13	17791	17792	NS	1	48.74	49.37	0.0	0.003	13.434	2.528	1040.784	1077.368	0.0	-91.551	-89.731	0.0
14	17791	17792	SN	2	48.747	49.369	0.0	0.003	31.193	2.305	1030.952	1077.392	0.0	-91.315	-89.646	0.0
15	17791	17792	SN	1	48.747	49.369	0.0	0.003	31.193	2.517	1030.952	1077.392	0.0	-91.315	-89.646	0.0
16	17792	17793	SN	1	48.747	49.368	0.0	0.003	6.48	2.17	1030.96	1077.24	0.0	-91.421	-89.646	0.0
17	17792	17793	NS	1	48.778	49.363	0.0	0.0	241.16	2.948	1041.744	1077.208	0.0	-91.511	-89.706	0.0
18	17792	17793	SN	1	48.747	49.368	0.0	0.003	6.48	2.532	1030.96	1077.24	0.0	-91.421	-89.646	0.0
19	17792	17793	NS	1	48.778	49.357	0.0	0.0	241.16	2.095	1041.776	1077.392	0.0	-91.56	-89.706	0.0
20	17793	17794	SN	1	48.746	49.368	0.0	0.003	6.469	1.997	1031.056	1077.128	0.0	-91.483	-89.649	0.0
21	17793	17794	NS	1	48.768	49.369	0.0	0.003	264.091	2.624	1041.216	1077.096	0.0	-91.541	-89.723	0.0
22	17793	17794	SN	2	48.746	49.368	0.0	0.003	6.469	2.57	1031.056	1077.128	0.0	-91.483	-89.649	0.0
23	17793	17794	NS	2	48.768	49.369	0.0	0.003	264.091	2.624	1041.216	1077.096	0.0	-91.541	-89.723	0.0
24	17793	17794	SN	1	48.745	49.37	0.0	0.003	6.469	2.569	1031.048	1077.112	0.0	-91.483	-89.649	0.0
25	17794	17795	NS	1	48.72	49.366	0.0	0.0	267.169	2.7	1040.88	1076.992	0.0	-91.792	-89.739	0.0
26	17794	17795	NS	1	48.718	49.364	0.0	0.0	264.328	2.702	1040.704	1077.016	0.0	-91.809	-89.739	0.0
27	17794	17795	SN	2	48.737	49.388	0.0	0.003	6.458	2.647	1030.288	1077.04	0.0	-91.47	-89.649	0.0
28	17794	17795	SN	1	48.737	49.388	0.0	0.003	6.458	1.776	1030.288	1077.04	0.0	-91.47	-89.649	0.0
29	17794	17795	SN	1	48.737	49.388	0.0	0.003	6.458	2.647	1030.288	1077.04	0.0	-91.47	-89.649	0.0
30	17795	17796	SN	1	48.765	49.399	0.0	0.003	6.469	2.666	1031.432	1077.168	0.0	-91.511	-89.64	0.0
31	17795	17796	SN	1	48.765	49.399	0.0	0.003	6.469	1.566	1031.432	1077.168	0.0	-91.511	-89.64	0.0
32	17795	17796	SN	1	48.765	49.399	0.0	0.003	6.469	2.668	1031.432	1077.168	0.0	-91.511	-89.64	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	17795	17796	NS	1	48.727	49.366	0.0	0.003	263.998	2.552	1040.904	1077.12	0.0	-92.326	-89.734	0.0
34	17796	17797	NS	2	48.776	49.586	0.0	0.003	42.838	2.696	1041.432	1083.24	0.0	-94.253	-89.713	0.0
35	17796	17797	SN	1	48.752	49.437	0.0	0.003	28.496	2.569	1031.512	1077.176	0.0	-91.454	-89.609	0.0
36	17796	17797	NS	1	48.776	49.586	0.0	0.003	42.838	2.697	1041.432	1083.24	0.0	-94.253	-89.713	0.0
37	17797	17798	SN	1	48.761	49.435	0.0	0.003	6.486	2.547	1030.88	1077.192	0.0	-91.478	-89.654	0.0
38	17797	17798	NS	1	48.777	49.595	0.0	0.003	42.832	2.652	1040.632	1083.296	0.0	-94.128	-89.712	0.0
39	17798	17799	NS	1	48.778	49.338	0.0	0.0	264.141	2.762	1040.92	1077.84	0.0	-91.361	-89.735	0.0
40	17798	17799	NS	1	48.778	49.338	0.0	0.0	264.141	2.759	1040.92	1077.904	0.0	-91.363	-89.735	0.0
41	17798	17799	SN	1	48.733	49.411	0.0	0.003	27.964	2.631	1031.016	1077.528	0.0	-91.464	-89.627	0.0
42	17798	17799	SN	2	48.734	49.412	0.0	0.003	6.48	2.631	1031.432	1077.528	0.0	-91.464	-89.627	0.0
43	17799	17800	SN	1	48.787	49.435	0.0	0.003	282.02	2.62	1031.408	1077.056	0.0	-91.443	-89.631	0.0
44	17799	17800	NS	1	48.731	49.347	0.0	0.003	264.577	2.399	1041.416	1077.104	0.0	-91.532	-89.737	0.0
45	17799	17800	NS	1	48.731	49.351	0.0	0.003	264.577	2.572	1041.416	1076.992	0.0	-91.475	-89.737	0.0
46	17799	17800	NS	1	48.731	49.336	0.0	0.003	264.577	2.574	1041.416	1077.928	0.0	-91.93	-89.737	0.0
47	17799	17800	SN	2	48.787	49.435	0.0	0.003	282.02	2.62	1031.408	1077.056	0.0	-91.443	-89.631	0.0
48	17800	17801	NS	1	48.715	49.361	0.0	0.003	210.607	2.651	1040.68	1076.992	0.0	-91.515	-89.733	0.0
49	17800	17801	NS	1	48.715	49.361	0.0	0.008	210.607	2.033	1040.68	1076.496	0.0	-91.495	-89.733	0.0
50	17800	17801	NS	2	48.715	49.361	0.0	0.003	210.607	2.651	1040.68	1076.992	0.0	-91.515	-89.733	0.0
51	17800	17801	SN	1	48.722	49.409	0.0	0.003	6.464	2.579	1030.856	1077.048	0.0	-91.519	-89.648	0.0
52	17801	17802	NS	1	48.767	49.336	0.0	0.003	264.053	1.642	1041.152	1076.576	0.0	-91.456	-89.732	0.0
53	17801	17802	NS	1	48.767	49.336	0.0	0.003	264.053	2.56	1041.152	1077.064	0.0	-91.46	-89.732	0.0
54	17801	17802	SN	1	48.724	49.438	0.0	0.003	6.475	2.555	1031.024	1077.128	0.0	-91.436	-89.655	0.0
55	17801	17802	SN	1	48.717	49.438	0.0	0.003	6.475	2.552	1031.488	1077.128	0.0	-91.828	-89.655	0.0
56	17802	17803	NS	2	48.762	49.359	0.0	0.0	267.251	2.732	1040.912	1077.056	0.0	-91.531	-89.72	0.0
57	17802	17803	NS	1	48.763	49.358	0.0	0.0	267.251	2.732	1040.92	1077.056	0.0	-91.531	-89.72	0.0
58	17802	17803	NS	1	48.762	49.359	0.0	0.0	267.251	1.745	1040.912	1074.304	0.0	-91.454	-89.72	0.0
59	17802	17803	SN	1	48.735	49.416	0.0	0.0	281.149	2.79	1031.656	1077.144	0.0	-92.248	-89.655	0.0
60	17802	17803	SN	1	48.735	49.416	0.0	0.003	281.149	1.704	1031.656	1077.144	0.0	-92.248	-89.655	0.0
61	17803	17804	SN	1	48.752	49.378	0.0	0.003	6.475	2.433	1030.624	1076.952	0.0	-91.355	-89.603	0.0
62	17803	17804	SN	1	48.752	49.378	0.0	0.003	6.475	2.738	1030.624	1076.952	0.0	-91.355	-89.603	0.0
63	17803	17804	NS	1	48.775	49.35	0.0	0.003	266.937	2.675	1040.872	1076.872	0.0	-91.475	-89.711	0.0
64	17803	17804	NS	1	48.775	49.35	0.0	0.003	266.937	2.667	1040.872	1076.872	0.0	-91.456	-89.711	0.0
65	17803	17804	SN	2	48.752	49.378	0.0	0.003	6.475	2.738	1030.624	1076.952	0.0	-91.355	-89.603	0.0
66	17804	17805	SN	1	48.753	49.431	0.0	0.003	6.469	2.539	1030.496	1077.104	0.0	-92.088	-89.636	0.0
67	17804	17805	SN	1	48.753	49.431	0.0	0.003	6.469	2.393	1030.496	1077.104	0.0	-92.088	-89.636	0.0
68	17804	17805	SN	2	48.753	49.431	0.0	0.003	6.469	2.393	1030.496	1077.104	0.0	-92.088	-89.636	0.0
69	17804	17805	NS	1	48.777	49.369	0.0	0.003	267.174	2.555	1040.496	1077.032	0.0	-91.52	-89.696	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17804	17805	NS	1	48.777	49.367	0.0	0.003	267.174	2.554	1040.52	1077.04	0.0	-91.524	-89.696	0.0
71	17805	17806	NS	1	48.777	49.362	0.0	0.003	43.238	2.49	1041.272	1077.088	0.0	-91.529	-89.701	0.0
72	17805	17806	SN	2	48.75	49.404	0.0	0.003	210.563	2.499	1031.272	1077.16	0.0	-91.329	-89.648	0.0
73	17805	17806	NS	1	48.774	49.351	0.0	0.003	43.238	2.488	1040.664	1077.088	0.0	-91.55	-89.701	0.0
74	17805	17806	SN	1	48.75	49.404	0.0	0.003	6.48	2.326	1031.272	1077.16	0.0	-91.329	-89.648	0.0
75	17805	17806	SN	1	48.75	49.404	0.0	0.003	210.563	2.499	1031.272	1077.16	0.0	-91.329	-89.648	0.0
76	17806	17807	SN	1	48.736	49.412	0.0	0.003	215.25	2.535	1030.808	1077.024	0.0	-91.424	-89.63	0.0
77	17806	17807	SN	1	48.756	49.412	0.0	0.003	215.25	2.269	1031.024	1077.024	0.0	-91.424	-89.63	0.0
78	17806	17807	NS	1	48.737	49.379	0.0	0.0	41.147	2.753	1041.144	1076.952	0.0	-91.502	-89.713	0.0
79	17806	17807	SN	1	48.756	49.412	0.0	0.003	215.25	2.538	1031.024	1077.024	0.0	-91.424	-89.63	0.0
80	17806	17807	NS	2	48.737	49.378	0.0	0.0	41.153	2.754	1041.128	1076.968	0.0	-91.502	-89.713	0.0
81	17807	17808	SN	1	48.75	49.392	0.0	0.003	29.635	2.537	1031.256	1076.928	0.0	-91.391	-89.65	0.0
82	17807	17808	NS	1	48.778	49.355	0.0	0.003	206.989	2.599	1041.64	1076.848	0.0	-91.495	-89.728	0.0
83	17807	17808	NS	2	48.778	49.355	0.0	0.003	206.989	2.599	1041.64	1076.848	0.0	-91.495	-89.728	0.0
84	17807	17808	SN	1	48.748	49.392	0.0	0.003	29.635	2.54	1031.256	1076.928	0.0	-91.391	-89.65	0.0
85	17808	17809	NS	1	48.774	49.34	0.0	0.003	264.02	2.662	1041.44	1076.656	0.0	-91.368	-89.731	0.0
86	17808	17809	SN	1	48.769	49.426	0.0	0.003	6.464	1.905	1031.36	1076.784	0.0	-91.432	-89.651	0.0
87	17808	17809	NS	2	48.769	49.338	0.0	0.003	264.02	2.658	1041.424	1076.688	0.0	-91.369	-89.731	0.0
88	17808	17809	SN	2	48.769	49.426	0.0	0.003	6.464	2.62	1031.36	1076.784	0.0	-91.432	-89.651	0.0
89	17808	17809	SN	1	48.769	49.426	0.0	0.003	6.464	2.62	1031.36	1076.784	0.0	-91.432	-89.651	0.0
90	17809	17810	SN	1	48.762	49.426	0.0	0.003	6.452	2.677	1030.736	1076.752	0.0	-91.552	-89.632	0.0
91	17809	17810	NS	1	48.735	49.336	0.0	0.003	267.163	2.55	1041.48	1076.656	0.0	-91.724	-89.737	0.0
92	17809	17810	SN	2	48.761	49.428	0.0	0.003	6.453	2.675	1030.744	1076.792	0.0	-91.552	-89.631	0.0
93	17809	17810	NS	1	48.713	49.383	0.0	0.003	206.945	2.554	1041.432	1076.696	0.0	-91.461	-89.736	0.0
94	17809	17810	SN	1	48.761	49.428	0.0	0.003	6.453	1.662	1030.744	1076.792	0.0	-91.552	-89.631	0.0
95	17810	17811	SN	2	48.759	49.394	0.0	0.003	6.469	2.589	1031.232	1076.904	0.0	-91.367	-89.636	0.0
96	17810	17811	SN	1	48.759	49.394	0.0	0.003	6.469	1.522	1031.232	1076.904	0.0	-91.367	-89.636	0.0
97	17810	17811	NS	1	48.719	49.355	0.0	0.003	41.547	2.587	1041.272	1076.8	0.0	-91.551	-89.734	0.0
98	17810	17811	NS	1	48.73	49.358	0.0	0.003	266.634	2.587	1041.32	1076.752	0.0	-91.396	-89.734	0.0
99	17810	17811	SN	1	48.759	49.394	0.0	0.003	6.469	2.589	1031.232	1076.904	0.0	-91.367	-89.636	0.0
100	17811	17812	NS	1	48.776	49.351	0.0	0.0	206.972	2.889	1041.336	1076.776	0.0	-91.945	-89.725	0.0
101	17811	17812	SN	1	48.748	49.369	0.0	0.003	6.48	2.523	1030.864	1076.872	0.0	-91.682	-89.621	0.0
102	17812	17813	SN	1	48.748	49.369	0.0	0.003	6.48	2.56	1031.064	1077.168	0.0	-91.427	-89.655	0.0
103	17812	17813	NS	1	48.779	49.338	0.0	0.003	42.943	2.659	1040.424	1076.784	0.0	-91.486	-89.71	0.0
104	17813	17814	NS	1	48.762	49.338	0.0	0.0	93.01	2.764	1041.4	1077.312	0.0	-91.504	-89.735	0.0
105	17813	17814	SN	1	48.757	49.437	0.0	0.003	6.469	2.656	1031.608	1076.752	0.0	-92.212	-89.621	0.0
106	17813	17814	NS	1	48.762	49.338	0.0	0.0	93.01	2.813	1041.4	1076.656	0.0	-91.504	-89.735	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17814	17815	NS	1	48.765	49.405	0.0	0.003	264.527	2.564	1041.288	1076.664	0.0	-91.544	-89.732	0.0
108	17814	17815	NS	1	48.764	49.406	0.0	0.003	206.972	2.569	1041.184	1076.688	0.0	-91.553	-89.732	0.0
109	17814	17815	SN	1	48.763	49.41	0.0	0.003	6.458	2.584	1030.84	1076.784	0.0	-91.435	-89.63	0.0
110	17814	17815	SN	2	48.763	49.41	0.0	0.003	6.458	2.584	1030.84	1076.784	0.0	-91.435	-89.63	0.0
111	17814	17815	NS	1	48.764	49.406	0.0	0.003	206.972	2.419	1041.184	1076.52	0.0	-91.553	-89.732	0.0
112	17815	17816	SN	1	48.675	49.404	0.0	0.003	6.458	2.577	1031.152	1076.848	0.0	-91.45	-89.655	0.0
113	17815	17816	NS	1	48.73	49.368	0.0	0.003	16.142	2.656	1041.12	1076.736	0.0	-91.398	-89.733	0.0
114	17815	17816	NS	1	48.72	49.371	0.0	0.003	16.142	2.66	1041.12	1076.736	0.0	-91.436	-89.733	0.0
115	17815	17816	SN	1	48.675	49.404	0.0	0.003	6.458	2.575	1031.152	1076.848	0.0	-91.45	-89.655	0.0
116	17816	17817	NS	2	48.743	49.351	0.0	0.003	206.95	2.579	1041.032	1076.808	0.0	-91.432	-89.731	0.0
117	17816	17817	NS	1	48.744	49.338	0.0	0.003	264.588	2.579	1041.064	1076.776	0.0	-91.431	-89.731	0.0
118	17816	17817	SN	1	48.725	49.371	0.0	0.003	6.475	2.655	1031.736	1076.904	0.0	-91.315	-89.654	0.0
119	17816	17817	NS	1	48.743	49.336	0.0	0.003	206.95	1.525	1041.032	1075.272	0.0	-91.415	-89.731	0.0
120	17816	17817	SN	1	48.725	49.371	0.0	0.003	6.475	2.654	1031.736	1076.904	0.0	-91.315	-89.654	0.0
121	17817	17818	NS	1	48.73	49.338	0.0	0.0	32.246	1.917	1040.776	1071.856	0.0	-91.28	-89.73	0.0
122	17817	17818	NS	1	48.73	49.338	0.0	0.0	206.994	2.859	1040.776	1076.72	0.0	-91.321	-89.73	0.0
123	17817	17818	NS	2	48.73	49.338	0.0	0.0	206.994	2.859	1040.776	1076.72	0.0	-91.321	-89.73	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors









112	17815	17816	SN	1	-34.758	24.7	0.139	-34.97	25.125	0.88	-6.101	29.416	33.307	-5.278	30.068	41.571	0.116	289.861	5.906	0.116	304.43	5.515	0.116	0.489	0.0	0.116	0.422	0.0
113	17815	17816	NS	1	-34.699	24.977	0.327	-33.884	26.906	0.393	8.529	28.583	25.428	7.998	29.236	35.018	0.116	285.981	1.81	0.116	237.018	1.678	0.116	0.126	0.0	0.116	0.128	0.0
114	17815	17816	NS	1	-34.287	24.977	0.325	-34.67	26.906	0.394	8.529	28.583	25.434	7.998	29.236	35.009	0.116	260.143	1.803	0.116	284.075	1.68	0.116	0.126	0.0	0.116	0.128	0.0
115	17815	17816	SN	1	-34.758	24.7	0.137	-34.97	25.125	0.881	-6.101	29.416	33.313	-5.278	30.068	41.718	0.116	289.861	5.898	0.116	304.43	5.515	0.116	0.489	0.0	0.116	0.422	0.0
116	17816	17817	NS	2	-34.28	27.446	0.333	-34.894	27.189	0.191	6.046	32.135	16.987	6.922	29.628	26.096	0.116	259.71	2.512	0.116	299.097	2.143	0.116	0.135	0.0	0.116	0.132	0.0
117	17816	17817	NS	1	-34.303	27.444	0.333	-34.711	27.189	0.191	6.046	32.135	16.988	6.922	29.628	26.097	0.116	261.04	2.513	0.116	286.791	2.143	0.116	0.135	0.0	0.116	0.132	0.0
118	17816	17817	SN	1	-34.459	23.346	0.052	-34.81	24.1	0.78	7.615	29.506	28.137	8.848	29.941	34.67	0.116	270.606	3.688	0.116	314.282	2.772	0.116	0.129	0.0	0.116	0.126	0.0
119	17816	17817	NS	1	-34.28	27.446	0.181	-34.894	27.141	0.191	6.046	32.135	2.614	6.922	29.628	2.926	0.116	259.71	2.547	0.116	299.097	2.143	0.116	0.135	0.0	0.116	0.132	0.0
120	17816	17817	SN	1	-34.459	23.346	0.052	-34.81	24.1	0.78	7.615	29.506	28.14	8.848	29.941	34.735	0.116	270.606	3.686	0.116	314.282	2.771	0.116	0.129	0.0	0.116	0.126	0.0
121	17817	17818	NS	1	-34.566	23.157	0.158	-34.114	21.89	0.0	6.979	28.202	2.975	6.9	28.423	6.821	0.116	277.349	2.649	0.116	249.983	2.323	0.116	0.131	0.0	0.116	0.132	0.0
122	17817	17818	NS	1	-34.566	26.638	0.315	-34.114	26.935	0.202	6.957	28.202	10.926	6.9	28.66	20.734	0.116	277.349	2.311	0.116	249.983	2.19	0.116	0.131	0.0	0.116	0.132	0.0
123	17817	17818	NS	2	-34.566	26.638	0.315	-34.114	26.935	0.202	6.957	28.202	10.926	6.9	28.66	20.734	0.116	277.349	2.311	0.116	249.983	2.19	0.116	0.131	0.0	0.116	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17788	17789	SN	1	57.516	58.225	0.0	0.0	297.529	4.196	1208.264	1265.536	3.628	-92.778	-91.675	0.0
2	17788	17789	SN	1	57.516	58.225	0.0	0.006	288.832	3.345	1208.264	1265.536	3.777	-92.778	-91.675	0.0
3	17789	17790	SN	1	57.519	58.205	0.0	0.0	294.865	3.511	1207.456	1265.456	4.051	-92.795	-91.662	0.0
4	17789	17790	NS	1	57.562	58.172	0.0	0.0	294.352	2.996	1220.592	1265.272	0.0	-92.853	-91.762	0.0
5	17789	17790	NS	1	57.562	58.199	0.0	0.0	294.352	3.721	1220.592	1265.272	0.0	-92.862	-91.762	0.0
6	17789	17790	SN	1	57.519	58.205	0.0	0.0	294.892	3.918	1207.456	1265.456	3.984	-92.795	-91.662	0.0
7	17790	17791	SN	1	57.53	58.205	0.0	0.0	294.589	3.348	1207.088	1265.64	4.586	-92.825	-91.697	0.0
8	17790	17791	SN	1	57.532	58.205	0.0	0.0	294.589	3.351	1207.088	1265.64	4.567	-92.825	-91.697	0.0
9	17790	17791	NS	1	57.559	58.202	0.0	0.0	291.843	3.686	1220.112	1265.448	0.0	-92.855	-91.724	0.0
10	17790	17791	NS	2	57.558	58.201	0.0	0.0	291.859	3.689	1220.096	1265.472	0.0	-92.856	-91.724	0.0
11	17790	17791	SN	1	57.53	58.205	0.0	0.0	294.589	3.748	1207.088	1265.64	4.532	-92.825	-91.697	0.0
12	17791	17792	SN	1	57.504	58.232	0.0	0.0	284.232	3.351	1207.736	1265.512	4.998	-92.805	-91.693	0.0
13	17791	17792	NS	1	57.556	58.197	0.0	0.0	293.988	3.733	1220.264	1265.368	0.0	-92.873	-91.777	0.0
14	17791	17792	SN	2	57.504	58.232	0.0	0.0	284.232	3.35	1207.736	1265.512	4.997	-92.805	-91.693	0.0
15	17791	17792	SN	1	57.504	58.232	0.0	0.0	288.914	3.744	1207.736	1265.512	4.953	-92.805	-91.693	0.0
16	17792	17793	SN	1	57.509	58.21	0.0	0.0	296.233	3.336	1207.248	1265.336	5.024	-92.808	-91.693	0.0
17	17792	17793	NS	1	57.557	58.195	0.0	0.0	298.604	4.111	1221.032	1265.24	0.0	-92.861	-91.757	0.0
18	17792	17793	SN	1	57.509	58.21	0.0	0.0	296.233	3.814	1207.248	1265.336	4.909	-92.808	-91.693	0.0
19	17792	17793	NS	1	57.565	58.194	0.0	0.0	284.094	3.006	1220.624	1265.216	0.0	-93.072	-91.757	0.0
20	17793	17794	SN	1	57.505	58.23	0.0	0.0	289.488	3.164	1207.88	1265.192	4.754	-92.845	-91.696	0.0
21	17793	17794	NS	1	57.548	58.197	0.0	0.0	286.058	3.818	1220.816	1265.08	0.0	-92.883	-91.766	0.0
22	17793	17794	SN	2	57.505	58.23	0.0	0.0	298.229	3.782	1207.88	1265.192	4.583	-92.845	-91.696	0.0
23	17793	17794	NS	2	57.548	58.197	0.0	0.0	286.058	3.818	1220.816	1265.08	0.0	-92.883	-91.766	0.0
24	17793	17794	SN	1	57.496	58.229	0.0	0.0	298.229	3.78	1207.88	1265.168	4.597	-92.845	-91.697	0.0
25	17794	17795	NS	1	57.53	58.19	0.0	0.0	292.477	3.916	1220.568	1264.984	0.0	-93.033	-91.784	0.0
26	17794	17795	NS	1	57.527	58.194	0.0	0.0	292.367	3.923	1220.224	1264.936	0.0	-93.033	-91.783	0.0
27	17794	17795	SN	2	57.533	58.225	0.0	0.0	296.018	3.94	1207.272	1265.096	4.3	-92.916	-91.693	0.0
28	17794	17795	SN	1	57.533	58.225	0.0	0.0	284.425	3.029	1207.272	1265.096	4.54	-92.916	-91.693	0.0
29	17794	17795	SN	1	57.533	58.225	0.0	0.0	296.018	3.94	1207.272	1265.096	4.3	-92.916	-91.693	0.0
30	17795	17796	SN	1	57.518	58.204	0.0	0.0	294.242	3.951	1208.336	1265.264	3.314	-92.874	-91.683	0.0
31	17795	17796	SN	1	57.518	58.204	0.0	0.0	283.234	2.693	1208.336	1265.264	3.552	-92.874	-91.683	0.0
32	17795	17796	SN	1	57.518	58.204	0.0	0.0	294.242	3.955	1208.336	1265.264	3.292	-92.874	-91.683	0.0
33	17795	17796	NS	1	57.539	58.177	0.0	0.0	293.04	3.721	1219.808	1265.072	0.0	-93.05	-91.779	0.0
34	17796	17797	NS	2	57.534	58.171	0.0	0.0	294.28	3.92	1219.784	1265.112	0.0	-92.785	-91.754	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17796	17797	SN	1	57.502	58.223	0.0	0.0	287.8	3.838	1208.024	1265.288	3.171	-92.824	-91.651	0.0
36	17796	17797	NS	1	57.534	58.171	0.0	0.0	294.28	3.921	1219.784	1265.112	0.0	-92.953	-91.754	0.0
37	17797	17798	SN	1	57.497	58.232	0.0	0.0	296.172	3.778	1208.104	1265.16	3.336	-92.805	-91.699	0.0
38	17797	17798	NS	1	57.565	58.411	0.0	0.0	296.575	3.908	1219.904	1273.608	0.0	-94.985	-91.755	0.0
39	17798	17799	NS	1	57.566	58.164	0.0	0.0	296.299	3.914	1219.928	1265.488	0.0	-92.827	-91.778	0.0
40	17798	17799	NS	1	57.566	58.166	0.0	0.0	296.299	3.91	1219.928	1265.12	0.0	-92.881	-91.778	0.0
41	17798	17799	SN	1	57.495	58.234	0.0	0.0	298.108	3.956	1208.32	1265.584	3.469	-92.758	-91.668	0.0
42	17798	17799	SN	2	57.495	58.235	0.0	0.0	298.108	3.955	1208.312	1265.592	3.479	-92.758	-91.668	0.0
43	17799	17800	SN	1	57.503	58.222	0.0	0.0	296.106	3.933	1208.288	1265.128	3.63	-92.801	-91.676	0.0
44	17799	17800	NS	1	57.554	58.174	0.0	0.0	290.436	3.19	1220.632	1265.16	0.0	-92.888	-91.781	0.0
45	17799	17800	NS	1	57.554	58.185	0.0	0.0	290.436	3.682	1220.632	1264.888	0.0	-92.866	-91.781	0.0
46	17799	17800	NS	1	57.554	58.182	0.0	0.0	290.436	3.685	1220.632	1264.912	0.0	-93.054	-91.781	0.0
47	17799	17800	SN	2	57.503	58.222	0.0	0.0	296.106	3.933	1208.288	1265.128	3.63	-92.801	-91.676	0.0
48	17800	17801	NS	1	57.535	58.188	0.0	0.0	297.341	3.869	1219.84	1264.904	0.0	-92.934	-91.778	0.0
49	17800	17801	NS	1	57.535	58.187	0.0	0.0	291.914	3.118	1219.84	1264.736	0.0	-92.864	-91.778	0.0
50	17800	17801	NS	2	57.535	58.188	0.0	0.0	297.341	3.869	1219.84	1264.904	0.0	-92.934	-91.778	0.0
51	17800	17801	SN	1	57.506	58.22	0.0	0.0	295.758	3.839	1208.048	1265.136	3.362	-92.915	-91.695	0.0
52	17801	17802	NS	1	57.545	58.171	0.0	0.0	294.562	2.708	1219.704	1264.832	0.0	-92.825	-91.776	0.0
53	17801	17802	NS	1	57.545	58.162	0.0	0.0	294.562	3.763	1219.704	1264.992	0.0	-92.83	-91.776	0.0
54	17801	17802	SN	1	57.509	58.234	0.0	0.0	290.668	3.786	1208.368	1265.224	3.37	-92.815	-91.702	0.0
55	17801	17802	SN	1	57.519	58.234	0.0	0.0	290.668	3.782	1208.368	1265.224	3.365	-92.815	-91.702	0.0
56	17802	17803	NS	2	57.534	58.185	0.0	0.0	298.202	4.029	1219.632	1264.968	0.0	-92.761	-91.762	0.0
57	17802	17803	NS	1	57.535	58.194	0.0	0.0	298.185	4.029	1219.648	1264.968	0.0	-92.761	-91.762	0.0
58	17802	17803	NS	1	57.534	58.189	0.0	0.0	298.202	2.402	1219.632	1262.6	0.0	-92.758	-91.762	0.0
59	17802	17803	SN	1	57.507	58.215	0.0	0.0	294.854	4.083	1208.592	1265.232	2.663	-92.826	-91.702	0.0
60	17802	17803	SN	1	57.507	58.215	0.0	0.0	294.854	2.955	1208.592	1265.232	2.815	-92.826	-91.702	0.0
61	17803	17804	SN	1	57.525	58.204	0.0	0.0	289.162	3.641	1207.936	1265.016	2.754	-92.772	-91.653	0.0
62	17803	17804	SN	1	57.525	58.204	0.0	0.0	297.049	4.105	1207.936	1265.016	2.689	-92.772	-91.653	0.0
63	17803	17804	NS	1	57.564	58.161	0.0	0.0	296.211	3.902	1220.032	1264.744	0.0	-92.832	-91.758	0.0
64	17803	17804	NS	1	57.564	58.161	0.0	0.0	296.211	3.888	1220.032	1264.744	0.0	-92.832	-91.758	0.0
65	17803	17804	SN	2	57.525	58.204	0.0	0.0	297.016	4.106	1207.936	1265.016	2.689	-92.772	-91.653	0.0
66	17804	17805	SN	1	57.523	58.213	0.0	0.0	294.589	3.87	1207.776	1265.208	3.471	-92.815	-91.681	0.0
67	17804	17805	SN	1	57.523	58.213	0.0	0.0	294.589	3.451	1207.776	1265.208	3.515	-92.815	-91.681	0.0
68	17804	17805	SN	2	57.523	58.213	0.0	0.0	294.589	3.451	1207.776	1265.208	3.515	-92.815	-91.681	0.0
69	17804	17805	NS	1	57.558	58.19	0.0	0.0	292.278	3.694	1220.016	1264.944	0.0	-92.861	-91.738	0.0
70	17804	17805	NS	1	57.558	58.196	0.0	0.0	292.312	3.69	1220.088	1264.952	0.0	-92.865	-91.738	0.0
71	17805	17806	NS	1	57.54	58.196	0.0	0.0	298.213	3.623	1220.224	1265.016	0.0	-92.856	-91.738	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17805	17806	SN	2	57.537	58.224	0.0	0.0	293.674	3.769	1208.144	1265.256	4.027	-92.747	-91.697	0.0
73	17805	17806	NS	1	57.542	58.194	0.0	0.0	298.213	3.62	1220.176	1265.016	0.0	-92.881	-91.738	0.0
74	17805	17806	SN	1	57.537	58.224	0.0	0.0	293.712	3.371	1208.144	1265.256	4.082	-92.747	-91.697	0.0
75	17805	17806	SN	1	57.537	58.224	0.0	0.0	293.674	3.77	1208.144	1265.256	4.027	-92.747	-91.697	0.0
76	17806	17807	SN	1	57.519	58.223	0.0	0.0	290.602	3.774	1207.32	1265.104	4.108	-92.789	-91.674	0.0
77	17806	17807	SN	1	57.512	58.223	0.0	0.0	283.548	3.344	1207.32	1265.104	4.186	-92.789	-91.674	0.0
78	17806	17807	NS	1	57.539	58.183	0.0	0.0	292.846	3.897	1220.296	1264.904	0.0	-92.844	-91.754	0.0
79	17806	17807	SN	1	57.512	58.223	0.0	0.0	290.602	3.778	1207.32	1265.104	4.113	-92.789	-91.674	0.0
80	17806	17807	NS	2	57.539	58.182	0.0	0.0	292.808	3.9	1220.28	1265.0	0.0	-92.844	-91.754	0.0
81	17807	17808	SN	1	57.536	58.238	0.0	0.0	298.593	3.755	1208.112	1264.976	4.011	-92.75	-91.698	0.0
82	17807	17808	NS	1	57.565	58.198	0.0	0.0	296.768	3.812	1220.872	1264.768	0.0	-93.11	-91.771	0.0
83	17807	17808	NS	2	57.565	58.198	0.0	0.0	296.768	3.811	1220.872	1264.768	0.0	-93.11	-91.771	0.0
84	17807	17808	SN	1	57.536	58.238	0.0	0.0	298.593	3.758	1208.112	1264.976	4.015	-93.021	-91.698	0.0
85	17808	17809	NS	1	57.536	58.181	0.0	0.0	284.618	3.906	1220.56	1264.624	0.0	-92.786	-91.776	0.0
86	17808	17809	SN	1	57.51	58.232	0.0	0.003	288.903	3.131	1207.888	1264.792	3.996	-92.818	-91.698	0.0
87	17808	17809	NS	2	57.534	58.183	0.0	0.0	296.216	3.907	1220.528	1264.576	0.0	-92.804	-91.776	0.0
88	17808	17809	SN	2	57.51	58.232	0.0	0.0	298.218	3.879	1207.888	1264.792	3.818	-92.818	-91.698	0.0
89	17808	17809	SN	1	57.51	58.232	0.0	0.003	298.196	3.876	1207.888	1264.792	3.818	-92.818	-91.698	0.0
90	17809	17810	SN	1	57.537	58.223	0.0	0.0	295.163	3.975	1207.712	1264.76	2.318	-92.917	-91.681	0.0
91	17809	17810	NS	1	57.533	58.175	0.0	0.0	289.868	3.71	1220.728	1264.632	0.0	-92.847	-91.781	0.0
92	17809	17810	SN	2	57.538	58.225	0.0	0.0	295.168	3.976	1207.736	1264.824	2.289	-92.918	-91.681	0.0
93	17809	17810	NS	1	57.533	58.192	0.0	0.0	289.973	3.712	1219.856	1264.528	0.0	-93.1	-91.78	0.0
94	17809	17810	SN	1	57.538	58.225	0.0	0.003	284.409	2.89	1207.736	1264.824	2.45	-92.918	-91.681	0.0
95	17810	17811	SN	2	57.539	58.22	0.0	0.0	299.117	3.856	1208.056	1264.968	2.191	-92.84	-91.668	0.0
96	17810	17811	SN	1	57.539	58.22	0.0	0.0	299.117	2.594	1208.056	1264.968	2.365	-92.84	-91.668	0.0
97	17810	17811	NS	1	57.531	58.188	0.0	0.0	298.797	3.784	1220.44	1264.712	0.0	-92.87	-91.778	0.0
98	17810	17811	NS	1	57.538	58.189	0.0	0.0	298.665	3.778	1220.512	1264.664	0.0	-92.859	-91.778	0.0
99	17810	17811	SN	1	57.539	58.22	0.0	0.0	299.117	3.856	1208.056	1264.968	2.191	-92.84	-91.668	0.0
100	17811	17812	NS	1	57.564	58.172	0.0	0.0	292.168	4.219	1219.96	1265.512	0.0	-94.369	-91.741	0.0
101	17811	17812	SN	1	57.536	58.228	0.0	0.0	289.295	3.764	1208.232	1264.936	2.313	-92.799	-91.664	0.0
102	17812	17813	SN	1	57.506	58.403	0.0	0.0	297.816	3.862	1208.4	1272.992	2.595	-94.887	-91.7	0.0
103	17812	17813	NS	1	57.567	58.19	0.0	0.0	294.132	3.841	1219.928	1264.968	0.0	-92.84	-91.75	0.0
104	17813	17814	NS	1	57.531	58.19	0.0	0.0	298.941	3.809	1219.8	1264.44	0.0	-92.836	-91.779	0.0
105	17813	17814	SN	1	57.511	58.229	0.0	0.0	298.775	3.951	1208.552	1264.784	3.068	-95.115	-91.669	0.0
106	17813	17814	NS	1	57.531	58.19	0.0	0.0	298.941	4.0	1219.8	1264.448	0.0	-92.871	-91.779	0.0
107	17814	17815	NS	1	57.565	58.191	0.0	0.0	288.639	3.684	1219.664	1264.472	0.0	-92.854	-91.771	0.0
108	17814	17815	NS	1	57.564	58.193	0.0	0.0	295.725	3.686	1220.464	1264.504	0.0	-92.828	-91.771	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17814	17815	SN	1	57.537	58.228	0.0	0.0	296.249	3.852	1208.024	1264.832	2.927	-92.807	-91.681	0.0
110	17814	17815	SN	2	57.537	58.228	0.0	0.0	296.249	3.852	1208.024	1264.832	2.927	-92.807	-91.681	0.0
111	17814	17815	NS	1	57.564	58.193	0.0	0.0	295.725	3.206	1220.464	1264.392	0.0	-92.828	-91.771	0.0
112	17815	17816	SN	1	57.513	58.218	0.0	0.0	294.722	3.801	1208.088	1264.872	2.73	-92.832	-91.702	0.0
113	17815	17816	NS	1	57.531	58.227	0.0	0.0	295.588	3.735	1219.56	1264.552	0.0	-93.065	-91.778	0.0
114	17815	17816	NS	1	57.535	58.19	0.0	0.0	295.576	3.74	1220.176	1264.568	0.0	-93.065	-91.778	0.0
115	17815	17816	SN	1	57.513	58.218	0.0	0.0	294.722	3.798	1208.088	1264.872	2.727	-92.832	-91.702	0.0
116	17816	17817	NS	2	57.547	58.172	0.0	0.0	296.497	3.809	1220.152	1264.656	0.0	-92.823	-91.775	0.0
117	17816	17817	NS	1	57.549	58.162	0.0	0.0	296.646	3.81	1220.208	1264.6	0.0	-92.823	-91.776	0.0
118	17816	17817	SN	1	57.522	58.23	0.0	0.0	290.337	3.918	1208.664	1264.992	2.831	-92.804	-91.702	0.0
119	17816	17817	NS	1	57.547	58.18	0.0	0.0	296.398	2.131	1220.152	1263.592	0.0	-92.778	-91.775	0.0
120	17816	17817	SN	1	57.528	58.23	0.0	0.0	290.337	3.915	1208.664	1264.992	2.828	-92.804	-91.702	0.0
121	17817	17818	NS	1	57.546	58.16	0.0	0.0	296.078	2.502	1219.448	1259.832	0.0	-92.701	-91.774	0.0
122	17817	17818	NS	1	57.546	58.159	0.0	0.0	296.078	4.07	1219.448	1264.552	0.0	-92.784	-91.774	0.0
123	17817	17818	NS	2	57.546	58.159	0.0	0.0	296.078	4.07	1219.448	1264.552	0.0	-92.784	-91.774	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors













107	17814	17815	NS	1	-34.94	18.744	0.0	-34.854	21.157	0.0	4.966	22.638	0.046	5.647	22.836	0.176	0.086	231.08	2.785	0.086	226.531	2.654	0.086	0.104	0.0	0.086	0.102	0.0
108	17814	17815	NS	1	-34.778	18.744	0.0	-34.946	21.157	0.0	4.965	22.638	0.046	5.648	22.836	0.176	0.086	222.583	2.785	0.086	231.394	2.654	0.086	0.104	0.0	0.086	0.102	0.0
109	17814	17815	SN	1	-34.208	19.933	0.0	-34.758	20.076	0.0	-14.056	22.633	0.013	-12.766	22.992	0.108	0.086	195.269	4.362	0.086	221.564	4.536	0.086	1.949	0.009	0.086	1.465	0.006
110	17814	17815	SN	2	-34.208	19.933	0.0	-34.758	20.076	0.0	-14.056	22.633	0.013	-12.766	22.992	0.108	0.086	195.269	4.362	0.086	221.564	4.536	0.086	1.949	0.009	0.086	1.465	0.006
111	17814	17815	NS	1	-34.778	18.744	0.0	-34.946	21.157	0.0	4.965	22.638	0.051	5.648	22.836	0.191	0.086	222.583	2.785	0.086	231.394	2.654	0.086	0.104	0.0	0.086	0.102	0.0
112	17815	17816	SN	1	-34.886	19.632	0.0	-34.902	19.372	0.0	-34.247	22.617	0.059	-26.907	23.273	0.46	0.086	228.24	4.992	0.086	228.995	4.734	0.086	196.974	0.02	0.086	36.392	0.101
113	17815	17816	NS	1	-34.7	19.106	0.0	-34.586	19.96	0.0	1.058	22.418	0.046	1.693	22.758	0.117	0.086	218.655	1.615	0.086	212.962	1.514	0.086	0.134	0.0	0.086	0.127	0.0
114	17815	17816	NS	1	-34.697	19.107	0.0	-34.399	19.96	0.0	1.058	22.418	0.046	1.693	22.758	0.117	0.086	218.502	1.617	0.086	204.027	1.517	0.086	0.134	0.0	0.086	0.127	0.0
115	17815	17816	SN	1	-34.886	19.632	0.0	-34.902	19.372	0.0	-34.247	22.617	0.059	-26.907	23.273	0.468	0.086	228.24	4.984	0.086	228.995	4.733	0.086	196.974	0.02	0.086	36.392	0.101
116	17816	17817	NS	2	-33.679	19.36	0.0	-34.807	20.524	0.0	0.831	22.828	0.047	0.811	22.695	0.125	0.086	172.871	1.75	0.086	224.094	1.53	0.086	0.137	0.0	0.086	0.138	0.0
117	17816	17817	NS	1	-33.757	19.36	0.0	-34.784	20.524	0.0	0.831	22.828	0.047	0.811	22.695	0.125	0.086	175.962	1.749	0.086	222.926	1.531	0.086	0.137	0.0	0.086	0.138	0.0
118	17816	17817	SN	1	-34.95	17.854	0.0	-34.561	17.718	0.0	1.948	22.506	0.123	3.091	23.515	0.872	0.086	231.549	3.362	0.086	211.753	2.81	0.086	0.125	0.0	0.086	0.115	0.0
119	17816	17817	NS	1	-33.7	19.169	0.0	-34.807	20.524	0.0	0.831	22.828	0.024	0.811	20.165	0.0	0.086	173.646	1.801	0.086	224.094	1.53	0.086	0.137	0.0	0.086	0.138	0.0
120	17816	17817	SN	1	-34.95	17.854	0.0	-34.561	17.718	0.0	1.948	22.506	0.123	3.091	23.515	0.889	0.086	231.549	3.358	0.086	211.753	2.81	0.086	0.125	0.0	0.086	0.115	0.0
121	17817	17818	NS	1	-34.298	20.317	0.0	-34.855	17.427	0.0	3.586	21.006	0.0	4.51	20.141	0.0	0.086	199.354	2.262	0.087	226.616	1.988	0.086	0.112	0.0	0.086	0.107	0.0
122	17817	17818	NS	1	-34.298	20.39	0.0	-34.855	21.168	0.0	1.065	22.48	0.033	1.126	23.08	0.067	0.086	199.354	1.996	0.086	226.616	1.952	0.086	0.134	0.0	0.086	0.134	0.0
123	17817	17818	NS	2	-34.298	20.39	0.0	-34.855	21.168	0.0	1.065	22.48	0.033	1.126	23.08	0.067	0.086	199.354	1.996	0.086	226.616	1.952	0.086	0.134	0.0	0.086	0.134	0.0

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	