

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-FEB-2020 To 24-FEB-2020





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-FEB-2020 To 24-FEB-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	18049	18050	SN	1	48.782	49.426	0.0	0.003	28.841	2.689	1036.512	1074.432	0.0	-91.474	-89.678	0.0
2	18049	18050	SN	1	48.782	49.426	0.0	0.003	28.841	2.169	1036.56	1074.432	0.0	-91.474	-89.678	0.0
3	18049	18050	SN	1	48.782	49.426	0.0	0.003	28.841	2.691	1036.56	1074.432	0.0	-91.474	-89.678	0.0
4	18050	18051	SN	1	48.788	49.371	0.0	0.003	29.988	2.603	1035.504	1074.376	0.0	-91.222	-89.668	0.0
5	18050	18051	NS	1	48.765	49.334	0.0	0.003	267.279	2.569	1037.768	1073.992	0.0	-91.377	-89.686	0.0
6	18050	18051	SN	1	48.788	49.371	0.0	0.003	29.988	2.417	1035.504	1074.376	0.0	-91.222	-89.668	0.0
7	18051	18052	SN	1	48.778	49.371	0.0	0.003	28.818	2.51	1036.328	1074.504	0.0	-91.386	-89.697	0.0
8	18051	18052	NS	1	48.728	49.338	0.0	0.0	266.987	2.646	1037.648	1074.168	0.0	-91.504	-89.651	0.0
9	18051	18052	SN	2	48.777	49.371	0.0	0.003	6.42	2.348	1036.336	1074.52	0.0	-91.386	-89.697	0.0
10	18051	18052	NS	2	48.728	49.338	0.0	0.0	266.987	2.646	1037.648	1074.168	0.0	-91.504	-89.651	0.0
11	18051	18052	SN	1	48.778	49.371	0.0	0.003	28.818	2.348	1036.328	1074.504	0.0	-91.386	-89.697	0.0
12	18052	18053	NS	1	48.725	49.334	0.0	0.003	12.712	2.517	1037.592	1074.104	0.0	-91.481	-89.702	0.0
13	18052	18053	SN	2	48.762	49.39	0.0	0.003	266.148	2.54	1035.84	1074.432	0.0	-91.508	-89.693	0.0
14	18052	18053	NS	1	48.714	49.342	0.0	0.003	12.712	2.514	1038.016	1074.104	0.0	-91.44	-89.702	0.0
15	18052	18053	SN	1	48.762	49.39	0.0	0.003	6.419	2.313	1035.84	1074.432	0.0	-91.508	-89.693	0.0
16	18052	18053	SN	1	48.762	49.39	0.0	0.003	266.148	2.54	1035.84	1074.432	0.0	-91.508	-89.693	0.0
17	18053	18054	NS	1	48.743	49.373	0.0	0.003	210.899	2.658	1038.096	1073.976	0.0	-91.461	-89.662	0.0
18	18053	18054	SN	1	48.776	49.419	0.0	0.003	6.414	2.158	1035.352	1074.304	0.0	-91.409	-89.693	0.0
19	18053	18054	SN	2	48.776	49.419	0.0	0.003	6.414	2.525	1035.352	1074.304	0.0	-91.409	-89.693	0.0
20	18053	18054	SN	1	48.776	49.419	0.0	0.003	6.408	2.525	1035.352	1074.296	0.0	-91.408	-89.693	0.0
21	18053	18054	NS	1	48.743	49.34	0.0	0.003	210.899	2.655	1038.096	1073.976	0.0	-91.483	-89.662	0.0
22	18054	18055	NS	2	48.729	49.34	0.0	0.003	207.0	2.622	1038.032	1073.888	0.0	-91.496	-89.69	0.0
23	18054	18055	SN	1	48.762	49.395	0.0	0.003	29.897	1.989	1035.608	1074.216	0.0	-91.532	-89.697	0.0
24	18054	18055	SN	1	48.763	49.407	0.0	0.003	29.897	2.542	1035.384	1074.2	0.0	-91.532	-89.697	0.0
25	18054	18055	SN	1	48.762	49.395	0.0	0.003	29.891	2.545	1035.608	1074.216	0.0	-91.532	-89.697	0.0
26	18054	18055	NS	1	48.729	49.358	0.0	0.003	207.0	2.622	1038.032	1073.888	0.0	-91.496	-89.69	0.0
27	18055	18056	SN	1	48.78	49.4	0.0	0.003	281.05	2.644	1036.504	1074.152	0.0	-91.53	-89.698	0.0
28	18055	18056	NS	1	48.724	49.345	0.0	0.003	267.29	2.643	1036.904	1073.744	0.0	-91.494	-89.701	0.0
29	18055	18056	NS	1	48.723	49.346	0.0	0.003	267.29	2.629	1036.872	1073.768	0.0	-91.459	-89.701	0.0
30	18055	18056	SN	1	48.78	49.4	0.0	0.003	281.05	1.766	1036.504	1074.152	0.0	-91.53	-89.698	0.0
31	18055	18056	SN	2	48.78	49.4	0.0	0.003	281.05	2.644	1036.504	1074.152	0.0	-91.53	-89.698	0.0
32	18056	18057	SN	2	48.77	49.404	0.0	0.003	6.408	2.666	1036.776	1074.312	0.0	-92.301	-89.691	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	18056	18057	SN	1	48.77	49.404	0.0	0.003	6.408	1.553	1036.776	1074.312	0.0	-92.301	-89.691	0.0
34	18056	18057	SN	1	48.77	49.404	0.0	0.003	6.408	2.665	1036.776	1074.312	0.0	-92.301	-89.691	0.0
35	18056	18057	NS	1	48.762	49.335	0.0	0.003	267.257	2.618	1037.68	1073.912	0.0	-91.443	-89.698	0.0
36	18056	18057	NS	1	48.762	49.335	0.0	0.003	267.257	2.629	1037.68	1073.912	0.0	-91.356	-89.698	0.0
37	18057	18058	NS	1	48.759	49.341	0.0	0.003	264.102	2.625	1037.656	1074.16	0.0	-91.451	-89.674	0.0
38	18057	18058	SN	1	48.77	49.406	0.0	0.003	214.495	2.565	1036.208	1074.64	0.0	-91.504	-89.663	0.0
39	18057	18058	SN	2	48.77	49.406	0.0	0.003	214.495	2.565	1036.208	1074.64	0.0	-91.504	-89.663	0.0
40	18057	18058	NS	1	48.759	49.349	0.0	0.003	42.794	2.621	1037.656	1074.112	0.0	-91.451	-89.674	0.0
41	18058	18059	SN	1	48.762	49.391	0.0	0.003	29.227	2.545	1036.704	1074.368	0.0	-91.804	-89.702	0.0
42	18058	18059	NS	1	48.767	49.334	0.0	0.0	210.662	2.808	1036.864	1073.896	0.0	-91.756	-89.678	0.0
43	18058	18059	NS	2	48.766	49.334	0.0	0.0	210.662	2.809	1036.856	1073.896	0.0	-91.756	-89.678	0.0
44	18059	18060	SN	1	48.768	49.39	0.0	0.003	6.414	2.614	1036.792	1074.24	0.0	-91.473	-89.678	0.0
45	18059	18060	NS	1	48.766	49.334	0.0	0.003	207.006	2.614	1037.328	1074.224	0.0	-91.478	-89.7	0.0
46	18060	18061	NS	1	48.707	49.339	0.0	0.003	266.766	2.656	1037.624	1073.888	0.0	-91.513	-89.697	0.0
47	18060	18061	NS	1	48.707	49.339	0.0	0.003	266.766	2.47	1037.624	1074.136	0.0	-91.541	-89.697	0.0
48	18060	18061	SN	1	48.793	49.433	0.0	0.003	6.397	2.602	1036.744	1074.304	0.0	-91.504	-89.686	0.0
49	18061	18062	SN	1	48.771	49.386	0.0	0.003	215.796	2.573	1036.816	1074.328	0.0	-92.069	-89.696	0.0
50	18061	18062	NS	1	48.718	49.331	0.0	0.003	264.676	1.956	1037.44	1072.904	0.0	-91.34	-89.694	0.0
51	18061	18062	NS	1	48.718	49.331	0.0	0.003	264.676	2.585	1037.44	1073.856	0.0	-91.412	-89.694	0.0
52	18062	18063	NS	1	48.763	49.388	0.0	0.0	210.204	1.721	1036.928	1071.936	0.0	-91.489	-89.694	0.0
53	18062	18063	NS	1	48.763	49.388	0.0	0.0	210.204	2.79	1037.288	1073.944	0.0	-91.471	-89.694	0.0
54	18062	18063	SN	1	48.766	49.431	0.0	0.003	6.414	2.549	1036.84	1074.424	0.0	-91.87	-89.701	0.0
55	18062	18063	SN	1	48.766	49.431	0.0	0.003	6.414	2.563	1036.84	1074.424	0.0	-91.87	-89.701	0.0
56	18062	18063	NS	1	48.763	49.388	0.0	0.0	210.204	2.792	1036.928	1073.944	0.0	-91.499	-89.694	0.0
57	18063	18064	NS	1	48.746	49.331	0.0	0.003	264.77	2.584	1037.16	1073.968	0.0	-91.467	-89.675	0.0
58	18063	18064	NS	2	48.746	49.331	0.0	0.003	264.77	2.582	1037.144	1073.968	0.0	-91.467	-89.675	0.0
59	18063	18064	SN	1	48.767	49.437	0.0	0.0	101.266	2.776	1036.52	1074.464	0.0	-91.495	-89.702	0.0
60	18063	18064	NS	1	48.746	49.331	0.0	0.003	264.77	1.569	1037.144	1069.456	0.0	-91.321	-89.675	0.0
61	18063	18064	SN	1	48.767	49.437	0.0	0.003	6.414	1.699	1036.52	1074.464	0.0	-91.495	-89.702	0.0
62	18064	18065	NS	1	48.709	49.333	0.0	0.003	263.948	2.745	1037.056	1073.816	0.0	-91.331	-89.68	0.0
63	18064	18065	SN	1	48.764	49.375	0.0	0.003	215.295	2.713	1036.16	1074.28	0.0	-91.605	-89.655	0.0
64	18064	18065	SN	1	48.772	49.386	0.0	0.003	215.295	2.71	1035.992	1074.28	0.0	-91.605	-89.655	0.0
65	18064	18065	SN	1	48.764	49.375	0.0	0.003	215.295	2.426	1036.16	1074.28	0.0	-91.605	-89.655	0.0
66	18065	18066	SN	1	48.777	49.373	0.0	0.003	6.414	2.377	1035.88	1074.456	0.0	-91.445	-89.686	0.0
67	18065	18066	SN	1	48.777	49.372	0.0	0.003	6.42	2.375	1036.056	1074.464	0.0	-91.445	-89.686	0.0
68	18065	18066	NS	1	48.765	49.334	0.0	0.003	264.224	2.498	1036.792	1073.968	0.0	-91.372	-89.676	0.0
69	18065	18066	NS	2	48.765	49.334	0.0	0.003	264.224	2.498	1036.792	1073.968	0.0	-91.372	-89.676	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors





70	18065	18066	SN	1	48.777	49.372	0.0	0.003	6.42	2.521	1036.056	1074.464	0.0	-91.445	-89.686	0.0
71	18066	18067	NS	1	48.764	49.341	0.0	0.0	267.367	2.643	1036.608	1074.056	0.0	-91.492	-89.684	0.0
72	18066	18067	SN	1	48.778	49.373	0.0	0.003	29.53	2.508	1036.176	1074.504	0.0	-91.446	-89.698	0.0
73	18066	18067	SN	1	48.778	49.373	0.0	0.003	29.53	2.334	1036.176	1074.504	0.0	-91.446	-89.698	0.0
74	18067	18068	SN	1	48.767	49.418	0.0	0.003	6.42	2.257	1036.56	1074.384	0.0	-91.453	-89.686	0.0
75	18067	18068	SN	1	48.767	49.418	0.0	0.003	6.42	2.553	1036.56	1074.384	0.0	-91.453	-89.686	0.0
76	18067	18068	SN	2	48.767	49.418	0.0	0.003	6.42	2.553	1036.56	1074.384	0.0	-91.453	-89.686	0.0
77	18067	18068	NS	1	48.72	49.348	0.0	0.003	267.262	2.592	1037.752	1073.936	0.0	-91.491	-89.678	0.0
78	18067	18068	NS	1	48.72	49.348	0.0	0.003	267.262	2.594	1037.752	1073.936	0.0	-91.492	-89.678	0.0
79	18068	18069	NS	1	48.765	49.351	0.0	0.003	267.373	2.66	1037.696	1073.864	0.0	-91.509	-89.691	0.0
80	18068	18069	NS	1	48.712	49.34	0.0	0.003	267.373	2.663	1037.696	1073.864	0.0	-91.506	-89.691	0.0
81	18068	18069	SN	1	48.77	49.397	0.0	0.003	6.414	2.083	1036.632	1074.304	0.0	-91.475	-89.698	0.0
82	18068	18069	SN	1	48.77	49.397	0.0	0.003	6.414	2.514	1036.632	1074.304	0.0	-91.475	-89.698	0.0
83	18068	18069	SN	1	48.77	49.397	0.0	0.003	6.414	2.516	1036.632	1074.304	0.0	-91.475	-89.698	0.0
84	18069	18070	SN	1	48.781	49.388	0.0	0.003	6.403	2.588	1035.952	1074.2	0.0	-91.451	-89.698	0.0
85	18069	18070	SN	1	48.781	49.395	0.0	0.003	6.403	2.585	1036.136	1074.2	0.0	-91.517	-89.698	0.0
86	18069	18070	SN	1	48.781	49.388	0.0	0.003	6.403	1.89	1035.952	1074.2	0.0	-91.451	-89.698	0.0
87	18069	18070	NS	1	48.748	49.362	0.0	0.003	207.039	2.592	1036.696	1073.712	0.0	-91.454	-89.692	0.0
88	18069	18070	NS	2	48.747	49.362	0.0	0.003	207.039	2.591	1036.688	1073.728	0.0	-91.487	-89.692	0.0
89	18070	18071	SN	1	48.786	49.4	0.0	0.003	279.622	2.648	1036.888	1074.232	0.0	-91.461	-89.674	0.0
90	18070	18071	NS	1	48.719	49.34	0.0	0.0	264.389	2.709	1036.72	1073.76	0.0	-91.413	-89.695	0.0
91	18070	18071	SN	1	48.786	49.4	0.0	0.003	279.622	1.641	1036.888	1074.232	0.0	-91.461	-89.674	0.0
92	18070	18071	NS	2	48.719	49.34	0.0	0.0	264.389	2.709	1036.72	1073.76	0.0	-91.413	-89.695	0.0
93	18071	18072	SN	1	48.798	49.373	0.0	0.003	28.664	1.527	1037.176	1074.368	0.0	-91.412	-89.688	0.0
94	18071	18072	NS	1	48.714	49.383	0.0	0.003	265.514	2.583	1037.288	1073.904	0.0	-91.465	-89.69	0.0
95	18071	18072	SN	2	48.798	49.373	0.0	0.003	28.664	2.597	1037.176	1074.368	0.0	-91.412	-89.688	0.0
96	18071	18072	NS	1	48.716	49.382	0.0	0.003	207.59	2.582	1037.32	1074.04	0.0	-91.44	-89.69	0.0
97	18071	18072	SN	1	48.798	49.373	0.0	0.003	28.664	2.597	1037.176	1074.368	0.0	-91.412	-89.688	0.0
98	18072	18073	NS	1	48.704	49.333	0.0	0.003	19.005	2.737	1037.04	1074.632	0.0	-91.345	-89.678	0.0
99	18072	18073	SN	2	48.777	49.448	0.0	0.003	6.425	2.533	1036.6	1077.936	0.0	-92.565	-89.68	0.0
100	18072	18073	SN	1	48.777	49.448	0.0	0.003	6.425	2.533	1036.6	1077.936	0.0	-92.565	-89.68	0.0
101	18072	18073	NS	1	48.704	49.335	0.0	0.003	19.005	2.734	1037.04	1074.376	0.0	-91.432	-89.678	0.0
102	18073	18074	NS	1	48.748	49.341	0.0	0.003	206.581	2.625	1036.448	1074.504	0.0	-91.47	-89.679	0.0
103	18073	18074	SN	1	48.766	49.373	0.0	0.003	29.117	2.561	1036.136	1074.432	0.0	-91.379	-89.706	0.0
104	18073	18074	NS	1	48.766	49.341	0.0	0.003	206.581	2.627	1036.448	1074.616	0.0	-91.71	-89.679	0.0
105	18074	18075	NS	1	48.766	49.334	0.0	0.0	207.513	2.746	1036.928	1073.816	0.0	-92.273	-89.696	0.0
106	18074	18075	NS	1	48.766	49.334	0.0	0.0	207.513	2.692	1036.928	1073.736	0.0	-92.273	-89.696	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	18074	18075	SN	1	48.787	49.426	0.0	0.003	6.408	2.64	1036.944	1074.288	0.0	-91.478	-89.67	0.0
108	18075	18076	NS	1	48.764	49.354	0.0	0.003	42.755	2.187	1036.32	1073.704	0.0	-91.873	-89.693	0.0
109	18077	18078	SN	1	48.765	49.438	0.0	0.003	214.484	2.665	1037.192	1074.512	0.0	-91.459	-89.704	0.0
110	18078	18079	NS	1	48.703	49.372	0.0	0.0	266.865	2.756	1036.376	1073.96	0.0	-91.33	-89.689	0.0
111	18078	18079	NS	1	48.703	49.372	0.0	0.003	266.865	1.725	1036.376	1066.816	0.0	-91.283	-89.689	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR														Kp														
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	18049	18050	SN	1	-34.321	24.451	1.282	-34.393	25.11	2.454	-19.778	29.081	7.689	-14.981	29.68	8.174	0.116	262.211	3.672	0.116	266.552	2.642	0.116	9.296	0.026	0.116	3.14	0.015
2	18049	18050	SN	1	-34.215	24.451	1.194	-34.236	25.11	2.539	-20.063	29.081	7.654	-14.979	29.68	8.181	0.116	255.869	3.858	0.116	257.12	2.873	0.116	9.921	0.026	0.116	3.14	0.015
3	18049	18050	SN	1	-34.215	24.451	1.282	-34.236	25.11	2.459	-20.063	29.081	7.701	-14.979	29.68	8.181	0.116	255.869	3.67	0.116	257.12	2.644	0.116	9.921	0.026	0.116	3.14	0.015
4	18050	18051	SN	1	-33.632	24.915	0.847	-34.52	25.557	1.876	-21.986	32.874	8.436	-12.708	29.31	5.315	0.116	223.673	4.442	0.116	274.438	4.005	0.116	15.397	0.009	0.116	1.898	0.002
5	18050	18051	NS	1	-34.776	28.535	0.236	-34.85	29.192	0.276	2.104	30.608	7.185	2.42	35.56	18.022	0.116	291.098	2.584	0.116	296.172	1.982	0.116	0.166	0.0	0.116	0.162	0.0
6	18050	18051	SN	1	-33.632	24.915	0.849	-34.52	25.557	1.928	-21.986	32.874	8.436	-12.708	29.31	5.315	0.116	223.673	4.575	0.116	274.438	4.116	0.116	15.397	0.009	0.116	1.898	0.002
7	18051	18052	SN	1	-34.736	24.666	0.254	-34.84	25.022	0.369	6.558	29.042	11.004	6.376	29.709	7.531	0.116	288.458	2.249	0.116	295.378	1.855	0.116	0.133	0.0	0.116	0.134	0.0
8	18051	18052	NS	1	-34.549	26.497	0.231	-34.919	27.344	0.254	-2.125	29.935	7.441	-9.359	29.809	14.723	0.116	276.287	6.348	0.116	300.776	5.984	0.116	0.258	0.0	0.116	0.928	0.0
9	18051	18052	SN	2	-34.94	24.666	0.259	-34.734	25.022	0.375	6.558	29.042	11.001	6.376	29.709	7.531	0.116	302.321	2.291	0.116	288.326	1.885	0.116	0.133	0.0	0.116	0.134	0.0
10	18051	18052	NS	2	-34.549	26.497	0.231	-34.919	27.344	0.254	-2.125	29.935	7.441	-9.359	29.809	14.723	0.116	276.287	6.348	0.116	300.776	5.984	0.116	0.258	0.0	0.116	0.928	0.0
11	18051	18052	SN	1	-34.736	24.666	0.259	-34.84	25.022	0.375	6.558	29.042	11.004	6.376	29.709	7.531	0.116	288.458	2.291	0.116	295.378	1.885	0.116	0.133	0.0	0.116	0.134	0.0
12	18052	18053	NS	1	-34.45	26.422	0.232	-33.429	27.076	0.275	-4.597	29.981	7.172	-5.122	29.678	13.641	0.116	270.077	3.64	0.116	213.471	3.303	0.116	0.376	0.0	0.116	0.411	0.0
13	18052	18053	SN	2	-34.354	24.681	0.108	-34.713	25.81	0.102	6.809	26.906	13.198	6.59	28.937	10.029	0.116	264.15	3.214	0.116	286.892	2.485	0.116	0.132	0.0	0.116	0.133	0.0
14	18052	18053	NS	1	-34.584	26.428	0.232	-34.136	27.076	0.275	-4.584	29.981	7.161	-5.12	29.678	13.633	0.116	278.507	3.64	0.116	251.238	3.306	0.116	0.375	0.0	0.116	0.411	0.0
15	18052	18053	SN	1	-34.354	24.681	0.11	-34.713	25.81	0.103	6.809	26.906	13.231	6.59	28.937	10.024	0.116	264.15	3.275	0.116	286.892	2.528	0.116	0.132	0.0	0.116	0.133	0.0
16	18052	18053	SN	1	-34.354	24.681	0.108	-34.713	25.81	0.102	6.809	26.906	13.198	6.59	28.937	10.029	0.116	264.15	3.214	0.116	286.892	2.485	0.116	0.132	0.0	0.116	0.133	0.0
17	18053	18054	NS	1	-34.756	23.745	0.05	-34.417	24.254	0.064	-31.656	28.66	3.805	-24.837	29.809	8.485	0.116	289.777	3.49	0.116	268.061	3.734	0.116	141.971	0.054	0.116	29.6	0.066
18	18053	18054	SN	1	-34.747	24.582	0.117	-32.626	25.668	0.173	5.486	27.702	16.433	5.336	28.165	19.78	0.116	289.193	2.641	0.116	177.444	1.829	0.116	0.138	0.0	0.116	0.139	0.0
19	18053	18054	SN	2	-34.747	24.582	0.113	-32.626	25.668	0.169	5.486	27.702	16.305	5.336	28.165	19.114	0.116	289.193	2.563	0.116	177.444	1.786	0.116	0.138	0.0	0.116	0.139	0.0
20	18053	18054	SN	1	-34.747	24.582	0.113	-32.626	25.668	0.169	5.486	27.702	16.305	5.336	28.165	19.116	0.116	289.193	2.563	0.116	177.444	1.787	0.116	0.138	0.0	0.116	0.139	0.0
21	18053	18054	NS	1	-34.942	23.745	0.05	-34.509	24.254	0.064	-29.885	28.66	3.802	-29.759	29.808	8.473	0.116	302.48	3.493	0.116	273.692	3.735	0.116	94.449	0.054	0.116	91.767	0.065
22	18054	18055	NS	2	-34.055	24.491	0.212	-32.309	24.089	0.294	-4.927	28.64	5.901	-5.877	29.714	10.674	0.116	246.597	1.384	0.116	164.974	1.272	0.116	0.397	0.0	0.116	0.47	0.0
23	18054	18055	SN	1	-34.894	24.715	0.28	-34.362	25.374	0.334	5.085	26.909	15.654	7.881	28.095	21.031	0.116	299.162	3.022	0.116	264.602	2.555	0.116	0.14	0.0	0.116	0.128	0.0
24	18054	18055	SN	1	-34.711	24.715	0.271	-34.872	25.374	0.32	5.085	26.909	15.008	7.881	28.095	20.658	0.116	286.765	2.924	0.116	297.633	2.465	0.116	0.14	0.0	0.116	0.128	0.0
25	18054	18055	SN	1	-34.894	24.715	0.271	-34.362	25.374	0.321	5.085	26.909	15.009	7.881	28.095	20.656	0.116	299.162	2.923	0.116	264.602	2.452	0.116	0.14	0.0	0.116	0.128	0.0
26	18054	18055	NS	1	-34.055	24.491	0.212	-32.309	24.089	0.294	-4.927	28.64	5.901	-5.877	29.714	10.676	0.116	246.597	1.384	0.116	164.974	1.272	0.116	0.397	0.0	0.116	0.47	0.0
27	18055	18056	SN	1	-34.438	25.563	0.181	-34.034	24.697	0.222	5.345	27.331	9.57	8.192	30.011	12.391	0.116	269.295	3.352	0.116	245.41	2.447	0.116	0.139	0.0	0.116	0.127	0.0
28	18055	18056	NS	1	-34.549	25.849	0.837	-34.212	26.836	1.287	-8.802	30.153	11.36	-8.459	29.02	17.378	0.116	276.259	2.894	0.116	255.644	2.394	0.116	0.828	0.0	0.116	0.772	0.0
29	18055	18056	NS	1	-34.419	25.849	0.827	-34.212	26.836	1.287	-8.802	30.153	11.295	-8.459	29.02	17.372	0.116	268.172	2.895	0.116	255.644	2.394	0.116	0.828	0.0	0.116	0.772	0.0
30	18055	18056	SN	1	-34.438	25.563	0.191	-34.034	24.697	0.24	5.345	27.331	10.144	8.192	30.011	12.399	0.116	269.295	3.534	0.116	245.41	2.642	0.116	0.139	0.0	0.116	0.127	0.0
31	18055	18056	SN	2	-34.438	25.563	0.181	-34.034	24.697	0.222	5.345	27.331	9.57	8.192	30.011	12.391	0.116	269.295	3.352	0.116	245.41	2.447	0.116	0.139	0.0	0.116	0.127	0.0
32	18056	18057	SN	2	-33.6	26.288	0.443	-34.439	26.776	0.575	2.146	34.099	10.181	4.1	33.055	11.629	0.116	222.135	3.008	0.116	269.35	2.259	0.116	0.166	0.0	0.116	0.147	0.0
33	18056	18057	SN	1	-33.6	26.288	0.481	-34.439	26.776	0.669	2.146	34.099	10.788	4.1	33.055	11.641	0.116	222.135	3.117	0.116	269.35	2.483	0.116	0.166	0.0	0.116	0.147	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	18056	18057	SN	1	-33.6	26.288	0.443	-34.439	26.776	0.575	2.146	34.099	10.181	4.1	33.055	11.629	0.116	222.135	3.008	0.116	269.35	2.258	0.116	0.166	0.0	0.116	0.147	0.0
35	18056	18057	NS	1	-34.734	25.66	1.126	-31.449	26.418	1.529	1.345	31.019	10.723	5.902	29.611	17.78	0.116	288.364	0.799	0.116	135.373	0.524	0.116	0.176	0.0	0.116	0.136	0.0
36	18056	18057	NS	1	-34.734	25.66	1.125	-31.449	26.418	1.526	1.349	31.019	10.723	5.902	29.611	17.742	0.116	288.364	0.795	0.116	135.373	0.523	0.116	0.176	0.0	0.116	0.136	0.0
37	18057	18058	NS	1	-34.561	24.895	0.429	-33.07	25.131	0.538	-20.027	29.078	14.521	-21.251	30.171	28.218	0.116	277.038	2.353	0.116	196.554	1.686	0.116	9.839	0.014	0.116	13.014	0.01
38	18057	18058	SN	1	-34.857	26.428	0.227	-34.982	27.606	0.213	-9.082	28.423	13.637	-5.943	29.248	13.738	0.116	296.527	6.279	0.116	305.259	4.882	0.116	0.877	0.0	0.116	0.476	0.0
39	18057	18058	SN	2	-34.857	26.428	0.227	-34.982	27.606	0.213	-9.082	28.423	13.637	-5.943	29.248	13.738	0.116	296.527	6.279	0.116	305.259	4.882	0.116	0.877	0.0	0.116	0.476	0.0
40	18057	18058	NS	1	-34.801	24.895	0.428	-33.376	25.131	0.538	-20.024	29.078	14.519	-21.285	30.171	28.211	0.116	292.758	2.358	0.116	210.957	1.686	0.116	9.832	0.014	0.116	13.113	0.01
41	18058	18059	SN	1	-34.79	28.236	0.268	-34.968	28.922	0.331	-14.374	30.464	13.503	-10.693	29.474	13.064	0.116	292.088	6.7	0.116	304.25	5.398	0.116	2.743	0.002	0.116	1.228	0.002
42	18058	18059	NS	1	-34.863	28.153	0.211	-34.843	28.714	0.294	-5.832	30.916	12.674	-1.426	30.048	23.102	0.116	296.989	2.776	0.116	295.621	2.301	0.116	0.466	0.0	0.116	0.235	0.0
43	18058	18059	NS	2	-34.612	28.151	0.211	-34.843	28.714	0.294	-5.832	30.916	12.674	-1.426	30.048	23.099	0.116	280.35	2.776	0.116	295.621	2.301	0.116	0.466	0.0	0.116	0.235	0.0
44	18059	18060	SN	1	-34.649	28.28	0.158	-34.872	29.372	0.354	-13.477	29.714	15.035	-11.158	29.8	15.818	0.116	282.791	4.44	0.116	297.605	3.921	0.116	2.248	0.013	0.116	1.356	0.004
45	18059	18060	NS	1	-34.994	28.162	0.429	-34.801	25.15	0.558	4.629	28.592	14.339	6.481	33.273	21.783	0.116	306.148	3.982	0.116	292.795	3.678	0.116	0.143	0.0	0.116	0.133	0.0
46	18060	18061	NS	1	-34.911	23.951	0.126	-34.365	24.548	0.419	10.955	28.703	24.251	11.382	29.121	36.097	0.116	300.296	3.173	0.116	264.853	3.043	0.116	0.122	0.0	0.116	0.121	0.0
47	18060	18061	NS	1	-34.911	23.949	0.126	-34.963	24.548	0.419	10.938	28.703	20.804	11.382	29.11	34.076	0.116	300.296	3.176	0.116	303.996	3.046	0.116	0.122	0.0	0.116	0.121	0.0
48	18060	18061	SN	1	-34.764	26.378	0.243	-34.554	27.956	0.964	-15.552	29.426	12.891	-22.349	30.006	13.001	0.116	290.287	3.131	0.116	276.596	2.189	0.116	3.569	0.004	0.116	16.734	0.004
49	18061	18062	SN	1	-34.863	26.321	0.162	-34.821	26.714	0.878	-9.419	29.686	21.92	-7.086	29.704	24.237	0.116	297.016	3.414	0.116	294.108	3.017	0.116	0.94	0.0	0.116	0.589	0.0
50	18061	18062	NS	1	-34.608	26.008	0.499	-34.946	26.7	0.691	11.544	28.572	13.284	11.952	28.952	30.784	0.116	280.057	3.185	0.116	302.804	2.592	0.116	0.121	0.0	0.116	0.12	0.0
51	18061	18062	NS	1	-34.608	26.022	0.497	-34.946	26.684	0.691	11.572	28.572	23.054	11.971	28.951	34.005	0.116	280.057	3.189	0.116	302.804	2.593	0.116	0.121	0.0	0.116	0.12	0.0
52	18062	18063	NS	1	-34.97	26.038	0.397	-34.357	26.935	0.5	10.874	27.551	7.639	8.665	28.34	15.983	0.116	304.413	1.98	0.116	264.355	1.765	0.116	0.122	0.0	0.116	0.126	0.0
53	18062	18063	NS	1	-33.953	25.973	0.413	-34.232	26.935	0.498	7.847	28.405	27.006	8.665	28.937	36.727	0.116	240.913	1.974	0.116	256.786	1.757	0.116	0.128	0.0	0.116	0.126	0.0
54	18062	18063	SN	1	-34.742	24.189	0.08	-34.275	24.483	0.627	6.963	29.028	38.124	8.384	30.091	52.53	0.116	288.833	4.106	0.116	259.381	3.423	0.116	0.131	0.0	0.116	0.127	0.0
55	18062	18063	SN	1	-34.742	24.189	0.08	-34.275	24.483	0.648	6.963	29.028	38.187	8.384	30.091	52.536	0.116	288.833	4.105	0.116	259.381	3.42	0.116	0.131	0.0	0.116	0.127	0.0
56	18062	18063	NS	1	-34.97	25.973	0.414	-34.357	26.935	0.499	7.847	28.414	27.011	8.665	28.937	36.727	0.116	304.413	1.983	0.116	264.355	1.766	0.116	0.128	0.0	0.116	0.126	0.0
57	18063	18064	NS	1	-34.834	26.649	0.237	-34.917	27.77	0.159	5.774	28.86	13.3	6.303	29.033	23.22	0.116	295.02	1.905	0.116	300.73	1.801	0.116	0.136	0.0	0.116	0.134	0.0
58	18063	18064	NS	2	-34.974	26.649	0.237	-34.917	27.77	0.159	5.774	28.86	13.3	6.303	29.033	23.22	0.116	304.67	1.905	0.116	300.73	1.801	0.116	0.136	0.0	0.116	0.134	0.0
59	18063	18064	SN	1	-34.363	22.832	0.027	-34.57	23.827	0.685	5.856	28.844	12.417	9.542	29.717	13.933	0.116	264.764	3.591	0.116	277.652	2.391	0.116	0.136	0.0	0.116	0.124	0.0
60	18063	18064	NS	1	-34.974	23.465	0.106	-34.917	27.769	0.124	5.774	27.156	3.356	6.303	27.976	8.131	0.116	304.67	1.922	0.116	300.73	1.812	0.116	0.136	0.0	0.116	0.134	0.0
61	18063	18064	SN	1	-34.363	22.136	0.003	-34.57	22.808	0.017	5.856	28.544	11.381	9.542	29.717	13.541	0.116	264.764	3.698	0.116	277.652	2.625	0.116	0.136	0.0	0.116	0.124	0.0
62	18064	18065	NS	1	-34.755	28.247	0.253	-34.765	29.085	0.247	9.398	30.36	10.696	6.748	32.916	23.251	0.116	289.647	2.695	0.116	290.368	2.793	0.116	0.124	0.0	0.116	0.132	0.0
63	18064	18065	SN	1	-34.434	25.404	1.237	-34.714	26.002	2.675	-21.144	33.657	8.655	-23.325	29.415	10.584	0.116	269.111	3.473	0.116	286.957	2.429	0.116	12.702	0.016	0.116	20.924	0.02
64	18064	18065	SN	1	-34.79	25.404	1.234	-34.714	26.002	2.671	-21.113	33.657	8.643	-23.259	29.415	10.571	0.116	292.072	3.47	0.116	286.957	2.423	0.116	12.61	0.016	0.116	20.613	0.02
65	18064	18065	SN	1	-34.434	25.404	1.168	-34.714	26.002	2.822	-21.144	33.657	8.655	-23.325	29.415	10.583	0.116	269.111	3.676	0.116	286.957	2.568	0.116	12.702	0.017	0.116	20.924	0.02
66	18065	18066	SN	1	-34.793	25.509	1.313	-34.53	26.409	1.913	3.93	30.77	8.395	5.314	28.96	5.002	0.116	292.315	1.649	0.116	275.088	1.407	0.116	0.148	0.0	0.116	0.139	0.0
67	18065	18066	SN	1	-34.946	25.509	1.311	-34.779	26.409	1.91	3.933	30.77	8.397	5.316	28.96	5.0	0.116	302.72	1.645	0.116	291.288	1.404	0.116	0.148	0.0	0.116	0.139	0.0
68	18065	18066	NS	1	-34.269	28.719	0.204	-34.283	29.345	0.207	-5.476	35.247	5.582	-2.831	30.419	14.042	0.116	259.01	3.82	0.116	259.88	4.387	0.116	0.437	0.0	0.116	0.285	0.0
69	18065	18066	NS	2	-34.269	28.719	0.204	-34.283	29.345	0.207	-5.476	35.247	5.582	-2.831	30.419	14.042	0.116	259.01	3.82	0.116	259.88	4.386	0.116	0.437	0.0	0.116	0.285	0.0
70	18065	18066	SN	1	-34.946	25.509	1.282	-34.779	26.409	1.872	3.933	30.77	8.397	5.316	28.96	5.0	0.116	302.72	1.609	0.116	291.288	1.376	0.116	0.148	0.0	0.116	0.139	0.0
71	18066	18067	NS	1	-34.946	26.688	0.211	-34.959	26.536	0.269	-12.606	28.827	8.12	-8.764	29.39	15.03	0.116	302.755	7.368	0.116	303.67	8.209	0.116	1.856	0.004	0.116	0.821	0.0
72	18066	18067	SN	1	-34.451	23.462	0.024	-34.536	23.949	0.046	7.082	27.359	15.795	7.33	28.097	12.693	0.116	270.116	2.565	0.116	275.514	1.871	0.116	0.131	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	18066	18067	SN	1	-34.451	23.462	0.024	-34.536	23.949	0.047	7.082	27.359	15.796	7.33	28.097	12.703	0.116	270.116	2.609	0.116	275.514	1.899	0.116	0.131	0.0	0.116	0.13	0.0
74	18067	18068	SN	1	-34.738	24.557	0.174	-34.761	25.659	0.218	5.956	27.302	14.235	6.131	27.586	12.667	0.116	288.527	3.327	0.116	290.134	2.654	0.116	0.136	0.0	0.116	0.135	0.0
75	18067	18068	SN	1	-34.738	24.557	0.169	-34.761	25.659	0.214	5.956	27.302	14.22	6.131	27.586	12.54	0.116	288.527	3.247	0.116	290.134	2.602	0.116	0.136	0.0	0.116	0.135	0.0
76	18067	18068	SN	2	-34.721	24.557	0.169	-34.761	25.659	0.214	5.956	27.302	14.22	6.131	27.586	12.542	0.116	287.462	3.246	0.116	290.134	2.602	0.116	0.136	0.0	0.116	0.135	0.0
77	18067	18068	NS	1	-34.338	23.917	0.124	-34.756	24.96	0.161	-17.074	29.294	4.779	-17.079	30.778	9.64	0.116	263.224	2.557	0.116	289.803	2.792	0.116	5.03	0.003	0.116	5.035	0.003
78	18067	18068	NS	1	-34.768	23.915	0.124	-34.756	24.96	0.162	-17.074	29.293	4.781	-17.079	30.778	9.644	0.116	290.627	2.563	0.116	289.803	2.802	0.116	5.03	0.003	0.116	5.035	0.003
79	18068	18069	NS	1	-34.54	23.473	0.017	-33.495	24.454	0.037	-6.344	28.456	5.115	-6.584	30.288	10.683	0.116	275.698	4.208	0.116	216.777	3.807	0.116	0.512	0.0	0.116	0.535	0.0
80	18068	18069	NS	1	-34.611	23.476	0.017	-34.054	24.451	0.037	-6.362	28.456	5.115	-6.584	30.288	10.679	0.116	280.246	4.21	0.116	246.502	3.81	0.116	0.514	0.0	0.116	0.535	0.0
81	18068	18069	SN	1	-34.738	24.797	0.154	-34.919	26.029	0.193	5.108	27.524	15.056	7.706	28.623	20.392	0.116	288.552	4.181	0.116	300.844	3.281	0.116	0.14	0.0	0.116	0.129	0.0
82	18068	18069	SN	1	-34.738	24.797	0.15	-34.919	26.029	0.187	5.108	27.524	14.65	7.706	28.623	19.896	0.116	288.552	4.054	0.116	300.844	3.179	0.116	0.14	0.0	0.116	0.129	0.0
83	18068	18069	SN	1	-34.738	24.797	0.15	-34.919	26.029	0.187	5.108	27.524	14.725	7.706	28.623	19.935	0.116	288.552	4.054	0.116	300.844	3.18	0.116	0.14	0.0	0.116	0.129	0.0
84	18069	18070	SN	1	-34.764	25.263	0.088	-34.768	24.902	0.092	5.149	27.489	12.957	8.042	28.493	15.889	0.116	290.345	3.558	0.116	290.621	2.358	0.116	0.14	0.0	0.116	0.128	0.0
85	18069	18070	SN	1	-34.886	25.263	0.088	-33.58	24.902	0.092	5.149	27.489	12.957	8.042	28.493	15.889	0.116	298.576	3.556	0.116	221.08	2.357	0.116	0.14	0.0	0.116	0.128	0.0
86	18069	18070	SN	1	-34.764	25.263	0.092	-34.768	24.902	0.097	5.149	27.489	13.771	8.042	28.493	16.031	0.116	290.345	3.704	0.116	290.621	2.489	0.116	0.14	0.0	0.116	0.128	0.0
87	18069	18070	NS	1	-34.25	25.116	1.293	-34.892	25.937	1.661	-11.802	32.656	6.865	-6.478	32.18	12.326	0.116	257.928	2.759	0.116	298.98	2.293	0.116	1.558	0.002	0.116	0.525	0.0
88	18069	18070	NS	2	-34.25	25.116	1.293	-34.892	25.937	1.661	-11.802	32.654	6.863	-6.478	32.18	12.323	0.116	257.928	2.757	0.116	298.98	2.293	0.116	1.558	0.002	0.116	0.525	0.0
89	18070	18071	SN	1	-34.376	25.792	0.435	-34.898	26.443	0.519	5.014	32.198	8.741	6.841	32.353	9.93	0.116	265.471	3.353	0.116	299.482	2.523	0.116	0.141	0.0	0.116	0.132	0.0
90	18070	18071	NS	1	-34.789	25.568	0.665	-34.324	26.691	1.148	7.188	27.384	13.136	7.183	28.968	22.56	0.116	291.992	3.02	0.116	262.383	2.721	0.116	0.13	0.0	0.116	0.13	0.0
91	18070	18071	SN	1	-34.376	25.792	0.467	-34.898	26.443	0.581	5.014	32.198	9.117	6.841	32.373	9.884	0.116	265.471	3.569	0.116	299.482	2.797	0.116	0.141	0.0	0.116	0.132	0.0
92	18070	18071	NS	2	-34.789	25.568	0.665	-34.324	26.691	1.148	7.188	27.384	13.136	7.183	28.968	22.56	0.116	291.992	3.02	0.116	262.383	2.722	0.116	0.13	0.0	0.116	0.13	0.0
93	18071	18072	SN	1	-34.36	26.084	1.084	-34.379	26.725	1.207	-5.948	29.816	11.775	-2.834	30.498	12.053	0.116	264.527	4.153	0.116	265.696	3.576	0.116	0.476	0.0	0.116	0.285	0.0
94	18071	18072	NS	1	-32.61	24.358	0.127	-34.894	25.187	0.195	-19.042	29.101	13.372	-18.882	29.768	23.498	0.116	176.872	1.852	0.116	299.083	1.672	0.116	7.862	0.012	0.116	7.58	0.011
95	18071	18072	SN	2	-34.36	26.084	0.982	-34.379	26.725	1.025	-5.95	29.816	11.038	-2.834	30.498	12.016	0.116	264.527	3.829	0.116	265.696	3.067	0.116	0.476	0.0	0.116	0.285	0.0
96	18071	18072	NS	1	-33.025	24.358	0.127	-34.894	25.187	0.195	-19.042	29.101	13.349	-18.882	29.768	23.475	0.116	194.521	1.851	0.116	299.083	1.671	0.116	7.86	0.012	0.116	7.58	0.011
97	18071	18072	SN	1	-34.36	26.084	0.982	-34.379	26.725	1.025	-5.95	29.816	11.038	-2.834	30.498	12.016	0.116	264.527	3.829	0.116	265.696	3.067	0.116	0.476	0.0	0.116	0.285	0.0
98	18072	18073	NS	1	-34.272	29.743	0.29	-34.656	26.949	0.478	-9.433	29.246	21.297	-2.747	33.459	34.027	0.116	259.248	4.283	0.116	283.174	3.663	0.116	0.942	0.0	0.116	0.281	0.0
99	18072	18073	SN	2	-34.886	26.828	0.29	-34.49	27.744	0.37	-19.484	28.722	14.94	-6.927	30.021	14.081	0.116	298.534	3.25	0.116	272.522	2.868	0.116	8.693	0.005	0.116	0.571	0.0
100	18072	18073	SN	1	-34.886	26.828	0.29	-34.49	27.744	0.37	-19.484	28.722	14.94	-6.927	30.021	14.081	0.116	298.534	3.25	0.116	272.522	2.868	0.116	8.693	0.005	0.116	0.571	0.0
101	18072	18073	NS	1	-34.532	29.743	0.289	-34.956	26.949	0.477	-9.433	29.246	21.3	-2.747	33.459	34.027	0.116	275.174	4.275	0.116	303.442	3.673	0.116	0.942	0.0	0.116	0.281	0.0
102	18073	18074	NS	1	-34.916	28.844	0.254	-34.948	25.646	0.347	-17.666	34.044	12.146	-21.042	33.183	21.307	0.116	300.556	3.316	0.116	302.861	3.178	0.116	5.751	0.027	0.116	12.406	0.056
103	18073	18074	SN	1	-34.707	28.052	0.215	-34.816	29.245	0.315	-22.784	31.318	15.416	-22.836	29.458	15.629	0.116	286.529	5.89	0.116	293.869	4.145	0.116	18.482	0.033	0.116	18.708	0.012
104	18073	18074	NS	1	-34.838	28.844	0.254	-34.603	25.646	0.347	-17.666	34.044	12.16	-21.042	33.183	21.316	0.116	295.29	3.318	0.116	279.759	3.177	0.116	5.751	0.028	0.116	12.406	0.056
105	18074	18075	NS	1	-34.936	26.8	0.16	-34.951	27.037	0.399	4.264	28.649	18.494	5.379	29.599	26.492	0.116	301.995	3.782	0.116	303.043	3.249	0.116	0.146	0.0	0.116	0.138	0.0
106	18074	18075	NS	1	-34.936	26.8	0.16	-34.951	27.037	0.399	4.264	28.649	17.741	5.379	29.599	25.737	0.116	301.995	3.782	0.116	303.043	3.249	0.116	0.146	0.0	0.116	0.138	0.0
107	18074	18075	SN	1	-34.414	26.172	0.254	-34.813	26.169	0.652	-27.388	28.808	13.396	-22.73	33.032	12.491	0.116	267.833	3.197	0.116	293.672	2.262	0.116	53.195	0.046	0.116	18.258	0.033
108	18075	18076	NS	1	-34.734	24.602	0.157	-34.45	25.318	0.421	11.781	28.768	18.496	12.316	29.833	36.649	0.116	288.357	2.096	0.116	270.084	1.976	0.116	0.121	0.0	0.116	0.12	0.0
109	18077	18078	SN	1	-34.787	22.794	0.019	-34.623	24.042	0.578	7.936	29.127	28.503	9.063	30.148	34.685	0.116	291.8	3.643	0.116	280.992	2.86	0.116	0.128	0.0	0.116	0.125	0.0
110	18078	18079	NS	1	-34.979	26.98	0.274	-32.816	27.334	0.193	4.227	29.039	10.614	7.969	29.279	20.278	0.116	305.024	2.497	0.116	185.426	2.356	0.116	0.146	0.0	0.116	0.128	0.0
111	18078	18079	NS	1	-34.979	22.857	0.115	-32.816	21.982	0.0	4.227	28.652	1.938	7.969	28.442	5.204	0.116	305.024	2.745	0.116	185.426	2.411	0.116	0.146	0.0	0.116	0.128	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	18049	18050	SN	1	57.559	58.24	0.0	0.0	296.591	4.05	1214.64	1262.152	0.0	-92.795	-91.72	0.0
2	18049	18050	SN	1	57.562	58.24	0.0	0.0	296.591	3.416	1214.248	1262.152	0.0	-92.795	-91.72	0.0
3	18049	18050	SN	1	57.562	58.24	0.0	0.0	296.591	4.054	1214.248	1262.152	0.0	-92.795	-91.72	0.0
4	18050	18051	SN	1	57.578	58.21	0.0	0.0	295.957	3.906	1214.376	1262.08	0.0	-92.914	-91.714	0.0
5	18050	18051	NS	1	57.548	58.146	0.0	0.0	299.371	3.75	1216.328	1261.224	0.0	-92.803	-91.73	0.0
6	18050	18051	SN	1	57.578	58.21	0.0	0.003	295.957	3.462	1214.376	1262.08	0.0	-92.914	-91.714	0.0
7	18051	18052	SN	1	57.58	58.223	0.0	0.0	297.038	3.755	1214.336	1262.232	0.0	-92.73	-91.744	0.0
8	18051	18052	NS	1	57.53	58.151	0.0	0.0	291.324	3.731	1215.944	1261.44	0.0	-92.828	-91.706	0.0
9	18051	18052	SN	2	57.58	58.224	0.0	0.0	297.093	3.316	1214.336	1262.256	0.0	-92.73	-91.744	0.0
10	18051	18052	NS	2	57.53	58.151	0.0	0.0	291.324	3.731	1215.944	1261.44	0.0	-92.828	-91.706	0.0
11	18051	18052	SN	1	57.58	58.223	0.0	0.0	297.038	3.315	1214.336	1262.232	0.0	-92.73	-91.744	0.0
12	18052	18053	NS	1	57.51	58.15	0.0	0.0	296.166	3.728	1216.08	1261.36	0.0	-92.831	-91.747	0.0
13	18052	18053	SN	2	57.577	58.229	0.0	0.0	295.428	3.783	1213.616	1262.128	0.0	-92.814	-91.74	0.0
14	18052	18053	NS	1	57.541	58.154	0.0	0.0	296.166	3.725	1215.928	1261.36	0.0	-92.815	-91.747	0.0
15	18052	18053	SN	1	57.559	58.229	0.0	0.0	295.428	3.322	1213.616	1262.128	0.0	-92.814	-91.74	0.0
16	18052	18053	SN	1	57.577	58.229	0.0	0.0	295.428	3.783	1213.616	1262.128	0.0	-92.814	-91.74	0.0
17	18053	18054	NS	1	57.537	58.149	0.0	0.0	293.53	3.781	1216.688	1261.208	0.0	-92.816	-91.716	0.0
18	18053	18054	SN	1	57.564	58.215	0.0	0.0	286.852	3.286	1213.488	1261.984	0.0	-92.816	-91.741	0.0
19	18053	18054	SN	2	57.564	58.215	0.0	0.0	286.852	3.801	1213.488	1261.984	0.0	-92.816	-91.741	0.0
20	18053	18054	SN	1	57.564	58.214	0.0	0.0	286.863	3.801	1213.488	1261.976	0.0	-92.816	-91.741	0.0
21	18053	18054	NS	1	57.534	58.155	0.0	0.0	293.53	3.778	1216.688	1261.208	0.0	-92.829	-91.716	0.0
22	18054	18055	NS	2	57.539	58.174	0.0	0.0	294.005	3.843	1216.64	1261.056	0.0	-92.796	-91.731	0.0
23	18054	18055	SN	1	57.578	58.227	0.0	0.0	296.553	3.115	1213.744	1261.88	0.0	-92.825	-91.743	0.0
24	18054	18055	SN	1	57.577	58.226	0.0	0.0	296.564	3.746	1213.944	1261.856	0.0	-92.838	-91.744	0.0
25	18054	18055	SN	1	57.578	58.227	0.0	0.0	296.553	3.747	1213.744	1261.88	0.0	-92.825	-91.743	0.0
26	18054	18055	NS	1	57.539	58.174	0.0	0.0	294.005	3.843	1216.64	1261.056	0.0	-92.796	-91.731	0.0
27	18055	18056	SN	1	57.548	58.227	0.0	0.0	294.496	3.939	1214.6	1261.824	0.0	-92.836	-91.733	0.0
28	18055	18056	NS	1	57.546	58.153	0.0	0.003	297.628	3.806	1215.696	1260.904	0.0	-92.828	-91.746	0.0
29	18055	18056	NS	1	57.544	58.15	0.0	0.003	297.644	3.795	1215.648	1260.944	0.0	-92.955	-91.746	0.0
30	18055	18056	SN	1	57.554	58.227	0.0	0.0	294.496	2.984	1214.6	1261.824	0.0	-92.836	-91.733	0.0
31	18055	18056	SN	2	57.548	58.227	0.0	0.0	294.496	3.939	1214.6	1261.824	0.0	-92.836	-91.733	0.0
32	18056	18057	SN	2	57.582	58.233	0.0	0.0	295.99	3.962	1214.936	1262.024	0.0	-92.844	-91.736	0.0
33	18056	18057	SN	1	57.582	58.233	0.0	0.0	295.99	2.643	1214.936	1262.024	0.0	-92.844	-91.736	0.0
34	18056	18057	SN	1	57.582	58.233	0.0	0.0	295.99	3.96	1214.936	1262.024	0.0	-92.844	-91.736	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	18056	18057	NS	1	57.521	58.158	0.0	0.0	295.549	3.776	1215.304	1261.136	0.0	-92.699	-91.742	0.0
36	18056	18057	NS	1	57.521	58.158	0.0	0.0	295.549	3.786	1215.304	1261.136	0.0	-92.803	-91.742	0.0
37	18057	18058	NS	1	57.523	58.145	0.0	0.0	297.021	3.859	1215.472	1261.2	0.0	-92.808	-91.71	0.0
38	18057	18058	SN	1	57.556	58.206	0.0	0.0	292.405	3.844	1214.952	1262.288	0.0	-92.818	-91.707	0.0
39	18057	18058	SN	2	57.556	58.206	0.0	0.0	292.405	3.844	1214.952	1262.288	0.0	-92.818	-91.707	0.0
40	18057	18058	NS	1	57.516	58.177	0.0	0.0	297.027	3.858	1216.168	1261.368	0.0	-92.834	-91.71	0.0
41	18058	18059	SN	1	57.552	58.205	0.0	0.0	286.686	3.814	1214.864	1262.032	0.0	-92.779	-91.749	0.0
42	18058	18059	NS	1	57.537	58.146	0.0	0.0	294.826	4.12	1215.568	1261.68	0.0	-92.894	-91.72	0.0
43	18058	18059	NS	2	57.53	58.146	0.0	0.0	294.788	4.115	1215.408	1261.68	0.0	-92.894	-91.719	0.0
44	18059	18060	SN	1	57.561	58.237	0.0	0.0	297.6	3.919	1214.912	1261.936	0.0	-92.824	-91.719	0.0
45	18059	18060	NS	1	57.525	58.146	0.0	0.0	294.986	3.83	1215.848	1261.584	0.0	-92.861	-91.745	0.0
46	18060	18061	NS	1	57.52	58.15	0.0	0.0	297.479	3.792	1215.704	1261.104	0.0	-92.924	-91.742	0.0
47	18060	18061	NS	1	57.52	58.15	0.0	0.0	281.982	3.315	1215.704	1260.352	0.0	-92.924	-91.742	0.0
48	18060	18061	SN	1	57.554	58.229	0.0	0.0	296.183	3.884	1214.856	1262.024	0.0	-92.797	-91.725	0.0
49	18061	18062	SN	1	57.504	58.218	0.0	0.0	295.604	3.821	1212.416	1262.048	0.0	-92.81	-91.744	0.0
50	18061	18062	NS	1	57.526	58.15	0.0	0.0	288.186	3.036	1215.56	1259.856	0.0	-92.829	-91.74	0.0
51	18061	18062	NS	1	57.526	58.15	0.0	0.0	289.466	3.783	1215.56	1261.048	0.0	-92.985	-91.74	0.0
52	18062	18063	NS	1	57.512	58.174	0.0	0.0	295.88	2.635	1215.664	1259.28	0.0	-92.736	-91.739	0.0
53	18062	18063	NS	1	57.512	58.174	0.0	0.0	295.88	3.986	1215.744	1261.152	0.0	-92.808	-91.739	0.0
54	18062	18063	SN	1	57.568	58.232	0.0	0.0	291.975	3.774	1214.92	1262.168	0.0	-92.806	-91.747	0.0
55	18062	18063	SN	1	57.568	58.232	0.0	0.0	291.975	3.783	1214.92	1262.168	0.0	-92.806	-91.747	0.0
56	18062	18063	NS	1	57.512	58.174	0.0	0.0	295.88	3.991	1215.664	1261.152	0.0	-92.815	-91.739	0.0
57	18063	18064	NS	1	57.546	58.142	0.0	0.0	294.054	3.922	1215.248	1261.176	0.0	-92.8	-91.714	0.0
58	18063	18064	NS	2	57.533	58.147	0.0	0.0	294.054	3.923	1215.232	1261.176	0.0	-92.8	-91.714	0.0
59	18063	18064	SN	1	57.557	58.244	0.0	0.0	299.288	4.05	1215.04	1262.224	0.0	-92.829	-91.748	0.0
60	18063	18064	NS	1	57.533	58.154	0.0	0.0	279.748	2.285	1215.232	1256.64	0.0	-92.741	-91.714	0.0
61	18063	18064	SN	1	57.557	58.244	0.0	0.0	299.288	2.893	1215.04	1262.224	0.0	-92.829	-91.748	0.0
62	18064	18065	NS	1	57.514	58.144	0.0	0.0	295.814	4.013	1215.856	1261.0	0.0	-92.802	-91.724	0.0
63	18064	18065	SN	1	57.559	58.216	0.0	0.0	296.668	4.081	1214.432	1261.992	0.0	-92.802	-91.7	0.0
64	18064	18065	SN	1	57.557	58.216	0.0	0.0	296.668	4.077	1214.408	1261.992	0.0	-92.795	-91.7	0.0
65	18064	18065	SN	1	57.559	58.216	0.0	0.0	296.668	3.584	1214.432	1261.992	0.0	-92.802	-91.7	0.0
66	18065	18066	SN	1	57.575	58.221	0.0	0.003	296.95	3.384	1214.488	1262.208	0.0	-92.818	-91.735	0.0
67	18065	18066	SN	1	57.584	58.22	0.0	0.003	296.966	3.381	1214.368	1262.216	0.0	-92.818	-91.735	0.0
68	18065	18066	NS	1	57.547	58.154	0.0	0.0	299.95	3.663	1215.488	1261.16	0.0	-92.802	-91.718	0.0
69	18065	18066	NS	2	57.547	58.154	0.0	0.0	299.95	3.662	1215.488	1261.16	0.0	-92.802	-91.718	0.0
70	18065	18066	SN	1	57.584	58.22	0.0	0.0	296.966	3.818	1214.368	1262.216	0.0	-92.818	-91.735	0.0
71	18066	18067	NS	1	57.524	58.149	0.0	0.0	291.407	3.769	1215.264	1261.28	0.0	-92.834	-91.722	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	18066	18067	SN	1	57.551	58.22	0.0	0.0	297.082	3.79	1214.52	1262.248	0.0	-92.833	-91.746	0.0
73	18066	18067	SN	1	57.551	58.22	0.0	0.0	297.082	3.347	1214.52	1262.248	0.0	-92.833	-91.746	0.0
74	18067	18068	SN	1	57.574	58.231	0.0	0.0	295.003	3.297	1214.696	1262.096	0.0	-92.959	-91.727	0.0
75	18067	18068	SN	1	57.574	58.231	0.0	0.0	295.003	3.783	1214.696	1262.096	0.0	-92.959	-91.727	0.0
76	18067	18068	SN	2	57.574	58.231	0.0	0.0	294.92	3.786	1214.696	1262.104	0.0	-92.959	-91.727	0.0
77	18067	18068	NS	1	57.522	58.146	0.0	0.0	294.931	3.765	1215.872	1261.128	0.0	-92.836	-91.72	0.0
78	18067	18068	NS	1	57.522	58.146	0.0	0.0	294.931	3.769	1215.872	1261.128	0.0	-92.836	-91.72	0.0
79	18068	18069	NS	1	57.515	58.152	0.0	0.0	293.326	3.89	1216.232	1261.04	0.0	-92.831	-91.735	0.0
80	18068	18069	NS	1	57.515	58.152	0.0	0.0	293.326	3.888	1216.232	1261.04	0.0	-92.834	-91.735	0.0
81	18068	18069	SN	1	57.57	58.231	0.0	0.003	285.644	3.202	1213.864	1261.992	0.0	-93.101	-91.745	0.0
82	18068	18069	SN	1	57.57	58.231	0.0	0.003	285.644	3.743	1213.864	1261.992	0.0	-93.101	-91.745	0.0
83	18068	18069	SN	1	57.57	58.231	0.0	0.003	285.644	3.745	1213.864	1261.992	0.0	-93.101	-91.745	0.0
84	18069	18070	SN	1	57.471	58.223	0.0	0.0	295.747	3.835	1214.496	1261.824	0.0	-94.433	-91.744	0.0
85	18069	18070	SN	1	57.471	58.223	0.0	0.0	295.747	3.832	1214.688	1261.824	0.0	-94.433	-91.744	0.0
86	18069	18070	SN	1	57.564	58.223	0.0	0.0	295.747	3.067	1214.496	1261.824	0.0	-92.961	-91.744	0.0
87	18069	18070	NS	1	57.524	58.161	0.0	0.0	293.927	3.857	1215.424	1260.848	0.0	-92.834	-91.738	0.0
88	18069	18070	NS	2	57.523	58.161	0.0	0.0	293.933	3.86	1215.408	1260.872	0.0	-92.834	-91.738	0.0
89	18070	18071	SN	1	57.58	58.238	0.0	0.0	294.076	3.913	1215.224	1261.936	0.0	-92.845	-91.72	0.0
90	18070	18071	NS	1	57.383	58.174	0.0	0.0	298.097	3.923	1215.528	1260.912	0.0	-94.614	-91.741	0.0
91	18070	18071	SN	1	57.58	58.238	0.0	0.0	294.076	2.812	1215.224	1261.936	0.0	-92.845	-91.72	0.0
92	18070	18071	NS	2	57.512	58.174	0.0	0.0	298.097	3.922	1215.528	1260.912	0.0	-92.85	-91.741	0.0
93	18071	18072	SN	1	57.58	58.206	0.0	0.0	296.674	2.428	1215.4	1262.472	0.0	-92.884	-91.723	0.0
94	18071	18072	NS	1	57.546	58.147	0.0	0.0	292.747	3.809	1215.728	1261.104	0.0	-92.805	-91.735	0.0
95	18071	18072	SN	2	57.58	58.206	0.0	0.0	296.674	3.876	1215.4	1262.472	0.0	-92.884	-91.723	0.0
96	18071	18072	NS	1	57.548	58.145	0.0	0.0	292.813	3.804	1215.768	1261.056	0.0	-92.837	-91.736	0.0
97	18071	18072	SN	1	57.58	58.206	0.0	0.0	296.674	3.876	1215.4	1262.472	0.0	-92.884	-91.723	0.0
98	18072	18073	NS	1	57.512	58.148	0.0	0.0	294.727	4.031	1215.808	1261.752	0.0	-92.792	-91.699	0.0
99	18072	18073	SN	2	57.579	58.448	0.0	0.0	292.3	3.785	1214.752	1271.384	0.0	-95.492	-91.72	0.0
100	18072	18073	SN	1	57.579	58.448	0.0	0.0	292.3	3.785	1214.752	1271.384	0.0	-95.492	-91.72	0.0
101	18072	18073	NS	1	57.512	58.144	0.0	0.0	294.727	4.027	1215.808	1261.088	0.0	-92.751	-91.699	0.0
102	18073	18074	NS	1	57.549	58.151	0.0	0.0	296.453	3.852	1215.088	1261.032	0.0	-92.986	-91.72	0.0
103	18073	18074	SN	1	57.557	58.23	0.0	0.0	286.714	3.851	1215.224	1261.976	0.0	-92.837	-91.752	0.0
104	18073	18074	NS	1	57.549	58.152	0.0	0.0	296.453	3.856	1215.152	1261.488	0.0	-92.833	-91.72	0.0
105	18074	18075	NS	1	57.549	58.144	0.0	0.0	294.727	3.964	1215.512	1261.16	0.0	-92.876	-91.741	0.0
106	18074	18075	NS	1	57.549	58.144	0.0	0.0	294.727	3.755	1215.512	1261.16	0.0	-92.876	-91.741	0.0
107	18074	18075	SN	1	57.554	58.232	0.0	0.0	296.668	3.902	1215.28	1262.024	0.0	-92.828	-91.714	0.0
108	18075	18076	NS	1	57.543	58.143	0.0	0.003	281.541	3.182	1215.104	1259.776	0.0	-92.877	-91.738	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	18077	18078	SN	1	57.565	58.24	0.0	0.0	290.591	3.953	1215.408	1262.288	0.0	-92.814	-91.751	0.0
110	18078	18079	NS	1	57.507	58.406	0.0	0.0	293.977	4.048	1215.376	1261.352	0.0	-94.475	-91.732	0.0
111	18078	18079	NS	1	57.507	58.141	0.0	0.0	278.37	2.404	1215.376	1253.672	0.0	-92.666	-91.732	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	18049	18050	SN	1	-34.297	18.872	0.0	-34.657	18.826	0.0	-19.136	22.149	0.005	-24.004	22.463	0.016	0.086	199.263	3.57	0.086	216.491	2.639	0.086	6.135	0.002	0.086	18.687	0.014
2	18049	18050	SN	1	-34.561	18.872	0.0	-34.623	18.826	0.0	-19.136	22.149	0.005	-24.001	22.463	0.016	0.086	211.74	3.704	0.086	214.805	2.872	0.086	6.135	0.002	0.086	18.673	0.014
3	18049	18050	SN	1	-34.561	18.872	0.0	-34.623	18.826	0.0	-19.136	22.149	0.005	-24.001	22.463	0.016	0.086	211.74	3.576	0.086	214.805	2.641	0.086	6.135	0.002	0.086	18.673	0.014
4	18050	18051	SN	1	-34.9	18.821	0.0	-34.889	19.242	0.0	-17.046	22.274	0.002	-18.656	22.073	0.004	0.086	228.939	3.741	0.086	228.377	3.106	0.086	3.913	0.005	0.086	5.499	0.004
5	18050	18051	NS	1	-34.578	21.852	0.0	-34.81	22.484	0.001	-4.703	22.424	0.005	-4.686	23.094	0.039	0.086	212.594	3.416	0.086	224.28	3.177	0.086	0.288	0.0	0.086	0.287	0.0
6	18050	18051	SN	1	-34.9	18.821	0.0	-34.889	19.242	0.0	-17.046	22.274	0.002	-18.656	22.073	0.004	0.086	228.939	3.859	0.086	228.377	3.191	0.086	3.913	0.005	0.086	5.499	0.004
7	18051	18052	SN	1	-34.584	18.263	0.0	-34.841	19.18	0.0	1.035	22.079	0.006	0.927	21.114	0.0	0.086	212.903	1.593	0.086	225.832	1.629	0.086	0.135	0.0	0.086	0.136	0.0
8	18051	18052	NS	1	-34.872	19.947	0.0	-34.823	19.593	0.0	-9.41	22.458	0.009	-25.07	22.636	0.022	0.086	227.503	5.198	0.086	224.925	5.27	0.086	0.713	0.0	0.086	23.866	0.07
9	18051	18052	SN	2	-34.584	18.263	0.0	-34.841	19.18	0.0	1.035	22.079	0.006	0.927	21.114	0.0	0.086	212.903	1.623	0.086	225.832	1.652	0.086	0.135	0.0	0.086	0.136	0.0
10	18051	18052	NS	2	-34.872	19.947	0.0	-34.823	19.593	0.0	-9.41	22.458	0.009	-25.07	22.636	0.022	0.086	227.503	5.198	0.086	224.925	5.27	0.086	0.713	0.0	0.086	23.866	0.07
11	18051	18052	SN	1	-34.584	18.263	0.0	-34.841	19.18	0.0	1.035	22.079	0.006	0.927	21.114	0.0	0.086	212.903	1.623	0.086	225.832	1.653	0.086	0.135	0.0	0.086	0.136	0.0
12	18052	18053	NS	1	-34.356	19.762	0.0	-34.306	19.847	0.0	-31.984	22.016	0.002	-33.048	22.757	0.017	0.086	201.954	3.448	0.086	199.65	3.178	0.086	117.013	0.247	0.086	149.483	0.15
13	18052	18053	SN	2	-34.988	18.306	0.0	-34.973	18.331	0.0	0.734	21.794	0.0	0.331	20.56	0.0	0.086	233.643	3.011	0.086	232.831	2.451	0.086	0.139	0.0	0.086	0.144	0.0
14	18052	18053	NS	1	-34.878	19.76	0.0	-34.682	19.847	0.0	-33.345	22.017	0.002	-33.053	22.757	0.017	0.086	227.824	3.447	0.086	217.765	3.178	0.086	160.087	0.247	0.086	149.63	0.152
15	18052	18053	SN	1	-34.923	18.306	0.0	-34.973	18.331	0.0	0.734	21.794	0.0	0.331	20.56	0.0	0.086	230.153	3.072	0.086	232.831	2.483	0.086	0.139	0.0	0.086	0.144	0.0
16	18052	18053	SN	1	-34.988	18.306	0.0	-34.973	18.331	0.0	0.734	21.794	0.0	0.331	20.56	0.0	0.086	233.643	3.011	0.086	232.831	2.451	0.086	0.139	0.0	0.086	0.144	0.0
17	18053	18054	NS	1	-34.484	18.238	0.0	-34.342	17.734	0.0	-27.038	21.985	0.0	-25.708	22.591	0.01	0.086	208.033	3.346	0.086	201.323	3.522	0.086	37.506	0.027	0.086	27.632	0.02
18	18053	18054	SN	1	-33.995	18.495	0.0	-34.557	19.155	0.0	0.389	21.473	0.0	1.623	21.946	0.0	0.086	185.913	2.528	0.086	211.534	1.977	0.086	0.143	0.0	0.086	0.128	0.0
19	18053	18054	SN	2	-33.995	18.495	0.0	-34.557	19.155	0.0	0.389	21.473	0.0	1.623	21.946	0.0	0.086	185.913	2.469	0.086	211.534	1.933	0.086	0.143	0.0	0.086	0.128	0.0
20	18053	18054	SN	1	-33.857	18.495	0.0	-34.866	19.155	0.0	0.389	21.473	0.0	1.623	21.946	0.0	0.086	180.112	2.468	0.086	227.178	1.933	0.086	0.143	0.0	0.086	0.128	0.0
21	18053	18054	NS	1	-34.583	18.238	0.0	-34.154	17.734	0.0	-27.17	21.983	0.0	-25.898	22.59	0.01	0.086	212.809	3.354	0.086	192.823	3.526	0.086	38.656	0.028	0.086	28.864	0.019
22	18054	18055	NS	2	-34.945	18.957	0.0	-34.79	19.689	0.0	-15.049	21.971	0.0	-23.502	22.354	0.009	0.086	231.314	2.046	0.086	223.224	2.071	0.086	2.433	0.01	0.086	16.649	0.021
23	18054	18055	SN	1	-34.985	18.215	0.0	-33.867	18.838	0.0	-0.303	21.225	0.0	1.926	21.915	0.0	0.086	233.437	2.959	0.086	180.464	2.453	0.086	0.154	0.0	0.086	0.125	0.0
24	18054	18055	SN	1	-34.864	18.215	0.0	-33.412	18.838	0.0	-0.303	21.225	0.0	1.926	21.915	0.0	0.086	227.106	2.874	0.086	162.51	2.366	0.086	0.154	0.0	0.086	0.125	0.0
25	18054	18055	SN	1	-34.864	18.215	0.0	-33.867	18.838	0.0	-0.303	21.225	0.0	1.926	21.915	0.0	0.086	227.106	2.875	0.086	180.464	2.364	0.086	0.154	0.0	0.086	0.125	0.0
26	18054	18055	NS	1	-34.945	18.957	0.0	-34.79	19.687	0.0	-15.049	21.971	0.0	-23.502	22.354	0.009	0.086	231.314	2.046	0.086	223.224	2.073	0.086	2.433	0.01	0.086	16.649	0.021
27	18055	18056	SN	1	-34.928	20.142	0.0	-34.527	19.848	0.0	-0.512	22.737	0.024	6.306	22.47	0.021	0.086	230.386	3.15	0.086	210.109	2.79	0.086	0.158	0.0	0.086	0.099	0.0
28	18055	18056	NS	1	-34.998	18.951	0.0	-34.868	19.658	0.0	-33.938	21.561	0.0	-25.924	22.279	0.006	0.086	234.16	3.157	0.086	227.223	2.637	0.086	183.427	0.143	0.086	29.043	0.156
29	18055	18056	NS	1	-34.275	18.951	0.0	-34.957	19.658	0.0	-34.085	21.564	0.0	-25.917	22.279	0.006	0.086	198.237	3.157	0.086	231.965	2.64	0.086	189.754	0.143	0.086	28.987	0.156
30	18055	18056	SN	1	-34.928	20.142	0.0	-34.527	19.848	0.0	-0.512	22.737	0.025	6.306	22.47	0.021	0.086	230.386	3.293	0.086	210.109	2.929	0.086	0.158	0.0	0.086	0.099	0.0
31	18055	18056	SN	2	-34.928	20.142	0.0	-34.527	19.848	0.0	-0.512	22.737	0.024	6.306	22.47	0.021	0.086	230.386	3.15	0.086	210.109	2.79	0.086	0.158	0.0	0.086	0.099	0.0
32	18056	18057	SN	2	-34.883	19.644	0.0	-34.694	20.828	0.0	-10.057	22.816	0.031	-7.594	25.769	0.13	0.086	228.031	2.619	0.086	218.341	2.286	0.086	0.816	0.0	0.086	0.493	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	18056	18057	SN	1	-34.883	19.644	0.0	-34.578	20.828	0.0	-10.057	22.816	0.034	-7.919	25.769	0.131	0.086	228.031	2.516	0.086	212.57	2.078	0.086	0.816	0.0	0.086	0.525	0.0
34	18056	18057	SN	1	-34.883	19.644	0.0	-34.694	20.828	0.0	-10.057	22.816	0.031	-7.594	25.769	0.13	0.086	228.031	2.619	0.086	218.341	2.285	0.086	0.816	0.0	0.086	0.493	0.0
35	18056	18057	NS	1	-34.298	19.008	0.0	-34.905	19.929	0.0	0.908	22.32	0.006	0.641	23.024	0.067	0.086	199.301	1.182	0.086	229.189	0.999	0.086	0.136	0.0	0.086	0.14	0.0
36	18056	18057	NS	1	-34.697	19.008	0.0	-34.905	19.929	0.0	0.904	22.32	0.006	0.639	23.024	0.067	0.086	218.467	1.186	0.086	229.189	0.997	0.086	0.136	0.0	0.086	0.14	0.0
37	18057	18058	NS	1	-34.028	22.758	0.003	-34.849	18.937	0.0	-14.274	22.636	0.066	-10.592	23.194	0.499	0.086	187.287	1.672	0.086	226.287	1.625	0.086	2.046	0.002	0.086	0.914	0.0
38	18057	18058	SN	1	-34.544	20.885	0.0	-34.648	21.234	0.0	-30.279	22.419	0.01	-22.065	23.136	0.13	0.086	210.898	5.6	0.086	216.041	4.471	0.086	79.031	0.099	0.086	12.285	0.028
39	18057	18058	SN	2	-34.544	20.885	0.0	-34.648	21.234	0.0	-30.279	22.419	0.01	-22.065	23.136	0.13	0.086	210.898	5.6	0.086	216.041	4.471	0.086	79.031	0.099	0.086	12.285	0.028
40	18057	18058	NS	1	-34.044	22.758	0.003	-34.656	18.936	0.0	-14.303	22.636	0.066	-10.59	23.19	0.499	0.086	188.04	1.668	0.086	216.428	1.616	0.086	2.06	0.002	0.086	0.914	0.0
41	18058	18059	SN	1	-34.883	21.946	0.0	-34.668	21.935	0.0	-9.588	22.571	0.011	-15.068	23.287	0.096	0.086	228.009	5.233	0.086	217.064	4.234	0.086	0.74	0.0	0.086	2.443	0.002
42	18058	18059	NS	1	-34.844	21.862	0.0	-34.843	21.762	0.0	-4.399	22.758	0.11	-1.635	23.467	0.641	0.086	226.049	2.76	0.086	225.949	2.644	0.086	0.274	0.0	0.086	0.181	0.0
43	18058	18059	NS	2	-34.538	21.861	0.0	-34.625	21.764	0.0	-4.399	22.758	0.11	-1.635	23.467	0.641	0.086	210.655	2.76	0.086	214.857	2.643	0.086	0.274	0.0	0.086	0.181	0.0
44	18059	18060	SN	1	-34.803	21.519	0.0	-34.126	22.248	0.001	-32.194	22.805	0.02	-26.466	23.417	0.125	0.086	223.861	4.498	0.086	191.611	3.947	0.086	122.811	0.184	0.086	32.888	0.056
45	18059	18060	NS	1	-34.748	20.223	0.0	-34.976	21.211	0.0	-0.484	23.026	0.038	-0.249	23.795	0.269	0.086	221.078	3.449	0.086	232.994	3.076	0.086	0.157	0.0	0.086	0.153	0.0
46	18060	18061	NS	1	-34.795	21.716	0.0	-34.244	20.557	0.0	3.945	22.466	0.059	4.992	23.01	0.215	0.086	223.456	2.42	0.086	196.856	2.351	0.086	0.11	0.0	0.086	0.104	0.0
47	18060	18061	NS	1	-34.795	21.716	0.0	-34.244	20.557	0.0	3.903	22.466	0.065	4.978	23.0	0.234	0.086	223.456	2.396	0.086	196.856	2.35	0.086	0.11	0.0	0.086	0.104	0.0
48	18060	18061	SN	1	-33.693	19.42	0.0	-33.778	19.132	0.0	-28.833	22.398	0.023	-30.247	23.716	0.083	0.086	173.445	3.786	0.086	176.851	2.912	0.086	56.671	0.112	0.086	78.465	0.137
49	18061	18062	SN	1	-34.652	19.489	0.0	-34.558	19.305	0.0	-27.405	22.897	0.119	-27.108	23.221	0.349	0.086	216.296	3.437	0.086	211.645	2.928	0.086	40.803	0.067	0.086	38.116	0.069
50	18061	18062	NS	1	-34.114	20.206	0.0	-34.874	20.311	0.0	3.193	22.504	0.065	3.136	22.945	0.401	0.086	191.034	2.421	0.086	227.533	2.246	0.086	0.114	0.0	0.086	0.115	0.0
51	18061	18062	NS	1	-34.741	20.216	0.0	-34.874	20.311	0.0	3.192	22.504	0.042	3.136	22.95	0.277	0.086	220.675	2.471	0.086	227.533	2.247	0.086	0.114	0.0	0.086	0.115	0.0
52	18062	18063	NS	1	-34.137	19.16	0.0	-34.84	21.067	0.0	4.278	22.44	0.074	1.394	22.802	0.101	0.086	192.07	1.66	0.086	231.536	1.478	0.086	0.108	0.0	0.086	0.131	0.0
53	18062	18063	NS	1	-34.748	19.687	0.0	-34.711	21.067	0.0	3.079	22.545	0.056	1.399	22.97	0.238	0.086	221.07	1.683	0.086	219.226	1.475	0.086	0.115	0.0	0.086	0.131	0.0
54	18062	18063	SN	1	-34.885	17.89	0.0	-34.453	17.998	0.0	1.547	22.723	0.146	1.874	23.954	1.158	0.086	228.108	4.234	0.086	206.56	3.293	0.086	0.129	0.0	0.086	0.126	0.0
55	18062	18063	SN	1	-34.885	17.89	0.0	-34.453	17.998	0.0	1.547	22.723	0.146	1.874	23.954	1.158	0.086	228.108	4.233	0.086	206.56	3.29	0.086	0.129	0.0	0.086	0.126	0.0
56	18062	18063	NS	1	-34.137	19.687	0.0	-34.84	21.067	0.0	3.066	22.554	0.056	1.399	22.969	0.238	0.086	192.07	1.688	0.086	231.536	1.476	0.086	0.115	0.0	0.086	0.131	0.0
57	18063	18064	NS	1	-34.796	20.258	0.0	-34.782	21.078	0.0	0.687	22.701	0.088	-0.731	23.128	0.204	0.086	223.515	2.246	0.086	222.863	2.241	0.086	0.139	0.0	0.086	0.162	0.0
58	18063	18064	NS	2	-34.719	20.258	0.0	-32.85	21.078	0.0	0.687	22.701	0.088	-0.731	23.128	0.204	0.086	219.611	2.246	0.086	142.849	2.24	0.086	0.139	0.0	0.086	0.162	0.0
59	18063	18064	SN	1	-34.96	17.141	0.0	-34.377	17.389	0.0	2.146	22.816	0.06	4.103	22.78	0.118	0.087	232.164	3.095	0.087	203.009	2.308	0.086	0.123	0.0	0.086	0.109	0.0
60	18063	18064	NS	1	-34.651	18.516	0.0	-32.85	21.067	0.0	0.687	20.996	0.0	-0.731	20.698	0.0	0.086	216.164	2.223	0.086	142.849	2.173	0.086	0.139	0.0	0.086	0.162	0.0
61	18063	18064	SN	1	-34.96	17.141	0.0	-34.377	17.389	0.0	2.146	22.226	0.007	4.103	22.777	0.102	0.087	232.164	3.179	0.087	203.009	2.553	0.086	0.123	0.0	0.086	0.109	0.0
62	18064	18065	NS	1	-34.996	22.372	0.001	-34.66	22.147	0.001	2.754	22.548	0.005	2.144	25.778	0.053	0.086	234.052	2.283	0.086	216.632	2.58	0.086	0.118	0.0	0.086	0.123	0.0
63	18064	18065	SN	1	-34.686	19.197	0.0	-34.462	19.516	0.0	-17.891	21.978	0.0	-14.243	21.892	0.0	0.086	217.979	4.21	0.086	206.987	3.344	0.086	4.621	0.003	0.086	2.032	0.002
64	18064	18065	SN	1	-34.982	19.197	0.0	-34.462	19.516	0.0	-17.906	21.978	0.0	-14.215	21.892	0.0	0.086	233.262	4.205	0.086	206.987	3.339	0.086	4.636	0.003	0.086	2.019	0.002
65	18064	18065	SN	1	-34.686	19.197	0.0	-34.462	19.516	0.0	-17.891	21.978	0.0	-14.243	21.892	0.0	0.086	217.979	4.394	0.086	206.987	3.526	0.086	4.621	0.003	0.086	2.032	0.002
66	18065	18066	SN	1	-33.6	18.857	0.0	-34.464	19.652	0.0	1.522	22.022	0.002	-0.266	21.313	0.0	0.086	169.724	1.62	0.086	207.082	1.357	0.086	0.129	0.0	0.086	0.154	0.0
67	18065	18066	SN	1	-33.812	18.857	0.0	-34.713	19.652	0.0	1.522	22.022	0.002	-0.267	21.312	0.0	0.086	178.263	1.617	0.086	219.305	1.351	0.086	0.129	0.0	0.086	0.154	0.0
68	18065	18066	NS	1	-34.971	22.559	0.004	-34.564	22.418	0.001	-9.223	22.104	0.003	-8.275	22.778	0.024	0.086	232.698	3.712	0.086	211.946	3.994	0.086	0.685	0.0	0.086	0.564	0.0
69	18065	18066	NS	2	-34.971	22.559	0.004	-34.564	22.418	0.001	-9.223	22.104	0.003	-8.275	22.778	0.024	0.086	232.698	3.712	0.086	211.946	3.992	0.086	0.685	0.0	0.086	0.564	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	18065	18066	SN	1	-33.812	18.857	0.0	-34.713	19.652	0.0	1.522	22.022	0.002	-0.267	21.312	0.0	0.086	178.263	1.581	0.086	219.305	1.328	0.086	0.129	0.0	0.086	0.154	0.0
71	18066	18067	NS	1	-34.759	19.451	0.0	-34.953	19.706	0.0	-6.629	22.305	0.006	-24.73	22.891	0.018	0.086	221.649	7.134	0.086	231.734	7.696	0.086	0.408	0.0	0.086	22.074	0.044
72	18066	18067	SN	1	-34.71	18.034	0.0	-34.755	18.447	0.0	0.778	21.76	0.0	1.012	20.099	0.0	0.086	219.13	2.311	0.086	221.394	1.817	0.086	0.138	0.0	0.086	0.135	0.0
73	18066	18067	SN	1	-34.71	18.034	0.0	-34.755	18.447	0.0	0.778	21.76	0.0	1.012	20.099	0.0	0.086	219.13	2.353	0.086	221.394	1.838	0.086	0.138	0.0	0.086	0.135	0.0
74	18067	18068	SN	1	-34.885	18.427	0.0	-34.813	18.903	0.0	-0.12	21.462	0.0	1.303	21.697	0.0	0.086	228.093	3.012	0.086	224.452	2.709	0.086	0.151	0.0	0.086	0.132	0.0
75	18067	18068	SN	1	-34.885	18.427	0.0	-34.813	18.903	0.0	-0.12	21.462	0.0	1.303	21.697	0.0	0.086	228.093	2.944	0.086	224.452	2.664	0.086	0.151	0.0	0.086	0.132	0.0
76	18067	18068	SN	2	-34.852	18.427	0.0	-34.813	18.903	0.0	-0.12	21.462	0.0	1.303	21.697	0.0	0.086	226.421	2.945	0.086	224.452	2.663	0.086	0.151	0.0	0.086	0.132	0.0
77	18067	18068	NS	1	-34.744	19.431	0.0	-33.65	20.15	0.0	-25.518	21.954	0.0	-26.173	22.37	0.011	0.086	220.86	4.091	0.086	171.706	4.146	0.086	26.452	0.047	0.086	30.755	0.1
78	18067	18068	NS	1	-34.208	19.432	0.0	-34.417	20.15	0.0	-25.518	21.954	0.0	-26.173	22.368	0.011	0.086	195.28	4.094	0.086	204.833	4.127	0.086	26.452	0.047	0.086	30.755	0.1
79	18068	18069	NS	1	-34.999	17.944	0.0	-34.569	17.995	0.0	-28.947	21.784	0.0	-17.193	22.282	0.013	0.086	234.226	3.415	0.086	212.134	3.357	0.086	58.19	0.032	0.086	3.944	0.011
80	18068	18069	NS	1	-34.994	17.946	0.0	-34.444	17.994	0.0	-28.802	21.784	0.0	-17.181	22.282	0.013	0.086	234.0	3.407	0.086	206.114	3.361	0.086	56.27	0.032	0.086	3.934	0.011
81	18068	18069	SN	1	-34.648	18.055	0.0	-34.926	18.53	0.0	-0.3	21.471	0.0	1.521	21.799	0.0	0.086	216.04	3.32	0.086	230.352	2.764	0.086	0.154	0.0	0.086	0.129	0.0
82	18068	18069	SN	1	-34.648	18.055	0.0	-34.926	18.53	0.0	-0.3	21.471	0.0	1.521	21.799	0.0	0.086	216.04	3.234	0.086	230.352	2.687	0.086	0.154	0.0	0.086	0.129	0.0
83	18068	18069	SN	1	-34.648	18.055	0.0	-34.926	18.53	0.0	-0.3	21.471	0.0	1.521	21.799	0.0	0.086	216.04	3.235	0.086	230.352	2.688	0.086	0.154	0.0	0.086	0.129	0.0
84	18069	18070	SN	1	-34.994	18.345	0.0	-34.524	18.591	0.0	-0.841	21.474	0.0	3.275	21.518	0.0	0.086	233.977	4.112	0.086	209.938	3.483	0.086	0.164	0.0	0.086	0.114	0.0
85	18069	18070	SN	1	-34.835	18.345	0.0	-34.524	18.591	0.0	-0.841	21.474	0.0	3.275	21.518	0.0	0.086	225.539	4.102	0.086	209.938	3.483	0.086	0.164	0.0	0.086	0.114	0.0
86	18069	18070	SN	1	-34.994	18.345	0.0	-34.708	18.591	0.0	-0.841	21.474	0.0	3.275	21.518	0.0	0.086	233.977	4.247	0.086	219.034	3.638	0.086	0.164	0.0	0.086	0.114	0.0
87	18069	18070	NS	1	-34.882	19.684	0.0	-34.524	19.98	0.0	-30.42	21.691	0.0	-17.691	22.582	0.01	0.086	227.934	2.93	0.086	209.98	2.743	0.086	81.642	0.122	0.086	4.416	0.023
88	18069	18070	NS	2	-34.837	19.684	0.0	-34.167	19.98	0.0	-30.375	21.691	0.0	-17.691	22.582	0.01	0.086	225.652	2.93	0.086	193.379	2.744	0.086	80.796	0.122	0.086	4.417	0.023
89	18070	18071	SN	1	-33.78	19.746	0.0	-34.332	19.944	0.0	-0.612	22.955	0.025	1.49	24.072	0.094	0.086	176.93	3.872	0.086	200.926	3.474	0.086	0.16	0.0	0.086	0.13	0.0
90	18070	18071	NS	1	-34.793	19.579	0.0	-34.911	20.179	0.0	2.559	22.44	0.083	1.515	22.979	0.081	0.086	223.373	3.024	0.086	229.532	2.834	0.086	0.119	0.0	0.086	0.129	0.0
91	18070	18071	SN	1	-33.78	19.746	0.0	-34.332	19.944	0.0	-0.612	22.955	0.027	1.49	24.07	0.094	0.086	176.93	4.084	0.086	200.926	3.858	0.086	0.16	0.0	0.086	0.13	0.0
92	18070	18071	NS	2	-34.793	19.579	0.0	-34.911	20.179	0.0	2.559	22.44	0.083	1.515	22.979	0.081	0.086	223.373	3.024	0.086	229.532	2.832	0.086	0.119	0.0	0.086	0.129	0.0
93	18071	18072	SN	1	-34.943	20.592	0.0	-34.368	20.959	0.0	-11.754	22.774	0.022	-13.695	23.408	0.132	0.086	231.212	3.558	0.086	202.568	3.214	0.086	1.174	0.002	0.086	1.799	0.002
94	18071	18072	NS	1	-34.569	19.584	0.0	-34.768	20.152	0.0	-26.857	22.571	0.045	-12.127	23.143	0.301	0.086	212.122	2.497	0.086	222.151	2.318	0.086	35.978	0.002	0.086	1.273	0.002
95	18071	18072	SN	2	-34.943	20.592	0.0	-34.368	20.959	0.0	-11.754	22.774	0.02	-13.695	23.408	0.162	0.086	231.212	3.332	0.086	202.568	2.741	0.086	1.174	0.001	0.086	1.799	0.002
96	18071	18072	NS	1	-34.263	19.584	0.0	-34.467	20.152	0.0	-26.132	22.571	0.045	-12.124	23.143	0.301	0.086	197.684	2.496	0.086	207.245	2.315	0.086	30.453	0.002	0.086	1.273	0.002
97	18071	18072	SN	1	-34.943	20.592	0.0	-34.368	20.959	0.0	-11.754	22.774	0.02	-13.695	23.408	0.162	0.086	231.212	3.332	0.086	202.568	2.741	0.086	1.174	0.001	0.086	1.799	0.002
98	18072	18073	NS	1	-34.798	21.309	0.0	-34.86	22.028	0.001	-24.739	23.12	0.08	-7.077	23.34	0.617	0.086	223.632	3.185	0.086	226.862	3.399	0.086	22.122	0.014	0.086	0.445	0.0
99	18072	18073	SN	2	-34.264	20.947	0.0	-34.626	20.733	0.0	-22.402	22.226	0.01	-6.143	23.212	0.097	0.086	197.751	3.668	0.086	214.918	3.169	0.086	12.941	0.04	0.086	0.373	0.0
100	18072	18073	SN	1	-34.264	20.947	0.0	-34.626	20.733	0.0	-22.402	22.226	0.01	-6.143	23.212	0.097	0.086	197.751	3.668	0.086	214.918	3.169	0.086	12.941	0.04	0.086	0.373	0.0
101	18072	18073	NS	1	-34.536	21.309	0.0	-34.301	22.028	0.001	-24.739	23.12	0.08	-7.077	23.34	0.617	0.086	215.931	3.184	0.086	199.444	3.399	0.086	22.122	0.014	0.086	0.445	0.0
102	18073	18074	NS	1	-34.929	22.542	0.001	-34.889	18.484	0.0	-16.217	22.413	0.037	-20.224	23.27	0.341	0.086	230.496	3.892	0.086	228.34	3.864	0.086	3.164	0.021	0.086	7.862	0.014
103	18073	18074	SN	1	-34.456	22.361	0.003	-34.71	22.376	0.002	-30.926	22.687	0.035	-33.04	23.3	0.125	0.086	206.665	5.482	0.086	219.161	4.742	0.086	91.717	0.231	0.086	149.229	0.156
104	18073	18074	NS	1	-34.998	22.542	0.001	-34.721	18.484	0.0	-16.217	22.413	0.037	-20.224	23.27	0.341	0.086	234.133	3.893	0.086	219.688	3.84	0.086	3.164	0.021	0.086	7.862	0.014
105	18074	18075	NS	1	-34.721	18.603	0.0	-34.846	19.523	0.0	0.495	22.607	0.021	-0.199	23.142	0.259	0.086	219.653	3.931	0.086	226.096	3.348	0.086	0.142	0.0	0.086	0.152	0.0
106	18074	18075	NS	1	-34.721	18.603	0.0	-34.846	19.523	0.0	0.495	22.607	0.021	-0.199	23.142	0.265	0.086	219.653	3.926	0.086	226.096	3.348	0.086	0.142	0.0	0.086	0.152	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors


107	18074	18075	SN	1	-34.798	22.19	0.002	-34.999	22.791	0.005	-26.401	23.119	0.023	-25.77	23.295	0.086	0.086	223.591	3.112	0.086	234.242	2.508	0.086	32.399	0.038	0.086	28.03	0.031
108	18075	18076	NS	1	-34.892	18.994	0.0	-34.649	19.349	0.0	4.907	22.63	0.057	5.444	23.162	0.345	0.086	228.499	1.98	0.086	216.07	1.988	0.086	0.105	0.0	0.086	0.102	0.0
109	18077	18078	SN	1	-34.821	17.916	0.0	-34.632	17.26	0.0	2.516	22.749	0.107	4.086	23.592	0.778	0.086	224.822	3.172	0.087	215.281	2.758	0.086	0.12	0.0	0.086	0.109	0.0
110	18078	18079	NS	1	-33.995	22.034	0.001	-34.996	22.11	0.001	1.916	22.59	0.056	1.654	23.027	0.102	0.086	185.893	1.871	0.086	234.048	1.943	0.086	0.125	0.0	0.086	0.128	0.0
111	18078	18079	NS	1	-33.212	17.036	0.0	-34.996	17.283	0.0	4.228	20.495	0.0	4.717	20.596	0.0	0.087	155.227	2.077	0.087	234.048	2.023	0.086	0.108	0.0	0.086	0.106	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors