

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-FEB-2020 To 27-FEB-2020





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-FEB-2020 To 27-FEB-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	18093	18094	NS	1	48.709	49.33	0.0	0.003	264.726	2.661	1036.392	1073.864	0.0	-91.407	-89.672	0.0
2	18093	18094	SN	2	48.764	49.394	0.0	0.003	6.414	2.731	1036.472	1074.36	0.0	-91.437	-89.658	0.0
3	18093	18094	SN	1	48.764	49.394	0.0	0.003	6.414	2.731	1036.472	1074.36	0.0	-91.437	-89.658	0.0
4	18093	18094	SN	1	48.764	49.394	0.0	0.003	6.414	2.435	1036.472	1074.36	0.0	-91.437	-89.658	0.0
5	18093	18094	NS	1	48.719	49.33	0.0	0.003	264.726	2.663	1036.432	1073.864	0.0	-92.062	-89.672	0.0
6	18094	18095	SN	1	48.77	49.433	0.0	0.003	6.414	2.38	1036.344	1074.56	0.0	-91.545	-89.691	0.0
7	18094	18095	SN	1	48.776	49.433	0.0	0.003	6.414	2.378	1036.48	1074.56	0.0	-91.511	-89.691	0.0
8	18094	18095	NS	1	48.751	49.332	0.0	0.003	206.636	2.563	1036.056	1074.064	0.0	-91.643	-89.669	0.0
9	18094	18095	NS	2	48.75	49.331	0.0	0.003	210.254	2.564	1036.04	1074.072	0.0	-91.643	-89.669	0.0
10	18094	18095	SN	1	48.776	49.433	0.0	0.003	6.414	2.523	1036.48	1074.56	0.0	-91.511	-89.691	0.0
11	18095	18096	NS	1	48.746	49.331	0.0	0.003	264.775	2.508	1036.08	1074.112	0.0	-91.606	-89.679	0.0
12	18095	18096	SN	1	48.765	49.412	0.0	0.003	28.951	2.319	1036.464	1074.576	0.0	-91.458	-89.704	0.0
13	18095	18096	SN	1	48.765	49.412	0.0	0.003	28.951	2.503	1036.464	1074.576	0.0	-91.458	-89.704	0.0
14	18095	18096	NS	1	48.746	49.331	0.0	0.003	264.775	2.496	1036.08	1074.112	0.0	-91.606	-89.679	0.0
15	18095	18096	SN	2	48.765	49.412	0.0	0.003	28.951	2.503	1036.464	1074.576	0.0	-91.458	-89.704	0.0
16	18096	18097	SN	1	48.76	49.375	0.0	0.003	6.414	2.257	1037.2	1074.448	0.0	-91.324	-89.692	0.0
17	18096	18097	SN	1	48.76	49.375	0.0	0.003	6.414	2.554	1037.2	1074.448	0.0	-91.324	-89.692	0.0
18	18096	18097	NS	2	48.738	49.33	0.0	0.0	207.006	2.766	1036.176	1074.0	0.0	-91.383	-89.672	0.0
19	18096	18097	NS	1	48.738	49.33	0.0	0.0	207.006	2.766	1036.176	1074.0	0.0	-91.383	-89.672	0.0
20	18097	18098	NS	1	48.699	49.33	0.0	0.003	207.022	2.59	1037.08	1073.92	0.0	-91.451	-89.684	0.0
21	18097	18098	SN	1	48.761	49.414	0.0	0.003	6.414	2.542	1036.432	1074.376	0.0	-91.507	-89.704	0.0
22	18097	18098	SN	1	48.758	49.414	0.0	0.003	6.414	2.078	1036.432	1074.376	0.0	-91.507	-89.704	0.0
23	18097	18098	NS	1	48.699	49.33	0.0	0.003	207.022	2.593	1037.08	1073.92	0.0	-91.451	-89.684	0.0
24	18098	18099	SN	1	48.783	49.373	0.0	0.003	6.408	2.605	1036.72	1074.256	0.0	-91.435	-89.707	0.0
25	18098	18099	NS	1	48.763	49.33	0.0	0.003	264.726	2.655	1036.0	1073.792	0.0	-91.475	-89.687	0.0
26	18098	18099	NS	1	48.763	49.33	0.0	0.003	264.726	2.652	1036.928	1073.792	0.0	-91.499	-89.687	0.0
27	18098	18099	SN	1	48.783	49.373	0.0	0.003	6.408	1.894	1036.72	1074.256	0.0	-91.435	-89.707	0.0
28	18099	18100	SN	1	48.797	49.375	0.0	0.003	6.397	2.643	1037.616	1074.928	0.0	-92.233	-89.676	0.0
29	18099	18100	SN	1	48.767	49.375	0.0	0.003	6.397	1.64	1036.824	1074.928	0.0	-91.656	-89.676	0.0
30	18099	18100	SN	1	48.767	49.375	0.0	0.003	6.397	2.644	1036.824	1074.928	0.0	-92.233	-89.676	0.0
31	18099	18100	NS	1	48.706	49.344	0.0	0.003	13.6	2.553	1036.232	1073.824	0.0	-91.423	-89.689	0.0
32	18099	18100	NS	2	48.706	49.344	0.0	0.003	13.6	2.553	1036.232	1073.824	0.0	-91.423	-89.689	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	18100	18101	SN	1	48.79	49.376	0.0	0.003	6.408	1.527	1036.904	1074.64	0.0	-91.272	-89.694	0.0
34	18100	18101	SN	1	48.79	49.376	0.0	0.003	6.408	2.587	1036.904	1074.64	0.0	-91.272	-89.694	0.0
35	18100	18101	NS	1	48.712	49.352	0.0	0.0	42.761	2.739	1036.68	1073.896	0.0	-91.427	-89.684	0.0
36	18100	18101	NS	1	48.71	49.353	0.0	0.0	42.761	2.743	1036.656	1073.92	0.0	-91.522	-89.683	0.0
37	18101	18102	NS	1	48.708	49.332	0.0	0.003	265.514	2.666	1036.072	1073.952	0.0	-91.432	-89.673	0.0
38	18101	18102	SN	2	48.786	49.407	0.0	0.0	11.212	2.532	1037.76	1075.208	0.0	-91.418	-89.685	0.0
39	18101	18102	SN	1	48.786	49.407	0.0	0.0	11.212	2.532	1037.76	1075.208	0.0	-91.418	-89.685	0.0
40	18101	18102	NS	1	48.708	49.332	0.0	0.003	265.514	2.674	1036.072	1074.056	0.0	-91.424	-89.673	0.0
41	18102	18103	SN	1	48.773	49.466	0.0	0.003	214.82	2.561	1036.656	1074.344	0.0	-91.966	-89.709	0.0
42	18102	18103	NS	1	48.752	49.33	0.0	0.003	266.59	2.702	1035.76	1073.76	0.0	-91.53	-89.673	0.0
43	18102	18103	NS	1	48.752	49.33	0.0	0.003	266.59	2.7	1035.76	1073.76	0.0	-91.53	-89.673	0.0
44	18103	18104	NS	1	48.715	49.341	0.0	0.003	13.242	2.592	1036.536	1074.008	0.0	-91.424	-89.687	0.0
45	18103	18104	NS	1	48.715	49.341	0.0	0.003	13.242	2.537	1036.536	1074.008	0.0	-91.424	-89.687	0.0
46	18103	18104	SN	1	48.774	49.388	0.0	0.003	6.42	2.647	1037.256	1074.392	0.0	-91.409	-89.674	0.0
47	18104	18105	NS	1	48.704	49.333	0.0	0.0	264.786	2.706	1036.576	1073.896	0.0	-91.306	-89.685	0.0
48	18104	18105	NS	1	48.704	49.333	0.0	0.0	264.786	2.337	1036.576	1072.888	0.0	-91.38	-89.685	0.0
49	18104	18105	SN	1	48.77	49.411	0.0	0.003	281.171	2.572	1036.872	1074.456	0.0	-91.47	-89.686	0.0
50	18105	18106	NS	1	48.736	49.36	0.0	0.003	13.082	1.677	1035.984	1072.312	0.0	-91.405	-89.684	0.0
51	18106	18107	SN	1	48.762	49.427	0.0	0.003	6.42	2.657	1037.696	1074.608	0.0	-91.541	-89.711	0.0
52	18107	18108	NS	1	48.715	49.444	0.0	0.0	226.986	2.867	1035.912	1073.928	0.0	-91.497	-89.684	0.0
53	18107	18108	NS	1	48.715	49.328	0.0	0.0	215.714	1.865	1035.912	1067.152	0.0	-91.275	-89.684	0.0
54	18107	18108	SN	1	48.792	49.378	0.0	0.003	6.419	2.003	1036.888	1074.56	0.0	-91.342	-89.693	0.0
55	18107	18108	SN	1	48.792	49.378	0.0	0.0	62.308	2.747	1036.888	1074.56	0.0	-91.342	-89.693	0.0
56	18108	18109	SN	1	48.775	49.378	0.0	0.003	29.886	2.407	1037.112	1074.504	0.0	-91.341	-89.678	0.0
57	18108	18109	SN	1	48.775	49.378	0.0	0.003	29.886	2.593	1037.112	1074.504	0.0	-91.341	-89.678	0.0
58	18108	18109	NS	1	48.748	49.32	0.0	0.0	165.042	3.19	1036.08	1073.912	0.0	-91.254	-89.672	0.0
59	18108	18109	NS	1	48.76	49.337	0.0	0.0	165.042	2.741	1036.488	1073.912	0.0	-91.358	-89.672	0.0
60	18109	18110	SN	1	48.762	49.433	0.0	0.003	281.783	2.499	1037.584	1074.656	0.0	-91.527	-89.707	0.0
61	18109	18110	SN	1	48.768	49.433	0.0	0.003	281.783	2.356	1037.608	1074.656	0.0	-91.527	-89.707	0.0
62	18109	18110	SN	1	48.762	49.433	0.0	0.003	281.783	2.354	1037.584	1074.656	0.0	-91.527	-89.707	0.0
63	18109	18110	NS	1	48.745	49.329	0.0	0.003	210.673	2.494	1036.272	1074.072	0.0	-91.387	-89.638	0.0
64	18109	18110	NS	2	48.745	49.329	0.0	0.003	210.673	2.495	1036.256	1074.088	0.0	-91.388	-89.638	0.0
65	18110	18111	NS	1	48.729	49.329	0.0	0.003	41.961	2.599	1035.704	1074.024	0.0	-91.347	-89.688	0.0
66	18110	18111	SN	1	48.768	49.421	0.0	0.003	214.991	2.53	1036.376	1074.584	0.0	-91.404	-89.706	0.0
67	18110	18111	SN	1	48.763	49.421	0.0	0.003	214.991	2.306	1036.656	1074.584	0.0	-91.472	-89.706	0.0
68	18110	18111	SN	1	48.763	49.421	0.0	0.003	214.991	2.532	1036.656	1074.584	0.0	-91.472	-89.706	0.0
69	18111	18112	SN	2	48.758	49.421	0.0	0.003	6.42	2.527	1037.504	1074.456	0.0	-91.519	-89.706	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors





70	18111	18112	NS	1	48.762	49.358	0.0	0.003	207.017	2.585	1036.8	1073.888	0.0	-91.254	-89.649	0.0
71	18111	18112	SN	1	48.758	49.421	0.0	0.003	6.42	2.166	1037.504	1074.456	0.0	-91.519	-89.706	0.0
72	18111	18112	NS	1	48.762	49.358	0.0	0.003	207.011	2.588	1036.8	1073.888	0.0	-91.255	-89.649	0.0
73	18111	18112	SN	1	48.758	49.421	0.0	0.003	6.42	2.527	1037.504	1074.456	0.0	-91.519	-89.706	0.0
74	18112	18113	NS	1	48.745	49.329	0.0	0.0	267.351	2.767	1036.088	1073.8	0.0	-91.356	-89.679	0.0
75	18112	18113	NS	1	48.745	49.329	0.0	0.0	267.351	2.77	1036.088	1073.8	0.0	-91.359	-89.679	0.0
76	18112	18113	SN	1	48.767	49.374	0.0	0.003	6.414	1.976	1037.368	1074.368	0.0	-91.315	-89.709	0.0
77	18112	18113	SN	1	48.769	49.374	0.0	0.003	6.414	2.561	1037.368	1074.36	0.0	-91.332	-89.709	0.0
78	18112	18113	SN	2	48.767	49.374	0.0	0.003	6.414	2.561	1037.368	1074.368	0.0	-91.315	-89.709	0.0
79	18113	18114	SN	1	48.767	49.404	0.0	0.003	6.403	2.624	1036.696	1074.32	0.0	-93.931	-89.707	0.0
80	18113	18114	NS	1	48.763	49.328	0.0	0.003	267.268	2.561	1035.616	1073.744	0.0	-91.391	-89.686	0.0
81	18113	18114	SN	1	48.767	49.404	0.0	0.003	6.403	2.622	1036.696	1074.32	0.0	-93.931	-89.707	0.0
82	18113	18114	NS	1	48.706	49.329	0.0	0.003	41.895	2.55	1035.568	1073.752	0.0	-91.294	-89.686	0.0
83	18113	18114	SN	1	48.767	49.404	0.0	0.003	6.403	1.776	1036.696	1074.32	0.0	-91.469	-89.707	0.0
84	18114	18115	SN	1	48.824	49.38	0.0	0.003	6.403	2.659	1038.056	1074.912	0.0	-91.423	-89.706	0.0
85	18114	18115	SN	1	48.824	49.38	0.0	0.003	6.403	1.559	1038.056	1074.912	0.0	-91.423	-89.706	0.0
86	18114	18115	NS	1	48.701	49.36	0.0	0.003	264.665	2.625	1035.52	1073.88	0.0	-91.426	-89.685	0.0
87	18114	18115	SN	1	48.824	49.38	0.0	0.003	6.403	2.657	1038.056	1074.912	0.0	-91.423	-89.706	0.0
88	18115	18116	NS	1	48.759	49.333	0.0	0.003	267.356	2.631	1036.352	1073.984	0.0	-91.483	-89.657	0.0
89	18115	18116	SN	1	48.78	49.376	0.0	0.003	6.414	2.553	1037.376	1074.808	0.0	-91.37	-89.672	0.0
90	18115	18116	NS	2	48.759	49.333	0.0	0.003	267.356	2.63	1036.352	1073.984	0.0	-91.483	-89.657	0.0
91	18116	18117	SN	1	48.767	49.378	0.0	0.003	214.682	2.544	1036.872	1076.272	0.0	-92.007	-89.715	0.0
92	18116	18117	NS	1	48.76	49.328	0.0	0.0	266.584	2.809	1035.496	1074.168	0.0	-91.833	-89.664	0.0
93	18116	18117	NS	1	48.76	49.328	0.0	0.0	266.584	2.806	1035.496	1074.448	0.0	-91.836	-89.664	0.0
94	18116	18117	SN	2	48.767	49.378	0.0	0.003	214.682	2.544	1036.872	1076.272	0.0	-92.007	-89.715	0.0
95	18117	18118	NS	1	48.743	49.328	0.0	0.003	207.221	2.596	1035.712	1073.816	0.0	-91.533	-89.686	0.0
96	18117	18118	SN	1	48.794	49.392	0.0	0.003	6.42	2.624	1038.056	1074.408	0.0	-91.367	-89.691	0.0
97	18117	18118	NS	1	48.73	49.328	0.0	0.003	207.221	2.599	1035.824	1073.816	0.0	-91.453	-89.686	0.0
98	18118	18119	SN	1	48.785	49.388	0.0	0.003	6.414	2.6	1038.008	1074.48	0.0	-91.302	-89.698	0.0
99	18118	18119	NS	1	48.712	49.343	0.0	0.003	264.731	2.647	1035.432	1073.88	0.0	-91.537	-89.684	0.0
100	18119	18120	NS	1	48.7	49.326	0.0	0.003	210.822	2.582	1036.168	1073.904	0.0	-91.418	-89.682	0.0
101	18119	18120	SN	1	48.778	49.403	0.0	0.003	28.935	2.577	1037.528	1074.52	0.0	-91.347	-89.709	0.0
102	18120	18121	SN	1	48.761	49.436	0.0	0.003	6.408	2.548	1037.152	1074.632	0.0	-91.666	-89.716	0.0
103	18120	18121	NS	1	48.757	49.378	0.0	0.003	267.279	2.64	1035.488	1074.024	0.0	-91.373	-89.68	0.0
104	18121	18122	SN	2	48.782	49.38	0.0	0.0	96.303	2.781	1037.568	1074.688	0.0	-91.324	-89.715	0.0
105	18121	18122	SN	1	48.782	49.38	0.0	0.0	96.303	2.781	1037.568	1074.688	0.0	-91.324	-89.715	0.0
106	18121	18122	NS	1	48.724	49.326	0.0	0.003	207.016	2.569	1035.28	1074.056	0.0	-91.342	-89.661	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	18121	18122	SN	1	48.782	49.38	0.0	0.003	6.42	1.689	1037.568	1074.688	0.0	-91.324	-89.715	0.0
-----	-------	-------	----	---	--------	-------	-----	-------	------	-------	----------	----------	-----	---------	---------	-----

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

73	18111	18112	SN	1	-34.651	24.84	0.145	-34.781	25.27	0.227	6.337	27.727	16.912	7.562	28.142	19.142	0.116	282.838	3.651	0.116	291.391	3.569	0.116	0.134	0.0	0.116	0.129	0.0
74	18112	18113	NS	1	-33.766	23.215	0.121	-34.81	24.226	0.208	-5.41	28.363	8.981	-6.574	29.457	13.976	0.116	230.728	2.317	0.116	293.43	1.872	0.116	0.432	0.0	0.116	0.534	0.0
75	18112	18113	NS	1	-33.766	23.216	0.121	-34.632	24.226	0.209	-5.41	28.364	8.981	-6.574	29.457	13.976	0.116	230.728	2.31	0.116	281.633	1.873	0.116	0.432	0.0	0.116	0.534	0.0
76	18112	18113	SN	1	-34.92	24.848	0.269	-34.922	25.481	0.307	5.026	27.112	15.513	7.977	27.71	20.376	0.116	300.948	3.396	0.116	301.032	2.939	0.116	0.14	0.0	0.116	0.128	0.0
77	18112	18113	SN	1	-34.442	24.848	0.259	-34.628	25.481	0.294	5.026	27.112	14.844	7.977	27.71	19.964	0.116	269.592	3.281	0.116	281.292	2.819	0.116	0.14	0.0	0.116	0.128	0.0
78	18112	18113	SN	2	-34.92	24.848	0.259	-34.922	25.481	0.294	5.026	27.112	14.844	7.977	27.71	19.967	0.116	300.948	3.281	0.116	301.032	2.819	0.116	0.14	0.0	0.116	0.128	0.0
79	18113	18114	SN	1	-34.86	25.728	0.118	-34.869	24.808	0.141	5.382	28.474	9.761	6.775	28.714	11.79	0.116	296.808	7.159	0.116	297.422	4.724	0.116	0.138	0.0	0.116	0.132	0.0
80	18113	18114	NS	1	-34.878	26.406	0.977	-34.861	27.927	1.425	-4.441	31.094	15.583	-8.06	32.868	20.661	0.116	298.005	3.288	0.116	296.889	3.083	0.116	0.366	0.0	0.116	0.713	0.0
81	18113	18114	SN	1	-34.86	25.728	0.118	-34.869	24.808	0.141	5.382	28.474	9.737	6.775	28.714	11.757	0.116	296.808	7.159	0.116	297.422	4.724	0.116	0.138	0.0	0.116	0.132	0.0
82	18113	18114	NS	1	-33.876	26.406	0.978	-32.663	27.927	1.426	-4.443	31.095	15.588	-8.063	32.868	20.666	0.116	236.611	3.281	0.116	178.994	3.082	0.116	0.366	0.0	0.116	0.713	0.0
83	18113	18114	SN	1	-34.86	25.728	0.125	-34.869	24.808	0.152	5.382	28.474	10.304	6.775	28.714	11.798	0.116	296.808	7.54	0.116	297.422	5.074	0.116	0.138	0.0	0.116	0.132	0.0
84	18114	18115	SN	1	-31.89	26.647	0.346	-28.922	26.661	0.441	2.196	36.383	10.672	3.639	33.694	12.395	0.116	149.806	1.035	0.116	75.688	0.693	0.116	0.165	0.0	0.116	0.15	0.0
85	18114	18115	SN	1	-31.89	26.647	0.376	-28.922	26.661	0.51	2.196	36.383	11.32	3.639	33.694	12.396	0.116	149.806	1.05	0.116	75.688	0.773	0.116	0.165	0.0	0.116	0.15	0.0
86	18114	18115	NS	1	-34.998	26.31	1.457	-34.936	27.221	1.915	3.798	29.873	11.521	6.708	30.329	19.076	0.116	306.293	4.753	0.116	301.959	5.012	0.116	0.149	0.0	0.116	0.132	0.0
87	18114	18115	SN	1	-33.277	26.647	0.346	-30.89	26.661	0.44	2.194	36.383	10.671	3.636	33.697	12.395	0.116	206.179	1.029	0.116	119.025	0.691	0.116	0.165	0.0	0.116	0.15	0.0
88	18115	18116	NS	1	-34.374	25.148	0.472	-34.925	25.086	0.638	-4.237	29.591	16.146	-1.471	30.682	30.703	0.116	265.423	2.821	0.116	301.223	2.689	0.116	0.354	0.0	0.116	0.237	0.0
89	18115	18116	SN	1	-34.88	26.754	0.215	-34.932	27.874	0.2	-13.615	28.524	13.766	-11.099	29.71	13.716	0.116	298.115	5.496	0.116	301.793	4.261	0.116	2.317	0.002	0.116	1.339	0.002
90	18115	18116	NS	2	-34.374	25.148	0.473	-34.925	25.086	0.639	-4.237	29.591	16.146	-1.471	30.682	30.707	0.116	265.423	2.821	0.116	301.223	2.689	0.116	0.354	0.0	0.116	0.237	0.0
91	18116	18117	SN	1	-34.504	29.022	0.293	-34.841	29.458	0.384	-3.9	29.18	14.567	-6.517	29.647	14.043	0.116	273.442	3.221	0.116	295.464	2.111	0.116	0.335	0.0	0.116	0.529	0.0
92	18116	18117	NS	1	-34.863	28.075	0.358	-34.246	27.258	0.496	0.489	31.432	12.829	-0.17	29.386	23.779	0.116	297.004	2.857	0.116	257.678	3.157	0.116	0.19	0.0	0.116	0.204	0.0
93	18116	18117	NS	1	-34.863	28.075	0.357	-34.079	27.258	0.496	0.489	31.432	12.829	-0.17	29.382	23.781	0.116	297.004	2.856	0.116	247.936	3.157	0.116	0.19	0.0	0.116	0.204	0.0
94	18116	18117	SN	2	-34.504	29.022	0.293	-34.841	29.458	0.384	-3.9	29.18	14.567	-6.517	29.647	14.043	0.116	273.442	3.221	0.116	295.464	2.111	0.116	0.335	0.0	0.116	0.529	0.0
95	18117	18118	NS	1	-34.315	28.081	0.441	-32.993	26.49	0.576	1.874	29.205	14.345	6.623	35.504	21.804	0.116	261.839	1.924	0.116	193.132	1.888	0.116	0.169	0.0	0.116	0.133	0.0
96	18117	18118	SN	1	-34.422	28.761	0.18	-34.691	30.292	0.402	-20.685	30.318	17.08	-25.728	30.359	18.438	0.116	268.326	6.077	0.116	285.508	4.841	0.116	11.435	0.018	0.116	36.317	0.011
97	18117	18118	NS	1	-34.673	28.081	0.441	-32.988	26.49	0.577	1.874	29.205	14.372	6.623	35.504	21.81	0.116	284.308	1.913	0.116	192.91	1.881	0.116	0.169	0.0	0.116	0.133	0.0
98	18118	18119	SN	1	-29.759	25.414	0.107	-28.802	26.27	0.848	-13.729	29.658	13.333	-7.023	30.626	13.536	0.116	91.765	0.565	0.116	73.628	0.184	0.116	2.377	0.001	0.116	0.582	0.0
99	18118	18119	NS	1	-33.89	26.576	0.158	-34.597	23.991	0.497	10.528	28.672	24.218	10.702	29.166	35.456	0.116	237.362	2.574	0.116	279.387	2.308	0.116	0.122	0.0	0.116	0.122	0.0
100	18119	18120	NS	1	-34.869	26.827	0.51	-34.801	26.522	0.713	11.049	28.086	23.887	11.631	29.42	34.867	0.116	297.401	7.319	0.116	292.799	6.439	0.116	0.122	0.0	0.116	0.121	0.0
101	18119	18120	SN	1	-34.77	25.872	0.079	-34.84	26.035	0.823	-8.132	29.424	21.915	-7.744	30.332	24.22	0.116	290.658	2.537	0.116	295.403	2.525	0.116	0.761	0.0	0.116	0.67	0.0
102	18120	18121	SN	1	-34.84	24.155	0.071	-34.408	24.313	0.646	6.984	29.206	38.44	7.926	30.608	52.404	0.116	295.433	5.932	0.116	267.464	4.457	0.116	0.131	0.0	0.116	0.128	0.0
103	18120	18121	NS	1	-34.957	26.61	0.406	-34.988	26.852	0.431	6.852	28.344	27.237	8.894	29.106	37.054	0.116	303.456	5.472	0.116	305.687	4.445	0.116	0.132	0.0	0.116	0.126	0.0
104	18121	18122	SN	2	-34.714	22.832	0.061	-33.407	23.864	0.818	5.522	28.714	12.356	9.31	29.571	14.266	0.116	286.972	2.299	0.116	212.395	1.715	0.116	0.138	0.0	0.116	0.125	0.0
105	18121	18122	SN	1	-34.714	22.832	0.061	-33.407	23.864	0.818	5.522	28.714	12.356	9.31	29.571	14.266	0.116	286.972	2.299	0.116	212.395	1.715	0.116	0.138	0.0	0.116	0.125	0.0
106	18121	18122	NS	1	-34.425	26.627	0.258	-34.68	27.871	0.149	5.248	28.756	13.523	6.985	29.669	23.22	0.116	268.522	3.381	0.116	284.765	3.426	0.116	0.139	0.0	0.116	0.131	0.0
107	18121	18122	SN	1	-34.714	22.832	0.006	-33.407	22.542	0.016	5.522	28.706	11.323	9.31	29.571	13.854	0.116	286.972	2.367	0.116	212.395	1.882	0.116	0.138	0.0	0.116	0.125	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	18093	18094	NS	1	57.522	58.14	0.0	0.0	294.258	3.923	1214.248	1261.072	0.0	-92.763	-91.716	0.0
2	18093	18094	SN	2	57.577	58.241	0.0	0.003	299.222	4.09	1215.144	1262.12	0.0	-92.791	-91.704	0.0
3	18093	18094	SN	1	57.577	58.241	0.0	0.003	299.222	4.091	1215.144	1262.12	0.0	-92.791	-91.704	0.0
4	18093	18094	SN	1	57.563	58.241	0.0	0.003	299.222	3.596	1215.144	1262.12	0.0	-92.791	-91.704	0.0
5	18093	18094	NS	1	57.511	58.14	0.0	0.0	294.258	3.927	1214.248	1261.072	0.0	-92.791	-91.716	0.0
6	18094	18095	SN	1	57.565	58.238	0.0	0.003	297.518	3.387	1214.848	1262.344	0.0	-92.802	-91.74	0.0
7	18094	18095	SN	1	57.582	58.238	0.0	0.003	297.518	3.383	1214.952	1262.344	0.0	-92.802	-91.74	0.0
8	18094	18095	NS	1	57.544	58.143	0.0	0.0	296.994	3.737	1214.616	1261.32	0.0	-92.809	-91.711	0.0
9	18094	18095	NS	2	57.543	58.142	0.0	0.0	296.999	3.737	1214.592	1261.336	0.0	-92.81	-91.711	0.0
10	18094	18095	SN	1	57.582	58.238	0.0	0.0	297.518	3.813	1214.952	1262.344	0.0	-92.802	-91.74	0.0
11	18095	18096	NS	1	57.53	58.141	0.0	0.0	285.644	3.669	1214.64	1261.376	0.0	-93.025	-91.717	0.0
12	18095	18096	SN	1	57.582	58.237	0.0	0.003	297.319	3.339	1215.488	1262.376	0.0	-92.82	-91.751	0.0
13	18095	18096	SN	1	57.582	58.237	0.0	0.0	297.319	3.774	1215.488	1262.376	0.0	-92.82	-91.751	0.0
14	18095	18096	NS	1	57.53	58.141	0.0	0.0	285.644	3.646	1214.64	1261.376	0.0	-93.025	-91.717	0.0
15	18095	18096	SN	2	57.582	58.237	0.0	0.0	297.319	3.774	1215.488	1262.376	0.0	-92.82	-91.751	0.0
16	18096	18097	SN	1	57.574	58.221	0.0	0.0	298.384	3.304	1215.456	1262.216	0.0	-92.818	-91.733	0.0
17	18096	18097	SN	1	57.574	58.221	0.0	0.0	298.384	3.782	1215.456	1262.216	0.0	-92.818	-91.733	0.0
18	18096	18097	NS	2	57.521	58.14	0.0	0.0	296.056	3.869	1214.872	1261.232	0.0	-92.769	-91.714	0.0
19	18096	18097	NS	1	57.521	58.14	0.0	0.0	296.056	3.869	1214.872	1261.232	0.0	-92.769	-91.714	0.0
20	18097	18098	NS	1	57.514	58.15	0.0	0.0	293.911	3.815	1215.496	1261.136	0.0	-92.82	-91.729	0.0
21	18097	18098	SN	1	57.554	58.225	0.0	0.0	292.654	3.78	1215.24	1262.112	0.0	-92.828	-91.751	0.0
22	18097	18098	SN	1	57.562	58.225	0.0	0.0	292.654	3.2	1215.24	1262.112	0.0	-92.828	-91.751	0.0
23	18097	18098	NS	1	57.51	58.15	0.0	0.0	293.911	3.818	1215.496	1261.136	0.0	-92.9	-91.729	0.0
24	18098	18099	SN	1	57.562	58.206	0.0	0.0	299.31	3.862	1215.208	1261.984	0.0	-92.818	-91.754	0.0
25	18098	18099	NS	1	57.52	58.17	0.0	0.0	292.907	3.876	1214.848	1260.984	0.0	-92.752	-91.733	0.0
26	18098	18099	NS	1	57.52	58.141	0.0	0.0	292.907	3.872	1214.848	1260.984	0.0	-92.791	-91.733	0.0
27	18098	18099	SN	1	57.571	58.206	0.0	0.0	299.31	3.079	1215.208	1261.984	0.0	-92.818	-91.754	0.0
28	18099	18100	SN	1	57.576	58.226	0.0	0.0	298.764	3.906	1215.936	1262.096	0.0	-92.848	-91.725	0.0
29	18099	18100	SN	1	57.568	58.226	0.0	0.0	298.764	2.818	1215.936	1262.096	0.0	-92.848	-91.725	0.0
30	18099	18100	SN	1	57.568	58.226	0.0	0.0	298.764	3.91	1215.936	1262.096	0.0	-92.848	-91.725	0.0
31	18099	18100	NS	1	57.514	58.166	0.0	0.0	295.268	3.777	1214.592	1264.032	0.0	-94.627	-91.735	0.0
32	18099	18100	NS	2	57.514	58.166	0.0	0.0	295.268	3.777	1214.592	1264.032	0.0	-94.627	-91.735	0.0
33	18100	18101	SN	1	57.58	58.209	0.0	0.0	295.764	2.413	1215.272	1262.312	0.0	-92.821	-91.732	0.0
34	18100	18101	SN	1	57.58	58.209	0.0	0.0	295.764	3.866	1215.272	1262.312	0.0	-92.821	-91.732	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	18100	18101	NS	1	57.511	58.151	0.0	0.0	296.828	3.964	1214.344	1261.096	0.0	-92.839	-91.727	0.0
36	18100	18101	NS	1	57.509	58.152	0.0	0.0	286.648	3.951	1214.192	1261.136	0.0	-92.817	-91.727	0.0
37	18101	18102	NS	1	57.523	58.149	0.0	0.0	293.773	3.981	1214.744	1261.128	0.0	-92.838	-91.692	0.0
38	18101	18102	SN	2	57.584	58.235	0.0	0.0	299.123	3.786	1215.464	1264.488	0.0	-93.236	-91.725	0.0
39	18101	18102	SN	1	57.584	58.235	0.0	0.0	299.123	3.786	1215.464	1264.488	0.0	-93.236	-91.725	0.0
40	18101	18102	NS	1	57.523	58.149	0.0	0.0	293.773	3.994	1214.744	1261.624	0.0	-93.019	-91.692	0.0
41	18102	18103	SN	1	57.574	58.231	0.0	0.0	292.995	3.847	1215.424	1262.08	0.0	-92.828	-91.756	0.0
42	18102	18103	NS	1	57.545	58.14	0.0	0.0	294.926	3.856	1214.28	1261.056	0.0	-92.807	-91.712	0.0
43	18102	18103	NS	1	57.545	58.14	0.0	0.0	294.926	3.852	1214.28	1261.056	0.0	-92.798	-91.712	0.0
44	18103	18104	NS	1	57.525	58.142	0.0	0.0	299.277	3.817	1215.064	1261.44	0.0	-92.859	-91.733	0.0
45	18103	18104	NS	1	57.525	58.142	0.0	0.0	299.277	3.607	1215.064	1261.44	0.0	-92.859	-91.733	0.0
46	18103	18104	SN	1	57.567	58.22	0.0	0.0	285.506	3.95	1215.992	1262.168	0.0	-92.821	-91.719	0.0
47	18104	18105	NS	1	57.512	58.158	0.0	0.0	294.926	3.869	1214.76	1261.112	0.0	-92.779	-91.731	0.0
48	18104	18105	NS	1	57.512	58.158	0.0	0.0	278.248	3.331	1214.76	1260.256	0.0	-92.756	-91.731	0.0
49	18104	18105	SN	1	57.587	58.244	0.0	0.0	296.431	3.81	1215.664	1262.24	0.0	-92.724	-91.735	0.0
50	18105	18106	NS	1	57.507	58.144	0.0	0.0	282.445	2.747	1214.504	1259.56	0.0	-93.011	-91.728	0.0
51	18106	18107	SN	1	57.576	58.236	0.0	0.0	297.021	3.946	1215.712	1262.448	0.0	-92.821	-91.758	0.0
52	18107	18108	NS	1	57.526	58.388	0.0	0.0	294.573	4.179	1214.24	1261.12	0.0	-94.214	-91.728	0.0
53	18107	18108	NS	1	57.526	58.388	0.0	0.0	294.319	2.573	1214.24	1253.608	0.0	-94.214	-91.728	0.0
54	18107	18108	SN	1	57.574	58.217	0.0	0.0	290.238	3.292	1216.328	1262.384	0.0	-93.063	-91.734	0.0
55	18107	18108	SN	1	57.574	58.217	0.0	0.0	290.238	4.137	1216.328	1262.384	0.0	-93.063	-91.734	0.0
56	18108	18109	SN	1	57.582	58.231	0.0	0.0	299.156	3.456	1215.464	1262.296	0.0	-92.748	-91.724	0.0
57	18108	18109	SN	1	57.582	58.231	0.0	0.0	299.156	3.896	1215.464	1262.296	0.0	-92.748	-91.724	0.0
58	18108	18109	NS	1	57.542	58.125	0.0	0.0	294.953	4.531	1214.224	1261.096	0.0	-92.785	-91.715	0.0
59	18108	18109	NS	1	57.542	58.147	0.0	0.0	294.953	3.904	1213.992	1261.096	0.0	-92.688	-91.715	0.0
60	18109	18110	SN	1	57.579	58.221	0.0	0.003	297.826	3.722	1215.224	1262.48	0.0	-92.837	-91.755	0.0
61	18109	18110	SN	1	57.57	58.221	0.0	0.003	297.826	3.305	1215.432	1262.48	0.0	-92.837	-91.755	0.0
62	18109	18110	SN	1	57.579	58.221	0.0	0.003	297.826	3.302	1215.224	1262.48	0.0	-92.837	-91.755	0.0
63	18109	18110	NS	1	57.543	58.14	0.0	0.0	297.225	3.652	1214.04	1261.296	0.0	-92.897	-91.694	0.0
64	18109	18110	NS	2	57.542	58.14	0.0	0.0	297.253	3.654	1214.024	1261.312	0.0	-92.897	-91.694	0.0
65	18110	18111	NS	1	57.516	58.141	0.0	0.0	299.966	3.816	1214.32	1261.248	0.0	-92.748	-91.734	0.0
66	18110	18111	SN	1	57.578	58.227	0.0	0.0	296.608	3.735	1215.392	1262.36	0.0	-92.828	-91.753	0.0
67	18110	18111	SN	1	57.587	58.222	0.0	0.0	296.47	3.297	1215.416	1262.36	0.0	-92.775	-91.753	0.0
68	18110	18111	SN	1	57.587	58.222	0.0	0.0	296.591	3.74	1215.416	1262.36	0.0	-92.775	-91.753	0.0
69	18111	18112	SN	2	57.561	58.236	0.0	0.0	296.497	3.821	1215.576	1262.2	0.0	-92.877	-91.753	0.0
70	18111	18112	NS	1	57.544	58.14	0.0	0.0	292.014	3.779	1215.184	1261.064	0.0	-92.82	-91.703	0.0
71	18111	18112	SN	1	57.561	58.236	0.0	0.0	296.497	3.306	1215.576	1262.2	0.0	-92.877	-91.753	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	18111	18112	NS	1	57.544	58.141	0.0	0.0	292.014	3.784	1215.168	1261.072	0.0	-92.806	-91.703	0.0
73	18111	18112	SN	1	57.561	58.236	0.0	0.0	296.497	3.821	1215.576	1262.2	0.0	-92.877	-91.753	0.0
74	18112	18113	NS	1	57.53	58.142	0.0	0.0	293.486	3.919	1215.104	1260.952	0.0	-92.73	-91.719	0.0
75	18112	18113	NS	1	57.53	58.139	0.0	0.0	293.486	3.923	1215.104	1260.952	0.0	-92.791	-91.719	0.0
76	18112	18113	SN	1	57.57	58.216	0.0	0.0	291.247	3.119	1215.48	1262.104	0.0	-92.843	-91.755	0.0
77	18112	18113	SN	1	57.568	58.215	0.0	0.0	291.302	3.786	1215.0	1262.088	0.0	-92.843	-91.755	0.0
78	18112	18113	SN	2	57.57	58.216	0.0	0.0	291.247	3.786	1215.48	1262.104	0.0	-92.843	-91.755	0.0
79	18113	18114	SN	1	57.587	58.218	0.0	0.0	297.986	3.9	1215.616	1262.056	0.0	-92.81	-91.742	0.0
80	18113	18114	NS	1	57.532	58.148	0.0	0.0	293.21	3.811	1214.12	1260.888	0.0	-92.828	-91.732	0.0
81	18113	18114	SN	1	57.587	58.218	0.0	0.0	297.986	3.896	1215.616	1262.056	0.0	-92.81	-91.742	0.0
82	18113	18114	NS	1	57.517	58.144	0.0	0.003	293.15	3.8	1214.216	1260.92	0.0	-92.848	-91.732	0.0
83	18113	18114	SN	1	57.587	58.218	0.0	0.0	297.986	2.982	1215.616	1262.056	0.0	-92.81	-91.742	0.0
84	18114	18115	SN	1	57.589	58.21	0.0	0.0	299.26	3.922	1216.48	1262.28	0.0	-92.799	-91.749	0.0
85	18114	18115	SN	1	57.589	58.21	0.0	0.0	299.26	2.623	1216.48	1262.28	0.0	-92.799	-91.749	0.0
86	18114	18115	NS	1	57.52	58.166	0.0	0.0	296.266	3.749	1213.672	1264.136	0.0	-93.131	-91.73	0.0
87	18114	18115	SN	1	57.589	58.214	0.0	0.0	299.26	3.918	1216.48	1262.28	0.0	-92.799	-91.749	0.0
88	18115	18116	NS	1	57.505	58.141	0.0	0.0	287.519	3.886	1214.624	1261.152	0.0	-92.822	-91.695	0.0
89	18115	18116	SN	1	57.568	58.21	0.0	0.0	296.166	3.799	1215.912	1262.544	0.0	-92.824	-91.719	0.0
90	18115	18116	NS	2	57.505	58.141	0.0	0.0	287.519	3.885	1214.624	1261.152	0.0	-92.822	-91.695	0.0
91	18116	18117	SN	1	57.571	58.211	0.0	0.0	298.803	3.815	1215.648	1262.376	0.0	-94.374	-91.763	0.0
92	18116	18117	NS	1	57.53	58.138	0.0	0.0	293.933	4.013	1213.968	1261.888	0.0	-92.823	-91.706	0.0
93	18116	18117	NS	1	57.53	58.138	0.0	0.0	293.889	4.006	1213.968	1261.08	0.0	-92.824	-91.706	0.0
94	18116	18117	SN	2	57.571	58.211	0.0	0.0	298.803	3.815	1215.648	1262.376	0.0	-94.374	-91.763	0.0
95	18117	18118	NS	1	57.53	58.143	0.0	0.0	296.547	3.799	1214.176	1261.504	0.0	-93.056	-91.731	0.0
96	18117	18118	SN	1	57.575	58.234	0.0	0.0	292.593	3.937	1216.464	1262.216	0.0	-92.844	-91.732	0.0
97	18117	18118	NS	1	57.522	58.138	0.0	0.0	296.547	3.802	1214.176	1261.648	0.0	-92.826	-91.731	0.0
98	18118	18119	SN	1	57.58	58.233	0.0	0.0	299.641	3.879	1216.416	1262.28	0.0	-92.779	-91.736	0.0
99	18118	18119	NS	1	57.516	58.136	0.0	0.0	297.849	3.712	1213.776	1261.272	0.0	-92.827	-91.729	0.0
100	18119	18120	NS	1	57.508	58.135	0.0	0.0	295.229	3.827	1214.16	1261.112	0.0	-92.852	-91.727	0.0
101	18119	18120	SN	1	57.582	58.212	0.0	0.0	295.902	3.822	1215.68	1262.328	0.0	-92.795	-91.754	0.0
102	18120	18121	SN	1	57.56	58.214	0.0	0.0	298.086	3.779	1215.776	1262.456	0.0	-92.806	-91.762	0.0
103	18120	18121	NS	1	57.537	58.155	0.0	0.0	297.11	3.854	1214.16	1261.256	0.0	-92.783	-91.726	0.0
104	18121	18122	SN	2	57.579	58.239	0.0	0.0	294.832	4.073	1216.384	1262.544	0.0	-92.824	-91.762	0.0
105	18121	18122	SN	1	57.579	58.239	0.0	0.0	294.832	4.073	1216.384	1262.544	0.0	-92.824	-91.762	0.0
106	18121	18122	NS	1	57.518	58.134	0.0	0.0	294.247	3.881	1213.128	1261.304	0.0	-92.706	-91.701	0.0
107	18121	18122	SN	1	57.579	58.239	0.0	0.0	294.832	2.897	1216.384	1262.544	0.0	-92.824	-91.762	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	18093	18094	NS	1	-34.917	22.549	0.002	-34.837	22.74	0.004	2.305	23.499	0.039	2.287	26.356	0.074	0.086	229.856	2.563	0.086	225.585	2.496	0.086	0.122	0.0	0.086	0.122	0.0
2	18093	18094	SN	2	-34.73	19.573	0.0	-34.34	20.118	0.0	-29.673	22.053	0.004	-9.481	22.023	0.002	0.086	220.163	3.536	0.086	201.231	2.662	0.086	68.742	0.004	0.086	0.723	0.0
3	18093	18094	SN	1	-34.73	19.573	0.0	-34.34	20.118	0.0	-29.673	22.053	0.004	-9.481	22.023	0.002	0.086	220.163	3.536	0.086	201.231	2.662	0.086	68.742	0.004	0.086	0.723	0.0
4	18093	18094	SN	1	-34.73	19.573	0.0	-34.34	20.118	0.0	-29.673	22.053	0.004	-9.481	22.023	0.002	0.086	220.163	3.687	0.086	201.231	2.81	0.086	68.742	0.004	0.086	0.723	0.0
5	18093	18094	NS	1	-34.959	22.549	0.002	-32.793	22.738	0.004	2.305	23.499	0.039	2.285	26.358	0.074	0.086	232.06	2.549	0.086	140.966	2.49	0.086	0.122	0.0	0.086	0.122	0.0
6	18094	18095	SN	1	-34.868	19.353	0.0	-34.147	19.79	0.0	1.68	22.201	0.004	1.001	21.347	0.0	0.086	227.219	4.894	0.086	192.484	4.175	0.086	0.128	0.0	0.086	0.135	0.0
7	18094	18095	SN	1	-34.868	19.353	0.0	-34.406	19.79	0.0	1.68	22.201	0.004	1.0	21.347	0.0	0.086	227.219	4.901	0.086	204.353	4.212	0.086	0.128	0.0	0.086	0.135	0.0
8	18094	18095	NS	1	-34.869	21.918	0.0	-34.936	22.092	0.004	-9.031	22.455	0.009	-10.954	23.058	0.024	0.086	227.31	4.914	0.086	230.844	4.846	0.086	0.659	0.0	0.086	0.988	0.0
9	18094	18095	NS	2	-34.869	21.918	0.0	-34.936	22.092	0.004	-9.033	22.455	0.009	-10.954	23.058	0.024	0.086	227.31	4.914	0.086	230.844	4.847	0.086	0.659	0.0	0.086	0.988	0.0
10	18094	18095	SN	1	-34.868	19.353	0.0	-34.406	19.79	0.0	1.68	22.201	0.004	1.0	21.347	0.0	0.086	227.219	4.793	0.086	204.353	4.14	0.086	0.128	0.0	0.086	0.135	0.0
11	18095	18096	NS	1	-34.736	19.166	0.0	-34.493	20.66	0.0	-8.508	22.282	0.007	-25.702	22.557	0.023	0.086	220.426	5.667	0.086	208.443	5.883	0.086	0.592	0.0	0.086	27.588	0.061
12	18095	18096	SN	1	-34.51	18.173	0.0	-34.844	18.238	0.0	1.32	21.839	0.0	1.077	21.411	0.0	0.086	209.302	4.19	0.086	225.989	3.63	0.086	0.131	0.0	0.086	0.134	0.0
13	18095	18096	SN	1	-34.51	18.173	0.0	-34.844	18.238	0.0	1.32	21.839	0.0	1.077	21.411	0.0	0.086	209.302	4.108	0.086	225.989	3.584	0.086	0.131	0.0	0.086	0.134	0.0
14	18095	18096	NS	1	-34.736	19.166	0.0	-34.493	20.66	0.0	-8.508	22.282	0.007	-25.702	22.557	0.023	0.086	220.426	5.667	0.086	208.443	5.886	0.086	0.592	0.0	0.086	27.588	0.061
15	18095	18096	SN	2	-34.51	18.173	0.0	-34.844	18.238	0.0	1.32	21.839	0.0	1.077	21.411	0.0	0.086	209.302	4.108	0.086	225.989	3.584	0.086	0.131	0.0	0.086	0.134	0.0
16	18096	18097	SN	1	-34.601	18.472	0.0	-34.864	18.855	0.0	-0.343	21.866	0.0	0.95	21.648	0.0	0.086	213.717	2.506	0.086	227.086	2.368	0.086	0.155	0.0	0.086	0.136	0.0
17	18096	18097	SN	1	-34.601	18.472	0.0	-34.864	18.855	0.0	-0.343	21.866	0.0	0.95	21.648	0.0	0.086	213.717	2.448	0.086	227.086	2.33	0.086	0.155	0.0	0.086	0.136	0.0
18	18096	18097	NS	2	-34.196	19.772	0.0	-34.106	20.28	0.0	-22.235	22.054	0.003	-24.555	22.812	0.007	0.086	194.694	2.206	0.086	190.69	2.539	0.086	12.456	0.034	0.086	21.202	0.071
19	18096	18097	NS	1	-34.196	19.772	0.0	-34.106	20.28	0.0	-22.235	22.054	0.003	-24.555	22.812	0.007	0.086	194.694	2.206	0.086	190.69	2.539	0.086	12.456	0.034	0.086	21.202	0.071
20	18097	18098	NS	1	-34.999	17.484	0.0	-33.616	17.712	0.0	-20.482	22.481	0.003	-27.132	22.768	0.011	0.087	234.243	3.194	0.086	170.364	3.265	0.086	8.338	0.027	0.086	38.336	0.014
21	18097	18098	SN	1	-34.98	17.932	0.0	-34.864	18.495	0.0	-1.196	21.548	0.0	1.458	21.453	0.0	0.086	237.807	3.782	0.086	227.071	3.146	0.086	0.171	0.0	0.086	0.13	0.0
22	18097	18098	SN	1	-34.98	17.932	0.0	-34.864	18.495	0.0	-1.196	21.548	0.0	1.458	21.453	0.0	0.086	237.807	3.884	0.086	227.071	3.239	0.086	0.171	0.0	0.086	0.13	0.0
23	18097	18098	NS	1	-34.57	17.484	0.0	-33.78	17.712	0.0	-20.275	22.48	0.003	-27.179	22.768	0.011	0.087	212.25	3.185	0.086	176.917	3.272	0.086	7.953	0.027	0.086	38.741	0.013
24	18098	18099	SN	1	-34.946	18.521	0.0	-34.676	18.642	0.0	-1.025	21.429	0.0	3.118	21.595	0.0	0.086	231.426	4.58	0.086	224.914	3.606	0.086	0.168	0.0	0.086	0.115	0.0
25	18098	18099	NS	1	-34.543	19.89	0.0	-34.195	20.042	0.0	-29.068	21.884	0.0	-21.682	22.099	0.006	0.086	210.85	3.308	0.086	194.615	3.459	0.086	59.813	0.13	0.086	10.976	0.027
26	18098	18099	NS	1	-34.64	19.89	0.0	-34.752	20.042	0.0	-28.751	21.884	0.0	-21.582	22.099	0.006	0.086	215.612	3.317	0.086	221.216	3.465	0.086	55.618	0.13	0.086	10.723	0.027
27	18098	18099	SN	1	-34.946	18.521	0.0	-34.676	18.642	0.0	-1.025	21.429	0.0	3.118	21.595	0.0	0.086	231.426	4.733	0.086	224.914	3.799	0.086	0.168	0.0	0.086	0.115	0.0
28	18099	18100	SN	1	-34.934	20.227	0.0	-34.764	20.288	0.0	-0.778	22.509	0.041	2.036	22.734	0.088	0.086	230.743	4.443	0.086	221.902	3.915	0.086	0.163	0.0	0.086	0.124	0.0
29	18099	18100	SN	1	-34.745	20.227	0.0	-34.711	20.288	0.0	-0.778	22.509	0.044	2.036	22.734	0.088	0.086	220.946	4.722	0.086	219.181	4.354	0.086	0.163	0.0	0.086	0.124	0.0
30	18099	18100	SN	1	-34.745	20.227	0.0	-34.711	20.288	0.0	-0.778	22.509	0.041	2.036	22.734	0.088	0.086	220.946	4.435	0.086	219.181	3.879	0.086	0.163	0.0	0.086	0.124	0.0
31	18099	18100	NS	1	-34.705	19.822	0.0	-33.599	20.127	0.0	2.421	22.246	0.045	0.5	22.802	0.106	0.086	218.93	1.674	0.086	169.682	1.706	0.086	0.12	0.0	0.086	0.142	0.0
32	18099	18100	NS	2	-34.705	19.822	0.0	-33.599	20.127	0.0	2.421	22.246	0.045	0.5	22.802	0.106	0.086	218.93	1.674	0.086	169.682	1.705	0.086	0.12	0.0	0.086	0.142	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

107	18121	18122	SN	1	-34.963	17.729	0.0	-34.804	18.003	0.0	0.771	22.358	0.005	3.877	23.227	0.152	0.086	232.266	2.02	0.086	223.919	1.537	0.086	0.138	0.0	0.086	0.11	0.0
-----	-------	-------	----	---	---------	--------	-----	---------	--------	-----	-------	--------	-------	-------	--------	-------	-------	---------	------	-------	---------	-------	-------	-------	-----	-------	------	-----

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors