

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 04-NOV-2017 To 05-NOV-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 04-NOV-2017 To 05-NOV-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5856	5857	NS	1	48.768	49.491	0.0	0.003	6.69	2.474	1035.2	1099.288	10.941	-92.068	-89.185	0.0
2	5856	5857	SN	1	48.592	49.46	0.0	0.003	6.739	2.649	1020.2	1098.248	17.481	-92.011	-89.238	0.0
3	5856	5857	SN	1	48.592	49.46	0.0	0.003	6.739	1.584	1020.2	1098.248	18.982	-92.011	-89.238	0.0
4	5857	5858	SN	1	48.619	49.43	0.0	0.003	6.734	2.597	1019.8	1098.296	19.123	-92.137	-89.269	0.0
5	5857	5858	SN	1	48.619	49.43	0.0	0.003	6.734	2.494	1019.8	1098.296	17.757	-92.137	-89.269	0.0
6	5857	5858	NS	1	48.767	49.492	0.0	0.003	6.695	2.479	1035.232	1099.376	10.717	-92.034	-89.176	0.0
7	5857	5858	SN	1	48.619	49.43	0.0	0.003	6.734	1.588	1019.8	1098.296	20.672	-92.137	-89.269	0.0
8	5858	5859	NS	2	48.769	49.516	0.0	0.003	6.69	2.581	1035.256	1099.264	10.171	-92.126	-89.211	0.0
9	5858	5859	NS	1	48.769	49.516	0.0	0.003	6.69	2.581	1035.256	1099.264	10.171	-92.126	-89.211	0.0
10	5858	5859	SN	1	48.647	49.433	0.0	0.003	6.695	1.574	1019.808	1098.168	20.551	-92.067	-89.268	0.0
11	5858	5859	SN	1	48.647	49.433	0.0	0.003	6.695	2.622	1019.808	1098.168	19.128	-92.067	-89.268	0.0
12	5858	5859	SN	1	48.647	49.433	0.0	0.003	6.695	2.541	1019.808	1098.168	18.139	-92.067	-89.268	0.0
13	5859	5860	SN	1	48.672	49.429	0.0	0.003	18.233	2.517	1019.704	1098.216	17.837	-92.025	-89.268	0.0
14	5859	5860	SN	1	48.678	49.429	0.0	0.003	6.701	1.566	1020.104	1098.224	20.362	-92.025	-89.268	0.0
15	5859	5860	NS	2	48.732	49.53	0.0	0.003	6.701	2.57	1034.904	1099.176	10.56	-92.36	-89.237	0.0
16	5859	5860	NS	1	48.732	49.53	0.0	0.003	6.701	2.57	1034.904	1099.176	10.56	-92.36	-89.237	0.0
17	5859	5860	SN	1	48.678	49.429	0.0	0.003	6.701	2.649	1020.104	1098.224	18.853	-92.025	-89.268	0.0
18	5860	5861	NS	1	48.771	49.491	0.0	0.003	6.668	2.573	1035.36	1099.0	10.01	-92.239	-89.23	0.0
19	5860	5861	SN	1	48.678	49.428	0.0	0.003	6.679	2.723	1020.504	1097.904	18.07	-92.173	-89.268	0.0
20	5860	5861	SN	1	48.678	49.428	0.0	0.003	6.679	2.58	1020.504	1097.904	17.066	-92.173	-89.268	0.0
21	5860	5861	SN	1	48.678	49.428	0.0	0.003	6.679	1.64	1020.504	1097.904	19.852	-92.173	-89.268	0.0
22	5860	5861	NS	1	48.765	49.491	0.0	0.003	186.164	2.58	1035.352	1099.008	10.029	-92.239	-89.23	0.0
23	5861	5862	NS	1	48.77	49.491	0.0	0.003	6.673	2.514	1035.48	1098.968	9.452	-91.98	-89.241	0.0
24	5861	5862	SN	1	48.661	49.428	0.0	0.003	6.673	2.817	1020.048	1097.88	15.748	-92.096	-89.26	0.0
25	5861	5862	SN	1	48.661	49.428	0.0	0.003	6.673	1.728	1020.048	1097.88	17.607	-92.096	-89.26	0.0
26	5861	5862	SN	1	48.661	49.428	0.0	0.003	6.673	2.643	1020.048	1097.88	14.736	-92.096	-89.26	0.0
27	5861	5862	NS	1	48.77	49.491	0.0	0.003	6.673	2.511	1035.48	1098.968	9.443	-91.98	-89.241	0.0
28	5862	5863	NS	1	48.749	49.535	0.0	0.003	6.679	2.558	1035.176	1099.064	9.167	-92.363	-89.224	0.0
29	5862	5863	NS	2	48.738	49.534	0.0	0.003	6.679	2.558	1034.888	1099.056	9.161	-92.268	-89.224	0.0
30	5862	5863	SN	1	48.701	49.429	0.0	0.003	6.684	2.607	1020.728	1097.952	16.084	-91.924	-89.222	0.0
31	5862	5863	SN	1	48.701	49.429	0.0	0.003	6.684	2.582	1020.728	1097.952	15.978	-91.924	-89.222	0.0
32	5862	5863	SN	1	48.701	49.429	0.0	0.003	6.684	1.689	1020.728	1097.952	19.093	-91.924	-89.222	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	5863	5864	NS	1	48.772	49.512	0.0	0.003	6.684	2.661	1035.624	1099.024	10.291	-92.102	-89.219	0.0
34	5863	5864	SN	1	48.702	49.428	0.0	0.003	6.695	2.517	1020.816	1097.904	15.766	-92.034	-89.196	0.0
35	5864	5865	SN	1	48.701	49.461	0.0	0.003	6.723	2.547	1020.496	1097.704	15.161	-92.179	-89.235	0.0
36	5864	5865	NS	1	48.772	49.538	0.0	0.003	6.673	2.607	1035.8	1098.856	10.094	-92.311	-89.227	0.0
37	5865	5866	NS	1	48.744	49.491	0.0	0.003	6.204	2.492	1035.568	1098.872	9.31	-92.173	-89.223	0.0
38	5869	5870	SN	1	48.679	49.426	0.0	0.003	6.701	1.755	1019.744	1097.712	19.433	-91.926	-89.268	0.0
39	5869	5870	SN	1	48.679	49.426	0.0	0.003	6.701	2.965	1019.744	1097.712	17.947	-91.926	-89.268	0.0
40	5869	5870	SN	1	48.679	49.426	0.0	0.003	6.701	2.705	1019.744	1097.712	17.157	-91.926	-89.268	0.0
41	5870	5871	SN	1	48.682	49.461	0.0	0.003	6.706	1.672	1019.704	1097.648	20.253	-92.014	-89.249	0.0
42	5870	5871	NS	1	48.774	49.535	0.0	0.003	6.673	2.499	1035.784	1098.84	10.478	-92.318	-89.23	0.0
43	5870	5871	SN	1	48.682	49.461	0.0	0.003	6.706	2.59	1019.704	1097.648	17.171	-92.014	-89.249	0.0
44	5870	5871	SN	1	48.682	49.461	0.0	0.003	6.706	2.652	1019.704	1097.648	18.89	-92.014	-89.249	0.0
45	5871	5872	NS	2	48.774	49.533	0.0	0.003	6.679	2.482	1035.792	1099.04	10.346	-92.384	-89.186	0.0
46	5871	5872	NS	1	48.774	49.533	0.0	0.003	6.679	2.483	1035.832	1099.04	10.348	-92.384	-89.186	0.0
47	5871	5872	SN	1	48.656	49.425	0.0	0.003	6.695	2.369	1019.432	1097.792	18.059	-92.153	-89.249	0.0
48	5871	5872	SN	1	48.656	49.425	0.0	0.003	6.695	2.495	1019.432	1097.792	17.879	-92.153	-89.249	0.0
49	5871	5872	SN	1	48.656	49.425	0.0	0.003	6.695	1.573	1019.432	1097.792	20.507	-92.153	-89.249	0.0
50	5872	5873	SN	1	48.649	49.457	0.0	0.003	6.69	2.608	1019.976	1097.696	20.532	-92.107	-89.262	0.0
51	5872	5873	SN	1	48.649	49.457	0.0	0.003	6.69	1.584	1019.976	1097.696	22.132	-92.107	-89.262	0.0
52	5872	5873	SN	1	48.649	49.457	0.0	0.003	6.69	2.513	1019.976	1097.696	19.292	-92.107	-89.262	0.0
53	5872	5873	NS	1	48.776	49.538	0.0	0.003	6.673	2.502	1035.792	1099.032	10.222	-92.453	-89.228	0.0
54	5873	5874	SN	1	48.655	49.424	0.0	0.003	6.684	2.638	1019.704	1097.544	20.073	-92.598	-89.262	0.0
55	5873	5874	SN	1	48.655	49.424	0.0	0.003	6.684	2.504	1019.704	1097.544	18.864	-92.598	-89.262	0.0
56	5873	5874	SN	1	48.655	49.424	0.0	0.003	6.684	1.573	1019.704	1097.544	21.678	-92.598	-89.262	0.0
57	5873	5874	NS	1	48.765	49.492	0.0	0.003	6.668	2.571	1035.768	1098.848	10.006	-91.979	-89.226	0.0
58	5873	5874	NS	2	48.765	49.51	0.0	0.003	6.662	2.573	1035.768	1098.856	10.037	-91.979	-89.226	0.0
59	5874	5875	SN	1	48.664	49.423	0.0	0.003	6.679	1.612	1019.224	1097.408	21.913	-91.999	-89.262	0.0
60	5874	5875	NS	1	48.742	49.492	0.0	0.003	6.668	2.598	1035.848	1098.736	9.673	-92.262	-89.243	0.0
61	5874	5875	SN	1	48.664	49.423	0.0	0.003	6.679	2.535	1019.224	1097.408	18.836	-91.999	-89.262	0.0
62	5874	5875	SN	1	48.664	49.423	0.0	0.003	6.679	2.695	1019.224	1097.408	20.093	-91.999	-89.262	0.0
63	5874	5875	NS	2	48.742	49.492	0.0	0.003	6.668	2.597	1035.848	1098.728	9.617	-92.262	-89.243	0.0
64	5875	5876	NS	2	48.769	49.492	0.0	0.008	6.673	2.553	1035.92	1098.608	8.566	-92.359	-89.246	0.0
65	5875	5876	SN	1	48.691	49.422	0.0	0.003	6.673	1.707	1019.504	1097.296	20.374	-92.113	-89.249	0.0
66	5875	5876	SN	1	48.691	49.422	0.0	0.003	6.673	2.811	1019.504	1097.296	18.337	-92.113	-89.249	0.0
67	5875	5876	NS	1	48.769	49.492	0.0	0.008	6.673	2.553	1035.92	1098.608	8.566	-92.359	-89.246	0.0
68	5875	5876	SN	1	48.691	49.422	0.0	0.003	6.673	2.632	1019.504	1097.296	17.108	-92.113	-89.249	0.0
69	5876	5877	NS	1	48.776	49.51	0.0	0.003	6.657	2.54	1035.728	1098.656	8.466	-92.38	-89.254	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

70	5876	5877	SN	1	48.699	49.423	0.0	0.003	6.673	2.703	1020.184	1097.392	16.787	-91.992	-89.251	0.0
71	5876	5877	SN	1	48.699	49.423	0.0	0.003	6.673	2.653	1020.184	1097.392	16.456	-91.992	-89.251	0.0
72	5876	5877	NS	1	48.776	49.51	0.0	0.003	6.657	2.537	1035.728	1098.656	8.458	-92.38	-89.254	0.0
73	5876	5877	SN	1	48.699	49.423	0.0	0.003	6.673	1.743	1020.184	1097.392	19.853	-91.992	-89.251	0.0
74	5877	5878	NS	1	48.755	49.498	0.0	0.003	6.668	2.589	1035.952	1098.688	8.94	-92.323	-89.22	0.0
75	5877	5878	NS	1	48.755	49.498	0.0	0.003	6.668	2.592	1035.952	1098.688	8.95	-92.323	-89.22	0.0
76	5877	5878	SN	1	48.7	49.431	0.0	0.003	6.701	2.55	1020.296	1097.376	16.139	-92.075	-89.193	0.0
77	5877	5878	SN	2	48.7	49.431	0.0	0.003	6.701	2.55	1020.296	1097.376	16.139	-92.075	-89.193	0.0
78	5878	5879	SN	1	48.695	49.422	0.0	0.003	6.706	2.529	1019.792	1097.264	16.792	-91.886	-89.225	0.0
79	5878	5879	NS	1	48.777	49.532	0.0	0.003	6.668	2.613	1036.272	1098.584	8.679	-92.383	-89.229	0.0
80	5878	5879	NS	1	48.777	49.532	0.0	0.003	6.668	2.615	1036.272	1098.584	8.685	-92.383	-89.229	0.0
81	5879	5880	NS	1	48.761	49.491	0.0	0.003	6.668	2.592	1036.4	1098.504	8.317	-92.328	-89.227	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5856	5857	NS	1	-33.947	25.718	0.033	-32.561	26.084	0.182	-16.245	31.567	4.4	-12.568	30.803	18.622	0.103	209.65	0.811	0.103	152.388	0.584	0.103	3.637	0.005	0.103	1.606	0.003
2	5856	5857	SN	1	-34.764	24.03	0.291	-34.875	24.684	0.884	5.642	29.338	7.767	3.88	29.415	5.388	0.103	253.003	6.205	0.103	259.587	4.282	0.103	0.121	0.0	0.103	0.131	0.0
3	5856	5857	SN	1	-34.764	21.771	0.0	-34.875	23.287	0.008	5.642	29.338	7.947	3.88	29.415	5.389	0.103	253.003	6.758	0.103	259.587	4.819	0.103	0.121	0.0	0.103	0.131	0.0
4	5857	5858	SN	1	-34.778	22.763	0.01	-34.134	24.978	0.239	6.41	27.172	15.582	5.812	28.315	13.348	0.103	253.848	3.934	0.103	218.84	3.057	0.103	0.118	0.0	0.103	0.121	0.0
5	5857	5858	SN	1	-34.778	22.763	0.009	-34.134	24.978	0.226	5.192	27.172	11.153	5.812	28.315	11.225	0.103	253.848	3.848	0.103	218.84	2.943	0.103	0.123	0.0	0.103	0.121	0.0
6	5857	5858	NS	1	-34.379	22.324	0.007	-34.67	22.489	0.003	-8.227	29.675	6.507	-9.837	28.68	16.678	0.103	231.485	2.853	0.103	247.558	2.507	0.103	0.645	0.0	0.103	0.896	0.0
7	5857	5858	SN	1	-34.778	19.94	0.0	-34.134	20.712	0.0	6.41	27.172	15.861	5.812	28.315	13.357	0.103	253.848	4.183	0.103	218.84	3.334	0.103	0.118	0.0	0.103	0.121	0.0
8	5858	5859	NS	2	-34.173	22.574	0.007	-33.717	22.59	0.021	-8.729	29.415	3.643	-8.009	30.882	10.7	0.103	220.811	2.641	0.103	198.822	2.079	0.103	0.713	0.0	0.103	0.617	0.0
9	5858	5859	NS	1	-34.173	22.574	0.007	-33.717	22.59	0.021	-8.729	29.415	3.643	-8.009	30.882	10.7	0.103	220.811	2.641	0.103	198.822	2.079	0.103	0.713	0.0	0.103	0.617	0.0
10	5858	5859	SN	1	-34.997	21.159	0.0	-34.642	22.704	0.01	4.248	26.841	11.335	2.896	27.752	9.179	0.103	266.967	1.579	0.103	245.957	1.322	0.103	0.129	0.0	0.103	0.139	0.0
11	5858	5859	SN	1	-34.997	21.443	0.0	-34.642	24.663	0.219	4.248	26.841	11.125	2.896	28.344	9.086	0.103	266.967	1.6	0.103	245.957	1.223	0.103	0.129	0.0	0.103	0.139	0.0
12	5858	5859	SN	1	-34.997	21.443	0.0	-34.642	24.663	0.208	4.248	26.841	8.801	2.896	28.344	7.591	0.103	266.967	1.576	0.103	245.957	1.255	0.103	0.129	0.0	0.103	0.139	0.0
13	5859	5860	SN	1	-34.637	22.392	0.004	-34.269	24.788	0.215	5.625	27.043	12.11	8.346	28.887	16.925	0.103	245.691	3.289	0.103	225.77	2.365	0.103	0.121	0.0	0.103	0.112	0.0
14	5859	5860	SN	1	-34.868	21.796	0.0	-34.532	23.324	0.004	5.625	27.043	20.326	8.346	28.886	25.017	0.103	259.132	3.542	0.103	239.794	2.631	0.103	0.121	0.0	0.103	0.112	0.0
15	5859	5860	NS	2	-33.61	22.398	0.011	-34.578	22.893	0.029	-6.168	26.784	2.639	-3.279	33.507	13.312	0.103	194.004	2.556	0.103	242.451	1.964	0.103	0.434	0.0	0.102	0.267	0.0
16	5859	5860	NS	1	-33.61	22.398	0.011	-34.578	22.893	0.029	-6.168	26.784	2.639	-3.279	33.507	13.312	0.103	194.004	2.556	0.103	242.451	1.964	0.103	0.434	0.0	0.102	0.267	0.0
17	5859	5860	SN	1	-34.868	22.392	0.004	-34.532	24.788	0.221	5.625	27.043	16.693	8.346	28.886	23.071	0.103	259.132	3.328	0.103	239.794	2.437	0.103	0.121	0.0	0.103	0.112	0.0
18	5860	5861	NS	1	-32.951	24.279	0.266	-32.547	25.448	0.973	-9.104	32.891	4.751	-5.979	32.61	12.556	0.103	166.648	1.102	0.103	151.903	0.902	0.102	0.77	0.0	0.102	0.42	0.0
19	5860	5861	SN	1	-34.705	23.338	0.027	-34.668	23.871	0.271	5.255	27.096	14.993	8.308	29.231	19.641	0.103	249.585	3.469	0.103	247.45	2.449	0.103	0.123	0.0	0.103	0.112	0.0
20	5860	5861	SN	1	-34.705	23.338	0.026	-34.668	23.871	0.269	5.255	27.096	11.034	8.308	29.231	14.266	0.103	249.585	3.446	0.103	247.45	2.429	0.103	0.123	0.0	0.103	0.112	0.0
21	5860	5861	SN	1	-34.705	22.489	0.001	-34.668	23.608	0.002	5.255	27.096	21.664	8.308	29.231	22.997	0.103	249.585	3.644	0.103	247.45	2.674	0.103	0.123	0.0	0.103	0.112	0.0
22	5860	5861	NS	1	-33.251	24.279	0.266	-31.724	25.448	0.973	-9.104	32.891	4.764	-5.979	32.61	12.564	0.103	178.596	1.101	0.103	125.671	0.902	0.102	0.77	0.0	0.102	0.419	0.0
23	5861	5862	NS	1	-33.231	23.379	0.148	-33.771	25.17	0.599	6.679	27.322	10.254	7.52	29.285	21.008	0.103	177.751	0.225	0.103	201.321	0.254	0.103	0.117	0.0	0.103	0.115	0.0
24	5861	5862	SN	1	-34.869	22.246	0.001	-34.919	24.686	0.627	2.971	31.336	9.15	2.151	34.519	13.056	0.103	259.235	4.088	0.103	262.195	2.783	0.103	0.138	0.0	0.102	0.146	0.0
25	5861	5862	SN	1	-34.869	21.012	0.0	-34.919	21.895	0.0	2.971	31.336	10.843	2.151	34.519	13.644	0.103	259.235	4.39	0.103	262.195	3.218	0.103	0.138	0.0	0.102	0.146	0.0
26	5861	5862	SN	1	-34.869	22.246	0.001	-34.919	24.686	0.627	2.971	31.336	7.87	2.151	34.519	11.183	0.103	259.235	4.088	0.103	262.195	2.783	0.103	0.138	0.0	0.102	0.146	0.0
27	5861	5862	NS	1	-33.231	23.379	0.148	-33.771	25.17	0.598	6.679	27.322	10.254	7.52	29.285	21.008	0.103	177.751	0.225	0.103	201.321	0.256	0.103	0.117	0.0	0.103	0.115	0.0
28	5862	5863	NS	1	-34.991	23.683	0.297	-34.547	24.845	0.722	-2.704	28.546	11.335	3.107	31.072	25.107	0.103	266.55	4.029	0.103	240.646	3.129	0.103	0.246	0.0	0.103	0.137	0.0
29	5862	5863	NS	2	-34.846	23.683	0.297	-34.408	24.845	0.722	-2.704	28.546	11.336	3.096	31.072	25.101	0.103	257.801	4.029	0.103	233.131	3.129	0.103	0.246	0.0	0.103	0.137	0.0
30	5862	5863	SN	1	-33.921	22.885	0.011	-34.696	25.648	1.698	-2.939	28.648	10.088	-11.901	30.906	17.402	0.103	208.355	5.317	0.103	249.038	4.015	0.103	0.254	0.0	0.103	1.39	0.002
31	5862	5863	SN	1	-33.921	22.885	0.011	-34.696	25.648	1.698	-10.922	28.648	9.894	-11.901	30.906	17.062	0.103	208.355	5.316	0.103	249.038	4.015	0.103	1.126	0.001	0.103	1.39	0.002
32	5862	5863	SN	1	-33.921	22.885	0.009	-34.67	25.648	0.027	-2.939	28.648	12.999	-11.901	30.906	20.254	0.103	208.355	5.818	0.103	247.587	4.757	0.103	0.254	0.0	0.103	1.39	0.002
33	5863	5864	NS	1	-34.993	23.737	0.417	-34.632	24.225	0.543	-1.725	28.162	17.386	0.752	31.409	35.393	0.103	266.658	3.006	0.103	245.441	2.414	0.103	0.215	0.0	0.103	0.164	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	5863	5864	SN	1	-33.548	24.582	0.032	-33.548	26.032	1.756	-25.278	30.883	13.042	-6.403	30.243	17.017	0.103	191.206	2.741	0.103	191.203	1.973	0.103	28.549	0.003	0.103	0.453	0.0
35	5864	5865	SN	1	-34.625	26.078	0.041	-34.928	27.464	1.921	-19.022	28.6	13.3	-8.994	29.434	17.307	0.103	244.982	4.677	0.103	262.698	2.974	0.103	6.821	0.006	0.103	0.753	0.0
36	5864	5865	NS	1	-34.996	24.069	0.623	-34.605	25.397	0.65	1.95	35.71	11.018	1.66	32.404	22.589	0.103	266.861	2.35	0.103	243.918	2.051	0.102	0.148	0.0	0.102	0.152	0.0
37	5865	5866	NS	1	-34.843	24.686	1.529	-34.954	25.708	1.565	5.362	28.043	15.447	3.402	30.467	25.306	0.103	257.613	4.612	0.103	264.276	3.733	0.103	0.123	0.0	0.103	0.135	0.0
38	5869	5870	SN	1	-34.382	24.198	0.667	-33.989	25.73	1.769	-2.589	26.876	7.044	-0.19	29.324	17.0	0.103	231.688	2.627	0.103	211.67	1.967	0.103	0.242	0.0	0.103	0.18	0.0
39	5869	5870	SN	1	-34.382	24.344	2.045	-33.989	25.956	4.666	-2.589	27.136	7.098	-0.19	29.324	17.144	0.103	231.688	2.46	0.103	211.67	1.668	0.103	0.242	0.0	0.103	0.18	0.0
40	5869	5870	SN	1	-34.382	24.344	1.982	-33.989	25.956	4.522	-2.589	27.138	5.885	-0.19	29.324	15.006	0.103	231.688	2.395	0.103	211.67	1.617	0.103	0.242	0.0	0.103	0.18	0.0
41	5870	5871	SN	1	-34.396	23.185	0.011	-34.382	24.404	0.036	3.651	29.421	9.116	1.275	29.981	8.85	0.103	232.419	4.321	0.103	231.706	3.515	0.103	0.133	0.0	0.103	0.157	0.0
42	5870	5871	NS	1	-34.188	25.249	0.056	-33.703	27.879	0.186	2.007	31.646	4.952	2.881	34.983	20.724	0.103	221.634	1.619	0.103	198.175	1.798	0.102	0.148	0.0	0.102	0.139	0.0
43	5870	5871	SN	1	-34.396	24.69	0.754	-34.382	25.954	1.92	-4.033	29.421	6.905	1.275	29.981	7.54	0.103	232.419	3.993	0.103	231.706	2.975	0.103	0.301	0.0	0.103	0.157	0.0
44	5870	5871	SN	1	-34.396	24.69	0.757	-34.382	25.11	1.207	3.651	29.421	9.076	1.275	29.981	8.85	0.103	232.419	3.983	0.103	231.706	3.112	0.103	0.133	0.0	0.103	0.157	0.0
45	5871	5872	NS	2	-34.823	22.361	0.013	-33.853	24.468	0.093	-7.139	28.696	5.933	-5.747	29.376	17.128	0.103	256.411	3.77	0.103	205.127	2.965	0.103	0.521	0.0	0.103	0.402	0.0
46	5871	5872	NS	1	-34.823	22.361	0.013	-33.853	24.468	0.093	-7.139	28.696	5.933	-5.747	29.376	17.128	0.103	256.411	3.77	0.103	205.127	2.968	0.103	0.521	0.0	0.103	0.402	0.0
47	5871	5872	SN	1	-34.705	24.635	0.052	-34.953	24.686	0.427	5.232	27.534	8.845	5.945	30.479	10.104	0.103	249.583	2.581	0.103	264.194	2.081	0.103	0.123	0.0	0.103	0.12	0.0
48	5871	5872	SN	1	-34.705	24.635	0.056	-34.953	24.686	0.438	5.232	27.534	8.845	5.945	30.479	10.104	0.103	249.583	2.546	0.103	264.194	2.056	0.103	0.123	0.0	0.103	0.12	0.0
49	5871	5872	SN	1	-34.705	23.001	0.002	-34.953	23.598	0.012	5.232	27.534	11.042	5.945	30.479	10.795	0.103	249.583	2.658	0.103	264.194	2.291	0.103	0.123	0.0	0.103	0.12	0.0
50	5872	5873	SN	1	-34.609	22.105	0.001	-34.922	24.616	0.199	6.847	27.322	10.908	7.302	28.125	9.619	0.103	244.13	3.978	0.103	262.356	3.13	0.103	0.117	0.0	0.103	0.115	0.0
51	5872	5873	SN	1	-34.609	21.479	0.0	-34.922	22.907	0.004	6.847	27.322	10.953	7.302	28.125	9.605	0.103	244.13	4.218	0.103	262.356	3.397	0.103	0.117	0.0	0.103	0.115	0.0
52	5872	5873	SN	1	-34.609	22.105	0.001	-34.922	24.616	0.188	6.847	27.322	8.362	7.302	28.125	8.173	0.103	244.13	3.915	0.103	262.356	3.006	0.103	0.117	0.0	0.103	0.115	0.0
53	5872	5873	NS	1	-34.902	22.359	0.006	-34.178	22.461	0.008	-4.973	27.347	5.893	-4.611	29.652	15.443	0.103	261.162	4.261	0.103	221.084	3.694	0.103	0.351	0.0	0.103	0.33	0.0
54	5873	5874	SN	1	-34.919	21.753	0.0	-34.954	24.91	0.217	5.764	28.205	16.595	7.401	28.283	23.299	0.103	262.122	3.129	0.103	264.294	2.655	0.103	0.121	0.0	0.103	0.115	0.0
55	5873	5874	SN	1	-34.919	21.753	0.0	-34.954	24.91	0.208	5.764	28.205	13.132	7.401	28.283	17.005	0.103	262.122	3.129	0.103	264.294	2.58	0.103	0.121	0.0	0.103	0.115	0.0
56	5873	5874	SN	1	-34.919	21.753	0.0	-34.954	23.278	0.008	5.764	28.205	18.644	7.401	28.283	24.981	0.103	262.122	3.339	0.103	264.294	2.87	0.103	0.121	0.0	0.103	0.115	0.0
57	5873	5874	NS	1	-33.761	22.565	0.006	-30.398	22.684	0.041	-2.673	28.392	2.544	-3.501	33.182	10.206	0.103	200.885	0.555	0.103	92.628	0.472	0.103	0.245	0.0	0.102	0.277	0.0
58	5873	5874	NS	2	-34.499	22.563	0.006	-34.677	22.686	0.041	-2.673	28.395	2.543	-3.501	33.182	10.207	0.103	238.08	0.553	0.103	248.0	0.472	0.103	0.245	0.0	0.102	0.277	0.0
59	5874	5875	SN	1	-34.979	21.629	0.0	-34.77	22.378	0.002	5.204	27.198	24.925	8.076	28.88	32.724	0.103	265.788	3.101	0.103	253.376	2.464	0.103	0.123	0.0	0.103	0.113	0.0
60	5874	5875	NS	1	-34.864	24.211	0.178	-34.971	24.81	0.297	-4.433	27.75	3.417	-7.435	29.322	10.785	0.103	258.945	1.938	0.103	265.36	1.499	0.103	0.321	0.0	0.103	0.552	0.0
61	5874	5875	SN	1	-34.979	22.447	0.004	-34.77	24.33	0.201	5.204	27.198	12.844	8.076	28.88	17.205	0.103	265.788	2.89	0.103	253.376	2.228	0.103	0.123	0.0	0.103	0.113	0.0
62	5874	5875	SN	1	-34.979	22.447	0.004	-34.77	24.33	0.205	5.204	27.198	17.963	8.076	28.88	27.23	0.103	265.788	2.938	0.103	253.376	2.273	0.103	0.123	0.0	0.103	0.113	0.0
63	5874	5875	NS	2	-33.734	24.212	0.178	-34.618	24.808	0.297	-4.433	27.749	3.417	-7.435	29.324	10.782	0.103	199.595	1.936	0.103	244.645	1.5	0.103	0.321	0.0	0.103	0.552	0.0
64	5875	5876	NS	2	-34.821	23.606	0.17	-33.087	25.967	0.877	-5.075	28.781	8.08	-8.34	30.608	15.677	0.103	256.385	0.545	0.103	171.958	0.436	0.103	0.358	0.0	0.103	0.659	0.0
65	5875	5876	SN	1	-34.823	20.812	0.0	-33.998	21.493	0.0	4.909	26.797	13.436	5.238	30.549	16.863	0.103	256.436	2.052	0.103	212.145	1.759	0.103	0.125	0.0	0.103	0.123	0.0
66	5875	5876	SN	1	-34.823	23.238	0.025	-33.998	23.754	0.285	4.909	26.797	10.536	5.238	30.549	15.5	0.103	256.436	1.933	0.103	212.145	1.577	0.103	0.125	0.0	0.103	0.123	0.0
67	5875	5876	NS	1	-34.821	23.606	0.17	-33.087	25.967	0.877	-5.075	28.781	8.08	-8.34	30.608	15.677	0.103	256.385	0.545	0.103	171.958	0.436	0.103	0.358	0.0	0.103	0.659	0.0
68	5875	5876	SN	1	-34.823	23.238	0.025	-33.998	23.754	0.283	4.909	26.797	8.249	5.238	30.549	12.547	0.103	256.436	1.932	0.103	212.145	1.567	0.103	0.125	0.0	0.103	0.123	0.0
69	5876	5877	NS	1	-34.451	24.007	0.278	-34.114	24.463	0.709	4.154	30.148	8.079	7.301	29.601	16.343	0.103	235.402	1.413	0.103	217.881	1.224	0.103	0.129	0.0	0.103	0.115	0.0
70	5876	5877	SN	1	-34.977	21.867	0.0	-34.92	24.806	1.297	0.746	32.003	9.476	3.15	32.334	13.943	0.103	265.765	7.059	0.103	262.286	4.808	0.102	0.164	0.0	0.102	0.137	0.0
71	5876	5877	SN	1	-34.977	21.867	0.0	-34.92	24.806	1.297	-2.825	32.003	9.118	3.15	32.334	13.368	0.103	265.765	7.059	0.103	262.286	4.808	0.102	0.25	0.0	0.102	0.137	0.0
72	5876	5877	NS	1	-34.451	24.007	0.277	-34.114	24.463	0.708	4.154	30.148	8.079	7.301	29.601	16.343	0.103	235.402	1.411	0.103	217.881	1.222	0.103	0.129	0.0	0.103	0.115	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	5876	5877	SN	1	-34.977	20.277	0.0	-34.92	22.542	0.003	3.179	32.003	12.358	3.15	32.334	16.379	0.103	265.765	7.657	0.103	262.286	5.645	0.102	0.137	0.0	0.102	0.137	0.0
74	5877	5878	NS	1	-34.516	24.008	0.342	-34.741	24.404	0.488	-3.204	27.981	11.99	-1.322	30.66	34.272	0.103	238.982	5.133	0.103	251.652	4.433	0.103	0.264	0.0	0.103	0.205	0.0
75	5877	5878	NS	1	-34.516	24.008	0.343	-34.741	24.404	0.489	-3.204	27.981	11.99	-1.322	30.66	34.272	0.103	238.982	5.106	0.103	251.652	4.437	0.103	0.264	0.0	0.103	0.205	0.0
76	5877	5878	SN	1	-34.325	22.978	0.006	-33.288	25.362	1.603	-7.189	27.97	12.762	-3.403	29.768	19.782	0.103	228.632	1.97	0.103	180.154	1.256	0.103	0.526	0.0	0.103	0.273	0.0
77	5877	5878	SN	2	-34.325	22.978	0.006	-33.288	25.362	1.603	-7.189	27.97	12.762	-3.403	29.768	19.782	0.103	228.632	1.97	0.103	180.154	1.256	0.103	0.526	0.0	0.103	0.273	0.0
78	5878	5879	SN	1	-34.451	25.716	0.085	-34.618	26.626	1.942	-7.315	28.04	13.098	-2.36	30.968	15.763	0.103	235.435	4.569	0.103	244.671	3.586	0.103	0.539	0.0	0.103	0.234	0.0
79	5878	5879	NS	1	-33.882	23.824	0.466	-34.509	25.113	0.484	-19.617	29.457	11.496	-31.144	30.221	26.788	0.103	206.513	3.509	0.103	238.563	3.124	0.103	7.813	0.034	0.103	109.982	0.025
80	5878	5879	NS	1	-33.882	23.824	0.467	-34.509	25.113	0.484	-19.617	29.457	11.504	-31.144	30.221	26.853	0.103	206.513	3.508	0.103	238.563	3.125	0.103	7.813	0.034	0.103	109.982	0.025
81	5879	5880	NS	1	-34.937	24.929	1.201	-34.826	25.271	1.108	3.179	27.956	13.813	6.566	31.384	22.688	0.103	263.282	3.304	0.103	256.659	3.12	0.103	0.137	0.0	0.103	0.118	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5856	5857	NS	1	57.562	58.44	0.0	0.0	294.981	3.523	1213.432	1293.96	18.975	-93.866	-91.575	0.0
2	5856	5857	SN	1	57.348	58.354	0.0	0.0	296.779	3.56	1195.872	1292.36	48.06	-93.582	-91.714	0.0
3	5856	5857	SN	1	57.348	58.354	0.0	0.0	280.482	2.622	1195.872	1292.36	52.025	-93.582	-91.714	0.0
4	5857	5858	SN	1	57.375	58.354	0.0	0.0	295.427	3.396	1195.28	1292.424	48.356	-93.504	-91.746	0.0
5	5857	5858	SN	1	57.375	58.354	0.0	0.0	295.427	3.662	1195.28	1292.424	47.543	-93.504	-91.746	0.0
6	5857	5858	NS	1	57.536	58.431	0.0	0.0	297.203	3.517	1212.896	1294.08	19.019	-93.735	-91.563	0.0
7	5857	5858	SN	1	57.375	58.354	0.0	0.0	279.572	2.595	1195.28	1292.424	52.047	-93.504	-91.746	0.0
8	5858	5859	NS	2	57.563	58.431	0.0	0.0	299.729	3.634	1213.72	1293.992	19.978	-93.816	-91.599	0.0
9	5858	5859	NS	1	57.563	58.431	0.0	0.0	299.729	3.634	1213.72	1293.992	19.978	-93.816	-91.599	0.0
10	5858	5859	SN	1	57.407	58.352	0.0	0.0	277.515	2.556	1195.216	1292.272	52.702	-93.652	-91.744	0.0
11	5858	5859	SN	1	57.407	58.352	0.0	0.0	294.749	3.405	1195.216	1292.272	49.183	-93.652	-91.744	0.0
12	5858	5859	SN	1	57.407	58.352	0.0	0.0	294.749	3.668	1195.216	1292.272	48.115	-93.652	-91.744	0.0
13	5859	5860	SN	1	57.441	58.351	0.0	0.003	298.141	3.649	1195.096	1292.4	47.977	-93.612	-91.744	0.0
14	5859	5860	SN	1	57.441	58.352	0.0	0.0	298.709	2.556	1195.096	1292.408	52.751	-93.612	-91.744	0.0
15	5859	5860	NS	2	57.539	58.43	0.0	0.0	288.793	3.688	1213.248	1293.824	20.374	-93.993	-91.627	0.0
16	5859	5860	NS	1	57.539	58.43	0.0	0.0	288.793	3.688	1213.248	1293.824	20.374	-93.993	-91.627	0.0
17	5859	5860	SN	1	57.441	58.352	0.0	0.0	298.709	3.511	1195.096	1292.408	48.746	-93.612	-91.744	0.0
18	5860	5861	NS	1	57.564	58.43	0.0	0.0	286.008	3.701	1213.928	1293.64	19.231	-93.805	-91.616	0.0
19	5860	5861	SN	1	57.446	58.35	0.0	0.0	294.926	3.795	1195.232	1291.952	47.182	-93.592	-91.744	0.0
20	5860	5861	SN	1	57.446	58.35	0.0	0.0	294.926	3.747	1195.232	1291.952	46.955	-93.592	-91.744	0.0
21	5860	5861	SN	1	57.446	58.35	0.0	0.0	294.247	2.679	1195.232	1291.952	51.532	-93.592	-91.744	0.0
22	5860	5861	NS	1	57.564	58.43	0.0	0.0	286.107	3.706	1213.928	1293.648	19.253	-93.805	-91.616	0.0
23	5861	5862	NS	1	57.565	58.429	0.0	0.0	286.907	3.614	1213.8	1293.624	18.744	-93.7	-91.638	0.0
24	5861	5862	SN	1	57.469	58.35	0.0	0.0	293.679	4.092	1195.776	1291.912	46.792	-93.507	-91.74	0.0
25	5861	5862	SN	1	57.469	58.35	0.0	0.0	288.699	2.827	1195.776	1291.912	51.359	-93.507	-91.74	0.0
26	5861	5862	SN	1	57.469	58.35	0.0	0.0	293.872	3.849	1195.776	1291.912	47.155	-93.507	-91.74	0.0
27	5861	5862	NS	1	57.565	58.429	0.0	0.0	286.907	3.61	1213.8	1293.624	18.724	-93.7	-91.638	0.0
28	5862	5863	NS	1	57.563	58.454	0.0	0.003	288.65	3.656	1213.84	1293.712	18.593	-94.003	-91.619	0.0
29	5862	5863	NS	2	57.562	58.454	0.0	0.0	288.512	3.655	1213.784	1293.696	18.591	-94.003	-91.619	0.0
30	5862	5863	SN	1	57.47	58.351	0.0	0.0	287.547	3.796	1196.12	1292.0	48.252	-93.974	-91.693	0.0
31	5862	5863	SN	1	57.47	58.351	0.0	0.0	287.547	3.756	1196.12	1292.0	48.494	-93.974	-91.693	0.0
32	5862	5863	SN	1	57.47	58.351	0.0	0.0	284.833	2.761	1196.12	1292.0	52.221	-93.974	-91.693	0.0
33	5863	5864	NS	1	57.566	58.43	0.0	0.003	290.602	3.846	1214.08	1293.664	21.051	-93.9	-91.616	0.0
34	5863	5864	SN	1	57.454	58.35	0.0	0.0	298.825	3.669	1196.232	1291.944	48.024	-93.589	-91.673	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	5864	5865	SN	1	57.446	58.349	0.0	0.0	296.823	3.723	1195.72	1291.688	47.442	-93.743	-91.709	0.0
36	5864	5865	NS	1	57.567	58.463	0.0	0.0	291.528	3.709	1214.312	1293.448	20.372	-93.917	-91.624	0.0
37	5865	5866	NS	1	57.556	58.441	0.0	0.0	294.264	3.322	1214.0	1293.472	19.427	-93.909	-91.618	0.0
38	5869	5870	SN	1	57.44	58.348	0.0	0.0	289.074	2.923	1195.152	1291.68	49.29	-93.46	-91.745	0.0
39	5869	5870	SN	1	57.44	58.348	0.0	0.0	293.128	4.282	1195.152	1291.68	45.83	-93.46	-91.745	0.0
40	5869	5870	SN	1	57.44	58.348	0.0	0.0	293.128	3.994	1195.152	1291.68	48.263	-93.46	-91.745	0.0
41	5870	5871	SN	1	57.459	58.355	0.0	0.003	285.92	2.727	1194.992	1291.608	52.599	-93.673	-91.725	0.0
42	5870	5871	NS	1	57.57	58.459	0.0	0.003	287.392	3.597	1214.536	1293.44	19.679	-93.884	-91.622	0.0
43	5870	5871	SN	1	57.459	58.355	0.0	0.003	286.251	3.796	1194.992	1291.608	49.062	-93.673	-91.725	0.0
44	5870	5871	SN	1	57.459	58.355	0.0	0.003	286.251	3.475	1194.992	1291.608	49.469	-93.673	-91.725	0.0
45	5871	5872	NS	2	57.57	58.453	0.0	0.0	289.173	3.504	1214.4	1293.704	19.072	-94.033	-91.574	0.0
46	5871	5872	NS	1	57.57	58.453	0.0	0.0	289.173	3.505	1214.4	1293.704	19.074	-94.033	-91.574	0.0
47	5871	5872	SN	1	57.436	58.346	0.0	0.0	298.108	3.55	1194.808	1291.792	48.706	-93.731	-91.712	0.0
48	5871	5872	SN	1	57.436	58.346	0.0	0.0	298.108	3.636	1194.808	1291.792	48.228	-93.731	-91.712	0.0
49	5871	5872	SN	1	57.436	58.346	0.0	0.0	284.298	2.531	1194.808	1291.792	52.752	-93.731	-91.712	0.0
50	5872	5873	SN	1	57.442	58.358	0.0	0.0	299.939	3.394	1194.848	1291.68	49.91	-93.616	-91.738	0.0
51	5872	5873	SN	1	57.442	58.358	0.0	0.0	299.939	2.558	1194.848	1291.68	53.391	-93.616	-91.738	0.0
52	5872	5873	SN	1	57.442	58.358	0.0	0.0	299.939	3.633	1194.848	1291.68	48.666	-93.616	-91.738	0.0
53	5872	5873	NS	1	57.572	58.44	0.0	0.0	291.815	3.584	1214.72	1293.736	19.426	-93.987	-91.615	0.0
54	5873	5874	SN	1	57.404	58.344	0.0	0.0	298.323	3.519	1194.528	1291.504	49.355	-94.211	-91.738	0.0
55	5873	5874	SN	1	57.404	58.344	0.0	0.0	298.323	3.698	1194.528	1291.504	48.394	-94.211	-91.738	0.0
56	5873	5874	SN	1	57.404	58.344	0.0	0.0	298.323	2.602	1194.528	1291.504	53.056	-94.211	-91.738	0.0
57	5873	5874	NS	1	57.572	58.431	0.0	0.0	295.803	3.631	1214.808	1293.488	20.259	-93.811	-91.613	0.0
58	5873	5874	NS	2	57.573	58.432	0.0	0.0	295.929	3.629	1214.8	1293.496	20.266	-93.811	-91.612	0.0
59	5874	5875	SN	1	57.442	58.358	0.0	0.0	298.042	2.622	1194.608	1291.336	53.403	-93.764	-91.738	0.0
60	5874	5875	NS	1	57.555	58.43	0.0	0.0	294.512	3.696	1214.624	1293.344	20.082	-93.884	-91.632	0.0
61	5874	5875	SN	1	57.442	58.358	0.0	0.0	298.042	3.664	1194.608	1291.336	48.268	-93.764	-91.738	0.0
62	5874	5875	SN	1	57.442	58.358	0.0	0.0	298.042	3.654	1194.608	1291.336	48.904	-93.764	-91.738	0.0
63	5874	5875	NS	2	57.555	58.43	0.0	0.0	294.573	3.699	1214.624	1293.336	20.069	-93.887	-91.632	0.0
64	5875	5876	NS	2	57.574	58.43	0.0	0.0	299.034	3.659	1214.872	1293.192	18.512	-93.716	-91.643	0.0
65	5875	5876	SN	1	57.442	58.342	0.0	0.0	297.689	2.767	1194.664	1291.192	51.648	-93.7	-91.737	0.0
66	5875	5876	SN	1	57.442	58.342	0.0	0.0	297.689	4.001	1194.664	1291.192	47.228	-93.7	-91.737	0.0
67	5875	5876	NS	1	57.574	58.43	0.0	0.0	299.034	3.659	1214.872	1293.192	18.512	-93.716	-91.643	0.0
68	5875	5876	SN	1	57.442	58.342	0.0	0.0	297.689	3.822	1194.664	1291.192	47.229	-93.7	-91.737	0.0
69	5876	5877	NS	1	57.557	58.428	0.0	0.0	284.817	3.585	1214.672	1293.248	18.662	-93.952	-91.648	0.0
70	5876	5877	SN	1	57.466	58.342	0.0	0.0	294.799	3.94	1195.256	1291.312	47.716	-93.597	-91.724	0.0
71	5876	5877	SN	1	57.466	58.342	0.0	0.0	294.799	3.864	1195.256	1291.312	48.07	-93.597	-91.724	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	5876	5877	NS	1	57.557	58.428	0.0	0.0	284.817	3.581	1214.672	1293.248	18.643	-93.952	-91.648	0.0
73	5876	5877	SN	1	57.466	58.342	0.0	0.0	294.799	2.855	1195.256	1291.312	52.066	-93.597	-91.724	0.0
74	5877	5878	NS	1	57.574	58.433	0.0	0.0	285.749	3.699	1214.688	1293.288	19.794	-93.866	-91.617	0.0
75	5877	5878	NS	1	57.574	58.433	0.0	0.0	285.749	3.703	1214.688	1293.288	19.814	-93.866	-91.617	0.0
76	5877	5878	SN	1	57.471	58.342	0.0	0.0	291.032	3.737	1195.584	1291.272	48.007	-93.956	-91.667	0.0
77	5877	5878	SN	2	57.471	58.342	0.0	0.0	291.032	3.737	1195.584	1291.272	48.007	-93.956	-91.667	0.0
78	5878	5879	SN	1	57.458	58.342	0.0	0.0	287.718	3.705	1194.984	1291.136	47.623	-93.501	-91.698	0.0
79	5878	5879	NS	1	57.576	58.459	0.0	0.0	286.344	3.762	1215.304	1293.168	20.691	-93.878	-91.627	0.0
80	5878	5879	NS	1	57.576	58.459	0.0	0.0	286.344	3.765	1215.304	1293.168	20.707	-93.878	-91.627	0.0
81	5879	5880	NS	1	57.573	58.429	0.0	0.0	286.372	3.662	1215.488	1293.08	20.149	-93.806	-91.616	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5856	5857	NS	1	-34.512	19.062	0.0	-33.121	19.975	0.0	-16.761	21.442	0.0	-12.131	22.836	0.041	0.083	194.922	0.975	0.083	141.521	0.925	0.083	3.335	0.003	0.083	1.191	0.002
2	5856	5857	SN	1	-34.982	18.895	0.0	-34.646	18.96	0.0	1.662	21.748	0.0	1.184	23.061	0.124	0.083	217.216	4.11	0.083	201.06	3.1	0.083	0.127	0.0	0.083	0.127	0.0
3	5856	5857	SN	1	-34.982	15.498	0.0	-34.646	16.923	0.0	1.662	21.748	0.0	1.184	23.061	0.124	0.084	217.216	4.351	0.084	201.06	3.476	0.083	0.127	0.0	0.083	0.127	0.0
4	5857	5858	SN	1	-34.997	17.014	0.0	-34.773	18.17	0.0	2.254	21.768	0.0	1.772	22.556	0.033	0.084	217.995	3.244	0.083	207.005	3.104	0.083	0.117	0.0	0.083	0.121	0.0
5	5857	5858	SN	1	-34.997	17.014	0.0	-34.773	18.17	0.0	2.254	21.768	0.0	1.772	22.556	0.03	0.084	217.995	3.17	0.083	207.005	2.966	0.083	0.117	0.0	0.083	0.121	0.0
6	5857	5858	NS	1	-33.771	17.157	0.0	-32.51	16.83	0.0	-6.57	20.795	0.0	-18.641	22.857	0.046	0.084	164.368	1.976	0.084	122.949	1.784	0.083	0.38	0.0	0.083	5.107	0.031
7	5857	5858	SN	1	-34.997	14.477	0.0	-34.773	15.359	0.0	2.254	21.768	0.0	1.772	22.556	0.033	0.084	217.995	3.445	0.084	207.005	3.367	0.083	0.117	0.0	0.083	0.121	0.0
8	5858	5859	NS	2	-34.436	16.892	0.0	-33.987	17.376	0.0	-24.824	21.983	0.0	-28.003	22.585	0.012	0.084	191.538	1.702	0.084	172.737	1.639	0.083	21.004	0.027	0.083	43.605	0.042
9	5858	5859	NS	1	-34.436	16.892	0.0	-33.987	17.376	0.0	-24.824	21.983	0.0	-28.003	22.585	0.012	0.084	191.538	1.702	0.084	172.737	1.639	0.083	21.004	0.027	0.083	43.605	0.042
10	5858	5859	SN	1	-34.948	14.689	0.0	-34.878	15.924	0.0	0.686	22.32	0.016	2.312	22.322	0.122	0.084	215.498	1.593	0.084	212.129	1.306	0.083	0.133	0.0	0.083	0.117	0.0
11	5858	5859	SN	1	-34.948	16.446	0.0	-34.878	18.3	0.0	0.686	22.32	0.014	2.312	22.322	0.111	0.084	215.498	1.592	0.083	212.129	1.221	0.083	0.133	0.0	0.083	0.117	0.0
12	5858	5859	SN	1	-34.948	16.446	0.0	-34.878	18.3	0.0	0.686	22.32	0.011	2.312	22.322	0.089	0.084	215.498	1.578	0.083	212.129	1.221	0.083	0.133	0.0	0.083	0.117	0.0
13	5859	5860	SN	1	-34.846	16.682	0.0	-32.994	18.592	0.0	0.522	21.34	0.0	2.666	22.707	0.18	0.084	210.491	2.214	0.083	137.439	1.882	0.083	0.135	0.0	0.083	0.114	0.0
14	5859	5860	SN	1	-34.826	15.528	0.0	-33.157	15.501	0.0	0.522	21.338	0.0	2.666	22.707	0.308	0.084	209.541	2.374	0.084	142.714	2.094	0.083	0.135	0.0	0.083	0.114	0.0
15	5859	5860	NS	2	-33.378	16.971	0.0	-34.36	17.008	0.0	-25.081	25.597	0.008	-20.822	22.26	0.005	0.084	150.154	2.219	0.084	188.261	2.216	0.083	22.283	0.009	0.083	8.396	0.012
16	5859	5860	NS	1	-33.378	16.971	0.0	-34.36	17.008	0.0	-25.081	25.597	0.008	-20.822	22.26	0.005	0.084	150.154	2.219	0.084	188.261	2.216	0.083	22.283	0.009	0.083	8.396	0.012
17	5859	5860	SN	1	-34.826	16.682	0.0	-33.157	18.592	0.0	0.522	21.338	0.0	2.666	22.707	0.24	0.084	209.541	2.254	0.083	142.714	1.954	0.083	0.135	0.0	0.083	0.114	0.0
18	5860	5861	NS	1	-34.894	17.885	0.0	-34.62	18.043	0.0	-33.644	21.519	0.0	-18.027	23.006	0.033	0.083	212.832	0.815	0.083	199.846	0.867	0.083	159.629	0.107	0.083	4.442	0.014
19	5860	5861	SN	1	-34.855	17.09	0.0	-34.923	18.312	0.0	0.158	21.941	0.0	4.538	21.603	0.0	0.084	210.955	3.402	0.083	214.266	2.679	0.083	0.14	0.0	0.083	0.102	0.0
20	5860	5861	SN	1	-34.855	17.09	0.0	-34.923	18.312	0.0	0.158	21.941	0.0	4.538	21.603	0.0	0.084	210.955	3.365	0.083	214.266	2.637	0.083	0.14	0.0	0.083	0.102	0.0
21	5860	5861	SN	1	-34.855	15.809	0.0	-34.923	15.521	0.0	0.158	21.941	0.0	4.538	21.603	0.0	0.084	210.955	3.557	0.084	214.266	2.928	0.083	0.14	0.0	0.083	0.102	0.0
22	5860	5861	NS	1	-34.786	17.885	0.0	-34.465	18.043	0.0	-33.782	21.519	0.0	-18.032	23.006	0.033	0.083	207.632	0.815	0.083	192.846	0.866	0.083	164.764	0.105	0.083	4.447	0.015
23	5861	5862	NS	1	-34.628	17.611	0.0	-33.491	18.362	0.0	2.655	22.508	0.078	1.997	22.783	0.265	0.083	200.179	0.703	0.083	154.103	0.739	0.083	0.114	0.0	0.083	0.119	0.0
24	5861	5862	SN	1	-33.85	17.348	0.0	-34.987	18.795	0.0	-0.571	22.998	0.147	-0.745	23.351	0.614	0.084	167.38	3.313	0.083	217.456	2.393	0.083	0.157	0.0	0.083	0.16	0.0
25	5861	5862	SN	1	-33.85	15.251	0.0	-34.987	15.114	0.0	-0.571	22.998	0.178	-0.745	23.351	0.634	0.084	167.38	3.513	0.084	217.456	2.789	0.083	0.157	0.0	0.083	0.16	0.0
26	5861	5862	SN	1	-33.85	17.348	0.0	-34.987	18.793	0.0	-1.134	22.998	0.126	-0.745	23.351	0.523	0.084	167.38	3.313	0.083	217.456	2.388	0.083	0.174	0.0	0.083	0.16	0.0
27	5861	5862	NS	1	-34.628	17.611	0.0	-33.491	18.362	0.0	2.655	22.508	0.078	1.997	22.783	0.265	0.083	200.179	0.702	0.083	154.103	0.743	0.083	0.114	0.0	0.083	0.119	0.0
28	5862	5863	NS	1	-34.943	17.675	0.0	-34.892	18.359	0.0	1.422	22.566	0.073	0.752	23.68	0.809	0.083	215.317	3.251	0.083	212.809	2.907	0.083	0.125	0.0	0.083	0.132	0.0
29	5862	5863	NS	2	-34.898	17.673	0.0	-34.834	18.359	0.0	1.422	22.566	0.073	0.749	23.68	0.809	0.083	213.059	3.254	0.083	209.941	2.904	0.083	0.125	0.0	0.083	0.133	0.0
30	5862	5863	SN	1	-34.221	17.084	0.0	-34.628	18.83	0.0	-9.512	22.959	0.054	-6.166	23.99	0.718	0.084	182.321	4.061	0.083	200.183	3.196	0.083	0.706	0.0	0.083	0.353	0.0
31	5862	5863	SN	1	-34.221	17.084	0.0	-34.628	18.83	0.0	-9.512	22.959	0.053	-6.166	23.99	0.702	0.084	182.321	4.058	0.083	200.183	3.196	0.083	0.706	0.0	0.083	0.353	0.0
32	5862	5863	SN	1	-34.221	15.978	0.0	-34.628	18.389	0.0	-9.512	22.959	0.071	-6.166	23.99	0.64	0.084	182.321	4.359	0.083	200.183	3.815	0.083	0.706	0.0	0.083	0.353	0.0





Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0	Alarming	High Errors

33	5863	5864	NS	1	-34.857	18.062	0.0	-34.885	18.43	0.0	-1.943	22.76	0.084	1.753	23.99	1.729	0.083	211.078	2.996	0.083	212.374	2.7	0.083	0.179	0.0	0.083	0.122	0.0
34	5863	5864	SN	1	-34.666	16.629	0.0	-34.988	18.994	0.0	-24.302	22.806	0.015	-4.324	24.028	0.353	0.084	202.029	2.97	0.083	217.548	2.36	0.083	19.1	0.035	0.083	0.256	0.0
35	5864	5865	SN	1	-34.239	20.005	0.0	-34.94	21.098	0.0	-28.364	23.238	0.019	-21.019	23.456	0.227	0.083	183.12	4.451	0.083	215.161	3.241	0.083	49.001	0.153	0.083	8.783	0.043
36	5864	5865	NS	1	-34.635	18.411	0.0	-34.748	19.086	0.0	-0.928	22.115	0.005	-0.82	23.948	1.008	0.083	200.559	1.923	0.083	205.876	1.872	0.083	0.158	0.0	0.083	0.156	0.0
37	5865	5866	NS	1	-34.634	18.467	0.0	-34.725	19.188	0.0	1.034	22.636	0.007	0.826	24.024	0.83	0.083	200.504	3.361	0.083	204.77	3.272	0.083	0.129	0.0	0.083	0.132	0.0
38	5869	5870	SN	1	-34.646	17.416	0.0	-33.399	18.425	0.0	-4.894	21.926	0.0	0.081	22.285	0.004	0.084	201.071	2.807	0.083	150.895	2.195	0.083	0.281	0.0	0.083	0.141	0.0
39	5869	5870	SN	1	-34.646	18.372	0.0	-33.399	19.847	0.0	-4.894	21.926	0.0	0.081	22.3	0.012	0.083	201.071	2.646	0.083	150.895	1.833	0.083	0.281	0.0	0.083	0.141	0.0
40	5869	5870	SN	1	-34.646	18.372	0.0	-33.399	19.847	0.0	-4.894	21.926	0.0	0.081	22.302	0.011	0.083	201.071	2.584	0.083	150.895	1.78	0.083	0.281	0.0	0.083	0.141	0.0
41	5870	5871	SN	1	-34.43	17.019	0.0	-34.617	17.396	0.0	-12.702	21.686	0.0	-8.118	23.334	0.127	0.084	191.268	4.301	0.084	199.705	3.658	0.083	1.349	0.002	0.083	0.513	0.0
42	5870	5871	NS	1	-34.84	19.206	0.0	-34.277	21.004	0.0	-4.56	21.451	0.0	-2.599	23.635	0.073	0.083	210.217	2.371	0.083	184.633	2.695	0.083	0.273	0.0	0.083	0.196	0.0
43	5870	5871	SN	1	-34.43	18.895	0.0	-34.617	19.322	0.0	-12.702	21.686	0.0	-8.118	23.334	0.11	0.083	191.268	4.075	0.083	199.705	3.109	0.083	1.349	0.002	0.083	0.513	0.0
44	5870	5871	SN	1	-34.43	18.895	0.0	-34.617	18.936	0.0	-12.702	21.686	0.0	-8.118	23.334	0.127	0.083	191.268	4.073	0.083	199.705	3.286	0.083	1.349	0.002	0.083	0.513	0.0
45	5871	5872	NS	2	-34.832	17.243	0.0	-34.98	17.138	0.0	-9.302	20.905	0.0	-25.372	22.82	0.031	0.084	209.877	2.613	0.084	217.149	2.591	0.083	0.653	0.0	0.083	23.82	0.049
46	5871	5872	NS	1	-34.832	17.243	0.0	-34.98	17.138	0.0	-9.302	20.905	0.0	-25.372	22.82	0.031	0.084	209.877	2.613	0.084	217.149	2.593	0.083	0.653	0.0	0.083	23.82	0.049
47	5871	5872	SN	1	-34.744	17.902	0.0	-34.02	18.888	0.0	0.839	22.506	0.018	1.671	23.861	0.118	0.083	211.182	2.574	0.083	174.048	2.109	0.083	0.131	0.0	0.083	0.122	0.0
48	5871	5872	SN	1	-34.744	17.902	0.0	-34.02	18.888	0.0	0.839	22.506	0.018	1.671	23.861	0.118	0.083	211.182	2.539	0.083	174.048	2.085	0.083	0.131	0.0	0.083	0.122	0.0
49	5871	5872	SN	1	-34.744	15.362	0.0	-34.02	17.505	0.0	0.839	22.506	0.024	1.671	23.861	0.126	0.084	211.182	2.536	0.083	174.048	2.367	0.083	0.131	0.0	0.083	0.122	0.0
50	5872	5873	SN	1	-34.748	17.274	0.0	-34.97	18.671	0.0	1.521	22.297	0.008	1.909	22.419	0.023	0.084	205.867	3.333	0.083	216.605	2.912	0.083	0.124	0.0	0.083	0.12	0.0
51	5872	5873	SN	1	-34.748	15.2	0.0	-34.97	15.979	0.0	1.521	22.297	0.008	1.909	22.419	0.024	0.084	205.867	3.512	0.084	216.605	3.125	0.083	0.124	0.0	0.083	0.12	0.0
52	5872	5873	SN	1	-34.748	17.274	0.0	-34.97	18.671	0.0	1.521	22.297	0.006	1.909	22.419	0.019	0.084	205.867	3.348	0.083	216.605	2.797	0.083	0.124	0.0	0.083	0.12	0.0
53	5872	5873	NS	1	-34.66	17.481	0.0	-34.891	16.74	0.0	-28.65	21.671	0.0	-21.839	22.443	0.015	0.083	201.699	3.234	0.084	212.739	2.882	0.083	50.594	0.09	0.083	10.594	0.069
54	5873	5874	SN	1	-34.611	16.329	0.0	-34.953	18.557	0.0	0.927	21.691	0.0	1.898	23.176	0.226	0.084	199.416	2.988	0.083	215.716	2.569	0.083	0.13	0.0	0.083	0.12	0.0
55	5873	5874	SN	1	-34.611	16.329	0.0	-34.953	18.557	0.0	0.927	21.691	0.0	1.898	23.176	0.157	0.084	199.416	2.962	0.083	215.716	2.517	0.083	0.13	0.0	0.083	0.12	0.0
56	5873	5874	SN	1	-34.611	15.803	0.0	-34.953	16.162	0.0	0.927	21.691	0.0	1.898	23.176	0.277	0.084	199.416	3.116	0.084	215.716	2.744	0.083	0.13	0.0	0.083	0.12	0.0
57	5873	5874	NS	1	-33.347	17.608	0.0	-33.273	17.239	0.0	-5.997	22.259	0.001	-6.031	22.686	0.016	0.083	149.109	0.31	0.084	146.577	0.252	0.083	0.342	0.0	0.083	0.344	0.0
58	5873	5874	NS	2	-32.788	17.608	0.0	-33.338	17.239	0.0	-5.999	22.259	0.001	-6.03	22.686	0.016	0.083	131.107	0.309	0.084	148.786	0.25	0.083	0.342	0.0	0.083	0.344	0.0
59	5874	5875	SN	1	-34.939	16.408	0.0	-34.583	17.023	0.0	-0.283	21.462	0.0	2.143	22.494	0.141	0.084	215.055	2.027	0.084	198.118	1.581	0.083	0.147	0.0	0.083	0.118	0.0
60	5874	5875	NS	1	-33.464	17.721	0.0	-33.944	17.933	0.0	-15.077	21.507	0.0	-15.564	22.52	0.028	0.083	153.188	1.615	0.083	171.025	1.414	0.083	2.284	0.004	0.083	2.547	0.011
61	5874	5875	SN	1	-34.939	16.887	0.0	-34.583	18.88	0.0	-0.283	21.462	0.0	2.143	22.494	0.068	0.084	215.055	1.896	0.083	198.118	1.426	0.083	0.147	0.0	0.083	0.118	0.0
62	5874	5875	SN	1	-34.939	16.887	0.0	-34.583	18.88	0.0	-0.283	21.462	0.0	2.143	22.494	0.108	0.084	215.055	1.931	0.083	198.118	1.465	0.083	0.147	0.0	0.083	0.118	0.0
63	5874	5875	NS	2	-34.963	17.721	0.0	-34.083	17.933	0.0	-15.078	21.507	0.0	-15.563	22.52	0.028	0.083	216.296	1.619	0.083	176.637	1.412	0.083	2.284	0.004	0.083	2.546	0.011
64	5875	5876	NS	2	-32.679	18.317	0.0	-30.37	18.467	0.0	-17.187	21.456	0.0	-30.517	22.936	0.1	0.083	127.814	0.438	0.083	75.165	0.395	0.083	3.672	0.068	0.083	77.755	0.109
65	5875	5876	SN	1	-34.818	15.964	0.0	-34.071	15.596	0.0	0.972	22.993	0.129	6.029	23.396	0.324	0.084	209.161	1.901	0.084	176.138	1.725	0.083	0.13	0.0	0.083	0.099	0.0
66	5875	5876	SN	1	-34.818	17.189	0.0	-34.071	18.346	0.0	0.972	22.993	0.099	6.029	23.396	0.305	0.084	209.161	1.815	0.083	176.138	1.545	0.083	0.13	0.0	0.083	0.099	0.0
67	5875	5876	NS	1	-32.679	18.317	0.0	-30.37	18.467	0.0	-17.187	21.456	0.0	-30.517	22.936	0.1	0.083	127.814	0.438	0.083	75.165	0.395	0.083	3.672	0.068	0.083	77.755	0.109
68	5875	5876	SN	1	-34.818	17.189	0.0	-34.071	18.346	0.0	0.972	22.993	0.08	6.029	23.396	0.238	0.084	209.161	1.805	0.083	176.138	1.532	0.083	0.13	0.0	0.083	0.099	0.0
69	5876	5877	NS	1	-34.456	18.264	0.0	-34.224	18.147	0.0	2.322	22.672	0.045	1.622	23.417	0.41	0.083	192.462	0.98	0.083	182.419	0.928	0.083	0.117	0.0	0.083	0.123	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	5876	5877	SN	1	-34.806	17.418	0.0	-34.889	18.762	0.0	-10.901	22.975	0.119	-8.791	25.141	0.85	0.084	208.569	5.677	0.083	212.618	4.298	0.083	1.021	0.002	0.083	0.658	0.0
71	5876	5877	SN	1	-34.806	17.418	0.0	-34.889	18.762	0.0	-10.901	22.975	0.115	-8.791	25.141	0.814	0.084	208.569	5.677	0.083	212.618	4.298	0.083	1.021	0.001	0.083	0.658	0.0
72	5876	5877	NS	1	-34.456	18.264	0.0	-34.224	18.147	0.0	2.322	22.672	0.045	1.622	23.417	0.41	0.083	192.462	0.98	0.083	182.419	0.926	0.083	0.117	0.0	0.083	0.123	0.0
73	5876	5877	SN	1	-34.806	17.418	0.0	-34.889	17.379	0.0	-10.901	22.975	0.158	-8.791	25.141	0.974	0.084	208.569	6.116	0.084	212.618	5.132	0.083	1.021	0.002	0.083	0.658	0.0
74	5877	5878	NS	1	-34.722	18.133	0.0	-34.866	18.68	0.0	1.176	22.619	0.062	-0.739	24.041	1.474	0.083	204.631	4.39	0.083	211.505	4.152	0.083	0.128	0.0	0.083	0.155	0.0
75	5877	5878	NS	1	-34.722	18.133	0.0	-34.866	18.68	0.0	1.176	22.619	0.062	-0.739	24.041	1.474	0.083	204.631	4.375	0.083	211.505	4.144	0.083	0.128	0.0	0.083	0.155	0.0
76	5877	5878	SN	1	-33.78	16.842	0.0	-34.351	19.517	0.0	-23.543	22.605	0.039	-22.355	23.793	0.574	0.084	164.708	1.984	0.083	187.878	1.801	0.083	16.196	0.102	0.083	12.795	0.014
77	5877	5878	SN	2	-33.78	16.842	0.0	-34.351	19.517	0.0	-23.543	22.605	0.039	-22.355	23.793	0.574	0.084	164.708	1.984	0.083	187.878	1.801	0.083	16.196	0.102	0.083	12.795	0.014
78	5878	5879	SN	1	-34.807	20.292	0.0	-34.813	20.872	0.0	-8.378	22.655	0.016	-6.333	23.53	0.268	0.083	208.68	3.244	0.083	208.963	2.885	0.083	0.56	0.0	0.083	0.364	0.0
79	5878	5879	NS	1	-34.058	18.509	0.0	-34.36	18.787	0.0	-30.581	23.013	0.158	-20.931	23.792	1.456	0.083	181.427	2.648	0.083	188.263	2.53	0.083	78.875	0.019	0.083	8.607	0.024
80	5878	5879	NS	1	-34.058	18.509	0.0	-34.36	18.787	0.0	-30.581	23.013	0.159	-20.931	23.792	1.46	0.083	181.427	2.65	0.083	188.263	2.53	0.083	78.875	0.019	0.083	8.607	0.024
81	5879	5880	NS	1	-34.818	18.273	0.0	-34.632	18.929	0.0	0.517	22.245	0.005	1.363	23.946	0.768	0.083	209.142	3.007	0.083	200.446	3.034	0.083	0.135	0.0	0.083	0.126	0.0

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	