

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-MAR-2017 To 21-MAR-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-MAR-2017 To 21-MAR-2017

Sr No	Start Orbit	End Orbit	Dir.	Ver.	Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
					Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2535	2536	NS	1	48.756	49.455	0.0	0.003	6.066	0.206	1038.968	1094.984	0.0	-91.233	-90.09	0.0
2	2535	2536	SN	1	48.71	49.415	0.0	0.003	1.814	0.145	1029.808	1094.208	0.0	-91.376	-90.004	0.0
3	2535	2536	NS	2	48.756	49.455	0.0	0.003	6.066	0.206	1038.968	1094.984	0.0	-91.233	-90.09	0.0
4	2536	2537	NS	1	48.765	49.447	0.0	0.003	1.814	0.183	1039.512	1094.928	0.0	-91.697	-90.073	0.0
5	2536	2537	SN	1	48.695	49.405	0.0	0.003	7.258	0.153	1029.848	1094.112	0.0	-91.386	-89.976	0.0
6	2537	2538	SN	1	48.683	49.395	0.0	0.003	1.814	0.137	1029.568	1094.208	0.0	-91.264	-89.995	0.0
7	2537	2538	NS	1	48.766	49.426	0.0	0.003	1.814	0.181	1039.896	1095.144	0.0	-91.462	-90.022	0.0
8	2538	2539	NS	1	48.752	49.476	0.0	0.003	1.814	0.184	1039.368	1095.104	0.0	-91.364	-90.048	0.0
9	2538	2539	SN	1	48.706	49.395	0.0	0.003	314.901	0.137	1029.296	1094.176	0.0	-91.244	-90.005	0.0
10	2539	2540	NS	1	48.766	49.426	0.0	0.003	6.044	0.202	1040.168	1094.968	0.0	-91.335	-90.075	0.0
11	2539	2540	SN	2	48.675	49.42	0.0	0.003	334.22	0.136	1029.488	1094.032	0.0	-91.337	-90.063	0.0
12	2540	2541	NS	1	48.767	49.469	0.0	0.003	5.962	0.203	1039.824	1094.872	0.0	-91.256	-90.086	0.0
13	2540	2541	SN	1	48.708	49.434	0.0	0.003	7.186	0.147	1029.192	1093.888	0.0	-91.388	-90.039	0.0
14	2541	2542	SN	1	48.693	49.396	0.0	0.003	1.814	0.141	1029.496	1093.776	0.0	-91.341	-90.012	0.0
15	2541	2542	NS	1	48.731	49.425	0.0	0.003	1.814	0.188	1040.208	1094.952	0.0	-91.398	-90.063	0.0
16	2542	2543	SN	2	48.707	49.397	0.0	0.003	1.814	0.144	1029.408	1093.872	0.0	-91.583	-89.998	0.0
17	2542	2543	NS	1	48.734	49.467	0.0	0.003	1.814	0.188	1039.512	1094.808	0.0	-91.43	-90.107	0.0
18	2543	2544	SN	1	48.712	49.432	0.0	0.003	272.921	0.143	1030.328	1093.928	0.0	-91.614	-89.943	0.0
19	2543	2544	NS	1	48.752	49.426	0.0	0.003	1.814	0.19	1040.088	1094.864	0.0	-91.402	-90.098	0.0
20	2544	2545	NS	1	48.746	49.425	0.0	0.003	5.973	0.205	1039.64	1094.752	0.0	-91.323	-90.096	0.0
21	2544	2545	SN	2	48.712	49.397	0.0	0.003	1.814	0.141	1029.728	1093.848	0.0	-91.173	-89.962	0.0
22	2545	2546	NS	1	48.765	49.471	0.0	0.003	1.814	0.188	1039.792	1094.664	0.0	-91.69	-90.063	0.0
23	2545	2546	SN	1	48.685	49.397	0.0	0.003	1.814	0.144	1030.232	1093.744	0.0	-91.098	-89.974	0.0
24	2546	2547	NS	1	48.747	49.458	0.0	0.003	1.82	0.19	1039.952	1094.704	0.0	-91.323	-90.094	0.0
25	2547	2548	NS	1	48.726	49.426	0.0	0.003	1.814	0.188	1039.544	1094.664	0.0	-91.827	-90.076	0.0
26	2547	2548	SN	1	48.709	49.428	0.0	0.003	1.814	0.14	1030.104	1093.824	0.0	-91.687	-89.991	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2535	2536	NS	1	-34.917	28.114	0.509	-34.481	29.022	0.495	7.502	30.566	10.681	7.067	31.056	18.219	0.103	262.077	3.964	0.103	237.039	3.628	0.103	0.115	0.0	0.103	0.116	0.0
2	2535	2536	SN	1	-34.308	23.966	1.274	-34.968	24.861	1.725	-13.745	28.51	9.051	-8.488	28.836	9.854	0.103	227.794	4.493	0.103	265.201	3.382	0.103	2.081	0.003	0.103	0.679	0.0
3	2535	2536	NS	2	-34.917	28.114	0.509	-34.481	29.022	0.495	7.502	30.566	10.681	7.067	31.056	18.219	0.103	262.077	3.964	0.103	237.039	3.628	0.103	0.115	0.0	0.103	0.116	0.0
4	2536	2537	NS	1	-34.487	28.522	0.39	-34.275	29.471	0.493	6.982	36.383	9.315	6.905	36.383	18.72	0.103	237.395	1.566	0.103	226.067	1.763	0.102	0.116	0.0	0.102	0.116	0.0
5	2536	2537	SN	1	-34.637	26.14	0.899	-34.951	26.275	1.412	-33.862	33.697	10.198	-18.723	29.403	8.133	0.103	245.687	3.561	0.103	264.177	2.932	0.102	205.565	0.045	0.103	6.374	0.02
6	2537	2538	SN	1	-34.728	26.652	0.209	-34.646	26.357	0.236	4.968	29.109	10.529	6.895	28.796	7.591	0.103	250.926	5.343	0.103	246.258	4.573	0.103	0.125	0.0	0.103	0.116	0.0
7	2537	2538	NS	1	-34.603	27.178	0.116	-34.292	27.108	0.142	-4.034	28.943	6.514	-7.353	29.896	11.983	0.103	243.762	5.334	0.103	226.957	5.269	0.103	0.301	0.0	0.103	0.543	0.0
8	2538	2539	NS	1	-34.926	26.732	0.055	-34.945	27.415	0.065	-0.15	28.406	7.324	2.619	29.288	12.927	0.103	262.622	8.41	0.103	263.777	9.354	0.103	0.179	0.0	0.103	0.142	0.0
9	2538	2539	SN	1	-34.996	26.471	0.199	-34.987	27.586	0.201	7.256	27.348	14.075	7.181	28.433	11.492	0.103	266.833	2.781	0.103	266.281	2.511	0.103	0.115	0.0	0.103	0.116	0.0
10	2539	2540	NS	1	-34.436	21.203	0.0	-34.269	21.013	0.0	-9.466	29.401	4.045	-3.397	30.424	7.698	0.103	244.225	2.273	0.103	225.777	2.287	0.103	0.829	0.0	0.103	0.272	0.0
11	2539	2540	SN	2	-34.911	26.697	0.256	-34.979	27.108	0.274	6.776	28.621	19.694	7.407	28.293	23.763	0.103	261.735	2.871	0.103	265.862	2.481	0.103	0.117	0.0	0.103	0.115	0.0
12	2540	2541	NS	1	-33.486	22.388	0.004	-33.638	22.873	0.009	-12.043	28.009	6.349	-18.216	28.999	11.293	0.103	188.518	2.521	0.103	195.205	2.351	0.103	1.433	0.004	0.103	5.679	0.003
13	2540	2541	SN	1	-34.325	24.765	0.016	-34.631	25.854	0.023	6.19	27.848	16.264	7.673	28.623	20.026	0.103	228.624	2.126	0.103	245.38	1.958	0.103	0.119	0.0	0.103	0.114	0.0
14	2541	2542	SN	1	-34.868	24.624	0.027	-34.252	25.778	0.021	5.904	32.385	11.454	8.142	31.117	11.026	0.103	259.132	3.989	0.103	224.859	2.961	0.102	0.12	0.0	0.103	0.113	0.0
15	2541	2542	NS	1	-34.213	26.092	0.649	-34.236	25.933	1.022	-7.496	29.116	9.979	-6.234	29.95	14.794	0.103	222.896	1.775	0.103	224.046	1.818	0.103	0.558	0.0	0.103	0.439	0.0
16	2542	2543	SN	2	-34.549	26.386	0.415	-34.372	27.06	0.479	6.357	33.374	11.602	7.534	34.723	11.468	0.103	240.747	3.48	0.103	231.234	2.631	0.102	0.118	0.0	0.102	0.114	0.0
17	2542	2543	NS	1	-34.639	26.988	0.925	-34.555	26.999	1.312	1.778	28.771	10.41	7.533	29.367	16.636	0.103	245.755	2.621	0.103	241.121	2.562	0.103	0.15	0.0	0.103	0.114	0.0
18	2543	2544	SN	1	-33.976	27.17	0.463	-34.586	28.573	0.547	-11.867	28.771	14.412	-4.273	29.48	13.831	0.103	211.03	4.901	0.103	242.826	3.487	0.103	1.379	0.002	0.103	0.313	0.0
19	2543	2544	NS	1	-34.793	26.952	0.267	-33.237	27.037	0.321	2.346	29.163	14.326	0.816	30.298	25.187	0.103	254.706	1.62	0.103	178.044	1.07	0.103	0.144	0.0	0.103	0.163	0.0
20	2544	2545	NS	1	-34.956	26.541	0.318	-34.127	27.187	0.352	-30.763	28.508	14.093	-31.418	29.655	24.764	0.103	264.386	3.411	0.103	218.435	3.439	0.103	100.755	0.088	0.103	117.117	0.075
21	2544	2545	SN	2	-34.847	28.53	0.554	-34.417	29.896	0.761	0.786	28.669	14.729	-0.849	29.466	13.554	0.103	257.882	8.496	0.103	233.557	7.338	0.103	0.164	0.0	0.103	0.194	0.0
22	2545	2546	NS	1	-34.885	24.607	0.235	-34.985	24.704	0.298	4.225	28.719	16.418	6.139	29.336	25.234	0.103	260.149	4.702	0.103	266.219	4.758	0.103	0.129	0.0	0.103	0.119	0.0
23	2545	2546	SN	1	-34.883	27.45	0.131	-34.971	28.955	0.384	-8.791	36.383	16.657	-6.485	31.624	16.944	0.103	260.06	5.7	0.103	265.356	5.69	0.102	0.722	0.0	0.102	0.46	0.0
24	2546	2547	NS	1	-34.608	24.892	0.174	-34.914	25.411	0.339	8.823	28.974	25.957	8.269	29.068	36.244	0.103	244.036	1.777	0.103	261.914	1.806	0.103	0.111	0.0	0.103	0.113	0.0
25	2547	2548	NS	1	-34.408	26.702	0.51	-34.88	26.842	0.492	11.394	28.527	25.816	11.938	28.79	33.784	0.103	233.113	4.635	0.103	259.862	4.706	0.103	0.107	0.0	0.103	0.107	0.0
26	2547	2548	SN	1	-34.889	26.997	0.139	-34.705	27.738	0.708	-6.946	28.801	21.914	-5.714	29.672	22.635	0.103	260.38	1.916	0.103	249.611	1.588	0.103	0.502	0.0	0.103	0.4	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2535	2536	NS	1	57.63	58.404	0.0	0.003	29.312	0.206	1219.576	1289.696	16.175	-93.211	-92.113	0.0
2	2535	2536	SN	1	57.544	58.368	0.0	0.003	1.98	0.212	1208.808	1288.504	11.184	-93.26	-92.026	0.0
3	2535	2536	NS	2	57.63	58.404	0.0	0.003	29.312	0.206	1219.576	1289.696	16.175	-93.211	-92.113	0.0
4	2536	2537	NS	1	57.62	58.403	0.0	0.003	1.985	0.153	1220.376	1289.648	15.728	-93.356	-92.099	0.0
5	2536	2537	SN	1	57.557	58.361	0.0	0.003	12.673	0.215	1208.92	1288.368	12.143	-93.303	-92.0	0.0
6	2537	2538	SN	1	57.547	58.359	0.0	0.003	1.98	0.197	1208.264	1288.472	11.21	-93.22	-92.01	0.0
7	2537	2538	NS	1	57.628	58.408	0.0	0.003	1.985	0.147	1220.36	1289.912	15.365	-93.118	-92.04	0.0
8	2538	2539	NS	1	57.635	58.425	0.0	0.003	1.985	0.152	1220.352	1289.88	15.444	-93.135	-92.064	0.0
9	2538	2539	SN	1	57.561	58.368	0.0	0.003	1.98	0.197	1208.232	1288.416	12.538	-92.967	-92.028	0.0
10	2539	2540	NS	1	57.611	58.405	0.0	0.003	28.722	0.194	1220.984	1289.712	16.049	-93.174	-92.103	0.0
11	2539	2540	SN	2	57.51	58.383	0.0	0.003	1.98	0.2	1208.384	1288.256	12.436	-93.155	-92.085	0.0
12	2540	2541	NS	1	57.609	58.429	0.0	0.003	30.371	0.213	1221.024	1289.576	16.023	-93.178	-92.104	0.0
13	2540	2541	SN	1	57.564	58.38	0.0	0.003	12.381	0.208	1207.904	1288.136	12.472	-93.365	-92.063	0.0
14	2541	2542	SN	1	57.535	58.377	0.0	0.003	1.98	0.204	1208.304	1288.0	12.591	-93.154	-92.033	0.0
15	2541	2542	NS	1	57.615	58.403	0.0	0.003	1.991	0.157	1220.664	1289.712	14.198	-93.293	-92.101	0.0
16	2542	2543	SN	2	57.561	58.359	0.0	0.003	1.985	0.207	1208.448	1288.112	12.492	-93.168	-92.031	0.0
17	2542	2543	NS	1	57.608	58.416	0.0	0.003	1.985	0.154	1220.128	1289.512	14.863	-93.373	-92.128	0.0
18	2543	2544	SN	1	57.535	58.378	0.0	0.003	1.98	0.203	1209.12	1288.176	11.541	-93.499	-91.985	0.0
19	2543	2544	NS	1	57.622	58.408	0.0	0.003	1.985	0.157	1220.632	1289.576	15.683	-93.187	-92.122	0.0
20	2544	2545	NS	1	57.627	58.406	0.0	0.003	30.272	0.202	1220.248	1289.456	16.205	-93.276	-92.114	0.0
21	2544	2545	SN	2	57.565	58.36	0.0	0.003	1.985	0.198	1208.76	1288.072	11.895	-93.024	-91.98	0.0
22	2545	2546	NS	1	57.638	58.425	0.0	0.003	1.985	0.156	1220.592	1289.328	15.81	-93.171	-92.087	0.0
23	2545	2546	SN	1	57.545	58.359	0.0	0.003	1.985	0.205	1208.448	1287.944	12.587	-93.091	-91.99	0.0
24	2546	2547	NS	1	57.635	58.425	0.0	0.003	1.98	0.155	1220.344	1289.36	15.531	-93.189	-92.117	0.0
25	2547	2548	NS	1	57.601	58.427	0.0	0.003	1.985	0.156	1220.288	1289.32	15.701	-93.157	-92.118	0.0
26	2547	2548	SN	1	57.561	58.377	0.0	0.003	1.985	0.203	1208.24	1288.04	12.923	-93.139	-91.999	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2535	2536	NS	1	-34.657	22.381	0.001	-34.759	21.731	0.0	1.19	23.341	0.261	0.054	23.202	0.344	0.08	195.373	2.999	0.08	200.022	2.856	0.08	0.123	0.0	0.08	0.137	0.0
2	2535	2536	SN	1	-34.945	20.394	0.0	-34.702	21.168	0.0	-14.528	22.754	0.006	-19.473	22.928	0.025	0.08	208.757	3.519	0.08	197.408	2.684	0.08	1.957	0.002	0.08	5.981	0.015
3	2535	2536	NS	2	-34.657	22.381	0.001	-34.759	21.731	0.0	1.19	23.341	0.261	0.054	23.202	0.344	0.08	195.373	2.999	0.08	200.022	2.856	0.08	0.123	0.0	0.08	0.137	0.0
4	2536	2537	NS	1	-32.948	22.32	0.001	-34.162	22.857	0.007	-3.777	23.833	0.02	-5.219	24.596	0.058	0.08	131.794	1.385	0.08	174.287	1.755	0.08	0.227	0.0	0.08	0.288	0.0
5	2536	2537	SN	1	-34.915	19.466	0.0	-34.538	21.474	0.0	-20.388	22.071	0.002	-12.844	23.541	0.085	0.08	207.338	3.733	0.08	190.073	2.952	0.08	7.369	0.007	0.08	1.349	0.004
6	2537	2538	SN	1	-34.775	20.798	0.0	-34.894	20.976	0.0	2.188	22.243	0.006	2.166	22.781	0.122	0.08	200.721	4.365	0.08	206.322	3.884	0.08	0.114	0.0	0.08	0.114	0.0
7	2537	2538	NS	1	-34.713	20.544	0.0	-34.328	20.69	0.0	-24.065	21.782	0.0	-24.45	22.569	0.028	0.08	197.848	5.191	0.08	181.116	5.043	0.08	17.099	0.026	0.08	18.682	0.063
8	2538	2539	NS	1	-34.97	20.135	0.0	-34.863	20.281	0.0	-25.138	21.941	0.0	-34.914	22.028	0.002	0.08	209.956	6.343	0.08	204.836	7.136	0.08	21.882	0.06	0.08	207.215	0.041
9	2538	2539	SN	1	-34.974	20.314	0.0	-34.861	21.247	0.0	1.379	21.672	0.0	1.852	21.036	0.0	0.08	210.113	3.106	0.08	204.788	3.004	0.08	0.121	0.0	0.08	0.117	0.0
10	2539	2540	NS	1	-34.659	15.147	0.0	-34.878	14.804	0.0	-5.44	22.156	0.001	-3.462	22.207	0.006	0.081	195.419	2.061	0.082	205.527	2.15	0.08	0.3	0.0	0.08	0.216	0.0
11	2539	2540	SN	2	-34.953	20.625	0.0	-34.335	21.228	0.0	1.255	22.104	0.006	2.386	22.073	0.03	0.08	209.083	2.986	0.08	181.419	2.862	0.08	0.123	0.0	0.08	0.112	0.0
12	2540	2541	NS	1	-34.716	18.048	0.0	-34.295	18.487	0.0	-16.887	21.333	0.0	-20.253	22.156	0.003	0.081	198.001	2.431	0.081	179.71	2.488	0.08	3.326	0.016	0.08	7.146	0.034
13	2540	2541	SN	1	-34.114	20.261	0.0	-34.948	20.415	0.0	0.772	22.008	0.004	2.339	22.402	0.021	0.08	172.372	1.679	0.08	208.849	1.721	0.08	0.128	0.0	0.08	0.113	0.0
14	2541	2542	SN	1	-34.368	20.956	0.0	-34.547	20.435	0.0	0.313	23.453	0.115	4.855	23.054	0.199	0.08	182.79	3.324	0.08	190.446	2.761	0.08	0.134	0.0	0.08	0.098	0.0
15	2541	2542	NS	1	-34.532	19.466	0.0	-34.606	20.404	0.0	-22.903	22.074	0.004	-15.177	23.094	0.062	0.08	189.77	1.943	0.08	193.039	2.117	0.08	13.102	0.085	0.08	2.263	0.003
16	2542	2543	SN	2	-34.447	21.661	0.0	-34.734	21.666	0.0	-5.649	24.188	0.176	-3.883	24.093	0.65	0.08	186.133	3.473	0.08	198.854	2.926	0.08	0.311	0.0	0.08	0.23	0.0
17	2542	2543	NS	1	-34.204	19.596	0.0	-34.195	20.623	0.0	2.785	23.366	0.166	1.012	22.967	0.335	0.08	176.005	1.821	0.08	179.752	1.838	0.08	0.109	0.0	0.08	0.125	0.0
18	2543	2544	SN	1	-34.824	21.392	0.0	-34.492	21.835	0.0	-27.049	23.006	0.044	-17.864	23.72	0.435	0.08	203.019	4.672	0.08	188.052	3.991	0.08	33.941	0.093	0.08	4.148	0.027
19	2543	2544	NS	1	-34.755	19.865	0.0	-33.143	20.885	0.0	-1.163	22.938	0.314	1.714	23.707	0.997	0.08	199.775	1.715	0.08	137.844	1.27	0.08	0.157	0.0	0.08	0.118	0.0
20	2544	2545	NS	1	-34.504	19.841	0.0	-34.575	21.354	0.0	-27.19	23.621	0.463	-31.347	23.411	1.323	0.08	188.593	3.539	0.08	191.73	3.688	0.08	35.051	0.038	0.08	91.186	0.062
21	2544	2545	SN	2	-34.909	22.526	0.003	-34.962	22.741	0.005	-4.191	23.04	0.043	-3.402	23.821	0.342	0.08	212.323	6.595	0.08	209.547	5.959	0.08	0.242	0.0	0.08	0.214	0.0
22	2545	2546	NS	1	-34.645	18.204	0.0	-34.979	17.885	0.0	0.86	22.88	0.126	1.34	23.806	0.442	0.081	194.831	5.041	0.081	210.388	5.217	0.08	0.127	0.0	0.08	0.122	0.0
23	2545	2546	SN	1	-34.801	20.622	0.0	-34.651	22.6	0.001	-24.597	22.877	0.05	-17.035	23.906	0.393	0.08	201.944	4.776	0.08	195.052	4.836	0.08	19.32	0.079	0.08	3.438	0.008
24	2546	2547	NS	1	-34.88	18.654	0.0	-35.001	17.932	0.0	6.235	23.569	0.268	5.99	23.437	0.358	0.08	205.607	1.628	0.081	211.391	1.641	0.08	0.093	0.0	0.08	0.093	0.0
25	2547	2548	NS	1	-34.98	20.336	0.0	-34.837	20.263	0.0	3.025	23.239	0.319	3.281	23.787	0.422	0.08	210.469	3.808	0.08	203.589	4.035	0.08	0.108	0.0	0.08	0.106	0.0
26	2547	2548	SN	1	-34.719	20.467	0.0	-34.781	20.744	0.0	-22.547	23.009	0.107	-17.071	23.832	0.471	0.08	198.139	2.164	0.08	201.023	1.99	0.08	12.076	0.014	0.08	3.466	0.038

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		