

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-MAR-2017 To 22-MAR-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-MAR-2017 To 22-MAR-2017



					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2550	2551	NS	1	48.769	49.47	0.0	0.003	1.814	0.193	1040.312	1094.568	0.0	-91.837	-90.179	0.0
2	2550	2551	SN	1	48.696	49.428	0.0	0.008	1.996	0.148	1029.84	1093.72	0.0	-91.346	-90.007	0.0
3	2551	2552	NS	1	48.769	49.425	0.0	0.003	1.814	0.183	1040.44	1094.768	0.0	-91.182	-90.032	0.0
4	2551	2552	SN	1	48.707	49.395	0.0	0.003	1.814	0.14	1029.48	1093.848	0.0	-91.267	-90.022	0.0
5	2552	2553	SN	1	48.68	49.393	0.0	0.003	7.252	0.145	1029.304	1094.048	0.0	-91.25	-90.005	0.0
6	2552	2553	NS	1	48.77	49.471	0.0	0.003	1.814	0.182	1040.6	1094.88	0.0	-91.405	-90.03	0.0
7	2553	2554	NS	1	48.77	49.427	0.0	0.003	1.814	0.188	1040.76	1094.808	0.0	-91.444	-90.114	0.0
8	2553	2554	SN	1	48.668	49.408	0.0	0.003	7.269	0.147	1029.256	1093.96	0.0	-91.684	-89.994	0.0
9	2554	2555	SN	1	48.685	49.425	0.0	0.003	7.208	0.147	1029.144	1093.88	0.0	-91.361	-90.008	0.0
10	2554	2555	NS	1	48.728	49.471	0.0	0.003	1.814	0.188	1040.808	1094.672	0.0	-91.345	-90.09	0.0
11	2555	2556	SN	1	48.668	49.407	0.0	0.003	7.186	0.151	1029.184	1093.76	0.0	-91.838	-90.008	0.0
12	2555	2556	NS	1	48.739	49.478	0.0	0.003	1.814	0.187	1040.848	1094.544	0.0	-91.345	-90.084	0.0
13	2556	2557	SN	1	48.712	49.393	0.0	0.003	7.158	0.151	1029.0	1093.744	0.0	-91.385	-90.011	0.0
14	2556	2557	NS	1	48.744	49.429	0.0	0.003	1.814	0.186	1040.264	1094.504	0.0	-91.53	-90.102	0.0
15	2557	2558	SN	2	48.712	49.395	0.0	0.003	1.814	0.141	1029.696	1093.864	0.0	-91.538	-89.982	0.0
16	2557	2558	NS	1	48.77	49.476	0.0	0.003	6.017	0.199	1040.696	1094.616	0.0	-91.334	-90.1	0.0
17	2558	2559	SN	1	48.712	49.395	0.0	0.003	1.814	0.138	1029.28	1093.84	0.0	-91.78	-89.937	0.0
18	2558	2559	NS	1	48.758	49.467	0.0	0.003	1.82	0.191	1040.272	1094.592	0.0	-91.703	-90.102	0.0
19	2559	2560	NS	1	48.771	49.441	0.0	0.003	1.814	0.19	1040.976	1094.424	0.0	-91.297	-90.111	0.0
20	2564	2565	SN	1	48.669	49.401	0.0	0.003	1.814	0.145	1029.312	1093.632	0.0	-91.229	-89.988	0.0
21	2565	2566	SN	1	48.708	49.4	0.0	0.003	7.269	0.151	1029.456	1093.752	0.0	-91.472	-90.008	0.0
22	2565	2566	NS	1	48.746	49.446	0.0	0.003	1.814	0.185	1040.872	1094.368	0.0	-91.289	-90.097	0.0
23	2566	2567	SN	1	48.676	49.421	0.0	0.003	1.814	0.138	1029.368	1093.68	0.0	-91.459	-89.989	0.0
24	2566	2567	NS	1	48.773	49.473	0.0	0.003	1.814	0.184	1041.184	1094.512	0.0	-91.296	-90.069	0.0
25	2567	2568	SN	1	48.676	49.392	0.0	0.003	7.252	0.145	1029.136	1093.808	0.0	-91.364	-89.992	0.0
26	2567	2568	NS	1	48.766	49.479	0.0	0.003	1.814	0.184	1040.728	1094.504	0.0	-91.559	-90.056	0.0
27	2568	2569	SN	1	48.683	49.39	0.0	0.003	7.23	0.145	1028.736	1093.664	0.0	-91.568	-89.992	0.0
28	2568	2569	NS	1	48.77	49.478	0.0	0.003	1.814	0.187	1040.904	1094.392	0.0	-91.407	-90.08	0.0
29	2569	2570	SN	2	48.68	49.41	0.0	0.003	315.508	0.148	1028.84	1093.552	0.0	-91.367	-90.004	0.0
30	2569	2570	NS	1	48.73	49.426	0.0	0.003	181.322	0.19	1040.872	1094.312	0.0	-91.295	-90.097	0.0
31	2570	2571	NS	1	48.743	49.468	0.0	0.003	1.814	0.187	1041.504	1094.2	0.0	-91.324	-90.095	0.0
32	2570	2571	SN	1	48.674	49.434	0.0	0.003	299.928	0.143	1028.744	1093.2	0.0	-91.375	-90.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	2571	2572	SN	1	48.71	49.389	0.0	0.003	1.814	0.145	1029.16	1093.296	0.0	-91.307	-89.986	0.0
34	2571	2572	NS	1	48.735	49.451	0.0	0.003	1.814	0.185	1040.856	1094.256	0.0	-91.412	-90.106	0.0
35	2572	2573	SN	2	48.712	49.39	0.0	0.003	1.814	0.138	1029.192	1093.584	0.0	-91.209	-89.985	0.0
36	2572	2573	NS	1	48.772	49.464	0.0	0.003	5.973	0.204	1040.896	1094.304	0.0	-91.4	-90.136	0.0
37	2573	2574	NS	1	48.759	49.425	0.0	0.003	1.82	0.192	1040.912	1094.192	0.0	-91.267	-90.109	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

34	2571	2572	NS	1	-34.601	26.988	0.898	-34.504	27.328	1.256	7.723	31.001	10.6	5.192	29.273	16.499	0.103	243.677	2.716	0.103	238.305	2.665	0.103	0.114	0.0	0.103	0.123	0.0
35	2572	2573	SN	2	-34.571	27.19	0.461	-34.058	28.426	0.514	-12.445	28.889	14.014	-4.741	29.929	13.428	0.103	241.968	1.286	0.103	215.052	0.988	0.103	1.564	0.005	0.103	0.338	0.0
36	2572	2573	NS	1	-34.553	26.025	0.366	-33.774	27.719	0.43	-0.532	29.104	14.307	3.159	29.534	25.303	0.103	241.01	2.062	0.103	201.432	1.549	0.103	0.187	0.0	0.103	0.137	0.0
37	2573	2574	NS	1	-34.804	26.401	0.474	-34.9	26.627	0.506	-30.131	28.631	17.514	-34.789	29.339	30.469	0.103	255.378	5.86	0.103	261.083	6.111	0.103	87.103	0.213	0.103	254.452	0.218

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2550	2551	NS	1	57.639	58.402	0.0	0.003	1.985	0.16	1220.552	1289.216	16.074	-93.285	-92.172	0.0
2	2550	2551	SN	1	57.554	58.358	0.0	0.003	2.449	0.227	1208.512	1287.912	11.35	-93.093	-92.033	0.0
3	2551	2552	NS	1	57.64	58.417	0.0	0.003	1.985	0.151	1221.304	1289.464	15.243	-93.105	-92.069	0.0
4	2551	2552	SN	1	57.56	58.384	0.0	0.003	1.98	0.199	1208.2	1288.048	11.52	-93.169	-92.041	0.0
5	2552	2553	SN	1	57.547	58.368	0.0	0.003	12.673	0.205	1207.904	1288.312	12.705	-93.114	-92.027	0.0
6	2552	2553	NS	1	57.608	58.424	0.0	0.003	340.496	0.151	1221.52	1289.608	15.45	-93.157	-92.053	0.0
7	2553	2554	NS	1	57.641	58.428	0.0	0.003	1.985	0.153	1221.704	1289.48	15.973	-93.162	-92.137	0.0
8	2553	2554	SN	1	57.527	58.371	0.0	0.003	12.685	0.207	1208.176	1288.2	13.026	-93.408	-92.016	0.0
9	2554	2555	SN	1	57.548	58.371	0.0	0.003	12.596	0.206	1207.912	1288.104	12.52	-93.157	-92.028	0.0
10	2554	2555	NS	1	57.608	58.428	0.0	0.003	1.985	0.154	1221.28	1289.368	16.081	-93.365	-92.102	0.0
11	2555	2556	SN	1	57.538	58.374	0.0	0.003	12.431	0.21	1207.84	1287.952	12.63	-93.159	-92.029	0.0
12	2555	2556	NS	1	57.615	58.418	0.0	0.003	1.985	0.157	1221.824	1289.224	15.341	-93.418	-92.1	0.0
13	2556	2557	SN	1	57.565	58.355	0.0	0.003	12.304	0.213	1207.992	1287.928	12.895	-93.156	-92.031	0.0
14	2556	2557	NS	1	57.623	58.403	0.0	0.003	1.985	0.154	1220.968	1289.16	14.726	-93.164	-92.124	0.0
15	2557	2558	SN	2	57.566	58.356	0.0	0.003	1.98	0.204	1208.304	1288.08	12.624	-93.624	-91.999	0.0
16	2557	2558	NS	1	57.635	58.423	0.0	0.003	28.215	0.201	1221.648	1289.304	14.719	-93.272	-92.123	0.0
17	2558	2559	SN	1	57.565	58.383	0.0	0.003	1.985	0.196	1208.272	1288.048	12.269	-93.172	-91.956	0.0
18	2558	2559	NS	1	57.62	58.424	0.0	0.003	1.985	0.162	1221.392	1289.288	16.454	-93.391	-92.125	0.0
19	2559	2560	NS	1	57.643	58.425	0.0	0.003	180.258	0.158	1221.8	1289.08	15.799	-93.177	-92.134	0.0
20	2564	2565	SN	1	57.552	58.368	0.0	0.003	1.98	0.211	1208.064	1287.848	11.745	-93.177	-92.002	0.0
21	2565	2566	SN	1	57.56	58.355	0.0	0.003	12.883	0.213	1208.096	1287.952	12.624	-93.167	-92.014	0.0
22	2565	2566	NS	1	57.641	58.417	0.0	0.003	1.98	0.152	1222.048	1289.056	15.6	-93.439	-92.112	0.0
23	2566	2567	SN	1	57.541	58.355	0.0	0.003	1.98	0.196	1208.104	1287.904	12.015	-93.192	-92.003	0.0
24	2566	2567	NS	1	57.642	58.421	0.0	0.003	1.985	0.151	1222.176	1289.232	15.234	-93.115	-92.099	0.0
25	2567	2568	SN	1	57.541	58.369	0.0	0.003	12.784	0.204	1207.696	1288.024	13.26	-93.103	-92.014	0.0
26	2567	2568	NS	1	57.644	58.433	0.0	0.003	1.985	0.151	1221.68	1289.296	15.312	-93.496	-92.075	0.0
27	2568	2569	SN	1	57.534	58.37	0.0	0.003	12.668	0.206	1207.224	1287.848	13.01	-93.315	-92.014	0.0
28	2568	2569	NS	1	57.634	58.427	0.0	0.003	1.985	0.153	1222.144	1289.0	15.96	-93.382	-92.103	0.0
29	2569	2570	SN	2	57.553	58.375	0.0	0.003	12.536	0.205	1207.176	1287.72	13.07	-93.125	-92.025	0.0
30	2569	2570	NS	1	57.617	58.425	0.0	0.003	1.985	0.156	1222.224	1288.904	15.902	-93.12	-92.116	0.0
31	2570	2571	NS	1	57.618	58.429	0.0	0.003	1.985	0.157	1222.192	1288.784	14.127	-93.175	-92.12	0.0
32	2570	2571	SN	1	57.544	58.369	0.0	0.003	1.98	0.203	1207.336	1287.312	12.326	-93.17	-92.025	0.0
33	2571	2572	SN	1	57.562	58.352	0.0	0.003	1.98	0.206	1207.728	1287.432	11.811	-93.152	-92.013	0.0
34	2571	2572	NS	1	57.62	58.403	0.0	0.003	1.985	0.153	1222.424	1288.856	14.722	-93.171	-92.131	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	2572	2573	SN	2	57.565	58.353	0.0	0.003	1.98	0.201	1207.952	1287.752	12.122	-92.941	-92.016	0.0
36	2572	2573	NS	1	57.611	58.424	0.0	0.003	29.544	0.198	1221.912	1288.944	15.557	-93.175	-92.162	0.0
37	2573	2574	NS	1	57.636	58.421	0.0	0.003	1.985	0.158	1221.888	1288.776	16.018	-93.17	-92.132	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2550	2551	NS	1	-34.489	21.737	0.0	-34.967	22.515	0.001	1.362	25.017	0.021	0.181	23.097	0.068	0.08	187.886	2.03	0.08	209.789	2.171	0.08	0.121	0.0	0.08	0.135	0.0
2	2550	2551	SN	1	-33.748	20.258	0.0	-34.267	20.418	0.0	-20.695	22.203	0.001	-19.755	22.508	0.01	0.08	158.449	3.341	0.08	178.577	2.74	0.08	7.906	0.036	0.08	6.377	0.025
3	2551	2552	NS	1	-34.643	20.351	0.0	-34.999	20.891	0.0	-8.796	22.163	0.003	-12.69	22.45	0.015	0.08	194.749	3.419	0.08	211.325	3.756	0.08	0.57	0.0	0.08	1.304	0.001
4	2551	2552	SN	1	-34.869	19.429	0.0	-33.635	20.198	0.0	2.622	22.084	0.002	1.363	22.78	0.026	0.08	205.124	5.342	0.08	154.392	4.758	0.08	0.11	0.0	0.08	0.121	0.0
5	2552	2553	SN	1	-34.905	19.409	0.0	-34.42	19.505	0.0	1.663	22.127	0.004	1.971	21.083	0.0	0.08	206.779	3.141	0.08	185.001	2.732	0.08	0.118	0.0	0.08	0.116	0.0
6	2552	2553	NS	1	-34.997	20.02	0.0	-34.869	20.424	0.0	-6.927	21.316	0.0	-28.362	22.05	0.002	0.08	211.307	8.115	0.08	205.096	8.573	0.08	0.394	0.0	0.08	45.903	0.05
7	2553	2554	NS	1	-34.574	20.116	0.0	-34.948	20.653	0.0	-10.054	21.722	0.0	-16.795	22.712	0.007	0.08	191.637	3.053	0.08	208.873	3.326	0.08	0.74	0.0	0.08	3.361	0.009
8	2553	2554	SN	1	-34.881	19.364	0.0	-34.954	20.393	0.0	0.797	22.245	0.017	1.051	22.32	0.071	0.08	205.726	2.64	0.08	209.159	2.43	0.08	0.128	0.0	0.08	0.125	0.0
9	2554	2555	SN	1	-34.611	19.817	0.0	-34.83	20.428	0.0	0.522	22.054	0.005	2.008	22.155	0.033	0.08	193.256	3.683	0.08	203.273	3.35	0.08	0.131	0.0	0.08	0.115	0.0
10	2554	2555	NS	1	-34.939	15.981	0.0	-34.827	16.179	0.0	-12.815	22.539	0.006	-12.95	22.354	0.014	0.081	208.398	3.526	0.081	203.167	3.8	0.08	1.34	0.001	0.08	1.38	0.004
11	2555	2556	SN	1	-34.956	19.574	0.0	-34.001	19.267	0.0	0.928	22.327	0.004	3.065	22.037	0.005	0.08	209.285	2.033	0.08	167.955	1.854	0.08	0.126	0.0	0.08	0.107	0.0
12	2555	2556	NS	1	-34.799	19.726	0.0	-34.306	19.902	0.0	-24.702	21.753	0.0	-17.27	27.362	0.008	0.08	201.845	1.839	0.08	180.173	1.968	0.08	19.792	0.105	0.08	3.627	0.034
13	2556	2557	SN	1	-34.956	20.846	0.0	-34.762	20.741	0.0	0.72	22.901	0.21	1.864	24.236	0.492	0.08	209.277	3.819	0.08	200.169	3.327	0.08	0.129	0.0	0.08	0.117	0.0
14	2556	2557	NS	1	-34.553	19.837	0.0	-34.481	20.93	0.0	2.434	22.704	0.148	2.058	22.651	0.153	0.08	190.772	2.609	0.08	187.557	2.688	0.08	0.112	0.0	0.08	0.115	0.0
15	2557	2558	SN	2	-34.006	21.542	0.0	-33.881	21.488	0.0	-8.637	22.88	0.078	-7.438	23.815	0.481	0.08	168.168	3.054	0.08	163.405	2.895	0.08	0.552	0.0	0.08	0.435	0.0
16	2557	2558	NS	1	-34.956	19.881	0.0	-34.769	20.753	0.0	0.642	23.249	0.231	-0.973	23.428	0.624	0.08	209.233	2.07	0.08	200.45	2.2	0.08	0.129	0.0	0.08	0.154	0.0
17	2558	2559	SN	1	-34.967	22.314	0.001	-33.854	23.137	0.007	-21.969	22.435	0.059	-5.928	23.833	0.331	0.08	209.81	3.448	0.08	162.411	2.662	0.08	10.579	0.039	0.08	0.327	0.0
18	2558	2559	NS	1	-34.863	20.165	0.0	-34.558	21.491	0.0	-19.804	23.173	0.333	-22.3	23.713	1.275	0.08	204.831	3.329	0.08	190.921	3.398	0.08	6.449	0.01	0.08	11.41	0.003
19	2559	2560	NS	1	-34.979	20.281	0.0	-34.734	20.945	0.0	-8.723	22.894	0.133	-8.986	23.793	0.55	0.08	210.386	5.611	0.08	198.867	6.215	0.08	0.562	0.0	0.08	0.593	0.0
20	2564	2565	SN	1	-34.895	20.336	0.0	-34.651	20.486	0.0	1.484	22.557	0.009	0.433	22.879	0.024	0.08	206.402	2.909	0.08	195.075	2.636	0.08	0.12	0.0	0.08	0.132	0.0
21	2565	2566	SN	1	-34.642	19.639	0.0	-34.521	20.204	0.0	2.531	22.56	0.005	2.239	22.975	0.102	0.08	194.673	4.008	0.08	189.328	3.315	0.08	0.111	0.0	0.08	0.113	0.0
22	2565	2566	NS	1	-34.187	21.733	0.0	-33.304	22.755	0.008	-3.875	24.678	0.014	-2.753	25.837	0.038	0.08	175.341	1.895	0.08	143.038	2.519	0.08	0.23	0.0	0.08	0.194	0.0
23	2566	2567	SN	1	-34.915	20.461	0.0	-34.965	20.86	0.0	1.73	22.817	0.009	2.494	23.072	0.176	0.08	207.299	5.858	0.08	209.73	5.183	0.08	0.118	0.0	0.08	0.111	0.0
24	2566	2567	NS	1	-34.996	20.433	0.0	-34.229	20.374	0.0	-20.281	22.365	0.002	-31.227	22.882	0.022	0.08	211.201	2.985	0.08	177.013	3.458	0.08	7.191	0.016	0.08	88.726	0.074
25	2567	2568	SN	1	-34.874	20.433	0.0	-34.936	21.007	0.0	1.156	22.211	0.006	1.281	21.225	0.0	0.08	205.362	2.293	0.08	208.3	1.971	0.08	0.124	0.0	0.08	0.122	0.0
26	2567	2568	NS	1	-34.608	20.155	0.0	-34.823	20.606	0.0	-21.616	21.798	0.0	-18.14	22.407	0.008	0.08	193.14	3.773	0.08	202.968	4.191	0.08	9.758	0.035	0.08	4.416	0.024
27	2568	2569	SN	1	-34.679	21.389	0.0	-34.7	20.722	0.0	1.601	22.166	0.012	2.07	22.283	0.061	0.08	196.333	2.898	0.08	197.339	2.417	0.08	0.119	0.0	0.08	0.115	0.0
28	2568	2569	NS	1	-34.221	14.881	0.0	-34.903	14.935	0.0	-22.946	21.863	0.0	-9.272	22.348	0.009	0.081	176.712	4.06	0.081	206.756	4.291	0.08	13.232	0.003	0.08	0.629	0.0
29	2569	2570	SN	2	-34.721	20.263	0.0	-34.963	20.851	0.0	0.928	21.906	0.0	2.035	22.245	0.021	0.08	198.194	2.714	0.08	209.636	2.589	0.08	0.126	0.0	0.08	0.115	0.0
30	2569	2570	NS	1	-34.557	17.881	0.0	-34.662	17.8	0.0	-22.563	21.247	0.0	-24.821	22.469	0.005	0.081	190.87	1.557	0.081	195.585	1.848	0.08	12.12	0.018	0.08	20.343	0.022
31	2570	2571	NS	1	-33.851	19.689	0.0	-34.97	19.994	0.0	-24.326	21.927	0.0	-22.612	22.979	0.057	0.08	162.293	1.345	0.08	209.94	1.197	0.08	18.156	0.088	0.08	12.255	0.048
32	2570	2571	SN	1	-34.974	20.681	0.0	-34.272	20.936	0.0	1.004	23.396	0.081	4.945	22.928	0.227	0.08	210.124	2.305	0.08	178.804	2.137	0.08	0.125	0.0	0.08	0.097	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	2571	2572	SN	1	-34.997	21.722	0.0	-34.906	21.729	0.0	-3.043	25.594	0.209	-2.648	24.03	0.491	0.08	211.239	4.225	0.08	206.902	3.538	0.08	0.203	0.0	0.08	0.191	0.0
34	2571	2572	NS	1	-34.939	20.19	0.0	-34.946	20.73	0.0	2.782	22.897	0.121	1.434	23.177	0.331	0.08	208.467	2.33	0.08	208.774	2.409	0.08	0.109	0.0	0.08	0.121	0.0
35	2572	2573	SN	2	-34.343	21.531	0.0	-33.567	21.907	0.0	-33.628	22.961	0.063	-25.649	23.674	0.395	0.08	181.761	1.767	0.08	151.99	1.35	0.08	154.176	0.123	0.08	24.6	0.053
36	2572	2573	NS	1	-33.696	20.271	0.0	-33.983	20.761	0.0	1.611	23.041	0.279	1.643	23.572	0.938	0.08	156.616	1.677	0.08	167.259	1.66	0.08	0.119	0.0	0.08	0.119	0.0
37	2573	2574	NS	1	-34.912	19.912	0.0	-34.988	20.342	0.0	-29.134	23.181	0.375	-25.909	23.543	1.221	0.08	207.146	5.153	0.08	210.811	5.323	0.08	54.817	0.044	0.08	26.115	0.09

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors