

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 28-MAR-2017 To 29-MAR-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 28-MAR-2017 To 29-MAR-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2651	2652	SN	1	48.675	49.374	0.0	0.003	7.318	0.155	1027.696	1091.192	0.0	-91.468	-89.959	0.0
2	2652	2653	NS	1	48.797	49.453	0.0	0.003	1.814	0.183	1044.832	1092.328	0.0	-91.32	-90.133	0.0
3	2652	2653	SN	1	48.706	49.391	0.0	0.003	1.814	0.14	1027.64	1091.152	0.0	-91.781	-89.952	0.0
4	2653	2654	NS	1	48.797	49.424	0.0	0.003	1.814	0.181	1045.032	1092.536	0.0	-91.812	-90.094	0.0
5	2653	2654	SN	1	48.623	49.371	0.0	0.003	1.814	0.137	1028.0	1090.912	0.0	-91.125	-89.979	0.0
6	2654	2655	SN	1	48.695	49.401	0.0	0.003	7.313	0.148	1027.904	1091.208	0.0	-91.247	-89.988	0.0
7	2654	2655	NS	1	48.798	49.423	0.0	0.003	1.814	0.184	1044.8	1092.48	0.0	-91.584	-90.143	0.0
8	2655	2656	SN	1	48.669	49.37	0.0	0.003	1.814	0.137	1027.464	1091.072	0.0	-91.508	-89.977	0.0
9	2655	2656	NS	1	48.797	49.422	0.0	0.003	1.814	0.188	1044.64	1092.336	0.0	-91.364	-90.117	0.0
10	2656	2657	NS	1	48.795	49.45	0.0	0.003	6.083	0.202	1045.304	1092.208	0.0	-91.381	-90.125	0.0
11	2656	2657	SN	2	48.697	49.369	0.0	0.003	7.274	0.15	1027.296	1090.92	0.0	-91.169	-89.977	0.0
12	2657	2658	NS	1	48.761	49.421	0.0	0.003	1.814	0.187	1044.696	1092.088	0.0	-91.282	-90.136	0.0
13	2657	2658	SN	2	48.668	49.369	0.0	0.003	7.252	0.152	1028.008	1090.808	0.0	-91.379	-89.978	0.0
14	2658	2659	NS	2	48.778	49.459	0.0	0.003	6.066	0.202	1044.448	1092.136	0.0	-91.327	-90.142	0.0
15	2658	2659	SN	1	48.696	49.37	0.0	0.003	7.269	0.152	1027.92	1090.856	0.0	-91.214	-90.051	0.0
16	2659	2660	SN	1	48.709	49.371	0.0	0.003	315.094	0.137	1027.584	1090.848	0.0	-91.76	-89.963	0.0
17	2659	2660	NS	1	48.758	49.457	0.0	0.003	1.814	0.192	1045.168	1092.168	0.0	-91.706	-90.14	0.0
18	2660	2661	SN	1	48.708	49.371	0.0	0.003	1.809	0.134	1027.592	1090.728	0.0	-91.261	-89.951	0.0
19	2660	2661	NS	1	48.786	49.471	0.0	0.003	1.814	0.191	1044.912	1092.056	0.0	-91.555	-90.142	0.0
20	2661	2662	NS	1	48.801	49.42	0.0	0.003	1.814	0.189	1045.416	1091.952	0.0	-91.553	-90.16	0.0
21	2666	2667	NS	1	48.764	49.419	0.0	0.003	1.814	0.189	1044.952	1091.8	0.0	-91.259	-90.138	0.0
22	2666	2667	SN	1	48.697	49.368	0.0	0.003	1.814	0.147	1027.816	1090.536	0.0	-91.206	-89.981	0.0
23	2667	2668	NS	1	48.802	49.422	0.0	0.003	1.814	0.181	1045.512	1092.032	0.0	-91.36	-90.104	0.0
24	2667	2668	SN	1	48.706	49.376	0.0	0.003	1.814	0.139	1027.264	1090.728	0.0	-91.901	-89.954	0.0
25	2668	2669	SN	1	48.687	49.368	0.0	0.003	7.335	0.146	1027.848	1090.736	0.0	-91.347	-89.978	0.0
26	2669	2670	NS	1	48.76	49.462	0.0	0.003	1.814	0.188	1044.984	1091.976	0.0	-91.256	-90.13	0.0
27	2669	2670	SN	1	48.68	49.367	0.0	0.003	7.318	0.148	1027.752	1090.6	0.0	-91.255	-89.988	0.0
28	2670	2671	NS	1	48.766	49.462	0.0	0.003	1.82	0.188	1045.832	1091.896	0.0	-91.381	-90.165	0.0
29	2670	2671	SN	1	48.678	49.367	0.0	0.003	1.814	0.136	1027.192	1090.512	0.0	-91.209	-90.054	0.0
30	2671	2672	NS	1	48.764	49.448	0.0	0.003	1.814	0.187	1045.888	1091.712	0.0	-91.276	-90.141	0.0
31	2671	2672	SN	1	48.687	49.366	0.0	0.003	7.285	0.152	1027.816	1090.312	0.0	-91.493	-89.976	0.0
32	2672	2673	NS	1	48.777	49.459	0.0	0.003	6.078	0.2	1045.056	1091.696	0.0	-91.32	-90.148	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	2672	2673	SN	2	48.696	49.404	0.0	0.003	7.269	0.153	1027.976	1090.272	0.0	-91.499	-89.977	0.0
34	2673	2674	NS	1	48.775	49.466	0.0	0.003	6.078	0.204	1045.544	1091.76	0.0	-91.288	-90.148	0.0
35	2673	2674	SN	2	48.708	49.406	0.0	0.003	1.809	0.138	1027.632	1090.312	0.0	-91.31	-89.957	0.0
36	2674	2675	NS	1	48.785	49.42	0.0	0.003	1.814	0.196	1045.216	1091.68	0.0	-91.231	-90.141	0.0
37	2674	2675	SN	1	48.707	49.368	0.0	0.003	1.814	0.135	1027.728	1090.256	0.0	-91.109	-89.929	0.0
38	2675	2676	NS	1	48.805	49.474	0.0	0.003	1.814	0.191	1046.008	1091.512	0.0	-91.389	-90.144	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

34	2673	2674	NS	1	-34.133	26.698	0.468	-33.546	26.913	0.546	6.224	28.954	13.004	4.029	29.862	20.38	0.103	218.771	1.756	0.103	191.185	1.428	0.103	0.119	0.0	0.103	0.13	0.0
35	2673	2674	SN	2	-34.803	27.025	0.907	-34.584	27.548	0.969	-4.008	29.857	12.37	-2.568	30.439	12.953	0.103	255.291	4.679	0.103	242.786	3.91	0.103	0.299	0.0	0.103	0.241	0.0
36	2674	2675	NS	1	-34.609	26.439	0.404	-34.761	27.17	0.448	-19.877	28.748	20.463	-18.882	30.28	31.989	0.103	244.16	2.701	0.103	252.823	2.477	0.103	8.29	0.015	0.103	6.609	0.013
37	2674	2675	SN	1	-34.826	28.369	0.481	-34.94	29.624	0.636	-15.569	28.603	14.977	-0.001	29.834	12.892	0.103	256.594	6.937	0.103	263.482	6.402	0.103	3.125	0.003	0.103	0.176	0.0
38	2675	2676	NS	1	-34.922	24.687	0.122	-34.923	25.554	0.088	-23.709	31.785	12.582	-25.777	30.753	21.98	0.103	262.382	4.857	0.103	262.457	5.058	0.102	19.918	0.106	0.103	32.024	0.146

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2651	2652	SN	1	57.511	58.332	0.0	0.003	346.055	0.226	1206.264	1284.832	12.883	-93.103	-91.98	0.0
2	2652	2653	NS	1	57.643	58.408	0.0	0.003	1.985	0.153	1226.712	1286.624	13.867	-93.135	-92.151	0.0
3	2652	2653	SN	1	57.558	58.33	0.0	0.003	1.985	0.206	1206.248	1284.784	12.7	-93.06	-91.976	0.0
4	2653	2654	NS	1	57.677	58.404	0.0	0.003	1.985	0.149	1226.928	1286.896	13.607	-93.543	-92.108	0.0
5	2653	2654	SN	1	57.538	58.337	0.0	0.003	1.98	0.196	1206.6	1284.504	12.591	-93.102	-92.002	0.0
6	2654	2655	SN	1	57.54	58.348	0.0	0.003	346.16	0.203	1206.448	1284.864	13.881	-93.115	-92.013	0.0
7	2654	2655	NS	1	57.677	58.408	0.0	0.003	1.985	0.154	1226.784	1286.832	13.672	-93.244	-92.169	0.0
8	2655	2656	SN	1	57.542	58.328	0.0	0.003	1.98	0.196	1205.92	1284.704	13.378	-93.115	-91.999	0.0
9	2655	2656	NS	1	57.643	58.399	0.0	0.003	1.985	0.153	1226.64	1286.656	14.023	-93.433	-92.143	0.0
10	2656	2657	NS	1	57.679	58.42	0.0	0.003	28.198	0.2	1226.6	1286.504	13.806	-93.354	-92.15	0.0
11	2656	2657	SN	2	57.553	58.327	0.0	0.003	346.188	0.206	1205.704	1284.512	13.2	-93.102	-92.0	0.0
12	2657	2658	NS	1	57.645	58.397	0.0	0.003	1.985	0.155	1226.912	1286.352	12.573	-93.197	-92.16	0.0
13	2657	2658	SN	2	57.532	58.326	0.0	0.003	13.749	0.212	1206.56	1284.36	13.141	-93.447	-92.001	0.0
14	2658	2659	NS	2	57.666	58.404	0.0	0.003	28.149	0.196	1226.336	1286.4	12.84	-93.266	-92.167	0.0
15	2658	2659	SN	1	57.553	58.327	0.0	0.003	13.55	0.216	1206.08	1284.416	11.934	-93.322	-92.064	0.0
16	2659	2660	SN	1	57.537	58.328	0.0	0.003	1.98	0.202	1205.944	1284.392	11.712	-93.026	-91.999	0.0
17	2659	2660	NS	1	57.647	58.422	0.0	0.003	1.985	0.158	1226.96	1286.448	13.625	-93.383	-92.175	0.0
18	2660	2661	SN	1	57.56	58.335	0.0	0.003	1.974	0.199	1206.336	1284.24	11.617	-93.002	-91.975	0.0
19	2660	2661	NS	1	57.663	58.42	0.0	0.003	1.98	0.161	1226.56	1286.304	13.875	-93.296	-92.166	0.0
20	2661	2662	NS	1	57.681	58.418	0.0	0.003	1.98	0.154	1227.424	1286.168	13.51	-93.366	-92.184	0.0
21	2666	2667	NS	1	57.649	58.395	0.0	0.003	1.98	0.157	1227.008	1285.968	13.525	-93.114	-92.135	0.0
22	2666	2667	SN	1	57.52	58.326	0.0	0.003	302.619	0.217	1206.216	1284.016	11.635	-93.348	-91.993	0.0
23	2667	2668	NS	1	57.673	58.398	0.0	0.003	1.991	0.15	1227.576	1286.256	12.96	-93.094	-92.13	0.0
24	2667	2668	SN	1	57.557	58.341	0.0	0.003	1.985	0.206	1205.88	1284.272	12.826	-93.084	-91.975	0.0
25	2668	2669	SN	1	57.533	58.329	0.0	0.003	346.121	0.206	1206.424	1284.28	13.435	-93.271	-92.001	0.0
26	2669	2670	NS	1	57.674	58.422	0.0	0.003	1.985	0.153	1227.576	1286.216	13.359	-93.34	-92.146	0.0
27	2669	2670	SN	1	57.54	58.338	0.0	0.003	346.11	0.205	1205.832	1284.112	13.304	-93.059	-92.012	0.0
28	2670	2671	NS	1	57.656	58.422	0.0	0.003	1.985	0.157	1227.8	1286.136	13.505	-93.142	-92.194	0.0
29	2670	2671	SN	1	57.551	58.323	0.0	0.003	1.98	0.197	1205.784	1284.008	12.829	-93.11	-92.075	0.0
30	2671	2672	NS	1	57.654	58.398	0.0	0.003	1.985	0.158	1228.048	1285.92	12.569	-93.127	-92.161	0.0
31	2671	2672	SN	1	57.527	58.322	0.0	0.003	346.088	0.208	1206.376	1283.76	12.71	-93.114	-91.999	0.0
32	2672	2673	NS	1	57.671	58.405	0.0	0.003	27.9	0.197	1227.12	1285.872	12.04	-93.233	-92.172	0.0
33	2672	2673	SN	2	57.526	58.332	0.0	0.003	13.821	0.214	1206.544	1283.696	11.924	-93.136	-91.993	0.0
34	2673	2674	NS	1	57.653	58.413	0.0	0.003	27.707	0.199	1227.504	1285.968	11.979	-93.276	-92.171	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	2673	2674	SN	2	57.56	58.352	0.0	0.003	1.98	0.205	1206.584	1283.744	11.362	-93.105	-91.975	0.0
36	2674	2675	NS	1	57.673	58.396	0.0	0.003	1.98	0.162	1227.072	1285.864	13.539	-93.396	-92.157	0.0
37	2674	2675	SN	1	57.559	58.326	0.0	0.003	1.98	0.199	1205.976	1283.664	10.97	-93.06	-91.95	0.0
38	2675	2676	NS	1	57.68	58.415	0.0	0.003	1.985	0.156	1227.472	1285.648	12.801	-93.321	-92.153	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																											
					SNR												Kp															
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore						
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)				
1	2651	2652	SN	1	-34.965	18.669	0.0	-34.665	19.112	0.0	-29.861	22.17	0.004	-17.188	22.153	0.002	0.08	209.695	4.718	0.08	195.695	3.761	0.08	64.79	0.043	0.08	3.56	0.026				
2	2652	2653	NS	1	-34.806	21.838	0.0	-34.936	22.672	0.006	-3.945	22.248	0.007	-2.99	23.08	0.049	0.08	202.172	2.676	0.08	208.308	3.017	0.08	0.233	0.0	0.08	0.201	0.0				
3	2652	2653	SN	1	-34.993	18.696	0.0	-34.984	18.541	0.0	-24.78	22.466	0.009	-21.955	22.901	0.015	0.08	215.985	7.072	0.081	210.583	5.997	0.08	20.147	0.065	0.08	10.545	0.079				
4	2653	2654	NS	1	-34.801	20.291	0.0	-34.928	20.286	0.0	-11.912	22.087	0.004	-23.195	22.908	0.037	0.08	201.935	4.073	0.08	207.932	4.656	0.08	1.101	0.002	0.08	14.009	0.092				
5	2653	2654	SN	1	-34.982	20.518	0.0	-34.997	20.925	0.0	3.113	22.285	0.006	2.596	22.842	0.024	0.08	210.491	3.341	0.08	211.269	3.201	0.08	0.107	0.0	0.08	0.111	0.0				
6	2654	2655	SN	1	-34.507	20.687	0.0	-34.773	20.634	0.0	1.734	22.039	0.006	1.382	21.16	0.0	0.08	188.74	1.236	0.08	200.635	1.152	0.08	0.118	0.0	0.08	0.121	0.0				
7	2654	2655	NS	1	-34.772	20.113	0.0	-34.472	19.7	0.0	-34.397	21.638	0.0	-21.39	22.59	0.012	0.08	200.556	5.157	0.08	187.201	6.279	0.08	183.979	0.037	0.08	9.264	0.048				
8	2655	2656	SN	1	-34.946	20.116	0.0	-34.694	20.62	0.0	1.519	22.249	0.018	2.123	22.65	0.08	0.08	208.801	1.414	0.08	197.002	1.278	0.08	0.12	0.0	0.08	0.114	0.0				
9	2655	2656	NS	1	-33.467	15.124	0.0	-31.141	14.709	0.0	-9.251	22.143	0.001	-5.725	22.604	0.014	0.081	148.58	1.491	0.082	86.956	1.351	0.08	0.626	0.0	0.08	0.315	0.0				
10	2656	2657	NS	1	-34.778	17.74	0.0	-34.233	18.337	0.0	-15.575	21.94	0.0	-20.42	22.272	0.007	0.081	200.867	1.678	0.081	177.207	1.516	0.08	2.474	0.016	0.08	7.423	0.019				
11	2656	2657	SN	2	-34.666	20.425	0.0	-34.98	20.616	0.0	0.611	22.078	0.004	1.778	22.276	0.02	0.08	195.751	3.521	0.08	210.443	3.235	0.08	0.13	0.0	0.08	0.117	0.0				
12	2657	2658	NS	1	-34.898	19.949	0.0	-34.933	20.182	0.0	-25.004	22.023	0.004	-26.871	22.729	0.06	0.08	206.543	2.246	0.08	208.138	2.327	0.08	21.217	0.133	0.08	32.575	0.121				
13	2657	2658	SN	2	-34.407	20.476	0.0	-34.841	20.988	0.0	0.358	23.295	0.145	4.576	23.894	0.319	0.08	184.421	2.551	0.08	203.789	2.357	0.08	0.133	0.0	0.08	0.099	0.0				
14	2658	2659	NS	2	-34.382	20.257	0.0	-34.506	20.285	0.0	2.287	22.617	0.097	1.843	23.36	0.305	0.08	183.356	2.137	0.08	188.654	2.39	0.08	0.113	0.0	0.08	0.117	0.0				
15	2658	2659	SN	1	-34.492	21.217	0.0	-34.385	21.405	0.0	-9.068	23.225	0.219	-10.027	23.751	0.671	0.08	188.066	1.978	0.08	183.497	1.744	0.08	0.603	0.0	0.08	0.736	0.0				
16	2659	2660	SN	1	-34.832	20.794	0.0	-33.887	21.649	0.0	-31.197	22.964	0.102	-17.685	23.742	0.437	0.08	203.394	3.266	0.08	163.606	2.921	0.08	90.168	0.091	0.08	3.983	0.012				
17	2659	2660	NS	1	-34.679	19.974	0.0	-34.963	20.965	0.0	0.474	23.331	0.201	2.045	23.762	0.928	0.08	196.356	3.24	0.08	209.629	3.17	0.08	0.132	0.0	0.08	0.115	0.0				
18	2660	2661	SN	1	-34.979	22.033	0.001	-34.812	23.001	0.004	-6.42	22.916	0.108	-1.607	23.453	0.352	0.08	210.375	5.611	0.08	202.451	5.022	0.08	0.358	0.0	0.08	0.166	0.0				
19	2660	2661	NS	1	-34.962	20.317	0.0	-34.968	20.695	0.0	-26.757	23.106	0.269	-24.368	23.987	1.208	0.08	209.564	4.587	0.08	209.814	4.471	0.08	31.726	0.071	0.08	18.332	0.023				
20	2661	2662	NS	1	-34.362	18.261	0.0	-34.936	17.636	0.0	0.687	22.958	0.148	0.789	23.696	0.512	0.081	182.538	1.175	0.081	208.27	1.838	0.08	0.129	0.0	0.08	0.128	0.0				
21	2666	2667	NS	1	-33.929	21.634	0.0	-34.598	22.65	0.004	1.045	22.616	0.009	2.016	22.955	0.067	0.08	165.177	2.401	0.08	192.703	2.515	0.08	0.125	0.0	0.08	0.115	0.0				
22	2666	2667	SN	1	-34.821	20.308	0.0	-34.95	20.017	0.0	-21.808	22.737	0.028	-29.003	23.119	0.059	0.08	202.904	7.206	0.08	208.971	5.496	0.08	10.195	0.025	0.08	53.185	0.025				
23	2667	2668	NS	1	-33.853	20.684	0.0	-34.991	20.995	0.0	-9.871	22.059	0.003	-15.162	23.018	0.034	0.08	162.311	4.078	0.08	210.986	4.442	0.08	0.712	0.0	0.08	2.255	0.001				
24	2667	2668	SN	1	-34.866	19.841	0.0	-34.796	20.851	0.0	0.941	22.755	0.016	1.413	23.377	0.109	0.08	204.947	5.415	0.08	206.484	4.714	0.08	0.126	0.0	0.08	0.121	0.0				
25	2668	2669	SN	1	-34.533	20.303	0.0	-34.67	20.521	0.0	2.171	21.965	0.0	2.336	21.548	0.0	0.08	189.848	1.84	0.08	195.912	1.931	0.08	0.114	0.0	0.08	0.113	0.0				
26	2669	2670	NS	1	-34.657	20.029	0.0	-34.705	20.676	0.0	-16.228	22.133	0.006	-23.245	22.577	0.007	0.08	195.362	2.288	0.08	197.544	2.684	0.08	2.865	0.007	0.08	14.168	0.022				
27	2669	2670	SN	1	-34.922	20.314	0.0	-33.446	20.578	0.0	1.611	22.449	0.038	1.26	22.58	0.086	0.08	207.638	1.868	0.08	147.836	1.653	0.08	0.119	0.0	0.08	0.122	0.0				
28	2670	2671	NS	1	-34.009	16.587	0.0	-34.427	16.72	0.0	-21.842	22.622	0.005	-24.274	22.28	0.008	0.081	168.25	2.33	0.081	185.27	2.517	0.08	10.274	0.065	0.08	17.94	0.042				
29	2670	2671	SN	1	-32.761	19.906	0.0	-33.908	20.504	0.0	1.031	21.915	0.0	1.965	22.341	0.032	0.08	126.23	0.776	0.08	164.445	0.665	0.08	0.125	0.0	0.08	0.116	0.0				
30	2671	2672	NS	1	-34.105	20.102	0.0	-33.05	21.278	0.0	-33.59	21.835	0.0	-17.595	22.573	0.023	0.08	172.023	1.54	0.08	134.958	1.548	0.08	152.812	0.106	0.08	3.903	0.008				
31	2671	2672	SN	1	-34.926	19.817	0.0	-34.957	19.847	0.0	1.031	22.823	0.025	3.712	23.027	0.041	0.08	207.805	4.216	0.08	209.341	3.861	0.08	0.125	0.0	0.08	0.103	0.0				
32	2672	2673	NS	1	-34.929	20.73	0.0	-34.852	20.814	0.0	3.189	23.276	0.518	0.938	22.839	0.449	0.08	207.987	1.382	0.08	204.334	1.549	0.08	0.106	0.0	0.08	0.126	0.0				

Parameter Specifications	Parameters	SNR	Kp	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> ■ Normal ■ Alarming </div> <div style="text-align: center;"> ■ Deviations ■ High Errors </div> </div>
	Min	-65.0	0.0	
	Max	22.0	1.0	


33	2672	2673	SN	2	-33.885	20.425	0.0	-32.935	20.84	0.0	0.904	23.174	0.196	1.923	23.388	0.512	0.08	163.56	1.346	0.08	131.413	1.323	0.08	0.126	0.0	0.08	0.116	0.0
34	2673	2674	NS	1	-34.786	20.24	0.0	-34.642	21.047	0.0	0.517	22.769	0.209	1.631	23.462	0.575	0.08	201.179	1.861	0.08	194.687	1.857	0.08	0.131	0.0	0.08	0.119	0.0
35	2673	2674	SN	2	-34.595	21.306	0.0	-34.467	21.496	0.0	-8.504	22.851	0.117	-10.034	23.971	0.517	0.08	192.572	3.183	0.08	191.373	2.801	0.08	0.537	0.0	0.08	0.737	0.0
36	2674	2675	NS	1	-34.485	20.275	0.0	-34.311	20.852	0.0	-24.546	23.088	0.268	-24.317	23.796	1.134	0.08	187.768	2.505	0.08	180.36	2.641	0.08	19.096	0.034	0.08	18.122	0.031
37	2674	2675	SN	1	-34.937	22.272	0.001	-34.826	23.044	0.01	-24.046	23.083	0.084	-6.417	23.915	0.343	0.08	208.383	6.271	0.08	203.05	6.142	0.08	17.028	0.03	0.08	0.358	0.0
38	2675	2676	NS	1	-34.962	19.23	0.0	-34.834	18.954	0.0	-24.422	22.91	0.104	-27.075	23.666	0.661	0.08	209.543	4.391	0.08	203.473	5.011	0.08	18.565	0.021	0.08	34.141	0.034

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors