

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-JUN-2019 To 25-JUN-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-JUN-2019 To 25-JUN-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14511	14512	SN	1	48.761	49.389	0.0	0.008	277.746	2.032	1034.016	1076.536	0.0	-91.716	-90.039	0.0
2	14511	14512	SN	1	48.761	49.389	0.0	0.0	277.746	2.785	1034.016	1076.536	0.0	-91.716	-90.039	0.0
3	14511	14512	SN	1	48.761	49.389	0.0	0.0	282.147	2.785	1034.016	1076.528	0.0	-91.734	-90.039	0.0
4	14512	14513	SN	1	48.789	49.372	0.0	0.003	29.111	2.617	1033.544	1076.48	0.0	-91.635	-90.029	0.0
5	14512	14513	SN	1	48.783	49.397	0.0	0.003	29.111	2.631	1033.736	1076.48	0.0	-91.652	-90.029	0.0
6	14512	14513	SN	1	48.789	49.372	0.0	0.003	29.111	2.456	1033.544	1076.48	0.0	-91.635	-90.029	0.0
7	14512	14513	NS	1	48.775	49.34	0.0	0.003	42.788	2.53	1039.72	1076.416	0.0	-91.958	-90.097	0.0
8	14513	14514	SN	1	48.775	49.372	0.0	0.003	280.675	2.391	1032.744	1076.64	0.0	-91.732	-90.057	0.0
9	14513	14514	NS	2	48.767	49.34	0.0	0.003	210.447	2.566	1040.12	1076.632	0.0	-91.813	-90.06	0.0
10	14513	14514	SN	1	48.775	49.372	0.0	0.003	280.675	2.538	1032.744	1076.64	0.0	-91.732	-90.057	0.0
11	14513	14514	SN	1	48.776	49.376	0.0	0.003	280.675	2.377	1032.8	1076.64	0.0	-91.738	-90.057	0.0
12	14513	14514	NS	1	48.767	49.34	0.0	0.003	210.447	2.566	1040.12	1076.632	0.0	-91.813	-90.06	0.0
13	14514	14515	NS	1	48.744	49.342	0.0	0.003	207.105	2.531	1040.808	1076.528	0.0	-92.121	-90.117	0.0
14	14514	14515	SN	1	48.759	49.407	0.0	0.003	215.168	2.326	1032.624	1076.576	0.0	-92.234	-90.056	0.0
15	14514	14515	SN	1	48.759	49.407	0.0	0.003	215.168	2.553	1033.408	1076.576	0.0	-92.234	-90.056	0.0
16	14514	14515	SN	1	48.759	49.407	0.0	0.003	215.168	2.541	1032.624	1076.576	0.0	-92.234	-90.056	0.0
17	14515	14516	SN	1	48.784	49.371	0.0	0.003	6.331	2.523	1033.632	1076.44	0.0	-92.071	-90.056	0.0
18	14515	14516	SN	1	48.788	49.371	0.0	0.003	6.331	2.175	1033.632	1076.44	0.0	-91.701	-90.056	0.0
19	14515	14516	NS	1	48.776	49.348	0.0	0.0	210.281	2.763	1040.824	1076.408	0.0	-91.723	-90.086	0.0
20	14515	14516	NS	2	48.776	49.348	0.0	0.0	210.281	2.763	1040.824	1076.408	0.0	-91.723	-90.086	0.0
21	14515	14516	SN	1	48.784	49.371	0.0	0.003	6.331	2.534	1033.632	1076.44	0.0	-91.692	-90.056	0.0
22	14516	14517	SN	1	48.751	49.371	0.0	0.003	6.32	2.571	1032.864	1076.344	0.0	-91.704	-90.056	0.0
23	14516	14517	SN	1	48.751	49.371	0.0	0.003	6.32	1.986	1032.864	1076.344	0.0	-91.674	-90.056	0.0
24	14516	14517	NS	1	48.722	49.383	0.0	0.003	206.625	2.606	1040.808	1076.312	0.0	-91.983	-90.103	0.0
25	14516	14517	NS	1	48.724	49.381	0.0	0.003	264.135	2.607	1040.848	1076.288	0.0	-91.767	-90.103	0.0
26	14516	14517	SN	2	48.751	49.371	0.0	0.003	6.32	2.571	1032.864	1076.344	0.0	-91.704	-90.056	0.0
27	14517	14518	SN	2	48.783	49.37	0.0	0.003	215.361	2.638	1033.016	1076.256	0.0	-91.619	-90.056	0.0
28	14517	14518	NS	1	48.726	49.402	0.0	0.003	41.751	2.614	1040.576	1076.216	0.0	-91.782	-90.114	0.0
29	14517	14518	SN	1	48.785	49.37	0.0	0.003	215.361	1.77	1033.016	1076.256	0.0	-91.619	-90.056	0.0
30	14517	14518	NS	1	48.728	49.4	0.0	0.003	42.463	2.614	1039.968	1076.2	0.0	-91.782	-90.114	0.0
31	14517	14518	SN	1	48.783	49.37	0.0	0.003	215.361	2.638	1033.016	1076.256	0.0	-91.619	-90.056	0.0
32	14518	14519	NS	1	48.729	49.371	0.0	0.003	42.22	2.543	1039.888	1076.304	0.0	-91.801	-90.113	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	14518	14519	SN	1	48.803	49.396	0.0	0.003	213.111	1.584	1033.664	1076.352	0.0	-91.696	-90.046	0.0
34	14518	14519	NS	1	48.729	49.371	0.0	0.003	42.22	2.545	1040.488	1076.304	0.0	-91.847	-90.113	0.0
35	14518	14519	SN	1	48.803	49.396	0.0	0.003	213.111	2.69	1033.664	1076.352	0.0	-91.696	-90.046	0.0
36	14518	14519	SN	2	48.803	49.396	0.0	0.003	213.111	2.69	1033.664	1076.352	0.0	-91.696	-90.046	0.0
37	14519	14520	NS	1	48.716	49.391	0.0	0.0	35.963	2.778	1040.472	1076.328	0.0	-92.188	-90.089	0.0
38	14519	14520	SN	1	48.746	49.372	0.0	0.003	6.337	2.579	1034.128	1076.384	0.0	-91.664	-90.024	0.0
39	14519	14520	SN	2	48.746	49.372	0.0	0.003	6.337	2.579	1034.128	1076.384	0.0	-91.664	-90.024	0.0
40	14519	14520	NS	1	48.716	49.391	0.0	0.0	35.963	2.776	1040.472	1076.328	0.0	-91.717	-90.089	0.0
41	14520	14521	NS	1	48.721	49.388	0.0	0.003	41.828	2.644	1039.752	1076.256	0.0	-91.89	-90.092	0.0
42	14520	14521	NS	1	48.723	49.388	0.0	0.003	41.828	2.641	1039.736	1076.256	0.0	-91.855	-90.092	0.0
43	14520	14521	SN	1	48.788	49.389	0.0	0.003	214.374	2.559	1034.104	1076.328	0.0	-91.798	-90.063	0.0
44	14521	14522	SN	1	48.757	49.409	0.0	0.003	6.337	2.632	1034.112	1076.256	0.0	-91.768	-90.039	0.0
45	14521	14522	NS	1	48.759	49.34	0.0	0.003	207.044	2.681	1039.568	1076.16	0.0	-91.77	-90.114	0.0
46	14522	14523	SN	1	48.797	49.373	0.0	0.003	33.732	2.601	1034.072	1076.36	0.0	-91.727	-90.046	0.0
47	14522	14523	NS	1	48.734	49.404	0.0	0.003	267.29	2.58	1039.504	1076.256	0.0	-91.805	-90.113	0.0
48	14522	14523	NS	1	48.734	49.404	0.0	0.003	267.29	2.394	1039.504	1075.712	0.0	-91.805	-90.113	0.0
49	14522	14523	SN	1	48.797	49.373	0.0	0.003	33.732	2.598	1034.072	1076.36	0.0	-91.727	-90.046	0.0
50	14523	14524	SN	1	48.764	49.372	0.0	0.003	6.326	2.574	1033.968	1076.32	0.0	-92.029	-90.057	0.0
51	14523	14524	NS	1	48.726	49.379	0.0	0.0	264.626	2.728	1039.92	1076.296	0.0	-92.215	-90.111	0.0
52	14523	14524	NS	1	48.726	49.379	0.0	0.0	264.626	2.119	1039.92	1075.208	0.0	-92.215	-90.111	0.0
53	14523	14524	NS	2	48.726	49.379	0.0	0.0	264.626	2.728	1039.92	1076.296	0.0	-92.215	-90.111	0.0
54	14523	14524	SN	1	48.764	49.372	0.0	0.003	6.326	2.577	1033.968	1076.32	0.0	-91.686	-90.057	0.0
55	14524	14525	SN	1	48.774	49.374	0.0	0.003	6.331	2.57	1033.528	1076.36	0.0	-91.704	-90.062	0.0
56	14524	14525	NS	1	48.731	49.393	0.0	0.003	42.049	1.48	1039.48	1074.848	0.0	-91.796	-90.11	0.0
57	14524	14525	NS	1	48.731	49.393	0.0	0.003	42.049	2.563	1039.48	1076.296	0.0	-91.796	-90.11	0.0
58	14524	14525	NS	2	48.731	49.393	0.0	0.003	42.049	2.563	1039.48	1076.296	0.0	-91.796	-90.11	0.0
59	14524	14525	SN	1	48.774	49.374	0.0	0.003	6.331	2.572	1033.528	1076.36	0.0	-91.716	-90.062	0.0
60	14525	14526	SN	2	48.752	49.374	0.0	0.0	56.716	2.785	1034.336	1076.384	0.0	-91.681	-90.065	0.0
61	14525	14526	NS	1	48.711	49.4	0.0	0.003	209.377	1.632	1040.104	1072.784	0.0	-91.777	-90.098	0.0
62	14525	14526	SN	1	48.762	49.377	0.0	0.0	56.716	2.787	1034.696	1076.312	0.0	-91.652	-90.065	0.0
63	14525	14526	NS	2	48.711	49.4	0.0	0.003	209.377	2.626	1040.104	1076.16	0.0	-91.809	-90.098	0.0
64	14525	14526	NS	1	48.711	49.4	0.0	0.003	209.377	2.626	1040.104	1076.312	0.0	-91.875	-90.098	0.0
65	14525	14526	SN	1	48.752	49.374	0.0	0.003	6.331	1.711	1034.336	1076.384	0.0	-91.979	-90.065	0.0
66	14526	14527	SN	1	48.754	49.372	0.0	0.003	29.243	2.452	1033.648	1076.2	0.0	-91.651	-90.019	0.0
67	14526	14527	NS	1	48.755	49.366	0.0	0.003	13.589	2.662	1039.288	1076.136	0.0	-91.881	-90.095	0.0
68	14526	14527	SN	1	48.754	49.372	0.0	0.003	29.243	2.754	1033.648	1076.2	0.0	-92.326	-90.019	0.0
69	14526	14527	SN	1	48.754	49.372	0.0	0.003	29.243	2.742	1033.648	1076.2	0.0	-91.651	-90.019	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors



70	14527	14528	NS	1	48.75	49.355	0.0	0.0	264.67	2.649	1039.424	1076.328	0.0	-91.795	-90.081	0.0
71	14527	14528	SN	1	48.671	49.371	0.0	0.003	280.714	2.41	1034.208	1076.368	0.0	-91.706	-90.046	0.0
72	14527	14528	NS	2	48.75	49.355	0.0	0.0	264.67	2.649	1039.424	1076.328	0.0	-91.795	-90.081	0.0
73	14527	14528	SN	1	48.764	49.371	0.0	0.003	280.714	2.569	1033.656	1076.368	0.0	-91.702	-90.046	0.0
74	14528	14529	SN	1	48.764	49.433	0.0	0.003	6.331	2.533	1033.992	1076.44	0.0	-91.832	-90.06	0.0
75	14528	14529	SN	1	48.764	49.433	0.0	0.003	6.331	2.346	1033.992	1076.44	0.0	-91.832	-90.06	0.0
76	14528	14529	NS	1	48.775	49.359	0.0	0.003	267.329	2.495	1040.536	1076.408	0.0	-91.895	-90.089	0.0
77	14528	14529	NS	1	48.775	49.34	0.0	0.003	267.329	2.497	1040.536	1076.408	0.0	-91.895	-90.089	0.0
78	14529	14530	SN	1	48.767	49.404	0.0	0.003	6.32	2.577	1033.928	1076.32	0.0	-92.061	-90.044	0.0
79	14529	14530	SN	1	48.767	49.404	0.0	0.003	6.32	2.278	1033.928	1076.32	0.0	-92.061	-90.044	0.0
80	14529	14530	NS	1	48.728	49.368	0.0	0.003	264.621	2.67	1039.592	1076.288	0.0	-91.681	-90.094	0.0
81	14529	14530	NS	1	48.776	49.34	0.0	0.003	264.621	2.668	1039.84	1076.288	0.0	-91.616	-90.094	0.0
82	14530	14531	NS	1	48.722	49.342	0.0	0.003	264.566	2.587	1040.616	1076.192	0.0	-91.794	-90.104	0.0
83	14530	14531	SN	1	48.758	49.37	0.0	0.003	6.32	2.554	1033.976	1076.232	0.0	-91.653	-90.059	0.0
84	14531	14532	SN	1	48.769	49.378	0.0	0.003	30.958	2.59	1033.472	1076.08	0.0	-92.068	-90.059	0.0
85	14531	14532	NS	1	48.717	49.343	0.0	0.0	41.936	2.726	1040.488	1076.056	0.0	-91.805	-90.109	0.0
86	14532	14533	SN	2	48.806	49.384	0.0	0.003	215.857	2.645	1033.864	1076.104	0.0	-91.722	-90.033	0.0
87	14532	14533	SN	1	48.806	49.384	0.0	0.003	215.857	2.645	1033.864	1076.104	0.0	-91.722	-90.033	0.0
88	14532	14533	SN	3	48.806	49.384	0.0	0.003	215.857	2.645	1033.864	1076.104	0.0	-91.722	-90.033	0.0
89	14532	14533	NS	1	48.721	49.392	0.0	0.003	264.566	2.559	1040.4	1076.048	0.0	-91.782	-90.113	0.0
90	14533	14534	SN	1	48.752	49.372	0.0	0.003	281.32	2.606	1034.24	1076.232	0.0	-92.709	-90.046	0.0
91	14535	14536	SN	1	48.757	49.377	0.0	0.003	214.699	2.574	1034.288	1076.032	0.0	-91.863	-90.064	0.0
92	14536	14537	SN	1	48.798	49.433	0.0	0.003	277.62	2.649	1034.352	1076.136	0.0	-91.855	-90.027	0.0
93	14536	14537	NS	1	48.725	49.373	0.0	0.003	263.981	2.597	1039.768	1076.04	0.0	-91.681	-90.112	0.0
94	14536	14537	NS	1	48.725	49.373	0.0	0.003	263.981	2.547	1039.768	1075.952	0.0	-91.681	-90.112	0.0
95	14537	14538	NS	1	48.715	49.391	0.0	0.003	41.646	2.624	1040.208	1076.064	0.0	-91.729	-90.111	0.0
96	14537	14538	SN	1	48.749	49.372	0.0	0.0	157.1	2.588	1034.352	1076.12	0.0	-91.885	-90.042	0.0
97	14538	14539	NS	1	48.709	49.397	0.0	0.003	42.838	2.596	1039.16	1076.128	0.0	-92.267	-90.108	0.0
98	14538	14539	NS	1	48.709	49.397	0.0	0.003	42.838	2.598	1039.16	1076.128	0.0	-92.267	-90.108	0.0
99	14538	14539	NS	1	48.709	49.397	0.0	0.003	42.838	1.703	1039.16	1074.944	0.0	-92.267	-90.108	0.0
100	14538	14539	SN	2	48.77	49.373	0.0	0.003	279.489	2.595	1033.408	1076.176	0.0	-91.657	-90.064	0.0
101	14538	14539	SN	1	48.77	49.373	0.0	0.003	279.489	2.595	1033.408	1076.176	0.0	-91.657	-90.064	0.0
102	14539	14540	SN	1	48.764	49.374	0.0	0.003	29.436	1.549	1034.472	1076.24	0.0	-91.721	-90.066	0.0
103	14539	14540	SN	2	48.764	49.374	0.0	0.003	29.436	2.683	1034.472	1076.24	0.0	-91.744	-90.066	0.0
104	14539	14540	NS	1	48.716	49.373	0.0	0.0	48.78	2.73	1039.384	1076.184	0.0	-91.881	-90.109	0.0
105	14539	14540	NS	1	48.716	49.373	0.0	0.0	48.78	2.733	1039.384	1076.184	0.0	-91.797	-90.109	0.0
106	14539	14540	SN	1	48.764	49.374	0.0	0.003	29.436	2.683	1034.472	1076.24	0.0	-91.744	-90.066	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	14539	14540	NS	1	48.716	49.373	0.0	0.0	48.78	1.696	1039.384	1073.784	0.0	-91.834	-90.109	0.0
108	14540	14541	NS	2	48.717	49.354	0.0	0.003	267.202	2.675	1039.016	1076.12	0.0	-91.802	-90.108	0.0
109	14540	14541	NS	1	48.717	49.354	0.0	0.003	267.202	2.675	1039.016	1076.12	0.0	-91.802	-90.108	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR															Kp													
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	14511	14512	SN	1	-34.349	26.194	0.278	-34.753	26.418	0.455	-26.747	28.081	8.723	-29.374	30.787	10.723	0.116	263.876	4.666	0.116	289.531	3.828	0.116	45.906	0.211	0.116	83.971	0.199
2	14511	14512	SN	1	-34.349	26.194	0.261	-34.753	26.418	0.408	-27.238	28.081	8.819	-29.374	30.787	10.723	0.116	263.876	4.436	0.116	289.531	3.452	0.116	51.381	0.208	0.116	83.971	0.199
3	14511	14512	SN	1	-34.431	26.194	0.264	-34.7	26.418	0.41	-30.635	28.081	8.818	-31.262	30.787	10.711	0.116	268.945	4.452	0.116	286.081	3.448	0.116	112.223	0.209	0.116	129.659	0.198
4	14512	14513	SN	1	-34.758	26.581	0.123	-34.654	27.116	0.199	-18.61	30.959	9.587	-15.38	32.973	6.249	0.116	289.917	1.483	0.116	283.095	1.279	0.116	7.126	0.018	0.116	3.434	0.021
5	14512	14513	SN	1	-33.709	26.582	0.123	-34.936	27.116	0.199	-18.689	30.959	9.618	-15.383	32.973	6.254	0.116	227.674	1.483	0.116	301.976	1.278	0.116	7.254	0.018	0.116	3.437	0.021
6	14512	14513	SN	1	-34.758	26.581	0.126	-34.654	27.116	0.204	-18.61	30.959	9.587	-15.38	32.973	6.249	0.116	289.917	1.522	0.116	283.095	1.312	0.116	7.126	0.018	0.116	3.434	0.021
7	14512	14513	NS	1	-33.901	26.74	0.03	-33.994	27.5	0.03	-34.646	32.002	10.084	-12.933	34.449	22.61	0.116	237.998	1.069	0.116	243.108	1.062	0.116	282.525	0.012	0.116	1.994	0.002
8	14513	14514	SN	1	-34.888	23.82	0.005	-34.8	23.894	0.012	5.859	33.388	10.687	6.894	31.465	5.489	0.116	298.672	3.054	0.116	292.675	1.869	0.116	0.136	0.0	0.116	0.132	0.0
9	14513	14514	NS	2	-34.934	24.336	0.005	-33.577	23.911	0.005	-9.322	28.915	7.799	-7.92	29.724	15.36	0.116	301.936	2.443	0.116	220.91	2.38	0.116	0.921	0.0	0.116	0.693	0.0
10	14513	14514	SN	1	-34.888	23.82	0.005	-34.8	23.894	0.012	5.859	33.388	10.687	6.894	31.465	5.489	0.116	298.672	3.0	0.116	292.675	1.88	0.116	0.136	0.0	0.116	0.132	0.0
11	14513	14514	SN	1	-34.642	23.82	0.005	-34.75	23.894	0.012	5.859	33.386	10.605	6.895	31.466	5.491	0.116	282.277	3.051	0.116	289.375	1.87	0.116	0.136	0.0	0.116	0.132	0.0
12	14513	14514	NS	1	-34.934	24.336	0.005	-33.577	23.911	0.005	-9.322	28.915	7.799	-7.92	29.724	15.36	0.116	301.936	2.443	0.116	220.91	2.38	0.116	0.921	0.0	0.116	0.693	0.0
13	14514	14515	NS	1	-33.656	24.242	0.004	-34.801	24.256	0.007	-4.457	29.189	6.979	-4.354	29.174	13.68	0.116	224.93	1.522	0.116	292.813	1.368	0.116	0.367	0.0	0.116	0.361	0.0
14	14514	14515	SN	1	-34.912	23.012	0.019	-34.515	23.892	0.055	-16.024	27.272	10.845	-5.758	27.217	3.45	0.116	300.441	4.606	0.116	274.13	3.742	0.116	3.968	0.035	0.116	0.46	0.0
15	14514	14515	SN	1	-34.984	23.012	0.019	-34.557	23.892	0.054	-16.034	27.272	11.034	-5.793	27.217	3.451	0.116	305.32	4.513	0.116	276.799	3.724	0.116	3.978	0.035	0.116	0.463	0.0
16	14514	14515	SN	1	-34.782	23.012	0.019	-34.993	23.892	0.054	-16.024	27.272	10.819	-5.772	27.217	3.444	0.116	291.572	4.516	0.116	306.026	3.725	0.116	3.968	0.035	0.116	0.461	0.0
17	14515	14516	SN	1	-34.159	23.561	0.024	-34.841	24.282	0.066	-0.612	27.84	15.375	0.477	28.17	16.548	0.116	252.541	4.629	0.116	295.495	3.886	0.116	0.214	0.0	0.116	0.191	0.0
18	14515	14516	SN	1	-34.472	23.561	0.024	-34.841	24.282	0.067	6.244	27.84	15.477	0.483	28.17	17.157	0.116	271.445	4.636	0.116	295.495	3.973	0.116	0.134	0.0	0.116	0.191	0.0
19	14515	14516	NS	1	-34.564	21.55	0.0	-32.977	22.146	0.002	-21.368	28.312	4.929	-26.478	30.939	9.484	0.116	277.31	1.745	0.116	192.408	1.522	0.116	13.366	0.021	0.116	43.15	0.014
20	14515	14516	NS	2	-34.564	21.55	0.0	-32.977	22.146	0.002	-21.368	28.312	4.929	-26.478	30.939	9.484	0.116	277.31	1.746	0.116	192.408	1.523	0.116	13.366	0.021	0.116	43.15	0.014
21	14515	14516	SN	1	-34.342	23.561	0.024	-34.857	24.282	0.066	-0.631	27.84	15.465	0.477	28.17	16.571	0.116	263.399	4.62	0.116	296.541	3.885	0.116	0.214	0.0	0.116	0.191	0.0
22	14516	14517	SN	1	-33.828	21.25	0.0	-34.996	21.762	0.0	3.585	27.518	14.08	7.828	28.05	15.59	0.116	234.061	4.536	0.116	306.173	3.42	0.116	0.151	0.0	0.116	0.128	0.0
23	14516	14517	SN	1	-34.707	21.25	0.0	-34.996	21.762	0.0	6.064	27.518	14.716	7.828	28.05	15.908	0.116	286.518	4.6	0.116	306.173	3.563	0.116	0.135	0.0	0.116	0.128	0.0
24	14516	14517	NS	1	-34.54	21.165	0.0	-34.821	22.057	0.001	-23.311	28.001	4.891	-22.792	29.556	10.086	0.116	275.665	3.211	0.116	294.177	2.482	0.116	20.857	0.018	0.116	18.52	0.005
25	14516	14517	NS	1	-33.95	21.165	0.0	-34.793	22.059	0.001	-23.311	28.002	4.88	-22.792	29.556	10.077	0.116	240.708	3.213	0.116	292.261	2.487	0.116	20.857	0.018	0.116	18.52	0.005
26	14516	14517	SN	2	-33.828	21.25	0.0	-34.996	21.762	0.0	3.585	27.518	14.08	7.828	28.05	15.59	0.116	234.061	4.536	0.116	306.173	3.42	0.116	0.151	0.0	0.116	0.128	0.0
27	14517	14518	SN	2	-34.781	20.792	0.0	-34.755	21.779	0.0	5.56	28.795	10.259	4.618	30.572	10.385	0.116	291.41	4.71	0.116	289.726	4.746	0.116	0.138	0.0	0.116	0.143	0.0
28	14517	14518	NS	1	-34.994	26.949	0.161	-34.948	27.661	0.291	-7.962	28.747	8.88	-6.873	31.338	13.638	0.116	306.156	4.092	0.116	302.869	3.232	0.116	0.699	0.0	0.116	0.566	0.0
29	14517	14518	SN	1	-34.557	20.792	0.0	-34.755	21.779	0.0	5.56	28.795	10.895	4.618	30.572	10.404	0.116	276.776	4.797	0.116	289.726	5.107	0.116	0.138	0.0	0.116	0.143	0.0
30	14517	14518	NS	1	-34.994	26.949	0.16	-34.948	27.661	0.29	-7.961	28.747	8.86	-6.873	31.338	13.636	0.116	306.156	4.09	0.116	302.869	3.242	0.116	0.699	0.0	0.116	0.566	0.0
31	14517	14518	SN	1	-34.781	20.792	0.0	-34.755	21.779	0.0	5.56	28.795	10.259	4.618	30.572	10.385	0.116	291.41	4.71	0.116	289.726	4.746	0.116	0.138	0.0	0.116	0.143	0.0
32	14518	14519	NS	1	-34.422	26.671	0.13	-34.767	28.023	0.217	0.214	30.472	8.13	7.41	28.396	15.122	0.116	268.318	5.476	0.116	290.547	4.772	0.116	0.196	0.0	0.116	0.13	0.0
33	14518	14519	SN	1	-33.71	23.81	0.007	-33.735	25.212	0.01	-16.648	35.47	12.418	-17.482	33.798	13.825	0.116	227.789	4.237	0.116	229.068	3.426	0.116	4.569	0.01	0.116	5.516	0.005

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	14518	14519	NS	1	-34.962	26.671	0.13	-34.767	28.021	0.217	0.223	30.472	8.13	7.409	28.396	15.122	0.116	303.885	5.485	0.116	290.547	4.776	0.116	0.196	0.0	0.116	0.13	0.0
35	14518	14519	SN	1	-33.71	23.81	0.006	-34.314	25.212	0.009	-16.791	35.47	11.676	-17.482	33.798	13.786	0.116	227.789	3.957	0.116	261.751	3.078	0.116	4.718	0.009	0.116	5.516	0.005
36	14518	14519	SN	2	-33.71	23.81	0.006	-34.314	25.212	0.009	-16.791	35.47	11.676	-17.482	33.798	13.786	0.116	227.789	3.957	0.116	261.751	3.078	0.116	4.718	0.009	0.116	5.516	0.005
37	14519	14520	NS	1	-34.888	23.75	0.025	-34.96	24.225	0.089	-6.844	28.555	13.051	-0.082	29.421	29.038	0.116	298.72	4.578	0.116	303.673	3.663	0.116	0.562	0.0	0.116	0.202	0.0
38	14519	14520	SN	1	-34.374	25.9	0.026	-34.227	25.699	0.026	-7.0	28.728	14.689	-3.678	29.704	15.954	0.116	265.42	2.705	0.116	256.571	2.402	0.116	0.579	0.0	0.116	0.324	0.0
39	14519	14520	SN	2	-34.374	25.9	0.026	-34.227	25.699	0.026	-7.0	28.728	14.689	-3.678	29.704	15.954	0.116	265.42	2.705	0.116	256.571	2.402	0.116	0.579	0.0	0.116	0.324	0.0
40	14519	14520	NS	1	-34.937	23.75	0.025	-34.96	24.225	0.089	-6.84	28.555	13.046	-0.082	29.423	29.008	0.116	302.116	4.565	0.116	303.673	3.661	0.116	0.562	0.0	0.116	0.202	0.0
41	14520	14521	NS	1	-34.953	26.872	0.05	-34.747	26.766	0.106	-22.764	29.532	9.118	-25.836	29.751	21.3	0.116	303.202	2.847	0.116	289.152	2.644	0.116	18.397	0.172	0.116	37.232	0.069
42	14520	14521	NS	1	-34.953	26.872	0.05	-34.202	26.766	0.106	-22.7	29.532	9.093	-25.836	29.751	21.284	0.116	303.202	2.845	0.116	255.125	2.649	0.116	18.136	0.171	0.116	37.232	0.069
43	14520	14521	SN	1	-34.643	26.842	0.096	-33.91	27.947	0.091	-3.477	30.694	14.299	-8.117	29.744	12.705	0.116	282.381	1.783	0.116	238.468	1.7	0.116	0.314	0.0	0.116	0.721	0.0
44	14521	14522	SN	1	-34.971	26.182	0.021	-34.406	27.942	0.024	-30.078	33.321	15.524	-9.243	29.712	15.556	0.116	304.519	2.516	0.116	267.363	1.846	0.116	98.739	0.022	0.116	0.906	0.0
45	14521	14522	NS	1	-34.36	27.367	0.015	-33.788	26.901	0.001	-24.402	32.116	12.534	-17.071	33.098	21.051	0.116	264.572	1.378	0.116	231.847	1.198	0.116	26.786	0.04	0.116	5.026	0.017
46	14522	14523	SN	1	-33.825	23.81	0.008	-34.17	24.118	0.007	-18.785	30.626	12.556	-14.693	29.646	13.16	0.116	233.853	3.427	0.116	253.182	2.673	0.116	7.414	0.005	0.116	2.945	0.008
47	14522	14523	NS	1	-34.269	23.388	0.005	-33.995	23.638	0.001	-24.809	28.768	21.882	-24.698	29.656	34.523	0.116	259.073	1.742	0.116	243.219	1.4	0.116	29.408	0.063	0.116	28.67	0.064
48	14522	14523	NS	1	-34.269	23.388	0.005	-33.995	23.638	0.001	-24.809	28.768	17.526	-24.698	29.653	31.297	0.116	259.073	1.742	0.116	243.219	1.4	0.116	29.408	0.07	0.116	28.67	0.07
49	14522	14523	SN	1	-34.543	23.81	0.008	-33.393	24.118	0.007	-18.785	30.628	12.533	-14.693	29.646	13.141	0.116	275.868	3.423	0.116	211.765	2.699	0.116	7.414	0.005	0.116	2.945	0.008
50	14523	14524	SN	1	-34.634	24.025	0.005	-34.044	23.824	0.004	-15.114	28.207	20.392	-8.946	29.16	22.44	0.116	281.701	3.688	0.116	246.001	3.078	0.116	3.236	0.004	0.116	0.852	0.0
51	14523	14524	NS	1	-34.657	23.085	0.005	-34.45	25.462	0.016	7.697	28.287	21.737	5.75	29.82	34.121	0.116	283.278	3.886	0.116	270.052	2.987	0.116	0.129	0.0	0.116	0.136	0.0
52	14523	14524	NS	1	-34.657	23.085	0.005	-34.45	25.462	0.016	7.697	28.055	8.931	5.75	29.786	28.138	0.116	283.278	3.889	0.116	270.052	2.987	0.116	0.129	0.0	0.116	0.136	0.0
53	14523	14524	NS	2	-34.657	23.085	0.005	-34.45	25.462	0.016	7.697	28.287	21.737	5.75	29.82	34.121	0.116	283.278	3.886	0.116	270.052	2.987	0.116	0.129	0.0	0.116	0.136	0.0
54	14523	14524	SN	1	-34.574	24.025	0.005	-34.377	23.824	0.004	-15.089	28.207	20.453	-8.971	29.16	22.475	0.116	277.884	3.689	0.116	265.611	3.072	0.116	3.218	0.004	0.116	0.857	0.0
55	14524	14525	SN	1	-34.795	19.028	0.0	-32.958	20.02	0.0	1.295	28.607	33.458	2.582	29.12	41.972	0.117	292.411	3.084	0.116	191.591	2.295	0.116	0.177	0.0	0.116	0.16	0.0
56	14524	14525	NS	1	-34.849	24.632	0.003	-34.827	23.328	0.003	10.582	27.08	3.713	7.265	28.235	13.666	0.116	296.066	4.282	0.116	294.586	4.646	0.116	0.122	0.0	0.116	0.13	0.0
57	14524	14525	NS	1	-34.849	24.632	0.009	-34.827	23.328	0.003	6.697	28.403	26.619	7.265	29.11	37.397	0.116	296.066	4.276	0.116	294.586	4.644	0.116	0.132	0.0	0.116	0.13	0.0
58	14524	14525	NS	2	-34.849	24.632	0.009	-34.827	23.328	0.003	6.697	28.403	26.619	7.265	29.11	37.397	0.116	296.066	4.276	0.116	294.586	4.644	0.116	0.132	0.0	0.116	0.13	0.0
59	14524	14525	SN	1	-34.024	19.028	0.0	-34.982	20.02	0.0	1.295	28.607	33.45	2.582	29.12	41.966	0.117	244.818	3.082	0.116	305.221	2.297	0.116	0.177	0.0	0.116	0.16	0.0
60	14525	14526	SN	2	-34.309	23.813	0.06	-34.895	23.416	0.076	3.142	28.569	13.711	8.264	29.324	12.767	0.116	261.415	5.177	0.116	299.191	3.883	0.116	0.155	0.0	0.116	0.127	0.0
61	14525	14526	NS	1	-34.49	22.136	0.001	-34.97	25.328	0.019	-6.499	25.247	4.275	-12.438	25.761	6.692	0.116	272.607	4.949	0.116	304.37	3.731	0.116	0.527	0.0	0.116	1.789	0.004
62	14525	14526	SN	1	-34.026	23.813	0.06	-34.906	23.416	0.076	3.145	28.567	13.717	8.264	29.324	12.777	0.116	244.947	5.174	0.116	299.952	3.892	0.116	0.155	0.0	0.116	0.127	0.0
63	14525	14526	NS	2	-34.49	25.221	0.024	-34.97	25.322	0.021	-6.499	28.945	14.356	-12.438	29.184	24.001	0.116	272.607	4.659	0.116	304.37	3.709	0.116	0.527	0.0	0.116	1.789	0.002
64	14525	14526	NS	1	-34.49	25.22	0.025	-34.97	25.322	0.021	-6.499	28.945	14.343	-12.438	29.184	23.998	0.116	272.607	4.659	0.116	304.37	3.709	0.116	0.527	0.0	0.116	1.789	0.002
65	14525	14526	SN	1	-34.523	23.813	0.061	-34.895	23.416	0.083	3.134	28.569	13.073	8.264	29.324	12.3	0.116	274.63	5.339	0.116	299.191	4.259	0.116	0.155	0.0	0.116	0.127	0.0
66	14526	14527	SN	1	-34.051	27.695	0.285	-34.357	27.849	0.402	-26.402	32.498	9.903	-28.027	29.398	13.518	0.116	246.381	4.182	0.116	264.306	3.336	0.116	42.411	0.05	0.116	61.606	0.036
67	14526	14527	NS	1	-34.886	26.79	0.026	-34.98	27.082	0.031	-0.716	29.939	14.051	7.616	35.784	25.279	0.116	298.534	4.921	0.116	305.187	4.651	0.116	0.216	0.0	0.116	0.129	0.0
68	14526	14527	SN	1	-33.257	27.696	0.269	-34.575	27.849	0.38	-26.228	32.498	9.954	-31.427	29.401	13.551	0.116	205.187	3.949	0.116	277.952	3.162	0.116	40.742	0.051	0.116	134.688	0.036
69	14526	14527	SN	1	-34.051	27.695	0.269	-34.357	27.849	0.382	-26.292	32.498	9.903	-28.027	29.398	13.517	0.116	246.381	3.945	0.116	264.306	3.154	0.116	41.35	0.05	0.116	61.606	0.036
70	14527	14528	NS	1	-34.642	26.513	0.029	-33.07	26.457	0.021	-14.398	31.562	7.813	-9.591	30.424	18.347	0.116	282.202	2.201	0.116	196.564	1.618	0.116	2.757	0.002	0.116	0.974	0.0
71	14527	14528	SN	1	-33.477	27.936	0.082	-32.985	28.122	0.108	-32.143	29.998	8.513	-22.383	29.09	4.279	0.116	215.859	2.347	0.116	192.748	2.002	0.116	158.796	0.021	0.116	16.861	0.015
72	14527	14528	NS	2	-34.642	26.513	0.029	-33.07	26.457	0.021	-14.398	31.562	7.813	-9.591	30.424	18.346	0.116	282.202	2.202	0.116	196.564	1.618	0.116	2.758	0.002	0.116	0.974	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	14527	14528	SN	1	-33.958	27.936	0.08	-33.152	28.122	0.108	-33.331	30.0	8.622	-22.358	29.087	4.343	0.116	241.135	2.302	0.116	200.323	1.988	0.116	208.739	0.021	0.116	16.768	0.015
74	14528	14529	SN	1	-34.622	23.563	0.022	-34.929	24.14	0.061	3.438	27.466	13.599	6.779	28.375	6.46	0.116	280.96	3.487	0.116	301.54	2.744	0.116	0.152	0.0	0.116	0.132	0.0
75	14528	14529	SN	1	-34.622	23.563	0.023	-34.929	24.14	0.062	3.438	27.466	13.599	6.779	28.375	6.466	0.116	280.96	3.55	0.116	301.54	2.694	0.116	0.152	0.0	0.116	0.132	0.0
76	14528	14529	NS	1	-33.112	23.385	0.004	-34.784	24.71	0.005	-20.983	31.121	7.285	-6.496	30.816	14.387	0.116	198.458	2.409	0.116	291.606	2.236	0.116	12.24	0.005	0.116	0.526	0.0
77	14528	14529	NS	1	-34.858	23.385	0.004	-34.567	24.71	0.005	-20.972	31.121	7.297	-6.496	30.813	14.388	0.116	296.705	2.404	0.116	277.464	2.23	0.116	12.209	0.005	0.116	0.526	0.0
78	14529	14530	SN	1	-34.937	22.702	0.014	-34.413	24.302	0.057	0.515	26.869	11.296	4.347	27.379	6.762	0.116	302.072	2.191	0.116	267.712	2.208	0.116	0.19	0.0	0.116	0.145	0.0
79	14529	14530	SN	1	-34.646	22.702	0.015	-34.413	24.302	0.058	4.479	26.869	11.308	4.333	27.379	6.863	0.116	282.501	2.166	0.116	267.712	2.171	0.116	0.144	0.0	0.116	0.145	0.0
80	14529	14530	NS	1	-33.862	21.782	0.0	-32.125	28.471	0.003	-11.892	30.314	4.912	-17.75	29.172	10.063	0.116	235.873	1.671	0.116	158.146	1.442	0.116	1.589	0.003	0.116	5.861	0.001
81	14529	14530	NS	1	-34.996	21.782	0.0	-34.538	28.47	0.003	-11.898	30.314	4.903	-17.775	29.172	10.069	0.116	306.219	1.671	0.116	275.589	1.445	0.116	1.59	0.003	0.116	5.894	0.001
82	14530	14531	NS	1	-34.934	21.375	0.0	-34.736	22.112	0.004	-18.571	27.927	5.95	-21.32	29.285	11.983	0.116	301.911	2.432	0.116	288.48	2.548	0.116	7.063	0.016	0.116	13.223	0.009
83	14530	14531	SN	1	-34.659	22.993	0.009	-34.784	23.656	0.015	0.54	27.767	13.605	7.554	28.148	16.204	0.116	283.366	4.046	0.116	291.624	3.479	0.116	0.19	0.0	0.116	0.129	0.0
84	14531	14532	SN	1	-34.936	21.484	0.0	-34.826	21.76	0.0	2.084	27.373	11.938	0.782	29.537	11.044	0.116	302.029	4.321	0.116	294.468	4.079	0.116	0.166	0.0	0.116	0.185	0.0
85	14531	14532	NS	1	-34.208	21.27	0.0	-34.996	22.04	0.002	-6.216	28.569	5.551	-7.049	33.703	10.829	0.116	255.452	2.145	0.116	306.22	1.822	0.116	0.5	0.0	0.116	0.585	0.0
86	14532	14533	SN	2	-33.46	24.266	0.035	-32.546	24.851	0.026	-7.071	31.776	9.394	-2.325	30.752	10.473	0.116	215.006	2.86	0.116	174.244	2.256	0.116	0.587	0.0	0.116	0.265	0.0
87	14532	14533	SN	1	-33.46	24.266	0.035	-32.546	24.851	0.026	-7.071	31.776	9.394	-2.325	30.752	10.473	0.116	215.006	2.86	0.116	174.244	2.256	0.116	0.587	0.0	0.116	0.265	0.0
88	14532	14533	SN	3	-33.46	24.266	0.035	-32.546	24.851	0.026	-7.071	31.776	9.394	-2.325	30.752	10.473	0.116	215.006	2.86	0.116	174.244	2.256	0.116	0.587	0.0	0.116	0.265	0.0
89	14532	14533	NS	1	-34.294	28.123	0.064	-34.413	27.905	0.175	5.081	27.382	12.358	7.892	28.575	21.675	0.116	260.502	2.366	0.116	267.789	2.235	0.116	0.14	0.0	0.116	0.128	0.0
90	14533	14534	SN	1	-34.526	24.344	0.022	-34.987	25.589	0.025	-7.441	36.383	12.788	-0.702	33.106	16.375	0.116	274.78	3.199	0.116	305.568	2.884	0.116	0.631	0.0	0.116	0.216	0.0
91	14535	14536	SN	1	-34.676	27.282	0.027	-34.297	27.475	0.024	-28.37	29.958	15.983	-32.547	30.045	15.518	0.116	284.459	2.539	0.116	260.664	2.028	0.116	66.667	0.035	0.116	174.308	0.048
92	14536	14537	SN	1	-34.677	19.726	0.0	-34.255	22.956	0.005	-33.888	28.717	12.848	-32.19	30.162	11.297	0.116	284.581	2.85	0.116	258.208	2.408	0.116	237.317	0.119	0.116	160.526	0.117
93	14536	14537	NS	1	-34.736	23.434	0.005	-33.511	25.148	0.015	-23.347	28.199	16.356	-29.083	29.59	24.795	0.116	288.445	2.451	0.116	217.59	2.086	0.116	21.031	0.038	0.116	78.543	0.027
94	14536	14537	NS	1	-34.736	23.434	0.005	-33.511	25.148	0.015	-23.347	28.199	15.473	-29.083	29.59	23.863	0.116	288.445	2.451	0.116	217.59	2.086	0.116	21.031	0.039	0.116	78.543	0.028
95	14537	14538	NS	1	-34.812	22.413	0.001	-34.445	26.12	0.007	2.79	27.888	23.098	7.991	30.018	37.216	0.116	293.547	2.526	0.116	269.759	2.171	0.116	0.158	0.0	0.116	0.128	0.0
96	14537	14538	SN	1	-33.905	23.928	0.005	-34.074	24.041	0.005	-3.098	28.502	14.741	-4.472	29.844	16.235	0.116	238.234	3.026	0.116	247.677	2.524	0.116	0.296	0.0	0.116	0.368	0.0
97	14538	14539	NS	1	-34.793	24.277	0.008	-34.97	24.191	0.009	7.619	28.504	24.667	8.51	29.26	36.122	0.116	292.22	6.501	0.116	304.324	5.145	0.116	0.129	0.0	0.116	0.126	0.0
98	14538	14539	NS	1	-34.793	24.277	0.008	-34.92	24.191	0.009	7.619	28.507	24.667	8.51	29.26	36.126	0.116	292.22	6.51	0.116	300.947	5.15	0.116	0.129	0.0	0.116	0.126	0.0
99	14538	14539	NS	1	-34.793	24.277	0.008	-34.92	24.191	0.009	7.639	27.998	7.553	8.51	29.0	23.981	0.116	292.22	6.512	0.116	300.947	5.15	0.116	0.129	0.0	0.116	0.126	0.0
100	14538	14539	SN	2	-34.117	18.787	0.0	-34.731	19.687	0.0	-6.554	28.507	29.439	-4.966	29.07	35.228	0.117	250.131	2.253	0.116	288.102	1.738	0.116	0.532	0.0	0.116	0.4	0.0
101	14538	14539	SN	1	-34.117	18.787	0.0	-34.731	19.687	0.0	-6.554	28.507	29.439	-4.966	29.07	35.228	0.117	250.131	2.253	0.116	288.102	1.738	0.116	0.532	0.0	0.116	0.4	0.0
102	14539	14540	SN	1	-34.324	19.847	0.0	-34.719	21.346	0.0	3.148	28.32	23.401	3.289	29.718	23.495	0.116	262.368	4.165	0.116	287.281	3.801	0.116	0.155	0.0	0.116	0.153	0.0
103	14539	14540	SN	2	-34.515	19.847	0.0	-34.719	21.346	0.0	3.186	28.566	24.567	3.294	29.718	25.564	0.116	274.098	4.087	0.116	287.281	3.559	0.116	0.154	0.0	0.116	0.153	0.0
104	14539	14540	NS	1	-34.377	25.329	0.031	-34.79	25.167	0.029	6.863	34.949	17.828	6.915	29.413	28.164	0.116	265.608	5.227	0.116	292.049	4.489	0.116	0.132	0.0	0.116	0.132	0.0
105	14539	14540	NS	1	-34.377	25.329	0.031	-34.79	25.167	0.029	6.863	34.95	17.824	6.915	29.412	28.164	0.116	265.608	5.233	0.116	292.049	4.491	0.116	0.132	0.0	0.116	0.132	0.0
106	14539	14540	SN	1	-34.515	19.847	0.0	-34.719	21.346	0.0	3.186	28.566	24.567	3.294	29.718	25.564	0.116	274.098	4.087	0.116	287.281	3.559	0.116	0.154	0.0	0.116	0.153	0.0
107	14539	14540	NS	1	-34.377	21.994	0.0	-34.79	25.181	0.029	7.155	34.95	2.509	6.915	26.893	2.453	0.116	265.608	5.253	0.116	292.049	4.491	0.116	0.131	0.0	0.116	0.132	0.0
108	14540	14541	NS	2	-34.858	25.162	0.032	-32.883	26.188	0.039	-0.526	28.683	11.395	-0.557	29.372	20.393	0.116	296.661	2.863	0.116	188.305	2.353	0.116	0.212	0.0	0.116	0.212	0.0
109	14540	14541	NS	1	-34.858	25.162	0.032	-32.883	26.188	0.039	-0.526	28.683	11.395	-0.557	29.372	20.393	0.116	296.661	2.863	0.116	188.305	2.353	0.116	0.212	0.0	0.116	0.212	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14511	14512	SN	1	57.575	58.208	0.0	0.0	294.336	3.271	1211.432	1264.584	0.0	-93.128	-92.076	0.0
2	14511	14512	SN	1	57.577	58.208	0.0	0.0	296.194	4.067	1211.432	1264.584	0.0	-93.128	-92.076	0.0
3	14511	14512	SN	1	57.584	58.208	0.0	0.0	296.194	4.063	1211.432	1264.576	0.0	-93.128	-92.076	0.0
4	14512	14513	SN	1	57.562	58.237	0.0	0.0	298.654	3.833	1210.856	1264.504	0.0	-93.148	-92.065	0.0
5	14512	14513	SN	1	57.579	58.223	0.0	0.0	298.654	3.845	1211.024	1264.504	0.0	-93.148	-92.065	0.0
6	14512	14513	SN	1	57.562	58.237	0.0	0.0	298.654	3.447	1210.856	1264.504	0.0	-93.148	-92.065	0.0
7	14512	14513	NS	1	57.562	58.153	0.0	0.0	299.343	3.662	1219.008	1264.328	0.0	-93.04	-92.134	0.0
8	14513	14514	SN	1	57.573	58.207	0.0	0.0	291.677	3.3	1210.696	1264.688	0.0	-93.155	-92.098	0.0
9	14513	14514	NS	2	57.556	58.182	0.0	0.0	287.265	3.562	1218.72	1264.608	0.0	-93.217	-92.1	0.0
10	14513	14514	SN	1	57.573	58.207	0.0	0.0	291.677	3.681	1210.696	1264.688	0.0	-93.155	-92.098	0.0
11	14513	14514	SN	1	57.581	58.207	0.0	0.0	291.677	3.29	1211.064	1264.688	0.0	-93.163	-92.098	0.0
12	14513	14514	NS	1	57.556	58.182	0.0	0.0	287.265	3.562	1218.72	1264.608	0.0	-93.217	-92.1	0.0
13	14514	14515	NS	1	57.538	58.154	0.0	0.0	287.183	3.651	1219.072	1264.472	0.0	-93.119	-92.153	0.0
14	14514	14515	SN	1	57.573	58.236	0.0	0.0	289.857	3.279	1210.6	1264.608	0.0	-93.165	-92.096	0.0
15	14514	14515	SN	1	57.573	58.235	0.0	0.0	289.857	3.68	1210.432	1264.608	0.0	-93.142	-92.096	0.0
16	14514	14515	SN	1	57.577	58.236	0.0	0.0	289.857	3.673	1210.6	1264.608	0.0	-93.165	-92.096	0.0
17	14515	14516	SN	1	57.574	58.205	0.0	0.0	287.238	3.703	1211.024	1264.448	0.0	-93.228	-92.096	0.0
18	14515	14516	SN	1	57.585	58.205	0.0	0.0	287.238	3.241	1211.024	1264.448	0.0	-93.112	-92.096	0.0
19	14515	14516	NS	1	57.563	58.155	0.0	0.0	287.403	3.791	1219.24	1264.328	0.0	-93.118	-92.12	0.0
20	14515	14516	NS	2	57.563	58.155	0.0	0.0	287.403	3.791	1219.24	1264.328	0.0	-93.118	-92.12	0.0
21	14515	14516	SN	1	57.578	58.205	0.0	0.0	287.238	3.732	1211.024	1264.448	0.0	-93.128	-92.096	0.0
22	14516	14517	SN	1	57.573	58.205	0.0	0.0	285.136	3.72	1210.768	1264.336	0.0	-93.089	-92.096	0.0
23	14516	14517	SN	1	57.573	58.205	0.0	0.0	285.136	3.101	1210.768	1264.336	0.0	-93.023	-92.096	0.0
24	14516	14517	NS	1	57.529	58.161	0.0	0.0	290.458	3.728	1219.936	1264.208	0.0	-93.206	-92.137	0.0
25	14516	14517	NS	1	57.531	58.159	0.0	0.0	288.523	3.723	1219.672	1264.176	0.0	-93.201	-92.137	0.0
26	14516	14517	SN	2	57.573	58.205	0.0	0.0	285.136	3.72	1210.768	1264.336	0.0	-93.089	-92.096	0.0
27	14517	14518	SN	2	57.574	58.204	0.0	0.0	283.686	3.843	1211.248	1264.24	0.0	-93.103	-92.092	0.0
28	14517	14518	NS	1	57.542	58.178	0.0	0.0	292.659	3.737	1219.024	1264.104	0.0	-93.422	-92.151	0.0
29	14517	14518	SN	1	57.574	58.204	0.0	0.0	283.686	2.936	1211.248	1264.24	0.0	-93.022	-92.092	0.0
30	14517	14518	NS	1	57.544	58.176	0.0	0.0	296.58	3.734	1218.976	1264.08	0.0	-93.422	-92.152	0.0
31	14517	14518	SN	1	57.574	58.204	0.0	0.0	283.686	3.843	1211.248	1264.24	0.0	-93.103	-92.092	0.0
32	14518	14519	NS	1	57.532	58.183	0.0	0.0	299.564	3.621	1218.904	1264.144	0.0	-93.23	-92.15	0.0
33	14518	14519	SN	1	57.559	58.205	0.0	0.0	284.012	2.633	1211.184	1264.368	0.0	-93.346	-92.083	0.0
34	14518	14519	NS	1	57.532	58.184	0.0	0.0	299.564	3.625	1218.904	1264.144	0.0	-93.302	-92.15	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	14518	14519	SN	1	57.559	58.205	0.0	0.0	299.547	3.908	1211.184	1264.368	0.0	-93.346	-92.083	0.0
36	14518	14519	SN	2	57.559	58.205	0.0	0.0	299.547	3.908	1211.184	1264.368	0.0	-93.346	-92.083	0.0
37	14519	14520	NS	1	57.523	58.175	0.0	0.0	298.433	3.851	1219.488	1264.232	0.0	-93.128	-92.123	0.0
38	14519	14520	SN	1	57.566	58.219	0.0	0.0	297.887	3.771	1211.48	1264.384	0.0	-94.559	-92.06	0.0
39	14519	14520	SN	2	57.566	58.219	0.0	0.0	297.887	3.771	1211.48	1264.384	0.0	-94.559	-92.06	0.0
40	14519	14520	NS	1	57.523	58.175	0.0	0.0	298.433	3.847	1219.488	1264.232	0.0	-93.174	-92.123	0.0
41	14520	14521	NS	1	57.533	58.184	0.0	0.0	295.008	3.809	1219.64	1264.144	0.0	-93.199	-92.128	0.0
42	14520	14521	NS	1	57.533	58.178	0.0	0.0	295.008	3.805	1218.832	1264.144	0.0	-93.209	-92.128	0.0
43	14520	14521	SN	1	57.574	58.228	0.0	0.0	297.672	3.721	1211.552	1264.352	0.0	-93.141	-92.103	0.0
44	14521	14522	SN	1	57.58	58.223	0.0	0.0	298.378	3.86	1211.584	1264.312	0.0	-93.116	-92.07	0.0
45	14521	14522	NS	1	57.56	58.172	0.0	0.0	295.461	3.721	1218.92	1264.048	0.0	-93.187	-92.151	0.0
46	14522	14523	SN	1	57.58	58.217	0.0	0.0	299.906	3.8	1211.536	1264.368	0.0	-93.142	-92.08	0.0
47	14522	14523	NS	1	57.537	58.177	0.0	0.0	296.255	3.643	1218.68	1264.168	0.0	-93.246	-92.15	0.0
48	14522	14523	NS	1	57.537	58.177	0.0	0.003	296.255	3.208	1218.68	1263.232	0.0	-93.246	-92.15	0.0
49	14522	14523	SN	1	57.578	58.217	0.0	0.0	299.906	3.797	1211.536	1264.368	0.0	-93.142	-92.08	0.0
50	14523	14524	SN	1	57.585	58.206	0.0	0.0	294.098	3.733	1211.584	1264.304	0.0	-93.034	-92.096	0.0
51	14523	14524	NS	1	57.538	58.159	0.0	0.0	297.86	3.823	1219.248	1264.224	0.0	-93.103	-92.148	0.0
52	14523	14524	NS	1	57.538	58.159	0.0	0.0	297.86	3.133	1219.248	1263.064	0.0	-93.103	-92.148	0.0
53	14523	14524	NS	2	57.538	58.159	0.0	0.0	297.86	3.823	1219.248	1264.224	0.0	-93.103	-92.148	0.0
54	14523	14524	SN	1	57.585	58.206	0.0	0.0	294.098	3.737	1211.584	1264.304	0.0	-93.149	-92.096	0.0
55	14524	14525	SN	1	57.574	58.208	0.0	0.0	293.994	3.713	1211.456	1264.4	0.0	-93.364	-92.102	0.0
56	14524	14525	NS	1	57.532	58.181	0.0	0.003	299.249	2.344	1218.248	1262.888	0.0	-93.394	-92.147	0.0
57	14524	14525	NS	1	57.532	58.181	0.0	0.0	299.249	3.689	1218.248	1264.184	0.0	-93.394	-92.147	0.0
58	14524	14525	NS	2	57.532	58.181	0.0	0.0	299.249	3.689	1218.248	1264.184	0.0	-93.394	-92.147	0.0
59	14524	14525	SN	1	57.574	58.208	0.0	0.0	293.994	3.716	1211.456	1264.4	0.0	-93.364	-92.102	0.0
60	14525	14526	SN	2	57.566	58.209	0.0	0.0	289.19	3.972	1211.856	1264.432	0.0	-93.029	-92.105	0.0
61	14525	14526	NS	1	57.532	58.182	0.0	0.0	277.752	2.238	1218.376	1260.768	0.0	-93.116	-92.128	0.0
62	14525	14526	SN	1	57.541	58.212	0.0	0.0	293.282	3.991	1213.072	1264.36	0.0	-93.263	-92.105	0.0
63	14525	14526	NS	2	57.532	58.176	0.0	0.0	289.747	3.843	1218.376	1263.92	0.0	-93.161	-92.128	0.0
64	14525	14526	NS	1	57.532	58.176	0.0	0.0	286.118	3.827	1218.376	1264.208	0.0	-93.182	-92.128	0.0
65	14525	14526	SN	1	57.566	58.209	0.0	0.0	288.628	2.863	1211.856	1264.432	0.0	-93.029	-92.105	0.0
66	14526	14527	SN	1	57.568	58.218	0.0	0.0	287.199	3.557	1211.16	1264.2	0.0	-93.111	-92.056	0.0
67	14526	14527	NS	1	57.544	58.174	0.0	0.0	287.254	3.83	1218.448	1263.992	0.0	-93.204	-92.134	0.0
68	14526	14527	SN	1	57.573	58.22	0.0	0.0	287.199	4.004	1211.256	1264.2	0.0	-93.122	-92.056	0.0
69	14526	14527	SN	1	57.568	58.218	0.0	0.0	287.199	4.002	1211.16	1264.2	0.0	-93.111	-92.056	0.0
70	14527	14528	NS	1	57.562	58.176	0.0	0.0	288.97	3.734	1219.192	1264.224	0.0	-93.197	-92.117	0.0
71	14527	14528	SN	1	57.578	58.216	0.0	0.0	287.199	3.367	1211.696	1264.4	0.0	-93.088	-92.083	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14527	14528	NS	2	57.562	58.176	0.0	0.0	288.986	3.733	1219.192	1264.232	0.0	-93.197	-92.117	0.0
73	14527	14528	SN	1	57.494	58.205	0.0	0.0	287.199	3.764	1211.512	1264.4	0.0	-94.672	-92.083	0.0
74	14528	14529	SN	1	57.576	58.226	0.0	0.0	286.598	3.723	1210.992	1264.464	0.0	-93.302	-92.1	0.0
75	14528	14529	SN	1	57.576	58.226	0.0	0.0	286.598	3.329	1210.992	1264.464	0.0	-93.302	-92.1	0.0
76	14528	14529	NS	1	57.556	58.174	0.0	0.003	296.36	3.556	1219.296	1264.328	0.0	-93.182	-92.117	0.0
77	14528	14529	NS	1	57.556	58.166	0.0	0.003	296.36	3.56	1219.544	1264.328	0.0	-93.212	-92.117	0.0
78	14529	14530	SN	1	57.57	58.212	0.0	0.003	284.839	3.726	1210.736	1264.304	0.0	-93.301	-92.079	0.0
79	14529	14530	SN	1	57.57	58.212	0.0	0.003	284.839	3.291	1210.736	1264.304	0.0	-93.301	-92.079	0.0
80	14529	14530	NS	1	57.534	58.177	0.0	0.0	296.398	3.748	1218.944	1264.184	0.0	-93.162	-92.129	0.0
81	14529	14530	NS	1	57.534	58.153	0.0	0.0	296.398	3.745	1219.0	1264.184	0.0	-93.176	-92.129	0.0
82	14530	14531	NS	1	57.529	58.153	0.0	0.0	296.404	3.72	1219.704	1264.088	0.0	-93.079	-92.138	0.0
83	14530	14531	SN	1	57.573	58.284	0.0	0.0	283.67	3.713	1211.448	1264.216	0.0	-95.991	-92.099	0.0
84	14531	14532	SN	1	57.578	58.202	0.0	0.0	299.851	3.749	1211.432	1264.024	0.0	-93.181	-92.099	0.0
85	14531	14532	NS	1	57.528	58.181	0.0	0.0	298.593	3.883	1219.032	1263.912	0.0	-93.151	-92.146	0.0
86	14532	14533	SN	2	57.584	58.204	0.0	0.0	298.891	3.846	1211.928	1264.08	0.0	-93.034	-92.076	0.0
87	14532	14533	SN	1	57.584	58.204	0.0	0.0	298.891	3.846	1211.928	1264.08	0.0	-93.034	-92.076	0.0
88	14532	14533	SN	3	57.584	58.204	0.0	0.0	298.891	3.846	1211.928	1264.08	0.0	-93.034	-92.076	0.0
89	14532	14533	NS	1	57.534	58.173	0.0	0.0	299.52	3.678	1218.664	1263.896	0.0	-93.129	-92.15	0.0
90	14533	14534	SN	1	57.574	58.206	0.0	0.0	298.681	3.778	1211.68	1264.24	0.0	-93.138	-92.078	0.0
91	14535	14536	SN	1	57.571	58.218	0.0	0.0	299.365	3.772	1211.84	1264.04	0.0	-93.16	-92.102	0.0
92	14536	14537	SN	1	57.589	58.233	0.0	0.0	296.216	3.832	1211.888	1264.12	0.0	-93.164	-92.07	0.0
93	14536	14537	NS	1	57.534	58.18	0.0	0.0	296.514	3.695	1218.672	1263.896	0.0	-93.139	-92.149	0.0
94	14536	14537	NS	1	57.534	58.18	0.0	0.0	296.514	3.508	1218.672	1263.752	0.0	-93.139	-92.149	0.0
95	14537	14538	NS	1	57.526	58.178	0.0	0.0	298.522	3.722	1219.176	1263.904	0.0	-93.317	-92.148	0.0
96	14537	14538	SN	1	57.578	58.206	0.0	0.0	292.041	3.76	1211.872	1264.112	0.0	-93.339	-92.081	0.0
97	14538	14539	NS	1	57.525	58.178	0.0	0.0	290.751	3.666	1218.136	1263.992	0.0	-93.16	-92.145	0.0
98	14538	14539	NS	1	57.525	58.178	0.0	0.0	290.751	3.669	1218.136	1263.992	0.0	-93.209	-92.145	0.0
99	14538	14539	NS	1	57.525	58.178	0.0	0.0	290.751	2.699	1218.136	1262.824	0.0	-93.135	-92.145	0.0
100	14538	14539	SN	2	57.564	58.232	0.0	0.0	287.679	3.75	1211.352	1264.184	0.0	-93.03	-92.104	0.0
101	14538	14539	SN	1	57.564	58.232	0.0	0.0	287.679	3.75	1211.352	1264.184	0.0	-93.03	-92.104	0.0
102	14539	14540	SN	1	57.572	58.208	0.0	0.0	299.448	2.562	1211.848	1264.264	0.0	-93.301	-92.106	0.0
103	14539	14540	SN	2	57.572	58.208	0.0	0.0	299.448	3.872	1211.848	1264.264	0.0	-93.11	-92.106	0.0
104	14539	14540	NS	1	57.533	58.178	0.0	0.0	287.982	3.871	1218.152	1264.056	0.0	-93.222	-92.145	0.0
105	14539	14540	NS	1	57.533	58.182	0.0	0.0	287.982	3.875	1218.152	1264.056	0.0	-93.222	-92.145	0.0
106	14539	14540	SN	1	57.572	58.208	0.0	0.0	299.448	3.872	1211.848	1264.264	0.0	-93.11	-92.106	0.0
107	14539	14540	NS	1	57.533	58.181	0.0	0.0	282.815	2.27	1218.152	1261.784	0.0	-93.222	-92.145	0.0
108	14540	14541	NS	2	57.529	58.165	0.0	0.0	295.747	3.849	1218.28	1263.976	0.0	-93.192	-92.145	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	14540	14541	NS	1	57.529	58.165	0.0	0.0	295.747	3.849	1218.28	1263.976	0.0	-93.192	-92.145	0.0
-----	-------	-------	----	---	--------	--------	-----	-----	---------	-------	---------	----------	-----	---------	---------	-----

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR															Kp													
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	14511	14512	SN	1	-34.592	20.526	0.0	-34.959	20.99	0.0	-33.621	22.856	0.009	-27.382	22.367	0.012	0.086	213.259	4.043	0.086	232.067	3.405	0.086	170.556	0.146	0.086	40.594	0.078
2	14511	14512	SN	1	-34.592	20.526	0.0	-34.959	20.99	0.0	-33.528	22.856	0.009	-27.382	22.367	0.012	0.086	213.259	3.904	0.086	232.067	3.064	0.086	166.939	0.144	0.086	40.594	0.078
3	14511	14512	SN	1	-34.959	20.526	0.0	-34.956	20.99	0.0	-26.271	22.856	0.009	-27.343	22.367	0.012	0.086	232.07	3.915	0.086	231.92	3.063	0.086	31.448	0.143	0.086	40.239	0.078
4	14512	14513	SN	1	-34.976	20.886	0.0	-34.636	20.269	0.0	-31.489	22.658	0.004	-28.752	22.652	0.014	0.086	232.953	1.941	0.086	215.445	1.754	0.086	104.404	0.032	0.086	55.639	0.078
5	14512	14513	SN	1	-34.688	20.886	0.0	-34.704	20.271	0.0	-31.849	22.658	0.004	-28.856	22.653	0.017	0.086	218.042	1.939	0.086	218.803	1.753	0.086	113.435	0.032	0.086	56.981	0.078
6	14512	14513	SN	1	-34.976	20.886	0.0	-34.636	20.269	0.0	-31.489	22.658	0.004	-28.752	22.652	0.014	0.086	232.953	1.995	0.086	215.445	1.793	0.086	104.404	0.032	0.086	55.639	0.078
7	14512	14513	NS	1	-34.232	20.042	0.0	-34.796	19.921	0.0	-13.087	22.559	0.007	-10.867	23.247	0.056	0.086	196.289	1.297	0.086	223.511	1.38	0.086	1.573	0.002	0.086	0.97	0.0
8	14513	14514	SN	1	-34.911	16.951	0.0	-34.916	17.126	0.0	-12.136	22.655	0.012	-12.001	22.372	0.031	0.087	229.492	2.418	0.087	229.796	2.036	0.086	1.276	0.003	0.086	1.239	0.004
9	14513	14514	NS	2	-33.879	17.033	0.0	-34.606	16.368	0.0	-15.111	23.253	0.018	-27.948	23.564	0.056	0.087	180.983	1.987	0.087	213.998	2.2	0.086	2.467	0.005	0.086	46.241	0.02
10	14513	14514	SN	1	-34.911	16.951	0.0	-34.916	17.126	0.0	-12.136	22.655	0.012	-12.001	22.372	0.031	0.087	229.492	2.377	0.087	229.796	2.03	0.086	1.276	0.003	0.086	1.239	0.004
11	14513	14514	SN	1	-34.249	16.951	0.0	-34.759	17.124	0.0	-12.136	22.655	0.012	-12.003	22.372	0.031	0.087	197.039	2.411	0.087	221.646	2.035	0.086	1.276	0.003	0.086	1.24	0.004
12	14513	14514	NS	1	-33.879	17.033	0.0	-34.606	16.368	0.0	-15.111	23.253	0.018	-27.948	23.564	0.056	0.087	180.983	1.987	0.087	213.998	2.2	0.086	2.467	0.005	0.086	46.241	0.02
13	14514	14515	NS	1	-34.847	17.166	0.0	-34.898	15.795	0.0	-23.573	21.644	0.0	-26.453	22.588	0.029	0.087	226.17	2.046	0.087	228.829	2.152	0.086	16.928	0.129	0.086	32.788	0.109
14	14514	14515	SN	1	-34.883	17.149	0.0	-34.541	17.382	0.0	-19.961	22.098	0.006	0.758	22.071	0.009	0.087	228.003	3.498	0.087	210.794	2.931	0.086	7.404	0.04	0.086	0.138	0.0
15	14514	14515	SN	1	-34.789	17.149	0.0	-34.736	17.382	0.0	-20.021	22.098	0.006	0.758	22.073	0.009	0.087	223.167	3.427	0.087	220.456	2.918	0.086	7.505	0.04	0.086	0.138	0.0
16	14514	14515	SN	1	-34.629	17.149	0.0	-34.745	17.382	0.0	-19.961	22.098	0.006	0.758	22.071	0.009	0.087	215.143	3.43	0.087	220.892	2.913	0.086	7.404	0.04	0.086	0.138	0.0
17	14515	14516	SN	1	-34.97	16.562	0.0	-34.812	17.279	0.0	-0.108	21.856	0.0	1.6	22.764	0.031	0.087	232.612	3.434	0.087	224.34	3.045	0.086	0.151	0.0	0.086	0.128	0.0
18	14515	14516	SN	1	-34.97	16.562	0.0	-34.897	17.279	0.0	-0.108	21.856	0.0	1.6	22.764	0.033	0.087	232.612	3.505	0.087	228.81	3.094	0.086	0.151	0.0	0.086	0.128	0.0
19	14515	14516	NS	1	-31.121	15.272	0.0	-33.217	16.084	0.0	-11.474	22.345	0.009	-13.499	22.735	0.031	0.087	95.914	1.687	0.087	155.422	1.754	0.086	1.105	0.003	0.086	1.722	0.002
20	14515	14516	NS	2	-31.121	15.272	0.0	-33.217	16.084	0.0	-11.474	22.345	0.009	-13.499	22.735	0.031	0.087	95.914	1.687	0.087	155.422	1.755	0.086	1.105	0.003	0.086	1.722	0.002
21	14515	14516	SN	1	-34.926	16.562	0.0	-34.702	17.279	0.0	-0.11	21.855	0.0	1.601	22.763	0.03	0.087	230.29	3.429	0.087	218.736	3.036	0.086	0.151	0.0	0.086	0.128	0.0
22	14516	14517	SN	1	-34.897	17.305	0.0	-34.396	17.324	0.0	0.027	21.83	0.0	1.586	22.551	0.014	0.087	228.797	3.83	0.087	203.876	3.123	0.086	0.149	0.0	0.086	0.128	0.0
23	14516	14517	SN	1	-34.897	17.305	0.0	-34.396	17.324	0.0	0.027	21.83	0.0	1.586	22.551	0.014	0.087	228.797	3.86	0.087	203.876	3.225	0.086	0.149	0.0	0.086	0.128	0.0
24	14516	14517	NS	1	-34.84	14.65	0.0	-34.776	16.876	0.0	-17.36	21.787	0.0	-17.504	22.791	0.024	0.088	225.769	3.134	0.087	222.474	2.822	0.086	4.097	0.018	0.086	4.232	0.021
25	14516	14517	NS	1	-34.49	14.669	0.0	-34.485	16.876	0.0	-17.36	21.785	0.0	-17.502	22.791	0.024	0.088	208.336	3.137	0.087	208.063	2.822	0.086	4.097	0.018	0.086	4.232	0.021
26	14516	14517	SN	2	-34.897	17.305	0.0	-34.396	17.324	0.0	0.027	21.83	0.0	1.586	22.551	0.014	0.087	228.797	3.83	0.087	203.876	3.123	0.086	0.149	0.0	0.086	0.128	0.0
27	14517	14518	SN	2	-34.535	16.058	0.0	-34.713	15.178	0.0	0.495	22.975	0.1	4.491	22.911	0.135	0.087	210.486	3.947	0.087	219.285	3.918	0.086	0.142	0.0	0.086	0.107	0.0
28	14517	14518	NS	1	-34.832	20.158	0.0	-34.388	20.596	0.0	-27.151	22.293	0.009	-29.222	22.498	0.057	0.086	225.358	2.974	0.086	203.498	2.635	0.086	38.502	0.149	0.086	61.985	0.066
29	14517	14518	SN	1	-34.535	16.058	0.0	-34.713	15.178	0.0	0.495	22.975	0.107	4.491	22.911	0.135	0.087	210.486	3.957	0.087	219.285	4.197	0.086	0.142	0.0	0.086	0.107	0.0
30	14517	14518	NS	1	-34.832	20.156	0.0	-34.391	20.596	0.0	-26.956	22.293	0.009	-29.36	22.498	0.056	0.086	225.358	2.974	0.086	203.601	2.646	0.086	36.806	0.148	0.086	63.98	0.066
31	14517	14518	SN	1	-34.535	16.058	0.0	-34.713	15.178	0.0	0.495	22.975	0.1	4.491	22.911	0.135	0.087	210.486	3.947	0.087	219.285	3.918	0.086	0.142	0.0	0.086	0.107	0.0
32	14518	14519	NS	1	-34.837	20.226	0.0	-34.696	20.967	0.0	2.27	21.807	0.0	1.57	23.007	0.066	0.086	225.594	3.81	0.086	218.443	3.789	0.086	0.122	0.0	0.086	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	14518	14519	SN	1	-34.102	17.539	0.0	-34.436	16.788	0.0	-20.954	24.195	0.211	-14.82	24.949	0.599	0.087	190.504	3.685	0.087	205.719	3.278	0.086	9.29	0.003	0.086	2.311	0.002
34	14518	14519	NS	1	-34.837	20.226	0.0	-34.541	20.967	0.0	2.254	21.807	0.0	1.57	23.007	0.066	0.086	225.594	3.814	0.086	210.761	3.79	0.086	0.122	0.0	0.086	0.129	0.0
35	14518	14519	SN	1	-34.102	17.539	0.0	-34.436	16.788	0.0	-21.006	24.195	0.197	-14.82	24.949	0.598	0.087	190.504	3.512	0.087	205.719	2.899	0.086	9.401	0.003	0.086	2.311	0.002
36	14518	14519	SN	2	-34.102	17.539	0.0	-34.436	16.788	0.0	-21.006	24.195	0.197	-14.82	24.949	0.598	0.087	190.504	3.512	0.087	205.719	2.899	0.086	9.401	0.003	0.086	2.311	0.002
37	14519	14520	NS	1	-34.733	21.368	0.0	-34.798	20.583	0.0	-3.842	21.547	0.0	-4.548	23.555	0.385	0.086	220.266	4.087	0.086	223.621	3.474	0.086	0.25	0.0	0.086	0.281	0.0
38	14519	14520	SN	1	-33.616	19.014	0.0	-34.837	18.413	0.0	-17.417	22.794	0.096	-16.95	23.911	0.238	0.086	170.344	1.964	0.086	225.626	1.671	0.086	4.151	0.014	0.086	3.733	0.003
39	14519	14520	SN	2	-33.616	19.014	0.0	-34.837	18.413	0.0	-17.417	22.794	0.096	-16.95	23.911	0.238	0.086	170.344	1.964	0.086	225.626	1.671	0.086	4.151	0.014	0.086	3.733	0.003
40	14519	14520	NS	1	-34.733	21.368	0.0	-34.931	20.583	0.0	-3.842	21.547	0.0	-4.548	23.553	0.382	0.086	220.266	4.085	0.086	230.612	3.474	0.086	0.25	0.0	0.086	0.281	0.0
41	14520	14521	NS	1	-34.648	21.171	0.0	-33.098	19.526	0.0	-29.068	21.712	0.0	-33.188	23.979	0.888	0.086	216.032	2.403	0.086	151.183	2.312	0.086	59.824	0.078	0.086	154.359	0.045
42	14520	14521	NS	1	-34.541	21.171	0.0	-34.998	19.526	0.0	-32.81	21.712	0.0	-33.188	23.977	0.895	0.086	210.766	2.398	0.086	234.106	2.313	0.086	141.496	0.08	0.086	154.359	0.045
43	14520	14521	SN	1	-34.971	20.961	0.0	-34.133	21.148	0.0	-16.406	22.964	0.116	-8.432	22.624	0.03	0.086	232.684	1.728	0.086	191.897	1.768	0.086	3.302	0.004	0.086	0.583	0.0
44	14521	14522	SN	1	-33.214	20.459	0.0	-34.812	21.835	0.0	-30.508	23.162	0.113	-19.346	23.049	0.04	0.086	155.31	2.138	0.086	224.303	1.68	0.086	83.329	0.155	0.086	6.436	0.023
45	14521	14522	NS	1	-34.543	18.284	0.0	-34.804	19.571	0.0	-19.674	21.855	0.0	-23.355	23.92	0.66	0.086	210.823	1.451	0.086	223.935	1.543	0.086	6.935	0.033	0.086	16.102	0.032
46	14522	14523	SN	1	-33.802	17.52	0.0	-34.428	16.77	0.0	-26.921	23.252	0.082	-26.746	23.255	0.043	0.087	177.818	2.554	0.087	205.4	2.065	0.086	36.516	0.081	0.086	35.069	0.056
47	14522	14523	NS	1	-34.765	14.025	0.0	-34.492	20.424	0.0	-25.251	22.169	0.009	-17.218	23.493	0.71	0.088	221.949	1.61	0.086	208.37	1.358	0.086	24.876	0.04	0.086	3.967	0.01
48	14522	14523	NS	1	-34.765	14.024	0.0	-34.492	20.424	0.0	-25.251	22.147	0.01	-17.218	23.495	0.775	0.088	221.949	1.612	0.086	208.37	1.358	0.086	24.876	0.044	0.086	3.967	0.011
49	14522	14523	SN	1	-34.119	17.52	0.0	-34.428	16.77	0.0	-26.161	23.252	0.082	-26.746	23.255	0.043	0.087	191.271	2.554	0.087	205.4	2.056	0.086	30.662	0.083	0.086	35.069	0.055
50	14523	14524	SN	1	-34.888	17.523	0.0	-34.45	16.422	0.0	-21.466	23.055	0.122	-27.835	22.873	0.074	0.087	228.251	3.292	0.087	206.396	2.731	0.086	10.444	0.019	0.086	45.046	0.064
51	14523	14524	NS	1	-34.95	19.299	0.0	-34.886	20.303	0.0	1.691	21.858	0.0	4.026	23.886	0.831	0.086	231.549	3.485	0.086	228.225	3.073	0.086	0.127	0.0	0.086	0.109	0.0
52	14523	14524	NS	1	-34.95	19.299	0.0	-34.886	20.303	0.0	1.691	21.858	0.0	4.018	23.874	1.139	0.086	231.549	3.496	0.086	228.225	3.073	0.086	0.127	0.0	0.086	0.109	0.0
53	14523	14524	NS	2	-34.95	19.299	0.0	-34.886	20.303	0.0	1.691	21.858	0.0	4.026	23.886	0.831	0.086	231.549	3.485	0.086	228.225	3.073	0.086	0.127	0.0	0.086	0.109	0.0
54	14523	14524	SN	1	-34.908	17.523	0.0	-34.45	16.422	0.0	-21.37	23.055	0.122	-27.778	22.873	0.074	0.087	235.191	3.29	0.087	206.396	2.709	0.086	10.215	0.019	0.086	44.454	0.064
55	14524	14525	SN	1	-34.386	13.971	0.0	-34.937	14.672	0.0	-4.268	22.699	0.142	-5.754	21.943	0.0	0.088	203.387	3.021	0.088	230.871	2.343	0.086	0.268	0.0	0.086	0.347	0.0
56	14524	14525	NS	1	-34.88	20.014	0.0	-34.492	18.054	0.0	6.035	21.61	0.0	2.48	23.389	0.264	0.086	227.865	5.156	0.086	208.376	5.356	0.086	0.1	0.0	0.086	0.12	0.0
57	14524	14525	NS	1	-34.88	20.014	0.0	-34.492	18.032	0.0	1.973	22.562	0.072	2.482	23.405	0.739	0.086	227.865	5.103	0.086	208.376	5.357	0.086	0.125	0.0	0.086	0.12	0.0
58	14524	14525	NS	2	-34.88	20.014	0.0	-34.492	18.032	0.0	1.973	22.562	0.072	2.482	23.405	0.739	0.086	227.865	5.103	0.086	208.376	5.357	0.086	0.125	0.0	0.086	0.12	0.0
59	14524	14525	SN	1	-34.782	13.971	0.0	-34.77	14.672	0.0	-4.269	22.699	0.142	-5.751	21.943	0.0	0.088	222.807	3.022	0.088	222.199	2.335	0.086	0.268	0.0	0.086	0.347	0.0
60	14525	14526	SN	2	-34.866	17.011	0.0	-34.648	17.846	0.0	1.977	22.166	0.005	4.473	22.147	0.009	0.087	227.17	4.607	0.086	216.063	3.78	0.086	0.125	0.0	0.086	0.107	0.0
61	14525	14526	NS	1	-34.875	16.592	0.0	-34.891	18.987	0.0	-7.159	20.611	0.0	-2.297	19.05	0.0	0.087	227.639	4.162	0.086	228.463	3.666	0.086	0.452	0.0	0.086	0.198	0.0
62	14525	14526	SN	1	-34.945	17.011	0.0	-34.871	17.85	0.0	1.977	22.169	0.005	4.482	22.146	0.009	0.087	231.315	4.594	0.086	227.426	3.776	0.086	0.125	0.0	0.086	0.107	0.0
63	14525	14526	NS	2	-34.875	18.526	0.0	-34.891	18.987	0.0	-7.159	23.052	0.369	-2.297	23.895	0.8	0.086	227.639	3.926	0.086	228.463	3.646	0.086	0.452	0.0	0.086	0.198	0.0
64	14525	14526	NS	1	-34.875	18.529	0.0	-34.891	18.987	0.0	-7.159	23.061	0.36	-2.297	23.897	0.8	0.086	227.639	3.928	0.086	228.463	3.646	0.086	0.452	0.0	0.086	0.198	0.0
65	14525	14526	SN	1	-34.866	17.011	0.0	-34.648	17.846	0.0	2.689	22.166	0.005	4.268	22.147	0.009	0.087	227.17	4.723	0.086	216.063	4.184	0.086	0.118	0.0	0.086	0.108	0.0
66	14526	14527	SN	1	-34.916	20.36	0.0	-34.671	21.53	0.0	-20.661	22.607	0.012	-34.781	23.249	0.017	0.086	229.74	3.449	0.086	217.167	2.599	0.086	8.689	0.046	0.086	222.722	0.04
67	14526	14527	NS	1	-34.536	20.959	0.0	-34.841	20.823	0.0	-0.038	23.546	0.028	1.558	23.982	0.119	0.086	210.54	3.932	0.086	225.844	3.858	0.086	0.15	0.0	0.086	0.129	0.0
68	14526	14527	SN	1	-34.888	20.36	0.0	-34.922	21.53	0.0	-20.459	22.607	0.012	-33.82	23.25	0.017	0.086	228.259	3.29	0.086	230.097	2.47	0.086	8.294	0.046	0.086	178.574	0.042
69	14526	14527	SN	1	-34.916	20.36	0.0	-34.671	21.53	0.0	-34.218	22.607	0.012	-22.15	23.249	0.017	0.086	229.74	3.3	0.086	217.167	2.466	0.086	195.643	0.047	0.086	12.212	0.038

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	14527	14528	NS	1	-34.569	20.987	0.0	-34.051	21.006	0.0	-8.637	22.727	0.009	-9.045	23.082	0.055	0.086	212.163	1.736	0.086	188.316	1.453	0.086	0.608	0.0	0.086	0.661	0.0
71	14527	14528	SN	1	-34.9	20.054	0.0	-34.662	20.535	0.0	-10.095	22.498	0.014	-11.646	22.484	0.012	0.086	228.945	1.836	0.086	216.749	1.638	0.086	0.823	0.0	0.086	1.147	0.002
72	14527	14528	NS	2	-34.592	20.987	0.0	-34.04	21.006	0.0	-8.637	22.727	0.009	-9.045	23.082	0.055	0.086	213.284	1.736	0.086	187.803	1.452	0.086	0.608	0.0	0.086	0.661	0.0
73	14527	14528	SN	1	-34.051	20.054	0.0	-34.724	20.535	0.0	-10.086	22.497	0.014	-11.698	22.484	0.012	0.086	188.26	1.8	0.086	219.821	1.685	0.086	0.821	0.0	0.086	1.16	0.002
74	14528	14529	SN	1	-34.476	16.842	0.0	-34.704	17.687	0.0	1.645	22.129	0.014	0.921	22.087	0.007	0.087	207.659	3.015	0.086	218.816	2.885	0.086	0.128	0.0	0.086	0.136	0.0
75	14528	14529	SN	1	-34.476	16.842	0.0	-34.704	17.687	0.0	1.645	22.129	0.014	0.921	22.087	0.007	0.087	207.659	3.074	0.086	218.816	2.872	0.086	0.128	0.0	0.086	0.136	0.0
76	14528	14529	NS	1	-34.187	16.576	0.0	-34.515	16.499	0.0	-13.231	22.04	0.002	-11.608	22.668	0.023	0.087	194.308	2.259	0.087	209.513	2.075	0.086	1.624	0.002	0.086	1.138	0.003
77	14528	14529	NS	1	-34.894	16.576	0.0	-34.73	16.499	0.0	-13.234	22.042	0.002	-11.608	22.668	0.023	0.087	228.581	2.253	0.087	220.108	2.073	0.086	1.624	0.002	0.086	1.138	0.003
78	14529	14530	SN	1	-34.866	17.571	0.0	-34.973	16.942	0.0	0.566	21.903	0.0	1.58	22.056	0.018	0.087	227.192	3.177	0.087	232.783	2.804	0.086	0.141	0.0	0.086	0.129	0.0
79	14529	14530	SN	1	-34.979	17.571	0.0	-34.973	16.942	0.0	0.566	21.903	0.0	1.58	22.056	0.018	0.087	233.146	3.243	0.087	232.783	2.85	0.086	0.141	0.0	0.086	0.129	0.0
80	14529	14530	NS	1	-33.109	16.139	0.0	-33.959	17.522	0.0	-21.682	22.652	0.014	-32.596	22.625	0.028	0.087	151.589	1.005	0.087	184.364	0.827	0.086	10.975	0.022	0.086	134.72	0.059
81	14529	14530	NS	1	-34.386	16.139	0.0	-34.208	17.523	0.0	-21.424	22.652	0.014	-34.167	22.625	0.028	0.087	203.387	1.008	0.087	195.251	0.862	0.086	10.344	0.022	0.086	193.408	0.059
82	14530	14531	NS	1	-34.575	15.053	0.0	-33.44	15.388	0.0	-18.701	22.415	0.006	-18.556	22.512	0.013	0.087	212.414	2.104	0.087	163.602	2.097	0.086	5.556	0.024	0.086	5.374	0.016
83	14530	14531	SN	1	-34.841	16.931	0.0	-34.951	17.088	0.0	0.14	22.064	0.005	1.841	22.163	0.032	0.087	225.834	4.195	0.087	231.654	3.978	0.086	0.147	0.0	0.086	0.126	0.0
84	14531	14532	SN	1	-34.428	16.414	0.0	-34.512	16.313	0.0	0.557	21.844	0.0	3.911	23.957	0.005	0.087	205.371	4.522	0.087	209.35	4.115	0.086	0.141	0.0	0.086	0.11	0.0
85	14531	14532	NS	1	-34.263	16.908	0.0	-34.764	17.15	0.0	-28.833	22.701	0.005	-26.011	25.376	0.029	0.087	197.664	2.559	0.087	221.909	2.192	0.086	56.676	0.273	0.086	29.623	0.1
86	14532	14533	SN	2	-34.704	16.977	0.0	-34.119	17.17	0.0	-18.259	23.199	0.128	-11.446	24.191	0.372	0.087	218.78	3.384	0.087	191.276	2.856	0.086	5.024	0.003	0.086	1.098	0.002
87	14532	14533	SN	1	-34.704	16.977	0.0	-34.119	17.17	0.0	-18.259	23.199	0.128	-11.446	24.191	0.372	0.087	218.78	3.384	0.087	191.276	2.856	0.086	5.024	0.003	0.086	1.098	0.002
88	14532	14533	SN	3	-34.704	16.977	0.0	-34.119	17.17	0.0	-18.259	23.199	0.128	-11.446	24.191	0.372	0.087	218.78	3.384	0.087	191.276	2.856	0.086	5.024	0.003	0.086	1.098	0.002
89	14532	14533	NS	1	-34.632	20.394	0.0	-34.827	20.332	0.0	2.237	21.785	0.0	1.782	22.303	0.041	0.086	215.245	2.663	0.086	225.147	2.402	0.086	0.122	0.0	0.086	0.126	0.0
90	14533	14534	SN	1	-34.834	17.607	0.0	-34.786	18.595	0.0	-14.531	23.052	0.09	-15.744	23.87	0.394	0.087	225.445	2.611	0.086	223.008	2.234	0.086	2.166	0.001	0.086	2.843	0.003
91	14535	14536	SN	1	-34.786	20.401	0.0	-32.776	21.166	0.0	-26.405	23.724	0.138	-28.956	22.942	0.037	0.086	222.947	2.206	0.086	140.41	1.813	0.086	32.434	0.103	0.086	58.297	0.191
92	14536	14537	SN	1	-34.069	20.331	0.0	-34.475	20.685	0.0	-31.345	23.131	0.073	-27.228	23.142	0.031	0.086	189.095	2.611	0.086	207.588	2.282	0.086	101.003	0.086	0.086	39.185	0.066
93	14536	14537	NS	1	-34.046	17.09	0.0	-34.793	19.273	0.0	-23.649	22.014	0.003	-21.874	23.608	0.633	0.087	188.067	1.47	0.086	229.082	1.142	0.086	17.224	0.031	0.086	11.468	0.02
94	14536	14537	NS	1	-34.046	17.09	0.0	-34.793	19.273	0.0	-23.649	22.014	0.004	-21.874	23.608	0.646	0.087	188.067	1.472	0.086	229.082	1.142	0.086	17.224	0.032	0.086	11.468	0.02
95	14537	14538	NS	1	-34.987	18.7	0.0	-33.404	18.916	0.0	1.529	21.717	0.0	-2.108	23.64	0.734	0.086	233.58	2.033	0.086	162.243	1.837	0.086	0.129	0.0	0.086	0.193	0.0
96	14537	14538	SN	1	-33.891	16.949	0.0	-34.649	16.68	0.0	-9.378	22.664	0.075	-11.537	23.301	0.06	0.087	181.508	2.604	0.087	221.457	2.246	0.086	0.708	0.0	0.086	1.12	0.002
97	14538	14539	NS	1	-34.979	18.3	0.0	-34.98	17.819	0.0	1.628	21.982	0.0	1.7	23.227	0.849	0.086	233.101	5.475	0.086	233.186	4.57	0.086	0.128	0.0	0.086	0.127	0.0
98	14538	14539	NS	1	-34.979	18.3	0.0	-34.98	17.819	0.0	1.625	21.982	0.0	1.7	23.227	0.849	0.086	233.101	5.481	0.086	233.186	4.576	0.086	0.128	0.0	0.086	0.127	0.0
99	14538	14539	NS	1	-34.979	18.3	0.0	-34.98	17.819	0.0	1.85	21.53	0.0	1.742	23.225	1.272	0.086	233.101	5.5	0.086	233.186	4.575	0.086	0.126	0.0	0.086	0.127	0.0
100	14538	14539	SN	2	-34.567	16.34	0.0	-34.479	17.146	0.0	-31.466	22.876	0.179	-17.356	22.74	0.035	0.087	212.046	2.479	0.087	207.812	1.994	0.086	103.848	0.146	0.086	4.092	0.109
101	14538	14539	SN	1	-34.567	16.34	0.0	-34.479	17.146	0.0	-31.466	22.876	0.179	-17.356	22.74	0.035	0.087	212.046	2.479	0.087	207.812	1.994	0.086	103.848	0.146	0.086	4.092	0.109
102	14539	14540	SN	1	-34.84	14.697	0.0	-34.663	15.342	0.0	-2.917	22.846	0.034	-2.15	22.87	0.025	0.088	225.798	3.71	0.087	216.834	3.729	0.086	0.216	0.0	0.086	0.194	0.0
103	14539	14540	SN	2	-34.892	14.697	0.0	-34.663	15.342	0.0	-2.742	22.846	0.029	-2.145	22.87	0.024	0.088	228.516	3.698	0.087	216.834	3.463	0.086	0.211	0.0	0.086	0.194	0.0
104	14539	14540	NS	1	-34.937	19.052	0.0	-34.745	18.102	0.0	1.656	22.848	0.242	1.906	23.448	0.803	0.086	236.824	3.912	0.086	220.956	3.543	0.086	0.128	0.0	0.086	0.125	0.0
105	14539	14540	NS	1	-34.849	19.052	0.0	-34.745	18.102	0.0	1.656	22.846	0.242	1.906	23.448	0.803	0.086	226.238	3.915	0.086	220.956	3.545	0.086	0.128	0.0	0.086	0.125	0.0
106	14539	14540	SN	1	-34.892	14.697	0.0	-34.663	15.342	0.0	-2.742	22.846	0.029	-2.145	22.87	0.024	0.088	228.516	3.698	0.087	216.834	3.463	0.086	0.211	0.0	0.086	0.194	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

107	14539	14540	NS	1	-34.849	19.052	0.0	-34.745	18.051	0.0	1.656	21.135	0.0	1.906	21.497	0.0	0.086	226.238	3.846	0.086	220.956	3.547	0.086	0.128	0.0	0.086	0.125	0.0
108	14540	14541	NS	2	-34.954	21.168	0.0	-34.614	21.077	0.0	1.139	23.705	0.219	0.842	23.386	0.365	0.086	231.776	2.546	0.086	214.378	2.71	0.086	0.134	0.0	0.086	0.137	0.0
109	14540	14541	NS	1	-34.954	21.168	0.0	-34.614	21.077	0.0	1.139	23.705	0.219	0.842	23.386	0.365	0.086	231.776	2.546	0.086	214.378	2.71	0.086	0.134	0.0	0.086	0.137	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors