

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 15-NOV-2019 To 16-NOV-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 15-NOV-2019 To 16-NOV-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	16599	16600	SN	2	48.828	49.442	0.0	0.003	6.414	2.691	1041.28	1077.176	0.0	-91.848	-90.078	0.0
2	16599	16600	SN	1	48.828	49.441	0.0	0.003	6.42	2.691	1041.28	1077.152	0.0	-91.763	-90.078	0.0
3	16599	16600	SN	1	48.828	49.442	0.0	0.003	6.414	2.007	1041.28	1077.176	0.0	-91.848	-90.078	0.0
4	16600	16601	SN	1	48.81	49.412	0.0	0.003	279.952	2.576	1040.176	1077.128	0.0	-91.84	-90.063	0.0
5	16600	16601	SN	1	48.81	49.412	0.0	0.003	279.952	2.578	1040.176	1077.128	0.0	-91.84	-90.063	0.0
6	16600	16601	NS	1	48.74	49.316	0.0	0.003	267.273	2.526	1031.488	1076.008	0.0	-91.841	-89.981	0.0
7	16600	16601	SN	1	48.811	49.413	0.0	0.003	279.952	2.418	1040.184	1077.144	0.0	-91.84	-90.063	0.0
8	16600	16601	SN	2	48.81	49.412	0.0	0.003	279.952	2.418	1040.176	1077.128	0.0	-91.84	-90.063	0.0
9	16600	16601	NS	2	48.74	49.317	0.0	0.003	210.684	2.526	1031.504	1075.992	0.0	-91.84	-89.981	0.0
10	16601	16602	SN	1	48.774	49.465	0.0	0.003	279.721	2.348	1039.776	1077.296	0.0	-91.824	-90.094	0.0
11	16601	16602	NS	2	48.74	49.318	0.0	0.003	264.714	2.568	1031.808	1076.2	0.0	-91.788	-89.953	0.0
12	16601	16602	SN	1	48.772	49.466	0.0	0.003	279.721	2.35	1040.016	1077.312	0.0	-91.824	-90.094	0.0
13	16601	16602	NS	1	48.74	49.318	0.0	0.003	264.714	2.568	1031.808	1076.2	0.0	-91.788	-89.953	0.0
14	16602	16603	SN	1	48.794	49.423	0.0	0.003	6.43	2.31	1039.776	1077.192	0.0	-91.789	-90.092	0.0
15	16602	16603	NS	1	48.71	49.3	0.0	0.0	82.962	2.611	1032.32	1076.104	0.0	-91.604	-89.997	0.0
16	16602	16603	SN	1	48.794	49.423	0.0	0.003	6.43	2.537	1039.776	1077.192	0.0	-91.789	-90.092	0.0
17	16602	16603	NS	1	48.71	49.3	0.0	0.0	82.962	2.614	1032.32	1076.104	0.0	-91.638	-89.997	0.0
18	16602	16603	SN	2	48.794	49.423	0.0	0.003	6.43	2.537	1039.776	1077.192	0.0	-91.789	-90.092	0.0
19	16603	16604	NS	1	48.742	49.306	0.0	0.003	207.039	2.671	1032.8	1075.992	0.0	-91.695	-89.967	0.0
20	16603	16604	SN	1	48.795	49.449	0.0	0.003	280.162	2.526	1039.928	1077.08	0.0	-92.111	-90.092	0.0
21	16603	16604	SN	2	48.796	49.45	0.0	0.003	280.162	2.529	1039.864	1077.08	0.0	-92.111	-90.092	0.0
22	16603	16604	SN	1	48.796	49.45	0.0	0.003	280.162	2.166	1039.864	1077.08	0.0	-92.111	-90.092	0.0
23	16603	16604	NS	1	48.742	49.306	0.0	0.003	207.039	2.673	1032.8	1075.992	0.0	-91.7	-89.967	0.0
24	16604	16605	NS	1	48.741	49.3	0.0	0.003	211.291	2.618	1032.32	1075.928	0.0	-91.736	-89.988	0.0
25	16604	16605	SN	1	48.812	49.428	0.0	0.003	29.431	1.979	1040.896	1077.024	0.0	-91.757	-90.093	0.0
26	16604	16605	SN	2	48.812	49.428	0.0	0.003	29.431	2.535	1040.896	1077.024	0.0	-91.757	-90.093	0.0
27	16604	16605	SN	1	48.812	49.428	0.0	0.003	29.431	2.535	1040.896	1077.024	0.0	-91.757	-90.093	0.0
28	16604	16605	NS	1	48.685	49.3	0.0	0.003	211.291	2.619	1032.072	1075.928	0.0	-91.697	-89.988	0.0
29	16605	16606	SN	1	48.796	49.416	0.0	0.003	6.414	2.624	1040.12	1077.0	0.0	-91.877	-90.092	0.0
30	16605	16606	SN	1	48.814	49.459	0.0	0.003	6.414	2.621	1040.12	1077.0	0.0	-92.018	-90.092	0.0
31	16605	16606	SN	1	48.803	49.416	0.0	0.003	6.414	1.775	1040.12	1077.0	0.0	-91.877	-90.092	0.0
32	16605	16606	NS	1	48.743	49.331	0.0	0.003	266.628	2.556	1031.56	1075.856	0.0	-91.688	-89.996	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	16605	16606	NS	2	48.742	49.332	0.0	0.003	266.628	2.558	1031.544	1075.864	0.0	-91.738	-89.996	0.0
34	16606	16607	SN	1	48.801	49.458	0.0	0.003	29.988	2.663	1040.312	1077.192	0.0	-91.868	-90.083	0.0
35	16606	16607	SN	1	48.801	49.458	0.0	0.003	29.988	1.564	1040.312	1077.192	0.0	-91.868	-90.083	0.0
36	16606	16607	SN	1	48.81	49.464	0.0	0.003	29.988	2.661	1040.312	1077.192	0.0	-92.032	-90.083	0.0
37	16606	16607	NS	1	48.74	49.304	0.0	0.003	267.136	2.63	1032.392	1076.016	0.0	-91.832	-89.994	0.0
38	16607	16608	NS	1	48.706	49.335	0.0	0.008	267.455	2.638	1032.352	1076.096	0.0	-91.82	-89.971	0.0
39	16607	16608	SN	2	48.787	49.464	0.0	0.003	6.43	2.57	1040.152	1077.264	0.0	-92.48	-90.052	0.0
40	16607	16608	NS	1	48.707	49.329	0.0	0.008	267.455	2.639	1032.352	1076.088	0.0	-91.803	-89.972	0.0
41	16607	16608	SN	1	48.787	49.464	0.0	0.003	6.43	2.57	1040.152	1077.264	0.0	-92.48	-90.052	0.0
42	16608	16609	NS	1	48.707	49.329	0.0	0.0	45.67	2.809	1031.464	1076.048	0.0	-91.822	-89.97	0.0
43	16608	16609	SN	1	48.798	49.402	0.0	0.003	6.43	2.554	1041.08	1077.224	0.0	-91.863	-90.094	0.0
44	16608	16609	NS	1	48.706	49.329	0.0	0.0	45.67	2.811	1031.656	1076.048	0.0	-91.819	-89.97	0.0
45	16609	16610	SN	1	48.78	49.402	0.0	0.003	6.419	2.629	1041.272	1077.176	0.0	-91.839	-90.071	0.0
46	16609	16610	NS	1	48.686	49.323	0.0	0.003	14.344	2.622	1031.632	1076.008	0.0	-91.817	-89.995	0.0
47	16609	16610	NS	1	48.686	49.323	0.0	0.003	14.344	2.624	1031.96	1076.0	0.0	-91.784	-89.995	0.0
48	16609	16610	SN	2	48.78	49.402	0.0	0.003	6.419	2.629	1041.272	1077.176	0.0	-91.839	-90.071	0.0
49	16610	16611	NS	1	48.673	49.525	0.0	0.0	210.375	2.527	1031.96	1075.368	0.0	-92.265	-89.994	0.0
50	16610	16611	NS	2	48.673	49.525	0.0	0.0	210.375	2.727	1031.968	1076.088	0.0	-92.265	-89.994	0.0
51	16610	16611	SN	1	48.818	49.402	0.0	0.003	6.419	2.595	1041.224	1077.264	0.0	-91.755	-90.074	0.0
52	16610	16611	NS	1	48.673	49.525	0.0	0.0	210.375	2.726	1031.96	1076.104	0.0	-92.265	-89.994	0.0
53	16610	16611	SN	1	48.818	49.402	0.0	0.003	6.419	2.597	1041.224	1077.264	0.0	-91.755	-90.074	0.0
54	16611	16612	NS	2	48.72	49.298	0.0	0.003	13.788	2.588	1031.52	1076.128	0.0	-91.779	-89.992	0.0
55	16611	16612	SN	1	48.837	49.402	0.0	0.003	280.019	2.567	1040.728	1077.304	0.0	-91.657	-90.093	0.0
56	16611	16612	SN	2	48.837	49.402	0.0	0.003	280.019	2.567	1040.728	1077.304	0.0	-91.657	-90.093	0.0
57	16611	16612	NS	1	48.72	49.298	0.0	0.003	13.788	2.589	1031.52	1076.128	0.0	-91.779	-89.992	0.0
58	16612	16613	NS	1	48.737	49.361	0.0	0.0	264.847	1.648	1031.072	1072.688	0.0	-92.368	-89.991	0.0
59	16612	16613	SN	1	48.807	49.424	0.0	0.003	278.16	2.551	1040.856	1077.432	0.0	-92.577	-90.1	0.0
60	16612	16613	SN	1	48.786	49.431	0.0	0.003	210.883	2.554	1040.92	1077.424	0.0	-91.74	-90.1	0.0
61	16612	16613	NS	1	48.737	49.361	0.0	0.0	264.847	2.723	1031.072	1076.248	0.0	-92.368	-89.991	0.0
62	16613	16614	NS	2	48.673	49.328	0.0	0.003	210.474	2.58	1031.304	1076.28	0.0	-91.738	-89.972	0.0
63	16613	16614	SN	1	48.783	49.449	0.0	0.003	29.872	1.694	1040.448	1077.488	0.0	-91.846	-90.101	0.0
64	16613	16614	SN	1	48.783	49.449	0.0	0.003	29.872	2.733	1040.448	1077.488	0.0	-91.846	-90.101	0.0
65	16613	16614	NS	1	48.673	49.308	0.0	0.003	210.474	2.58	1031.304	1076.28	0.0	-91.728	-89.972	0.0
66	16613	16614	NS	1	48.673	49.337	0.0	0.003	210.474	1.564	1031.304	1069.336	0.0	-91.643	-89.972	0.0
67	16614	16615	NS	1	48.695	49.328	0.0	0.003	210.469	2.743	1031.056	1076.152	0.0	-91.809	-89.976	0.0
68	16614	16615	NS	1	48.695	49.329	0.0	0.003	210.469	2.746	1031.056	1076.152	0.0	-91.811	-89.976	0.0
69	16614	16615	SN	1	48.798	49.421	0.0	0.003	214.682	2.744	1040.88	1077.32	0.0	-91.872	-90.053	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	16614	16615	SN	2	48.798	49.421	0.0	0.003	214.682	2.744	1040.88	1077.32	0.0	-91.872	-90.053	0.0
71	16614	16615	SN	1	48.798	49.421	0.0	0.003	214.682	2.439	1040.88	1077.32	0.0	-91.872	-90.053	0.0
72	16615	16616	SN	1	48.799	49.428	0.0	0.003	6.43	2.52	1041.296	1077.512	0.0	-92.273	-90.078	0.0
73	16615	16616	NS	2	48.734	49.329	0.0	0.003	13.534	2.504	1031.256	1076.384	0.0	-91.811	-89.97	0.0
74	16615	16616	NS	1	48.735	49.33	0.0	0.003	13.528	2.505	1031.28	1076.376	0.0	-91.811	-89.97	0.0
75	16615	16616	SN	1	48.799	49.428	0.0	0.003	6.43	2.385	1041.296	1077.512	0.0	-92.273	-90.078	0.0
76	16615	16616	SN	1	48.799	49.428	0.0	0.003	6.43	2.387	1041.296	1077.512	0.0	-92.273	-90.078	0.0
77	16616	16617	SN	1	48.796	49.416	0.0	0.003	6.436	2.485	1041.024	1077.528	0.0	-91.858	-90.095	0.0
78	16616	16617	SN	1	48.778	49.456	0.0	0.003	6.436	2.483	1040.176	1077.528	0.0	-91.893	-90.095	0.0
79	16616	16617	SN	1	48.796	49.416	0.0	0.003	6.436	2.324	1041.024	1077.528	0.0	-91.858	-90.095	0.0
80	16616	16617	NS	1	48.732	49.326	0.0	0.003	270.13	2.573	1031.512	1076.424	0.0	-91.63	-89.982	0.0
81	16617	16618	NS	1	48.684	49.298	0.0	0.003	14.113	2.609	1032.504	1076.336	0.0	-91.674	-89.972	0.0
82	16617	16618	NS	2	48.684	49.298	0.0	0.003	14.113	2.609	1032.504	1076.336	0.0	-91.674	-89.972	0.0
83	16617	16618	SN	1	48.792	49.429	0.0	0.003	6.43	2.532	1040.4	1077.424	0.0	-91.79	-90.072	0.0
84	16617	16618	SN	1	48.764	49.429	0.0	0.003	6.43	2.53	1040.456	1077.416	0.0	-91.779	-90.071	0.0
85	16617	16618	SN	1	48.792	49.429	0.0	0.003	6.43	2.264	1040.4	1077.424	0.0	-91.79	-90.072	0.0
86	16618	16619	NS	1	48.679	49.299	0.0	0.0	264.841	2.757	1032.464	1076.28	0.0	-91.621	-89.987	0.0
87	16618	16619	SN	1	48.776	49.459	0.0	0.003	6.425	2.544	1040.208	1077.368	0.0	-91.825	-90.095	0.0
88	16618	16619	NS	1	48.691	49.308	0.0	0.0	264.841	2.755	1032.464	1076.272	0.0	-91.589	-89.987	0.0
89	16618	16619	SN	1	48.776	49.459	0.0	0.003	6.425	2.08	1040.208	1077.368	0.0	-91.825	-90.095	0.0
90	16618	16619	SN	2	48.776	49.459	0.0	0.003	6.425	2.544	1040.208	1077.368	0.0	-91.825	-90.095	0.0
91	16619	16620	NS	1	48.722	49.36	0.0	0.003	207.094	2.599	1032.256	1076.168	0.0	-91.738	-89.989	0.0
92	16619	16620	SN	1	48.786	49.438	0.0	0.003	214.754	2.612	1040.432	1077.264	0.0	-91.732	-90.094	0.0
93	16619	16620	NS	1	48.722	49.36	0.0	0.003	207.094	2.597	1032.256	1076.168	0.0	-91.71	-89.989	0.0
94	16619	16620	SN	1	48.786	49.439	0.0	0.003	214.313	1.898	1040.432	1077.28	0.0	-91.732	-90.094	0.0
95	16619	16620	SN	2	48.786	49.439	0.0	0.003	214.313	2.611	1040.432	1077.28	0.0	-91.732	-90.094	0.0
96	16620	16621	NS	1	48.738	49.323	0.0	0.0	264.847	2.709	1031.32	1076.224	0.0	-91.743	-89.992	0.0
97	16620	16621	SN	1	48.678	49.469	0.0	0.003	280.758	2.663	1040.352	1077.36	0.0	-92.628	-90.072	0.0
98	16620	16621	SN	1	48.678	49.469	0.0	0.003	280.758	2.661	1040.352	1077.36	0.0	-92.628	-90.072	0.0
99	16620	16621	SN	1	48.819	49.469	0.0	0.003	280.758	1.655	1040.352	1077.36	0.0	-92.229	-90.072	0.0
100	16620	16621	NS	1	48.74	49.359	0.0	0.0	264.053	2.707	1031.312	1076.2	0.0	-91.724	-89.992	0.0
101	16621	16622	NS	2	48.737	49.317	0.0	0.003	41.304	2.593	1031.024	1076.384	0.0	-91.786	-89.988	0.0
102	16621	16622	SN	1	48.829	49.441	0.0	0.003	6.43	2.59	1040.848	1077.52	0.0	-91.868	-90.075	0.0
103	16621	16622	SN	1	48.83	49.44	0.0	0.003	6.43	2.588	1040.84	1077.496	0.0	-91.868	-90.075	0.0
104	16621	16622	SN	1	48.829	49.441	0.0	0.003	6.43	1.533	1040.848	1077.52	0.0	-91.868	-90.075	0.0
105	16621	16622	NS	1	48.737	49.317	0.0	0.003	41.304	2.594	1031.024	1076.384	0.0	-91.786	-89.988	0.0
106	16622	16623	NS	1	48.738	49.332	0.0	0.0	44.159	2.83	1031.6	1076.376	0.0	-91.816	-89.98	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	16622	16623	SN	1	48.814	49.449	0.0	0.003	279.925	2.524	1040.664	1077.528	0.0	-92.253	-90.057	0.0
108	16623	16624	NS	1	48.738	49.298	0.0	0.003	266.876	2.646	1031.648	1076.248	0.0	-92.051	-89.974	0.0
109	16623	16624	SN	1	48.792	49.47	0.0	0.003	6.436	2.56	1041.072	1077.424	0.0	-91.85	-90.094	0.0
110	16623	16624	NS	1	48.738	49.298	0.0	0.003	266.876	2.644	1031.648	1076.248	0.0	-92.051	-89.974	0.0
111	16624	16625	SN	2	48.798	49.426	0.0	0.003	279.418	2.66	1041.376	1077.512	0.0	-91.874	-90.063	0.0
112	16624	16625	NS	1	48.693	49.299	0.0	0.0	207.028	2.743	1031.152	1076.328	0.0	-91.747	-89.992	0.0
113	16624	16625	NS	1	48.693	49.299	0.0	0.0	207.028	2.683	1031.152	1076.048	0.0	-91.747	-89.992	0.0
114	16624	16625	NS	1	48.693	49.299	0.0	0.0	207.028	2.741	1031.152	1076.32	0.0	-91.773	-89.992	0.0
115	16624	16625	SN	1	48.798	49.426	0.0	0.003	279.418	2.66	1041.376	1077.512	0.0	-91.874	-90.063	0.0
116	16625	16626	NS	1	48.717	49.307	0.0	0.003	206.834	2.195	1031.128	1074.952	0.0	-92.206	-89.989	0.0
117	16625	16626	NS	1	48.717	49.307	0.0	0.003	206.834	2.567	1031.128	1076.408	0.0	-92.018	-89.989	0.0
118	16625	16626	NS	1	48.717	49.311	0.0	0.003	206.834	2.565	1031.512	1076.408	0.0	-91.755	-89.989	0.0
119	16625	16626	SN	2	48.82	49.404	0.0	0.003	277.272	2.588	1040.912	1077.576	0.0	-91.729	-90.076	0.0
120	16625	16626	SN	1	48.82	49.404	0.0	0.003	277.272	2.588	1040.912	1077.576	0.0	-91.729	-90.076	0.0
121	16626	16627	SN	1	48.781	49.405	0.0	0.003	215.146	2.576	1040.608	1077.664	0.0	-91.704	-90.099	0.0
122	16626	16627	SN	1	48.773	49.405	0.0	0.003	215.146	2.579	1040.44	1077.664	0.0	-91.704	-90.099	0.0
123	16626	16627	NS	1	48.736	49.336	0.0	0.003	264.781	1.696	1030.776	1073.816	0.0	-91.761	-89.987	0.0
124	16626	16627	NS	1	48.736	49.336	0.0	0.003	264.781	2.601	1030.776	1076.504	0.0	-91.846	-89.987	0.0
125	16626	16627	NS	1	48.694	49.336	0.0	0.003	264.781	2.599	1030.976	1076.48	0.0	-91.725	-89.987	0.0
126	16627	16628	SN	2	48.778	49.405	0.0	0.003	214.837	2.654	1040.752	1077.744	0.0	-91.793	-90.101	0.0
127	16627	16628	SN	1	48.779	49.407	0.0	0.003	280.008	1.526	1040.744	1077.768	0.0	-91.793	-90.101	0.0
128	16627	16628	NS	1	48.735	49.34	0.0	0.0	264.554	1.693	1031.184	1071.416	0.0	-91.778	-89.986	0.0
129	16627	16628	SN	1	48.779	49.407	0.0	0.003	280.008	2.653	1040.744	1077.768	0.0	-91.793	-90.101	0.0
130	16627	16628	NS	1	48.735	49.34	0.0	0.0	264.554	2.725	1031.184	1076.536	0.0	-91.844	-89.986	0.0
131	16627	16628	NS	2	48.735	49.34	0.0	0.0	264.554	2.726	1031.184	1076.568	0.0	-91.778	-89.986	0.0
132	16628	16629	NS	1	48.7	49.329	0.0	0.003	267.4	2.715	1031.088	1076.512	0.0	-91.727	-89.986	0.0
133	16628	16629	NS	1	48.734	49.331	0.0	0.003	210.701	2.728	1031.232	1076.48	0.0	-91.808	-89.986	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

112	16624	16625	NS	1	-34.516	27.028	0.12	-34.532	28.278	0.236	-13.95	28.878	17.534	-6.712	32.096	24.863	0.116	274.196	6.634	0.116	275.167	5.371	0.116	2.497	0.006	0.116	0.548	0.0
113	16624	16625	NS	1	-34.516	27.028	0.12	-34.532	28.278	0.236	-13.95	28.878	16.738	-6.712	32.096	23.974	0.116	274.196	6.634	0.116	275.167	5.371	0.116	2.497	0.007	0.116	0.548	0.0
114	16624	16625	NS	1	-34.781	27.028	0.12	-34.532	28.278	0.235	-13.95	28.878	17.537	-6.712	32.096	24.863	0.116	306.453	6.626	0.116	275.167	5.364	0.116	2.497	0.006	0.116	0.548	0.0
115	16624	16625	SN	1	-33.483	23.024	0.074	-33.528	23.963	0.446	-29.294	28.655	12.334	-27.269	29.899	10.661	0.116	216.169	2.173	0.116	218.413	1.633	0.116	82.431	0.099	0.116	51.748	0.1
116	16625	16626	NS	1	-34.991	23.92	0.299	-34.82	27.548	0.345	0.799	28.389	17.129	3.679	28.628	34.531	0.116	305.862	4.558	0.116	293.99	4.323	0.116	0.185	0.0	0.116	0.15	0.0
117	16625	16626	NS	1	-34.956	23.92	0.299	-34.756	27.548	0.344	0.799	28.389	24.446	3.679	28.628	35.753	0.116	303.416	4.551	0.116	289.733	4.325	0.116	0.185	0.0	0.116	0.15	0.0
118	16625	16626	NS	1	-34.818	23.92	0.299	-34.734	27.549	0.344	0.811	28.389	24.29	3.679	28.628	35.695	0.116	293.906	4.557	0.116	288.301	4.324	0.116	0.185	0.0	0.116	0.15	0.0
119	16625	16626	SN	2	-34.94	23.097	0.096	-32.471	23.855	0.787	-5.086	30.117	14.752	-5.75	29.856	16.424	0.116	302.3	1.376	0.116	171.289	1.208	0.116	0.408	0.0	0.116	0.459	0.0
120	16625	16626	SN	1	-34.94	23.097	0.096	-32.471	23.855	0.787	-5.086	30.117	14.752	-5.75	29.856	16.424	0.116	302.3	1.376	0.116	171.289	1.208	0.116	0.408	0.0	0.116	0.459	0.0
121	16626	16627	SN	1	-34.926	23.078	0.023	-34.966	24.287	0.612	-6.381	29.144	33.26	-4.208	30.024	42.114	0.116	301.341	2.555	0.116	304.125	1.844	0.116	0.515	0.0	0.116	0.352	0.0
122	16626	16627	SN	1	-34.82	23.078	0.023	-34.966	24.285	0.612	-6.381	29.144	33.327	-4.206	30.024	42.15	0.116	294.069	2.557	0.116	304.125	1.845	0.116	0.516	0.0	0.116	0.352	0.0
123	16626	16627	NS	1	-34.999	26.496	0.337	-34.858	26.575	0.21	1.049	28.521	10.848	7.468	28.46	26.711	0.116	306.412	2.893	0.116	296.722	2.628	0.116	0.181	0.0	0.116	0.13	0.0
124	16626	16627	NS	1	-34.999	26.496	0.34	-34.858	26.575	0.21	1.049	28.521	25.862	7.531	28.846	35.999	0.116	306.412	2.895	0.116	296.722	2.629	0.116	0.181	0.0	0.116	0.129	0.0
125	16626	16627	NS	1	-33.616	26.496	0.339	-34.868	26.572	0.21	1.051	28.521	25.816	7.53	28.846	35.939	0.116	222.855	2.889	0.116	297.297	2.624	0.116	0.181	0.0	0.116	0.129	0.0
126	16627	16628	SN	2	-34.337	23.386	0.072	-33.44	24.492	0.757	6.898	29.704	27.25	8.291	30.1	32.539	0.116	263.139	1.226	0.116	214.03	0.953	0.116	0.132	0.0	0.116	0.127	0.0
127	16627	16628	SN	1	-34.147	22.582	0.006	-33.682	23.47	0.048	6.898	29.704	24.212	8.291	30.102	30.58	0.116	251.806	1.215	0.116	226.336	1.018	0.116	0.132	0.0	0.116	0.127	0.0
128	16627	16628	NS	1	-34.903	24.106	0.246	-34.685	25.173	0.021	7.347	30.088	2.834	8.04	28.696	2.776	0.116	299.743	4.067	0.116	285.074	3.809	0.116	0.13	0.0	0.116	0.128	0.0
129	16627	16628	SN	1	-34.147	23.388	0.072	-33.682	24.492	0.757	6.898	29.704	27.25	8.291	30.1	32.534	0.116	251.806	1.227	0.116	226.336	0.952	0.116	0.132	0.0	0.116	0.127	0.0
130	16627	16628	NS	1	-34.903	24.106	0.247	-34.685	25.173	0.021	6.915	30.088	17.292	8.014	29.02	26.324	0.116	299.743	4.04	0.116	285.074	3.81	0.116	0.132	0.0	0.116	0.128	0.0
131	16627	16628	NS	2	-34.903	24.106	0.247	-34.685	25.173	0.021	6.915	30.088	17.292	8.014	29.02	26.324	0.116	299.743	4.041	0.116	285.074	3.81	0.116	0.132	0.0	0.116	0.128	0.0
132	16628	16629	NS	1	-34.103	23.979	0.21	-34.521	24.194	0.02	6.742	28.077	10.058	7.206	30.207	18.445	0.116	249.366	5.732	0.116	274.474	4.384	0.116	0.132	0.0	0.116	0.13	0.0
133	16628	16629	NS	1	-34.844	23.979	0.21	-34.966	24.195	0.02	6.742	28.075	10.055	7.206	30.207	18.443	0.116	295.686	5.727	0.116	304.148	4.371	0.116	0.132	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	16599	16600	SN	2	57.468	58.266	0.0	0.0	297.738	4.011	1220.296	1265.72	0.0	-94.163	-92.121	0.0
2	16599	16600	SN	1	57.468	58.264	0.0	0.0	297.689	4.008	1220.304	1265.68	0.0	-94.163	-92.122	0.0
3	16599	16600	SN	1	57.61	58.266	0.0	0.0	297.738	3.281	1220.296	1265.72	0.0	-93.148	-92.121	0.0
4	16600	16601	SN	1	57.61	58.245	0.0	0.0	299.001	3.84	1219.384	1265.648	0.0	-93.275	-92.11	0.0
5	16600	16601	SN	1	57.611	58.243	0.0	0.0	299.001	3.844	1219.416	1265.648	0.0	-93.275	-92.11	0.0
6	16600	16601	NS	1	57.513	58.134	0.0	0.0	294.865	3.723	1209.648	1263.696	0.103	-93.201	-92.024	0.0
7	16600	16601	SN	1	57.611	58.244	0.0	0.0	299.056	3.446	1219.416	1265.672	0.0	-93.275	-92.11	0.0
8	16600	16601	SN	2	57.611	58.243	0.0	0.0	299.001	3.447	1219.416	1265.648	0.0	-93.275	-92.11	0.0
9	16600	16601	NS	2	57.513	58.134	0.0	0.0	294.865	3.721	1209.672	1263.672	0.069	-93.201	-92.024	0.0
10	16601	16602	SN	1	57.562	58.254	0.0	0.0	297.27	3.29	1218.312	1265.856	0.0	-93.173	-92.142	0.0
11	16601	16602	NS	2	57.495	58.124	0.0	0.0	296.062	3.63	1209.176	1263.936	0.005	-93.104	-91.996	0.0
12	16601	16602	SN	1	57.581	58.26	0.0	0.0	297.088	3.294	1219.168	1265.872	0.0	-93.179	-92.142	0.0
13	16601	16602	NS	1	57.495	58.24	0.0	0.0	296.062	3.631	1209.176	1263.936	0.005	-95.811	-91.996	0.0
14	16602	16603	SN	1	57.575	58.245	0.0	0.0	290.276	3.312	1218.864	1265.704	0.0	-93.159	-92.14	0.0
15	16602	16603	NS	1	57.496	58.112	0.0	0.0	297.562	3.785	1209.848	1263.808	0.001	-93.0	-92.042	0.0
16	16602	16603	SN	1	57.575	58.245	0.0	0.0	290.276	3.714	1218.864	1265.704	0.0	-93.159	-92.14	0.0
17	16602	16603	NS	1	57.496	58.112	0.0	0.0	297.562	3.788	1209.848	1263.808	0.001	-93.032	-92.042	0.0
18	16602	16603	SN	2	57.575	58.245	0.0	0.0	290.276	3.714	1218.864	1265.704	0.0	-93.159	-92.14	0.0
19	16603	16604	NS	1	57.512	58.12	0.0	0.0	297.258	3.753	1210.28	1263.664	0.0	-93.096	-92.009	0.0
20	16603	16604	SN	1	57.568	58.264	0.0	0.0	299.349	3.756	1219.144	1265.576	0.0	-93.169	-92.14	0.0
21	16603	16604	SN	2	57.568	58.264	0.0	0.0	299.349	3.758	1219.144	1265.576	0.0	-93.167	-92.14	0.0
22	16603	16604	SN	1	57.568	58.264	0.0	0.003	299.04	3.281	1219.144	1265.576	0.0	-93.167	-92.14	0.0
23	16603	16604	NS	1	57.512	58.12	0.0	0.0	297.258	3.757	1210.28	1263.664	0.0	-93.019	-92.009	0.0
24	16604	16605	NS	1	57.496	58.121	0.0	0.003	298.395	3.801	1210.264	1263.576	0.0	-93.05	-92.028	0.0
25	16604	16605	SN	1	57.574	58.268	0.0	0.003	296.486	3.1	1219.352	1265.504	0.0	-93.133	-92.14	0.0
26	16604	16605	SN	2	57.574	58.268	0.0	0.0	296.52	3.692	1219.352	1265.504	0.0	-93.133	-92.14	0.0
27	16604	16605	SN	1	57.574	58.268	0.0	0.0	296.53	3.692	1219.352	1265.504	0.0	-93.133	-92.14	0.0
28	16604	16605	NS	1	57.488	58.129	0.0	0.003	298.395	3.803	1210.264	1263.576	0.0	-93.074	-92.028	0.0
29	16605	16606	SN	1	57.573	58.267	0.0	0.0	296.801	3.836	1219.08	1265.488	0.0	-93.186	-92.131	0.0
30	16605	16606	SN	1	57.578	58.272	0.0	0.0	296.801	3.833	1219.304	1265.488	0.0	-93.278	-92.131	0.0
31	16605	16606	SN	1	57.573	58.267	0.0	0.0	296.801	2.954	1219.08	1265.488	0.0	-93.186	-92.131	0.0
32	16605	16606	NS	1	57.512	58.129	0.0	0.0	296.712	3.781	1209.888	1263.496	0.001	-93.11	-92.041	0.0
33	16605	16606	NS	2	57.515	58.128	0.0	0.0	296.635	3.783	1210.04	1263.504	0.0	-93.11	-92.041	0.0
34	16606	16607	SN	1	57.585	58.27	0.0	0.0	296.194	3.866	1219.912	1265.72	0.0	-93.185	-92.131	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	16606	16607	SN	1	57.585	58.27	0.0	0.0	296.194	2.61	1219.912	1265.72	0.0	-93.185	-92.131	0.0
36	16606	16607	SN	1	57.608	58.268	0.0	0.0	296.194	3.863	1219.64	1265.72	0.0	-93.185	-92.131	0.0
37	16606	16607	NS	1	57.496	58.121	0.0	0.0	296.227	3.786	1209.016	1263.696	0.3	-93.207	-92.039	0.0
38	16607	16608	NS	1	57.482	58.135	0.0	0.003	297.198	3.826	1209.368	1263.792	0.336	-93.442	-92.01	0.0
39	16607	16608	SN	2	57.584	58.274	0.0	0.0	289.477	3.784	1219.728	1265.84	0.0	-93.193	-92.093	0.0
40	16607	16608	NS	1	57.482	58.138	0.0	0.003	297.17	3.833	1209.376	1263.784	0.327	-93.442	-92.01	0.0
41	16607	16608	SN	1	57.584	58.274	0.0	0.0	289.477	3.784	1219.728	1265.84	0.0	-93.193	-92.093	0.0
42	16608	16609	NS	1	57.483	58.133	0.0	0.0	299.244	4.052	1208.952	1263.744	0.076	-93.152	-92.012	0.0
43	16608	16609	SN	1	57.586	58.269	0.0	0.0	285.33	3.762	1220.288	1265.76	0.0	-93.186	-92.14	0.0
44	16608	16609	NS	1	57.483	58.135	0.0	0.0	299.216	4.052	1208.944	1263.744	0.082	-93.156	-92.012	0.0
45	16609	16610	SN	1	57.608	58.271	0.0	0.0	298.102	3.892	1220.288	1265.728	0.0	-93.186	-92.112	0.0
46	16609	16610	NS	1	57.489	58.122	0.0	0.0	297.981	3.766	1209.24	1263.696	0.12	-93.173	-92.04	0.0
47	16609	16610	NS	1	57.489	58.11	0.0	0.0	297.992	3.769	1209.352	1263.68	0.12	-93.321	-92.04	0.0
48	16609	16610	SN	2	57.608	58.271	0.0	0.0	298.102	3.892	1220.288	1265.728	0.0	-93.186	-92.112	0.0
49	16610	16611	NS	1	57.479	58.419	0.0	0.0	297.258	3.36	1209.704	1262.784	0.484	-94.608	-92.039	0.0
50	16610	16611	NS	2	57.48	58.419	0.0	0.0	292.692	3.869	1209.72	1263.8	0.442	-94.608	-92.039	0.0
51	16610	16611	SN	1	57.59	58.244	0.0	0.0	297.06	3.815	1220.056	1265.832	0.0	-93.046	-92.116	0.0
52	16610	16611	NS	1	57.479	58.419	0.0	0.0	297.258	3.865	1209.704	1263.816	0.476	-94.608	-92.039	0.0
53	16610	16611	SN	1	57.59	58.244	0.0	0.0	297.06	3.818	1220.056	1265.832	0.0	-93.046	-92.116	0.0
54	16611	16612	NS	2	57.489	58.142	0.0	0.0	296.2	3.787	1208.696	1263.848	0.984	-93.186	-92.037	0.0
55	16611	16612	SN	1	57.61	58.268	0.0	0.0	299.707	3.742	1220.248	1265.896	0.0	-93.089	-92.14	0.0
56	16611	16612	SN	2	57.61	58.268	0.0	0.0	299.707	3.742	1220.248	1265.896	0.0	-93.089	-92.14	0.0
57	16611	16612	NS	1	57.489	58.142	0.0	0.0	296.2	3.786	1208.696	1263.856	0.984	-93.186	-92.037	0.0
58	16612	16613	NS	1	57.483	58.14	0.0	0.0	297.391	2.499	1208.48	1260.232	1.403	-93.252	-92.036	0.0
59	16612	16613	SN	1	57.594	58.247	0.0	0.0	291.368	3.723	1219.536	1266.04	0.0	-93.083	-92.146	0.0
60	16612	16613	SN	1	57.576	58.247	0.0	0.0	291.457	3.723	1219.36	1266.024	0.0	-93.204	-92.146	0.0
61	16612	16613	NS	1	57.483	58.133	0.0	0.0	297.391	3.904	1208.48	1264.0	1.274	-93.252	-92.036	0.0
62	16613	16614	NS	2	57.479	58.14	0.0	0.0	295.62	3.862	1208.52	1264.032	1.555	-93.239	-92.013	0.0
63	16613	16614	SN	1	57.578	58.269	0.0	0.0	284.855	2.886	1219.592	1266.112	0.0	-93.133	-92.148	0.0
64	16613	16614	SN	1	57.578	58.269	0.0	0.0	284.855	3.963	1219.592	1266.112	0.0	-93.133	-92.148	0.0
65	16613	16614	NS	1	57.479	58.144	0.0	0.0	295.62	3.862	1208.52	1264.032	1.555	-93.065	-92.013	0.0
66	16613	16614	NS	1	57.479	58.113	0.0	0.0	277.195	2.182	1208.52	1256.52	1.834	-93.003	-92.013	0.0
67	16614	16615	NS	1	57.491	58.14	0.0	0.0	298.406	3.98	1208.816	1263.88	0.751	-93.154	-92.02	0.0
68	16614	16615	NS	1	57.491	58.136	0.0	0.0	298.406	3.984	1208.6	1263.88	0.751	-93.143	-92.02	0.0
69	16614	16615	SN	1	57.608	58.277	0.0	0.0	298.334	4.051	1219.752	1265.896	0.0	-93.158	-92.102	0.0
70	16614	16615	SN	2	57.608	58.277	0.0	0.0	298.334	4.05	1219.752	1265.896	0.0	-93.158	-92.102	0.0
71	16614	16615	SN	1	57.608	58.277	0.0	0.0	298.334	3.597	1219.752	1265.896	0.0	-93.158	-92.102	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	16615	16616	SN	1	57.586	58.278	0.0	0.0	298.847	3.763	1219.824	1266.152	0.0	-93.176	-92.124	0.0
73	16615	16616	NS	2	57.509	58.139	0.0	0.0	292.836	3.653	1208.792	1264.176	0.48	-93.151	-92.012	0.0
74	16615	16616	NS	1	57.51	58.14	0.0	0.0	292.648	3.648	1208.824	1264.152	0.432	-93.151	-92.012	0.0
75	16615	16616	SN	1	57.586	58.278	0.0	0.003	298.847	3.391	1219.824	1266.152	0.0	-93.176	-92.124	0.0
76	16615	16616	SN	1	57.586	58.278	0.0	0.003	298.847	3.394	1219.824	1266.152	0.0	-93.176	-92.124	0.0
77	16616	16617	SN	1	57.596	58.27	0.0	0.003	294.247	3.697	1219.424	1266.144	0.0	-93.175	-92.142	0.0
78	16616	16617	SN	1	57.58	58.269	0.0	0.003	294.247	3.694	1219.344	1266.144	0.0	-93.174	-92.142	0.0
79	16616	16617	SN	1	57.596	58.27	0.0	0.003	294.247	3.319	1219.424	1266.144	0.0	-93.175	-92.142	0.0
80	16616	16617	NS	1	57.493	58.113	0.0	0.0	294.86	3.716	1208.992	1264.216	0.238	-93.106	-92.022	0.0
81	16617	16618	NS	1	57.478	58.115	0.0	0.0	297.253	3.766	1209.92	1264.104	0.04	-93.051	-92.014	0.0
82	16617	16618	NS	2	57.478	58.115	0.0	0.0	297.253	3.766	1209.92	1264.104	0.04	-93.051	-92.014	0.0
83	16617	16618	SN	1	57.581	58.253	0.0	0.0	297.181	3.695	1219.2	1266.024	0.0	-93.212	-92.114	0.0
84	16617	16618	SN	1	57.581	58.247	0.0	0.0	297.165	3.702	1219.304	1266.016	0.0	-93.38	-92.114	0.0
85	16617	16618	SN	1	57.581	58.253	0.0	0.0	297.181	3.28	1219.2	1266.024	0.0	-93.141	-92.114	0.0
86	16618	16619	NS	1	57.494	58.116	0.0	0.0	298.428	3.948	1209.896	1264.032	0.109	-93.126	-92.031	0.0
87	16618	16619	SN	1	57.58	58.272	0.0	0.0	289.063	3.726	1219.76	1265.952	0.0	-93.439	-92.143	0.0
88	16618	16619	NS	1	57.483	58.117	0.0	0.0	298.45	3.944	1209.904	1264.024	0.092	-93.126	-92.031	0.0
89	16618	16619	SN	1	57.566	58.272	0.0	0.0	289.063	3.198	1219.76	1265.952	0.0	-93.439	-92.143	0.0
90	16618	16619	SN	2	57.58	58.272	0.0	0.0	289.063	3.726	1219.76	1265.952	0.0	-93.439	-92.143	0.0
91	16619	16620	NS	1	57.493	58.128	0.0	0.0	295.61	3.822	1209.256	1263.896	0.289	-93.121	-92.035	0.0
92	16619	16620	SN	1	57.57	58.258	0.0	0.0	298.577	3.805	1219.464	1265.832	0.0	-93.117	-92.142	0.0
93	16619	16620	NS	1	57.493	58.128	0.0	0.0	295.61	3.818	1209.488	1263.896	0.288	-93.132	-92.035	0.0
94	16619	16620	SN	1	57.59	58.258	0.0	0.0	298.323	3.074	1219.464	1265.856	0.0	-93.144	-92.142	0.0
95	16619	16620	SN	2	57.59	58.258	0.0	0.0	298.323	3.805	1219.464	1265.856	0.0	-93.144	-92.142	0.0
96	16620	16621	NS	1	57.498	58.114	0.0	0.0	291.109	3.927	1208.64	1263.968	0.819	-93.139	-92.037	0.0
97	16620	16621	SN	1	57.592	58.271	0.0	0.0	297.148	3.89	1220.192	1265.968	0.0	-94.779	-92.122	0.0
98	16620	16621	SN	1	57.6	58.271	0.0	0.0	297.148	3.886	1220.192	1265.968	0.0	-94.779	-92.122	0.0
99	16620	16621	SN	1	57.592	58.271	0.0	0.0	297.148	2.834	1220.192	1265.968	0.0	-93.203	-92.122	0.0
100	16620	16621	NS	1	57.49	58.14	0.0	0.0	291.098	3.926	1208.92	1263.936	0.705	-93.133	-92.037	0.0
101	16621	16622	NS	2	57.495	58.147	0.0	0.0	296.431	3.812	1208.56	1264.176	1.198	-93.164	-92.033	0.0
102	16621	16622	SN	1	57.61	58.277	0.0	0.0	294.087	3.776	1219.936	1266.152	0.0	-93.16	-92.113	0.0
103	16621	16622	SN	1	57.609	58.275	0.0	0.003	294.087	3.773	1219.936	1266.112	0.0	-93.16	-92.113	0.0
104	16621	16622	SN	1	57.61	58.277	0.0	0.0	277.702	2.393	1219.936	1266.152	0.0	-93.16	-92.113	0.0
105	16621	16622	NS	1	57.495	58.147	0.0	0.0	296.431	3.812	1208.56	1264.176	1.198	-93.164	-92.033	0.0
106	16622	16623	NS	1	57.495	58.134	0.0	0.0	296.376	4.149	1209.104	1264.16	0.833	-93.152	-91.996	0.0
107	16622	16623	SN	1	57.598	58.28	0.0	0.003	298.825	3.698	1219.552	1266.16	0.0	-93.182	-92.1	0.0
108	16623	16624	NS	1	57.511	58.11	0.0	0.0	295.907	3.818	1209.4	1264.008	0.757	-93.037	-92.014	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	16623	16624	SN	1	57.59	58.274	0.0	0.0	291.837	3.8	1220.384	1266.04	0.0	-93.186	-92.137	0.0
110	16623	16624	NS	1	57.511	58.11	0.0	0.0	295.907	3.827	1209.4	1264.008	0.756	-93.135	-92.014	0.0
111	16624	16625	SN	2	57.587	58.28	0.0	0.0	285.705	3.893	1220.424	1266.16	0.0	-93.298	-92.112	0.0
112	16624	16625	NS	1	57.497	58.14	0.0	0.0	299.178	3.883	1208.632	1264.096	0.985	-93.122	-92.037	0.0
113	16624	16625	NS	1	57.497	58.14	0.0	0.0	299.178	3.649	1208.632	1263.696	0.99	-93.122	-92.037	0.0
114	16624	16625	NS	1	57.497	58.14	0.0	0.0	299.178	3.887	1208.632	1264.08	0.984	-93.165	-92.037	0.0
115	16624	16625	SN	1	57.587	58.28	0.0	0.0	285.705	3.893	1220.424	1266.16	0.0	-93.298	-92.112	0.0
116	16625	16626	NS	1	57.475	58.125	0.0	0.003	296.508	3.119	1208.36	1262.168	1.477	-93.164	-92.035	0.0
117	16625	16626	NS	1	57.475	58.125	0.0	0.0	298.422	3.714	1208.36	1264.208	1.432	-93.164	-92.035	0.0
118	16625	16626	NS	1	57.475	58.136	0.0	0.0	298.422	3.711	1208.36	1264.208	1.432	-93.153	-92.035	0.0
119	16625	16626	SN	2	57.586	58.264	0.0	0.0	299.139	3.794	1220.376	1266.24	0.0	-93.146	-92.124	0.0
120	16625	16626	SN	1	57.586	58.264	0.0	0.0	299.139	3.794	1220.376	1266.24	0.0	-93.146	-92.124	0.0
121	16626	16627	SN	1	57.584	58.249	0.0	0.0	298.527	3.728	1219.944	1266.352	0.0	-93.13	-92.147	0.0
122	16626	16627	SN	1	57.549	58.249	0.0	0.0	298.527	3.731	1219.8	1266.352	0.0	-93.124	-92.147	0.0
123	16626	16627	NS	1	57.507	58.11	0.0	0.0	297.959	2.676	1208.248	1261.392	2.068	-93.239	-92.032	0.0
124	16626	16627	NS	1	57.507	58.11	0.0	0.0	297.959	3.718	1208.248	1264.32	1.926	-93.239	-92.032	0.0
125	16626	16627	NS	1	57.47	58.136	0.0	0.0	297.959	3.721	1208.248	1264.28	1.926	-93.652	-92.032	0.0
126	16627	16628	SN	2	57.594	58.249	0.0	0.0	299.845	3.878	1219.552	1266.44	0.0	-93.229	-92.148	0.0
127	16627	16628	SN	1	57.588	58.25	0.0	0.0	299.718	2.6	1219.536	1266.48	0.0	-93.229	-92.148	0.0
128	16627	16628	NS	1	57.499	58.14	0.0	0.0	297.479	2.284	1208.256	1258.888	2.506	-93.241	-92.03	0.0
129	16627	16628	SN	1	57.588	58.25	0.0	0.0	299.718	3.879	1219.536	1266.48	0.0	-93.229	-92.148	0.0
130	16627	16628	NS	1	57.499	58.138	0.0	0.0	297.479	3.945	1208.256	1264.344	2.198	-93.241	-92.03	0.0
131	16627	16628	NS	2	57.499	58.139	0.0	0.0	297.479	3.945	1208.256	1264.392	2.198	-93.241	-92.03	0.0
132	16628	16629	NS	1	57.499	58.137	0.0	0.0	297.816	3.936	1208.464	1264.32	2.096	-93.158	-92.032	0.0
133	16628	16629	NS	1	57.5	58.137	0.0	0.0	297.816	3.949	1208.384	1264.272	2.008	-93.102	-92.032	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR														Kp														
				Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore			
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	16599	16600	SN	2	-34.391	20.565	0.0	-34.991	20.644	0.0	-11.604	22.087	0.002	-1.856	21.969	0.0	0.086	203.632	2.009	0.086	233.815	1.865	0.086	1.136	0.002	0.086	0.186	0.0
2	16599	16600	SN	1	-34.179	20.565	0.0	-34.752	20.644	0.0	-11.608	22.088	0.002	-1.856	21.969	0.0	0.086	193.906	2.009	0.086	221.219	1.866	0.086	1.138	0.002	0.086	0.186	0.0
3	16599	16600	SN	1	-34.391	20.565	0.0	-34.991	20.644	0.0	-11.604	21.958	0.0	-1.856	21.969	0.0	0.086	203.632	2.089	0.086	233.815	2.06	0.086	1.136	0.002	0.086	0.186	0.0
4	16600	16601	SN	1	-34.977	20.654	0.0	-34.538	20.716	0.0	-2.865	22.005	0.002	0.962	21.802	0.0	0.086	233.014	3.668	0.086	210.602	3.173	0.086	0.215	0.0	0.086	0.136	0.0
5	16600	16601	SN	1	-34.898	20.654	0.0	-34.374	20.716	0.0	-2.865	22.005	0.002	0.962	21.802	0.0	0.086	228.864	3.675	0.086	202.864	3.165	0.086	0.215	0.0	0.086	0.136	0.0
6	16600	16601	NS	1	-34.792	18.386	0.0	-34.699	19.353	0.0	-4.436	22.235	0.002	-2.549	23.009	0.029	0.086	223.342	3.5	0.086	218.598	3.52	0.086	0.275	0.0	0.086	0.205	0.0
7	16600	16601	SN	1	-34.898	20.654	0.0	-34.374	20.716	0.0	-2.865	22.005	0.002	0.964	21.802	0.0	0.086	228.864	3.718	0.086	202.864	3.237	0.086	0.215	0.0	0.086	0.136	0.0
8	16600	16601	SN	2	-34.898	20.654	0.0	-34.374	20.716	0.0	-2.865	22.005	0.002	0.962	21.802	0.0	0.086	228.864	3.718	0.086	202.864	3.239	0.086	0.215	0.0	0.086	0.136	0.0
9	16600	16601	NS	2	-34.792	18.386	0.0	-34.699	19.353	0.0	-4.436	22.235	0.002	-2.549	23.009	0.029	0.086	227.861	3.502	0.086	218.598	3.52	0.086	0.275	0.0	0.086	0.205	0.0
10	16601	16602	SN	1	-34.998	16.906	0.0	-34.779	17.508	0.0	0.353	21.88	0.0	0.73	21.841	0.0	0.087	238.017	3.892	0.087	222.689	3.307	0.086	0.144	0.0	0.086	0.139	0.0
11	16601	16602	NS	2	-34.43	16.677	0.0	-34.929	14.955	0.0	-19.353	22.604	0.002	-23.019	23.16	0.012	0.087	205.422	2.057	0.087	230.524	2.351	0.086	6.445	0.004	0.086	14.909	0.056
12	16601	16602	SN	1	-34.88	16.908	0.0	-34.779	17.508	0.0	0.352	21.88	0.0	0.734	21.841	0.0	0.087	227.842	3.894	0.087	222.689	3.286	0.086	0.144	0.0	0.086	0.139	0.0
13	16601	16602	NS	1	-34.43	16.699	0.0	-34.929	14.882	0.0	-19.353	22.604	0.002	-23.019	23.16	0.012	0.087	205.422	2.056	0.087	230.524	2.352	0.086	6.445	0.004	0.086	14.909	0.056
14	16602	16603	SN	1	-34.748	17.181	0.0	-34.604	17.802	0.0	0.857	21.748	0.0	0.989	21.115	0.0	0.087	221.062	2.446	0.086	213.867	2.198	0.086	0.137	0.0	0.086	0.135	0.0
15	16602	16603	NS	1	-34.936	17.09	0.0	-34.776	16.174	0.0	-28.562	21.962	0.0	-26.746	22.059	0.002	0.087	230.831	3.596	0.087	222.496	3.314	0.086	53.251	0.166	0.086	35.074	0.077
16	16602	16603	SN	1	-34.748	17.166	0.0	-34.604	17.789	0.0	0.857	21.748	0.0	0.989	21.115	0.0	0.087	221.062	2.393	0.086	213.867	2.169	0.086	0.137	0.0	0.086	0.135	0.0
17	16602	16603	NS	1	-34.936	17.09	0.0	-34.838	16.176	0.0	-28.562	21.96	0.0	-26.746	22.059	0.002	0.087	230.831	3.604	0.087	225.692	3.32	0.086	53.251	0.166	0.086	35.074	0.077
18	16602	16603	SN	2	-34.748	17.166	0.0	-34.604	17.789	0.0	0.857	21.748	0.0	0.989	21.115	0.0	0.087	221.062	2.393	0.086	213.867	2.169	0.086	0.137	0.0	0.086	0.135	0.0
19	16603	16604	NS	1	-32.651	16.038	0.0	-34.931	16.42	0.0	-22.847	22.89	0.004	-23.285	22.381	0.01	0.087	136.425	1.164	0.087	230.534	1.201	0.086	14.329	0.034	0.086	15.842	0.014
20	16603	16604	SN	1	-34.953	15.385	0.0	-34.32	16.881	0.0	0.627	21.601	0.0	1.595	22.056	0.01	0.087	231.738	5.126	0.087	200.35	4.127	0.086	0.14	0.0	0.086	0.128	0.0
21	16603	16604	SN	2	-34.953	15.385	0.0	-34.32	16.88	0.0	0.627	21.601	0.0	1.595	22.056	0.01	0.087	231.738	5.126	0.087	200.35	4.127	0.086	0.14	0.0	0.086	0.128	0.0
22	16603	16604	SN	1	-34.953	14.838	0.0	-34.32	15.449	0.0	0.627	21.601	0.0	1.595	22.056	0.011	0.087	231.738	5.249	0.087	200.35	4.215	0.086	0.14	0.0	0.086	0.128	0.0
23	16603	16604	NS	1	-31.52	16.038	0.0	-34.931	16.42	0.0	-22.847	22.89	0.004	-23.285	22.381	0.01	0.087	105.176	1.165	0.087	230.534	1.205	0.086	14.329	0.034	0.086	15.842	0.014
24	16604	16605	NS	1	-34.781	16.651	0.0	-34.1	18.331	0.0	-15.163	21.304	0.0	-13.202	22.034	0.002	0.087	222.778	1.433	0.086	190.46	1.277	0.086	2.497	0.01	0.086	1.613	0.007
25	16604	16605	SN	1	-34.518	14.556	0.0	-34.349	15.028	0.0	-1.438	21.508	0.0	2.392	21.725	0.0	0.088	216.865	4.503	0.087	201.697	3.654	0.086	0.176	0.0	0.086	0.121	0.0
26	16604	16605	SN	2	-34.518	14.556	0.0	-34.349	16.979	0.0	-1.438	21.508	0.0	2.392	21.725	0.0	0.088	216.865	4.376	0.087	201.697	3.536	0.086	0.176	0.0	0.086	0.121	0.0
27	16604	16605	SN	1	-34.518	14.556	0.0	-34.349	16.979	0.0	-1.438	21.508	0.0	2.392	21.725	0.0	0.088	216.865	4.376	0.087	201.697	3.536	0.086	0.176	0.0	0.086	0.121	0.0
28	16604	16605	NS	1	-34.54	16.651	0.0	-34.359	18.331	0.0	-15.188	21.307	0.0	-13.21	22.034	0.002	0.087	210.702	1.434	0.086	202.103	1.279	0.086	2.51	0.01	0.086	1.616	0.007
29	16605	16606	SN	1	-34.674	14.24	0.0	-34.295	17.252	0.0	-0.968	22.843	0.033	4.994	23.13	0.092	0.088	217.323	4.808	0.087	199.162	3.711	0.086	0.166	0.0	0.086	0.104	0.0
30	16605	16606	SN	1	-34.71	14.242	0.0	-34.171	17.252	0.0	-0.968	22.843	0.033	4.996	23.13	0.092	0.088	219.132	4.789	0.087	193.602	3.699	0.086	0.166	0.0	0.086	0.104	0.0
31	16605	16606	SN	1	-34.674	13.507	0.0	-34.295	13.371	0.0	-0.968	22.843	0.035	4.978	23.13	0.092	0.088	217.323	5.023	0.088	199.162	3.97	0.086	0.166	0.0	0.086	0.104	0.0
32	16605	16606	NS	1	-34.713	20.13	0.0	-34.292	21.135	0.0	-28.437	22.305	0.004	-30.545	22.913	0.006	0.086	219.321	2.079	0.086	199.075	2.038	0.086	51.731	0.205	0.086	84.028	0.16

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

33	16605	16606	NS	2	-34.713	20.13	0.0	-34.229	21.135	0.0	-28.491	22.305	0.004	-30.545	22.913	0.006	0.086	219.321	2.079	0.086	196.133	2.038	0.086	52.381	0.205	0.086	84.028	0.16
34	16606	16607	SN	1	-34.957	14.398	0.0	-34.864	16.977	0.0	-12.506	22.67	0.051	-12.382	24.282	0.312	0.088	232.013	6.296	0.087	232.817	5.794	0.086	1.383	0.004	0.086	1.346	0.002
35	16606	16607	SN	1	-34.957	14.398	0.0	-34.864	15.579	0.0	-12.506	22.67	0.054	-12.382	24.282	0.312	0.088	232.013	6.786	0.087	232.817	6.768	0.086	1.383	0.005	0.086	1.346	0.002
36	16606	16607	SN	1	-34.98	14.4	0.0	-34.739	16.977	0.0	-12.541	22.67	0.051	-12.39	24.282	0.312	0.088	233.187	6.287	0.087	220.605	5.793	0.086	1.394	0.004	0.086	1.349	0.002
37	16606	16607	NS	1	-34.068	20.705	0.0	-34.957	20.515	0.0	1.662	21.996	0.0	0.983	22.783	0.072	0.086	188.996	2.624	0.086	231.942	2.586	0.086	0.128	0.0	0.086	0.135	0.0
38	16607	16608	NS	1	-34.289	22.257	0.002	-34.937	17.436	0.0	0.653	22.387	0.034	-14.04	23.36	0.581	0.086	198.899	2.664	0.087	230.879	2.599	0.086	0.14	0.0	0.086	1.942	0.002
39	16607	16608	SN	2	-34.768	16.61	0.0	-34.204	17.319	0.0	-34.196	22.577	0.029	-12.351	22.896	0.132	0.087	222.074	6.209	0.087	195.07	5.224	0.086	194.703	0.098	0.086	1.338	0.003
40	16607	16608	NS	1	-34.686	22.257	0.002	-34.937	17.438	0.0	0.661	22.387	0.034	-14.042	23.36	0.582	0.086	217.956	2.662	0.087	230.879	2.61	0.086	0.14	0.0	0.086	1.943	0.002
41	16607	16608	SN	1	-34.768	16.61	0.0	-34.204	17.319	0.0	-34.196	22.577	0.029	-12.351	22.896	0.132	0.087	222.074	6.209	0.087	195.07	5.224	0.086	194.703	0.098	0.086	1.338	0.003
42	16608	16609	NS	1	-34.9	19.895	0.0	-34.841	21.626	0.0	-11.74	22.568	0.131	-8.53	23.792	0.748	0.086	228.972	3.35	0.086	231.178	3.006	0.086	1.17	0.003	0.086	0.594	0.0
43	16608	16609	SN	1	-34.82	18.402	0.0	-34.73	19.048	0.0	-5.858	22.707	0.048	-4.15	23.1	0.081	0.086	224.769	6.403	0.086	220.105	4.991	0.086	0.354	0.0	0.086	0.263	0.0
44	16608	16609	NS	1	-34.878	19.893	0.0	-34.985	21.626	0.0	-11.738	22.568	0.132	-8.528	23.793	0.748	0.086	227.78	3.354	0.086	233.508	3.01	0.086	1.17	0.003	0.086	0.594	0.0
45	16609	16610	SN	1	-34.939	18.362	0.0	-34.928	19.417	0.0	-29.571	22.665	0.028	-31.184	23.128	0.08	0.086	230.961	3.968	0.086	236.31	4.436	0.086	67.165	0.16	0.086	97.329	0.045
46	16609	16610	NS	1	-34.694	20.209	0.0	-34.673	21.329	0.0	-2.469	22.933	0.014	-0.872	23.533	0.308	0.086	218.333	2.98	0.086	217.229	2.685	0.086	0.203	0.0	0.086	0.164	0.0
47	16609	16610	NS	1	-34.945	20.209	0.0	-34.369	21.329	0.0	-2.469	22.933	0.014	-0.872	23.533	0.308	0.086	231.331	2.985	0.086	202.647	2.682	0.086	0.203	0.0	0.086	0.164	0.0
48	16609	16610	SN	2	-34.939	18.362	0.0	-34.928	19.417	0.0	-29.571	22.665	0.028	-31.184	23.128	0.08	0.086	230.961	3.968	0.086	236.31	4.436	0.086	67.165	0.16	0.086	97.329	0.045
49	16610	16611	NS	1	-34.303	21.36	0.0	-34.97	21.632	0.0	-16.113	22.577	0.04	-5.546	23.362	0.327	0.086	199.508	5.46	0.086	232.6	5.639	0.086	3.09	0.005	0.086	0.334	0.0
50	16610	16611	NS	2	-34.651	21.36	0.0	-34.97	21.632	0.0	-16.11	22.577	0.036	-5.546	23.357	0.298	0.086	216.219	5.45	0.086	232.6	5.64	0.086	3.089	0.005	0.086	0.334	0.0
51	16610	16611	SN	1	-34.428	16.666	0.0	-33.944	17.492	0.0	-33.489	22.67	0.024	-33.761	23.326	0.055	0.087	205.4	2.374	0.087	183.722	2.142	0.086	165.47	0.108	0.086	176.142	0.153
52	16610	16611	NS	1	-34.707	21.36	0.0	-34.97	21.632	0.0	-16.113	22.577	0.036	-5.546	23.357	0.298	0.086	219.006	5.451	0.086	232.6	5.639	0.086	3.09	0.005	0.086	0.334	0.0
53	16610	16611	SN	1	-34.428	16.666	0.0	-34.034	17.489	0.0	-33.489	22.67	0.025	-33.761	23.326	0.055	0.087	205.4	2.369	0.087	187.551	2.136	0.086	165.47	0.108	0.086	176.142	0.153
54	16611	16612	NS	2	-34.665	19.831	0.0	-34.872	16.432	0.0	-15.779	22.387	0.041	-15.637	23.088	0.445	0.086	216.892	4.78	0.087	227.449	4.008	0.086	2.867	0.012	0.086	2.776	0.008
55	16611	16612	SN	1	-33.639	17.129	0.0	-33.851	17.259	0.0	-31.633	23.222	0.134	-19.766	23.012	0.209	0.087	171.264	0.777	0.087	179.86	0.776	0.086	107.918	0.065	0.086	7.081	0.08
56	16611	16612	SN	2	-33.639	17.129	0.0	-33.851	17.259	0.0	-31.633	23.222	0.134	-19.766	23.012	0.209	0.087	171.264	0.777	0.087	179.86	0.776	0.086	107.918	0.065	0.086	7.081	0.08
57	16611	16612	NS	1	-34.665	19.831	0.0	-34.872	16.432	0.0	-15.779	22.387	0.041	-15.637	23.088	0.445	0.086	216.892	4.78	0.087	227.449	4.008	0.086	2.867	0.012	0.086	2.776	0.008
58	16612	16613	NS	1	-34.81	19.048	0.0	-34.106	20.275	0.0	5.552	22.737	0.021	1.857	23.484	0.17	0.086	224.256	3.669	0.086	190.73	3.401	0.086	0.102	0.0	0.086	0.126	0.0
59	16612	16613	SN	1	-34.595	16.943	0.0	-34.966	17.378	0.0	1.827	22.387	0.095	1.956	23.212	0.707	0.087	213.463	1.784	0.087	232.495	1.536	0.086	0.126	0.0	0.086	0.125	0.0
60	16612	16613	SN	1	-34.615	16.938	0.0	-34.911	17.378	0.0	1.829	22.385	0.096	1.956	23.212	0.707	0.087	214.405	1.788	0.087	229.507	1.539	0.086	0.126	0.0	0.086	0.125	0.0
61	16612	16613	NS	1	-34.81	19.048	0.0	-34.106	20.275	0.0	2.123	22.737	0.056	1.858	23.504	0.431	0.086	224.256	3.634	0.086	190.73	3.401	0.086	0.123	0.0	0.086	0.126	0.0
62	16613	16614	NS	2	-34.861	17.124	0.0	-34.554	16.329	0.0	1.396	22.854	0.143	-0.444	23.16	0.348	0.087	226.938	4.743	0.087	211.385	4.468	0.086	0.131	0.0	0.086	0.156	0.0
63	16613	16614	SN	1	-34.912	15.857	0.0	-34.945	16.943	0.0	2.22	22.022	0.002	3.668	22.805	0.05	0.087	229.57	2.547	0.087	231.286	2.384	0.086	0.122	0.0	0.086	0.111	0.0
64	16613	16614	SN	1	-34.912	16.759	0.0	-34.945	17.622	0.0	2.22	22.611	0.022	3.668	22.848	0.052	0.087	229.57	2.48	0.087	231.286	2.162	0.086	0.122	0.0	0.086	0.111	0.0
65	16613	16614	NS	1	-34.882	17.124	0.0	-34.578	16.329	0.0	1.396	22.854	0.143	-0.444	23.16	0.348	0.087	227.992	4.743	0.087	212.62	4.468	0.086	0.131	0.0	0.086	0.156	0.0
66	16613	16614	NS	1	-34.861	17.124	0.0	-34.578	16.374	0.0	1.396	21.302	0.0	-0.442	19.372	0.0	0.087	226.938	4.743	0.087	212.62	4.436	0.086	0.131	0.0	0.086	0.156	0.0
67	16614	16615	NS	1	-34.586	19.014	0.0	-34.609	18.649	0.0	-1.202	22.05	0.002	-0.294	23.957	0.051	0.086	212.972	6.808	0.086	214.151	7.284	0.086	0.171	0.0	0.086	0.154	0.0
68	16614	16615	NS	1	-34.45	19.014	0.0	-34.977	18.651	0.0	-1.202	22.051	0.002	-0.294	23.957	0.051	0.086	206.422	6.789	0.086	233.026	7.297	0.086	0.171	0.0	0.086	0.154	0.0
69	16614	16615	SN	1	-34.931	17.025	0.0	-34.604	17.987	0.0	-30.233	22.944	0.001	-17.634	22.006	0.002	0.087	230.55	3.274	0.086	213.906	2.56	0.086	78.204	0.025	0.086	4.36	0.017

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

107	16622	16623	SN	1	-34.753	17.384	0.0	-34.652	17.028	0.0	-25.22	22.515	0.025	-6.042	23.476	0.121	0.087	221.361	5.69	0.087	216.262	5.009	0.086	24.7	0.053	0.086	0.366	0.0
108	16623	16624	NS	1	-34.963	22.265	0.001	-34.179	17.031	0.0	-3.222	22.113	0.011	-5.075	23.267	0.491	0.086	232.307	2.322	0.087	193.9	1.977	0.086	0.227	0.0	0.086	0.307	0.0
109	16623	16624	SN	1	-34.535	19.517	0.0	-33.814	18.85	0.0	-34.708	22.642	0.037	-25.244	23.157	0.09	0.086	210.513	2.994	0.086	178.289	2.395	0.086	219.018	0.231	0.086	24.834	0.1
110	16623	16624	NS	1	-34.864	22.265	0.001	-34.179	17.031	0.0	-3.222	22.113	0.011	-5.075	23.267	0.49	0.086	227.099	2.319	0.087	193.9	1.975	0.086	0.227	0.0	0.086	0.307	0.0
111	16624	16625	SN	2	-34.306	18.488	0.0	-34.702	18.527	0.0	-34.459	22.811	0.025	-25.586	23.238	0.075	0.086	199.705	2.843	0.086	218.72	2.508	0.086	206.832	0.085	0.086	26.861	0.067
112	16624	16625	NS	1	-34.618	17.973	0.0	-34.566	19.751	0.0	-13.097	22.232	0.017	-6.545	23.454	0.322	0.086	214.556	5.136	0.086	212.014	4.534	0.086	1.576	0.003	0.086	0.402	0.0
113	16624	16625	NS	1	-34.618	17.973	0.0	-34.566	19.751	0.0	-13.097	22.232	0.018	-6.545	23.456	0.33	0.086	214.556	5.142	0.086	212.014	4.534	0.086	1.576	0.004	0.086	0.402	0.0
114	16624	16625	NS	1	-34.734	17.973	0.0	-34.566	19.751	0.0	-13.097	22.232	0.017	-6.545	23.456	0.322	0.086	220.403	5.131	0.086	212.014	4.529	0.086	1.576	0.003	0.086	0.402	0.0
115	16624	16625	SN	1	-34.306	18.488	0.0	-34.702	18.527	0.0	-34.459	22.811	0.025	-25.586	23.238	0.075	0.086	199.705	2.843	0.086	218.72	2.508	0.086	206.832	0.085	0.086	26.861	0.067
116	16625	16626	NS	1	-34.946	20.557	0.0	-34.776	21.083	0.0	-0.065	22.39	0.043	2.038	22.879	0.425	0.086	231.438	4.145	0.086	222.504	4.011	0.086	0.15	0.0	0.086	0.124	0.0
117	16625	16626	NS	1	-34.946	20.557	0.0	-34.776	21.083	0.0	-0.065	22.39	0.034	2.038	22.879	0.35	0.086	231.438	4.143	0.086	222.504	4.011	0.086	0.15	0.0	0.086	0.124	0.0
118	16625	16626	NS	1	-34.835	20.557	0.0	-33.913	21.083	0.0	-0.065	22.39	0.034	2.038	22.879	0.349	0.086	225.554	4.147	0.086	182.385	4.01	0.086	0.15	0.0	0.086	0.124	0.0
119	16625	16626	SN	2	-34.694	16.873	0.0	-34.298	17.461	0.0	-19.742	23.218	0.036	-13.55	22.911	0.081	0.087	218.377	1.458	0.087	199.32	1.323	0.086	7.043	0.009	0.086	1.742	0.003
120	16625	16626	SN	1	-34.694	16.873	0.0	-34.298	17.461	0.0	-19.742	23.218	0.036	-13.55	22.911	0.081	0.087	218.377	1.458	0.087	199.32	1.323	0.086	7.043	0.009	0.086	1.742	0.003
121	16626	16627	SN	1	-34.942	17.922	0.0	-34.284	17.616	0.0	-29.544	22.747	0.164	-27.125	23.063	0.349	0.086	231.133	1.721	0.087	198.693	1.329	0.086	66.751	0.197	0.086	38.269	0.234
122	16626	16627	SN	1	-34.948	17.921	0.0	-34.492	17.621	0.0	-30.084	22.747	0.164	-27.125	23.063	0.35	0.086	231.456	1.723	0.087	208.387	1.331	0.086	75.567	0.194	0.086	38.269	0.235
123	16626	16627	NS	1	-34.796	20.049	0.0	-34.943	18.035	0.0	-3.174	22.998	0.085	-0.411	23.164	0.697	0.086	223.546	2.454	0.086	231.242	2.209	0.086	0.225	0.0	0.086	0.156	0.0
124	16626	16627	NS	1	-34.796	20.049	0.0	-34.943	18.035	0.0	-3.174	22.998	0.039	-0.41	23.143	0.459	0.086	223.546	2.445	0.086	231.242	2.208	0.086	0.225	0.0	0.086	0.156	0.0
125	16626	16627	NS	1	-34.998	20.048	0.0	-34.719	18.035	0.0	-3.179	22.998	0.039	-0.408	23.143	0.462	0.086	234.168	2.446	0.086	219.626	2.207	0.086	0.225	0.0	0.086	0.156	0.0
126	16627	16628	SN	2	-34.974	16.587	0.0	-34.106	17.494	0.0	2.282	22.947	0.084	3.569	23.04	0.693	0.087	232.886	1.349	0.087	190.68	0.994	0.086	0.122	0.0	0.086	0.112	0.0
127	16627	16628	SN	1	-34.974	15.9	0.0	-34.049	16.327	0.0	2.282	22.947	0.07	3.569	23.04	0.729	0.087	232.886	1.288	0.087	188.198	1.071	0.086	0.122	0.0	0.086	0.112	0.0
128	16627	16628	NS	1	-34.43	17.27	0.0	-34.932	19.264	0.0	2.364	22.141	0.024	2.265	20.623	0.0	0.087	205.473	4.279	0.086	230.619	4.053	0.086	0.121	0.0	0.086	0.122	0.0
129	16627	16628	SN	1	-34.974	16.587	0.0	-34.049	17.494	0.0	2.282	22.947	0.084	3.569	23.04	0.693	0.087	232.886	1.349	0.087	188.198	0.994	0.086	0.122	0.0	0.086	0.112	0.0
130	16627	16628	NS	1	-34.43	17.27	0.0	-34.932	19.264	0.0	1.77	22.888	0.118	2.09	23.018	0.34	0.087	205.473	4.357	0.086	230.619	4.044	0.086	0.127	0.0	0.086	0.124	0.0
131	16627	16628	NS	2	-34.43	17.27	0.0	-34.932	19.264	0.0	1.77	22.888	0.118	2.09	23.018	0.34	0.087	205.473	4.358	0.086	230.619	4.045	0.086	0.127	0.0	0.086	0.124	0.0
132	16628	16629	NS	1	-34.372	18.815	0.0	-34.677	18.359	0.0	0.737	22.546	0.064	0.338	22.814	0.127	0.086	202.74	5.179	0.086	217.502	4.541	0.086	0.139	0.0	0.086	0.144	0.0
133	16628	16629	NS	1	-34.745	18.815	0.0	-34.532	18.357	0.0	0.734	22.545	0.064	0.338	22.812	0.127	0.086	220.931	5.175	0.086	210.319	4.548	0.086	0.139	0.0	0.086	0.144	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors